

May 25, 2017

Ms. Joyce Munie, P.E.
Manager, Permit Section
Illinois Environmental Protection Agency
Bureau of Land
1021 North Grand Avenue East
Springfield, Illinois 62794

Submittal of Corrected Information
Groundwater Monitoring Report –1st Quarter 2016
Roxana, Illinois
1191150002 – Madison County
Equilon Enterprises LLC d/b/a Shell Oil Products US
Log No. B-43R

Dear Ms. Munie:

On behalf of Shell Oil Products US (SOPUS), AECOM Technical Services, Inc. (AECOM) hereby submits the enclosed addendum to the above-referenced report (the Report).

AECOM collects a variety of samples for SOPUS as part of the work performed in connection with the above-referenced site including the samples referenced and utilized in the Report. AECOM contracts with independent laboratories to analyze the samples collected. As noted in SOPUS' initial disclosure letter and our subsequent communications, Accutest Laboratories (Accutest) issued revised laboratory analyses in response to an internal evaluation performed of its process. Please note, the majority of the corrected analyses were issued only to include a revised footnote and the numeric value of the analytical results reported remained unchanged. If any numeric values of analytical results presented in the Report were updated by Accutest, the updated results are presented as part of the information included in the Report addendum. Moreover, based upon our evaluation of the Report and the revised information received from Accutest, the conclusion(s) of the Report as originally issued are unaffected.

The information provided within and the format of this addendum is as discussed during our meeting with IEPA on March 23, 2017. This addendum includes the following information:

- IEPA LPC form
- Revised analytical results table



If you have any questions during your review, please contact Kevin Dyer, SOPUS Senior Principal Program Manager, at kevin.dyer@shell.com (618/288-7237), or Bob Billman at bob.billman@aecom.com (314/743-4108).

Sincerely,

AECOM, on behalf of Shell Oil Products US

A handwritten signature in blue ink that reads "Robert B. Billman".

Robert Billman, PG
Senior Project Manager

A handwritten signature in blue ink that reads "Robert E. Mooshegian".

Robert E. Mooshegian, CHMM
Senior Program Manager

Enclosures: 2 copies

cc: Kevin Dyer, SOPUS
Eric Petersen, Phillips 66
Lori Littrell, Atlantic Richfield Company
Shannon Haney, Greensfelder, Hemker & Gale P.C.
Repositories – Village Hall, Roxana Public Library, website
Project File



Illinois Environmental Protection Agency

Bureau of Land • 1021 North Grand Avenue East • P.O. Box 19276 • Springfield • Illinois • 62794-9276

RCRA FACILITY GROUNDWATER, LEACHATE AND GAS REPORTING FORM

This form must be used as a cover sheet for the notices and reports, identified below as required by: (1) a facility's RCRA interim status closure plan; (2) the RCRA interim status regulations; or (3) a facility's RCRA permit. All reports must be submitted to the Illinois EPA's Bureau of Land Permit Section. This form is for use by Hazardous Waste facilities only. Reporting for Solid Waste facilities should be submitted on a separate form. All reports submitted to the Illinois EPA's Bureau of Land Permit Section must contain an original, plus a minimum of two copies.

Note: This form is not to be used with permit or closure plan modification requests. The facility's approved permit or closure plan will state whether the document you are submitting is required as a report or a modification request.

Facility Name: Equilon Enterprises LLC dba Shell Oil Products US

Facility Address: 900 South Central Ave., Roxana, IL 62048

Site ID #: 1191150002 Fed ID #: ILD 080 012 305

Check the appropriate heading. Only one heading may be checked for each corresponding submittal. Check the appropriate sub-heading, where applicable. Attach the original and all copies behind this form.

☐ LPC-160 Forms

Groundwater

☐ Quarterly - Enter: 1, 2, 3, or 4

☐ Semi-Annual

☐ Annual

☐ Biennial

Leachate

☐ Quarterly - Enter: 1, 2, 3, or 4

☐ Semi-Annual

☐ Annual

☐ Biennial

☐ Groundwater Data (without LPC-160 Forms)

☐ Quarterly - Enter: 1, 2, 3, or 4 ☐ Annual ☐ Semi-Annual ☐ Biennial

☐ Well Construction Information

☐ Well Construction Forms, Boring Logs and/or Abandonment Forms

☐ Well Survey Data (e.g., Stick-up Elevation Data)

☐ Notice of Statistically Significant Evidence of Groundwater Contamination
(35 Ill. Adm. Code 724.198)

☐ Notice of Exceedence of Groundwater Concentration Limit (35 Ill. Adm. Code 724.199(h))

☐ Notice of Alternate Source or Error in Sampling Analysis or Evaluation of Groundwater
(35 Ill. Adm. Code 724.199(i))

☐ Gas Monitoring Reports

☒ Other (identify)

3Q15, 4Q15, 1Q16, 2Q16, & 3Q16 Groundwater Sampling Report Addenda - Addenda being issued due to revised laboratory reports.

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																							
Screening Values (mg/L)						Acetone	Benzene	Bromobenzene	Butane	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Cymene (p-Isopropyltoluene)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene	Ethylbenzene		
Screening Values (mg/L)						6.3 ¹	0.005 ¹	0.056 ³		4.2 ¹	0.35 ³			0.7 ¹	0.100 ¹		0.07 ¹				0.6 ²			0.075 ²	1.4 ¹	0.005 ²	0.005 ²	0.001 ²	0.7 ¹
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																							
MW-01	MW1-ROX-040913	4/9/2013	48.80 - 58.80	42.55	NE	<0.005	0.0004 J	<0.005		<0.01	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW1-ROX-070813	7/8/2013		39.56	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00097 U	<0.002	<0.0005	<0.001	
	MW1-ROX-100313	10/3/2013		40.28	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW1-ROX-011414	1/14/2014		42.77	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW1-ROX-040714	4/7/2014		43.28	NE	<0.01 UJ	0.00066	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW1-ROX-070914	7/9/2014		42.09	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW1-ROX-100614	10/6/2014		41.1	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW1-ROX-011215	1/12/2015		42.73	NE	0.035	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW1-ROX-040615	4/6/2015		44.11	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW1-ROX-070815	7/8/2015		43.35	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
MW1-ROX-100615	10/6/2015	40.83	NE	<0.025	<0.001	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	<0.001			
MW1-ROX-010816	1/8/2016	48.80 - 58.80	40.93	NE	<0.025	0.0029	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	<0.001			
MW-02	MW2-ROX-040913	4/9/2013	49.87 - 59.87	43.70	NE	<0.05	0.0174	<0.025		<0.025	0.0191 J	0.0085 J	<0.025	<0.025	<0.005	<0.01	<0.005	<0.01	0.0101 J	<0.005	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01	<0.0025	0.91	
	MW2-ROX-071113	7/11/2013		40.82	NE	<0.01 UJ	0.006	<0.005		<0.005 UJ	<0.005	0.0073	0.0029 J	<0.005	<0.001	<0.002	<0.001	<0.002	0.0075	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	1.57	
	MW2-ROX-100813	10/8/2013		41.73	NE	<0.01	0.0139	<0.005		0.0133	<0.005	0.0082	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0104	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.942	
	MW2-ROX-012014	1/20/2014		44.00	NE	<0.01	0.0238	<0.005		<0.005	0.0254	0.0096	0.0015 J	<0.005	<0.001	<0.002	<0.001	<0.002	0.0106	<0.001	<0.001	<0.001	0.0043	<0.002	<0.002	<0.0005	0.426		
	MW2-ROX-041014	4/10/2014		44.66	NE	<0.01	0.0214	<0.005		0.0136	0.0208	0.0077	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.009	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.478	
	MW2-ROX-071414	7/14/2014		43.13	NE	<0.01	0.0102 J	<0.005		<0.005	0.0194 J	0.0073 J	0.0013 J J	<0.005	<0.001	<0.002	<0.001	<0.002	0.008 J	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.955	
	MW2-ROX-101014	10/10/2014		42.49	NE	<0.02 UJ	0.0132	<0.01		<0.01	0.0145	0.0057 J	0.0011 J	<0.01 UJ	<0.002 UJ	<0.004	<0.002	<0.004	0.0063 J	<0.002	<0.002	<0.002	<0.002	<0.002	<0.004	<0.004	<0.001	0.386 J	
	MW2-ROX-011615	1/16/2015		44.1	NE	<0.01	0.0278	0.00045 J		<0.005	0.0185	0.0091	0.0016 J	<0.005	<0.001	<0.002	<0.001	0.0052	0.0109	0.0008 J	0.00084 J	0.00099 J	<0.001	<0.002	<0.002	<0.0005	0.358		
	MW2-ROX-041315	4/13/2015		45.56	NE	<0.01	0.0283	<0.005		<0.005	<0.005	0.0052 J	0.00084 J J	0.00028 J	<0.001	<0.002	<0.001	<0.002	0.0064	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.547	
	MW2-ROX-071315	7/13/2015		44.53	NE	<0.01	0.0204	<0.005		<0.005	<0.005	0.006	0.0012 J	<0.0023 U	<0.001	<0.002	<0.001	<0.002	0.006	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.984	
MW2-ROX-101215	10/12/2015	42.15	NE	0.054	0.035	<0.002		0.048 J	<0.002	0.0056	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.0065	<0.002	<0.002	<0.002	<0.002	<0.002	<0.01	<0.002	<0.01	0.42			
MW2-ROX-011416	1/14/2016	49.87 - 59.87	42.04	NE	0.034 J	0.018	<0.002		0.0089 J	0.0057	0.0039	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.0046	<0.002	<0.002	<0.002	<0.002	<0.002	<0.01	<0.002	<0.01	0.22		
MW-03	MW3-ROX-040813	4/8/2013	34.67 - 44.67	29.74	NE	<0.005 UJ	0.008	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW3-ROX-071113	7/11/2013		26.32	NE	<0.01 UJ	0.0059	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW3-ROX-100813	10/8/2013		27.38	NE	<0.01	0.00057	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0025	
	MW3-ROX-011614	1/16/2014		29.91	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW3-ROX-040914	4/9/2014		30.50	NE	<0.01	0.0015	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW3-ROX-071114	7/10/2014		29.05	NE	<0.01 UJ	0.00062	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW3-ROX-1009																												

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																							
						Acetone	Benzene	Bromobenzene	Butane	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Cymene (p-isopropyltoluene)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene	Ethylbenzene		
Screening Values (mg/L)						6.3 ¹	0.005 ¹	0.056 ³		4.2 ¹	0.35 ³			0.7 ¹	0.100 ¹		0.07 ¹			0.6 ²		0.075 ²	1.4 ¹	0.005 ²	0.005 ²	0.001 ²	0.7 ¹		
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																							
MW-05	MW5-ROX-040913	4/9/2013	33.97 - 43.97	29.41	NE	<0.005	0.0018	<0.005		<0.01	<0.005	0.0018 J	0.0063	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW5-ROX-070913	7/9/2013		26.04	NE	<0.01	0.0075	<0.005		<0.005	<0.005	<0.005	0.0085	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW5-ROX-100813	10/8/2013		26.97	NE	<0.01	0.0016	<0.005		<0.005	<0.005	<0.005	0.0064	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW5-ROX-011714	1/17/2014		29.59	NE	<0.01	0.002	<0.005		<0.005	<0.005	0.002 J	0.0064	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW5-ROX-041014	4/10/2014		30.09	NE	0.021 J	0.0037	<0.005		<0.005	<0.005	0.0017 J	0.0062	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW5-ROX-071414	7/14/2014		28.59	NE	<0.01	0.001	<0.005		<0.005	<0.005	0.0011 J	0.0046 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW-5-ROX-100914	10/9/2014		27.75	NE	<0.01 UJ	0.028	<0.005		<0.005	<0.005	0.00083 J	0.0049 J	<0.005 UJ	<0.001 UJ	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001 UJ	
	MW5-ROX-011515	1/15/2015		29.34	NE	<0.01	0.003	<0.005		<0.005	<0.005	0.0014 J	0.0059	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW5-ROX-041315	4/13/2015		30.97	NE	<0.01	0.0391	<0.005		<0.005	<0.005	0.0014 J J	0.0051 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0005 J	
	MW5-ROX-071315	7/13/2015		29.45	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	0.0031 J	<0.00032 U	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW5-ROX-101215	10/12/2015		27.53	NE	<0.025	0.0088	<0.001		<0.025	<0.001	<0.001	0.0035	<0.001	<0.001	<0.001	0.00079 J	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	0.0012	
MW5-ROX-011416	1/14/2016	33.97 - 43.97	27.19	NE	<0.025	<0.001	<0.001		<0.025	<0.001	<0.001	0.0026	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	<0.001			
MW-06A	MW6A-ROX-040313	4/3/2013	34.83 - 44.83	31.62	NE	<0.005 UJ	0.0017	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW6A-ROX-070913	7/9/2013		28.25	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW6A-ROX-070913-DUP	7/9/2013		28.25	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW6A-ROX-100713	10/7/2013		28.87	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW6A-ROX-100713-DUP	10/7/2013		28.87	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW6A-ROX-011614	1/16/2014		31.62	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW6A-ROX-011614-DUP	1/16/2014		31.62	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW6A-ROX-040814	4/8/2014		32.16	NE	0.11 J	0.0011	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW6A-ROX-040814-DUP	4/8/2014		32.16	NE	0.116 J	0.001	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW6A-ROX-071014	7/10/2014		30.75	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002 UJ	<0.001	<0.002 UJ	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW6A-ROX-100814	10/8/2014		29.84	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW6A-ROX-011415	1/14/2015		31.54	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW6A-ROX-040715	4/7/2015		33.08	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW6A-ROX-071515	7/15/2015		31.52	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
MW6A-ROX-100715	10/7/2015	29.77	NE	<0.025	<0.001	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	<0.001			
MW6A-ROX-011116	1/11/2016	34.83 - 44.83	29.36	NE	<0.025	<0.001	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	<0.001			
MW-06B	MW6B-ROX-040313	4/3/2013	64.05 - 69.05	31.68	NE	<0.005 UJ	0.00043 J	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW6B-ROX-070913	7/9/2013		28.25	NE	<0.01	<0.0005	<0																					

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																							
Screening Values (mg/L)						Acetone	Benzene	Bromobenzene	Butane	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Cymene (p-isopropyltoluene)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene	Ethylbenzene		
Screening Values (mg/L)						6.3 ¹	0.005 ¹	0.056 ³		4.2 ¹	0.35 ³			0.7 ¹	0.100 ¹		0.07 ¹			0.6 ²		0.075 ²	1.4 ¹	0.005 ²	0.005 ²	0.001 ²	0.7 ¹		
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																							
MW-06D	MW6D-ROX-040313	4/3/2013	104.72 - 109.72	31.27	NE	<0.005 UJ	0.00055	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW6D-ROX-070913	7/9/2013		27.91	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW6D-ROX-100713	10/7/2013		28.58	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW6D-ROX-011614	1/16/2014		31.33	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW6D-ROX-040814	4/8/2014		31.85	NE	<0.01 UJ	0.0064	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW6D-ROX-071014	7/10/2014		31.47	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002 UJ	<0.001	<0.002 UJ	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW6D-ROX-071014-DUP	7/10/2014		31.47	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002 UJ	<0.001	<0.002 UJ	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW6D-ROX-100814	10/8/2014		29.53	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW6D-ROX-100814-DUP	10/8/2014		29.53	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW6D-ROX-011415	1/14/2015		31.26	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW6D-ROX-011415-DUP	1/14/2015		31.26	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW6D-ROX-040715	4/7/2015		32.74	NE	<0.01	0.00032 J	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW6D-ROX-071415	7/14/2015		31.19	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW6D-ROX-100715	10/7/2015		29.45	NE	<0.025	<0.001	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	<0.001		
	MW6D-ROX-010816	1/8/2016	104.72 - 109.72	29.59	NE	<0.025	<0.001	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	<0.001		
	MW6D-ROX-010816-DUP	1/8/2016		29.59	NE	<0.025	<0.001	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	<0.001		
MW-07	MW7-ROX-041013	4/10/2013	42.92 - 52.92	42.70	NE	<20	475	<10		<20	<10	<10	<10	<10	<2	<4	<2	<4	<10	<2	<2	<2	<2	<4	<4	<1	<2		
	MW7-ROX-041013-DUP	4/10/2013		42.70	NE	<20	499	<10		<20	<10	<10	<10	<10	<2	<4	<2	<4	<10	<2	<2	<2	<2	<4	<4	<1	<2		
	MW7-ROX-071713	7/17/2013		39.60	NE	<0.01	1000 J	<0.005		<0.005	<0.005	0.0023 J J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0016 J J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001 UJ	0.2 J		
	MW7-ROX-101613	10/16/2013		40.64	NE	<20	553	<10		<10	<10	<10	<10	<10	<2	<4	<2	<4	<10	<2	<2	<2	<2	<4	<4	<1	<2		
	MW7-ROX-013014	1/30/2014		42.94	NE	<25	1490	<13		<13	<13	<13	<13	<13 UJ	<2.5	<5	<2.5	<5	<13	<2.5	<2.5	<2.5	<2.5	<5	<5	<1.3	<2.5		
	MW7-ROX-041614	4/16/2014		43.79	NE	<50	1390	<25		<25	<25	<25	<25	<25	<5	<10	<5	<10	<25	<5	<5	<5	<5	<10	<10	<2.5	<5		
	MW7-ROX-071614	7/16/2014		42.05	NE	<0.01	1270	<0.005		<0.005	0.0036 J J	0.0022 J J	0.0022 J J	<0.005	<0.001	<0.002	<0.001	<0.002	0.0015 J J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.208 J		
	MW7-ROX-071614-DUP	7/16/2014		42.05	NE	<0.01	1370	<0.005		<0.005	0.0034 J J	0.0023 J J	0.0022 J J	<0.005	<0.001	<0.002	<0.001	<0.002	0.0015 J J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.206 J		
	MW7-ROX-101614	10/16/2014		41.31	NE	<50	1130	<25		<25 UJ	<25	<25	<25	<25	<5	<10	<5	<10	<25	<5	<5	<5	<5	<10	<10	<2.5	<5		
	MW7-ROX-101614-DUP	10/16/2014		41.31	NE	<50	984	<25		<25 UJ	<25	<25	<25	<25	<5	<10	<5	<10	<25	<5	<5	<5	<5	<10	<10	<2.5	<5		
	MW7-ROX-012215	1/22/2015		43.45	NE	<10	821	<5		<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<1	<1	<1	<1	<2	<2	<0.5	<1		
	MW7-ROX-012215-DUP	1/22/2015		43.45	NE	<10	799	<5		<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<1	<1	<1	<1	<2	<2	<0.5	<1		
	MW7-ROX-042115	4/21/2015		44.63	NE	<0.5	1110	<0.25		<0.25	<0.25	<0.25	<0.25	<0.25	<0.05	<0.1	<0.05	<0.1	<0.25	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1	<0.025	0.0822		
	MW7-ROX-042115-DUP	4/21/2015		44.63	NE	<0.5	1160	<0.25		<0.25	<0.25	<0.25	<0.25	<0.25	<0.05	<0.1	<0.05	<0.1	<0.25	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1	<0.025	0.081		
	MW7-ROX-071515	7/15/2015		43.54	NE	<50	1300	<25		<25	<25	<25	<25	<25	<5	<10	<5	<10	<25	<5	<5	<5	<5	<10	<10	<2.5	<5		
	MW7-ROX-071515-DUP	7/15/2015		43.54	NE	<50	1370	<25		<25	<25	<25	<25	<25	<5	<10	<5	<10	<25	<5	<5	<5	<5	<10	<10	<2.5	<5		
	MW7-ROX-101915	10/19/2015		41.43	NE	<250	1000	<10		<250	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<50	<10	<50	<10		
	MW7-ROX-101915-DUP	10/19/2015		41.43	NE	<250	990	<10		<250	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<50	<10	<			

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																							
						Acetone	Benzene	Bromobenzene	Butane	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Cymene (p-isopropyltoluene)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene	Ethylbenzene		
Screening Values (mg/L)						6.3 ¹	0.005 ¹	0.056 ³		4.2 ¹	0.35 ³			0.7 ¹	0.100 ¹		0.07 ¹			0.6 ²			0.075 ²	1.4 ¹	0.005 ²	0.005 ²	0.001 ²	0.7 ¹	
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																							
MW-09	MW9-ROX-040913	4/9/2013	46.45 - 56.45	44.67	NE	<0.005	<0.0005	<0.005		<0.01	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW9-ROX-070813	7/8/2013		42.35	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.0015 U	<0.002	<0.0005	<0.001	
	MW9-ROX-100313	10/3/2013		42.27	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW9-ROX-011414	1/14/2014		44.47	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW9-ROX-040714	4/7/2014		44.99	NE	<0.01 UJ	0.0044	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW9-ROX-070914	7/9/2014		44.35	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW9-ROX-100714	10/7/2014		43.52	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW9-ROX-011315	1/13/2015		44.21	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW9-ROX-040915	4/9/2015		45.38	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW9-ROX-070915	7/9/2015	44.81	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
MW9-ROX-100815	10/8/2015	42.64	NE	<0.025	<0.001	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	<0.001			
MW9-ROX-011316	1/13/2016	46.45 - 56.45	42.63	NE	<0.025	<0.001	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	<0.001		
MW-10	MW10-ROX-040913	4/9/2013	44.43 - 54.43	44.60	NE	<0.005	0.00067	<0.005		<0.01	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW10-ROX-070813	7/8/2013		42.27	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.0016 U	<0.002	<0.0005	<0.001	
	MW10-ROX-100313	10/3/2013		42.38	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW10-ROX-011514	1/15/2014		44.42	NE	0.0174	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW10-ROX-040714	4/7/2014		45.00	NE	0.0684 J	0.0018	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	0.0032	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW10-ROX-070914	7/9/2014		44.35	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW10-ROX-100714	10/7/2014		43.58	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW10-ROX-011315	1/13/2015		44.27	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW10-ROX-040815	4/8/2015		45.30	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW10-ROX-070915	7/9/2015	44.93	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.00048 U	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
MW10-ROX-100915	10/9/2015	42.79	NE	<0.025	<0.001	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	<0.001			
MW10-ROX-011316	1/13/2016	44.43 - 54.43	42.53	NE	0.023 J	<0.001	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	<0.001		
MW-11	MW11-ROX-040813	4/8/2013	41.66 - 51.66	42.02	NE	<0.005 UJ	<0.00065 U	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW11-ROX-070813	7/8/2013		39.24	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001 U	<0.002	<0.0005	<0.001	
	MW11-ROX-100713	10/7/2013		39.95	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW11-ROX-011514	1/15/2014		42.16	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW11-ROX-040714	4/7/2014		42.70	NE	<0.01 UJ	0.0014	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW11-ROX-070914	7/9/2014		41.75	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.									

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																							
						Acetone	Benzene	Bromobenzene	Butane	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Cymene (p-isopropyltoluene)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene	Ethylbenzene		
Screening Values (mg/L)						6.3 ¹	0.005 ¹	0.056 ³		4.2 ¹	0.35 ³			0.7 ¹	0.100 ¹		0.07 ¹			0.6 ²		0.075 ²	1.4 ¹	0.005 ²	0.005 ²	0.001 ²	0.7 ¹		
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																							
MW-13	MW13-ROX-041213	4/12/2013	25.57 - 35.57	29.44	NE	<0.0319 UJ	0.0102 J	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW13-ROX-071213	7/12/2013		25.67	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW13-ROX-100913	10/9/2013		26.94	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW13-ROX-012914	1/29/2014		29.63	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW13-ROX-041114	4/11/2014		30.15	NE	<0.01	0.00058	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW13-ROX-070714	7/7/2014		28.49	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW13-ROX-101014	10/10/2014		27.48	NE	<0.01 UJ	0.00037 J	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001 UJ	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW13-ROX-011615	1/16/2015		29.09	NE	<0.01	0.00046 J	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.00097 J		
	MW13-ROX-041415	4/14/2015		30.71	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.00033 J		
	MW13-ROX-070815	7/8/2015		29.16	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	0.0016 J	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	MW13-ROX-100515	10/5/2015		27.34	NE	<0.025	<0.001	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
MW13-ROX-010716	1/7/2016	25.57 - 35.57	27.16	NE	0.019 J	<0.001	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0021		
MW-14	MW14-ROX-041113	4/11/2013	33.42 - 43.42	33.31	NE	<0.01	0.0125 J	<0.005		<0.01	0.0021 J	0.0048 J	0.0016 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW14-ROX-071213	7/12/2013		30.36	NE	<0.01	0.00064	<0.005		<0.005	0.00066 J	0.002 J	0.0013 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW14-ROX-101013	10/10/2013		30.80	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	0.0013 J	0.0012 J	<0.005	<0.001	<0.002	<0.001	<0.002	0.0011 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW14-ROX-012914	1/29/2014		33.67	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	0.0013 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW14-ROX-041114	4/11/2014		34.30	NE	<0.01	0.0017	<0.005		<0.005	<0.005	<0.005	0.00046 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW14-ROX-070714	7/7/2014		32.82	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	0.00042 J	0.00047 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW14-ROX-101414	10/14/2014		31.65	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	0.00063 J	<0.005	<0.001 UJ	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW14-ROX-011615	1/16/2015		33.58	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	0.00053 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.00036 J		
	MW14-ROX-041415	4/14/2015		35.16	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW14-ROX-070915	7/9/2015		34.06	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.00081 U	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW14-ROX-101315	10/13/2015		31.88	NE	<0.025	<0.001	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
MW14-ROX-010816	1/8/2016	33.42 - 43.42	31.64	NE	<0.025	<0.001	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001			
MW-16	MW16-ROX-040813	4/8/2013	37.06 - 47.06	43.39	NE	<0.005 UJ	<0.00058 U	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW16-ROX-070813	7/8/2013		40.62	NE	<0.01	<0.00062 U	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW16-ROX-100813	10/8/2013		41.62	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW16-ROX-011514	1/15/2014		43.76	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW16-ROX-040914	4/9/2014		44.63	NE	<0.01	0.00034 J	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW16-ROX-071010																												

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																							
						Acetone	Benzene	Bromobenzene	Butane	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Cymene (p-Isopropyltoluene)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene	Ethylbenzene		
Screening Values (mg/L)						6.3 ¹	0.005 ¹	0.056 ³		4.2 ¹	0.35 ³			0.7 ¹	0.100 ¹		0.07 ¹			0.6 ²			0.075 ²	1.4 ¹	0.005 ²	0.005 ²	0.001 ²	0.7 ¹	
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																							
MW-24	MW24-ROX-040513	4/5/2013	38.89 - 48.89	43.39	NE	<0.005	0.0029	<0.005		<0.01	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0012		
	MW24-ROX-071113	7/11/2013		40.35	NE	<0.0157 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW24-ROX-100913	10/9/2013		41.27	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW24-ROX-011514	1/15/2014		43.47	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW24-ROX-040914	4/9/2014		44.13	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW24-ROX-071114	7/10/2014		42.97	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW24-ROX-100814	10/8/2014		42.16	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW24-ROX-011315	1/13/2015		43.17	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW24-ROX-040915	4/9/2015		44.45	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW24-ROX-070915	7/9/2015		44.65	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.00019 U	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
MW24-ROX-100715	10/7/2015	41.45	NE	<0.025	<0.001	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	<0.001			
MW-25	MW24-ROX-011316	1/13/2016	38.89 - 48.89	41.44	NE	<0.025	<0.001	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	<0.001		
	MW25-ROX-102114	10/21/2014	35.59 - 45.59	36.44	NE	<20	501	<10		<10	<10	<10	<10	<10	<2	<4	<2	<4 UJ	<10	<2	<2	<2	<2	<4	<4	<1	<2		
	MW25-ROX-012215	1/22/2015		38.45	NE	<2.5 UJ	62.8	<1.3		<1.3	<1.3	<1.3	<1.3	<1.3	<0.25	<0.5	<0.25	<0.5	<1.3	<0.25	<0.25	<0.25	<0.25	<0.5	<0.5	<0.13	<0.25		
	MW25-ROX-042115	4/21/2015		39.71	NE	<0.5	78.7	<0.25		<0.25	<0.25	<0.25	<0.25	<0.25	<0.05	<0.1	<0.05	<0.1	<0.25	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1	<0.025	<0.05		
	MW25-ROX-071515	7/15/2015		38.40	NE	<2	71.9	<1		<1	<1	<1	<1	<1	<0.2	<0.4	<0.2	<0.4	<1	<0.2	<0.2	<0.2	<0.2	<0.4	<0.4	<0.1	<0.2		
	MW25-ROX-101915	10/19/2015		36.55	NE	<2.5	11	<0.1		<2.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.5	<0.1	<0.5	<0.1		
MW25-ROX-011416	1/14/2016	35.59 - 45.59	36.12	NE	<0.5	2.2	<0.02		<0.5	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.1	<0.02	<0.1	<0.02			
MW-26	MW26-ROX-102114	10/21/2014	38.15 - 48.15	39.43	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW26-ROX-011215	1/12/2015		41.09	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW26-ROX-040815	4/8/2015		42.52	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW26-ROX-070815	7/8/2015		41.76	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW26-ROX-100615	10/6/2015		39.19	NE	<0.025	<0.001	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	<0.001		
MW-27	MW26-ROX-010716	1/7/2016	38.15 - 48.15	39.55	NE	<0.025	<0.001	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	<0.001		
	MW27-ROX-102114	10/21/2014	39.79 - 49.79	41.57	NE	<0.01	0.00033 J	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW27-ROX-011515	1/15/2015		42.06	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW27-ROX-041015	4/10/2015		43.22	NE	0.0027 J J	0.00035 J	<0.005		<0.005 UJ	<0.005	<0.005	<0.005 UJ	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW27-ROX-071015	7/10/2015		43.00	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	MW27-ROX-100815	10/8/2015		40.32	NE	<0.025	<0.001	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	<0.001		
MW-28	MW27-ROX-011316	1/13/2016	39.79 - 49.79	40.68	NE	<0.025	<0.001	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	<0.001		
	MW28-ROX-102114	10/21/2014	33.61 - 43.61	36.44	NE	<0.01	0.0081	<0.005		<0.005	<0.005	0.00083 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.											

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																						
Screening Values (mg/L)						Acetone	Benzene	Bromobenzene	Butane	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Cymene (p-Isopropyltoluene)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene	Ethylbenzene	
Screening Values (mg/L)						6.3 ¹	0.005 ¹	0.056 ³		4.2 ¹	0.35 ³			0.7 ¹	0.100 ¹		0.07 ¹			0.6 ²			0.075 ²	1.4 ¹	0.005 ²	0.005 ²	0.001 ²	0.7 ¹
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																						
P-56	P56-ROX-041213	4/12/2013	40.82 - 65.82	46.12	NE	<0.02 U	0.131	<0.01		<0.01	<0.01	0.0142	<0.01	<0.01	<0.002	<0.004	<0.002	<0.004	<0.01	<0.002	<0.002	<0.002	<0.002	<0.004	<0.004	<0.001	0.691	
	P56-ROX-071513	7/15/2013		43.25	NE	<0.156 U	0.131	<0.005		<0.005	0.0141	0.0072	0.0038 J	<0.005	<0.001	0.0047	<0.001	<0.002	0.0061	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	2	
	P56-ROX-101013	10/10/2013		44.48	NE	<0.01	0.14	<0.005		<0.005	0.0088	0.005	0.0018 J	<0.005	<0.001	0.0038	<0.001	<0.002	0.0046 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	0.001	1.58	
	P56-ROX-012214	1/22/2014		46.35	NE	<0.01	0.0895	<0.005		<0.005	0.0033 J	0.0023 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0018 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.305	
	P56-ROX-041414	4/14/2014		47.32	NE	<0.01	0.128	<0.005		<0.005	0.0069	0.0046 J	0.0014 J	<0.005	<0.001	<0.002	<0.001	<0.002	0.0034 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.608	
	P56-ROX-070814	7/8/2014		45.97	NE	0.0626 J	0.127 J	<0.005		0.0132 J	0.0159 J	0.0073 J	0.0034 J J	<0.005	<0.001	<0.002	<0.001	<0.002	0.0058 J	<0.001	<0.001	<0.001	0.0018 J	<0.002	<0.002	<0.0005	1.71 J	
	P56-ROX-101314	10/13/2014		45.05	NE	<0.01 UJ	0.107	<0.005		<0.005	0.0062	0.004 J	0.0012 J	<0.005 UJ	<0.001 UJ	<0.002	<0.001	<0.002	0.0035 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.164	
	P56-ROX-011915	1/19/2015		46.58	NE	<0.01	0.0991	<0.005		<0.005	0.004 J	0.0037 J	0.00077 J	0.004 J	<0.001	<0.002	<0.001	0.0045	0.003 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.104	
	P56-ROX-041515	4/15/2015		48.05	NE	<0.01	0.0965	<0.005		<0.005	0.0028 J	0.0042 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0033 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.624	
	P56-ROX-071015	7/10/2015		47.34	NE	<0.01	0.0683	<0.005		<0.005	<0.005	0.0034 J	0.00068 J	<0.005	<0.001	<0.002	<0.001	<0.002	0.0027 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0297	
	P56-ROX-101415	10/14/2015		44.85	NE	0.15	0.033	<0.001		0.034	0.0012	0.0018	<0.001	0.0011	<0.001	<0.001	0.0022	<0.001	0.0013	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	0.067	
P56-ROX-011116	1/11/2016	40.82 - 65.82	44.78	NE	0.069 J	0.03	<0.005		0.032 J	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.025	<0.005	<0.025	0.092		
P-57	P57-ROX-041113	4/11/2013	40.46 - 65.46	46.29	NE	<5	141	<2.5		<5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25	1.19	
	P57-ROX-071613	7/16/2013		43.38	NE	<0.01	254	<0.005		<0.005	0.0131 J	0.0103 J	<0.005	<0.001	<0.002	<0.001	<0.002	0.0119 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	1.59		
	P57-ROX-101413	10/14/2013		44.38	NE	<0.01	288	<0.005		<0.005	0.0129	0.0116	0.0163	<0.005	<0.001	<0.002	<0.001	<0.002	0.0113	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	1.1	
	P57-ROX-020314	2/3/2014		46.57	NE	<10	261	<5		<5	<5	<5	<5 UJ	<1	<2	<1	<2	<5	<1	<1	<1	<1	<2	<2	<0.5	0.697 J		
	P57-ROX-041514	4/15/2014		46.70	NE	<0.01 UJ	384	<0.005		0.0055 J	0.0151	0.0131	0.0147	<0.005	<0.001	<0.002	<0.001	<0.002	0.0114	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	1.08	
	P57-ROX-070814	7/8/2014		45.95	NE	0.0497 J	378	<0.005 UJ		<0.005 UJ	0.011 J	0.0091 J	0.0066 J	<0.005 UJ	<0.001 UJ	<0.002 UJ	<0.001 UJ	<0.002 UJ	0.0081 J	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.002 UJ	<0.002 UJ	<0.0005 UJ	1.12	
	P57-ROX-070814-DUP	7/8/2014		45.95	NE	0.0441 J	371	<0.005 UJ		0.0086 J	0.0114 J	0.0097 J	0.007 J	<0.005 UJ	<0.001 UJ	<0.002 UJ	<0.001 UJ	<0.002 UJ	0.0085 J	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.002 UJ	<0.002 UJ	<0.0005 UJ	1.21	
	P57-ROX-101414-DUP	10/14/2014		45.00	NE	<20 UJ	220	<10		<10	<10	<10	<10	<10 UJ	<2 UJ	<4	<2	<4	<10	<2	<2	<2	<2	<4	<4	<1	1.77 J J	
	P57-ROX-101414	10/14/2014		45.00	NE	<20 UJ	255	<10		<10	<10	<10	<10	<10 UJ	<2 UJ	<4	<2	<4	<10	<2	<2	<2	<2	<4	<4	<1	3.86 J	
	P57-ROX-012315	1/23/2015		47.52	NE	<5 UJ	107	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25	0.773	
	P57-ROX-042015	4/20/2015		48.73	NE	<0.5	134	<0.25		<0.25	<0.25	<0.25	<0.25	<0.25 UJ	<0.05	<0.1	<0.05	<0.1	<0.25	<0.05	<0.05	<0.05	<0.05	<0.1 UJ	<0.1	<0.025	0.487	
P57-ROX-071315	7/13/2015	47.81	NE	<10	138	<5		<5	<5	<5	<5	0.852 J	<1	<2	<1	<2	<5	<1	<1	<1	<1	<2	<2	<0.5	0.44 J			
P57-ROX-101515	10/15/2015	45.56	NE	<25	140	<1		<25	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<1	<5	<1		
P57-ROX-011216	1/12/2016	44.19 - 54.19	45.61	NE	<25	160	<1		<25	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<1	<5	0.55 J		
P-58	P58-ROX-041113	4/11/2013	40.21 - 65.21	44.40	NE	<20	532	<10		<20	<10	<10	<10	<10	<2	<4	<2	<4	<10	<2	<2	<2	<2	<4	<4	<1	1.28 J	
	P58-ROX-071613	7/16/2013		41.49	NE	<0.01	398	<0.005		<0.005	0.0239	0.0215	0.0532	<0.005	0.0017	<0.002	<0.001	<0.002	0.0152	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	1.07	
	P58-ROX-101413	10/14/2013		42.19	NE	<0.01	647	<0.005		<0.005	0.023	0.0235	0.0483	<0.005	<0.001	<0.002	<0.001	<0.002	0.0143	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	1.53	
	P58-ROX-020314	2/3/2014		44.66	NE	<10	496	<5		<5	<5	<5	<5	<5 UJ	<1	<2	<1	<2	<5	<1	<1	<1	<1	<2	<2	<0.5	0.767 J	
	P58-ROX-041514	4/15/2014		45.66	NE	<0.01 UJ	782	<0.005		0.0056 J	0.0216 J	0.0185 J	0.0396 J	<0.005	0.0013 J	<0.002	<0.001	<0.002	0.0116 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.891 J	
	P58-ROX-071814	7/18/2014		43.80	NE	<20	406	<10		<10	<10	<10	<10	<10	<2	<4	<2	<4	<10	<2	<2	<2	<2	<4	<4	<1	<2	
	P58-ROX-101514	10/15/2014		43.14	NE	<5	493	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25	0.793 J	
	P58-ROX-012315	1/23/2015		45.32	NE	<10	304	<5		<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<1	<1	<1	<1	<2	<2	<0.5	1.13	
	P58-ROX-042015																											

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																							
Screening Values (mg/L)						Acetone	Benzene	Bromobenzene	Butane	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Cymene (p-Isopropyltoluene)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene	Ethylbenzene		
Screening Values (mg/L)						6.3 ¹	0.005 ¹	0.056 ³		4.2 ¹	0.35 ³			0.7 ¹	0.100 ¹		0.07 ¹			0.6 ²			0.075 ²	1.4 ¹	0.005 ²	0.005 ²	0.001 ²	0.7 ¹	
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																							
P-66	P66-ROX-041113	4/11/2013	34.72 - 59.72	36.03	NE	<0.01	0.0444	<0.005		<0.01	0.0199	0.0249	0.0104	<0.005	<0.001	0.00065 J	<0.001	<0.002	0.0093	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0036		
	P66-ROX-071213	7/12/2013		33.20	NE	<0.01	0.187	<0.005		<0.005	0.0146	0.0221	0.006	<0.005	0.00059 J	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0022		
	P66-ROX-101013	10/10/2013		33.66	NE	0.0095 J	0.0646	<0.005		<0.005	0.0141	0.0186	0.0067	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0045		
	P66-ROX-110713	11/7/2013		33.66	NE	<0.01	0.03	<0.005		<0.005	0.0088	0.0102	0.0071	<0.005	0.0007 J	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0016		
	P66-ROX-012914	1/29/2014		36.39	NE	<0.01	0.008	<0.005		<0.005	0.016	0.0205	0.0053	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0013		
	P66-ROX-041114	4/11/2014		37.10	NE	<0.01	0.0052	<0.005		<0.005	0.0129	0.0168	0.0041 J	<0.005	0.00052 J	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0014		
	P66-ROX-070714	7/7/2014		35.60	NE	<0.01 UJ	0.0429	<0.005		<0.005	0.0112	0.0147	0.0023 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0016		
	P66-ROX-101414	10/14/2014		34.48	NE	<0.01 UJ	0.0212	<0.005		<0.005	0.0135	0.0173	0.0036 J	<0.005	<0.001 UJ	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0013		
	P66-ROX-011615	1/16/2015		36.62	NE	<0.01	0.0083	<0.005		<0.005	0.0162	0.021	0.0048 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0016		
	P66-ROX-011615-DUP	1/16/2015		36.62	NE	<0.01	0.0076	<0.005		<0.005	0.0147	0.0198	0.0045 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0014		
	P66-ROX-041415	4/14/2015		38.27	NE	<0.01	0.0223	<0.005		<0.005	0.0127	0.0181	0.0039 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.003		
	P66-ROX-041415-DUP	4/14/2015		38.27	NE	<0.01	0.0214	<0.005		<0.005	0.0124	0.0177	0.004 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0027		
	P66-ROX-070815	7/8/2015		37.24	NE	<0.01 UJ	0.0404	<0.005		<0.005 UJ	0.0124	0.0164	0.0027 J	<0.005	0.00035 J	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0024		
	P66-ROX-070815-DUP	7/8/2015		37.24	NE	<0.01 UJ	0.0424	<0.005		<0.005 UJ	0.0126	0.0167	0.0027 J	<0.005	0.00038 J	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0022		
	P66-ROX-101315	10/13/2015		34.84	NE	<0.025	0.0094	<0.001		<0.025	<0.001	0.008	0.0023	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	0.0042	
	P-66-ROX-010816	1/8/2016	34.72 - 59.72	34.64	NE	<0.025	0.0013	<0.001		<0.025	<0.001	0.01	0.0019	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	<0.001	
P-74	P74-ROX-041113	4/11/2013	44.43 - 69.43	42.83	NE	<0.01	0.144	<0.005		<0.01	0.0026 J	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.002	0.0017 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0086	
	P74-ROX-071513	7/15/2013		40.11	NE	<0.0046 U	0.117	<0.005		<0.005	0.0088	0.002 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0306		
	P74-ROX-101413	10/14/2013		41.72	NE	<0.01	1.55	<0.005		<0.005	0.0158	0.003 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0031 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0653		
	P74-ROX-012414	1/24/2014		43.35	NE	<0.01	4.45	<0.005		<0.005	0.0252	0.0031 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0031 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.115		
	P74-ROX-041514	4/15/2014		44.74	NE	0.0398 J	0.0349	<0.005		<0.005 UJ	0.0013 J	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0043		
	P74-ROX-070814	7/8/2014		43.02	NE	<0.01 UJ	0.309	<0.005		<0.005	0.0138	0.0014 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0018 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0374		
	P74-ROX-101414	10/14/2014		41.48	NE	<0.01 UJ	0.00068	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001 UJ	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	P74-ROX-011915	1/19/2015		43.47	NE	<0.01	3.13	<0.005		<0.005	0.0163	0.0022 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0029 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.082		
	P74-ROX-041515	4/15/2015		44.61	NE	<0.01	0.032	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.00033 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0058		
	P74-ROX-071015	7/10/2015		43.28	NE	0.011	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	P74-ROX-101415	10/14/2015		41.75	NE	0.31	1.2	<0.005		<0.13	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.025	<0.005	0.056		
	P74-ROX-011116	1/11/2016	44.43 - 69.43	40.67	NE	0.023 J	0.0013	<0.001		0.003 J	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	<0.001		
P-93A	P93A-ROX-041113	4/11/2013	48.17 - 63.17	46.29	NE	<5	120	<2.5		<5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25	0.255 J		
	P93A-ROX-041113-DUP	4/11/2013		46.29	NE	<5	120	<2.5		<5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25	<0.5		
	P93A-ROX-071813	7/18/2013		43.25	NE	<0.0053 U	89.1	<0.005		<0.005	<0.005	0.0056	0.0916	<0.005	<0.001	<0.002	<0.001	<0.002	0.0024 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001 UJ	0.162		
	P93A-ROX-101113	10/11/2013		44.18	NE	<0.01 UJ	197	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0025 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.264		
	P93A-ROX-012914	1/29/2014		46.53	NE	<5	136	<2.5		<2.5	<2.5	<2.5	<2.5																

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																							
Screening Values (mg/L)						Acetone	Benzene	Bromobenzene	Butane	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Cymene (p-isopropyltoluene)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene	Ethylbenzene		
Analytical Results (mg/L)						6.3 ¹	0.005 ¹	0.056 ³		4.2 ¹	0.35 ³			0.7 ¹	0.100 ¹		0.07 ¹			0.6 ²		0.075 ²	1.4 ¹	0.005 ²	0.005 ²	0.001 ²	0.7 ¹		
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)																								
P-93B	P93B-ROX-041113	4/11/2013	74.60 - 76.60	46.32	NE	<5	618	<2.5		<5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25	<0.5		
	P93B-ROX-071813	7/18/2013		43.30	NE	<0.01	296	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001 UJ	0.0652		
	P93B-ROX-101613	10/16/2013		44.43	NE	<20	187	<10		<10	<10	<10	<10	<10	<2	<4	<2	<4	<10	<2	<2	<2	<2	<4	<4	<1	<2		
	P93B-ROX-101613-DUP	10/16/2013		44.43	NE	<20	180	<10		<10	<10	<10	<10	<10	<2	<4	<2	<4	<10	<2	<2	<2	<2	<4	<4	<1	<2		
	P93B-ROX-012814	1/28/2014		46.58	NE	<10	242	<5		<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<1	<1	<1	<1	<2	<2	<0.5	<1		
	P93B-ROX-012814-DUP	1/28/2014		46.58	NE	<10 UJ	293	<5		<5 UJ	<5	<5	<5	<5	<1	<2	<1	<2	<5	<1	<1	<1	<1	<2	<2	<0.5	<1		
	P93B-ROX-041714	4/17/2014		47.46	NE	<5	134	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25	<0.5		
	P93B-ROX-041714-DUP	4/17/2014		47.46	NE	<5	126	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25	<0.5		
	P93B-ROX-071714	7/17/2014		45.75	NE	<0.01 UJ	172	<0.005 UJ		<0.005 UJ	<0.005 UJ	<0.005 UJ	0.00042 J J	<0.005 UJ	<0.001 UJ	<0.002 UJ	<0.001 UJ	<0.002 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.002 UJ	<0.002 UJ	<0.0005 UJ	0.0236 J		
	P93B-ROX-101514	10/15/2014		45.15	NE	<5 UJ	241	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5 UJ	<0.5	<1	<0.5	<1	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25	<0.5	
	P93B-ROX-012315	1/23/2015		47.24	NE	<10	564	<5		<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<1	<1	<1	<1	<1	<2	<2	<0.5	<1	
	P93B-ROX-012315-DUP	1/23/2015		47.24	NE	<10	623	<5		<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<1	<1	<1	<1	<1	<2	<2	<0.5	<1	
	P93B-ROX-021915	2/19/2015		47.24	NE	<250	625	<0.5		<2.5	<0.5	<0.5	<0.5	<1	<0.5	<1	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	<0.5	<0.5	<0.5	
	P93B-ROX-041615	4/16/2015		48.42	NE	<0.01 UJ	400	<0.005		<0.005 UJ	<0.005	<0.005	0.001 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0947	
	P93B-ROX-041615-DUP	4/16/2015		48.42	NE	<10 UJ	388	<5		<5 UJ	<5	<5	<5	<5	<1	<2	<1	<2	<5	<1	<1	<1	<1	<1	<2	<2	<0.5	0.249 J	
	P93B-ROX-070915	7/9/2015		47.74	NE	<50 UJ	497 J	<25		<25 UJ	<25	<25	<25	<25	<5	<10	<5	<10	<25	<5	<5	<5	<5	<5	<10	<10	<2.5	<5	
	P93B-ROX-070915-DUP	7/9/2015		47.74	NE	<20 UJ	371 J	<10		<10 UJ	<10	<10	<10	<10	<2	<4	<2	<4	<10	<2	<2	<2	<2	<4	<4	<1	<2		
	P93B-ROX-101515	10/15/2015		45.18	NE	<63	1200	<2.5		<63	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<13	<2.5	<13	<2.5	
P93B-ROX-011316	1/13/2016	74.60 - 76.60	44.96	NE	<25	280	<1		<25	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<5	<1	<5	<1		
P-93C	P93C-ROX-041213	4/12/2013	94.26 - 96.26	46.21	NE	<0.0056 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	P93C-ROX-071813	7/18/2013		43.31	NE	<0.01	101	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001 UJ	0.0041	
	P93C-ROX-080813	8/8/2013		43.31	NE	<0.5	19.1	<0.25		<0.25	<0.25	<0.25	<0.25	<0.25	<0.05	<0.1	<0.05	<0.1	<0.25	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1	<0.025	<0.05		
	P93C-ROX-101613	10/16/2013		44.31	NE	<0.01	1.4	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	P93C-ROX-012414	1/24/2014		46.44	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	P93C-ROX-041714	4/17/2014		47.34	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	P93C-ROX-071714	7/17/2014		45.61	NE	<0.01	1.52	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	P93C-ROX-101514	10/15/2014		44.99	NE	<0.01	0.00075	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	P93C-ROX-011915	1/19/2015		48.22	NE	<1	102	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.2	<0.1	<0.2	<0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.2	<0.05	<0.1	
	P93C-ROX-021915	2/19/2015		48.22	NE	<25	75.4	<1		<5	<1	<1	<1	<2	<1	<2	<1	<2	<1	<1	<1	<1	<1	<1	<5	<1	<1	<1	
	P93C-ROX-041615	4/16/2015		48.22	NE	<1 UJ	55.3	<0.5		<0.5 UJ	<0.5	<0.5	<0.5	<0.5	<0.1	<0.2	<0.1	<0.2	<0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.2	<0.05	<0.1	
	P93C-ROX-071315	7/13/2015		47.09	NE	<0.01	0.0365	<0.005		<0.005	<0.005	<0.005	<0.005	<0.00025 U	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.00047 J	
P93C-ROX-101415	10/14/2015	44.91	NE	<0.025	0.011	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	<0.001			
P-93C-ROX-010816	1/8/2016	92.47 - 97.47	44.68	NE	<0.025	0.04	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	<0.001		
P-93D	P93D-ROX-041113	4/11/2013	125.75 - 127.75	46.37	NE	<0.01	<0.0005	<0.005		<0.01	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	
	P93D-ROX-071213	7/12/2013		43.51	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001						

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																							
Screening Values (mg/L)						Acetone	Benzene	Bromobenzene	Butane	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Cymene (p-Isopropyltoluene)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene	Ethylbenzene		
Screening Values (mg/L)						6.3 ¹	0.005 ¹	0.056 ³		4.2 ¹	0.35 ³			0.7 ¹	0.100 ¹		0.07 ¹				0.6 ²			0.075 ²	1.4 ¹	0.005 ²	0.005 ²	0.001 ²	0.7 ¹
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																							
P-114	P114-ROX-041513	4/15/2013	32.67 - 52.67	31.80	NE	<0.0059 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	P114-ROX-071813	7/18/2013		27.22	NE	<0.251 U	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	P114-ROX-071813-DUP	7/18/2013		27.22	NE	<0.245 U	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	P114-ROX-101713	10/17/2013		29.43	NE	0.0047 J	0.00074	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	P114-ROX-012814	1/28/2014		32.11	NE	0.142 J	0.0013	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	P114-ROX-042114	4/21/2014		32.22	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	P114-ROX-071814	7/18/2014		30.87	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	P114-ROX-101714	10/17/2014		29.43	NE	<0.01	<0.0005	<0.005		<0.005	0.0052 J	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.00045 J J		
	P114-ROX-012115	1/21/2015		31.53	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
	P114-ROX-041715	4/17/2015		NM	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001		
P114-ROX-070815	7/8/2015	29.16	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	0.0015 J	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001				
P-114R	P114R-ROX-100515	10/5/2015	23.01 - 33.01	28.15	NE	<0.025	<0.001	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	<0.001	
	P114R-ROX-010716	1/7/2016	23.01 - 33.01			<0.025	0.0004 J	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	<0.001	
ROST-3-MW	ROST3MW-ROX-040513	4/5/2013	38.18 - 48.18			<0.005 UJ	0.0605	<0.005		<0.005	<0.005	0.0011 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0012 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0136		
	ROST3MW-ROX-071113	7/11/2013		39.50	NE	<0.01 UJ	0.0125	<0.005		<0.005 UJ	<0.005	0.0014 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0014 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.218		
	ROST3MW-ROX-100913	10/9/2013		40.16	NE	<0.01	0.0033	<0.005		<0.0164	0.00073 J	<0.005	<0.005	<0.005	<0.001	0.0034	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0182		
	ROST3MW-ROX-011714	1/17/2014		42.20	NE	<0.01	0.004	<0.005		<0.005	0.0012 J	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.008		
	ROST3MW-ROX-041014	4/10/2014		42.80	NE	<0.01	0.0075	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0055		
	ROST3MW-ROX-071414	7/14/2014		41.88	NE	<0.01	0.0058	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.008		
	ROST3MW-ROX-100914	10/9/2014		41.31	NE	<0.01 UJ	0.003	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0398		
	ROST3MW-ROX-011515	1/15/2015		41.83	NE	<0.01	0.0022	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0144		
	ROST3MW-ROX-041315	4/13/2015		43.43	NE	0.0251 J	0.0057	<0.005		<0.005	<0.005	<0.005 UJ	<0.005 UJ	0.00037 J	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0085		
	ROST3MW-ROX-071315	7/13/2015		42.36	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.00066 U	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.02		
ROST3MW-ROX-101215	10/12/2015	40.29	NE	0.017 J	<0.001	<0.001		0.0064 J	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	0.06				
ROST3MW-ROX-011416	1/14/2016	37.81 - 47.81	40.30	NE	<0.025	0.0012	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	0.027			
ROST-4-PZ(C)	ROST4PZC-ROX-041013	4/10/2013	34.95 - 44.95	42.27	NE	<0.01	0.0153 J	<0.005		<0.01	<0.005	<0.005	<0.005	<0.005	<0.001 UJ	<0.002	<0.001	<0.002	<0.005	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.001	<0.002	<0.002 UJ	<0.0005 UJ	0.0028 J		
	ROST4PZC-ROX-071113	7/11/2013		40.18	NE	<0.01 UJ	0.0497	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0651		
	ROST4PZC-ROX-100913	10/9/2013		39.91	NE	<0.01	0.00066	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0064		
	ROST4PZC-ROX-011714	1/17/2014		41.92	NE	<0.01	0.0015	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0039		
	ROST4PZC-ROX-041014	4/10/2014		42.05	NE	<0.01	0.0019	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.00059 J		
	ROST4C-ROX-071114	7/10/2014		42.22	NE	<0.01 UJ	0.0751	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005 UJ</															

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																					
						Hexachlorobutadiene	2-Hexanone (Methyl N-Butyl Ketone)	Isopentane	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	Tetrachloroethene	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,2-Trichloroethane	Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl acetate	m,p-Xylenes	o-Xylenes	Xylenes (total)	
Screening Values (mg/L)						0.007 ³	0.035 ³		0.7 ¹	0.56 ³	0.07 ¹	0.14 ¹	0.7 ³	0.1 ¹	0.005 ¹	1.0 ¹	0.0056 ³	0.07 ¹	0.005 ¹	0.005 ¹		0.07 ³	7.0 ²	10 ¹	10 ¹		
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																					
MW-01	MW1-ROX-040913	4/9/2013	48.80 - 58.80	42.55	NE	<0.005	<0.005		<0.005	<0.005	0.0012	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW1-ROX-070813	7/8/2013		39.56	NE	<0.005	<0.005		<0.005	<0.005	0.0049	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW1-ROX-100313	10/3/2013		40.28	NE	<0.005	<0.005		<0.005	<0.005	0.0013	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW1-ROX-011414	1/14/2014		42.77	NE	<0.005	<0.005		<0.005	<0.005	0.0018	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW1-ROX-040714	4/7/2014		43.28	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW1-ROX-070914	7/9/2014		42.09	NE	<0.005	<0.005 UJ		<0.005	<0.005	0.0035	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW1-ROX-100614	10/6/2014		41.1	NE	<0.005	<0.005		<0.005	<0.005 UJ	0.00082 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001	
	MW1-ROX-011215	1/12/2015		42.73	NE	<0.005	<0.005		<0.005	<0.005	0.00084 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW1-ROX-040615	4/6/2015		44.11	NE	<0.005	<0.005		<0.005	<0.005	0.00059 J	<0.005 UJ	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW1-ROX-070815	7/8/2015		43.35	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
MW1-ROX-100615	10/6/2015	40.83	NE	<0.005	<0.025		<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005		
MW1-ROX-010816	1/8/2016	48.80 - 58.80	40.93	NE	<0.005	<0.025		<0.001	<0.025	0.00078 J	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005	
MW-02	MW2-ROX-040913	4/9/2013	49.87 - 59.87	43.70	NE	<0.025	<0.025		0.085	<0.025	<0.005	0.0578	0.11	<0.025	<0.005	0.0073	<0.025	<0.025	<0.005	<0.005	0.338	0.155	<0.025	1.01	0.0454	1.05	
	MW2-ROX-071113	7/11/2013		40.82	NE	<0.005	<0.005 UJ		0.0931	<0.005	0.0062	0.114	0.127	<0.005	<0.001	0.11	<0.005	<0.005	<0.001	<0.001	0.522	0.175	<0.005 UJ	1.88	0.174	1.88	
	MW2-ROX-100813	10/8/2013		41.73	NE	<0.005	0.0079		0.0983	<0.005	0.0032	0.0939	0.132	<0.005	<0.001	0.0164	<0.005	<0.005	<0.001	<0.001	0.368	0.174	0.0768	0.912	0.0519	0.912	
	MW2-ROX-012014	1/20/2014		44.00	NE	<0.005	<0.005		0.102	<0.005	<0.001	0.0663	0.133	<0.005	<0.001	0.0099	<0.005	<0.005	<0.001	<0.001	0.264	0.156	<0.005	0.486	0.0304	0.516	
	MW2-ROX-041014	4/10/2014		44.66	NE	<0.005	<0.005		0.0816	<0.005	<0.001	0.0474	0.106	<0.005	<0.001	0.0072	<0.005	<0.005	<0.001	<0.001	0.181	0.121	<0.005	0.444	0.0275	0.472	
	MW2-ROX-071414	7/14/2014		43.13	NE	<0.005	<0.005		0.0966 J	<0.005	<0.001	0.0792 J	0.112 J	<0.005	<0.001	0.0113 J	<0.005	<0.005	<0.001	<0.001	0.341 J	0.15 J	<0.005	0.764	0.0845	0.804	
	MW2-ROX-101014	10/10/2014		42.49	NE	<0.01	<0.01 UJ		0.0675	<0.01 UJ	<0.002	0.0512	0.0867	<0.01	<0.002	0.006	<0.01	<0.01	<0.002	<0.002	0.135	0.0901	<0.01	0.26 J	0.0183	0.278 J	
	MW2-ROX-011615	1/16/2015		44.1	NE	0.0031 J	0.0039 J		0.0823	0.0061	<0.001	0.0626	0.107	0.00052 J	<0.001	0.0121	0.0051	0.0044 J	<0.001	0.0015	0.0895	0.102	<0.005	0.207	0.0206	0.228	
	MW2-ROX-041315	4/13/2015		45.56	NE	<0.005	<0.005		0.0613 J	<0.005	0.0013	0.068 J	0.0802 J	<0.005	<0.001	0.0103	<0.005	<0.005	<0.001	<0.001	0.185 J	0.0882	<0.005	0.549	0.0495	0.598	
	MW2-ROX-071315	7/13/2015		44.53	NE	<0.005	<0.005		0.0683	<0.005	<0.001	0.0878	0.0983	<0.005	<0.001	0.0103	<0.0015 U	<0.005	<0.001	<0.001	0.206	0.109	<0.005	0.719	0.0689	0.78	
MW2-ROX-101215	10/12/2015	42.15	NE	<0.01	<0.05		0.082	<0.05	<0.002	0.039	0.088	<0.002	<0.002	0.013	<0.002	<0.002	<0.01	<0.002	0.1	0.09	<0.05	0.26	0.023	0.28			
MW2-ROX-011416	1/14/2016	49.87 - 59.87	42.04	NE	<0.01	<0.05		0.049	<0.05	<0.002	0.027	0.063	<0.002	<0.002	0.012	<0.002	<0.002	<0.01	<0.002	0.05	0.072	<0.05	0.11	0.01	0.12		
MW-03	MW3-ROX-040813	4/8/2013	34.67 - 44.67	29.74	NE	<0.005	<0.005		<0.005	<0.005	<0.001 UJ	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	
	MW3-ROX-071113	7/11/2013		26.32	NE	<0.005	<0.005 UJ		0.0049 J	<0.005	0.0035	<0.005	0.0055	<0.005	<0.001	0.0013	<0.005	<0.005	<0.001	<0.001	<0.0013 J	<0.005	<0.005 UJ	0.0028	<0.001	0.0028	
	MW3-ROX-100813	10/8/2013		27.38	NE	<0.005	<0.005		<0.005	<0.005	0.00075 J	<0.005	0.0021 J	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	0.0197	0.0011	<0.001	0.0011	
	MW3-ROX-011614	1/16/2014		29.91	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW3-ROX-040914	4/9/2014		30.50	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW3-ROX-071114	7/10/2014		29.05	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW3-ROX-100914	10/9/2014		28.18	NE	<0.005	<0.005		0.0004 J	<0.005	0.003 J	<0.005	0.00053 J	<0.005	<0.001	0.00046 J	<0.005	<0.005	<0.001	<0.001	0.0012 J	<0.005	<0.005 UJ	0.00095 J	<0.001	<0.00095 U	
	MW3-ROX-011515	1/15/2015		29.65	NE	<0.005	<0.005		0.00065 J	<0.005	0.0101	<0.005	0.0018 J	<0.005	<0.001	0.00062 J	<0.005	<0.005	<0.001	<0.001	0.00071 J	0.00031 J	<0.005	0.0014	<0.001	0.0015	
	MW3-ROX-041015	4/10/2015		31.16	NE	<0.005 UJ	<0.005 UJ		<0.005	<0.005	0.0012	<0.005 UJ	0.00042 J	<0.005	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001	<0.005	<0.005	<0.005 UJ</				

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																					
						Hexachlorobutadiene	2-Hexanone (Methyl N-Butyl Ketone)	Isopentane	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	Tetrachloroethene	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,2-Trichloroethane	Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl acetate	m,p-Xylenes	o-Xylenes	Xylenes (total)	
Screening Values (mg/L)						0.007 ³	0.035 ³		0.7 ¹	0.56 ³	0.07 ¹	0.14 ¹	0.7 ³	0.1 ¹	0.005 ¹	1.0 ¹	0.0056 ³	0.07 ¹	0.005 ¹	0.005 ¹		0.07 ³	7.0 ²	10 ¹	10 ¹		
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																					
MW-05	MW5-ROX-040913	4/9/2013	33.97 - 43.97	29.41	NE	<0.005	<0.005		0.00085 J	<0.005	0.0427	<0.005	<0.005	<0.005	<0.001	0.002	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.005	0.001	<0.001	0.0014
	MW5-ROX-070913	7/9/2013		26.04	NE	<0.005	<0.005		0.0268	<0.005	0.0121	<0.005	0.0132	<0.005	<0.001	0.0029	<0.005	<0.005	0.0018	<0.001	<0.005	<0.005	<0.005	<0.005	0.0079	0.0018	0.0097
	MW5-ROX-100813	10/8/2013		26.97	NE	<0.005	<0.005		0.0045 J	<0.005	0.0221	<0.005	<0.005	<0.005	<0.001	0.002	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	0.0129	0.0044	0.00097 J	0.0054	
	MW5-ROX-011714	1/17/2014		29.59	NE	<0.005	<0.005		0.00097 J	<0.005	0.0282	<0.005	<0.005	<0.005	<0.001	0.0014	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.005	0.0081	0.0045	0.0127
	MW5-ROX-041014	4/10/2014		30.09	NE	<0.005	<0.005		<0.005	<0.005	0.0344	0.001 J	<0.005	<0.005	<0.001	0.0013	<0.005	<0.005	<0.001	<0.001	0.00052 J	<0.005	<0.005	0.0013	0.00095 J	0.0023	
	MW5-ROX-071414	7/14/2014		28.59	NE	<0.005	<0.005		0.00049 J	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	0.0016	<0.005	<0.005	<0.001	<0.001	0.00033 J	<0.005	<0.005	0.002	0.00073 J	0.0027	
	MW-5-ROX-100914	10/9/2014		27.75	NE	<0.005	<0.005 UJ		0.0012 J	<0.005 UJ	0.019	<0.005	<0.005	<0.005	<0.001	0.0015	<0.005	<0.005	<0.001	<0.001	0.00058 J	<0.005	<0.005	0.0027 J	0.0012 J	0.0039 J	
	MW5-ROX-011515	1/15/2015		29.34	NE	<0.005	<0.005		0.0057	<0.005	0.0215	<0.005	0.0018 J	<0.005	<0.001	0.0014	<0.005	<0.005	<0.001	<0.001	0.00037 J	0.00031 J	<0.005	0.0076	0.0015	0.009	
	MW5-ROX-041315	4/13/2015		30.97	NE	<0.005	<0.005		0.0076 J	<0.005	0.0349	<0.005 UJ	0.0056 J	<0.005	<0.001	0.00057 J	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005	<0.005	<0.005	0.0088	0.00051 J	0.0093
	MW5-ROX-071315	7/13/2015		29.45	NE	<0.005	<0.005		0.00097 J	<0.005	0.0413	<0.005	<0.005	<0.005	<0.001	0.00032 J	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.005	0.0019	0.00032 J	0.0022
	MW5-ROX-101215	10/12/2015		27.53	NE	<0.005	<0.025		0.0031	<0.025	0.021	<0.001	<0.001	<0.001	<0.001	0.0019	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.025	0.0044 J	<0.005	0.0044 J
	MW5-ROX-011416	1/14/2016	33.97 - 43.97	27.19	NE	<0.005	<0.025		0.0017	<0.025	0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	0.0018 J	
MW-06A	MW6A-ROX-040313	4/3/2013	34.83 - 44.83	31.62	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-070913	7/9/2013		28.25	NE	<0.005	<0.005		<0.005	<0.005	0.0027	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-070913-DUP	7/9/2013		28.25	NE	<0.005	<0.005		<0.005	<0.005	0.0025	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-100713	10/7/2013		28.87	NE	<0.005	<0.005 UJ		<0.005	<0.005	0.0131	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-100713-DUP	10/7/2013		28.87	NE	<0.005	<0.005 UJ		<0.005	<0.005	0.0132	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-011614	1/16/2014		31.62	NE	<0.005	<0.005		<0.005	<0.005	0.0108	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-011614-DUP	1/16/2014		31.62	NE	<0.005	<0.005		<0.005	<0.005	0.0103	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-040814	4/8/2014		32.16	NE	<0.005	<0.005		<0.005	<0.005	0.00086 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-040814-DUP	4/8/2014		32.16	NE	<0.005	<0.005		<0.005	<0.005	0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-071014	7/10/2014		30.75	NE	<0.005	<0.005 UJ		<0.005	<0.005	0.0148	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-100814	10/8/2014		29.84	NE	<0.005	<0.005		<0.005	<0.005	0.0082 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-011415	1/14/2015		31.54	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-040715	4/7/2015		33.08	NE	<0.005	<0.005		<0.005	<0.005	0.0077	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-071515	7/15/2015		31.52	NE	<0.005	<0.005		<0.005	<0.005	0.0045	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-100715	10/7/2015		29.77	NE	<0.005	<0.025		<0.001	<0.025	0.0053	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005	
	MW6A-ROX-011116	1/11/2016	34.83 - 44.83	29.36	NE	<0.005	<0.025		<0.001	<0.025	0.0034	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005	
MW-06B	MW6B-ROX-040313	4/3/2013	64.05 - 69.05	31.68	NE	<0.005	<0.005		<0.005	<0.005	0.0132	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-070913	7/9/2013		28.25	NE	<0.005	<0.005		<0.005	<0.005	0.0069	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-100713	10/7/2013		28.93	NE	<0.005	<0.005 UJ		<0.005	<0.005	0.0113	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.005	<0		

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																					
						Hexachlorobutadiene	2-Hexanone (Methyl N-Butyl Ketone)	Isopentane	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	Tetrachloroethene	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,2-Trichloroethane	Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl acetate	m,p-Xylenes	o-Xylenes	Xylenes (total)	
Screening Values (mg/L)						0.007 ³	0.035 ³		0.7 ¹	0.56 ³	0.07 ¹	0.14 ¹	0.7 ³	0.1 ¹	0.005 ¹	1.0 ¹	0.0056 ³	0.07 ¹	0.005 ¹	0.005 ¹		0.07 ³	7.0 ²	10 ¹	10 ¹		
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																					
MW-06D	MW6D-ROX-040313	4/3/2013	104.72 - 109.72	31.27	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	
	MW6D-ROX-070913	7/9/2013		27.91	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	MW6D-ROX-100713	10/7/2013		28.58	NE	<0.005	<0.005 UJ		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-011614	1/16/2014		31.33	NE	<0.005	<0.005		<0.005	<0.005	0.00061 J	<0.005 UJ	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-040814	4/8/2014		31.85	NE	<0.005	<0.005		<0.005	<0.005	0.00094 J	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-071014	7/10/2014		31.47	NE	<0.005	<0.005 UJ		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-071014-DUP	7/10/2014		31.47	NE	<0.005	<0.005 UJ		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-100814	10/8/2014		29.53	NE	<0.005	<0.005		<0.005	<0.005	<0.00051 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-100814-DUP	10/8/2014		29.53	NE	<0.005	<0.005		<0.005	<0.005	0.00057 J	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-011415	1/14/2015		31.26	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-011415-DUP	1/14/2015		31.26	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-040715	4/7/2015		32.74	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-071415	7/14/2015		31.19	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-100715	10/7/2015		29.45	NE	<0.005	<0.025		<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
MW6D-ROX-010816	1/8/2016	104.72 - 109.72	29.59	NE	<0.005	<0.025		<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005		
MW6D-ROX-010816-DUP	1/8/2016		29.59	NE	<0.005	<0.025		<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005		
MW-07	MW7-ROX-041013	4/10/2013	42.92 - 52.92	42.70	NE	<10	<10		<10	<10	<2	<10	<10	<10	<2	<2	<10	<10	<2	<2	<10	<10	<10	<2	<2	<2	
	MW7-ROX-041013-DUP	4/10/2013		42.70	NE	<10	<10		<10	<10	<2	<10	<10	<10	<2	<2	<10	<10	<2	<2	<10	<10	<10	<2	<2	<2	
	MW7-ROX-071713	7/17/2013		39.60	NE	<0.005	<0.005		0.0096 J	<0.005	0.0031 J	0.0185 J	0.0173 J	<0.005	<0.001	0.289 J	<0.005	<0.005	<0.001	<0.001	0.117 J	0.0264 J	0.0094 J	0.455 J	0.183 J	0.639 J	
	MW7-ROX-101613	10/16/2013		40.64	NE	<10	<10		<10	<10	<2 UJ	<10	<10	<10	<2	<2	<10	<10	<2	<2	<10	<10	<10 UJ	<2	<2	<2	
	MW7-ROX-013014	1/30/2014		42.94	NE	<13	<13		<13	<13	<2.5	<13	<13	<13	<2.5	<2.5	<13	<13	<2.5	<2.5	<13	<13	<13	<2.5	<2.5	<2.5	
	MW7-ROX-041614	4/16/2014		43.79	NE	<25	<25		<25	<25	<5	<25	<25	<25	<5	<5	<25	<25	<5	<5	<25	<25	<25	<5	<5	<5	
	MW7-ROX-071614	7/16/2014		42.05	NE	<0.005	<0.005		0.0127 J	<0.005	<0.001	0.0165 J	0.0197 J	<0.005	<0.001	0.224 J	<0.005	<0.005	<0.001	<0.001	0.143 J	0.0324 J	<0.005	0.48 J	0.187 J	0.667 J	
	MW7-ROX-071614-DUP	7/16/2014		42.05	NE	<0.005	<0.005		0.0131 J	<0.005	<0.001	0.0141 J	0.0194 J	<0.005	<0.001	0.222 J	<0.005	<0.005	<0.001	<0.001	0.142 J	0.0318 J	<0.005	0.465 J	0.181 J	0.647 J	
	MW7-ROX-101614	10/16/2014		41.31	NE	<25	<25		<25	<25	<5	<25	<25	<25	<5	<5	<25 UJ	<25	<5	<5	<25	<25	<25 UJ	<5	<5	<5	
	MW7-ROX-101614-DUP	10/16/2014		41.31	NE	<25	<25		<25	<25	<5	<25	<25	<25	<5	<5	<25 UJ	<25	<5	<5	<25	<25	<25 UJ	<5	<5	<5	
	MW7-ROX-012215	1/22/2015		43.45	NE	<5	<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	<1	
	MW7-ROX-012215-DUP	1/22/2015		43.45	NE	<5	<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	<1	
	MW7-ROX-042115	4/21/2015		44.63	NE	<0.25	<0.25		<0.25	<0.25	<0.05	<0.25 UJ	<0.25	<0.25	<0.05	0.295	<0.25	<0.25	<0.05	<0.05	0.0791 J	0.0174 J	<0.25	0.116	0.0357 J	0.152	
	MW7-ROX-042115-DUP	4/21/2015		44.63	NE	<0.25	<0.25		<0.25	<0.25	<0.05	<0.25 UJ	<0.25	<0.25	<0.05	0.285	<0.25	<0.25	<0.05	<0.05	0.0784 J	0.0173 J	<0.25	0.116	0.0369 J	0.153	
	MW7-ROX-071515	7/15/2015		43.54	NE	<25	<25		<25	<25	<5	<25	<25	<25	<5	<5	<25	<25	<5	<5	<25	<25	<25	<5	<5	<5	
	MW7-ROX-071515-DUP	7/15/2015		43.54	NE	<25	<25		<25	<25	<5	<25	<25	<25	<5	<5	<25	<25	<5	<5	<25	<25	<25	<5	<5	<5	
	MW7-ROX-101915	10/19/2015		41.43	NE	<50	<250		<10	<250	<10	<10	<10	<10	<10	<10	<10	<10	<10	<50	<10	<10	<10	<250	<50	<50	<50
	MW7-ROX-101915-DUP	10/19/2015		41.43	NE	<50	<250		<10	<250	<10	<10	<10	<10	<10	<10	<10	<10	<10	<50	<10	<10	<10	<250	<50	<50	<50
MW7-ROX-011416	1/14/2016	42.92 - 52.92	41.02	NE	<25	<130		<5	<130	<5	<5	<5	<5	<5	<5	<5	<5	<25	<5	<5	<5	<1					

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																				
						Hexachlorobutadiene	2-Hexanone (Methyl N-Butyl Ketone)	Isopentane	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	Tetrachloroethene	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,2-Trichloroethane	Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl acetate	m,p-Xylenes	o-Xylenes	Xylenes (total)
Screening Values (mg/L)						0.007 ³	0.035 ³		0.7 ¹	0.56 ³	0.07 ¹	0.14 ¹	0.7 ³	0.1 ¹	0.005 ¹	1.0 ¹	0.0056 ³	0.07 ¹	0.005 ¹	0.005 ¹		0.07 ³	7.0 ²	10 ¹	10 ¹	
Location	Sample ID	Sample Date	Screened Interval (ft bloc)	Depth to Water (ft bloc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-09	MW9-ROX-040913	4/9/2013	46.45 - 56.45	44.67	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW9-ROX-070813	7/8/2013		42.35	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW9-ROX-100313	10/3/2013		42.27	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW9-ROX-011414	1/14/2014		44.47	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW9-ROX-040714	4/7/2014		44.99	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW9-ROX-070914	7/9/2014		44.35	NE	<0.005	<0.005 UJ		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW9-ROX-100714	10/7/2014		43.52	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	MW9-ROX-011315	1/13/2015		44.21	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW9-ROX-040915	4/9/2015		45.38	NE	<0.005	<0.005 UJ		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW9-ROX-070915	7/9/2015		44.81	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW9-ROX-100815	10/8/2015		42.64	NE	<0.005	<0.025		<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005
MW9-ROX-011316	1/13/2016	46.45 - 56.45	42.63	NE	<0.005	<0.025		<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005	
MW-10	MW10-ROX-040913	4/9/2013	44.43 - 54.43	44.60	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW10-ROX-070813	7/8/2013		42.27	NE	<0.005	<0.005	1.9	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW10-ROX-100313	10/3/2013		42.38	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW10-ROX-011514	1/15/2014		44.42	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW10-ROX-040714	4/7/2014		45.00	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW10-ROX-070914	7/9/2014		44.35	NE	<0.005	<0.005 UJ		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW10-ROX-100714	10/7/2014		43.58	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	MW10-ROX-011315	1/13/2015		44.27	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW10-ROX-040815	4/8/2015		45.30	NE	<0.005 UJ	<0.005		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW10-ROX-070915	7/9/2015		44.93	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW10-ROX-100915	10/9/2015		42.79	NE	<0.005	<0.025		<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
MW10-ROX-011316	1/13/2016	44.43 - 54.43	42.53	NE	<0.005	<0.025		<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005	
MW-11	MW11-ROX-040813	4/8/2013	41.66 - 51.66	42.02	NE	<0.005	<0.005		<0.005	<0.005	<0.001 UJ	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW11-ROX-070813	7/8/2013		39.24	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW11-ROX-100713	10/7/2013		39.95	NE	<0.005	<0.005 UJ		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW11-ROX-011514	1/15/2014		42.16	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW11-ROX-040714	4/7/2014		42.70	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW11-ROX-070914	7/9/2014		41.75	NE	<0.005	<0.005 UJ		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW11-ROX-100714	10/7/2014		40.89	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	MW11-ROX-011315	1/13/2015		41.93	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW11-ROX-040815	4/8/2015		43.19	NE	<0.005 UJ	<0.005																			

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																					
						Hexachlorobutadiene	2-Hexanone (Methyl N-Butyl Ketone)	Isopentane	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	Tetrachloroethene	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,2-Trichloroethane	Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl acetate	m,p-Xylenes	o-Xylenes	Xylenes (total)	
Screening Values (mg/L)						0.007 ³	0.035 ³		0.7 ¹	0.56 ³	0.07 ¹	0.14 ¹	0.7 ³	0.1 ¹	0.005 ¹	1.0 ¹	0.0056 ³	0.07 ¹	0.005 ¹	0.005 ¹		0.07 ³	7.0 ²	10 ¹	10 ¹		
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																					
MW-13	MW13-ROX-041213	4/12/2013	25.57 - 35.57	29.44	NE	<0.005	<0.005		<0.005	<0.005	0.0093	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW13-ROX-071213	7/12/2013		25.67	NE	<0.005 UJ	<0.005		<0.005	<0.005	0.0094	<0.005	0.00064 J	<0.005	<0.001 UJ	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001	
	MW13-ROX-100913	10/9/2013		26.94	NE	<0.005 UJ	<0.005		<0.005	<0.005	0.0072	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW13-ROX-012914	1/29/2014		29.63	NE	<0.005	<0.005		<0.005	<0.005	0.008 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW13-ROX-041114	4/11/2014		30.15	NE	<0.005	<0.005		<0.005	<0.005	0.0062	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW13-ROX-070714	7/7/2014		28.49	NE	<0.005	<0.005		<0.005	<0.005	0.0091 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW13-ROX-101014	10/10/2014		27.48	NE	<0.005	<0.005 UJ		<0.005	<0.005	0.0045	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001 UJ	<0.001	0.0011 J	
	MW13-ROX-011615	1/16/2015		29.09	NE	<0.005	<0.005		<0.005	<0.005	0.006	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	0.00064 J	<0.005	<0.005	0.0022	0.00072 J	0.003	
	MW13-ROX-041415	4/14/2015		30.71	NE	<0.005	<0.005		<0.005	<0.005	0.0075	<0.005 UJ	<0.005	<0.005	<0.005	<0.001	0.00035 J	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.00057 J	0.00024 J	0.00082 J
	MW13-ROX-070815	7/8/2015		29.16	NE	<0.005	<0.005		<0.005	<0.005	0.0054	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
MW13-ROX-100515	10/5/2015	27.34	NE	<0.005	<0.025		<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005		
	MW13-ROX-010716	1/7/2016	25.57 - 35.57	27.16	NE	<0.005	<0.025		0.008	<0.025	0.013	<0.001	0.011	<0.001	<0.001	0.033	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	0.059	0.0038 J	0.063	
MW-14	MW14-ROX-041113	4/11/2013	33.42 - 43.42	33.31	NE	<0.005	<0.005		0.0346	<0.005	<0.001	<0.005	0.0206	<0.005	<0.001	0.0014	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.0038	<0.001	0.0043	
	MW14-ROX-071213	7/12/2013		30.36	NE	<0.005 UJ	<0.005		0.0168	<0.005	<0.001	<0.005	0.0109	<0.005	<0.001 UJ	0.00059 J	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	0.0026	<0.001	0.0029	
	MW14-ROX-101013	10/10/2013		30.80	NE	<0.005	<0.005		0.0011 J	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	0.00088 J	0.0011 J	<0.005	<0.001	<0.001	<0.001	
	MW14-ROX-012914	1/29/2014		33.67	NE	<0.005	<0.005		0.0036 J	<0.005	<0.001	<0.005	0.002 J	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW14-ROX-041114	4/11/2014		34.30	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW14-ROX-070714	7/7/2014		32.82	NE	<0.005	<0.005		0.00073 J	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW14-ROX-101414	10/14/2014		31.65	NE	<0.005	<0.005 UJ		0.00043 J	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001 UJ	<0.001	0.00041 J J	
	MW14-ROX-011615	1/16/2015		33.58	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	0.00042 J	<0.005	<0.005	<0.001	<0.001	0.00032 J	<0.005	<0.005	0.00072 J	<0.001	0.001	
	MW14-ROX-041415	4/14/2015		35.16	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW14-ROX-070915	7/9/2015		34.06	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.0011 U	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW14-ROX-101315	10/13/2015	31.88	NE	<0.005	<0.025		<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005		
MW-16	MW-14-ROX-010816	1/8/2016	33.42 - 43.42	31.64	NE	<0.005	<0.025		<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005	
	MW16-ROX-040813	4/8/2013	43.39	NE	<0.005	<0.005		<0.005	<0.005	<0.001 UJ	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW16-ROX-070813	7/8/2013	40.62	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW16-ROX-100813	10/8/2013	41.62	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW16-ROX-011514	1/15/2014	43.76	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW16-ROX-040914	4/9/2014	44.63	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW16-ROX-071014	7/10/2014	43.15	NE	<0.005	<0.005 UJ		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW16-ROX-100714	10/7/2014	42.27	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005</										

TABLE 3

Screening Values (mg/L)						0.007 ³	0.035 ³		0.7 ¹	0.56 ³	0.07 ¹	0.14 ¹	0.7 ³	0.1 ¹	0.005 ¹	1.0 ¹	0.0056 ³	0.07 ¹	0.005 ¹	0.005 ¹		0.07 ³	7.0 ²	10 ¹	10 ¹		
Location	Sample ID	Sample Date	Screened Interval (ft bloc)	Depth to Water (ft bloc)	Product Thickness (ft)	Analytical Results (mg/L)																					
MW-24	MW24-ROX-040513	4/5/2013	38.89 - 48.89	43.39	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	0.0014	<0.005	<0.005	<0.001	<0.001	0.00051 J	<0.005	<0.005	0.0021	0.0009 J	0.003	
	MW24-ROX-071113	7/11/2013		40.35	NE	<0.005	<0.005 UJ		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001	
	MW24-ROX-100913	10/9/2013		41.27	NE	<0.005 UJ	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW24-ROX-011514	1/15/2014		43.47	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW24-ROX-040914	4/9/2014		44.13	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW24-ROX-071114	7/10/2014		42.97	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW24-ROX-100814	10/8/2014		42.16	NE	<0.005	<0.005		<0.005	<0.005	<0.001 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW24-ROX-011315	1/13/2015		43.17	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW24-ROX-040915	4/9/2015		44.45	NE	<0.005	<0.005 UJ		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW24-ROX-070915	7/9/2015		44.65	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
MW24-ROX-100715	10/7/2015	41.45	NE	<0.005	<0.025		<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005		
MW-25	MW24-ROX-011316	1/13/2016	38.89 - 48.89	41.44	NE	<0.005	<0.025		<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005	
	MW25-ROX-102114	10/21/2014	36.44	NE	<10	<10		<10	<10	<2	<10	<10	<10	<2	2.65	<10	<10	<2	<2	<10	<10	<10	<2	<2	0.753 J		
	MW25-ROX-012215	1/22/2015	38.45	NE	<1.3	<1.3		<1.3	<1.3	0.282	<1.3	<1.3	<1.3	<0.25	<0.25	<1.3	<1.3	<0.25	<0.25	<1.3	<1.3	<0.25	<0.25	<0.25	<0.25	0.0821 J	
	MW25-ROX-042115	4/21/2015	39.71	NE	<0.25	<0.25		<0.25	<0.25	0.125	<0.25 UJ	<0.25	<0.25	<0.05	<0.05	<0.25	<0.25	<0.05	<0.05	<0.25	<0.25	<0.25	<0.25	<0.05	<0.05	<0.05	
	MW25-ROX-071515	7/15/2015	38.40	NE	<1	<1		<1	<1	<0.2	<1	<1	<1	0.0577 J	<0.2	<1	<1	<0.2	<0.2	<1	<1	<1	<0.2	<0.2	<0.2		
MW-26	MW25-ROX-101915	10/19/2015	36.55	NE	<0.5	<2.5		<0.1	<2.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.5	<0.1	<0.1	<0.1	<0.1	<2.5	<0.5	<0.5	
	MW25-ROX-011416	1/14/2016	35.59 - 45.59	36.12	NE	<0.1	<0.5		<0.02	<0.5	0.042	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.1	<0.02	<0.02	<0.02	<0.5	<0.1	<0.1	<0.1	
	MW26-ROX-102114	10/21/2014	39.43	NE	<0.005	<0.005		<0.005	<0.005	0.0019	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW26-ROX-011215	1/12/2015	41.09	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW26-ROX-040815	4/8/2015	42.52	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
MW-27	MW26-ROX-070815	7/8/2015	41.76	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW26-ROX-100815	10/6/2015	39.19	NE	<0.005	<0.025		<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005		
	MW26-ROX-010716	1/7/2016	38.15 - 48.15	39.55	NE	<0.005	<0.025		<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005		
	MW27-ROX-102114	10/21/2014	41.57	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW27-ROX-011515	1/15/2015	42.06	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
MW-28	MW27-ROX-041015	4/10/2015	39.79 - 49.79	43.22	NE	<0.005 UJ	<0.005 UJ		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001	
	MW27-ROX-071015	7/10/2015	43.00	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW27-ROX-100815	10/8/2015	40.32	NE	<0.005	<0.025		<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005		
	MW27-ROX-011316	1/13/2016	39.79 - 49.79	40.68	NE	<0.005	<0.025		<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005		
	MW28-ROX-102114	10/21/2014	36.44	NE	<0.005	<0.005		0.00075 J	<0.005	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	0.0011	<0.005	<0.005	<0.001	<0.001	0.0036 J	0.00059 J	<0.005	0.0036	0.0051	0.0087	
P-54	MW28-ROX-011515	1/15/2015	33.61 - 43.61	41.14	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	0.00026 J	<0.005	<0.005	<0.001	<0.001	0.00059 J	<0.005	<0.005	0.0012	0.00092 J	0.0021	
	MW28-ROX-041415	4/14/2015	42.34	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	0.00042 J	0.00042 J			
	MW28-ROX-071515	7/15/2015	42.19	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	0.00031 J	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW28-ROX-101215	10/12/2015	40.04	NE	<0.005	<0.025		<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	0.0017 J		
	MW28-ROX-101215-DUP	10/12/2015	40.04	NE	<0.005	<0.025		<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005		
P-55R	MW28-ROX-011416	1/14/2016	33.61 - 43.61	39.98	NE	<0.005	<0.025		<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005	<0.005	
	P54-ROX-041013	4/10/2013	41.80	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	P54-ROX-050313	5/3/2013	41.80	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	P54-ROX-071113	7/11/2013	39.07	NE	<0.005	<0.005 UJ		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001		
	P54-ROX-100813	10/8/2013	39.94	NE	<0.005	<0.005																					

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																				
Screening Values (mg/L)						0.007 ³	0.035 ³		0.7 ¹	0.56 ³	0.07 ¹	0.14 ¹	0.7 ³	0.1 ¹	0.005 ¹	1.0 ¹	0.0056 ³	0.07 ¹	0.005 ¹	0.005 ¹		0.07 ³	7.0 ²	10 ¹	10 ¹	
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
P-56	P56-ROX-041213	4/12/2013	40.82 - 65.82	46.12	NE	<0.01	<0.01		0.0581	<0.01	<0.002	0.0964 J	0.0805	<0.01	<0.002	0.0799	<0.01	<0.001	<0.002	<0.002	0.27	0.0486	<0.01	1	0.0243	1.03
	P56-ROX-071513	7/15/2013		43.25	NE	<0.005	<0.005		0.0968	<0.005	<0.001	0.316	0.145	<0.005	<0.001	0.311	<0.005	<0.005	<0.001	<0.001	0.551	0.134	<0.005	2.67	0.21	2.85
	P56-ROX-101013	10/10/2013		44.48	NE	<0.005	<0.005		0.0822	<0.005	0.00058 J	0.156	0.105	<0.005	<0.001	0.157	<0.005	<0.005	<0.001	<0.001	0.33	0.0714	<0.005	1.7	0.0617	1.76
	P56-ROX-012214	1/22/2014		46.35	NE	<0.005	<0.005		0.0399	<0.005	<0.001	0.0566	0.0426	<0.005	<0.001	0.0263	<0.005	<0.005	<0.001	<0.001	0.074	0.0172	<0.005	0.224	0.0093	0.233
	P56-ROX-041414	4/14/2014		47.32	NE	<0.005	<0.005		0.0781	<0.005	<0.001	0.0836	0.0951	<0.005	<0.001	0.0669	<0.005	<0.005	<0.001	<0.001	0.205	0.0472	<0.005	0.742	0.0156	0.758
	P56-ROX-070814	7/8/2014		45.97	NE	<0.005	<0.005		0.106 J	<0.005	<0.001	0.156 J	0.133 J	<0.005	<0.001	0.288 J	<0.005	<0.005	<0.001	<0.001	0.487 J	0.166 J	<0.005	2.04 J	0.122 J	2.09 J
	P56-ROX-101314	10/13/2014		45.05	NE	<0.005	<0.005 UJ		0.0645	<0.005 UJ	<0.001	0.0679	0.0709	<0.005	<0.001	0.0183	<0.005	<0.005	<0.001	<0.001	0.0657	0.0194	<0.005	0.17 J	0.0066	0.176 J
	P56-ROX-011915	1/19/2015		46.58	NE	<0.005	<0.005		0.0532	<0.005	<0.001	0.0261	0.0574	<0.005	<0.001	0.0114	<0.005	<0.005	<0.001	<0.001	0.0466	0.0135	<0.005	0.143	0.0043	0.148
	P56-ROX-041515	4/15/2015		48.05	NE	<0.005	<0.005		0.0768	<0.005	<0.001	0.0754 J	0.0918	<0.005	<0.001	0.068	<0.005	<0.005	<0.001	<0.001	0.189	0.0454	<0.005	0.737	0.0124	0.749
	P56-ROX-071015	7/10/2015		47.34	NE	<0.005	<0.005		0.057	<0.005	<0.001	0.0158	0.0594	<0.005	<0.001	0.005	<0.005	<0.005	<0.001	<0.001	0.0063	0.0041 J	<0.005	0.0702	0.0035	0.0737
	P56-ROX-101415	10/14/2015		44.85	NE	<0.005	<0.025		0.027	0.011 J	<0.001	0.016	0.031	<0.001	<0.001	0.0077	<0.001	<0.001	<0.005	<0.001	0.029	0.0077	<0.025	0.1	0.0031 J	0.1
	P56-ROX-011116	1/11/2016	40.82 - 65.82	44.78	NE	<0.025	<0.13		0.031	<0.13	<0.005	0.023	0.036	<0.005	<0.005	0.016	<0.005	<0.005	<0.025	<0.005	0.063	0.016	<0.13	0.22	0.0062 J	0.22
P-57	P57-ROX-041113	4/11/2013	40.46 - 65.46	46.29	NE	<2.5	<2.5		<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	0.494 J	<2.5	<2.5	<0.5	<0.5	<0.5
	P57-ROX-071613	7/16/2013		43.38	NE	<0.005 UJ	<0.005		0.0698 J	<0.005	0.112 J	0.203 J	0.0802 J	<0.005	<0.001	0.202 J	<0.005	<0.005	<0.001	<0.001	<5	0.129 J	<0.005 UJ	1.81	0.256 J	2.01
	P57-ROX-101413	10/14/2013		44.38	NE	<0.005	<0.005		0.0539	<0.005	0.107	0.206	0.0586	<0.005	<0.001	0.0421	<0.005	<0.005	<0.001	<0.001	0.763 J	0.12	<0.005	0.468	0.0206	0.489
	P57-ROX-020314	2/3/2014		46.57	NE	<5	<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	<1
	P57-ROX-041514	4/15/2014		46.70	NE	<0.005	0.0062		0.0492	<0.005	0.0563	0.272	0.0585	<0.005	<0.001	0.0248	0.0015 J	<0.005	<0.001	<0.001	0.503 E J	0.114	<0.005	0.296	0.0143	0.311
	P57-ROX-070814	7/8/2014		45.95	NE	<0.005 UJ	<0.005 UJ		0.0656 J	<0.005 UJ	<0.001 UJ	0.128 J	0.0605 J	<0.005 UJ	<0.001 UJ	0.154 J	<0.005 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ	0.375 J	0.0913 J	<0.005 UJ	1.46	0.237	1.7
	P57-ROX-070814-DUP	7/8/2014		45.95	NE	<0.005 UJ	<0.005 UJ		0.0689 J	<0.005 UJ	<0.001 UJ	0.139 J	0.0633 J	<0.005 UJ	<0.001 UJ	0.16 J	<0.005 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ	0.392 J	0.0954 J	<0.005 UJ	1.56	0.234	1.79
	P57-ROX-101414-DUP	10/14/2014		45.00	NE	<10	<10 UJ		<10	<10 UJ	<2	<10	<10	<10	<2	0.849 J	<10	<10	<2	<2	1.18 J	<10	<10	2.37 J	0.949 J	3.32 J
	P57-ROX-101414	10/14/2014		45.00	NE	<10	<10 UJ		<10	<10 UJ	<2	2.05 J	<10	<10	<2	2.65	<10	<10	<2	<2	2.37 J	<10	<10	5.79 J	2.1	7.89 J
	P57-ROX-012315	1/23/2015	44.19 - 54.19	47.52	NE	<2.5	<2.5		<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	0.652 J	<2.5	<2.5	0.342 J	<0.5	0.342 J
	P57-ROX-042015	4/20/2015		48.73	NE	<0.25	<0.25		0.0246 J	<0.25	<0.05	<0.25 UJ	0.0468 J	<0.25	<0.05	0.0376 J	<0.25 UJ	<0.25	<0.05	<0.05	0.305	0.0323 J	<0.25	0.14	0.0141 J	0.154
	P57-ROX-071315	7/13/2015		47.81	NE	<5	<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	0.44 J	<5	<5	<5	<1	0.237 J
P57-ROX-101515	10/15/2015	45.56	NE	<5	<25		<1	<25	<1	<1	<1	<1	<1	<1	1.8	<1	<1	<5	<1	<1	<1	<25	<5	<5	0.63 J	
P57-ROX-011216	1/12/2016	44.19 - 54.19	45.61	NE	<5	<25		<1	<25	<1	<1	<1	<1	<1	<1	<1	<1	<5	<1	<1	<1	<25	<5	<5	0.83 J	
P-58	P58-ROX-041113	4/11/2013	40.21 - 65.21	44.40	NE	<10	<10		<10	<10	<2	<10	<10	<10	<2	<2	<10	<10	<2	<2	0.926 J	<10	<10	<2	<2	<2
	P58-ROX-071613	7/16/2013		41.49	NE	<0.005 UJ	<0.005		0.101	<0.005	<0.001	0.234	0.131	<0.005	<0.001	0.147	<0.005	<0.005	<0.001	<0.001	0.634 J	0.13	<0.005 UJ	0.723	0.12	0.843
	P58-ROX-101413	10/14/2013		42.19	NE	<0.005	<0.005		0.0999	0.0055	0.0015	0.234	0.135	<0.005	<0.001	0.2	<0.005	<0.005	<0.001	<0.001	1.17 J	0.131	<0.005	0.74	0.112	0.852
	P58-ROX-020314	2/3/2014		44.66	NE	<5	<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	<1
	P58-ROX-041514	4/15/2014		45.66	NE	<0.005	<0.005		0.0777 J	<0.005	<0.001	0.277 J	0.104 J	<0.005	<0.001	0.127 J	<0.005	<0.005	<0.001	<0.001	0.53 E J	0.0992 J	<0.005	0.552 J	0.0908 J	0.643 J
	P58-ROX-071814	7/18/2014		43.80	NE	<10	<10		<10	<10	<2	<10	<10	<10	<2	<2	<10	<10	<2	<2	<10	<10	<10	<2	<2	<2
	P58-ROX-101514	10/15/2014		43.14	NE	<2.5	<2.5		1.43 J	<2.5	<0.5	<2.5	0.781 J	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	0.72 J	0.453 J	<2.5	<0.5	0.253 J	0.718
	P58-ROX-012315	1/23/2015		45.32	NE	<5	<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	0.714 J	<5	<5	0.686 J	<1	0.686 J
	P58-ROX-042015	4/20/2015		46.67	NE	<0.05	<0.05		0.0575	<0.05	<0.01	0.12 J	0.0762	<0.05	<0.01	0.101	<0.05 UJ	<0.05	<0.01	<0.01	0.549	0.0691	<0.05	0.433	0.0525	0.486
	P58-ROX-071415	7/14/2015		45.54	NE	<5	<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	0.285 J
	P58-ROX-101615	10/16/2015		43.45	NE	<10	<50		<2	<50	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	<2	<50	<10	<10	<10
	P58-ROX-011316	1/13/2016																								

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																				
Screening Values (mg/L)						0.007 ³	0.035 ³		0.7 ¹	0.56 ³	0.07 ¹	0.14 ¹	0.7 ³	0.1 ¹	0.005 ¹	1.0 ¹	0.0056 ³	0.07 ¹	0.005 ¹	0.005 ¹		0.07 ³	7.0 ²	10 ¹	10 ¹	
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
P-66	P66-ROX-041113	4/11/2013	34.72 - 59.72	36.03	NE	<0.005	<0.005		0.287	<0.005	0.086	<0.005	0.384	<0.005	<0.001	0.0012	<0.005	<0.005	<0.001	<0.001	0.0041 J	<0.005	<0.005	<0.001	<0.001	<0.001
	P66-ROX-071213	7/12/2013		33.20	NE	<0.005 UJ	<0.005		0.191	<0.005	<0.001	<0.005	0.229	<0.005	<0.001 UJ	0.0018	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	0.001	0.0015
	P66-ROX-101013	10/10/2013		33.66	NE	<0.005	<0.005		0.151	<0.005	0.085	0.0104	0.204	<0.005	<0.001	0.0013	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	0.00096 J	0.00096 J
	P66-ROX-110713	11/7/2013		33.66	NE	<0.005	<0.005		0.0958	<0.005	0.0528	0.0057	0.0658	<0.005	<0.001	0.00086 J	<0.005	<0.005	0.0015	<0.001	<0.005	<0.005	<0.005	<0.001	0.00057 J	0.00057 J
	P66-ROX-012914	1/29/2014		36.39	NE	<0.005	<0.005		0.131	<0.005	<0.001	<0.005	0.157	<0.005	<0.001	0.0017	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	0.0045	0.0045
	P66-ROX-041114	4/11/2014		37.10	NE	<0.005	<0.005		0.115	<0.005	<0.001	0.0014 J	0.136	<0.005	<0.001	0.0017	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	0.00072 J	0.0013
	P66-ROX-070714	7/7/2014		35.60	NE	<0.005	<0.005		0.144	<0.005	<0.001	<0.005	0.102	<0.005	<0.001	0.0022	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.001	0.00099 J	0.002
	P66-ROX-101414	10/14/2014		34.48	NE	<0.005	<0.005 UJ		0.129	<0.005	0.0111	<0.005	0.137	<0.005	<0.001	0.0016	<0.005 UJ	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001 UJ	0.0009 J	0.0018 J
	P66-ROX-011615	1/16/2015		36.62	NE	<0.005	<0.005		0.121	<0.005	0.0171	0.006	0.136	<0.005	<0.001	0.0018	<0.005	<0.005	<0.001	<0.001	0.00073 J	0.00029 J	<0.005	0.00093 J	0.0012	0.0021
	P66-ROX-011615-DUP	1/16/2015		36.62	NE	<0.005	<0.005		0.116	<0.005	0.0172	0.0053	0.127	<0.005	<0.001	0.0016	<0.005	<0.005	<0.001	<0.001	0.00041 J	0.00019 J	<0.005	0.001	0.0013	0.0022
	P66-ROX-041415	4/14/2015		38.27	NE	<0.005	<0.005		0.133	<0.005	<0.001	<0.005 UJ	0.134	<0.005	<0.001	0.0024	<0.005	<0.005	<0.001	<0.001	0.00064 J	<0.005	<0.005	0.0028	0.0015	0.0044
	P66-ROX-041415-DUP	4/14/2015		38.27	NE	<0.005	<0.005		0.13	<0.005	<0.001	<0.005 UJ	0.132	<0.005	<0.001	0.0022	<0.005	<0.005	<0.001	<0.001	0.00053 J	<0.005	<0.005	0.0024	0.0013	0.0037
	P66-ROX-070815	7/8/2015		37.24	NE	<0.005	<0.005		0.133	<0.005	<0.001	<0.005	0.117	<0.005	<0.001	0.0017	<0.005	<0.005	<0.001	<0.001	0.0003 J	<0.005	<0.005	0.0016	0.0011	0.0027
	P66-ROX-070815-DUP	7/8/2015		37.24	NE	<0.005	<0.005		0.132	<0.005	<0.001	<0.005	0.119	<0.005	<0.001	0.0018	<0.005	<0.005	<0.001	<0.001	0.00032 J	<0.005	<0.005	0.0016	0.0011	0.0027
	P66-ROX-101315	10/13/2015		34.84	NE	<0.005	<0.025		0.072	<0.025	0.019	0.0035	0.068	<0.001	<0.001	0.00092 J	<0.001	<0.001	<0.005	<0.001	0.0012	<0.001	<0.025	0.0024 J	0.00086 J	0.0033 J
	P-66-ROX-010816	1/8/2016	34.72 - 59.72	34.64	NE	<0.005	<0.025		0.085	<0.025	<0.001	<0.001	0.083	<0.001	<0.001	0.0012	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
P-74	P74-ROX-041113	4/11/2013	44.43 - 69.43	42.83	NE	<0.005	<0.005		<0.005	<0.005	<0.001	0.0016 J	<0.005	<0.005	<0.001	0.003	<0.005	<0.005	<0.001	<0.001	0.0184	0.0138	<0.005	0.0456	0.0146	0.0601
	P74-ROX-071513	7/15/2013		40.11	NE	<0.005	<0.005		0.0031 J	<0.005	<0.001	0.024	0.0054	<0.005	<0.001	0.0064	<0.005	<0.005	<0.001	<0.001	0.101	0.0365	<0.005	0.109	0.027	0.136
	P74-ROX-101413	10/14/2013		41.72	NE	<0.005	<0.005		0.0052	0.0074	0.0011	0.0257	0.0094	<0.005	<0.001	0.0344	<0.005	<0.005	<0.001	<0.001	0.192	0.0739	<0.005	0.237	0.0483	0.285
	P74-ROX-012414	1/24/2014		43.35	NE	<0.005	<0.005		0.0058	<0.005	<0.001	0.0322	0.0112	<0.005	<0.001	0.153	<0.005	<0.005	<0.001	<0.001	0.292	0.11	<0.005	0.316	0.0579	0.374
	P74-ROX-041514	4/15/2014		44.74	NE	<0.005	<0.005		<0.005	<0.005	<0.001	0.00074 J	<0.005	<0.005	<0.001	0.00078 J	<0.005	<0.005	<0.001	<0.001	0.0083	0.0039 J	<0.005	0.0193	0.0015	0.0208
	P74-ROX-070814	7/8/2014		43.02	NE	<0.005	<0.005		0.0018 J	<0.005	<0.001	0.0128	0.0036 J	<0.005	<0.001	0.0087	<0.005	<0.005	<0.001	<0.001	0.117	0.0518	<0.005	0.121	0.0122	0.133
	P74-ROX-101414	10/14/2014		41.48	NE	<0.005	<0.005 UJ		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001 UJ	<0.001	0.00043 J
	P74-ROX-011915	1/19/2015		43.47	NE	<0.005	<0.005		0.0029 J	<0.005	0.0056	0.0193	0.0053	<0.005	<0.001	0.102	<0.005	<0.005	<0.001	<0.001	0.135	0.0589	<0.005	0.197	0.019	0.216
	P74-ROX-041515	4/15/2015		44.61	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	0.00042 J	<0.005	<0.001	0.0013	<0.005	<0.005	<0.001	<0.001	0.0086	0.0044 J	<0.005	0.0202	0.0012	0.0214
	P74-ROX-071015	7/10/2015		43.28	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P74-ROX-101415	10/14/2015		41.75	NE	<0.025	<0.13		<0.005	<0.13	<0.005	0.02	0.0038 J	<0.005	<0.005	0.012	<0.005	<0.005	<0.025	<0.005	0.081	0.033	<0.13	0.21	0.0071 J	0.21
	P74-ROX-011116	1/11/2016	44.43 - 69.43	40.67	NE	<0.005	<0.025		<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	0.0032	<0.001	<0.001	<0.005	<0.001	<0.001	<0.025	<0.005	<0.005	0.001 J	
P-93A	P93A-ROX-041113	4/11/2013	48.17 - 63.17	46.29	NE	<2.5	<2.5		<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<0.5
	P93A-ROX-041113-DUP	4/11/2013		46.29	NE	<2.5	<2.5		<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<0.5
	P93A-ROX-071813	7/18/2013		43.25	NE	<0.005	<0.005		0.0101	<0.005	0.0054 J	0.0303	0.0113	<0.005	<0.001	0.0072	<0.005	<0.005	<0.001	<0.001	0.0915	0.0116	<0.005 UJ	0.273	0.0426	0.316
	P93A-ROX-101113	10/11/2013		44.18	NE	<0.005	<0.005		0.0142	<0.005	0.0034	0.0621	0.015	<0.005	<0.001	0.0133	<0.005	<0.005	<0.001	<0.001	0.146	0.0163	<0.005 UJ	0.451	0.0789	0.53
	P93A-ROX-012914	1/29/2014		46.53	NE	<2.5	<2.5		<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<0.5
	P93A-ROX-041714	4/17/2014		47.41	NE	<2.5	<2.5		<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<0.5
	P93A-ROX-071814	7/18/2014		45.70	NE	<5	<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	<1
	P93A-ROX-071814-DUP	7/18/2014		45.70	NE	<5	<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<				

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																				
Screening Values (mg/L)						0.007 ³	0.035 ³		0.7 ¹	0.56 ³	0.07 ¹	0.14 ¹	0.7 ³	0.1 ¹	0.005 ¹	1.0 ¹	0.0056 ³	0.07 ¹	0.005 ¹	0.005 ¹		0.07 ³	7.0 ²	10 ¹	10 ¹	
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
P-93B	P93B-ROX-041113	4/11/2013	74.60 - 76.60	46.32	NE	<2.5	<2.5		<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<0.5
	P93B-ROX-071813	7/18/2013		43.30	NE	<0.005	<0.005		0.0247	<0.005	0.0035 J	0.0093	0.0357	<0.005	<0.001	0.0646	<0.005	<0.005	<0.001	<0.001	0.025	0.0069	0.0176 J	0.195	0.0418	0.236
	P93B-ROX-101613	10/16/2013		44.43	NE	<10	<10		<10	<10	<2 UJ	<10	<10	<10	<2	<2	<10	<10	<2	<2	<10	<10 UJ	<2	<2	<2	
	P93B-ROX-101613-DUP	10/16/2013		44.43	NE	<10	<10		<10	<10	<2 UJ	<10	<10	<10	<2	<2	<10	<10	<2	<2	<10	<10 UJ	<2	<2	<2	
	P93B-ROX-012814	1/28/2014		46.58	NE	<5	<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<1	<1	<1	
	P93B-ROX-012814-DUP	1/28/2014		46.58	NE	<5	<5 UJ		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<1	<1	<1	
	P93B-ROX-041714	4/17/2014		47.46	NE	<2.5	<2.5		<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<0.5
	P93B-ROX-041714-DUP	4/17/2014		47.46	NE	<2.5	<2.5		<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<0.5
	P93B-ROX-071714	7/17/2014		45.75	NE	<0.005 UJ	<0.005 UJ		0.0227 J	<0.005 UJ	<0.001 UJ	0.0053 J	0.0297 J	<0.005 UJ	<0.001 UJ	0.0129 J	<0.005 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ	0.008 J	0.0037 J J	<0.005 UJ	0.0662 J	0.0047 J	0.0708
	P93B-ROX-101514	10/15/2014		45.15	NE	<2.5	<2.5 UJ		<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<0.5
	P93B-ROX-012315	1/23/2015		47.24	NE	<5	<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<1	<1	<1	
	P93B-ROX-012315-DUP	1/23/2015		47.24	NE	<5	<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<1	<1	<1	
	P93B-ROX-021915	2/19/2015		47.24	NE	<1	<5		<0.5	<2.5	<0.5	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<5	<1	<0.5	<1.5
	P93B-ROX-041615	4/16/2015		48.42	NE	<0.005	<0.005 UJ		0.0226	<0.005	<0.001	0.0033 J J	0.0286	<0.005	0.00073 J	0.111	<0.005	<0.005	<0.001	<0.001	0.0124	0.0043 J	<0.005	0.0993	0.0378	0.137
	P93B-ROX-041615-DUP	4/16/2015		48.42	NE	<5	<5 UJ		<5	<5	<1	<5 UJ	<5	<5	0.216 J	<1	<5	<5	<1	<1	<5	<5	<1	<1	<1	0.338 J
	P93B-ROX-070915	7/9/2015		47.74	NE	<25	<25		<25	<25	<5	<25	<25	<25	<5	<5	<25	<25	<5	<5	<25	<25	<25	<5	<5	<5
	P93B-ROX-070915-DUP	7/9/2015		47.74	NE	<10	<10		<10	<10	<2	7.01 J	<10	<10	<2	<2	<10	<10	<2	<2	<10	<10	<10	<2	<2	<2
	P93B-ROX-101515	10/15/2015		45.18	NE	<13	<63		<2.5	<63	<2.5	<63	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<13	<2.5	<2.5	<2.5	<63	<13	<13	<13
P93B-ROX-011316	1/13/2016	74.60 - 76.60	44.96	NE	<5	<25		<1	<25	<1	<1	<1	<1	<1	<1	<1	<1	<5	<1	<1	<1	<25	<5	<5	<5	
P-93C	P93C-ROX-041213	4/12/2013	94.26 - 96.26	46.21	NE	<0.005	<0.005		<0.005	<0.005	0.0045	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P93C-ROX-071813	7/18/2013		43.31	NE	<0.005	<0.005		0.002 J	<0.005	0.0049 J	<0.005	0.002 J	<0.005	<0.001	0.007	<0.005	<0.005	<0.001	<0.001	0.0016 J	<0.005	<0.005 UJ	0.0076	0.0015	0.0091
	P93C-ROX-080813	8/8/2013		43.31	NE	<0.25	<0.25		<0.25	<0.25	<0.05	<0.25	<0.25	<0.25	<0.05	<0.05	<0.25	<0.25	<0.05	<0.05	<0.25	<0.25	<0.25	<0.05	<0.05	<0.05
	P93C-ROX-101613	10/16/2013		44.31	NE	<0.005	<0.005		<0.005	<0.005	0.0035 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	P93C-ROX-012414	1/24/2014		46.44	NE	<0.005	<0.005 UJ		<0.005	<0.005	0.0047 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P93C-ROX-041714	4/17/2014		47.34	NE	<0.005	<0.005		<0.005	<0.005	0.0043	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P93C-ROX-071714	7/17/2014		45.61	NE	<0.005	<0.005		<0.005	<0.005	0.0061 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P93C-ROX-101514	10/15/2014		44.99	NE	<0.005	<0.005		<0.005	<0.005	0.0046	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P93C-ROX-011915	1/19/2015		48.22	NE	<0.5	<0.5		<0.5	<0.5	<0.1	<0.5	<0.5	<0.5	<0.1	<0.1	<0.5	<0.5	<0.1	<0.1	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1
	P93C-ROX-021915	2/19/2015	48.22	NE	<2	<10		<1	<5	<1	<5	<1	<1	<1	<1	<1	<1	<1	<1	<2	<2	<10	<2	<1	<3	
	P93C-ROX-041615	4/16/2015	48.22	NE	<0.5	<0.5 UJ		<0.5	<0.5	<0.1	<0.5 UJ	<0.5	<0.5	<0.1	0.0295 J	<0.5	<0.5	<0.1	<0.1	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	
	P93C-ROX-071315	7/13/2015	47.09	NE	<0.005	<0.005		<0.005	<0.005	0.0016	<0.0037 U	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	0.00059 J	<0.005	<0.005	0.00095 J	<0.001	0.0011	
P93C-ROX-101415	10/14/2015	44.91	NE	<0.005	<0.025		<0.001	<0.025	0.0022	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005	
P-93C-ROX-010816	1/8/2016	92.47 - 97.47	44.68	NE	<0.005	<0.025		<0.001	<0.025	0.0021	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005	
P-93D	P93D-ROX-041113	4/11/2013	125.75 - 127.75	46.37	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P93D-ROX-071213	7/12/2013		43.51	NE	<0.005 UJ	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001 UJ	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	P93D-ROX-101113	10/11/2013		44.24	NE	<0.005	<0.005		<0.005	<0.005	0.00066 J J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	P93D-ROX-013114	1/31/2014		46.62	NE	<0.005	<0.005		<0.005	<0.005	0.0011	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P93D-ROX-041414	4/14/2014		47.54	NE	<0.005	<0.005		<0.005	<0.005	<0.001	0.0017 J	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.	

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																				
Screening Values (mg/L)						0.007 ³	0.035 ³		0.7 ¹	0.56 ³	0.07 ¹	0.14 ¹	0.7 ³	0.1 ¹	0.005 ¹	1.0 ¹	0.0056 ³	0.07 ¹	0.005 ¹	0.005 ¹		0.07 ³	7.0 ²	10 ¹	10 ¹	
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
P-114	P114-ROX-041513	4/15/2013	32.67 - 52.67	31.80	NE	<0.005	<0.005		<0.005	<0.005	0.0051	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P114-ROX-071813	7/18/2013		27.22	NE	<0.005	<0.005		<0.005	<0.005	0.0023 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	P114-ROX-071813-DUP	7/18/2013		27.22	NE	<0.005	<0.005		<0.005	<0.005	0.0022 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	P114-ROX-101713	10/17/2013		29.43	NE	<0.005	<0.005		<0.005	<0.005	0.0036	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P114-ROX-012814	1/28/2014		32.11	NE	<0.005	<0.005 UJ		<0.005	<0.005	0.0153	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P114-ROX-042114	4/21/2014		32.22	NE	<0.005	<0.005		<0.005	<0.005	0.0093	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P114-ROX-071814	7/18/2014		30.87	NE	<0.005	<0.005		<0.005	<0.005	0.0037	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P114-ROX-101714	10/17/2014		29.43	NE	<0.005	<0.005		<0.005	<0.005	0.0098 J	<0.005	0.00087 J J	<0.005	<0.001	<0.001	<0.005 UJ	<0.005	<0.001	<0.001	<0.005	0.00043 J J	<0.005 UJ	0.00059 J J	<0.001	0.00059 J J
	P114-ROX-012115	1/21/2015		31.53	NE	<0.005	<0.005		<0.005	<0.005	0.0268 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	0.00046 J J	<0.005	<0.005	0.00068 J J	<0.001	0.00093 J J
	P114-ROX-041715	4/17/2015		NM	NE	<0.005	<0.005		<0.005	<0.005	0.0237	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
P114-ROX-070815	7/8/2015	29.16	NE	<0.005	<0.005		<0.005	<0.005	0.0265	0.002 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
P-114R	P114R-ROX-100515	10/5/2015	23.01 - 33.01	28.15	NE	<0.005	<0.025		<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	P114R-ROX-010716	1/7/2016	23.01 - 33.01			<0.005	<0.025		<0.001	<0.025	0.00091 J	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
ROST-3-MW	ROST3MW-ROX-040513	4/5/2013	38.18 - 48.18			<0.005	<0.005		0.0032 J	<0.005	<0.001	0.132 J	0.0082	<0.005	<0.001	0.0076	<0.005	<0.005	<0.001	<0.001	0.0531	0.0145	<0.005	0.0603	0.0126	0.0729
	ROST3MW-ROX-071113	7/11/2013		39.50	NE	<0.005	<0.005 UJ		0.0146	<0.005	<0.001	0.0411	0.0029	<0.005	<0.001	0.014	<0.005	<0.005	<0.001	<0.001	0.164	0.0373	<0.005 UJ	0.644	0.124	0.768
	ROST3MW-ROX-100913	10/9/2013		40.16	NE	<0.005 UJ	<0.005		0.0017 J	<0.005	<0.001	0.0045 J	0.0029 J	<0.005	<0.001	0.0018	<0.005	<0.005	<0.001	<0.001	0.0168	0.0035 J	<0.005	0.0422	0.0123	0.0546
	ROST3MW-ROX-011714	1/17/2014		42.20	NE	<0.005	<0.005		0.00099 J	<0.005	<0.001	<0.005	0.002 J	<0.005	<0.001	0.0012	<0.005	<0.005	<0.001	<0.001	0.0207	0.0057	<0.005	0.0377	0.0063	0.044
	ROST3MW-ROX-041014	4/10/2014		42.80	NE	<0.005	<0.005		0.00043 J	<0.005	<0.001	0.00084 J	0.00082 J	<0.005	<0.001	0.0015	<0.005	<0.005	<0.001	<0.001	0.0121	0.003 J	<0.005	0.0287	0.0028	0.0315
	ROST3MW-ROX-071414	7/14/2014		41.88	NE	<0.005	<0.005		0.00053 J	<0.005	<0.001	0.0045 J	0.00098 J	<0.005	<0.001	0.0024	<0.005	<0.005	<0.001	<0.001	0.0132	0.0032 J	<0.005	0.0371	0.0041	0.0412
	ROST3MW-ROX-100914	10/9/2014		41.31	NE	<0.005	<0.005		0.0021 J	<0.005	<0.001 UJ	0.0061	0.0028 J	<0.005	<0.001	0.0032	<0.005	<0.005	<0.001	<0.001	0.018	0.005	<0.005 UJ	0.0651	0.0205	0.0856
	ROST3MW-ROX-011515	1/15/2015		41.83	NE	<0.005	<0.005		0.0016 J	<0.005	<0.001	0.0061	0.0021 J	<0.005	<0.001	0.0011	<0.005	<0.005	<0.001	<0.001	0.0126	0.0036 J	<0.005	0.0166	0.0042	0.0209
	ROST3MW-ROX-041315	4/13/2015		43.43	NE	<0.005	<0.005		0.0014 J J	<0.005	<0.001	<0.005 UJ	0.0015 J J	<0.005	<0.001	0.0008 J	<0.005	<0.005	<0.001	<0.001	0.0055 J	0.00068 J	<0.005	0.0015	0.0029	0.0044
	ROST3MW-ROX-071315	7/13/2015		42.36	NE	<0.00071 U	<0.005		0.00093 J	<0.005	<0.001	0.0052 J	0.0012 J	<0.005	<0.001	0.0027	<0.0015 U	<0.0013 U	<0.001	<0.001	0.0059	0.00061 J	0.0583	0.0263	0.0065	0.0328
ROST3MW-ROX-101215	10/12/2015	40.29	NE	<0.005	<0.025		0.0023	<0.025	<0.001	0.008	0.0029	<0.001	<0.001	0.0036	<0.001	<0.001	<0.005	<0.001	0.02	0.0045	<0.025	0.13	0.024	0.16		
ROST-4-PZ(C)	ROST3MW-ROX-011416	1/14/2016	37.81 - 47.81	40.30	NE	<0.005	<0.025		0.0016	<0.025	<0.001	0.0071	0.0018	<0.001	<0.001	0.0016	<0.001	<0.001	<0.005	<0.001	0.008	0.0015	<0.025	0.04	0.0077	0.047
	ROST4PZC-ROX-041013	4/10/2013	42.27	NE	<0.005	<0.005 UJ		0.00061 J J	<0.005 UJ	<0.001	<0.005	0.0011 J	<0.005 UJ	<0.001 UJ	0.0006 J J	<0.005 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ	0.0016 J	<0.005	<0.005	<0.001 UJ	<0.001 UJ	<0.001 UJ	
	ROST4PZC-ROX-071113	7/11/2013	40.18	NE	<0.005	<0.005 UJ		0.0025 J	<0.005	<0.001	0.0189	0.0041 J	<0.005	<0.001	0.041	<0.005	<0.005	<0.001	<0.001	0.0194	0.0044 J	<0.005 UJ	0.126	0.0649	0.191	
	ROST4PZC-ROX-100913	10/9/2013	39.91	NE	<0.005 UJ	<0.005		0.00066 J	<0.005	<0.001	0.0054	0.0012 J	<0.005	<0.001	0.0013	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.0101	0.0054	0.0155	
	ROST4PZC-ROX-011714	1/17/2014	41.92	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	0.00073 J	<0.005	<0.001	0.0014	<0.005	<0.005	<0.001	<0.001	0.0017 J	<0.005	<0.005	0.0124	0.0057	0.018	
	ROST4PZC-ROX-041014	4/10/2014	42.05	NE	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	0.00057 J	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.0015	0.0015	0.003	
	ROST4C-ROX-071114	7/10/2014	42.22	NE	<0.005	<0.005		0.00037 J	<0.005	<0.001	0.0104 J	<0.005	<0.005	<0.001	0.0421	<0.005 UJ	<0.005	<0.001	<0.001	0.00082 J	<0.005	<0.005	0.0574	0.0815	0.139	
	ROST4PZC-ROX-100914	10/9/2014	41.30	NE	<0.005	<0.005		0.0011 J	<0.005	<0.001 UJ	0.0169	0.0011 J	<0.005	<0.001	0.0196	<0.005	<0.005	<0.001	<0.001	0.0046 J	0.00047 J	<0.005 UJ	0.112	0.0634	0.176	
	ROST4PZC-ROX-011515	1/15/2015	41.65	NE	<0.005	<0.005		0.00036 J	<0.005	<0.001	<0.005	0.00056 J	<0.005	<0.001	0.0005 J	<0.005	<0.005	<0.001	<0.001	0.0011 J	<0.005	<0.005	0.0026	0.0031	0.0057	
	ROST4PZC-ROX-041315	4/13/2015	43.00																							

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																							
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenz(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate			
Screening Values (mg/L)						0.42 ¹	0.21 ³	0.023 ³	2.1 ¹	0.00013 ¹	0.0002 ¹	0.00018 ¹	0.21 ³	0.00017 ¹	28 ¹	0.7 ³	0.01 ²	0.006 ²	1.4 ²		0.035 ²	0.012 ¹	0.0003 ¹	0.007 ³	0.021 ²	5.6 ¹			
Location	Sample ID	Sample Date	Screened Interval (ft bloc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																							
MW-01	MW1-ROX-040913	4/9/2013	48.80 - 58.80	42.55	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0011 U			
	MW1-ROX-070813	7/8/2013		39.56	NE	<0.000026 U	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	0.000027 J	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.0024 U	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051			
	MW1-ROX-100313	10/3/2013		40.28	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00065 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054			
	MW1-ROX-011414	1/14/2014		42.77	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011 UJ	<0.0053 UJ	<0.00011	<0.00011	<0.0021	<0.011 UJ	<0.0053			
	MW1-ROX-040714	4/7/2014		43.28	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	0.003 J J	<0.011	<0.0054	<0.0022	<0.0054	<0.011 UJ	<0.0057 UJ	<0.00011	<0.00011	<0.0022	<0.011 UJ	<0.0054			
	MW1-ROX-070914	7/9/2014		42.09	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054			
	MW1-ROX-100614	10/6/2014		41.1	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053			
	MW1-ROX-011215	1/12/2015		42.73	NE	0.00003 J	0.000027 J	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053			
	MW1-ROX-040615	4/6/2015		44.11	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	0.00046 J	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053			
	MW1-ROX-070815	7/8/2015		43.35	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053			
MW1-ROX-100615	10/6/2015	40.83	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01				
MW1-ROX-010816	1/8/2016	48.80 - 58.80	40.93	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01				
MW-02	MW2-ROX-040913	4/9/2013	49.87 - 59.87	43.70	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054			
	MW2-ROX-071113	7/11/2013		40.82	NE	0.000035 J	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0055	0.00063 J	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055			
	MW2-ROX-100813	10/8/2013		41.73	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054			
	MW2-ROX-012014	1/20/2014		44.00	NE	<0.00011	0.00018	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053			
	MW2-ROX-041014	4/10/2014		44.66	NE	<0.00012	<0.00012	<0.012	<0.00012	<0.00006	<0.00012	<0.00006	<0.00012	<0.00012	<0.012 UJ	<0.012	<0.006	<0.0024	<0.006	<0.012	<0.006	<0.00012	<0.00012	<0.0024	<0.012	<0.006			
	MW2-ROX-071414	7/14/2014		43.13	NE	0.000094 J	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00037 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054			
	MW2-ROX-101014	10/10/2014		42.49	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051			
	MW2-ROX-011615	1/16/2015		44.1	NE	0.00018	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053			
	MW2-ROX-041315	4/13/2015		45.56	NE	0.000041 J	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	0.001 J	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054			
	MW2-ROX-071315	7/13/2015		44.53	NE	0.000042 J	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054			
MW2-ROX-101215	10/12/2015	42.15	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01				
MW2-ROX-011416	1/14/2016	49.87 - 59.87	42.04	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01				
MW-03	MW3-ROX-040813	4/8/2013	34.67 - 44.67	29.74	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057			
	MW3-ROX-071113	7/11/2013		26.32	NE	0.000028 J	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0054	0.0038	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054			
	MW3-ROX-100813	10/8/2013		27.38	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054			
	MW3-ROX-011614	1/16/2014		29.91	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011 UJ	<0.0053 UJ	<0.00011	<0.00011	<0.0021	<0.011 UJ	<0.0053			
	MW3-ROX-040914	4/9/2014		30.50	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	0.00038 J	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056			
	MW3-ROX-071114	7/10/2014		29.05																									

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																							
Screening Values (mg/L)						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenz(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate			
						0.42 ¹	0.21 ³	0.023 ³	2.1 ¹	0.00013 ¹	0.0002 ¹	0.00018 ¹	0.21 ³	0.00017 ¹	28 ¹	0.7 ³	0.01 ²	0.006 ²	1.4 ²		0.035 ²	0.012 ¹	0.0003 ¹	0.007 ³	0.021 ²	5.6 ¹			
Location	Sample ID	Sample Date	Screened Interval (ft bloc)	Depth to Water (ft bloc)	Product Thickness (ft)	Analytical Results (mg/L)																							
MW-05	MW5-ROX-040913	4/9/2013	33.97 - 43.97	29.41	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054			
	MW5-ROX-070913	7/9/2013		26.04	NE	<0.0001	<0.0001	<0.01	<0.0001	0.0001 J	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005			
	MW5-ROX-100813	10/8/2013		26.97	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055			
	MW5-ROX-011714	1/17/2014		29.59	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053			
	MW5-ROX-041014	4/10/2014		30.09	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056			
	MW5-ROX-071414	7/14/2014		28.59	NE	0.000075 J	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053			
	MW5-ROX-100914	10/9/2014		27.75	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054			
	MW5-ROX-011515	1/15/2015		29.34	NE	0.00012	<0.00011	<0.011	0.00007 J J	0.000035 J J	<0.00011	<0.000053	0.00002 J J	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	0.000025 J J	0.000017 J J	<0.0021	<0.011	<0.0053			
	MW5-ROX-041315	4/13/2015		30.97	NE	0.000073 J	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053			
	MW5-ROX-071315	7/13/2015		29.45	NE	0.000062 J	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054			
	MW5-ROX-101215	10/12/2015		27.53	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	0.00008 J	0.000088 J	0.000087 J	0.000088 J	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.000071 J	0.000078 J	<0.01	<0.01	<0.01			
	MW5-ROX-011416	1/14/2016		27.19	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01			
MW-06A	MW6A-ROX-040313	4/3/2013	34.83 - 44.83	31.62	NE	<0.00011	<0.00011 UJ	<0.011 UJ	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0053	0.00052 J	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053			
	MW6A-ROX-070913	7/9/2013		28.25	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055			
	MW6A-ROX-070913-DUP	7/9/2013		28.25	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055			
	MW6A-ROX-100713	10/7/2013		28.87	NE	0.0001 J	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.00082 U			
	MW6A-ROX-100713-DUP	10/7/2013		28.87	NE	0.000093 J	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	0.00078 J			
	MW6A-ROX-011614	1/16/2014		31.62	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052			
	MW6A-ROX-011614-DUP	1/16/2014		31.62	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053			
	MW6A-ROX-040814	4/8/2014		32.16	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0056	<0.00057 U	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056			
	MW6A-ROX-040814-DUP	4/8/2014		32.16	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0054	<0.00066 U	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054			
	MW6A-ROX-071014	7/10/2014		30.75	NE	<0.00011	0.000075 J	<0.011 UJ	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054			
	MW6A-ROX-100814	10/8/2014		29.84	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053			
	MW6A-ROX-011415	1/14/2015		31.54	NE	0.000089 J	0.00004 J	<0.011	0.00006 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053			
	MW6A-ROX-040715	4/7/2015		33.08	NE	0.000061 J	0.000085 J	<0.01	0.000027 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051			
	MW6A-ROX-071515	7/15/2015		31.52	NE	0.00011	<0.00011	<0.011	0.000047 J	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057			
	MW6A-ROX-100715	10/7/2015		29.77	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01			
	MW6A-ROX-011116	1/11/2016		29.36	NE	0.00017 J	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01			
MW-06B	MW6B-ROX-040313	4/3/2013	64.05 - 69.05	31.68	NE	<0.00011	<0.00011 UJ	<0.011 UJ	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0054	<0.0022	<										

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																					
Screening Values (mg/L)						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenzo(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate	
						0.42 ¹	0.21 ³	0.023 ³	2.1 ¹	0.00013 ¹	0.0002 ¹	0.00018 ¹	0.21 ³	0.00017 ¹	28 ¹	0.7 ³	0.01 ²	0.006 ²	1.4 ²		0.035 ²	0.012 ¹	0.0003 ¹	0.007 ³	0.021 ²	5.6 ¹	
Location	Sample ID	Sample Date	Screened Interval (ft bloc)	Depth to Water (ft bloc)	Product Thickness (ft)	Analytical Results (mg/L)																					
MW-06D	MW6D-ROX-040313	4/3/2013	104.72 - 109.72	31.27	NE	<0.00011	<0.00011 UJ	<0.011 UJ	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053	
	MW6D-ROX-070913	7/9/2013		27.91	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055	
	MW6D-ROX-100713	10/7/2013		28.58	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.001 U	
	MW6D-ROX-011614	1/16/2014		31.33	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052	
	MW6D-ROX-040814	4/8/2014		31.85	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055	
	MW6D-ROX-071014	7/10/2014		31.47	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056	
	MW6D-ROX-071014-DUP	7/10/2014		31.47	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054	
	MW6D-ROX-100814	10/8/2014		29.53	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	0.016	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054	
	MW6D-ROX-100814-DUP	10/8/2014		29.53	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056	
	MW6D-ROX-011415	1/14/2015		31.26	NE	<0.00011	<0.00011	<0.011	0.000026 J	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054	
	MW6D-ROX-011415-DUP	1/14/2015		31.26	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056	
	MW6D-ROX-040715	4/7/2015		32.74	NE	0.000016 J	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053	
MW6D-ROX-071415	7/14/2015	31.19	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056			
MW6D-ROX-100715	10/7/2015	29.45	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	0.000059 J	0.000054 J	0.000049 J	0.000047 J	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01		
MW6D-ROX-010816	1/8/2016	104.72 - 109.72	29.59	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01		
MW6D-ROX-010816-DUP	1/8/2016		29.59	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01		
MW-07	MW7-ROX-041013	4/10/2013	42.92 - 52.92	42.70	NE	0.0012	0.00015	<0.011	0.000089 J	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	0.000083 J	<0.011	<0.0054	
	MW7-ROX-041013-DUP	4/10/2013		42.70	NE	0.0012	0.00016	<0.011	0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	0.000088 J	<0.011	<0.0053	
	MW7-ROX-071713	7/17/2013		39.60	NE	0.00019	0.000031 J	<0.011	0.000028 J	0.00004 J	0.000044 J	0.000045 J	0.00008 J	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	0.000077 J	<0.0022	<0.011	<0.0054
	MW7-ROX-101613	10/16/2013		40.64	NE	0.00035	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055	
	MW7-ROX-013014	1/30/2014		42.94	NE	0.00028	<0.0001	<0.01	0.00029	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005	
	MW7-ROX-041614	4/16/2014		43.79	NE	0.00034	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052	
	MW7-ROX-071614	7/16/2014		42.05	NE	0.00024	<0.0001	<0.01	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052	
	MW7-ROX-071614-DUP	7/16/2014		42.05	NE	0.00022	<0.0001	<0.01	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052	
	MW7-ROX-101614	10/16/2014		41.31	NE	0.00024	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056	
	MW7-ROX-101614-DUP	10/16/2014		41.31	NE	0.00022	<0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057	
	MW7-ROX-012215	1/22/2015		43.45	NE	0.00026	0.000051 J	<0.011	0.000056 J J	<0.00005 U	0.000028 J	0.00013 J	0.000034 J	0.000026 J	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.000046 U	0.000025 J	<0.0021	<0.011	<0.0053	
	MW7-ROX-012215-DUP	1/22/2015		43.45	NE	0.00025	0.000044 J	<0.01	0.00046 J	<0.000052	<0.0001	<0.000052 UJ	<0.0001	<0.0001	<0.01	<0.01	<0.0052	0.00039 J	<0.0052	<0.01	<0.0052	<0.000021 U	<0.0001	<0.0021	<0.01	<0.0052	
	MW7-ROX-042115	4/21/2015		44.63	NE	0.00038	0.000059 J	<0.01	0.000055 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	0.000022 J	<0.0001				

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																							
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenz(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate			
Screening Values (mg/L)						0.42 ¹	0.21 ³	0.023 ³	2.1 ¹	0.00013 ¹	0.0002 ¹	0.00018 ¹	0.21 ³	0.00017 ¹	28 ¹	0.7 ³	0.01 ²	0.006 ²	1.4 ²		0.035 ²	0.012 ¹	0.0003 ¹	0.007 ³	0.021 ²	5.6 ¹			
Location	Sample ID	Sample Date	Screened Interval (ft bloc)	Depth to Water (ft bloc)	Product Thickness (ft)	Analytical Results (mg/L)																							
MW-09	MW9-ROX-040913	4/9/2013	46.45 - 56.45	44.67	NE	<0.0001 UJ	<0.0001 UJ	<0.01 UJ	<0.0001 UJ	<0.000052 UJ	<0.0001 UJ	<0.000052 UJ	<0.0001 UJ	<0.0001 UJ	<0.01 UJ	<0.01 UJ	<0.0052 UJ	<0.0021 UJ	<0.0052 UJ	<0.01 UJ	<0.0052 UJ	<0.0001 UJ	<0.0001 UJ	<0.0021 UJ	<0.01 UJ	<0.0016 UJ			
	MW9-ROX-070813	7/8/2013		42.35	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	0.000035 J	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056		<0.00011	<0.00011	<0.0022	<0.01	<0.0056				
	MW9-ROX-100313	10/3/2013		42.27	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005			
	MW9-ROX-011414	1/14/2014		44.47	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011 UJ	<0.0053 UJ	<0.00011	<0.00011	<0.0021	<0.011 UJ	<0.0053			
	MW9-ROX-040714	4/7/2014		44.99	NE	<0.00011	<0.00011	<0.011	<0.00011	0.000024 J	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0056	<0.00054 U	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056			
	MW9-ROX-070914	7/9/2014		44.35	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00036 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054			
	MW9-ROX-100714	10/7/2014		43.52	NE	<0.00012	<0.00012	<0.012	<0.00012	<0.000059	<0.00012	<0.000059	<0.00012	<0.00012	<0.012	<0.012	<0.0059	<0.0024	<0.0059	<0.012	<0.0059	<0.00012	<0.00012	<0.0024	<0.012	<0.0059			
	MW9-ROX-011315	1/13/2015		44.21	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01 UJ	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052			
	MW9-ROX-040915	4/9/2015		45.38	NE	0.00002 J	<0.0001	<0.01	0.00002 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.00026 U	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052			
	MW9-ROX-070915	7/9/2015		44.81	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055			
MW9-ROX-100815	10/8/2015	42.64	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01				
MW9-ROX-011316	1/13/2016	46.45 - 56.45	42.63	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002 UJ	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01				
MW-10	MW10-ROX-040913	4/9/2013	44.43 - 54.43	44.60	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0018 U			
	MW10-ROX-070813	7/8/2013		42.27	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0027 U	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056			
	MW10-ROX-100313	10/3/2013		42.38	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056			
	MW10-ROX-011514	1/15/2014		44.42	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	0.000096 J	<0.00011	<0.011 UJ	<0.011	<0.0053	0.00054 J	<0.0053	<0.011 UJ	<0.0054 UJ	<0.00011	0.000074 J	<0.0021	<0.011 UJ	<0.0053			
	MW10-ROX-040714	4/7/2014		45.00	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0053	<0.00068 U	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053			
	MW10-ROX-070914	7/9/2014		44.35	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.00052 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054			
	MW10-ROX-100714	10/7/2014		43.58	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057			
	MW10-ROX-011315	1/13/2015		44.27	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0056	0.00042 J	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056			
	MW10-ROX-040815	4/8/2015		45.30	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051			
	MW10-ROX-070915	7/9/2015		44.93	NE	0.000023 J	<0.00011	<0.011	0.000039 J	0.000035 J	0.000022 J	0.000028 J	0.000027 J	0.000041 J J	<0.011	<0.011	<0.0054	0.00045 J	0.000028 J	<0.011	<0.0054	0.000045 J	0.00002 J	<0.0022	<0.011	<0.0054			
MW10-ROX-100915	10/9/2015	42.79	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01				
MW10-ROX-011316	1/13/2016	44.43 - 54.43	42.53	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002 UJ	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01				
MW-11	MW11-ROX-040813	4/8/2013	41.66 - 51.66	42.02	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053			
	MW11-ROX-070813	7/8/2013		39.24	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0052 U	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054			
	MW11-ROX-100713	10/7/2013		39.95	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0011 U	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0011 U			
	MW11-ROX-011514	1/15/2014		42.16	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055			
	MW11-ROX-040714	4/7/2014		42.70	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0056	<0.0056 U	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056			
	MW11-ROX-070																												

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																							
Screening Values (mg/L)						0.42 ¹	0.21 ³	0.023 ³	2.1 ¹	0.00013 ¹	0.0002 ¹	0.00018 ¹	0.21 ³	0.00017 ¹	28 ¹	0.7 ³	0.01 ²	0.006 ²	1.4 ²		0.035 ²	0.012 ¹	0.0003 ¹	0.007 ³	0.021 ²	5.6 ¹			
Location	Sample ID	Sample Date	Screened Interval (ft bloc)	Depth to Water (ft bloc)	Product Thickness (ft)	Analytical Results (mg/L)																							
MW-13	MW13-ROX-041213	4/12/2013	25.57 - 35.57	29.44	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051			
	MW13-ROX-071213	7/12/2013		25.67	NE	<0.00011	<0.000063 U	<0.011	<0.000058 U	<0.00014 U	<0.00011	<0.000054	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0054	0.00079 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054			
	MW13-ROX-100913	10/9/2013		26.94	NE	0.000098 J	0.000071 J	<0.01	<0.0001	0.000022 J	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	0.00068 J	<0.0052	<0.01	<0.0052	0.000034 J	<0.0001	<0.0021	<0.01	<0.0052			
	MW13-ROX-012914	1/29/2014		29.63	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055			
	MW13-ROX-041114	4/11/2014		30.15	NE	0.00013	0.000066 J	<0.012	<0.00012	<0.00006	<0.00012	<0.00006	<0.00012	<0.00012	<0.012	<0.012	<0.006	<0.00069 U	<0.006	<0.012	<0.006	<0.00012	<0.00012	<0.0024	<0.012	<0.006			
	MW13-ROX-070714	7/7/2014		28.49	NE	<0.00011	0.000061 J	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055			
	MW13-ROX-101014	10/10/2014		27.48	NE	<0.00012	0.000019	<0.012	<0.00012	<0.00006	<0.00012	<0.00006	<0.00012	<0.00012	<0.012	<0.012	<0.006	<0.0024	<0.006	<0.012	<0.006	<0.00012	<0.00012	<0.0024	<0.012	<0.006			
	MW13-ROX-011615	1/16/2015		29.09	NE	0.00014	0.00009 J	<0.011	0.000053 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	0.00003 J	<0.00011	<0.0021	<0.011	<0.0053			
	MW13-ROX-041415	4/14/2015		30.71	NE	<0.00011	0.000075 J	<0.011	0.000051 J	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056			
	MW13-ROX-070815	7/8/2015		29.16	NE	0.000089 J	0.000057 J	<0.011	0.000028 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053			
	MW13-ROX-100515	10/5/2015		27.34	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01			
MW13-ROX-010716	1/7/2016	25.57 - 35.57	27.16	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01				
MW-14	MW14-ROX-041113	4/11/2013	33.42 - 43.42	33.31	NE	0.00068	0.000098 J	<0.011	<0.00011	0.00013	<0.00011	0.000054	0.000053 J	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054			
	MW14-ROX-071213	7/12/2013		30.36	NE	0.00046 B	<0.000062 U	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	0.00066 J	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053			
	MW14-ROX-101013	10/10/2013		30.80	NE	0.00065	0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	0.00019 J	<0.011	<0.0057			
	MW14-ROX-012914	1/29/2014		33.67	NE	0.00062	0.00012	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00056 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054			
	MW14-ROX-041114	4/11/2014		34.30	NE	0.00037	0.000089 J	<0.012	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.012	<0.012	<0.006	<0.00069 U	<0.006	<0.012	<0.006	<0.00011	<0.00011	<0.0024	<0.012	<0.006			
	MW14-ROX-070714	7/7/2014		32.82	NE	0.00033	0.000063 J	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00048 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054			
	MW14-ROX-101414	10/14/2014		31.65	NE	0.00054	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056			
	MW14-ROX-011615	1/16/2015		33.58	NE	0.00027	0.00006 J	<0.011	0.000015 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053			
	MW14-ROX-041415	4/14/2015		35.16	NE	0.00026	0.000057 J	<0.01	0.00003 J	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.00011	<0.00011	<0.0021	<0.01	<0.0052			
	MW14-ROX-070915	7/9/2015		34.06	NE	0.0002	0.000051 J	<0.01	0.000027 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	0.00051 J	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052			
	MW14-ROX-101315	10/13/2015		31.88	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01			
MW-14-ROX-010816	1/8/2016	33.42 - 43.42	31.64	NE	0.00015 J	<0.0002	<0.01	<0.0002	<0.0002	0.000054 J	0.000046 J	0.000075 J	0.000048 J	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01				
MW-16	MW16-ROX-040813	4/8/2013	37.06 - 47.06	43.39	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052			
	MW16-ROX-070813	7/8/2013		40.62	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056			
	MW16-ROX-100813	10/8/2013		41.62	NE	<0.0001 UJ	<0.0001 UJ	<0.01 UJ	<0.0001 UJ	<0.000052 UJ	<0.0001 UJ	<0.000052 UJ	<0.0001 UJ	<0.0001 UJ	<0.01 UJ	<0.01 UJ	<0.0052 UJ	<0.0021 UJ	<0.0052 UJ	<0.01 UJ	<0.0052 UJ	<0.0001 UJ	<0.0001 UJ	<0.0021 UJ	<0.01 UJ	<0.0052 UJ			
	MW16-ROX-011514	1/15/2014		43.76	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	0.00061 J	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052			
	MW16-ROX-040914	4/9/2014		44.63	NE	<0.00012	<0.00012	<0.012	<0.00012	<0.000059	<0.00012	<0.000059	<0.00012	<0.00012	<0.012	<0.012	<0.0059												

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																				
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenz(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate
Screening Values (mg/L)						0.42 ¹	0.21 ³	0.023 ³	2.1 ¹	0.00013 ¹	0.0002 ¹	0.00018 ¹	0.21 ³	0.00017 ¹	28 ¹	0.7 ³	0.01 ²	0.006 ²	1.4 ²		0.035 ²	0.012 ¹	0.0003 ¹	0.007 ³	0.021 ²	5.6 ¹
Location	Sample ID	Sample Date	Screened Interval (ft bloc)	Depth to Water (ft bloc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-24	MW24-ROX-040513	4/5/2013	38.89 - 48.89	43.39	NE	<0.0001	<0.0001 UJ	<0.01 UJ	<0.0001	<0.000052	<0.0001	0.000057	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW24-ROX-071113	7/11/2013		40.35	NE	0.000024 J	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0054	<0.0022	<0.0054	<0.011 UJ	<0.0053 UJ	<0.00011	<0.00011	<0.0022	<0.011 UJ	<0.0054
	MW24-ROX-100913	10/9/2013		41.27	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW24-ROX-011514	1/15/2014		43.47	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW24-ROX-040914	4/9/2014		44.13	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW24-ROX-071114	7/10/2014		42.97	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW24-ROX-100814	10/8/2014		42.16	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW24-ROX-011315	1/13/2015		43.17	NE	0.000074 J	0.000077 J	<0.011	0.000022 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW24-ROX-040915	4/9/2015		44.45	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0003 U	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW24-ROX-070915	7/9/2015		44.65	NE	<0.0001	<0.0001	<0.01	0.000044 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
MW24-ROX-100715	10/7/2015	41.45	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01		
MW-25	MW24-ROX-011316	1/13/2016	38.89 - 48.89	41.44	NE	<0.0002	<0.0002	<0.01	<0.0002	0.000078 J	0.000059 J	0.00006 J	0.000067 J J	0.000096 J	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.000092 J	0.000081 J	<0.01	<0.01	<0.01
	MW25-ROX-102114	10/21/2014	35.59 - 45.59	36.44	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW25-ROX-012215	1/22/2015		38.45	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	0.00059 J	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW25-ROX-042115	4/21/2015		39.71	NE	0.000032 J	<0.0001	<0.01	0.000016 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.0002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	MW25-ROX-071515	7/15/2015		38.40	NE	0.000036 J	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW25-ROX-101915	10/19/2015		36.55	NE	<0.00002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
MW-26	MW25-ROX-011416	1/14/2016	35.59 - 45.59	36.12	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW26-ROX-102114	10/21/2014	38.15 - 48.15	39.43	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW26-ROX-011215	1/12/2015		41.09	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01 UJ	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW26-ROX-040815	4/8/2015		42.52	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW26-ROX-070815	7/8/2015		41.76	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW26-ROX-100615	10/6/2015		39.19	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
MW-27	MW26-ROX-010716	1/7/2016	38.15 - 48.15	39.55	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW27-ROX-102114	10/21/2014	39.79 - 49.79	41.57	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW27-ROX-011515	1/15/2015		42.06	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	0.0001 J J	0.00013 J	0.000029 J J	0.000078 J J	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	0.000051 J J	<0.0021	<0.011	<0.00029 U
	MW27-ROX-041015	4/10/2015		43.22	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.00041 U	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW27-ROX-071015	7/10/2015		43.00	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW27-ROX-100815	10/8/2015		40.32	NE	<0.0002	<0.0002	<0.01	0.000024 J	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<											

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																					
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenz(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate	
Screening Values (mg/L)						0.42 ¹	0.21 ³	0.023 ³	2.1 ¹	0.00013 ¹	0.0002 ¹	0.00018 ¹	0.21 ³	0.00017 ¹	28 ¹	0.7 ³	0.01 ²	0.006 ²	1.4 ²		0.035 ²	0.012 ¹	0.0003 ¹	0.007 ³	0.021 ²	5.6 ¹	
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																					
P-56	P56-ROX-041213	4/12/2013	40.82 - 65.82	46.12	NE	0.00053	0.000088 J	<0.011	0.0001 J	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055	
	P56-ROX-071513	7/15/2013		43.25	NE	0.00065	0.00013	<0.011	0.00014	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055 UJ	<0.0022	<0.0055	<0.011	<0.0055 UJ	<0.00011	<0.00011	0.00075 J	<0.011	<0.0055	
	P56-ROX-101013	10/10/2013		44.48	NE	0.0006	0.000092 J	<0.011	0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	0.00059 J	<0.011	<0.0055	
	P56-ROX-012214	1/22/2014		46.35	NE	0.00055	<0.0001	<0.01	0.00013	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	0.00047 J	<0.01	<0.0052	
	P56-ROX-041414	4/14/2014		47.32	NE	0.00051	0.000081 J	<0.012	<0.00012	<0.000059	<0.00012	<0.000059	<0.00012	<0.00012	<0.012	<0.012	<0.0059	<0.0024	<0.0059	<0.012	<0.0059	<0.00012	<0.00012	0.00067 J	<0.012	<0.0059	
	P56-ROX-070814	7/8/2014		45.97	NE	0.00035	0.000081 J	<0.011 UJ	0.0001 J	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	0.00049 J	<0.011	<0.0056	
	P56-ROX-101314	10/13/2014		45.05	NE	0.00057	0.00011	<0.011	0.00012	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.001 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	0.00055 J	<0.011	<0.0054	
	P56-ROX-011915	1/19/2015		46.58	NE	0.00068	0.000079 J	<0.011	0.000097 J	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054	
	P56-ROX-041515	4/15/2015		48.05	NE	0.00061	0.0001 J	<0.011	0.00013	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00038 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	0.00055 J	<0.011	<0.0054	
	P56-ROX-071015	7/10/2015		47.34	NE	0.00065	0.000095 J	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053	
	P56-ROX-101415	10/14/2015		44.85	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.028 J	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01	
	P56-ROX-011116	1/11/2016	40.82 - 65.82	44.78	NE	0.00057	0.000092 J	<0.01	0.00021	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	0.0089 J	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
P-57	P57-ROX-041113	4/11/2013	40.46 - 65.46	46.29	NE	0.00063	0.00012	<0.01	0.000073 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051	
	P57-ROX-071613	7/16/2013		43.38	NE	0.00047	0.0001 J	<0.011	0.000077 J	0.00012	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056 UJ	<0.0022	<0.0056	<0.011	<0.0056 UJ	<0.00011	<0.00011	0.00088 J	<0.011	<0.0056	
	P57-ROX-101413	10/14/2013		44.38	NE	0.00045	0.000071 J	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.0012 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	0.00082 J	<0.011	<0.0054	
	P57-ROX-020314	2/3/2014		46.57	NE	0.00041	0.000075 J	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	0.00067 J	<0.011	<0.0053	
	P57-ROX-041514	4/15/2014		46.70	NE	0.00036	0.000074 J	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	0.0007 J	<0.011	<0.0056	
	P57-ROX-070814	7/8/2014		45.95	NE	0.00029	0.000069 J	<0.011 UJ	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	0.0007 J	<0.011	<0.0053	
	P57-ROX-070814-DUP	7/8/2014		45.95	NE	0.00029	0.000075 J	<0.011 UJ	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	0.00071 J	<0.011	<0.0054	
	P57-ROX-101414-DUP	10/14/2014		45.00	NE	0.0003	<0.00012	<0.012	<0.00012	<0.000058	<0.00012	<0.000058	<0.00012	<0.00012	<0.012	<0.012	<0.0058	<0.0023	<0.0058	<0.012	<0.0058	<0.00012	<0.00012	<0.0023	<0.012	<0.0058	
	P57-ROX-101414	10/14/2014		45.00	NE	0.00036	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056	
	P57-ROX-012315	1/23/2015	44.19 - 54.19	47.52	NE	0.00059	0.00014	<0.011	0.000073 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	0.0013 J	<0.011	<0.0053	
	P57-ROX-042015	4/20/2015		48.73	NE	0.00054	0.00012	<0.01	0.00009 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	0.0011 J	<0.01	<0.0052	
	P57-ROX-071315	7/13/2015		47.81	NE	0.00049	0.0001 J	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053	
	P57-ROX-101515	10/15/2015		45.56	NE	0.00029	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0076 J *	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	0.00067 J	<0.01	<0.01	
	P57-ROX-011216	1/12/2016	44.19 - 54.19	45.61	NE	0.00046 J	0.00022 J	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	0.001 J	<0.01	<0.01	
P-58	P58-ROX-041113	4/11/2013	40.21 - 65.21	44.40	NE	0.0015	0.0005	<0.011	<0.00011	0.0003	0.00019	0.000095	0.000074 J	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	0.00032	<0.00011	0.0044	<0.011	<0.0054	
	P58-ROX-071613	7/16/2013		41.49	NE	0.00076	0.00027	<0.011	0.000096 J	0.00018	0.000073 J	0.000045 J	<0.00011	<0.00011	<0.011	<0.011	<0.0055 UJ	<0.0022	<0.0055	<0.011	<0.0055 UJ	0.00012	<0.00011	0.0025	<0.011	<0.0055	
	P58-ROX-101413	10/14/2013		42.19	NE	0.00084	<0.00011	<0.011	<0.00011	<0.000054	0.000067 J	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.0099	<0.0054	<0.011	<0.0054	0.000099 J	<0.00011	0.0024	<0.011	<0.0054	

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																					
Screening Values (mg/L)						0.42 ¹	0.21 ³	0.023 ³	2.1 ¹	0.00013 ¹	0.0002 ¹	0.00018 ¹	0.21 ³	0.00017 ¹	28 ¹	0.7 ³	0.01 ²	0.006 ²	1.4 ²		0.035 ²	0.012 ¹	0.0003 ¹	0.007 ³	0.021 ²	5.6 ¹	
Location	Sample ID	Sample Date	Screened Interval (ft bloc)	Depth to Water (ft bloc)	Product Thickness (ft)	Analytical Results (mg/L)																					
P-66	P66-ROX-041113	4/11/2013	34.72 - 59.72	36.03	NE	0.0011	0.00028	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	0.0025	<0.011	<0.0053	
	P66-ROX-071213	7/12/2013		33.20	NE	0.00087	<0.00011	<0.011	<0.0002 U	0.00018 B	<0.00015 U	0.00017 B	<0.00019 U	0.00015	<0.011 UJ	<0.011	<0.0056	0.0124	<0.0056	<0.011	<0.0056	0.00017	0.00017	0.0016 J	<0.011	<0.0056	
	P66-ROX-101013	10/10/2013		33.66	NE	0.00066	0.0002	<0.011	<0.00011	0.000028 J	<0.00011	<0.000056	0.000036 J	<0.00011	<0.011 UJ	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	0.0016 J	<0.011	<0.0056	
	P66-ROX-110713	11/7/2013		33.66	NE																						
	P66-ROX-012914	1/29/2014		36.39	NE	0.00099	0.00032	<0.011	<0.00011	0.000039 J	0.000044 J	0.000048 J	0.000052 J	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	0.000047 J	0.000035 J	0.0019 J	<0.011	<0.0053	
	P66-ROX-041114	4/11/2014		37.10	NE	0.00058	0.00017	<0.012	<0.00012	<0.000058	<0.00012	<0.000058	<0.00012	<0.00012	<0.012	<0.012	<0.0058	<0.00068 U	<0.0058	<0.012	<0.0058	<0.00012	<0.00012	<0.0023	<0.012	<0.0058	
	P66-ROX-070714	7/7/2014		35.60	NE	0.00033	0.00016	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056	
	P66-ROX-101414	10/14/2014		34.48	NE	0.00045	0.00018	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	0.0012 J	<0.011	<0.0055	
	P66-ROX-011615	1/16/2015		36.62	NE	0.00067	0.00026	<0.011	0.000065 J J	0.00003 J J	<0.00011 UJ	<0.000053 UJ	<0.00011	<0.00011 UJ	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	0.000029 J J	<0.00011	<0.0021	<0.011	<0.0053	
	P66-ROX-011615-DUP	1/16/2015		36.62	NE	0.00068	0.00027	<0.011	0.00031 J	0.00043 J	0.00032 J	0.00015	0.00023 J	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	0.00032 J	0.000062 J	<0.0022	<0.011	<0.0054		
	P66-ROX-041415	4/14/2015		38.27	NE	0.0006	0.00022	<0.011	<0.00011	<0.000054	0.000019 J	0.000055	0.000022 J	0.000021 J	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	0.000024 J	<0.00011	0.0016 J	<0.011	<0.0054	
	P66-ROX-041415-DUP	4/14/2015		38.27	NE	0.00066	0.00021	<0.011	0.000044 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	0.0016 J	<0.011	<0.0053	
	P66-ROX-070815	7/8/2015		37.24	NE	0.00054	0.00017	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	0.001 J	<0.011	<0.0053	
	P66-ROX-070815-DUP	7/8/2015	37.24	NE	0.00051	0.00021	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	0.000017 J	<0.00011	0.0011 J	<0.011	<0.0053		
P66-ROX-101315	10/13/2015	34.84	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01		
P-66-ROX-010816	1/8/2016	34.72 - 59.72	34.64	NE	0.00071	0.00022	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	0.0012 J	<0.01	<0.01		
P-74	P74-ROX-041113	4/11/2013	44.43 - 69.43	42.83	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052	
	P74-ROX-071513	7/15/2013		40.11	NE	<0.000063 U	<0.00011	<0.011	0.000032 J	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	0.0013 J	<0.0054	
	P74-ROX-101413	10/14/2013		41.72	NE	0.0002	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00097 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	0.00033 J	0.0012 J	<0.0054	
	P74-ROX-012414	1/24/2014		43.35	NE	0.00023	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	0.00063 J	0.00097 J	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051	
	P74-ROX-041514	4/15/2014		44.74	NE	<0.00012	<0.00012	<0.012	<0.00012	<0.000059	<0.00012	<0.000059	<0.00012	<0.00012	<0.012	<0.012	<0.0059	<0.0024	<0.0059	<0.012	<0.0059	<0.00012	<0.00012	<0.0024	<0.012	<0.0059	
	P74-ROX-070814	7/8/2014		43.02	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057	
	P74-ROX-101414	10/14/2014		41.48	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	0.00096 J	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005	
	P74-ROX-011915	1/19/2015		43.47	NE	0.00018	0.000061 J	<0.011	0.000046 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053	
	P74-ROX-041515	4/15/2015		44.61	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052	
	P74-ROX-071015	7/10/2015		43.28	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054	
	P74-ROX-101415	10/14/2015		41.75	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01	
	P74-ROX-011116	1/11/2016		44.43 - 69.43	40.67	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	P-93A	P93A-ROX-041113		4/11/2013	48.17 - 63.17	46.29	NE	0.00023	<0.0001	<0.01	0.000074 J	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01
		P93A-ROX-041113-DUP	4/11/2013	46.29		NE	0.00021	<0.0001	<0.01	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005
P93A-ROX-071813		7/18/2013	43.25	NE		<0.00011	0.000032 J	<0.011	0.00003 J	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	0.000024 J	<0.011	<0.0056	
P93A-ROX-101113		10/11/2013	44.18	NE		0.00017	<0.0001	<0.01	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01 UJ	<0.01	&										

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																				
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenz(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate
Screening Values (mg/L)						0.42 ¹	0.21 ³	0.023 ³	2.1 ¹	0.00013 ¹	0.0002 ¹	0.00018 ¹	0.21 ³	0.00017 ¹	28 ¹	0.7 ³	0.01 ²	0.006 ²	1.4 ²		0.035 ²	0.012 ¹	0.0003 ¹	0.007 ³	0.021 ²	5.6 ¹
Location	Sample ID	Sample Date	Screened Interval (ft bloc)	Depth to Water (ft bloc)	Product Thickness (ft)	Analytical Results (mg/L)																				
P-93B	P93B-ROX-041113	4/11/2013	74.60 - 76.60	46.32	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	P93B-ROX-071813	7/18/2013		43.30	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	P93B-ROX-101613	10/16/2013		44.43	NE	<0.0001	0.000065 J	<0.01	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005
	P93B-ROX-101613-DUP	10/16/2013		44.43	NE	<0.0001	0.000091 J	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	P93B-ROX-012814	1/28/2014		46.58	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	0.00072 J	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	P93B-ROX-012814-DUP	1/28/2014		46.58	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	0.0012 J	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	P93B-ROX-041714	4/17/2014		47.46	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0051	0.0015 J	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	P93B-ROX-041714-DUP	4/17/2014		47.46	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	0.00045 J	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P93B-ROX-071714	7/17/2014		45.75	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	P93B-ROX-101514	10/15/2014		45.15	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	P93B-ROX-012315	1/23/2015		47.24	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	0.00063 J	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P93B-ROX-012315-DUP	1/23/2015		47.24	NE	0.000019 J	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P93B-ROX-021915	2/19/2015		47.24	NE																					
	P93B-ROX-041615	4/16/2015		48.42	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P93B-ROX-041615-DUP	4/16/2015		48.42	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P93B-ROX-070915	7/9/2015		47.74	NE	<0.0001	<0.0001	<0.01	0.000029 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	0.0153	<0.002	<0.0051	<0.01	<0.0051	0.000017 J	<0.0001	<0.002	<0.01	<0.0051
	P93B-ROX-070915-DUP	7/9/2015		47.74	NE	0.000062 J	0.00004 J	<0.01	0.000041 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	0.0142	<0.002	<0.0051	<0.01	<0.0051	0.000016 J	<0.0001	<0.002	<0.01	<0.0051
	P93B-ROX-101515	10/15/2015		45.18	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
P-93C	P93B-ROX-011316	1/13/2016	74.60 - 76.60	44.96	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002 UJ	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	P93C-ROX-041213	4/12/2013	94.26 - 96.26	46.21	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005
	P93C-ROX-071813	7/18/2013		43.31	NE	<0.000045 U	<0.00011	<0.011	0.000021 J	<0.000056	0.00015	<0.000056	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	P93C-ROX-080813	8/8/2013		43.31	NE																					
	P93C-ROX-101613	10/16/2013		44.31	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	P93C-ROX-012414	1/24/2014		46.44	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	P93C-ROX-041714	4/17/2014		47.34	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	P93C-ROX-071714	7/17/2014		45.61	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	P93C-ROX-101514	10/15/2014		44.99	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	P93C-ROX-011915	1/19/2015	92.47 - 97.47	48.22	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	P93C-ROX-021915	2/19/2015		48.22	NE																					
	P93C-ROX-041615	4/16/2015		48.22	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	P93C-ROX-071315	7/13/2015		47.09	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	P93C-ROX-101415	10/14/2015		44.91	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<							

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																							
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenz(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate			
Screening Values (mg/L)						0.42 ¹	0.21 ³	0.023 ³	2.1 ¹	0.00013 ¹	0.0002 ¹	0.00018 ¹	0.21 ³	0.00017 ¹	28 ¹	0.7 ³	0.01 ²	0.006 ²	1.4 ²		0.035 ²	0.012 ¹	0.0003 ¹	0.007 ³	0.021 ²	5.6 ¹			
Location	Sample ID	Sample Date	Screened Interval (ft bloc)	Depth to Water (ft bloc)	Product Thickness (ft)	Analytical Results (mg/L)																							
P-114	P114-ROX-041513	4/15/2013	32.67 - 52.67	31.80	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001 UJ	<0.0001 UJ	<0.01	<0.01	<0.0052	0.0023	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052			
	P114-ROX-071813	7/18/2013		27.22	NE	0.00013 B	<0.00011	<0.011	0.00011	0.000045 J	0.000034 J	0.000064	0.000067 J	<0.00011	<0.011 UJ	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	0.000073 J	<0.0022	<0.011	<0.0055			
	P114-ROX-071813-DUP	7/18/2013		27.22	NE	<0.00011	<0.00011	<0.011	0.00013	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053			
	P114-ROX-101713	10/17/2013		29.43	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054			
	P114-ROX-012814	1/28/2014		32.11	NE	<0.00011	<0.00011	<0.011	0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00066 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054			
	P114-ROX-042114	4/21/2014		32.22	NE	0.00011	<0.0001	<0.01	0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051			
	P114-ROX-071814	7/18/2014		30.87	NE	0.000082 J	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051			
	P114-ROX-101714	10/17/2014		29.43	NE	0.000078 J	<0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057			
	P114-ROX-012115	1/21/2015		31.53	NE	0.00019	<0.00011	<0.011	0.000096 J	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056			
	P114-ROX-041715	4/17/2015		NM	NE	0.00021	0.000044 J	<0.011	0.000054 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	0.00038 J	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053			
P114-ROX-070815	7/8/2015	29.16	NE	0.0002	<0.0001	<0.01	0.000035 J	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005					
P-114R	P114R-ROX-100515	10/5/2015	23.01 - 33.01	28.15	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	0.000071 J	0.00007 J	<0.0002	0.00006 J	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01			
	P114R-ROX-010716	1/7/2016	23.01 - 33.01			<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01			
ROST-3-MW	ROST3MW-ROX-040513	4/5/2013	38.18 - 48.18			0.00016	<0.00011 UJ	<0.011 UJ	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054			
	ROST3MW-ROX-071113	7/11/2013		39.50	NE	0.00029	<0.00011	<0.011	0.000091 J	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0054	0.00061 J	<0.0054	<0.011 UJ	<0.0054 UJ	<0.00011	<0.00011	0.000025 J	<0.011 UJ	<0.0054			
	ROST3-MW-ROX-100913	10/9/2013		40.16	NE	0.0001 J	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0054	<0.0022	<0.0054	<0.011 UJ	<0.0054 UJ	<0.00011	<0.00011	<0.0022	<0.011 UJ	<0.0054			
	ROST3MW-ROX-011714	1/17/2014		42.20	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011 UJ	<0.0053 UJ	<0.00011	<0.00011	<0.0021	<0.011 UJ	<0.0053			
	ROST3MW-ROX-041014	4/10/2014		42.80	NE	<0.00012	<0.00012	<0.012	<0.00012	<0.00006	<0.00012	<0.00006	<0.00012	<0.00012	<0.012 UJ	<0.012	<0.006	<0.0024	<0.006	<0.012	<0.006	<0.00012	<0.00012	<0.0024	<0.012	<0.006			
	ROST3MW-ROX-071414	7/14/2014		41.88	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054			
	ROST3MW-ROX-100914	10/9/2014		41.31	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	0.00046 J	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056			
	ROST3MW-ROX-011515	1/15/2015		41.83	NE	0.000027 J	<0.00011	<0.011	0.000019 J J	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057			
	ROST3MW-ROX-041315	4/13/2015		43.43	NE	0.000028 J	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052			
	ROST3MW-ROX-071315	7/13/2015		42.36	NE	0.000037 J	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053			
	ROST3MW-ROX-101215	10/12/2015		40.29	NE	0.000081 J	<0.0002	<0.01	0.00003 J	0.000092 J	0.000089 J	0.00011 J	0.000089 J	0.00012 J	<0.03	<0.01	<0.01	0.00039 J	<0.01	<0.01	<0.01	<0.01	0.000095 J	0.000094 J	<0.01	<0.01	<0.01		
	ROST3MW-ROX-011416	1/14/2016		37.81 - 47.81	40.30	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01		
ROST-4-PZ(C)	ROST4PZC-ROX-041013	4/10/2013	34.95 - 44.95	42.27	NE	0.000066 J	0.000018 J	<0.011	0.000033 J	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055			
	ROST4PZC-ROX-071113	7/11/2013		40.18	NE	0.00019	0.000073 J	<0.011	0.00012	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0054	0.0032	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054			
	ROST4PZC-ROX-100913	10/9/2013		39.91	NE	0.00012	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053			
	ROST4PZC-ROX-011714	1/17/2014		41.92	NE	<0.00012	<0.00012	<0.012	<0.00012	<0.000059	<0.00012	<0.000059	<0.00012	<0.00012	<0.01 UJ	<0.012	<0.0059	<0.0024	<0.0059	<0.01 UJ	<0.005 UJ	<0.00012	<0.00012	<0.0024	<0.01 UJ	<0.0059			

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																			
Screening Values (mg/L)						0.14 ²	0.7 ¹	0.14 ²	0.00031 ²	0.28 ¹	0.28 ¹	0.00006 ²		0.00043 ¹	0.49 ³	0.028 ¹	0.35 ¹	0.35 ³	0.014 ¹	0.0006 ³	0.001 ¹	0.21 ³	0.1 ¹	0.21 ¹	0.007 ³
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																			
MW-01	MW1-ROX-040913	4/9/2013	48.80 - 58.80	42.55	NE	<0.011	<0.0012 U	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011
	MW1-ROX-070813	7/8/2013		39.56	NE	<0.01	<0.0051	<0.0051	<0.01	0.000033 J	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000043 U	<0.0051	<0.0001	<0.01
	MW1-ROX-100313	10/3/2013		40.28	NE	<0.011	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.0001	<0.011
	MW1-ROX-011414	1/14/2014		42.77	NE	<0.011 UJ	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011 UJ	<0.011 UJ	<0.0053	<0.0053	<0.011 UJ	0.000031 J	<0.0053 UJ	<0.00011	<0.011
	MW1-ROX-040714	4/7/2014		43.28	NE	<0.011 UJ	<0.00029 U	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011 UJ	<0.011 UJ	<0.0054	<0.0054	<0.011 UJ	<0.000023 U	<0.0057 UJ	<0.00011	<0.011
	MW1-ROX-070914	7/9/2014		42.09	NE	<0.011	0.0016 JB	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.000085 J	0.00012 JB J	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011
	MW1-ROX-100614	10/6/2014		41.1	NE	<0.011	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.0021	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053 UJ	<0.00011	<0.011
	MW1-ROX-011215	1/12/2015		42.73	NE	<0.011	<0.0053	<0.0053	<0.011	0.000017 J	0.000027 J	<0.0053		<0.00011	<0.00003 U	<0.000036 U	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.00003 J	<0.0053	<0.00011	<0.011 UJ
	MW1-ROX-040615	4/6/2015		44.11	NE	<0.011	0.00044 J	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.000018 J	0.000035 J	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011
	MW1-ROX-070815	7/8/2015		43.35	NE	<0.011	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.000038 J	0.000066 J	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000022 J	<0.0053	<0.00011	<0.011
MW1-ROX-100615	10/6/2015	40.83	NE	<0.01	<0.01	0.00056 J	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000057 J	0.000096 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01		
MW1-ROX-010816	1/8/2016	48.80 - 58.80	40.93	NE	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	0.000062 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01	
MW-02	MW2-ROX-040913	4/9/2013	49.87 - 59.87	43.70	NE	0.005 J	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.012	0.0256	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011
	MW2-ROX-071113	7/11/2013		40.82	NE	0.005 J	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	0.0123 J	0.0249	<0.011	<0.011	<0.0055	<0.0055	<0.011	<0.000051 U	<0.0055 UJ	<0.00011	<0.011 UJ
	MW2-ROX-100813	10/8/2013		41.73	NE	<0.011	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.009	0.0201	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011 UJ
	MW2-ROX-012014	1/20/2014		44.00	NE	<0.011	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.0094	0.0208	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000043 U	<0.0053	<0.00011	<0.011 UJ
	MW2-ROX-041014	4/10/2014		44.66	NE	<0.012	<0.00046 U	<0.006	<0.012	<0.00012	<0.00012	<0.006		<0.00012	0.0083	0.0193	<0.012	<0.012	<0.006	<0.006	<0.012	<0.00006	<0.006	<0.00012	<0.012
	MW2-ROX-071414	7/14/2014		43.13	NE	<0.011	<0.00045 U	<0.0054	<0.011	0.00012	0.00014	<0.0054		<0.00011	0.01	0.0215	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.00017 U	<0.0054	0.000096 J	<0.011
	MW2-ROX-101014	10/10/2014		42.49	NE	<0.01	<0.0051	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	0.01	0.0214	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000051	<0.0051	<0.0001	<0.01
	MW2-ROX-011615	1/16/2015		44.1	NE	<0.011	<0.00034 U	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.0108	0.0236	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000025 J	<0.0053	<0.00011	<0.011
	MW2-ROX-041315	4/13/2015		45.56	NE	<0.011	<0.00045 U	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.0124	0.0253	<0.011	0.000066 J	<0.0054	<0.0054	<0.011	0.000023 J	<0.0054	<0.00011	<0.011
	MW2-ROX-071315	7/13/2015		44.53	NE	0.0028 J	<0.0054	<0.0054	<0.011	<0.00011	0.000036 J	<0.0054		<0.00011	0.0129	0.0283	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.000027 JB J	<0.0054	<0.00011	<0.011
MW2-ROX-101215	10/12/2015	42.15	NE	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.01	0.017	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01		
MW2-ROX-011416	1/14/2016	49.87 - 59.87	42.04	NE	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.011	0.013	<0.01	0.001 J	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01	
MW-03	MW3-ROX-040813	4/8/2013	34.67 - 44.67	29.74	NE	<0.011	<0.0057	<0.0057	<0.011	<0.00011	<0.00011	<0.0057		<0.00011	<0.00023	<0.00023	<0.011	<0.011	<0.0057	<0.0057	<0.011	<0.000057	<0.0057	<0.00011	<0.011 UJ
	MW3-ROX-071113	7/11/2013		26.32	NE	<0.011	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.00044 J	0.00038	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000039 U	<0.0054 UJ	<0.000072 U	<0.011 UJ
	MW3-ROX-100813	10/8/2013		27.38	NE	<0.011	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.00013 J	0.00014 J	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011 UJ
	MW3-ROX-011614	1/16/2014		29.91	NE	<0.011 UJ	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011 UJ	<0.011 UJ	<0.0053	<0.0053 UJ	<0.011 UJ	<0.000053	<0.0053 UJ	<0.00011	<0.011 UJ
	MW3-ROX-040914	4/9/2014		30.50	NE	<0.011	<0.00056 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000019 U	<0.0056	<0.00011	<0.011
	MW3-ROX-071114	7/10/2014		29.05	NE	<0.011	<0.00028 U	<0.0054	<0.011	<0.0001	<0.0001	<0.0054		<0.0001	0.000067 J	<0.0002	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.00003 U	<0.0054	<0.0001	<0.011 UJ
	MW3-ROX-100914	10/9/2014		28.18	NE	<0.011	<0.00023 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011
	MW3-ROX-011515	1/15/2015		29.65	NE	<0.011	0.00028 J	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	0.00033 J	0.0003 J	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.000018 J J	<0.0056	<0.00011	<0.011
	MW3-ROX-041015	4/10/2015		31.16	NE	<0.011	0.00054 J	<0.0053	<0.011	0.000024 J J	<0.0001	<0.0053		<0.0001	0.00013 J	0.000097 J	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000026 JB J	<0.0053		

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																			
Screening Values (mg/L)						0.14 ²	0.7 ¹	0.14 ²	0.00031 ²	0.28 ¹	0.28 ¹	0.00006 ²		0.00043 ¹	0.49 ³	0.028 ¹	0.35 ¹	0.35 ³	0.014 ¹	0.0006 ³	0.001 ¹	0.21 ³	0.1 ¹	0.21 ¹	0.007 ³
Location	Sample ID	Sample Date	Screened Interval (ft bloc)	Depth to Water (ft bloc)	Product Thickness (ft)	Analytical Results (mg/L)																			
MW-05	MW5-ROX-040913	4/9/2013	33.97 - 43.97	29.41	NE	<0.011	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.004	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011
	MW5-ROX-070913	7/9/2013		26.04	NE	<0.01	<0.005	<0.005	<0.01	<0.0001	<0.00099 U	<0.005		<0.0001	0.0015	<0.0002 UJ	<0.01	<0.01	<0.005	<0.005	<0.01	<0.000074 U	<0.005	<0.0001	<0.01
	MW5-ROX-100813	10/8/2013		26.97	NE	<0.011	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	0.0038	0.00009 J	<0.011	<0.011	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011	<0.011 UJ
	MW5-ROX-011714	1/17/2014		29.59	NE	<0.011	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.0035	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011
	MW5-ROX-041014	4/10/2014		30.09	NE	<0.011	<0.00087 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	0.0038	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011
	MW5-ROX-071414	7/14/2014		28.59	NE	<0.011	<0.00037 U	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.00052 B	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000088 U	<0.0053	<0.00011	<0.011
	MW-5-ROX-100914	10/9/2014		27.75	NE	<0.011	<0.00023 U	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.00099 J	<0.0022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.00003 U	0.00072 J	<0.00011	<0.011
	MW5-ROX-011515	1/15/2015		29.34	NE	<0.011	<0.0053	<0.0053	<0.011	0.000037 J J	<0.00011	<0.0053		0.000023 J J	0.00071 J	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000039 J J	<0.0053	0.000038 J J	<0.011
	MW5-ROX-041315	4/13/2015		30.97	NE	<0.011	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.000099 JB J	0.000031 JB J	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011
	MW5-ROX-071315	7/13/2015		29.45	NE	<0.011	<0.0054	<0.0054	<0.011	<0.00011	0.000026 J	<0.0054		<0.00011	0.000087 JB J	0.00018 JB J	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.000024 JB J	<0.0054	<0.00011	<0.011
	MW5-ROX-101215	10/12/2015		27.53	NE	<0.01	<0.01	<0.01	<0.01	0.000055 J	<0.0002	<0.01	<0.01	0.000086 J	0.00016 J	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
MW5-ROX-011416	1/14/2016	33.97 - 43.97	27.19	NE	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01	
MW-06A	MW6A-ROX-040313	4/3/2013	34.83 - 44.83	31.62	NE	<0.011	0.0018 J	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053 UJ	<0.011	0.000084	<0.0053 UJ	0.000053 J	<0.011 UJ
	MW6A-ROX-070913	7/9/2013		28.25	NE	<0.011	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011	<0.011
	MW6A-ROX-070913-DUP	7/9/2013		28.25	NE	<0.011	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011	<0.011
	MW6A-ROX-100713	10/7/2013		28.87	NE	<0.011	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011
	MW6A-ROX-100713-DUP	10/7/2013		28.87	NE	<0.011	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011
	MW6A-ROX-011614	1/16/2014		31.62	NE	<0.01	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052 UJ	<0.01	<0.000052	<0.0052 UJ	<0.0001	<0.01 UJ
	MW6A-ROX-011614-DUP	1/16/2014		31.62	NE	<0.011	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053 UJ	<0.011	<0.000053	<0.0053 UJ	<0.00011	<0.011 UJ
	MW6A-ROX-040814	4/8/2014		32.16	NE	<0.011	<0.00075 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000054	<0.0056	<0.00011	<0.011 UJ
	MW6A-ROX-040814-DUP	4/8/2014		32.16	NE	<0.011	<0.00077 U	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000055	<0.0054	<0.00011	<0.011 UJ
	MW6A-ROX-071014	7/10/2014		30.75	NE	<0.011	<0.00026 U	<0.0054	<0.011	<0.00011	0.00013	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.000046 J	<0.0054	<0.00011	<0.011
	MW6A-ROX-100814	10/8/2014		29.84	NE	<0.011	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.0021	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011 UJ
	MW6A-ROX-011415	1/14/2015		31.54	NE	<0.011	<0.0053	<0.0053	<0.011	0.000037 J J	0.000076 J	<0.0053		<0.00011	<0.0021	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000046 J	<0.0053	0.000027 J	<0.011
	MW6A-ROX-040715	4/7/2015		33.08	NE	<0.01	<0.0051	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	0.000019 J	0.000023 J	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000051	<0.0051	<0.0001	<0.01
	MW6A-ROX-071515	7/15/2015		31.52	NE	<0.011	<0.0057	<0.0057	<0.011	<0.00011	0.000058 J	<0.0057		<0.00011	0.000056 J	0.000076 JB J	<0.011	<0.011	<0.0057	<0.0057	<0.011	0.000026 J	<0.0057	<0.00011	<0.011
	MW6A-ROX-100715	10/7/2015		29.77	NE	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW6A-ROX-011116	1/11/2016		34.83 - 44.83	29.36	NE	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002
MW-06B	MW6B-ROX-040313	4/3/2013	64.05 - 69.05	31.68	NE	<0.011	0.0012 J	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	0.0002 J	<0.011	<0.011	<0.0054	<0.0054 UJ	<0.011	<0.000054	<0.0054 UJ	<0.00011	<0.011 UJ
	MW6B-ROX-070913	7/9/2013		28.25	NE	<0.011	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011
	MW6B-ROX-100713	10/7/2013		28.93	NE	<0.011	<0.0054	<0.0054	0.0224	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011
	MW6B-ROX-011614	1/16/2014		31.67	NE	<0.011	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		0.000043 J	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054 UJ	<0.011	<0.000054	<0.0054 UJ	<0.00011	<0.011 UJ
	MW6B-ROX-040814	4/8/																							

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																			
Screening Values (mg/L)						0.14 ²	0.7 ¹	0.14 ²	0.00031 ²	0.28 ¹	0.28 ¹	0.00006 ²		0.00043 ¹	0.49 ³	0.028 ¹	0.35 ¹	0.35 ³	0.014 ¹	0.0006 ³	0.001 ¹	0.21 ³	0.1 ¹	0.21 ¹	0.007 ³
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																			
MW-06D	MW6D-ROX-040313	4/3/2013	104.72 - 109.72	31.27	NE	<0.011	0.00069 J	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053 UJ	<0.011	<0.000053	<0.0053 UJ	<0.00011	<0.011 UJ
	MW6D-ROX-070913	7/9/2013		27.91	NE	<0.011	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011	<0.011
	MW6D-ROX-100713	10/7/2013		28.58	NE	<0.011	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011
	MW6D-ROX-011614	1/16/2014		31.33	NE	<0.01	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052 UJ	<0.01	<0.000052	<0.0052 UJ	<0.0001	<0.01 UJ
	MW6D-ROX-040814	4/8/2014		31.85	NE	<0.011	<0.00039 U	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011	<0.011
	MW6D-ROX-071014	7/10/2014		31.47	NE	<0.011	<0.00027 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011
	MW6D-ROX-071014-DUP	7/10/2014		31.47	NE	<0.011	<0.00029 U	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011
	MW6D-ROX-100814	10/8/2014		29.53	NE	<0.011	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011 UJ
	MW6D-ROX-100814-DUP	10/8/2014		29.53	NE	<0.011	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011 UJ
	MW6D-ROX-011415	1/14/2015		31.26	NE	<0.011	<0.0054	<0.0054	<0.011	0.000031 J	0.000018 J	<0.0054		<0.00011	0.000015 J	0.000033 J	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.000033 J	<0.0054	0.000027 J	<0.011
	MW6D-ROX-011415-DUP	1/14/2015		31.26	NE	<0.011	0.00027 J J	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011
	MW6D-ROX-040715	4/7/2015		32.74	NE	<0.011	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.0021	0.000026 J	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011
	MW6D-ROX-071415	7/14/2015		31.19	NE	<0.011	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	0.00011 JB J	0.00023 JB J	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011
MW6D-ROX-100715	10/7/2015	29.45	NE	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000081 J	0.00012 J J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01		
MW6D-ROX-010816	1/8/2016	104.72 - 109.72	29.59	NE	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01	
MW6D-ROX-010816-DUP	1/8/2016		29.59	NE	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01	
MW-07	MW7-ROX-041013	4/10/2013	42.92 - 52.92	42.70	NE	<0.011	<0.0054	<0.0054	<0.011	0.000039 J	0.000081	<0.0054		<0.00011	0.0271	0.0351	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.0014	0.147	0.00015	<0.011
	MW7-ROX-041013-DUP	4/10/2013		42.70	NE	<0.011	<0.0053	<0.0053	<0.011	0.000068 J	0.000087	<0.0053		<0.00011	0.0274	0.0357	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.0015	0.148	0.00016	<0.011
	MW7-ROX-071713	7/17/2013		39.60	NE	<0.011	<0.0054	<0.0054	<0.011	<0.00011	0.00019	<0.0054		0.000078 J	0.0043	0.006	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.00024	0.118	0.000039 J	<0.011
	MW7-ROX-101613	10/16/2013		40.64	NE	<0.011	<0.0055	<0.0055	<0.011	<0.00011	0.00022	<0.0055		<0.00011	0.0082	0.011	<0.011	<0.011	<0.0055	<0.0055	<0.011	0.00019	0.0849	<0.00011	<0.011
	MW7-ROX-013014	1/30/2014		42.94	NE	<0.01	<0.0007 U	<0.005	<0.01	<0.0001	0.00021	<0.005		<0.0001	0.0059	0.0083	<0.01	<0.01	<0.005	<0.005	<0.01	0.00029	0.0314	<0.0001	<0.01
	MW7-ROX-041614	4/16/2014		43.79	NE	<0.01	<0.00071 U	<0.0052	<0.01	<0.0001	0.00026	<0.0052		<0.0001	0.0074	0.0103	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.00033 B	0.0988	<0.0001	<0.01
	MW7-ROX-071614	7/16/2014		42.05	NE	<0.01	<0.00027 U	<0.0052	<0.01	<0.0001	0.00021	<0.0052		<0.0001	0.0052	0.0079	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.00028	0.0618	<0.0001	<0.01
	MW7-ROX-071614-DUP	7/16/2014		42.05	NE	<0.01	<0.00038 U	<0.0052	<0.01	<0.0001	0.00019	<0.0052		<0.0001	0.0052	0.0077	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.00026	0.0638	<0.0001	<0.01
	MW7-ROX-101614	10/16/2014		41.31	NE	<0.011	<0.0056	<0.0056	<0.011	<0.00011	0.0002	<0.0056		<0.00011	0.0049	0.0074	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.00028	0.155	<0.00011	<0.011 UJ
	MW7-ROX-101614-DUP	10/16/2014		41.31	NE	<0.011	<0.0057	<0.0057	<0.011	<0.00011	0.00019	<0.0057		<0.00011	0.0047	0.007	<0.011	<0.011	<0.0057	<0.0057	<0.011	0.00027	0.133	<0.00011	<0.011 UJ
	MW7-ROX-012215	1/22/2015		43.45	NE	0.00072 J	0.00035 J	<0.0053	<0.011	<0.00063 U	0.00024	<0.0053		0.00003 J	0.0053	0.0068	<0.011	0.00059 J	<0.0053	<0.0053	<0.011	0.00049	0.145	<0.000099 U	<0.011
	MW7-ROX-012215-DUP	1/22/2015		43.45	NE	0.00071 J	0.00027 J	<0.0052	<0.01	<0.00021 U	0.00022	<0.0052		<0.0001	0.0052	0.0066	<0.01	0.00056 J	<0.0052	<0.0052	<0.01	0.00045	0.136	<0.000058 U	<0.01
	MW7-ROX-042115	4/21/2015		44.63	NE	0.0014 J	<0.0051	<0.0051	<0.01	<0.0001	0.00033	<0.0051		<0.0001	0.008	0.01	0.00037 J	0.0011 J	<0.0051	<0.0051	<0.01	0.00066	0.0707	0.000057 J	<0.01
	MW7-ROX-042115-DUP	4/21/2015		44.63	NE	0.0012 J	<0.0051	<0.0051	<0.01	0.000026 J	0.0003	<0.0051		<0.0001	0.0074	0.0093	0.00032 J	0.0011 J	<0.0051	<0.0051	<0.01	0.00063	0.0766	0.000066 J	<0.01
	MW7-ROX-071515	7/15/2015		43.54	NE	<0.01	0.00063 J	<0.0051	<0.01	0.000019 J	0.00021	<0.0051		<0.0001	0.0047	0.0065	<0.01	0.0031 J	<0.0051	<0.0051	<0.01	0.00031	0.104	0.000052 J	<0.01
	MW7-ROX-071515-DUP	7/15/2015		43.54	NE	<0.01	0.00057 J	<0.0052	<0.01	0.000023 J	0.00018	<0.0052		<0.0001	0.0055	0.0082	<0.01	0.0032 J	<0.0052	<0.0052	<0.01	0.00034	0.117	0.000053 J	<0.01
	MW7-ROX-101915	10/19/2015		41.43	NE	0.0043 J	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	0.0018 J	<0.0002	0.0029	0.0041	<0.01	0.0018 J	<0.01	<0.01	<0.02	0.00014 J	0.13	<0.0002	<0.01
	MW7-ROX-101915-DUP	10/19/2015		41.43	NE	0.0044 J	<0.01	<0.01	<0.																

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																					
Screening Values (mg/L)						0.14 ²	0.7 ¹	0.14 ²	0.00031 ²	0.28 ¹	0.28 ¹	0.00006 ²		0.00043 ¹	0.49 ³	0.028 ¹	0.35 ¹	0.35 ³	0.014 ¹	0.0006 ³	0.001 ¹	0.21 ³	0.1 ¹	0.21 ¹	0.007 ³		
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																					
MW-09	MW9-ROX-040913	4/9/2013	46.45 - 56.45	44.67	NE	<0.01 UJ	<0.0018 UJ	<0.0052 UJ	<0.01 UJ	<0.0001 UJ	<0.0001 UJ	<0.0052 UJ		<0.0001 UJ	<0.00021 UJ	<0.00021 UJ	<0.01 UJ	<0.01 UJ	<0.0052 UJ	<0.0052 UJ	<0.01 UJ	<0.000052 UJ	<0.0052 UJ	<0.0001 UJ	<0.01 UJ		
	MW9-ROX-070813	7/8/2013		42.35	NE		<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022			<0.0056	<0.0056		<0.000028 U		<0.00011	<0.011		
	MW9-ROX-100313	10/3/2013		42.27	NE	<0.01	<0.005	<0.005	<0.01	<0.0001	<0.0001	<0.005		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.005	<0.005	<0.01	<0.00005	<0.005	<0.0001	<0.01		
	MW9-ROX-011414	1/14/2014		44.47	NE	<0.011 UJ	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011 UJ	<0.011 UJ	<0.0053	<0.0053	<0.011 UJ	<0.000053	<0.0053 UJ	<0.00011	<0.011		
	MW9-ROX-040714	4/7/2014		44.99	NE	<0.011	<0.00062 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	0.0001 J	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056 U	<0.0056	<0.00011	<0.011 UJ		
	MW9-ROX-070914	7/9/2014		44.35	NE	<0.011	<0.0006 U	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011		
	MW9-ROX-100714	10/7/2014		43.52	NE	<0.012	<0.0059	<0.0059	<0.012	<0.00012	<0.00012	<0.0059		<0.00012	<0.0024	<0.0024	<0.012	<0.012	<0.0059	<0.0059	<0.012	<0.000059	<0.0059	<0.00012	<0.012		
	MW9-ROX-011315	1/13/2015		44.21	NE	<0.01	0.00023 J	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.0021	<0.0021	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.000016 JB	<0.0052	<0.0001	<0.01 UJ		
	MW9-ROX-040915	4/9/2015		45.38	NE	<0.01	<0.0052	<0.0052	<0.01	<0.0001	0.000027 J	<0.0052		<0.0001	<0.0021	0.000018 JB J	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.000026 J	<0.0052	<0.0001	<0.01		
	MW9-ROX-070915	7/9/2015		44.81	NE	<0.011	0.00042 J	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	0.000073 J	0.00013 J	<0.011	<0.011	<0.0055	<0.0055	<0.011	0.000044 J	<0.0055	<0.00011	<0.011		
MW9-ROX-100815	10/8/2015	42.64	NE	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000034 J	0.000053 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01				
MW9-ROX-011316	1/13/2016	46.45 - 56.45	42.63	NE	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01			
MW-10	MW10-ROX-040913	4/9/2013	44.43 - 54.43	44.60	NE	<0.011	<0.0019 U	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011		
	MW10-ROX-070813	7/8/2013		42.27	NE	<0.011	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000021 U	<0.0056	<0.00011	<0.011		
	MW10-ROX-100313	10/3/2013		42.38	NE	<0.011	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011		
	MW10-ROX-011514	1/15/2014		44.42	NE	<0.011 UJ	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		0.000072 J	<0.00021	<0.00021	<0.011 UJ	<0.011 UJ	<0.0053	<0.0053	<0.011 UJ	0.000037 JB	<0.0054 UJ	<0.00011	<0.011		
	MW10-ROX-040714	4/7/2014		45.00	NE	<0.011	<0.00085 U	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000042 U	<0.0053	<0.00011	<0.011 UJ		
	MW10-ROX-070914	7/9/2014		44.35	NE	<0.011	<0.00065 U	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011		
	MW10-ROX-100714	10/7/2014		43.58	NE	<0.011	<0.0057	<0.0057	<0.011	<0.00011	<0.00011	<0.0057		<0.00011	<0.0023	<0.0023	<0.011	<0.011	<0.0057	<0.0057	<0.011	<0.000057	<0.0057	<0.00011	<0.011		
	MW10-ROX-011315	1/13/2015		44.27	NE	<0.011	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.0022	<0.000018 U	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011 UJ		
	MW10-ROX-040815	4/8/2015		45.30	NE	<0.01	<0.0051	<0.0051	<0.01	0.000016 J	<0.0001	<0.0051		<0.0001	<0.002	0.00002 JB	<0.01	<0.01	<0.0051	<0.0051	<0.01	0.000019 J	<0.0051	<0.0001	<0.01		
	MW10-ROX-070915	7/9/2015		44.93	NE	<0.011	0.00064 J	<0.0054	<0.011	0.000057 J	0.000037 J	<0.0054		0.000024 J	0.000035 J	0.000058 J	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.000077	<0.0054	0.000059 J	<0.011		
MW10-ROX-100915	10/9/2015	42.79	NE	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000039 J	0.000063 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01				
MW10-ROX-011316	1/13/2016	44.43 - 54.43	42.53	NE	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01			
MW-11	MW11-ROX-040813	4/8/2013	41.66 - 51.66	42.02	NE	<0.011	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011 UJ		
	MW11-ROX-070813	7/8/2013		39.24	NE	<0.011	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011		
	MW11-ROX-100713	10/7/2013		39.95	NE	<0.011	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011	<0.011		
	MW11-ROX-011514	1/15/2014		42.16	NE	<0.011	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.011	<0.000026 U	<0.0055	<0.00011	<0.011		
	MW11-ROX-040714	4/7/2014		42.70	NE	<0.011	<0.0007 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000023 U	<0.0056	<0.00011	<0.011 UJ		
	MW11-ROX-070914	7/9/2014		41.75	NE	<0.011	<0.00042 U	<0.0057	<0.011	<0.00011	<0.00011	<0.0057		<0.00011	<0.00023	<0.00023	<0.011	<0.011	<0.0057	<0.0057	<0.011	0.00003 J	<0.0057	<0.00011	<0.011		
	MW11-ROX-100714	10/7/2014		40.89	NE	<0.01	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.0021	<0.0021	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000052	<0.0052	<0.0001	<0.01		
	MW11-ROX-011315	1/13/2015		41.93	NE	<0.011	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.0022	<0.00002 U	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011 UJ		
	MW11-ROX-040815	4/8/2015		43.19	NE	<0.011	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.0022	0.000022 JB	<0.011	<0.011	<0.0054	<0.0054	<0.011	<>					

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																							
Screening Values (mg/L)						0.14 ²	0.7 ¹	0.14 ²	0.00031 ²	0.28 ¹	0.28 ¹	0.00006 ²		0.00043 ¹	0.49 ³	0.028 ¹	0.35 ¹	0.35 ³	0.014 ¹	0.0006 ³	0.001 ¹	0.21 ³	0.1 ¹	0.21 ¹	0.007 ³				
Location	Sample ID	Sample Date	Screened Interval (ft bloc)	Depth to Water (ft bloc)	Product Thickness (ft)	Analytical Results (mg/L)																							
MW-13	MW13-ROX-041213	4/12/2013	25.57 - 35.57	29.44	NE	<0.01	<0.0051	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	0.00011 J	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000051	<0.0051	<0.0001	<0.0001	<0.01			
	MW13-ROX-071213	7/12/2013		25.67	NE	<0.011	<0.0054	<0.0054	<0.011	<0.000042	<0.00011	<0.0054		<0.00011	<0.00022	<0.000067 U	<0.011	<0.011	<0.0054	<0.0054 UJ	<0.011	<0.000076	<0.0054 UJ	<0.00004	<0.011 UJ				
	MW13-ROX-100913	10/9/2013		26.94	NE	<0.01	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000052	<0.0052	<0.0001	<0.01				
	MW13-ROX-012914	1/29/2014		29.63	NE	<0.011	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.000096 U	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011	<0.011				
	MW13-ROX-041114	4/11/2014		30.15	NE	<0.012	<0.00079 U	<0.006	<0.012	<0.00012	<0.00012	<0.006		<0.00012	<0.00024	<0.00024	<0.012	<0.012	<0.006	<0.006	<0.012	0.000033 J	<0.006	<0.00012	<0.012				
	MW13-ROX-070714	7/7/2014		28.49	NE	<0.011	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011	<0.011				
	MW13-ROX-101014	10/10/2014		27.48	NE	<0.012	<0.006	<0.006	<0.012	<0.00012	<0.00012	<0.006		<0.00012	<0.0024	<0.0024	<0.012	<0.012	<0.006	<0.006	<0.012	0.000032 J	<0.006	<0.00012	<0.012				
	MW13-ROX-011615	1/16/2015		29.09	NE	<0.011	<0.00034 U	<0.0053	<0.011	0.000022 J	0.000035 J	<0.0053		<0.00011	0.00004 J	0.00008 J	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000025 J	<0.0053	0.000046 J	<0.011				
	MW13-ROX-041415	4/14/2015		30.71	NE	0.0013 J	<0.0056	<0.0056	<0.011	0.000025 J	0.000066 J	<0.0056		<0.00011	0.000029 J	0.000055 J	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.00007	<0.0056	0.000023 J	<0.011				
	MW13-ROX-070815	7/8/2015		29.16	NE	<0.011	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.000031 J	0.000047 J	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	0.000032 J	0.000016 J	<0.011				
MW13-ROX-100515	10/5/2015	27.34	NE	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.00085	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01						
MW13-ROX-010716	1/7/2016	25.57 - 35.57	27.16	NE	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.00021	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01					
MW-14	MW14-ROX-041113	4/11/2013	33.42 - 43.42	33.31	NE	<0.011	<0.0054	<0.0054	<0.011	0.000068 J	0.00016	<0.0054		<0.00011	0.0124	0.0018	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.0001	<0.0054	0.000053 J	<0.011				
	MW14-ROX-071213	7/12/2013		30.36	NE	<0.011	0.00043 J	<0.0053	<0.011	<0.00011	<0.000093 U	<0.0053		<0.00011	0.0127	0.0027	<0.011	<0.011	<0.0053	<0.0053 UJ	<0.011	<0.000032 U	<0.0053 UJ	<0.000067 U	<0.011 UJ				
	MW14-ROX-101013	10/10/2013		30.80	NE	<0.011	<0.0057	<0.0057	<0.011	<0.00011	0.00034	<0.0057		<0.00011	0.0184	<0.00023	<0.011	<0.011	<0.0057	<0.0057	<0.011	<0.000057	<0.0057	<0.00011	<0.011				
	MW14-ROX-012914	1/29/2014		33.67	NE	<0.011	0.00045 J	<0.0054	<0.011	<0.00011	0.00041	<0.0054		<0.00011	0.0075	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011				
	MW14-ROX-041114	4/11/2014		34.30	NE	<0.012	<0.00082 U	<0.006	<0.012	<0.00011	0.0003	<0.006		<0.00011	0.0018	<0.00023	<0.012	<0.012	<0.006	<0.006	<0.012	<0.000057	<0.006	<0.00011	<0.012				
	MW14-ROX-070714	7/7/2014		32.82	NE	<0.011	0.00031 J	<0.0054	<0.011	<0.00011	0.00024	<0.0054		<0.00011	0.0014	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.00024 J	<0.0054	<0.00011	<0.011				
	MW14-ROX-101414	10/14/2014		31.65	NE	<0.011	<0.00056 U	<0.0056	<0.011	<0.00011	0.00024	<0.0056		<0.00011	0.0014 J	<0.0022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000021 U	<0.0056	<0.00011	<0.011				
	MW14-ROX-011615	1/16/2015		33.58	NE	<0.011	<0.0053	<0.0053	<0.011	<0.00011	0.00013	<0.0053		<0.00011	0.00012 J	0.000026 J	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000021 J	<0.0053	<0.00011	<0.011				
	MW14-ROX-041415	4/14/2015		35.16	NE	<0.01	<0.0052	<0.0052	<0.01	<0.00011	0.00017	<0.0052		<0.00011	0.00007 J	0.000018 J	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000054	<0.0052	<0.00011	<0.01				
	MW14-ROX-070915	7/9/2015		34.06	NE	<0.01	0.00044 J	<0.0052	<0.01	0.000016 J	0.00017	<0.0052		<0.0001	0.00019 J	0.00012 J	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.000062	<0.0052	0.000017 J	<0.01				
MW14-ROX-101315	10/13/2015	31.88	NE	<0.01	<0.01	<0.01	<0.01	<0.0002	0.00013 J	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01 UJ						
MW-14-ROX-010816	1/8/2016	33.42 - 43.42	31.64	NE	<0.01	<0.01	<0.01	<0.01	<0.0002	0.000095 J	<0.01	<0.01	0.000066 J	0.00013 J	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01					
MW-16	MW16-ROX-040813	4/8/2013	37.06 - 47.06	43.39	NE	<0.01	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	0.000058 J	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000052	<0.0052	<0.0001	<0.01 UJ				
	MW16-ROX-070813	7/8/2013		40.62	NE	<0.011	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000018 U	<0.0056	<0.00011	<0.011				
	MW16-ROX-100813	10/8/2013		41.62	NE	<0.01 UJ	<0.0052 UJ	<0.0052 UJ	<0.01 UJ	<0.0001 UJ	<0.0001 UJ	<0.0052 UJ		<0.0001 UJ	<0.00021 UJ	<0.00021 UJ	<0.01 UJ	<0.01 UJ	<0.0052 UJ	<0.0052 UJ	<0.01 UJ	<0.000052 UJ	<0.0052 UJ	<0.0001 UJ	<0.01 UJ				
	MW16-ROX-011514	1/15/2014		43.76	NE	<0.01	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000031 U	<0.0052	<0.0001	<0.01				
	MW16-ROX-040914	4/9/2014		44.63	NE	<0.012	<0.00067 U	<0.0059	<0.012	<0.00012	<0.00012	<0.0059		<0.00012	<0.00024	<0.00024	<0.012	<0.012	<0.0059	<0.0059	<0.012	<0.000059	<0.0059	<0.00012	<0.012				
	MW16-ROX-071014	7/10/2014		43.15	NE	<0.011	<0.00021 U	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011				
	MW16-ROX-100714	10/7/2014		42.27	NE	<0.012	<0.006	<0.006	<0.012	<0.00012	<0.00012	<0.006		<0.00012	<0.0024	<0.0024	<0.012	<0.012	<0.006	<0.006	<0.012	<0.00006	<0.006	<0.00012	<0.012				
	MW16-ROX-011315	1/13/2015		43.59	NE	<0.011	<0.0053	<0.0053	<0.011	<0.00011																			

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																							
						2,4-Dimethylphenol	Di-n-butyl phthalate	Di-n-octyl phthalate	2,6-Dinitrotoluene	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3 & 4-Methylphenol (m & p-Cresol)	Nitrobenzene	N-Nitrosodimethylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	Pyridine				
Screening Values (mg/L)						0.14 ²	0.7 ¹	0.14 ²	0.00031 ²	0.28 ¹	0.28 ¹	0.00006 ²		0.00043 ¹	0.49 ³	0.028 ¹	0.35 ¹	0.35 ³	0.014 ¹	0.0006 ³	0.001 ¹	0.21 ³	0.1 ¹	0.21 ¹	0.007 ³				
Location	Sample ID	Sample Date	Screened Interval (ft bloc)	Depth to Water (ft bloc)	Product Thickness (ft)	Analytical Results (mg/L)																							
MW-24	MW24-ROX-040513	4/5/2013	38.89 - 48.89	43.39	NE	<0.01	0.00049 J	<0.0052	<0.01	0.000088 J	<0.0001	<0.0052		<0.0001	<0.00021	0.00015 J	<0.01	<0.01	<0.0052	<0.0052 UJ	<0.01	<0.000052	<0.0052 UJ	0.000066 J	<0.01 UJ				
	MW24-ROX-071113	7/11/2013		40.35	NE	<0.011 UJ	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022 UJ	0.000062 J	<0.011 UJ	<0.011 UJ	<0.0054	<0.0054	<0.011 UJ	<0.000038 U	<0.0053 UJ	<0.00011	<0.011 UJ				
	MW24-ROX-100913	10/9/2013		41.27	NE	<0.011	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011				
	MW24-ROX-011514	1/15/2014		43.47	NE	<0.011	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011				
	MW24-ROX-040914	4/9/2014		44.13	NE	<0.011	<0.00092 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011				
	MW24-ROX-071114	7/10/2014		42.97	NE	<0.011	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011 UJ				
	MW24-ROX-100814	10/8/2014		42.16	NE	<0.011	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011 UJ				
	MW24-ROX-011315	1/13/2015		43.17	NE	<0.011	0.00023 J	<0.0053	<0.011	<0.00011	0.000059 J	<0.0053		<0.00011	0.00009 JB	<0.000099 U	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000037 J	<0.0053	<0.00011	<0.011 UJ				
	MW24-ROX-040915	4/9/2015		44.45	NE	<0.011	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.00002 JB J	0.000035 JB J	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011				
	MW24-ROX-070915	7/9/2015		44.65	NE	<0.01	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	0.000049 J	0.000081 J	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.000041 J	<0.0052	<0.0001	<0.01				
	MW24-ROX-100715	10/7/2015		41.45	NE	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000057 J	0.000087 J J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01				
	MW24-ROX-011316	1/13/2016	38.89 - 48.89	41.44	NE	<0.01	<0.01	<0.01	<0.01	0.000036 J	<0.0002	<0.01	<0.01	0.000057 J	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	0.000034 J	<0.01				
MW-25	MW25-ROX-102114	10/21/2014	35.59 - 45.59	36.44	NE	0.0025 J	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	0.00093 J	0.00057 J	0.0011 J	0.0028 J	<0.0056	<0.0056	<0.011	0.000033 J	0.173	<0.00011	<0.011				
	MW25-ROX-012215	1/22/2015		38.45	NE	<0.01	0.00028 J	<0.0052	<0.01	<0.000018 U	<0.0001	<0.0052		<0.0001	0.00036 J	0.00015 J	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000052	0.107	<0.000019 U	<0.01				
	MW25-ROX-042115	4/21/2015		39.71	NE	<0.01	<0.0051	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	0.00067 J	0.00035 J	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000051	0.0592	<0.0001	<0.01				
	MW25-ROX-071515	7/15/2015		38.40	NE	<0.01	<0.0052	<0.0052	<0.01	<0.0001	0.000019 J	<0.0052		<0.0001	0.00088 J	0.00049 J	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.000017 J	0.112	<0.0001	<0.01				
	MW25-ROX-101915	10/19/2015		36.55	NE	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.00026	0.00014 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	0.071	<0.0002	<0.01				
MW-26	MW25-ROX-011416	1/14/2016	35.59 - 45.59	36.12	NE	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.0004	0.00017 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	0.049	<0.0002	<0.01				
	MW26-ROX-102114	10/21/2014	38.15 - 48.15	39.43	NE	<0.011	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.0021	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011				
	MW26-ROX-011215	1/12/2015		41.09	NE	<0.01	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.0021	<0.000017 U	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.000015 J	<0.0052	<0.0001	<0.01 UJ				
	MW26-ROX-040815	4/8/2015		42.52	NE	<0.01	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.0021	<0.0021	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000052	<0.0052	<0.0001	<0.01				
	MW26-ROX-070815	7/8/2015		41.76	NE	<0.011	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.000046 J	0.0000065 J	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.00003 J	<0.0053	<0.00011	<0.011				
MW-27	MW26-ROX-100615	10/6/2015	38.15 - 48.15	39.19	NE	<0.01	<0.01	0.000055 J	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000083 J	0.00013 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01				
	MW26-ROX-010716	1/7/2016		39.55	NE	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01				
	MW27-ROX-102114	10/21/2014		41.57	NE	<0.011	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.0021	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011				
	MW27-ROX-011515	1/15/2015		42.06	NE	<0.011	0.00026 J J	<0.0053 UJ	<0.011	<0.00011	0.000023 J J	<0.0053		0.000047 J J	<0.0021	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000028 J J	<0.0053	0.000019 J J	<0.011				
	MW-28	MW27-ROX-041015	4/10/2015	39.79 - 49.79	43.22	NE	<0.011	<0.0054	<0.0054	<0.011	0.000024 J J	<0.00011	<0.0054		<0.00011	0.000036 J	0.00007 J	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.000019 JB J	<0.0054	0.000018 J	<0.011			
MW27-ROX-071015		7/10/2015	43.00		NE	<0.011	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	0.00005 JB J	0.000086 JB J	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011				
MW27-ROX-100815		10/8/2015	40.32		NE	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000035 J	0.000051 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01				
MW27-ROX-011316		1/13/2016	40.68		NE	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01				
MW-28		MW28-ROX-102114	10/21/2014	33.61 - 43.61	36.44	NE	<0.011	0.00026 J	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.00075 J	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000017 J	<0.0053	<0.00011	<0.011			
	MW28-ROX-011515	1/15/2015	41.14		NE	0.0012 J	0.00033 J J	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.															

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																							
						2,4-Dimethylphenol	Di-n-butyl phthalate	Di-n-octyl phthalate	2,6-Dinitrotoluene	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3 & 4-Methylphenol (m & p-Cresol)	Nitrobenzene	N-Nitrosodimethylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	Pyridine				
Screening Values (mg/L)						0.14 ²	0.7 ¹	0.14 ²	0.00031 ²	0.28 ¹	0.28 ¹	0.00006 ²		0.00043 ¹	0.49 ³	0.028 ¹	0.35 ¹	0.35 ³	0.014 ¹	0.0006 ³	0.001 ¹	0.21 ³	0.1 ¹	0.21 ¹	0.007 ³				
Location	Sample ID	Sample Date	Screened Interval (ft bloc)	Depth to Water (ft bloc)	Product Thickness (ft)	Analytical Results (mg/L)																							
P-56	P56-ROX-041213	4/12/2013	40.82 - 65.82	46.12	NE	<0.011	<0.0055	<0.0055	<0.011	<0.00011	0.00032	<0.0055		<0.00011	0.0208	0.0239	<0.011	<0.011	<0.0055	<0.0055	<0.011	0.0012	<0.0055	<0.00011	<0.011				
	P56-ROX-071513	7/15/2013		43.25	NE	0.0086 J	<0.0055	<0.0055	<0.011	<0.00011	0.00059	<0.0055		<0.00011	0.0315	0.0431	<0.011 UJ	0.0064 J	<0.0055	<0.0055	<0.011	0.0015	<0.0055 UJ	<0.00011	<0.011				
	P56-ROX-101013	10/10/2013		44.48	NE	0.0042 J	<0.0055	<0.0055	<0.011	<0.00011	0.00044	<0.0055		<0.00011	0.0251	0.03	<0.011	<0.011	<0.0055	<0.0055	<0.011	0.0013	<0.0055	<0.00011	<0.011				
	P56-ROX-012214	1/22/2014		46.35	NE	<0.01	<0.0052	<0.0052	<0.01	<0.0001	0.00035	<0.0052		<0.0001	0.0193	0.0228	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.0012	<0.0052	<0.0001	<0.01				
	P56-ROX-041414	4/14/2014		47.32	NE	<0.012	0.00051 J	<0.0059	<0.012	<0.00012	0.00038	<0.0059		<0.00012	0.0223	0.0269	<0.012	0.0008 J	<0.0059	<0.0059	<0.012	0.0012	<0.0059	<0.00012	<0.012				
	P56-ROX-070814	7/8/2014		45.97	NE	<0.011	<0.0056	<0.0056	<0.011	<0.00011	0.00036	<0.0056		<0.00011	0.0181	0.0243	<0.011	0.0165	<0.0056	<0.0056	<0.011	0.001	<0.0056	<0.00011	<0.011				
	P56-ROX-101314	10/13/2014		45.05	NE	<0.011	<0.00035 U	<0.0054	<0.011	<0.00011	0.00041	<0.0054		<0.00011	0.0235	0.0296	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.0015	<0.0054	<0.00011	<0.011 UJ				
	P56-ROX-011915	1/19/2015		46.58	NE	<0.011	<0.0054	<0.0054	<0.011	<0.00011	0.0003	<0.0054		<0.00011	0.0197	0.0223	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.0011	<0.0054	0.00003 J	<0.011				
	P56-ROX-041515	4/15/2015		48.05	NE	0.0026 J	<0.0054	<0.0054	<0.011	<0.00011	0.00041	<0.0054		<0.00011	0.026	0.0293	<0.011	0.0011 J	<0.0054	<0.0054	<0.011	0.0013	<0.0054	0.000027 J J	<0.011				
	P56-ROX-071015	7/10/2015		47.34	NE	<0.011	<0.0053	<0.0053	<0.011	<0.00011	0.00033	<0.0053		<0.00011	0.0262	0.0119	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.0014	<0.0053	0.000029 J	<0.011				
	P56-ROX-101415	10/14/2015		44.85	NE	<0.01	<0.01	<0.01	<0.01	<0.0002	0.00018 J	<0.01	<0.01	<0.0002	0.013	0.011 J	<0.01	0.29	<0.01	<0.01	<0.02	0.00082	<0.01	<0.0002	<0.01 UJ				
P56-ROX-011116	1/11/2016	40.82 - 65.82	44.78	NE	<0.01	<0.01	<0.01	<0.01	<0.0002	0.00044	<0.01	<0.01	<0.0002	0.021	0.019	<0.01	0.0028 J	<0.01	<0.01	<0.02	0.0014	<0.01	<0.0002	<0.01					
P-57	P57-ROX-041113	4/11/2013	40.46 - 65.46	46.29	NE	<0.01	<0.0051	<0.0051	<0.01	<0.0001	0.00076	<0.0051		<0.0001	0.0348	0.0453	<0.01	<0.01	<0.0051	<0.0051	<0.01	0.00074	0.146	<0.0001	<0.01				
	P57-ROX-071613	7/16/2013		43.38	NE	0.002 J	<0.0056	<0.0056	<0.011	0.000038 J	0.0008	<0.0056		<0.00011	0.0267	0.0365	<0.011 UJ	0.0086 J	<0.0056	<0.0056	<0.011	0.00073	0.164 J	<0.000052 U	<0.011				
	P57-ROX-101413	10/14/2013		44.38	NE	0.0029 J	0.00049 J	<0.0054	<0.011	<0.00011	0.00067	<0.0054		<0.00011	0.0252	0.0324	<0.011	<0.011	<0.0054	<0.0054 UJ	<0.011	0.00049	0.202	0.000047 J	<0.011 UJ				
	P57-ROX-020314	2/3/2014		46.57	NE	<0.011	<0.0053	<0.0053	<0.011	<0.00011	0.00062	<0.0053		<0.00011	0.0234	0.0314	<0.011	0.0027 J	<0.0053	<0.0053	<0.011	0.00052	0.168 J	<0.00011	<0.011 UJ				
	P57-ROX-041514	4/15/2014		46.70	NE	<0.011 UJ	<0.00058 U	<0.0056	<0.011	<0.00011	0.00061	<0.0056		<0.00011	0.0238	0.032	<0.011	<0.011	<0.0056	<0.0056 UJ	<0.011	0.00045 J	0.106 J	<0.00011	<0.011 UJ				
	P57-ROX-070814	7/8/2014		45.95	NE	<0.011	0.00026 J	<0.0053	<0.011	<0.00011 UJ	0.00055	<0.0053	0.024 JN	<0.00011	0.022	0.0306	<0.011	0.0303	<0.0053	<0.0053	<0.011	0.00047	0.141	<0.00011	<0.011				
	P57-ROX-070814-DUP	7/8/2014		45.95	NE	<0.011	0.00027 J	<0.0054	<0.011	<0.00011 UJ	0.00054	<0.0054	0.023 JN	<0.00011	0.022	0.03	<0.011	0.0299	<0.0054	<0.0054	<0.011	0.00048	0.136	<0.00011	<0.011				
	P57-ROX-101414-DUP	10/14/2014		45.00	NE	<0.012	<0.00082 U	<0.0058	<0.012	<0.00012	0.00065	<0.0058		<0.00012	0.0243	0.0338	<0.012	0.0138	<0.0058	<0.0058	<0.012	0.00058	0.271 J	<0.00012	<0.012				
	P57-ROX-101414	10/14/2014		45.00	NE	<0.011	<0.00086 U	<0.0056	<0.011	<0.00011	0.00068	<0.0056		<0.00011	0.026	0.0345	<0.011	0.0152	<0.0056	<0.0056	<0.011	0.00059	0.274 J	<0.00011	<0.011				
	P57-ROX-012315	1/23/2015		47.52	NE	<0.011	0.00039 J	<0.0053	<0.011	<0.00002 U	0.00098	<0.0053		<0.00011	0.0385	0.0507	<0.011	0.0044 J	<0.0053	<0.0053	<0.011	0.00062	0.159	<0.000027 U	<0.011 UJ				
	P57-ROX-042015	4/20/2015		48.73	NE	<0.01	0.00037 J	<0.0052	<0.01	<0.0001	0.00089	<0.0052		<0.0001	0.0312	0.045	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.0007	0.164	0.000021 J	<0.01				
P57-ROX-071315	7/13/2015	47.81	NE	<0.011	0.00044 J	<0.0053	<0.011	<0.00011	0.00082	<0.0053		<0.00011	0.0302	0.0464	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.00064	0.189	0.00002 J	<0.011						
P57-ROX-101515	10/15/2015	45.56	NE	<0.01	<0.01	<0.01	<0.01	<0.0002	0.00045	<0.01	<0.01	<0.0002	0.018	0.026	<0.01	0.038	<0.01	<0.01	<0.02	<0.0002	0.87	<0.0002	<0.01						
P57-ROX-011216	1/12/2016	44.19 - 54.19	45.61	NE	<0.01	<0.01	<0.01	<0.01	<0.001	0.00089 J	<0.01	0.0037 J	<0.001	0.038	0.057	<0.01	<0.02	<0.01	<0.01	<0.02	0.00071 J	0.21	<0.001	<0.01					
P-58	P58-ROX-041113	4/11/2013	40.21 - 65.21	44.40	NE	<0.011	<0.0054	<0.0054	<0.011	0.00019	0.0022	<0.0054		<0.00011	0.0692	0.0961	<0.011	0.014	<0.0054	<0.0054	<0.011	0.0021	0.0985	0.00055	<0.011				
	P58-ROX-071613	7/16/2013		41.49	NE	<0.011	<0.0055	<0.0055	<0.011	0.000071 J	0.0013	<0.0055		<0.00011	0.0544	0.0708	<0.011 UJ	0.0359	<0.0055	<0.0055	<0.011	0.00099	0.247	<0.0002 U	<0.011				
	P58-ROX-101413	10/14/2013		42.19	NE	0.0016 J	0.00058 J	<0.0054	<0.011	0.000066 J	0.0014	<0.0054		<0.00011	0.0488	0.0628	<0.011	0.0481	<0.0054	<0.0054 UJ	<0.011	0.00095	0.213	0.00021	<0.011 UJ				
	P58-ROX-020314	2/3/2014		44.66	NE	<0.01	<0.0052	<0.0052	<0.01	0.000058 J	0.0011	<0.0052		<0.0001	0.0353	0.0474	<0.01	0.0073 J	<0.0052	<0.0052	<0.01	0.00069	0.123 J	0.00014	<0.01 UJ				
	P58-ROX-041514	4/15/2014		45.66	NE	<0.011 UJ	<0.0013 U	0.00072 J	<0.011 UJ	0.00079	0.0017	0.00088 J		0.00072	0.0284	0.0381	<0.011 UJ	0.0136 J	<0.0053	0.0021 J J	<0.011 UJ	0.0013	0.123 J	0.00085	<0.011 UJ				
	P58-ROX-071814	7/18/2014		43.80	NE	<0.011	<0.00032 U	<0.0055	<0.011	0.000062 J	0.0012	<0.0055		0.0005	0.0412	0.0554	<0.011	0.012	<0.0055	<0.0055	<0.011	0.00092	0.173	0.00022	<0.011				
	P58-ROX-101514	10/15/2014		43.14	NE	<0.011	<0.0054	<0.0054	<0.011	0.000064 J	0.0015	<0.0054		<0.00011	0.0504	0.0674	<0.011	0											

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																							
Screening Values (mg/L)						0.14 ²	0.7 ¹	0.14 ²	0.00031 ²	0.28 ¹	0.28 ¹	0.00006 ²		0.00043 ¹	0.49 ³	0.028 ¹	0.35 ¹	0.35 ³	0.014 ¹	0.0006 ³	0.001 ¹	0.21 ³	0.1 ¹	0.21 ¹	0.007 ³				
Location	Sample ID	Sample Date	Screened Interval (ft bloc)	Depth to Water (ft bloc)	Product Thickness (ft)	Analytical Results (mg/L)																							
P-66	P66-ROX-041113	4/11/2013	34.72 - 59.72	36.03	NE	<0.011	<0.0053	<0.0053	<0.011	0.000072 J	0.0017	<0.0053		<0.00011	0.0681	0.0131	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.00091	<0.0053	0.000087 J	<0.011				
	P66-ROX-071213	7/12/2013		33.20	NE	<0.011	<0.0056	<0.0056	<0.011	<0.00019 U	0.0018	<0.0056		0.00017	0.0688	0.0642	<0.011	<0.011	<0.0056	<0.0056 UJ	<0.011	0.00088	0.0035 J J	<0.0002 U	<0.011 UJ				
	P66-ROX-101013	10/10/2013		33.66	NE	<0.011	<0.0056	<0.0056	<0.011	0.000052 J	0.0013	<0.0056		<0.00011	0.0571	0.0218	<0.011	0.0034 J	<0.0056	<0.0056	<0.011	0.0005	<0.0056	0.00009 J	<0.011				
	P66-ROX-110713	11/7/2013		33.66	NE																								
	P66-ROX-012914	1/29/2014		36.39	NE	<0.011	<0.0053	<0.0053	<0.011	0.000065 J	0.0016	<0.0053		0.000041 J	0.0701	0.0284	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.00077	<0.0053	0.000099 J	<0.011				
	P66-ROX-041114	4/11/2014		37.10	NE	<0.012	<0.00088 U	<0.0058	<0.012	<0.00012	0.0013	<0.0058		<0.00012	0.0649	0.023	<0.012	<0.012	<0.0058	<0.0058	<0.012	0.00049	<0.0058	0.000049 J	<0.012				
	P66-ROX-070714	7/7/2014		35.60	NE	<0.011	0.0003 J	<0.0056	<0.011	<0.00011	0.00078	<0.0056		<0.00011	0.0445	0.006	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.00041 J	<0.0056	<0.00011	<0.011				
	P66-ROX-101414	10/14/2014		34.48	NE	<0.011	<0.00066 U	<0.0055	<0.011	<0.00011	0.0011	<0.0055		<0.00011	0.0595	0.0075	<0.011	<0.011	<0.0055	<0.0055	<0.011	0.00064	<0.0055	0.000043 J	<0.011				
	P66-ROX-011615	1/16/2015		36.62	NE	<0.011	<0.00022 U	<0.0053	<0.011	0.000047 J J	0.0014	<0.0053		<0.00011	0.0739	0.0178	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.00072 J	<0.0053	0.000077 J J	<0.011				
	P66-ROX-011615-DUP	1/16/2015		36.62	NE	<0.011	<0.0054	<0.0054	<0.011	0.001 J	0.0015	<0.0054		0.00014	0.0682	0.0165	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.0016 J	<0.0054	0.00086 J	<0.011				
	P66-ROX-041415	4/14/2015		38.27	NE	<0.011	<0.0054	<0.0054	<0.011	0.00005 J	0.0013	<0.0054		<0.00011	0.0665	0.02	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.00062	<0.0054	0.000053 J	<0.011				
	P66-ROX-041415-DUP	4/14/2015		38.27	NE	<0.011	<0.0053	<0.0053	<0.011	0.000038 J	0.0013	<0.0053		<0.00011	0.0627	0.0187	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.00059	<0.0053	0.000041 J	<0.011				
	P66-ROX-070815	7/8/2015	37.24	NE	<0.011	<0.0053	<0.0053	<0.011	0.000027 J	0.0011	<0.0053		<0.00011	0.0546	0.0075	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.00053	<0.0053	0.000028 J	<0.011					
P66-ROX-070815-DUP	7/8/2015	37.24	NE	<0.011	<0.0053	<0.0053	<0.011	0.000024 J	0.0011	<0.0053		<0.00011	0.0574	0.0077	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.00056	<0.0053	0.00004 J	<0.011						
P66-ROX-101315	10/13/2015	34.84	NE	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	0.001 J	<0.0002	0.034	0.0025	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01 UJ						
P-66-ROX-010816	1/8/2016	34.72 - 59.72	34.64	NE	<0.01	<0.01	<0.01	<0.01	0.000037 J	0.0012	<0.01	<0.01	0.000049 J	0.084 E J	0.01	<0.01	<0.02	<0.01	<0.01	<0.02	0.00055	<0.01	0.000043 J	<0.01					
P-74	P74-ROX-041113	4/11/2013	44.43 - 69.43	42.83	NE	<0.01	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000052	<0.0046 U	<0.0001	<0.01				
	P74-ROX-071513	7/15/2013		40.11	NE	<0.011	<0.0054	<0.0054	<0.011	0.00014	0.00011	<0.0054		<0.00011	0.0019	0.00019 J	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.00008 U	0.008	0.000074 J	<0.011				
	P74-ROX-101413	10/14/2013		41.72	NE	0.0019 J	0.00047 J	<0.0054	<0.011	0.00015	0.00025	<0.0054		<0.00011	0.0073	0.0079	<0.011	<0.011	<0.0054	<0.0054 UJ	<0.011	0.000079	0.0125	0.000057 J	<0.011 UJ				
	P74-ROX-012414	1/24/2014		43.35	NE	<0.01	0.00048 J	<0.0051	<0.01	0.000088 J	0.00028	<0.0051		<0.0001	0.0088	0.0106	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.00014 U	0.0278	0.000049 J	<0.01				
	P74-ROX-041514	4/15/2014		44.74	NE	<0.012 UJ	<0.0014 U	<0.0059	<0.012	<0.00012	<0.00012	<0.0059		<0.00012	0.0017 J	0.0022 J	<0.012	<0.012	<0.0059	<0.0059 UJ	<0.012	0.000054 JB J	<0.0059 UJ	<0.00012	<0.012 UJ				
	P74-ROX-070814	7/8/2014		43.02	NE	<0.011	0.00039 J	<0.0057	<0.011	<0.00011	0.00011	<0.0057		<0.00011	0.0034	0.003	<0.011	<0.011	<0.0057	<0.0057	<0.011	0.000054 J	<0.0057	<0.00011	<0.011				
	P74-ROX-101414	10/14/2014		41.48	NE	<0.01	<0.0019 U	<0.005	<0.01	<0.0001	<0.0001	<0.005		<0.0001	<0.002	<0.002	<0.01	<0.01	<0.005	<0.005	<0.01	<0.00005	<0.005	<0.0001	<0.01				
	P74-ROX-011915	1/19/2015		43.47	NE	0.02	<0.0053	<0.0053	<0.011	0.000053 J	0.00023	<0.0053		<0.00011	0.0077	0.0107	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.00015 B	0.0169	0.000038 J	<0.011				
	P74-ROX-041515	4/15/2015		44.61	NE	<0.01	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.0021	<0.0021	<0.01	<0.01	<0.0052	<0.0052	<0.011	<0.000052	<0.0052	<0.0001	<0.01				
	P74-ROX-071015	7/10/2015		43.28	NE	<0.011	<0.0054	<0.0054	<0.011	0.000019 J	<0.00011	<0.0054		<0.00011	0.00002 JB J	0.000029 JB J	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011				
	P74-ROX-101415	10/14/2015		41.75	NE	0.021	<0.01	0.00089 J	<0.01	<0.0002	0.00012 J	<0.01	0.0022 J	<0.0002	0.0032	0.0031	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	0.1	0.000037 J	<0.01 UJ				
	P74-ROX-011116	1/11/2016	44.43 - 69.43	40.67	NE	<0.01	<0.01	0.00063 J B	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01				
P-93A	P93A-ROX-041113	4/11/2013	48.17 - 63.17	46.29	NE	<0.01	<0.005	<0.005	<0.01	0.000046 J	0.0003	<0.005		<0.0001	0.0146 J	0.0098	<0.01	<0.01	<0.005	<0.005	<0.01	0.00035	0.2	0.00004 J	<0.01				
	P93A-ROX-041113-DUP	4/11/2013		46.29	NE	<0.01	<0.005	<0.005	<0.01	<0.0001	0.00025	<0.005		<0.0001	0.0146 J	0.0096	<0.01	<0.01	<0.005	<0.005	<0.01	0.00024	0.179	<0.0001	<0.01				
	P93A-ROX-071813	7/18/2013		43.25	NE	<0.011	<0.0056	<0.0056	<0.011	<0.00011	0.00023	<0.0056		<0.00011	0.0089	0.0062	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.00021	0.107	<0.00011	<0.011				
	P93A-ROX-101113	10/11/2013		44.18	NE	<0.01	<0.005	<0.005	<0.01	<0.0001	0.00028	<0.005		<0.0001	0.0128	0.0085	<0.01	<0.01	<0.005	<0.005	<0.01	0.00013	0.0837 J	<0.0001	<0.01 UJ				
	P93A-ROX-012914	1/29/2014		46.53	NE	<0.011	<0.0054	<0.0054	<0.011	<0.00011	0.00032	<0.0054		<0.00011	0.0133	0.0072	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.00022 B	0.105	<0.00011	<0.011				
	P93A-ROX-041714	4/17/2014		47.41	NE	<0.011	<0.0012 U	<0.0056	<0.011	<0.00011	0.00027	<0.0056		<0.00011	0.0086	0.0048	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.00018 B J	0.0735	<0.00011	<0.011				
	P93A-ROX-071814	7/18/2014		45.70	NE	<0.011	<0.00077 U	<0.0057	<0.011	<0.00011	0.00024	<0.0057		<0.00011	0.0084	0.0053	<0.011	<0.011	0.0059	<0.0057	<0.011	0.00017 B	0.0355	<0.00011	<0.011				
	P93A-ROX-071814-DUP	7/18/2014		45.70	NE	<0.011	<0.00041 U	<0.0057	<0.011	<0.00011	0.00025	<0.0057		<0.00011															

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																			
						2,4-Dimethylphenol	Di-n-butyl phthalate	Di-n-octyl phthalate	2,6-Dinitrotoluene	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3 & 4-Methylphenol (m & p-Cresol)	Nitrobenzene	N-Nitrosodimethylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	Pyridine
Screening Values (mg/L)						0.14 ²	0.7 ¹	0.14 ²	0.00031 ²	0.28 ¹	0.28 ¹	0.00006 ²		0.00043 ¹	0.49 ³	0.028 ¹	0.35 ¹	0.35 ³	0.014 ¹	0.0006 ³	0.001 ¹	0.21 ³	0.1 ¹	0.21 ¹	0.007 ³
Location	Sample ID	Sample Date	Screened Interval (ft bloc)	Depth to Water (ft bloc)	Product Thickness (ft)	Analytical Results (mg/L)																			
P-93B	P93B-ROX-041113	4/11/2013	74.60 - 76.60	46.32	NE	<0.01	0.0013 J	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000051	0.122	<0.0001	<0.01
	P93B-ROX-071813	7/18/2013		43.30	NE	<0.011	0.0005 J	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.000034 J	0.151	<0.00011	<0.011
	P93B-ROX-101613	10/16/2013		44.43	NE	<0.01	<0.005	<0.005	<0.01	<0.0001	<0.0001	<0.005		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.005	<0.005	<0.01	<0.00005	0.069	<0.0001	<0.01
	P93B-ROX-101613-DUP	10/16/2013		44.43	NE	<0.01	<0.0051	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000051	0.082	<0.0001	<0.01
	P93B-ROX-012814	1/28/2014		46.58	NE	<0.011	0.00045 J	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.011	<0.000022 U	0.074	<0.00011	<0.011
	P93B-ROX-012814-DUP	1/28/2014		46.58	NE	<0.01	0.00048 J	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000024 U	0.0927	<0.0001	<0.01
	P93B-ROX-041714	4/17/2014		47.46	NE	<0.01	<0.0024 U	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000051	0.0719	<0.0001	<0.01
	P93B-ROX-041714-DUP	4/17/2014		47.46	NE	<0.011	<0.00098 U	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	0.0861	<0.00011	<0.011
	P93B-ROX-071714	7/17/2014		45.75	NE	<0.01	<0.00046 U	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000023 U	<0.0052 UJ	<0.0001	<0.01
	P93B-ROX-101514	10/15/2014		45.15	NE	<0.011	0.00024 J	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	0.128	<0.00011	<0.011
	P93B-ROX-012315	1/23/2015		47.24	NE	<0.011	0.00025 J	<0.0053	<0.011	<0.00011	<0.000017 U	<0.0053		<0.00011	0.00002 J	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	0.0979	<0.00011	<0.011 UJ
	P93B-ROX-012315-DUP	1/23/2015		47.24	NE	<0.011	0.00031 J	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.000023 J	0.000041 J	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000024 U	0.123	<0.00011	<0.011 UJ
	P93B-ROX-021915	2/19/2015		47.24	NE																				
	P93B-ROX-041615	4/16/2015		48.42	NE	0.00099 J	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.000034 JB J	0.00008 JB J	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	0.104 J	<0.00011	<0.011
	P93B-ROX-041615-DUP	4/16/2015		48.42	NE	0.00084 J	<0.0053	<0.0053	<0.011	<0.00011	0.00002 JB J	<0.0053		<0.00011	0.000028 JB J	0.000048 JB J	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	0.08 J	<0.00011	<0.011
	P93B-ROX-070915	7/9/2015		47.74	NE	0.0009 J	<0.0051	<0.0051	<0.01	0.000035 J	0.000031 J	<0.0051		<0.0001	0.000041 J	0.000059 J	<0.01	<0.01	<0.0051	<0.0051	<0.01	0.000054 J	0.101	0.000025 J	<0.01
	P93B-ROX-070915-DUP	7/9/2015		47.74	NE	0.00082 J	<0.0051	<0.0051	<0.01	0.000029 J	0.000095 J	<0.0051		<0.0001	0.000058 J	0.000077 J	<0.01	<0.01	<0.0051	<0.0051	<0.01	0.00031 J	0.0909	<0.0001	<0.01
	P93B-ROX-101515	10/15/2015		45.18	NE	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	0.18	<0.0002	<0.01 UJ
P93B-ROX-011316	1/13/2016	74.60 - 76.60	44.96	NE	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	0.071	<0.0002	<0.01	
P-93C	P93C-ROX-041213	4/12/2013	94.26 - 96.26	46.21	NE	<0.01	<0.005	<0.005	<0.01	<0.0001	<0.0001	<0.005		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.005	<0.005 UJ	<0.01	<0.00005	<0.005	<0.0001	<0.01 UJ
	P93C-ROX-071813	7/18/2013		43.31	NE	<0.011	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.000026 J	0.0352	<0.00011	<0.011
	P93C-ROX-080813	8/8/2013		43.31	NE																				
	P93C-ROX-101613	10/16/2013		44.31	NE	<0.01	<0.0051	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000051	0.005 J	<0.0001	<0.01
	P93C-ROX-012414	1/24/2014		46.44	NE	<0.01	0.00051 J	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000051	<0.0051	<0.0001	<0.01
	P93C-ROX-041714	4/17/2014		47.34	NE	<0.01	<0.00048 U	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000052	<0.0052 UJ	<0.0001	<0.01
	P93C-ROX-071714	7/17/2014		45.61	NE	<0.01	<0.00035 U	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000024 U	<0.0087 UJ	<0.0001	<0.01
	P93C-ROX-101514	10/15/2014		44.99	NE	<0.011	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011
	P93C-ROX-011915	1/19/2015		48.22	NE	<0.011	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.000033 U	<0.000042 U	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000033 U	0.0309	<0.00011	<0.011
	P93C-ROX-021915	2/19/2015		48.22	NE																				
	P93C-ROX-041615	4/16/2015		48.22	NE	<0.011	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.00006 JB J	0.000084 JB J	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.000024 J	0.0215	<0.00011	<0.011
	P93C-ROX-071315	7/13/2015		47.09	NE	<0.011	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.000095 JB J	0.00016 JB J	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011
	P93C-ROX-101415	10/14/2015		44.91	NE	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.0001 J	0.00013 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01 UJ
P-93C-ROX-010816	1/8/2016	92.47 - 97.47	44.68	NE	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01	
P-93D	P93D-ROX-041113	4/11/2013	125.75 - 127.75	46.37	NE	<0.01	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000052	<0.0087 U	<0.0001	<0.01
	P93D-ROX-071213	7/12/2013		43.51	NE	<0.011	0.00045 J	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011</											

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																							
						2,4-Dimethylphenol	Di-n-butyl phthalate	Di-n-octyl phthalate	2,6-Dinitrotoluene	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3 & 4-Methylphenol (m & p-Cresol)	Nitrobenzene	N-Nitrosodimethylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	Pyridine				
Screening Values (mg/L)						0.14 ²	0.7 ¹	0.14 ²	0.00031 ²	0.28 ¹	0.28 ¹	0.00006 ²		0.00043 ¹	0.49 ³	0.028 ¹	0.35 ¹	0.35 ³	0.014 ¹	0.0006 ³	0.001 ¹	0.21 ³	0.1 ¹	0.21 ¹	0.007 ³				
Location	Sample ID	Sample Date	Screened Interval (ft bloc)	Depth to Water (ft bloc)	Product Thickness (ft)	Analytical Results (mg/L)																							
P-114	P114-ROX-041513	4/15/2013	32.67 - 52.67	31.80	NE	<0.01	0.00047 J	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000052	<0.0052	<0.0001	<0.01 UJ				
	P114-ROX-071813	7/18/2013		27.22	NE	<0.011	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		0.000071 J	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.011	0.000059	<0.0055	<0.00011	<0.011				
	P114-ROX-071813-DUP	7/18/2013		27.22	NE	<0.011	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000052 J	<0.0053	<0.00011	<0.011				
	P114-ROX-101713	10/17/2013		29.43	NE	<0.011	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011				
	P114-ROX-012814	1/28/2014		32.11	NE	<0.011	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.00015 B	<0.0054	<0.00011	<0.011				
	P114-ROX-042114	4/21/2014		32.22	NE	<0.01	0.0026 JB	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.01 UJ	<0.000051	<0.0051	<0.0001	<0.01				
	P114-ROX-071814	7/18/2014		30.87	NE	<0.01	<0.00028 U	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.00012 U	<0.0051	<0.0001	<0.01				
	P114-ROX-101714	10/17/2014		29.43	NE	<0.011	<0.0057	<0.0057	<0.011	<0.00011	<0.00011	<0.0057		<0.00011	<0.0023	<0.0023	<0.011	<0.011	<0.0057	<0.0057	<0.011	<0.000057	<0.0057	<0.00011	<0.011 UJ				
	P114-ROX-012115	1/21/2015		31.53	NE	<0.011	0.00091 J	<0.0056	<0.011	<0.00002 U	0.000048 J	<0.0056		<0.00011	<0.000092 U	<0.00012 U	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000046 U	<0.0056	<0.000042 U	<0.011 UJ				
	P114-ROX-041715	4/17/2015		NM	NE	<0.011	0.00031 J	<0.0053	<0.011	0.000023 J	<0.00011	<0.0053		<0.00011	0.000025 JB J	0.000029 JB J	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000039 J	<0.0053	0.000027 J	<0.011				
P114-ROX-070815	7/8/2015	29.16	NE	<0.01	<0.005	<0.005	<0.01	<0.0001	0.000033 J	<0.005		<0.0001	<0.002	<0.002	<0.01	<0.01	<0.005	<0.005	<0.01	0.000023 J	<0.005	0.000032 J	<0.01						
P-114R	P114R-ROX-100515	10/5/2015	23.01 - 33.01	28.15	NE	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01				
	P114R-ROX-010716	1/7/2016	23.01 - 33.01			<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000081 J	0.000095 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01				
ROST-3-MW	ROST3MW-ROX-040513	4/5/2013	38.18 - 48.18			<0.011	0.00044 J	<0.0054	<0.011	<0.00011	0.00017	<0.0054		<0.00011	0.0029	0.0039	<0.011	<0.011	<0.0054	<0.0054 UJ	<0.011	0.00055	<0.0054 UJ	<0.00011	<0.011 UJ				
	ROST3MW-ROX-071113	7/11/2013		39.50	NE	0.0016 J J	<0.0054	<0.0054	<0.011	<0.00011	0.00043	<0.0054		<0.00011	0.0105 J	0.0142	<0.011 UJ	<0.011 UJ	<0.0054	<0.0054	<0.011 UJ	0.00073	<0.0054 UJ	<0.000044 U	<0.011				
	ROST3-MW-ROX-100913	10/9/2013		40.16	NE	<0.011 UJ	<0.0054	<0.0054	<0.011	<0.00011	0.00012	<0.0054		<0.00011	0.0024	0.0026	<0.011 UJ	<0.011 UJ	<0.0054	<0.0054	<0.011 UJ	0.00014	<0.0054 UJ	0.000044 J	<0.011				
	ROST3MW-ROX-011714	1/17/2014		42.20	NE	<0.011 UJ	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.0011	0.00099	<0.011 UJ	<0.011 UJ	<0.0053	<0.0053	<0.011 UJ	0.0002	<0.0053 UJ	<0.00011	<0.011				
	ROST3MW-ROX-041014	4/10/2014		42.80	NE	<0.012	<0.00076 U	<0.006	<0.012	<0.00012	<0.00012	<0.006		<0.00012	0.00075	0.0008	<0.012	<0.012	<0.006	<0.006	<0.012	0.0001	<0.006	<0.00012	<0.012				
	ROST3MW-ROX-071414	7/14/2014		41.88	NE	<0.011	<0.0004 U	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.00092	0.00097	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.00016 U	<0.0054	<0.00011	<0.011				
	ROST3MW-ROX-100914	10/9/2014		41.31	NE	<0.011	<0.00026 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	0.00075 J	0.00057 J	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.00014 B	<0.0056	<0.00011	<0.011				
	ROST3MW-ROX-011515	1/15/2015		41.83	NE	<0.011	0.00045 J J	<0.0057	<0.011	0.000022 J J	0.000035 J J	<0.0057		<0.00011	0.001 J	0.00024 J	<0.011	<0.011	<0.0057	<0.0057	<0.011	0.0001 J	<0.0057	0.000033 J J	<0.011				
	ROST3MW-ROX-041315	4/13/2015		43.43	NE	<0.01	<0.0052	<0.0052	<0.01	<0.0001	0.00003 J	<0.0052		<0.0001	0.001 J	0.0005 J	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.00011	<0.0052	0.000019 J	<0.01				
	ROST3MW-ROX-071315	7/13/2015		42.36	NE	<0.011	<0.0053	<0.0053	<0.011	<0.00011	0.000048 J	<0.0053		<0.00011	0.0014 J	0.00084 JB	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.00011 B	<0.0053	0.000018 J	<0.011				
ROST3MW-ROX-101215	10/12/2015	40.29	NE	<0.01	<0.01	0.0028 J	<0.01	0.000056 J	0.000086 J	<0.01	<0.01	0.000092 J	0.0025	0.0023	<0.01	<0.02	<0.01	<0.01	<0.02	0.00018 J	<0.01	0.000056 J	<0.01						
ROST-4-PZ(C)	ROST3MW-ROX-011416	1/14/2016	37.81 - 47.81	40.30	NE	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.0017	0.0014	<0.01	<0.02	<0.01	<0.01	<0.02	0.000096 J	<0.01	<0.0002	<0.01				
	ROST4PZC-ROX-041013	4/10/2013	42.27	NE	<0.011	<0.0055	<0.0055	<0.011	<0.00011	0.000069 J	<0.0055		<0.00011	0.00062	0.000078 J	<0.011	<0.011	<0.0055	<0.0055	<0.011	0.00018	<0.0055 U	<0.00011	<0.011					
	ROST4PZC-ROX-071113	7/11/2013	40.18	NE	<0.011	<0.0054	<0.0054	<0.011	0.000099 J	0.00027	<0.0054		<0.00011	0.0027 J	0.0021	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.00052	0.00057 J J	<0.00009 U	<0.011 UJ					
	ROST4PZC-ROX-100913	10/9/2013	39.91	NE	<0.011	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.002	0.00095	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.0002	<0.0053	<0.00011	<0.011					
	ROST4PZC-ROX-011714	1/17/2014	41.92	NE	<0.01 UJ	<0.0059	<0.0059	<0.012	<0.00012	<0.00012	<0.0059		<0.00012	0.00019 J	<0.00024	<0.01 UJ	<0.01 UJ	<0.0059	<0.0059	<0.01 UJ	0.000077	<0.005 UJ	<0.00012	<0.012					
	ROST4PZC-ROX-041014	4/10/2014	42.05	NE	<0.011	<0.00038 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	0.000065 J	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.000051 J	<0.0056	<0.00011	<0.011 UJ					
	ROST4C-ROX-071114	7/10/2014	42.22	NE	<0.011	<0.00031 U	<0.0053	<0.011	<0.0001	<0.0001	<0.0053		<0.0001	0.00021	<0.0002	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.00012 U	<0.0053	<0.0001	<0.011 UJ					
	ROST4PZC-ROX-100914	10/9/2014	41.30	NE	<0.011	<0.00032 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.0022	<0.0022	<0.011	0.00071 J	<0.0056	<0.0056	<0.011	<0.000088 U	0.00088 J	<0.00011	<0.011					
	ROST4PZC-ROX-011515	1/15/2015	41.65	NE	<0.011	0.0003 J J	<																						