AECOM
1001 Highlands Plaza Drive West
Suite 300
St. Louis, MO 63110-1337
www.aecom.com

314 429 0100 tel
314 429 0462 fax

May 25, 2017

Ms. Joyce Munie, P.E.
Manager, Permit Section
Illinois Environmental Protection Agency
Bureau of Land
1021 North Grand Avenue East
Springfield, Illinois 62794

Submittal of Corrected Information
Groundwater Monitoring Report –3rd Quarter 2015
Roxana, Illinois
1191150002 – Madison County
Equilon Enterprises LLC d/b/a Shell Oil Products US
Log No. B-43R

Dear Ms. Munie:

On behalf of Shell Oil Products US (SOPUS), AECOM Technical Services, Inc. (AECOM) hereby submits the enclosed addendum to the above-referenced report (the Report).

AECOM collects a variety of samples for SOPUS as part of the work performed in connection with the above-referenced site including the samples referenced and utilized in the Report. AECOM contracts with independent laboratories to analyze the samples collected. As noted in SOPUS' initial disclosure letter and our subsequent communications, Accutest Laboratories (Accutest) issued revised laboratory analyses in response to an internal evaluation performed of its process. Please note, the majority of the corrected analyses were issued only to include a revised footnote and the numeric value of the analytical results reported remained unchanged. If any numeric values of analytical results presented in the Report were updated by Accutest, the updated results are presented as part of the information included in the Report addendum. Moreover, based upon our evaluation of the Report and the revised information received from Accutest, the conclusion(s) of the Report as originally issued are unaffected.

The information provided within and the format of this addendum is as discussed during our meeting with IEPA on March 23, 2017. This addendum includes the following information:

- IEPA LPC form
- Revised analytical results table

AECOM

If you have any questions during your review, please contact Kevin Dyer, SOPUS Senior Principal Program Manager, at kevin.dyer@shell.com (618/288-7237), or Bob Billman at bob.billman@aecom.com (314/743-4108).

Sincerely,

AECOM, on behalf of Shell Oil Products US

Robert Billman, PG
Senior Project Manager

Robert E. Mooshegian, CHMM
Senior Program Manager

Enclosures: 2 copies

cc: Kevin Dyer, SOPUS
Eric Petersen, Phillips 66
Lori Littrell, Atlantic Richfield Company
Shannon Haney, Greensfelder, Hemker & Gale P.C.
Repositories – Village Hall, Roxana Public Library, website
Project File

Illinois Environmental Protection Agency

Bureau of Land • 1021 North Grand Avenue East • P.O. Box 19276 • Springfield • Illinois • 62794-9276

RCRA FACILITY GROUNDWATER, LEACHATE AND GAS REPORTING FORM

This form must be used as a cover sheet for the notices and reports, identified below as required by: (1) a facility's RCRA interim status closure plan; (2) the RCRA interim status regulations; or (3) a facility's RCRA permit. All reports must be submitted to the Illinois EPA's Bureau of Land Permit Section. This form is for use by Hazardous Waste facilities only. Reporting for Solid Waste facilities should be submitted on a separate form. All reports submitted to the Illinois EPA's Bureau of Land Permit Section must contain an original, plus a minimum of two copies.

Note: This form is not to be used with permit or closure plan modification requests. The facility's approved permit or closure plan will state whether the document you are submitting is required as a report or a modification request.

Facility Name: Equilon Enterprises LLC dba Shell Oil Products US

Facility Address: 900 South Central Ave., Roxana, IL 62048

Site ID #: 1191150002 Fed ID #: ILD 080 012 305

Check the appropriate heading. Only one heading may be checked for each corresponding submittal. Check the appropriate sub-heading, where applicable. Attach the original and all copies behind this form.

☐ LPC-160 Forms

Groundwater	Leachate
____ Quarterly - Enter: 1, 2, 3, or 4	____ Quarterly - Enter: 1, 2, 3, or 4
☐ Semi-Annual	☐ Semi-Annual
☐ Annual	☐ Annual
☐ Biennial	☐ Biennial

☐ Groundwater Data (without LPC-160 Forms)

____ Quarterly - Enter: 1, 2, 3, or 4 ☐ Annual ☐ Semi-Annual ☐ Biennial

☐ Well Construction Information

- ☐ Well Construction Forms, Boring Logs and/or Abandonment Forms
- ☐ Well Survey Data (e.g., Stick-up Elevation Data)

☐ Notice of Statistically Significant Evidence of Groundwater Contamination (35 Ill. Adm. Code 724.198)

☐ Notice of Exceedence of Groundwater Concentration Limit (35 Ill. Adm. Code 724.199(h))

☐ Notice of Alternate Source or Error in Sampling Analysis or Evaluation of Groundwater (35 Ill. Adm. Code 724.199(i))

☐ Gas Monitoring Reports

☑ Other (identify)

3Q15, 4Q15, 1Q16, 2Q16, & 3Q16 Groundwater Sampling Report Addenda - Addenda being issued due to revised laboratory reports.

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						VOCs																				
						Acetone	Benzene	Bromobenzene	Butane	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	4-Chlorotoluene	Cymene (p-Isopropyltoluene)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene
				Screening Values (mg/L)		6.3 [1]	0.005 [1]	0.056 [3]		4.2 [1]	0.35 [3]			0.7 [1]	0.100 [1]		0.07 [1]				0.6 [2]		0.075 [2]	1.4 [1]	0.005 [2]	0.005 [2]	0.001 [2]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-01	MW1-ROX-102612	10/26/2012	48.80 - 58.80	41.22	NE																					
	MW1-ROX-121712	12/17/2012		41.22	NE	<0.005 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW1-ROX-011013	1/10/2013		41.89	NE	<0.005	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW1-ROX-040913	4/9/2013		42.55	NE	<0.005	0.0004 J	<0.005		<0.01	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW1-ROX-070813	7/8/2013		39.56	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.00097 U	<0.002	<0.0005
	MW1-ROX-100313	10/3/2013		40.28	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW1-ROX-011414	1/14/2014		42.77	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW1-ROX-040714	4/7/2014		43.28	NE	<0.01 UJ	0.00066	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW1-ROX-070914	7/9/2014		42.09	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW1-ROX-100614	10/6/2014		41.1	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW1-ROX-011215	1/12/2015		42.73	NE	0.035	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW1-ROX-040615	4/6/2015		44.11	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW1-ROX-070815	7/8/2015	48.80 - 58.80	43.35	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
MW-02	MW2-ROX-102612	10/26/2012	49.87 - 59.87	42.35	NE	<0.025 UJ	0.0142	<0.025		<0.025	<0.025	<0.025	<0.025	<0.025	<0.005	<0.01	<0.005	<0.01	0.0172 J	<0.025	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01	<0.0025
	MW2-ROX-011113	1/11/2013		42.94	NE	<0.01	0.0192	<0.01		<0.01	0.0176 J	0.0077 J	0.002 J	<0.01	<0.002	0.0083	<0.002	<0.004	<0.01	0.0094 J	<0.002	<0.002	<0.002	<0.002	<0.004	<0.004	<0.001
	MW2-ROX-040913	4/9/2013		43.70	NE	<0.05	0.0174	<0.025		<0.025	0.0191 J	0.0085 J	<0.025	<0.025	<0.005	<0.01	<0.005	<0.01	<0.025	0.0101 J	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01	<0.0025
	MW2-ROX-071113	7/11/2013		40.82	NE	<0.01 UJ	0.006	<0.005		<0.005 UJ	<0.005	0.0073	0.0029 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0075	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW2-ROX-100813	10/8/2013		41.73	NE	<0.01	0.0139	<0.005		0.0133	<0.005	0.0082	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0104	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW2-ROX-012014	1/20/2014		44.00	NE	<0.01	0.0238	<0.005		<0.005	0.0254	0.0096	0.0015 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0106	<0.001	<0.001	<0.001	0.0043	<0.002	<0.002	<0.0005
	MW2-ROX-041014	4/10/2014		44.66	NE	<0.01	0.0214	<0.005		0.0136	0.0208	0.0077	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.009	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW2-ROX-071414	7/14/2014		43.13	NE	<0.01	0.0102 J	<0.005		<0.005	0.0194 J	0.0073 J	0.0013 J J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.008 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW2-ROX-101014	10/10/2014		42.49	NE	<0.02 UJ	0.0132	<0.01		<0.01	0.0145	0.0057 J	0.0011 J	<0.01 UJ	<0.002 UJ	<0.004	<0.002	<0.004	<0.01	0.0063 J	<0.002	<0.002	<0.002	<0.002	<0.004	<0.004	<0.001
	MW2-ROX-011615	1/16/2015		44.1	NE	<0.01	0.0278	0.00045 J		<0.005	0.0185	0.0091	0.0016 J	<0.005	<0.001	<0.002	<0.001	0.0052	<0.005	0.0109	0.0008 J	0.00084 J	0.00099 J	<0.001	<0.002	<0.002	<0.0005
	MW2-ROX-041315	4/13/2015		45.56	NE	<0.01	0.0283	<0.005		<0.005	<0.005	0.0052 J	0.00084 J J	0.00028 J	<0.001	<0.002	<0.001	<0.002	<0.005 UJ	0.0064	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW2-ROX-071315	7/13/2015	49.87 - 59.87	44.53	NE	<0.01	0.0204	<0.005		<0.005	<0.005	0.006	0.0012 J	<0.0023 U	<0.001	<0.002	<0.001	<0.002	<0.005	0.006	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
MW-03	MW3-ROX-102512	10/25/2012	34.67 - 44.67	28.39	NE	<0.005 UJ	0.0017	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW3-ROX-010913	1/9/2013		29.35	NE	<0.005	0.0014	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW3-ROX-040813	4/8/2013		29.74	NE	<0.005 UJ	0.008	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW3-ROX-071113	7/11/2013		26.32	NE	<0.01 UJ	0.0059	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW3-ROX-100813	10/8/2013		27.38	NE	<0.01	0.00057	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW3-ROX-011614	1/16/2014		29.91	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW3-ROX-040914	4/9/2014		30.50	NE	<0.01	0.0015	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW3-ROX-071114	7/10/2014		29.05	NE	<0.01 UJ	0.00062	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW3-ROX-100914	10/9/2014		28.18	NE	<0.01 UJ	0.0005	<0.005		<0.005	<0.005	<0.005	0.00083 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW3-ROX-011515	1/15/2015		29.65	NE	<0.01	0.00037 J	<0.005		<0.005	<0.005	0.00049 J	0.0009 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW3-ROX-041015	4/10/2015		31.16	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005 UJ	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW3-ROX-071015	7/10/2015	34.67 - 44.67	30.01	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
MW-04	MW4-ROX-102912	10/29/2012	46.06 - 56.06	39.45	NE	<0.01 UJ	0.354	<0.01		<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<0.004	<0.002	<0.004 UJ	<0.01	<0.01	<0.002	<0.002	<0.002	<0.002	<0.004	<0.004	<0.001
	MW4-ROX-011113	1/11/2013		40.20	NE	<0.005	9.04 J	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW4-ROX-011113-DUP	1/11/2013		40.20	NE	<0.005	8.96 J	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW4-ROX-030413	3/4/2013		40.20	NE	<0.5	21.4	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.2	<0.1	<0.2	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.2	<0.05
	MW4-ROX-040913	4/9/2013		40.90	NE	<0.02	64.2	<0.01		<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<0.004	<0.002	<0.004	<0.01	<0.01	<0.002	<0.002	<0.002	<0.002	<0.004	<0.004	<0.001
	MW4-ROX-040913-DUP	4/9/2013		40.90	NE	<0.01	72.9	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW4-ROX-071713	7/17/2013		37.61	NE	<0.01	12.2	<0.005		<0.005	<0.005	0.0016 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001 UJ
	MW4-ROX-101613	10/16/2013		38.80	NE	<0.1	1.7	<0.05		<0.05	<0.05	<0.05	<0.05	<0.05	<0.01	<0.02	<0.01	<0.02	<0.05	<0.05	<0.01	<0.01	<0.01	<0.01	<0.02	<0.02	<0.005
	MW4-ROX-013014	1/30/2014		41.09	NE	<0.01	2.01	<0.005		<0.005	0.00058 J	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW4-ROX-041614	4/16/2014		41.91	NE	<0.01	0.553	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW4-ROX-071614	7/16/2014		40.18	NE	<0.01	1.86	<0.005		<0.005	<0.005	<0.05	<0.05	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW4-ROX-101614	10/16/2014		39.49	NE	<0.05	0.815	<0.025		<0.025 UJ	<0.025	<0.025	<0.025	<0.025	<0.005	<0.01	<0.005	<0.01	<0.025	<0.025	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01	<0.0025
	MW4-ROX-012115	1/21/2015		41.27	NE	<0.01	0.0902	<0.005		<0.005	<0.005	<0.005	0.00065 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW4-ROX-042115	4/21/2015	45.06 - 55.06	42.58	NE	<0.01	0.0702	<0.005		<0.005	<0.005	<0.005	0.00066 J	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW4-ROX-071415	7/14/2015	45.06 - 55.06	41.30	NE	<0.01	0.063	<0.005		<0.005	0.00066 J	0.00051 J	0.00074 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						VOCs																				
						Acetone	Benzene	Bromobenzene	Butane	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	4-Chlorotoluene	Cymene (p-Isopropyltoluene)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene
					Screening Values (mg/L)	6.3 [1]	0.005 [1]	0.056 [3]		4.2 [1]	0.35 [3]			0.7 [1]	0.100 [1]		0.07 [1]				0.6 [2]		0.075 [2]	1.4 [1]	0.005 [2]	0.005 [2]	0.001 [2]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-05	MW5-ROX-102912	10/29/2012	33.97 - 43.97	28.16	NE	<0.005 UJ	0.0628	<0.005		<0.005	<0.005	<0.005	0.0059	<0.005	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW5-ROX-011113	1/11/2013		28.75	NE	<0.005	0.0072	<0.005		<0.005	<0.005	0.0016 J	0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW5-ROX-040913	4/9/2013		29.41	NE	<0.005	0.0018	<0.005		<0.01	<0.005	0.0018 J	0.0063	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW5-ROX-070913	7/9/2013		26.04	NE	<0.01	0.0075	<0.005		<0.005	<0.005	<0.005	0.0085	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW5-ROX-100813	10/8/2013		26.97	NE	<0.01	0.0016	<0.005		<0.005	<0.005	<0.005	0.0064	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW5-ROX-011714	1/17/2014		29.59	NE	<0.01	0.002	<0.005		<0.005	<0.005	0.002 J	0.0064	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW5-ROX-041014	4/10/2014		30.09	NE	0.021 J	0.0037	<0.005		<0.005	<0.005	0.0017 J	0.0062	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW5-ROX-071414	7/14/2014		28.59	NE	<0.01	0.001	<0.005		<0.005	<0.005	0.0011 J	0.0046 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW-5-ROX-100914	10/9/2014		27.75	NE	<0.01 UJ	0.028	<0.005		<0.005	<0.005	0.00083 J	0.0049 J	<0.005 UJ	<0.001 UJ	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW5-ROX-011515	1/15/2015		29.34	NE	<0.01	0.003	<0.005		<0.005	<0.005	0.0014 J	0.0059	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW5-ROX-041315	4/13/2015		30.97	NE	<0.01	0.0391	<0.005		<0.005	<0.005	0.0014 J J	0.0051 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005 UJ	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW5-ROX-071315	7/13/2015	33.97 - 43.97	29.45	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	0.0031 J	<0.00032 U	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
MW-06A	MW6A-ROX-102412	10/24/2012	34.83 - 44.83	30.06	NE	<0.12 UJ	0.00073	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6A-ROX-011413	1/14/2013		31.00	NE	<0.005	0.0276	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6A-ROX-040313	4/3/2013		31.62	NE	<0.005 UJ	0.0017	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6A-ROX-070913	7/9/2013		28.25	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6A-ROX-070913-DUP	7/9/2013		28.25	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6A-ROX-100713	10/7/2013		28.87	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6A-ROX-100713-DUP	10/7/2013		28.87	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6A-ROX-011614	1/16/2014		31.62	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6A-ROX-011614-DUP	1/16/2014		31.62	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6A-ROX-040814	4/8/2014		32.16	NE	0.11 J	0.0011	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6A-ROX-040814-DUP	4/8/2014		32.16	NE	0.116 J	0.001	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6A-ROX-071014	7/10/2014		30.75	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002 UJ	<0.001	<0.002 UJ	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6A-ROX-100814	10/8/2014		29.84	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6A-ROX-011415	1/14/2015		31.54	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6A-ROX-040715	4/7/2015		33.08	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6A-ROX-071515	7/15/2015	34.83 - 44.83	31.52	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
MW-06B	MW6B-ROX-102412	10/24/2012	64.05 - 69.05	30.11	NE	<0.005 UJ	0.0015	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6B-ROX-011713	1/17/2013		31.11	NE	<0.005	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6B-ROX-040313	4/3/2013		31.68	NE	<0.005 UJ	0.00043 J	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6B-ROX-070913	7/9/2013		28.25	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6B-ROX-100713	10/7/2013		28.93	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6B-ROX-011614	1/16/2014		31.67	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6B-ROX-040814	4/8/2014		32.21	NE	<0.01 UJ	0.0009	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6B-ROX-071014	7/10/2014		30.81	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002 UJ	<0.001	<0.002 UJ	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6B-ROX-100814	10/8/2014		29.87	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6B-ROX-011415	1/14/2015		31.59	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6B-ROX-040715	4/7/2015		33.10	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6B-ROX-040715-DUP	4/7/2015		33.10	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6B-ROX-071415	7/14/2015	64.05 - 69.05	31.56	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
MW-06C	MW6C-ROX-102412	10/24/2012	84.95 - 89.95	27.85	NE	<0.005 UJ	0.00035 J	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6C-ROX-011713	1/17/2013		30.88	NE	<0.005 UJ	<0.0005 UJ	<0.005 UJ		<0.005 UJ	<0.005 UJ	<0.005 UJ	<0.005 UJ	<0.005 UJ	<0.001 UJ	<0.002 UJ	<0.001 UJ	<0.002 UJ	<0.005 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.002 UJ	<0.002 UJ	<0.0005 UJ
	MW6C-ROX-040313	4/3/2013		31.41	NE	<0.005 UJ	0.00062	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6C-ROX-070913	7/9/2013		28.03	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6C-ROX-100713	10/7/2013		28.72	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6C-ROX-011614	1/16/2014		31.48	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6C-ROX-040814	4/8/2014		32.01	NE	<0.01 UJ	0.0021	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6C-ROX-071014	7/10/2014		30.60	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002 UJ	<0.001	<0.002 UJ	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6C-ROX-100814	10/8/2014		29.67	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6C-ROX-011415	1/14/2015		31.41	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6C-ROX-040915	4/9/2015		32.80	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6C-ROX-071415	7/14/2015	84.95 - 89.95	31.38	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						VOCs																				
						Acetone	Benzene	Bromobenzene	Butane	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	4-Chlorotoluene	Cymene (p-Isopropyltoluene)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene
				Screening Values (mg/L)		6.3 [1]	0.005 [1]	0.056 [3]		4.2 [1]	0.35 [3]			0.7 [1]	0.100 [1]		0.07 [1]				0.6 [2]		0.075 [2]	1.4 [1]	0.005 [2]	0.005 [2]	0.001 [2]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-06D	MW6D-ROX-102412	10/24/2012	104.72 - 109.72	29.71	NE	<0.005 UJ	0.00055	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6D-ROX-011713	1/17/2013		30.75	NE	<0.005 UJ	0.00053 J	<0.005 UJ		<0.005 UJ	<0.005 UJ	<0.005 UJ	<0.005 UJ	<0.005 UJ	<0.001 UJ	<0.002 UJ	<0.001 UJ	<0.002 UJ	<0.005 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.002 UJ	<0.002 UJ	<0.0005 UJ
	MW6D-ROX-040313	4/3/2013		31.27	NE	<0.005 UJ	0.00055	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6D-ROX-070913	7/9/2013		27.91	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6D-ROX-100713	10/7/2013		28.58	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6D-ROX-011614	1/16/2014		31.33	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6D-ROX-040814	4/8/2014		31.85	NE	<0.01 UJ	0.0064	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6D-ROX-071014	7/10/2014		31.47	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002 UJ	<0.001	<0.002 UJ	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6D-ROX-071014-DUP	7/10/2014		31.47	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002 UJ	<0.001	<0.002 UJ	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6D-ROX-100814	10/8/2014		29.53	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6D-ROX-100814-DUP	10/8/2014		29.53	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6D-ROX-011415	1/14/2015		31.26	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6D-ROX-011415-DUP	1/14/2015		31.26	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6D-ROX-040715	4/7/2015		32.74	NE	<0.01	0.00032 J	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6D-ROX-071415	7/14/2015	104.72 - 109.72	31.19	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
MW-07	MW7-ROX-103012	10/30/2012	42.92 - 52.92	41.23	NE	<10 UJ	833	<10		<10	<10	<10	<10	<10	<2	<4	<2	<4 UJ	<10	<10	<2	<2	<2	<2	<4	<4	<1
	MW7-ROX-103012-DUP	10/30/2012		41.23	NE	<10 UJ	863	<10		<10	<10	<10	<10	<10	<2	<4	<2	<4 UJ	<10	<10	<2	<2	<2	<2	<4	<4	<1
	MW7-ROX-011513	1/15/2013		42.21	NE	<20	1230	<20		<20	<20	<20	<20	<20	<4	<8	<4	<8	<20	<20	<4	<4	<4	<4	<8	<8	<2
	MW7-ROX-011513-DUP	1/15/2013		42.21	NE	<20	1320	<20		<20	<20	<20	<20	<20	<4	<8	<4	<8	<20	<20	<4	<4	<4	<4	<8	<8	<2
	MW7-ROX-041013	4/10/2013		42.70	NE	<20	475	<10		<20	<10	<10	<10	<10	<2	<4	<2	<4	<10	<10	<2	<2	<2	<2	<4	<4	<1
	MW7-ROX-041013-DUP	4/10/2013		42.70	NE	<20	499	<10		<20	<10	<10	<10	<10	<2	<4	<2	<4	<10	<10	<2	<2	<2	<2	<4	<4	<1
	MW7-ROX-071713	7/17/2013		39.60	NE	<0.01	1000 J	<0.005		<0.005	<0.005	0.0023 J J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0016 J J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001 UJ
	MW7-ROX-101613	10/16/2013		40.64	NE	<20	553	<10		<10	<10	<10	<10	<10	<2	<4	<2	<4	<10	<10	<2	<2	<2	<2	<4	<4	<1
	MW7-ROX-013014	1/30/2014		42.94	NE	<25	1490	<13		<13	<13	<13	<13	<13 UJ	<2.5	<5	<2.5	<5	<13	<13	<2.5	<2.5	<2.5	<2.5	<5	<5	<1.3
	MW7-ROX-041614	4/16/2014		43.79	NE	<50	1390	<25		<25	<25	<25	<25	<25	<5	<10	<5	<10	<25	<25	<5	<5	<5	<5	<10	<10	<2.5
	MW7-ROX-071614	7/16/2014		42.05	NE	<0.01	1270	<0.005		<0.005	0.0036 J J	0.0022 J J	0.0022 J J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0015 J J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW7-ROX-071614-DUP	7/16/2014		42.05	NE	<0.01	1370	<0.005		<0.005	0.0034 J J	0.0023 J J	0.0022 J J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0015 J J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW7-ROX-101614	10/16/2014		41.31	NE	<50	1130	<25		<25 UJ	<25	<25	<25	<25	<5	<10	<5	<10	<25	<25	<5	<5	<5	<5	<10	<10	<2.5
	MW7-ROX-101614-DUP	10/16/2014		41.31	NE	<50	984	<25		<25 UJ	<25	<25	<25	<25	<5	<10	<5	<10	<25	<25	<5	<5	<5	<5	<10	<10	<2.5
	MW7-ROX-012215	1/22/2015		43.45	NE	<10	821	<5		<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<5	<1	<1	<1	<1	<2	<2	<0.5
	MW7-ROX-012215-DUP	1/22/2015		43.45	NE	<10	799	<5		<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<5	<1	<1	<1	<1	<2	<2	<0.5
	MW7-ROX-042115	4/21/2015		44.63	NE	<0.5	1110	<0.25		<0.25	<0.25	<0.25	<0.25	<0.25	<0.05	<0.1	<0.05	<0.1	<0.25	<0.25	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1	<0.025
	MW7-ROX-042115-DUP	4/21/2015		44.63	NE	<0.5	1160	<0.25		<0.25	<0.25	<0.25	<0.25	<0.25	<0.05	<0.1	<0.05	<0.1	<0.25	<0.25	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1	<0.025
	MW7-ROX-071515	7/15/2015	42.92 - 52.92	43.54	NE	<50	1300	<25		<25	<25	<25	<25	<25	<5	<10	<5	<10	<25	<25	<5	<5	<5	<5	<10	<10	<2.5
	MW7-ROX-071515-DUP	7/15/2015		43.54	NE	<50	1370	<25		<25	<25	<25	<25	<25	<5	<10	<5	<10	<25	<25	<5	<5	<5	<5	<10	<10	<2.5
MW-08	MW8-ROX-103012	10/30/2012	33.60 - 43.60	32.32	NE	<5 UJ	523	<5		<5	<5	<5	<5	<5	<1	<2	<1	<2 UJ	<5	<5	<1	<1	<1	<1	<2	<2	<0.5
	MW8-ROX-011513	1/15/2013		33.30	NE	<10	1120 J	<10		<10	<10	<10	<10	<10	<2	<4	<2	<4	<10	<10	<2	<2	<2	<2	<4	<4	<1
	MW8-ROX-041013	4/10/2013		33.77	NE	<50	969	<25		<50	<25	<25	<25	<25	<5	<10	<5	<10	<25	<25	<5	<5	<5	<5	<10	<10	<2.5
	MW8-ROX-071713	7/17/2013		30.43	NE	<0.008 U	532	<0.005		<0.005	<0.005	0.0033 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0023 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001 UJ
	MW8-ROX-071713-DUP	7/17/2013		30.43	NE	<0.01	494	<0.005		<0.005	<0.005	0.0031 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0024 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001 UJ
	MW8-ROX-101613	10/16/2013		31.59	NE	<20	360	<10		<10	<10	<10	<10	<10	<2	<4	<2	<4	<10	<10	<2	<2	<2	<2	<4	<4	<1
	MW8-ROX-101613-DUP	10/16/2013		31.59	NE	<20	351	<10		<10	<10	<10	<10	<10	<2	<4	<2	<4	<10	<10	<2	<2	<2	<2	<4	<4	<1
	MW8-ROX-013014	1/30/2014		34.02	NE	<25	721	<13		<13	<13	<13	<13	<13 UJ	<2.5	<5	<2.5	<5	<13	<13	<2.5	<2.5	<2.5	<2.5	<5	<5	<1.3
	MW8-ROX-013014-DUP	1/30/2014		34.02	NE	<25	748	<13		<13	<13	<13	<13	<13 UJ	<2.5	<5	<2.5	<5	<13	<13	<2.5	<2.5	<2.5	<2.5	<5	<5	<1.3
	MW8-ROX-041614	4/16/2014		34.73	NE	<20	862	<10		<10	<10	<10	<10	<10	<2	<4	<2	<4	<10	<10	<2	<2	<2	<2	<4	<4	<1
	MW8-ROX-041614-DUP	4/16/2014		34.73	NE	<20	1060	<10		<10	<10	<10	<10	<10	<2	<4	<2	<4	<10	<10	<2	<2	<2	<2	<4	<4	<1
	MW8-ROX-071614	7/16/2014		33.01	NE	<0.01 UJ	276	<0.005 UJ		<0.005 UJ	0.0069 J	0.0042 J J	0.0028 J J	<0.005 UJ	<0.001 UJ	<0.002 UJ	<0.001 UJ	<0.002 UJ	<0.005 UJ	0.0032 J J	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.002 UJ	<0.002 UJ	<0.0005 UJ
	MW8-ROX-101614	10/16/2014		32.23	NE	<10	486	<5		<5 UJ	<5	<5	<5	<5	<1	<2	<1	<2	<5	<5	<1	<1	<1	<1	<2	<2	<0.5
	MW8-ROX-012215	1/22/2015		34.22	NE	<10	764	<5		<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<5	<1	<1	<1	<1	<2	<2	<0.5
	MW8-ROX-042115	4/21/2015		35.41	NE	<0.5	1100	<0.25		<0.25	<0.25	<0.25	<0.25	<0.25	<0.05	<0.1	<0.05	<0.1	<0.25	<0.25	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1	<0.025
	MW8-ROX-071515	7/15/2015	33.60 - 43.60	34.07	NE	<50	879	<25		<25	<25	<25	<25	<25	<5	<10	<5	<10	<25	<25	<5	<5	<5	<5	<10	<10	<2.5

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						VOCs																					
						Acetone	Benzene	Bromobenzene	Butane	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	4-Chlorotoluene	Cymene (p-Isopropyltoluene)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene
				Screening Values (mg/L)		6.3 [1]	0.005 [1]	0.056 [3]		4.2 [1]	0.35 [3]			0.7 [1]	0.100 [1]		0.07 [1]				0.6 [2]		0.075 [2]	1.4 [1]	0.005 [2]	0.005 [2]	0.001 [2]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																					
MW-09	MW9-ROX-102912	10/29/2012	46.45 - 56.45	43.17	NE	<0.005 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW9-ROX-011113	1/11/2013		43.90	NE	<0.123 U	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW9-ROX-040913	4/9/2013		44.67	NE	<0.005	<0.0005	<0.005		<0.01	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW9-ROX-070813	7/8/2013		42.35	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.0015 U	<0.002	<0.0005
	MW9-ROX-100313	10/3/2013		42.27	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW9-ROX-011414	1/14/2014		44.47	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW9-ROX-040714	4/7/2014		44.99	NE	<0.01 UJ	0.0044	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW9-ROX-070914	7/9/2014		44.35	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW9-ROX-100714	10/7/2014		43.52	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW9-ROX-011315	1/13/2015		44.21	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW9-ROX-040915	4/9/2015		45.38	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW9-ROX-070915	7/9/2015	46.45 - 56.45	44.81	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
MW-10	MW10-ROX-102612	10/26/2012	44.43 - 54.43	43.08	NE																						
	MW10-ROX-121712	12/17/2012		43.08	NE	<0.005 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	0.00095 J	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW10-ROX-011013	1/10/2013		44.10	NE	<0.101 U	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	0.0074	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW10-ROX-012113	1/21/2013		44.10	NE	<0.025	0.003	<0.005		<0.0051 U	<0.005	<0.005	<0.005	<0.005	<0.005	<0.01	<0.001	<0.01	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001
	MW10-ROX-040913	4/9/2013		44.60	NE	<0.005	0.00067	<0.005		<0.01	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW10-ROX-070813	7/8/2013		42.27	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.0016 U	<0.002	<0.0005
	MW10-ROX-100313	10/3/2013		42.38	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW10-ROX-011514	1/15/2014		44.42	NE	0.0174	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW10-ROX-040714	4/7/2014		45.00	NE	0.0684 J	0.0018	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	0.0032	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW10-ROX-070914	7/9/2014		44.35	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW10-ROX-100714	10/7/2014		43.58	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW10-ROX-011315	1/13/2015		44.27	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW10-ROX-040815	4/8/2015		45.30	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW10-ROX-070915	7/9/2015	44.43 - 54.43	44.93	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.00048 U	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
MW-11	MW11-ROX-102512	10/25/2012	41.66 - 51.66	40.59	NE	<0.005 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW11-ROX-011013	1/10/2013		41.43	NE	<0.005	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW11-ROX-040813	4/8/2013		42.02	NE	<0.005 UJ	<0.00065 U	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW11-ROX-070813	7/8/2013		39.24	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001 U	<0.002	<0.0005
	MW11-ROX-100713	10/7/2013		39.95	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW11-ROX-011514	1/15/2014		42.16	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW11-ROX-040714	4/7/2014		42.70	NE	<0.01 UJ	0.0014	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW11-ROX-070914	7/9/2014		41.75	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW11-ROX-100714	10/7/2014		40.89	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW11-ROX-011315	1/13/2015		41.93	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW11-ROX-040815	4/8/2015		43.19	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW11-ROX-070915	7/9/2015	41.66 - 51.66	42.45	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.00021 U	<0.001	<0.002	<0.001	0.00058 J	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
MW-12	MW12-ROX-102512	10/25/2012	41.92 - 51.92	40.95	NE	<0.005 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW12-ROX-011013	1/10/2013		41.83	NE	<0.35 U	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW12-ROX-040813	4/8/2013		42.46	NE	<0.005 UJ	<0.00088 U	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW12-ROX-070913	7/9/2013		39.28	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW12-ROX-100713	10/7/2013		40.22	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW12-ROX-011514	1/15/2014		42.54	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW12-ROX-040814	4/8/2014		43.15	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW12-ROX-070914	7/9/2014		41.97	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW12-ROX-100614	10/6/2014		40.98	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW12-ROX-011215	1/12/2015		42.33	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW12-ROX-040615	4/6/2015		43.75	NE	0.0265 J	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW12-ROX-070815	7/8/2015	41.92 - 51.92	42.86	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
MW-13	MW13-ROX-110812	11/8/2012	25.57 - 35.57	25.30	NE	<0.005	0.0048	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW13-ROX-012313	1/23/2013		29.26	NE	<0.005	0.0067 J	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW13-ROX-041213	4/12/2013		29.44	NE	<0.0319 UJ	0.0102 J	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW13-ROX-071213	7/12/2013		25.67	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW13-ROX-100913	10/9/2013		26.94	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW13-ROX-012914	1/29/2014		29.63	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW13-ROX-041114	4/11/2014		30.15	NE	<0.01	0.00058	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW13-ROX-070714	7/7/2014		28.49	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW13-ROX-101014	10/10/2014		27.48	NE	<0.01 UJ	0.00037 J	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001 UJ	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW13-ROX-011615	1/16/2015		29.09	NE	<0.01	0.00046 J	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW13-ROX-041415	4/14/2015		30.71	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW13-ROX-070815	7/8/2015	25.57 - 35.57	29.16	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	0.0016 J	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						VOCs																				
						Acetone	Benzene	Bromobenzene	Butane	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	4-Chlorotoluene	Cymene (p-Isopropyltoluene)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene
				Screening Values (mg/L)		6.3 [1]	0.005 [1]	0.056 [3]		4.2 [1]	0.35 [3]			0.7 [1]	0.100 [1]		0.07 [1]				0.6 [2]		0.075 [2]	1.4 [1]	0.005 [2]	0.005 [2]	0.001 [2]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-14	MW14-ROX-103112	10/31/2012	33.42 - 43.42	32.02	NE	<0.005 UJ	0.00093	<0.005		<0.005	<0.005	0.0028 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW14-ROX-011813	1/18/2013		33.05	NE	<0.005	0.0017	<0.005		<0.005	0.0014 J	0.0032 J	0.0011 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW14-ROX-041113	4/11/2013		33.31	NE	<0.01	0.0125 J	<0.005		<0.01	0.0021 J	0.0048 J	0.0016 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW14-ROX-071213	7/12/2013		30.36	NE	<0.01	0.00064	<0.005		<0.005	0.00066 J	0.002 J	0.0013 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW14-ROX-101013	10/10/2013		30.80	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	0.0013 J	0.0012 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0011 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW14-ROX-012914	1/29/2014		33.67	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	0.0013 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW14-ROX-041114	4/11/2014		34.30	NE	<0.01	0.0017	<0.005		<0.005	<0.005	<0.005	0.00046 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW14-ROX-070714	7/7/2014		32.82	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	0.00042 J	0.00047 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW14-ROX-101414	10/14/2014		31.65	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	0.00063 J	<0.005	<0.001 UJ	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW14-ROX-011615	1/16/2015		33.58	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	0.00053 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW14-ROX-041415	4/14/2015		35.16	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW14-ROX-070915	7/9/2015	33.42 - 43.42	34.06	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.00081 U	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
MW-16	MW16-ROX-012313	1/23/2013	37.06 - 47.06	43.05	NE	<0.005	0.00057 J	<0.005		0.0029 J	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW16-ROX-040813	4/8/2013		43.39	NE	<0.005 UJ	<0.00058 U	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW16-ROX-070813	7/8/2013		40.62	NE	<0.01	<0.00062 U	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW16-ROX-100813	10/8/2013		41.62	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW16-ROX-011514	1/15/2014		43.76	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW16-ROX-040914	4/9/2014		44.63	NE	<0.01	0.00034 J	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW16-ROX-071014	7/10/2014		43.15	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002 UJ	<0.001	<0.002 UJ	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW16-ROX-100714	10/7/2014		42.27	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW16-ROX-011315	1/13/2015		43.59	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW16-ROX-040915	4/9/2015		44.87	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW16-ROX-070915	7/9/2015	37.06 - 47.06	44.26	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.0003 U	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW16-ROX-070915-DUP	7/9/2015		44.26	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
MW-22	MW22-ROX-012313	1/23/2013	37.88 - 47.88	41.80	NE	<0.25	2.12	<0.25		<0.295 U	<0.25	<0.25	<0.25	<0.25	<0.05	<0.1	<0.05	<0.1	<0.25	<0.25	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1	<0.025
	MW22-ROX-012313-DUP	1/23/2013		41.80	NE	<0.25	2.09	<0.25		<0.31 U	<0.25	<0.25	<0.25	<0.25	<0.05	<0.1	<0.05	<0.1	<0.25	<0.25	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1	<0.025
	MW22-ROX-040513	4/5/2013		42.23	NE	<0.005 UJ	1.5	<0.005		<0.005	0.0413 J	0.0142 J	0.0171 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0122 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW22-ROX-071113	7/11/2013		39.35	NE	<0.01 UJ	1.19	<0.005		<0.005 UJ	<0.005	0.0116	0.0142	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0087	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW22-ROX-071113-DUP	7/11/2013		39.35	NE	<0.01 UJ	1.11	<0.005		<0.005 UJ	<0.005	0.0116	0.0148	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0087	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW22-ROX-100913	10/9/2013		40.39	NE	<0.01	1.33	<0.005		<0.005	0.0286	0.012	0.0167	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.01	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW22-ROX-100913-DUP	10/9/2013		40.39	NE	<0.01	1.39	<0.005		<0.005	0.0276	0.0118	0.0163	<0.005	<0.001	0.0018 J	<0.001	<0.002	<0.005	0.0095	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW22-ROX-012014	1/20/2014		42.49	NE	<0.01	1.47	<0.005		0.0804	0.0357	0.0128	0.0147	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0094	<0.001	<0.001	<0.001	0.0028	<0.002	<0.002	<0.0005
	MW22-ROX-012014-DUP	1/20/2014		42.49	NE	<0.01	1.58	<0.005		0.0815	0.0355	0.0127	0.0146	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0094	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW22-ROX-041014	4/10/2014		43.15	NE	0.0911 J	1.7	<0.005		0.0334	0.0331	0.0128	0.0152	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0094	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW22-ROX-041014-DUP	4/10/2014		43.15	NE	<0.01 UJ	1.56	<0.005		0.0287	0.0319	0.0123	0.0144	<0.005	0.00046 J	<0.002	<0.001	<0.002	<0.005	0.0089	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW22-ROX-071414	7/14/2014		41.85	NE	<0.01	1.74	<0.005		0.0185 J	0.0349 J	0.013 J	0.0137 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0085 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW22-ROX-101014	10/10/2014		41.43	NE	<0.1 UJ	1.62	<0.05		<0.05	0.0165 J	0.0066 J	0.0096 J	<0.05 UJ	<0.01 UJ	<0.02	<0.01	<0.02	<0.05	0.0045 J	<0.01	<0.01	<0.01	<0.01	<0.02	<0.02	<0.005
	MW22-ROX-011615	1/16/2015		42.19	NE	<0.1	1.51	<0.05		<0.05	0.0373 J	0.0133 J	0.0152 J	<0.05	<0.01	<0.02	<0.01	<0.02	<0.05	0.0117 J	<0.01	<0.01	<0.01	<0.01	<0.02	<0.02	<0.005
	MW22-ROX-041415	4/14/2015		43.71	NE	<0.01	1.62	<0.005		<0.005	0.0112	0.0105	0.0123	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0078	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW22-ROX-071515	7/15/2015	37.88 - 47.88	42.64	NE	<0.2	2.92	<0.1		<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.04	<0.02	<0.04	<0.1	<0.1	<0.02	<0.02	<0.02	<0.02	<0.04	<0.04	<0.01
MW-23	MW23-ROX-012615	1/26/2015	29.02 - 39.02	30.90	NE	<0.025	<0.001	<0.001		<0.005	<0.001	<0.001	<0.001	<0.002	<0.001	<0.002	<0.001	<0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001
	MW23-ROX-040815	4/8/2015		32.24	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW23-ROX-071015-BP	7/10/2015	29.02 - 39.02	30.54	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.00029 U	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
MW-24	MW24-ROX-040513	4/5/2013	38.89 - 48.89	43.39	NE	<0.005	0.0029	<0.005		<0.01	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW24-ROX-071113	7/11/2013		40.35	NE	<0.0157 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW24-ROX-100913	10/9/2013		41.27	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW24-ROX-011514	1/15/2014		43.47	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW24-ROX-040914	4/9/2014		44.13	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW24-ROX-071114	7/10/2014		42.97	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW24-ROX-100814	10/8/2014		42.16	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW24-ROX-011315	1/13/2015		43.17	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW24-ROX-040915	4/9/2015		44.45	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW24-ROX-070915	7/9/2015	38.89 - 48.89	44.65	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.00019 U	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
MW-25	MW25-ROX-102114	10/21/2014	35.59 - 45.59	36.44	NE	<20	501	<10		<10	<10	<10	<10	<10	<2	<4	<2	<4 UJ	<10	<10	<2	<2	<2	<2	<4	<4	<1
	MW25-ROX-012215	1/22/2015		38.45	NE	<2.5 UJ	62.8	<1.3		<1.3	<1.3	<1.3	<1.3	<1.3	<0.25	<0.5	<0.25	<0.5	<1.3	<1.3	<0.25	<0.25	<0.25	<0.25	<0.5	<0.5	<0.13
	MW25-ROX-042115	4/21/2015		39.71	NE	<0.5	78.7	<0.25		<0.25	<0.25	<0.25	<0.25	<0.25	<0.05	<0.1	<0.05	<0.1	<0.25	<0.25	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1	<0.025
	MW25-ROX-071515	7/15/2015	35.59 - 45.59	38.40	NE	<2	71.9	<1		<1	<1	<1	<1	<1	<0.2	<0.4	<0.2	<0.4	<1	<1	<0.2	<0.2	<0.2	<0.2	<0.4	<0.4	<0.1
MW-26	MW26-ROX-102114	10/21/2014	38.15 - 48.15	39.43	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW26-ROX-011215	1/12/2015		41.09	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW26-ROX-040815	4/8/2015		42.52	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW26-ROX-070815	7/8/2015	38.15 - 48.15	41.76	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						VOCs																				
						Acetone	Benzene	Bromobenzene	Butane	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	4-Chlorotoluene	Cymene (p-Isopropyltoluene)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene
					Screening Values (mg/L)	6.3 [1]	0.005 [1]	0.056 [3]		4.2 [1]	0.35 [3]			0.7 [1]	0.100 [1]		0.07 [1]				0.6 [2]		0.075 [2]	1.4 [1]	0.005 [2]	0.005 [2]	0.001 [2]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-27	MW27-ROX-102114	10/21/2014	39.79 - 49.79	41.57	NE	<0.01	0.00033 J	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW27-ROX-011515	1/15/2015		42.06	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW27-ROX-041015	4/10/2015		43.22	NE	0.0027 J J	0.00035 J	<0.005		<0.005 UJ	<0.005	<0.005	<0.005 UJ	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW27-ROX-071015	7/10/2015	39.79 - 49.79	43.00	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
MW-28	MW28-ROX-102114	10/21/2014	33.61 - 43.61	36.44	NE	<0.01	0.0081	<0.005		<0.005	<0.005	0.00083 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	0.00049 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW28-ROX-011515	1/15/2015		41.14	NE	<0.01	0.0541	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW28-ROX-041415	4/14/2015		42.34	NE	<0.01	0.0189	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW28-ROX-071515	7/15/2015	33.61 - 43.61	42.19	NE	<0.01	0.0668	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
P-54	P54-ROX-103012	10/30/2012	38.00 - 63.00	40.70	NE	<0.005 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P54-ROX-011113	1/11/2013		41.56	NE	<0.005	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P54-ROX-041013	4/10/2013		41.80	NE	<0.01	0.172	<0.005		<0.01	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P54-ROX-050313	5/3/2013		41.80	NE	<0.01 UJ	0.0028	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P54-ROX-071113	7/11/2013		39.07	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P54-ROX-100813	10/8/2013		39.94	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P54-ROX-011514	1/15/2014		42.20	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P54-ROX-040914	4/9/2014		42.80	NE	<0.01	0.00081	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P54-ROX-071114	7/10/2014		41.71	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P54-ROX-100814	10/8/2014		40.88	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P54-ROX-011415	1/14/2015		41.79	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P54-ROX-041015	4/10/2015		43.20	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005 UJ	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P54-ROX-070915	7/9/2015	38.00 - 63.00	42.25	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
P-55	P55-ROX-012113	1/21/2013	39.82 - 64.82	45.24	NE	<0.25	0.571	<0.05		<0.25	0.0533	0.011 J	<0.05	<0.05	<0.05	<0.1	<0.01	<0.1	<0.05	<0.05	<0.01	<0.01	<0.01	<0.05	<0.05	<0.05	<0.01
	P55-ROX-012113	1/21/2013		45.24	NE	<0.005	0.538	<0.005		<0.253 U	0.0203	0.0143	0.0013 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0055	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
P-55R	P55-ROX-041513	4/15/2013	40.43 - 50.43	43.63	NE	<0.02 UJ	0.434	<0.01		<0.01	0.0052 J	0.0196	<0.01	<0.01	<0.002	<0.004	<0.002	<0.004	<0.01	<0.01	<0.002	<0.002	<0.002	<0.002	<0.004	<0.004	<0.001
	P55-ROX-071613	7/16/2013		40.06	NE	<0.01	0.573	<0.005	0.88	<0.005	0.0256	0.0155	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0065	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P55-ROX-101013	10/10/2013		41.67	NE	<0.01	0.757	<0.005		<0.005	0.0239	0.0147	0.0013 J	<0.005	<0.001	0.005	<0.001	0.0017 J J	<0.005	0.0066	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
P-56	P56-ROX-103112	10/31/2012	40.82 - 65.82	44.80	NE	<0.005 UJ	0.176	<0.005		<0.005	<0.005	0.005	0.0021 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0041 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P56-ROX-011713	1/17/2013		45.65	NE	<0.025	0.191	<0.025		<0.025	0.0031 J	<0.025	<0.025	<0.025	<0.005	<0.01	<0.005	<0.01	<0.025	<0.025	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01	<0.0025
	P56-ROX-041213	4/12/2013		46.12	NE	<0.02 U	0.131	<0.01		<0.01	<0.01	0.0142	<0.01	<0.01	<0.002	<0.004	<0.002	<0.004	<0.01	<0.01	<0.002	<0.002	<0.002	<0.002	<0.004	<0.004	<0.001
	P56-ROX-071513	7/15/2013		43.25	NE	<0.156 U	0.131	<0.005		<0.005	0.0141	0.0072	0.0038 J	<0.005	<0.001	0.0047	<0.001	<0.002	<0.005	0.0061	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P56-ROX-101013	10/10/2013		44.48	NE	<0.01	0.14	<0.005		<0.005	0.0088	0.005	0.0018 J	<0.005	<0.001	0.0038	<0.001	<0.002	<0.005	0.0046 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	0.001
	P56-ROX-012214	1/22/2014		46.35	NE	<0.01	0.0895	<0.005		<0.005	0.0033 J	0.0023 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0018 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P56-ROX-041414	4/14/2014		47.32	NE	<0.01	0.128	<0.005		<0.005	0.0069	0.0046 J	0.0014 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0034 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P56-ROX-070814	7/8/2014		45.97	NE	0.0626 J	0.127 J	<0.005		0.0132 J	0.0159 J	0.0073 J	0.0034 J J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0058 J	<0.001	<0.001	<0.001	0.0018 J	<0.002	<0.002	<0.0005
	P56-ROX-101314	10/13/2014		45.05	NE	<0.01 UJ	0.107	<0.005		<0.005	0.0062	0.004 J	0.0012 J	<0.005 UJ	<0.001 UJ	<0.002	<0.001	<0.002	<0.005	0.0035 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P56-ROX-011915	1/19/2015		46.58	NE	<0.01	0.0991	<0.005		<0.005	0.004 J	0.0037 J	0.00077 J	0.004 J	<0.001	<0.002	<0.001	0.0045	<0.005	0.003 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P56-ROX-041515	4/15/2015		48.05	NE	<0.01	0.0965	<0.005		<0.005	0.0028 J	0.0042 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0033 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P56-ROX-071015	7/10/2015	40.82 - 65.82	47.34	NE	<0.01	0.0683	<0.005		<0.005	<0.005	0.0034 J	0.00068 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0027 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
P-57	P57-ROX-110512	11/5/2012	40.46 - 65.46	44.98	NE	<2.5	142	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<2.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25
	P57-ROX-012913	1/29/2013		45.92	NE	<2.5	114	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	1.43	<1	<0.5	<1	<2.5	<2.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25
	P57-ROX-041113	4/11/2013		46.29	NE	<5	141	<2.5		<5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<2.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25
	P57-ROX-071613	7/16/2013		43.38	NE	<0.01	254	<0.005		<0.005	0.0143 J	0.0131 J	0.0103 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0119 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P57-ROX-101413	10/14/2013		44.38	NE	<0.01	288	<0.005		<0.005	0.0129	0.0116	0.0163	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0113	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P57-ROX-020314	2/3/2014		46.57	NE	<10	261	<5		<5	<5	<5	<5	<5 UJ	<1	<2	<1	<2	<5	<5	<1	<1	<1	<1	<2	<2	<0.5
	P57-ROX-041514	4/15/2014		46.70	NE	<0.01 UJ	384	<0.005		0.0055 J	0.0151	0.0131	0.0147	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0114	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P57-ROX-070814	7/8/2014		45.95	NE	0.0497 J	378	<0.005 UJ		<0.005 UJ	0.011 J	0.0091 J	0.0066 J	<0.005 UJ	<0.001 UJ	<0.002 UJ	<0.001 UJ	<0.002 UJ	<0.005 UJ	0.0081 J	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.002 UJ	<0.002 UJ	<0.0005 UJ
	P57-ROX-070814-DUP	7/8/2014		45.95	NE	0.0441 J	371	<0.005 UJ		0.0086 J	0.0114 J	0.0097 J	0.007 J	<0.005 UJ	<0.001 UJ	<0.002 UJ	<0.001 UJ	<0.002 UJ	<0.005 UJ	0.0085 J	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.002 UJ	<0.002 UJ	<0.0005 UJ
	P57-ROX-101414-DUP	10/14/2014		45.00	NE	<20 UJ	220	<10		<10	<10	<10	<10	<10 UJ	<2 UJ	<4	<2	<4	<10	<10	<2	<2	<2	<2	<4	<4	<1
	P57-ROX-101414	10/14/2014		45.00	NE	<20 UJ	255	<10		<10	<10	<10	<10	<10 UJ	<2 UJ	<4	<2	<4	<10	<10	<2	<2	<2	<2	<4	<4	<1
	P57-ROX-012315	1/23/2015	44.19 - 54.19	47.52	NE	<5 UJ	107	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<2.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25
	P57-ROX-042015	4/20/2015		48.73	NE	<0.5	134	<0.25		<0.25	<0.25	<0.25	<0.25	<0.25 UJ	<0.05	<0.1	<0.05	<0.1	<0.25	<0.25	<0.05	<0.05	<0.05	<0.05	<0.1 UJ	<0.1	<0.025
	P57-ROX-071315	7/13/2015	44.19 - 54.19	47.81	NE	<10	138	<5		<5	<5	<5	<5	0.852 J	<1	<2	<1	<2	<5	<5	<1	<1	<1	<1	<2	<2	<0.5

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						VOCs																				
						Acetone	Benzene	Bromobenzene	Butane	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	4-Chlorotoluene	Cymene (p-Isopropyltoluene)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene
					Screening Values (mg/L)	6.3 [1]	0.005 [1]	0.056 [3]		4.2 [1]	0.35 [3]			0.7 [1]	0.100 [1]		0.07 [1]				0.6 [2]		0.075 [2]	1.4 [1]	0.005 [2]	0.005 [2]	0.001 [2]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
P-58	P58-ROX-110612	11/6/2012	40.21 - 65.21	43.09	NE	<0.5 UJ	415	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.2	<0.1	<0.2	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.2	<0.05
	P58-ROX-121012	12/10/2012		43.09	NE																						
	P58-ROX-012213	1/22/2013		44.21	NE	<5	552	<5		<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<5	<1	<1	<1	<1	<2	<2	<0.5
	P58-ROX-041113	4/11/2013		44.40	NE	<20	532	<10		<20	<10	<10	<10	<10	<2	<4	<2	<4	<10	<10	<2	<2	<2	<2	<4	<4	<1
	P58-ROX-071613	7/16/2013		41.49	NE	<0.01	398	<0.005		<0.005	0.0239	0.0215	0.0532	<0.005	0.0017	<0.002	<0.001	<0.002	<0.005	0.0152	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P58-ROX-101413	10/14/2013		42.19	NE	<0.01	647	<0.005		<0.005	0.023	0.0235	0.0483	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0143	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P58-ROX-020314	2/3/2014		44.66	NE	<10	496	<5		<5	<5	<5	<5	<5 UJ	<1	<2	<1	<2	<5	<5	<1	<1	<1	<1	<2	<2	<0.5
	P58-ROX-041514	4/15/2014		45.66	NE	<0.01 UJ	782	<0.005		0.0056 J	0.0216 J	0.0185 J	0.0396 J	<0.005	0.0013 J	<0.002	<0.001	<0.002	<0.005	0.0116 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P58-ROX-071814	7/18/2014		43.80	NE	<20	406	<10		<10	<10	<10	<10	<10	<2	<4	<2	<4	<10	<10	<2	<2	<2	<2	<4	<4	<1
	P58-ROX-101514	10/15/2014		43.14	NE	<5	493	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<2.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25
	P58-ROX-012315	1/23/2015		45.32	NE	<10	304	<5		<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<5	<1	<1	<1	<1	<2	<2	<0.5
	P58-ROX-042015	4/20/2015		46.67	NE	<0.1	325	<0.05		<0.05	0.0087 J	0.0094 J	0.0242 J	<0.05 UJ	<0.01	<0.02	<0.01	<0.02	<0.05	0.0051 J	<0.01	<0.01	<0.01	<0.01	<0.02 UJ	<0.02	<0.005
	P58-ROX-071415	7/14/2015	40.21 - 65.21	45.54	NE	<10	266	<5		<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<5	<1	<1	<1	<1	<2	<2	<0.5
P-59	P59-ROX-110212	11/2/2012	47.91 - 72.91	45.98	NE	<0.5 UJ	10.3	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.2	<0.1	<0.2	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.2	<0.05
	P59-ROX-110212-DUP	11/2/2012		45.98	NE	<0.5 UJ	10.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.2	<0.1	<0.2	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.2	<0.05
	P59-ROX-013013	1/30/2013		46.60	NE	<0.25	12.1	<0.25		<0.25	<0.25	<0.25	<0.25	<0.25	<0.05	<0.1	<0.05	<0.1	<0.25	<0.25	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1	<0.025
	P59-ROX-041213	4/12/2013		46.95	NE	<0.5 UJ	15	<0.25		<0.25	<0.25	0.289	<0.25	<0.25	<0.05	<0.1	<0.05	<0.1	<0.25	<0.25	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1	<0.025
	P59-ROX-041213-DUP	4/12/2013		46.95	NE	<0.5 UJ	13.4	<0.25		<0.25	<0.25	0.288	<0.25	<0.25	<0.05	<0.1	<0.05	<0.1	<0.25	<0.25	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1	<0.025
	P59-ROX-071613	7/16/2013		44.13	NE	<0.01	10.2	<0.005		<0.005	0.0213 J	0.0068 J	0.0027 J J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0046 J J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P59-ROX-101013	10/10/2013		45.50	NE	<0.01	14.7	<0.005		<0.005	0.0224	<0.005	0.0024 J	<0.005	<0.001	0.0034	<0.001	<0.002	<0.005	0.0051	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P59-ROX-020314	2/3/2014		47.35	NE	<0.2	15.9	<0.1		<0.1	0.0165 J	<0.1	<0.1	<0.1 UJ	<0.02	<0.04	<0.02	<0.04	<0.1	<0.1	<0.02	<0.02	<0.02	<0.02	<0.04	<0.04	<0.01
	P59-ROX-041514	4/15/2014		48.60	NE	<0.01 UJ	14.8	<0.005		0.0253 J	0.0181	0.0035 J	0.0014 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0029 J	<0.001	<0.001	<0.001	0.0023	<0.002	<0.002	<0.0005
	P59-ROX-070814	7/8/2014		47.69	NE	0.057 J	12.2	<0.005		0.0169 J	0.0251 J	0.0073 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0046 J J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P59-ROX-101414	10/14/2014		46.18	NE	<0.01 UJ	12	<0.005		<0.005	0.0278 J	0.0097 J	0.0024 J J	<0.005 UJ	<0.001 UJ	<0.002	<0.001	<0.002	<0.005	0.0043 J J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P59-ROX-011915	1/19/2015		47.42	NE	<1	13.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.2	<0.1	<0.2	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.2	<0.05
	P59-ROX-041615	4/16/2015		48.83	NE	<0.1 UJ	9.43	<0.05		<0.05 UJ	<0.05	<0.05	<0.05	<0.05	<0.01	<0.02	<0.01	<0.02	<0.05	<0.05	<0.01	<0.01	<0.01	<0.01	<0.02	<0.02	<0.005
	P59-ROX-071315	7/13/2015	47.91 - 72.91	47.85	NE	<0.25	3.08	<0.13		<0.13	<0.13	<0.13	<0.13	<0.13	<0.025	<0.05	<0.025	<0.05	<0.13	<0.13	<0.025	<0.025	<0.025	<0.025	<0.05	<0.05	<0.013
P-66	P66-ROX-103112	10/31/2012	34.72 - 59.72	34.75	NE	<0.005	0.223	<0.005		<0.005	0.0145	0.02	0.0054	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P66-ROX-011813	1/18/2013		35.70	NE	<0.005	0.0896	<0.005		<0.005	0.0129	0.0227	0.0087	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P66-ROX-041113	4/11/2013		36.03	NE	<0.01	0.0444	<0.005		<0.01	0.0199	0.0249	0.0104	<0.005	<0.001	0.00065 J	<0.001	<0.002	<0.005	0.0093	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P66-ROX-071213	7/12/2013		33.20	NE	<0.01	0.187	<0.005		<0.005	0.0146	0.0221	0.006	<0.005	0.00059 J	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P66-ROX-101013	10/10/2013		33.66	NE	0.0095 J	0.0646	<0.005		<0.005	0.0141	0.0186	0.0067	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P66-ROX-110713	11/7/2013		33.66	NE	<0.01	0.03	<0.005		<0.005	0.0088	0.0102	0.0071	<0.005	0.0007 J	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P66-ROX-012914	1/29/2014		36.39	NE	<0.01	0.008	<0.005		<0.005	0.016	0.0205	0.0053	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P66-ROX-041114	4/11/2014		37.10	NE	<0.01	0.0052	<0.005		<0.005	0.0129	0.0168	0.0041 J	<0.005	0.00052 J	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P66-ROX-070714	7/7/2014		35.60	NE	<0.01 UJ	0.0429	<0.005		<0.005	0.0112	0.0147	0.0023 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P66-ROX-101414	10/14/2014		34.48	NE	<0.01 UJ	0.0212	<0.005		<0.005	0.0135	0.0173	0.0036 J	<0.005	<0.001 UJ	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P66-ROX-011615	1/16/2015		36.62	NE	<0.01	0.0083	<0.005		<0.005	0.0162	0.021	0.0048 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P66-ROX-011615-DUP	1/16/2015		36.62	NE	<0.01	0.0076	<0.005		<0.005	0.0147	0.0198	0.0045 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P66-ROX-041415	4/14/2015		38.27	NE	<0.01	0.0223	<0.005		<0.005	0.0127	0.0181	0.0039 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P66-ROX-041415-DUP	4/14/2015		38.27	NE	<0.01	0.0214	<0.005		<0.005	0.0124	0.0177	0.004 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P66-ROX-070815	7/8/2015	34.72 - 59.72	37.24	NE	<0.01 UJ	0.0404	<0.005		<0.005 UJ	0.0124	0.0164	0.0027 J	<0.005	0.00035 J	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P66-ROX-070815-DUP	7/8/2015		37.24	NE	<0.01 UJ	0.0424	<0.005		<0.005 UJ	0.0126	0.0167	0.0027 J	<0.005	0.00038 J	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
P-74	P74-ROX-110112	11/1/2012	44.43 - 69.43	41.72	NE	<0.1	3.5	<0.1		<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.04	<0.02	<0.04	<0.1	<0.1	<0.02	<0.02	<0.02	<0.02	<0.04	<0.04	<0.01
	P74-ROX-011713	1/17/2013		42.65	NE	<0.1	4.99	<0.1		<0.1	0.0143 J	<0.1	<0.1	<0.1	<0.02	<0.04	<0.02	<0.04	<0.1	<0.1	<0.02	<0.02	<0.02	<0.02	<0.04	<0.04	<0.01
	P74-ROX-041113	4/11/2013		42.83	NE	<0.01	0.144	<0.005		<0.01	0.0026 J	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P74-ROX-071513	7/15/2013		40.11	NE	<0.0046 U	0.117	<0.005		<0.005	0.0088	0.002 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0017 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P74-ROX-101413	10/14/2013		41.72	NE	<0.01	1.55	<0.005		<0.005	0.0158	0.003 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0031 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P74-ROX-012414	1/24/2014		43.35	NE	<0.01	4.45	<0.005		<0.005	0.0252	0.0031 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0031 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P74-ROX-041514	4/15/2014		44.74	NE	0.0398 J	0.0349	<0.005		<0.005 UJ	0.0013 J	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P74-ROX-070814	7/8/2014		43.02	NE	<0.01 UJ	0.309	<0.005		<0.005	0.0138	0.0014 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0018 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P74-ROX-101414	10/14/2014		41.48	NE	<0.01 UJ	0.00068	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001 UJ	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P74-ROX-011915	1/19/2015		43.47	NE	<0.01	3.13	<0.005		<0.005	0.0163	0.0022 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0029 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P74-ROX-041515	4/15/2015		44.61	NE	<0.01	0.032	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.00033 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P74-ROX-071015	7/10/2015	44.43 - 69.43	43.28	NE	0.011	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						VOCs																				
						Acetone	Benzene	Bromobenzene	Butane	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	4-Chlorotoluene	Cymene (p-Isopropyltoluene)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene
					Screening Values (mg/L)	6.3 [1]	0.005 [1]	0.056 [3]		4.2 [1]	0.35 [3]			0.7 [1]	0.100 [1]		0.07 [1]				0.6 [2]		0.075 [2]	1.4 [1]	0.005 [2]	0.005 [2]	0.001 [2]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
P-93A	P93A-ROX-110712	11/7/2012	48.17 - 63.17	45.00	NE	<0.5 UJ	148	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.2	<0.1	<0.2	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.2	<0.05
	P93A-ROX-110712-DUP	11/7/2012		45.00	NE	<0.5 UJ	156	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.2	<0.1	<0.2	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.2	<0.05
	P93A-ROX-012313	1/23/2013		45.89	NE	<2.5	101	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<2.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25
	P93A-ROX-012313-DUP	1/23/2013		45.89	NE	<2.5	98.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<2.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25
	P93A-ROX-041113	4/11/2013		46.29	NE	<5	120	<2.5		<5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<2.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25
	P93A-ROX-041113-DUP	4/11/2013		46.29	NE	<5	120	<2.5		<5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<2.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25
	P93A-ROX-071813	7/18/2013		43.25	NE	<0.0053 U	89.1	<0.005		<0.005	<0.005	0.0056	0.0916	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0024 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001 UJ
	P93A-ROX-101113	10/11/2013		44.18	NE	<0.01 UJ	197	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0025 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P93A-ROX-012914	1/29/2014		46.53	NE	<5	136	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<2.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25
	P93A-ROX-041714	4/17/2014		47.41	NE	<5	132	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<2.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25
	P93A-ROX-071814	7/18/2014		45.70	NE	<10	170	<5		<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<5	<1	<1	<1	<1	<2	<2	<0.5
	P93A-ROX-071814-DUP	7/18/2014		45.70	NE	<10	174	<5		<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<5	<1	<1	<1	<1	<2	<2	<0.5
	P93A-ROX-101514	10/15/2014		45.06	NE	<5	293	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<2.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25
	P93A-ROX-101514-DUP	10/15/2014		45.06	NE	<5	277	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<2.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25
	P93A-ROX-012715	1/27/2015	43.07 - 53.07	46.05	NE	<0.025 UJ	168	<0.001 UJ		<0.005 UJ	0.0023 J	0.0069 J	0.0186 J	<0.002 UJ	<0.001 UJ	0.00078 J J	<0.001 UJ	<0.002 UJ	<0.001 UJ	0.0064 J	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ
	P93A-ROX-041715	4/17/2015		47.02	NE	<0.01	139	<0.005		<0.005	0.00077 J	0.0048 J	0.014	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	0.0036 J	<0.001	<0.001	<0.001	<0.001	<0.002 UJ	<0.002	<0.0005
	P93A-ROX-071315	7/13/2015	43.07 - 53.07	45.93	NE	<1	315	<0.5		<0.5	<0.5	<0.5	<0.5	0.0476 J	<0.1	<0.2	<0.1	<0.2	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.2	<0.05
P-93B	P93B-ROX-110712	11/7/2012	74.60 - 76.60	45.05	NE	<0.5 UJ	162 J	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.2	<0.1	<0.2	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.2	<0.05
	P93B-ROX-110712-DUP	11/7/2012		45.05	NE	<0.5 UJ	413 J	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.2	<0.1	<0.2	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.2	<0.05
	P93B-ROX-012313	1/23/2013		45.89	NE	<5	415	<5		<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<5	<1	<1	<1	<1	<2	<2	<0.5
	P93B-ROX-041113	4/11/2013		46.32	NE	<5	618	<2.5		<5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<2.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25
	P93B-ROX-071813	7/18/2013		43.30	NE	<0.01	296	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001 UJ
	P93B-ROX-101613	10/16/2013		44.43	NE	<20	187	<10		<10	<10	<10	<10	<10	<2	<4	<2	<4	<10	<10	<2	<2	<2	<2	<4	<4	<1
	P93B-ROX-101613-DUP	10/16/2013		44.43	NE	<20	180	<10		<10	<10	<10	<10	<10	<2	<4	<2	<4	<10	<10	<2	<2	<2	<2	<4	<4	<1
	P93B-ROX-012814	1/28/2014		46.58	NE	<10	242	<5		<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<5	<1	<1	<1	<1	<2	<2	<0.5
	P93B-ROX-012814-DUP	1/28/2014		46.58	NE	<10 UJ	293	<5		<5 UJ	<5	<5	<5	<5	<1	<2	<1	<2	<5	<5	<1	<1	<1	<1	<2	<2	<0.5
	P93B-ROX-041714	4/17/2014		47.46	NE	<5	134	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<2.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25
	P93B-ROX-041714-DUP	4/17/2014		47.46	NE	<5	126	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<2.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25
	P93B-ROX-071714	7/17/2014		45.75	NE	<0.01 UJ	172	<0.005 UJ		<0.005 UJ	<0.005 UJ	<0.005 UJ	0.00042 J J	<0.005 UJ	<0.001 UJ	<0.002 UJ	<0.001 UJ	<0.002 UJ	<0.005 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.002 UJ	<0.002 UJ	<0.0005 UJ
	P93B-ROX-101514	10/15/2014		45.15	NE	<5 UJ	241	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5 UJ	<0.5	<1	<0.5	<1	<2.5	<2.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25
	P93B-ROX-012315	1/23/2015		47.24	NE	<10	564	<5		<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<5	<1	<1	<1	<1	<2	<2	<0.5
	P93B-ROX-012315-DUP	1/23/2015		47.24	NE	<10	623	<5		<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<5	<1	<1	<1	<1	<2	<2	<0.5
	P93B-ROX-021915	2/19/2015		47.24	NE	<250	625	<0.5		<2.5	<0.5	<0.5	<0.5	<1	<0.5	<1	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	<0.5	<0.5
	P93B-ROX-041615	4/16/2015		48.42	NE	<0.01 UJ	400	<0.005		<0.005 UJ	<0.005	<0.005	0.001 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P93B-ROX-041615-DUP	4/16/2015		48.42	NE	<10 UJ	388	<5		<5 UJ	<5	<5	<5	<5	<1	<2	<1	<2	<5	<5	<1	<1	<1	<1	<2	<2	<0.5
	P93B-ROX-070915	7/9/2015	74.60 - 76.60	47.74	NE	<50 UJ	497 J	<25		<25 UJ	<25	<25	<25	<25	<5	<10	<5	<10	<25	<25	<5	<5	<5	<5	<10	<10	<2.5
	P93B-ROX-070915-DUP	7/9/2015		47.74	NE	<20 UJ	371 J	<10		<10 UJ	<10	<10	<10	<10	<2	<4	<2	<4	<10	<10	<2	<2	<2	<2	<4	<4	<1
P-93C	P93C-ROX-110812	11/8/2012	94.26 - 96.26	45.12	NE	<0.005	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P93C-ROX-012313	1/23/2013		45.78	NE	<0.005	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P93C-ROX-041213	4/12/2013		46.21	NE	<0.0056 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P93C-ROX-071813	7/18/2013		43.31	NE	<0.01	101	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001 UJ
	P93C-ROX-080813	8/8/2013		43.31	NE	<0.5	19.1	<0.25		<0.25	<0.25	<0.25	<0.25	<0.25	<0.05	<0.1	<0.05	<0.1	<0.25	<0.25	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1	<0.025
	P93C-ROX-101613	10/16/2013		44.31	NE	<0.01	1.4	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P93C-ROX-012414	1/24/2014		46.44	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P93C-ROX-041714	4/17/2014		47.34	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P93C-ROX-071714	7/17/2014		45.61	NE	<0.01	1.52	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P93C-ROX-101514	10/15/2014		44.99	NE	<0.01	0.00075	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P93C-ROX-011915	1/19/2015	92.47 - 97.47	48.22	NE	<1	102	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.2	<0.1	<0.2	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.2	<0.05
	P93C-ROX-021915	2/19/2015		48.22	NE	<25	75.4	<1		<5	<1	<1	<1	<2	<1	<2	<1	<2	<1	<1	<1	<1	<1	<1	<5	<1	<1
	P93C-ROX-041615	4/16/2015		48.22	NE	<1 UJ	55.3	<0.5		<0.5 UJ	<0.5	<0.5	<0.5	<0.5	<0.1	<0.2	<0.1	<0.2	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.2	<0.05
	P93C-ROX-071315	7/13/2015	92.47 - 97.47	47.09	NE	<0.01	0.0365	<0.005		<0.005	<0.005	<0.005	<0.005	<0.00025 U	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						VOCs																				
						Acetone	Benzene	Bromobenzene	Butane	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	4-Chlorotoluene	Cymene (p-Isopropyltoluene)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene
				Screening Values (mg/L)		6.3 [1]	0.005 [1]	0.056 [3]		4.2 [1]	0.35 [3]			0.7 [1]	0.100 [1]		0.07 [1]				0.6 [2]		0.075 [2]	1.4 [1]	0.005 [2]	0.005 [2]	0.001 [2]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
P-93D	P93D-ROX-110812	11/8/2012	125.75 - 127.75	NM	NE	<0.005	0.049	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P93D-ROX-012213	1/22/2013		44.21	NE	<0.005	0.106	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P93D-ROX-041113	4/11/2013		46.37	NE	<0.01	<0.0005	<0.005		<0.01	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P93D-ROX-071213	7/12/2013		43.51	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P93D-ROX-101113	10/11/2013		44.24	NE	<0.01	0.0014	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P93D-ROX-013114	1/31/2014		46.62	NE	<0.01	0.0012	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	0.00062 J	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	0.0044	<0.0005
	P93D-ROX-041414	4/14/2014		47.54	NE	<0.01	0.0022	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	0.00069 J	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	0.0164	<0.0005
	P93D-ROX-071714	7/17/2014		45.78	NE	<0.01	0.00063	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P93D-ROX-101514	10/15/2014		45.14	NE	<0.1	36.4	<0.05		<0.05	<0.05	<0.05	<0.05	<0.05	<0.01	<0.02	<0.01	<0.02	<0.05	<0.05	<0.01	<0.01	<0.01	<0.01	<0.02	<0.02	<0.005
	P93D-ROX-110414	11/4/2014		45.14	NE	<0.01	19.9	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	0.0079	<0.0005
	P93D-ROX-012315	1/23/2015		42.28	NE	<2.5 UJ	62.6	<1.3		<1.3	<1.3	<1.3	<1.3	<1.3	<0.25	<0.5	<0.25	<0.5	<1.3	<1.3	<0.25	<0.25	<0.25	<0.25	<0.5	<0.5	<0.13
	P93D-ROX-021915	2/19/2015		42.28	NE	<130	240	<2.5		<13	<2.5	<2.5	<2.5	<5	<2.5	<5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<13	<2.5	<2.5
	P93D-ROX-042015	4/20/2015		48.52	NE	<1	131	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5 UJ	<0.1	<0.2	<0.1	<0.2	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2 UJ	<0.2	<0.05
	P93D-ROX-070915	7/9/2015	125.75 - 127.75	47.96	NE	<5 UJ	21.2	<2.5		<2.5 UJ	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<2.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25
P-114	P114-ROX-110912	11/9/2012	32.67 - 52.67	30.90	NE	<0.0144 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P114-ROX-012313	1/23/2013		30.22	NE	<0.005	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P114-ROX-041513	4/15/2013		31.80	NE	<0.0059 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P114-ROX-071813	7/18/2013		27.22	NE	<0.251 U	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P114-ROX-071813-DUP	7/18/2013		27.22	NE	<0.245 U	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P114-ROX-101713	10/17/2013		29.43	NE	0.0047 J	0.00074	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P114-ROX-012814	1/28/2014		32.11	NE	0.142 J	0.0013	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P114-ROX-042114	4/21/2014		32.22	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P114-ROX-071814	7/18/2014		30.87	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P114-ROX-101714	10/17/2014		29.43	NE	<0.01	<0.0005	<0.005		<0.005	0.0052 J	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	0.0006 J J	<0.002	<0.0005
	P114-ROX-012115	1/21/2015		31.53	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P114-ROX-041715	4/17/2015		NM	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P114-ROX-070815	7/8/2015	32.67 - 52.67	29.16	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	0.0015 J	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
ROST-3-PZ	ROST3PZ-ROX-110112	11/1/2012	40.00 - 50.00	40.82	NE	<0.005	0.0052	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
ROST-3-MW	ROST3MW-ROX-012313	1/23/2013	37.81 - 47.81	41.50	NE	<0.005	0.0051 J	<0.005		<0.005	0.0028 J	0.0013 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0011 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST3MW-ROX-040513	4/5/2013				<0.005 UJ	0.0605	<0.005		<0.005	<0.005	0.0011 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0012 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST3MW-ROX-071113	7/11/2013		39.50	NE	<0.01 UJ	0.0125	<0.005		<0.005 UJ	<0.005	0.0014 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0014 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST3-MW-ROX-100913	10/9/2013		40.16	NE	<0.01	0.0033	<0.005		<0.0164	0.00073 J	<0.005	<0.005	<0.005	<0.001	0.0034	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST3MW-ROX-011714	1/17/2014		42.20	NE	<0.01	0.004	<0.005		<0.005	0.0012 J	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST3MW-ROX-041014	4/10/2014		42.80	NE	<0.01	0.0075	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST3MW-ROX-071414	7/14/2014		41.88	NE	<0.01	0.0058	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST3MW-ROX-100914	10/9/2014		41.31	NE	<0.01 UJ	0.003	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST3MW-ROX-011515	1/15/2015		41.83	NE	<0.01	0.0022	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST3MW-ROX-041315	4/13/2015		43.43	NE	0.0251 J	0.0057	<0.005		<0.005	<0.005	<0.005 UJ	<0.005 UJ	0.00037 J	<0.001	<0.002	<0.001	<0.002	<0.005 UJ	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST3MW-ROX-071315	7/13/2015	37.81 - 47.81	42.36	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.00066 U	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
ROST-4-PZ(C)	ROST4PZC-ROX-102912	10/29/2012	34.95 - 44.95	40.75	NE	<0.005 UJ	0.0033	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST4PZ(C)-ROX-011113	1/11/2013		41.42	NE	<0.005	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST4PZC-ROX-041013	4/10/2013		42.27	NE	<0.01	0.0153 J	<0.005		<0.01	<0.005	<0.005	<0.005	<0.005	<0.001 UJ	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.001	<0.002	<0.002 UJ	<0.0005 UJ
	ROST4PZC-ROX-071113	7/11/2013		40.18	NE	<0.01 UJ	0.0497	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST4PZC-ROX-100913	10/9/2013		39.91	NE	<0.01	0.00066	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST4PZC-ROX-011714	1/17/2014		41.92	NE	<0.01	0.0015	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST4PZC-ROX-041014	4/10/2014		42.05	NE	<0.01	0.0019	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST4C-ROX-071114	7/10/2014		42.22	NE	<0.01 UJ	0.0751	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST4PZC-ROX-100914	10/9/2014		41.30	NE	<0.01 UJ	0.039	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST4PZC-ROX-011515	1/15/2015		41.65	NE	0.016	0.0013	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST4PZC-ROX-041315	4/13/2015		43.00	NE	<0.01	0.0694	<0.005		<0.005	<0.005	<0.005 UJ	<0.005 UJ	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005 UJ	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST4PZ-ROX-071315	7/13/2015	34.95 - 44.95	42.59	NE	<0.01	0.0683	<0.005		<0.005	<0.005	<0.005	<0.005	<0.0011 U	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						VOCs																				
						Acetone	Benzene	Bromobenzene	Butane	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	4-Chlorotoluene	Cymene (p-Isopropyltoluene)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene
				Screening Values (mg/L)		6.3 [1]	0.005 [1]	0.056 [3]		4.2 [1]	0.35 [3]			0.7 [1]	0.100 [1]		0.07 [1]				0.6 [2]		0.075 [2]	1.4 [1]	0.005 [2]	0.005 [2]	0.001 [2]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
T-12	T12-ROX-110512	11/5/2012	46.72 - 72.72	43.91	NE	<0.05	1.71	<0.05		<0.05	<0.05	<0.05	<0.05	<0.05	<0.01	<0.02	<0.01	<0.02	<0.05	<0.05	<0.01	<0.01	<0.01	<0.01	<0.02	<0.02	<0.005
	T12-ROX-011813	1/18/2013		44.50	NE	<0.025	2.03 J	<0.025		<0.0795 U	0.0056 J	0.0036 J	<0.025	<0.025	<0.005	<0.01	<0.005	<0.01	<0.025	<0.025	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01	<0.0025
	T12-ROX-041513	4/15/2013		44.99	NE	<0.1 UJ	1.61	<0.05		<0.05	<0.05	0.0595	<0.05	<0.05	<0.01	<0.02	<0.01	<0.02	<0.05	<0.05	<0.01	<0.01	<0.01	<0.01	<0.02	<0.02	<0.005
	T12-ROX-071613	7/16/2013		42.33	NE	<0.01	1.65	<0.005		<0.005	0.0069 J	0.003 J J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0025 J J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	T12-ROX-101513	10/15/2013		43.73	NE	0.0803	2.02	<0.025		0.0246 J	0.0098 J	0.0038 J	<0.025	<0.025	<0.005	<0.01	<0.005	<0.01	<0.025	<0.025	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01	<0.0025
	T12-ROX-012414	1/24/2014		45.26	NE	<0.01	2.48	<0.005		<0.005	0.0083	0.0029 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	T12-ROX-041514	4/15/2014		46.72	NE	<0.01 UJ	2.07	<0.005		0.017 J	0.0062	0.0024 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0018 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	T12-ROX-070814	7/8/2014		45.13	NE	0.0658 J	2.1	<0.005		0.0094	0.0096	0.0039 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0024 J	<0.001	<0.001	<0.001	0.0022	<0.002	<0.002	<0.0005
	T12-ROX-101714	10/17/2014		44.40	NE	<0.1	1.83	<0.05		<0.05	<0.05	<0.05	<0.05	<0.05	<0.01	<0.02	<0.01	<0.02	<0.05	<0.05	<0.01	<0.01	<0.01	<0.01	<0.02	<0.02	<0.005
	T12-ROX-011915	1/19/2015	46.83 - 72.83	45.27	NE	<0.1	2.02	<0.05		<0.05	0.0115 J	<0.05	<0.05	<0.05	<0.01	<0.02	<0.01	<0.02	<0.05	<0.05	<0.01	<0.01	<0.01	<0.01	<0.02	<0.02	<0.005
	T12-ROX-041515	4/15/2015		46.73	NE	<0.01	1.69	<0.005		<0.005	0.0094	0.0045 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	0.0025 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	T12-ROX-071015	7/10/2015	46.83 - 72.83	46.09	NE	<0.1	2.3	<0.05		<0.05	<0.05	<0.05	<0.05	<0.05	<0.01	<0.02	<0.01	<0.02	<0.05	<0.05	<0.01	<0.01	<0.01	<0.01	<0.02	<0.02	<0.005

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						VOCs																					
						Ethylbenzene	Hexachlorobutadiene	2-Hexanone (Methyl N-Butyl Ketone)	Isopentane	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	Tetrachloroethene	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,2-Trichloroethane	Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl acetate	m,p-Xylenes	o-Xylenes	Xylenes (total)
				Screening Values (mg/L)		0.7 [1]	0.007 [3]	0.035 [3]		0.7 [1]	0.56 [3]	0.07 [1]	0.14 [1]	0.7 [3]	0.1 [1]	0.005 [1]	1.0 [1]	0.0056 [3]	0.07 [1]	0.005 [1]	0.005 [1]		0.07 [3]	7.0 [2]	10 [1]		10 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																					
MW-01	MW1-ROX-102612	10/26/2012	48.80 - 58.80	41.22	NE																						
	MW1-ROX-121712	12/17/2012		41.22	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0022	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW1-ROX-011013	1/10/2013		41.89	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0015	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW1-ROX-040913	4/9/2013		42.55	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0012	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW1-ROX-070813	7/8/2013		39.56	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0049	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW1-ROX-100313	10/3/2013		40.28	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0013	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW1-ROX-011414	1/14/2014		42.77	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0018	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW1-ROX-040714	4/7/2014		43.28	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW1-ROX-070914	7/9/2014		42.09	NE	<0.001	<0.005	<0.005 UJ		<0.005	<0.005	0.0035	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW1-ROX-100614	10/6/2014		41.1	NE	<0.001	<0.005	<0.005		<0.005	<0.005 UJ	0.00082 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005 UJ	<0.005	<0.001	<0.001	<0.001
	MW1-ROX-011215	1/12/2015		42.73	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.00084 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW1-ROX-040615	4/6/2015		44.11	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.00059 J	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW1-ROX-070815	7/8/2015	48.80 - 58.80	43.35	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
MW-02	MW2-ROX-102612	10/26/2012	49.87 - 59.87	42.35	NE	0.763	<0.025	<0.025		0.0764	<0.025	0.0115	0.0821	0.104	<0.025	<0.005	0.0216	<0.025	<0.025	<0.005	<0.005	0.299	0.129	<0.025	0.878	0.052	0.93
	MW2-ROX-011113	1/11/2013		42.94	NE	0.676	<0.01	<0.01		0.0879	<0.01	<0.002	0.0768	0.121	<0.01	<0.002	0.0093	<0.01	<0.01	<0.002	<0.002	0.219	0.105	<0.01	0.685	0.0287	0.713
	MW2-ROX-040913	4/9/2013		43.70	NE	0.91	<0.025	<0.025		0.085	<0.025	<0.005	0.0578	0.11	<0.025	<0.005	0.0073	<0.025	<0.025	<0.005	<0.005	0.338	0.155	<0.025	1.01	0.0454	1.05
	MW2-ROX-071113	7/11/2013		40.82	NE	1.57	<0.005	<0.005 UJ		0.0931	<0.005	0.0062	0.114	0.127	<0.005	<0.001	0.11	<0.005	<0.005	<0.001	<0.001	0.522	0.175	<0.005 UJ	1.88	0.174	1.88
	MW2-ROX-100813	10/8/2013		41.73	NE	0.942	<0.005	0.0079		0.0983	<0.005	0.0032	0.0939	0.132	<0.005	<0.001	0.0164	<0.005	<0.005	<0.001	<0.001	0.368	0.174	0.0768	0.912	0.0519	0.912
	MW2-ROX-012014	1/20/2014		44.00	NE	0.426	<0.005	<0.005		0.102	<0.005	<0.001	0.0663	0.133	<0.005	<0.001	0.0099	<0.005	<0.005	<0.001	<0.001	0.264	0.156	<0.005	0.486	0.0304	0.516
	MW2-ROX-041014	4/10/2014		44.66	NE	0.478	<0.005	<0.005		0.0816	<0.005	<0.001	0.0474	0.106	<0.005	<0.001	0.0072	<0.005	<0.005	<0.001	<0.001	0.181	0.121	<0.005	0.444	0.0275	0.472
	MW2-ROX-071414	7/14/2014		43.13	NE	0.955	<0.005	<0.005		0.0966 J	<0.005	<0.001	0.0792 J	0.112 J	<0.005	<0.001	0.0113 J	<0.005	<0.005	<0.001	<0.001	0.341 J	0.15 J	<0.005	0.764	0.0845	0.804
	MW2-ROX-101014	10/10/2014		42.49	NE	0.386 J	<0.01	<0.01 UJ		0.0675	<0.01 UJ	<0.002	0.0512	0.0867	<0.01	<0.002	0.006	<0.01	<0.01	<0.002	<0.002	0.135	0.0901	<0.01	0.26 J	0.0183	0.278 J
	MW2-ROX-011615	1/16/2015		44.1	NE	0.358	0.0031 J	0.0039 J		0.0823	0.0061	<0.001	0.0626	0.107	0.00052 J	<0.001	0.0121	0.0051	0.0044 J	<0.001	0.0015	0.0895	0.102	<0.005	0.207	0.0206	0.228
	MW2-ROX-041315	4/13/2015		45.56	NE	0.547	<0.005	<0.005		0.0613 J	<0.005	0.0013	0.068 J	0.0802 J	<0.005	<0.001	0.0103	<0.005	<0.005	<0.001	<0.001	0.185 J	0.0882	<0.005	0.549	0.0495	0.598
	MW2-ROX-071315	7/13/2015	49.87 - 59.87	44.53	NE	0.984	<0.005	<0.005		0.0683	<0.005	<0.001	0.0878	0.0983	<0.005	<0.001	0.0103	<0.0015 U	<0.005	<0.001	<0.001	0.206	0.109	<0.005	0.719	0.0689	0.78
MW-03	MW3-ROX-102512	10/25/2012	34.67 - 44.67	28.39	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0027	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW3-ROX-010913	1/9/2013		29.35	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0008 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	0.007	<0.001	<0.001	<0.001
	MW3-ROX-040813	4/8/2013		29.74	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001 UJ	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW3-ROX-071113	7/11/2013		26.32	NE	<0.001	<0.005	<0.005 UJ		0.0049 J	<0.005	0.0035	<0.005	0.0055	<0.005	<0.001	0.0013	<0.005	<0.005	<0.001	<0.001	0.0013 J	<0.005	<0.005 UJ	0.0028	<0.001	0.0028
	MW3-ROX-100813	10/8/2013		27.38	NE	0.0025	<0.005	<0.005		<0.005	<0.005	0.00075 J	<0.005	0.0021 J	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	0.0197	0.0011	<0.001	0.0011
	MW3-ROX-011614	1/16/2014		29.91	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW3-ROX-040914	4/9/2014		30.50	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW3-ROX-071114	7/10/2014		29.05	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW3-ROX-100914	10/9/2014		28.18	NE	<0.001	<0.005	<0.005		0.0004 J	<0.005	0.003 J	<0.005	0.00053 J	<0.005	<0.001	0.00046 J	<0.005	<0.005	<0.001	<0.001	0.0012 J	<0.005	<0.005 UJ	0.00095 J	<0.001	<0.00095 U
	MW3-ROX-011515	1/15/2015		29.65	NE	0.00039 J	<0.005	<0.005		0.00065 J	<0.005	0.0101	<0.005	0.0018 J	<0.005	<0.001	0.00062 J	<0.005	<0.005	<0.001	<0.001	0.00071 J	0.00031 J	<0.005	0.0014	<0.001	0.0015
	MW3-ROX-041015	4/10/2015		31.16	NE	<0.001	<0.005 UJ	<0.005 UJ		<0.005	<0.005	0.0012	<0.005 UJ	0.00042 J	<0.005	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	0.00046 J
	MW3-ROX-071015	7/10/2015	34.67 - 44.67	30.01	NE	0.00039 J	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	0.00062 J	<0.005	<0.001	0.0014	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.00087 J	<0.001	0.00087 J
MW-04	MW4-ROX-102912	10/29/2012	46.06 - 56.06	39.45	NE	<0.002	<0.01	<0.01		0.0029 J	<0.01	0.0324	<0.01	0.0033 J	<0.01	<0.002	0.0175	<0.01	<0.01	<0.002	<0.002	<0.01	<0.01	<0.01	0.0114	<0.002	0.0114
	MW4-ROX-011113	1/11/2013		40.20	NE	0.00052 J	<0.005	<0.005		0.0012 J	<0.005	0.0654	<0.005	0.0026 J	<0.005	<0.001	0.0075	<0.005	<0.005	<0.001	<0.001	0.0019 J	0.0024 J	<0.005	0.0056	<0.001	0.0056
	MW4-ROX-011113-DUP	1/11/2013		40.20	NE	0.00056 J	<0.005	<0.005		0.0014 J	<0.005	0.0681	<0.005	0.003 J	<0.005	<0.001	0.0083	<0.005	<0.005	<0.001	<0.001	0.0019 J	0.0026 J	<0.005	0.006	<0.001	0.006
	MW4-ROX-030413	3/4/2013		40.20	NE	<0.1	<0.5	<0.5		<0.5	<0.5	0.112	<0.5	<0.5	<0.5	<0.1	<0.1	<0.5	<0.5	<0.1	<0.1	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1
	MW4-ROX-040913	4/9/2013		40.90	NE	<0.002	<0.01	<0.01		<0.01	<0.01	0.112	<0.01	<0.01	<0.01	<0.002	0.0057	<0.01	<0.01	<0.002	<0.002	<0.01	<0.01	<0.01	0.0052	<0.002	0.0062
	MW4-ROX-040913-DUP	4/9/2013		40.90	NE	0.00081 J	<0.005	<0.005		<0.005	<0.005	0.125	<0.005	0.004 J	<0.005	<0.001	0.0076	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.0073	0.0011	0.0084
	MW4-ROX-071713	7/17/2013		37.61	NE	0.0015	<0.005	0.0041 J		0.0067	<0.005	0.0559 J	<0.005	0.008	<0.005	<0.001	0.0381	<0.005	<0.005	0.00085 J	<0.001	0.0012 J	<0.005	0.0392 J	0.0302	0.0052	0.0353
	MW4-ROX-101613	10/16/2013		38.80	NE	<0.01	<0.05	<0.05		<0.05	<0.05	0.0333 J	<0.05	<0.05	<0.05	<0.01	<0.01	<0.05	<0.05	<0.01	<0.01	<0.05	<0.05	<0.05 UJ	<0.01	<0.01	0.0058 J
	MW4-ROX-013014	1/30/2014		41.09	NE	0.00048 J	<0.005	<0.005		0.0021 J	<0.005	<0.001	<0.005	0.0026 J	<0.005	<0.001	0.0037	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.0132	0.0049	0.0181
	MW4-ROX-041614	4/16/2014		41.91	NE	<0.001	<0.005	<0.005		0.00059 J	<0.005	<0.001	<0.005	0.00081 J	<0.005	<0.001	0.00099 J	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.0027	0.00039 J	0.0031
	MW4-ROX-071614	7/16/2014		40.18	NE	<0.01	<0.005	<0.005		<0.05	<0.005	<0.001	<0.05 UJ	<0.05	<0.005	<0.001	0.006 J	<0.005	<0.005	<0.001	<0.001	<0.05	<0.05	<0.005	<0.01	<0.01	0.0055 J
	MW4-ROX-101614	10/16/2014		39.49	NE	<0.005	<0.025	<0.025		0.0026 J	<0.025	0.0379	<0.025	<0.025	<0.025	<0.005	<0.005	<0.025 UJ	<0.025	<0.005	<0.005	0.0037 J	<0.025	<0.025 UJ	0.0086	0.0022 J	0.0108
	MW4-ROX-012115	1/21/2015		41.27	NE	<0.001	<0.005	<0.005		0.0012 J	<0.005	0.0536	<0.005	0.00093 J	<0.005	<0.001	0.0024	<0.005	<0.005	<0.001	<0.001	0.00045 J	<0.005	<0.005	0.006	0.0013	0.0074
	MW4-ROX-042115	4/21/2015	45.06 - 55.06	42.58	NE	0.00051 J	<0.005	<0.005		0.0012 J	<0.005	<0.001	<0.005 UJ	0.0013 J	<0.005	<0.001	0.0024	<0.005	<0.005	<0.001	<0.001	0.00045 J	<0.005	<0.005	0.0042	0.0011	0.0053
	MW4-ROX-071415	7/14/2015	45.06 - 55.06	41.30	NE	0.00057 J	<0.005	<0.005		0.0026 J	<0.005	<0.001	<0.005	0.0029 J	<0.005	<0.001	0.0033	<0.005	<0.005	<0.001	<0.001	0.00058 J	0.00024 J	<0.005	0.0082	0.0016	0.0098

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						VOCs																				
						Ethylbenzene	Hexachlorobutadiene	2-Hexanone (Methyl N-Butyl Ketone)	Isopentane	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	Tetrachloroethene	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,2-Trichloroethane	Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl acetate	m,p-Xylenes	o-Xylenes	Xylenes (total)
					Screening Values (mg/L)	0.7 [1]	0.007 [3]	0.035 [3]		0.7 [1]	0.56 [3]	0.07 [1]	0.14 [1]	0.7 [3]	0.1 [1]	0.005 [1]	1.0 [1]	0.0056 [3]	0.07 [1]	0.005 [1]	0.005 [1]		0.07 [3]	7.0 [2]	10 [1]		10 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-05	MW5-ROX-102912	10/29/2012	33.97 - 43.97	28.16	NE	<0.001	<0.005	<0.005		0.002 J	<0.005	0.0219	<0.005	<0.005	<0.005	<0.001	0.0018	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.0018	<0.001	0.0018
	MW5-ROX-011113	1/11/2013		28.75	NE	<0.001	<0.005	<0.005		0.00086 J	<0.005	0.0295	<0.005	<0.005	<0.005	<0.001	0.0008 J	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW5-ROX-040913	4/9/2013		29.41	NE	<0.001	<0.005	<0.005		0.00085 J	<0.005	0.0427	<0.005	<0.005	<0.005	<0.001	0.002	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.001	<0.001	0.0014
	MW5-ROX-070913	7/9/2013		26.04	NE	<0.001	<0.005	<0.005		0.0268	<0.005	0.0121	<0.005	0.0132	<0.005	<0.001	0.0029	<0.005	<0.005	0.0018	<0.001	<0.005	<0.005	<0.005 UJ	0.0079	0.0018	0.0097
	MW5-ROX-100813	10/8/2013		26.97	NE	<0.001	<0.005	<0.005		0.0045 J	<0.005	0.0221	<0.005	<0.005	<0.005	<0.001	0.002	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	0.0129	0.0044	0.00097 J	0.0054
	MW5-ROX-011714	1/17/2014		29.59	NE	<0.001	<0.005	<0.005		0.00097 J	<0.005	0.0282	<0.005	<0.005	<0.005	<0.001	0.0014	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.0081	0.0045	0.0127
	MW5-ROX-041014	4/10/2014		30.09	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0344	0.001 J	<0.005	<0.005	<0.001	0.0013	<0.005	<0.005	<0.001	<0.001	0.00052 J	<0.005	<0.005	0.0013	0.00095 J	0.0023
	MW5-ROX-071414	7/14/2014		28.59	NE	<0.001	<0.005	<0.005		0.00049 J	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	0.0016	<0.005	<0.005	<0.001	<0.001	0.00033 J	<0.005	<0.005	0.002	0.00073 J	0.0027
	MW-5-ROX-100914	10/9/2014		27.75	NE	<0.001 UJ	<0.005	<0.005 UJ		0.0012 J	<0.005 UJ	0.019	<0.005	<0.005	<0.005	<0.001	0.0015	<0.005	<0.005	<0.001	<0.001	0.00058 J	<0.005	<0.005	0.0027 J	0.0012 J	0.0039 J
	MW5-ROX-011515	1/15/2015		29.34	NE	<0.001	<0.005	<0.005		0.0057	<0.005	0.0215	<0.005	0.0018 J	<0.005	<0.001	0.0014	<0.005	<0.005	<0.001	<0.001	0.00037 J	0.00031 J	<0.005	0.0076	0.0015	0.009
	MW5-ROX-041315	4/13/2015		30.97	NE	0.0005 J	<0.005	<0.005		0.0076 J	<0.005	0.0349	<0.005 UJ	0.0056 J	<0.005	<0.001	0.00057 J	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005	<0.005	0.0088	0.00051 J	0.0093
	MW5-ROX-071315	7/13/2015	33.97 - 43.97	29.45	NE	<0.001	<0.005	<0.005		0.00097 J	<0.005	0.0413	<0.005	<0.005	<0.005	<0.001	0.00032 J	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.0019	0.00032 J	0.0022
MW-06A	MW6A-ROX-102412	10/24/2012	34.83 - 44.83	30.06	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-011413	1/14/2013		31.00	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-040313	4/3/2013		31.62	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-070913	7/9/2013		28.25	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0027	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	MW6A-ROX-070913-DUP	7/9/2013		28.25	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0025	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	MW6A-ROX-100713	10/7/2013		28.87	NE	<0.001	<0.005	<0.005 UJ		<0.005	<0.005	0.0131	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-100713-DUP	10/7/2013		28.87	NE	<0.001	<0.005	<0.005 UJ		<0.005	<0.005	0.0132	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-011614	1/16/2014		31.62	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0108	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-011614-DUP	1/16/2014		31.62	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0103	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-040814	4/8/2014		32.16	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.00086 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-040814-DUP	4/8/2014		32.16	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-071014	7/10/2014		30.75	NE	<0.001	<0.005	<0.005 UJ		<0.005	<0.005	0.0148	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-100814	10/8/2014		29.84	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0082 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-011415	1/14/2015		31.54	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-040715	4/7/2015		33.08	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0077	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-071515	7/15/2015	34.83 - 44.83	31.52	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0045	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
MW-06B	MW6B-ROX-102412	10/24/2012	64.05 - 69.05	30.11	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0091	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-011713	1/17/2013		31.11	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0166	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-040313	4/3/2013		31.68	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0132	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-070913	7/9/2013		28.25	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0069	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	MW6B-ROX-100713	10/7/2013		28.93	NE	<0.001	<0.005	<0.005 UJ		<0.005	<0.005	0.0113	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-011614	1/16/2014		31.67	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0069	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-040814	4/8/2014		32.21	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0047	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-071014	7/10/2014		30.81	NE	<0.001	<0.005	<0.005 UJ		<0.005	<0.005	0.0054	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-100814	10/8/2014		29.87	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.003 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-011415	1/14/2015		31.59	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-040715	4/7/2015		33.10	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0052	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-040715-DUP	4/7/2015		33.10	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0054	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-071415	7/14/2015	64.05 - 69.05	31.56	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0048	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
MW-06C	MW6C-ROX-102412	10/24/2012	84.95 - 89.95	27.85	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6C-ROX-011713	1/17/2013		30.88	NE	<0.001 UJ	<0.005 UJ	<0.005 UJ		<0.005 UJ	<0.005 UJ	0.0012 J	<0.005 UJ	<0.005 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ	<0.005 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ	<0.005 UJ	<0.005 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ	<0.001 UJ
	MW6C-ROX-040313	4/3/2013		31.41	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0022	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6C-ROX-070913	7/9/2013		28.03	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	MW6C-ROX-100713	10/7/2013		28.72	NE	<0.001	<0.005	<0.005 UJ		<0.005	<0.005	0.00075 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6C-ROX-011614	1/16/2014		31.48	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.00068 J	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6C-ROX-040814	4/8/2014		32.01	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6C-ROX-071014	7/10/2014		30.60	NE	<0.001	<0.005	<0.005 UJ		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6C-ROX-100814	10/8/2014		29.67	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.00052 J J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6C-ROX-011415	1/14/2015		31.41	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0037	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6C-ROX-040915	4/9/2015		32.80	NE	<0.001	<0.005	<0.005 UJ		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6C-ROX-071415	7/14/2015	84.95 - 89.95	31.38	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						VOCs																					
						Ethylbenzene	Hexachlorobutadiene	2-Hexanone (Methyl N-Butyl Ketone)	Isopentane	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	Tetrachloroethene	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,2-Trichloroethane	Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl acetate	m,p-Xylenes	o-Xylenes	Xylenes (total)
				Screening Values (mg/L)		0.7 [1]	0.007 [3]	0.035 [3]		0.7 [1]	0.56 [3]	0.07 [1]	0.14 [1]	0.7 [3]	0.1 [1]	0.005 [1]	1.0 [1]	0.0056 [3]	0.07 [1]	0.005 [1]	0.005 [1]		0.07 [3]	7.0 [2]	10 [1]		10 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																					
MW-06D	MW6D-ROX-102412	10/24/2012	104.72 - 109.72	29.71	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-011713	1/17/2013		30.75	NE	<0.001 UJ	<0.005 UJ	<0.005 UJ		<0.005 UJ	<0.005 UJ	<0.001 UJ	<0.005 UJ	<0.005 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ	<0.005 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ	<0.005 UJ	<0.005 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ	<0.001 UJ
	MW6D-ROX-040313	4/3/2013		31.27	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-070913	7/9/2013		27.91	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	MW6D-ROX-100713	10/7/2013		28.58	NE	<0.001	<0.005	<0.005 UJ		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-011614	1/16/2014		31.33	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.00061 J	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-040814	4/8/2014		31.85	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.00094 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-071014	7/10/2014		31.47	NE	<0.001	<0.005	<0.005 UJ		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-071014-DUP	7/10/2014		31.47	NE	<0.001	<0.005	<0.005 UJ		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-100814	10/8/2014		29.53	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.00051 UJ	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-100814-DUP	10/8/2014		29.53	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.00057 J J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-011415	1/14/2015		31.26	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-011415-DUP	1/14/2015		31.26	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-040715	4/7/2015		32.74	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-071415	7/14/2015	104.72 - 109.72	31.19	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
MW-07	MW7-ROX-103012	10/30/2012	42.92 - 52.92	41.23	NE	<2	<10	<10		<10	<10	<2	<10	<10	<10	<2	<2	<10	<10	<10	<10	<10	<10	<10	<2	<2	<2
	MW7-ROX-103012-DUP	10/30/2012		41.23	NE	<2	<10	<10		<10	<10	<2	<10	<10	<10	<2	<2	<10	<10	<10	<10	<10	<10	<10	<2	<2	<2
	MW7-ROX-011513	1/15/2013		42.21	NE	<4	<20	<20		<20	<20	<4	<20	<20	<20	<4	<4	<20	<20	<4	<4	<20	<20	<20	<4	<4	<4
	MW7-ROX-011513-DUP	1/15/2013		42.21	NE	<4	<20	<20		<20	<20	<4	<20	<20	<20	<4	<4	<20	<20	<4	<4	<20	<20	<20	<4	<4	<4
	MW7-ROX-041013	4/10/2013		42.70	NE	<2	<10	<10		<10	<10	<2	<10	<10	<10	<2	<2	<10	<10	<2	<2	<10	<10	<10	<2	<2	<2
	MW7-ROX-041013-DUP	4/10/2013		42.70	NE	<2	<10	<10		<10	<10	<2	<10	<10	<10	<2	<2	<10	<10	<2	<2	<10	<10	<10	<2	<2	<2
	MW7-ROX-071713	7/17/2013		39.60	NE	0.2 J	<0.005	<0.005		0.0096 J	<0.005	0.0031 J	0.0185 J	0.0173 J	<0.005	<0.001	0.289 J	<0.005	<0.005	<0.001	0.117 J	0.0264 J	0.0094 J	0.455 J	0.183 J	0.639 J
	MW7-ROX-101613	10/16/2013		40.64	NE	<2	<10	<10		<10	<10	<2 UJ	<10	<10	<10	<2	<2	<10	<10	<2	<2	<10	<10	<10 UJ	<2	<2	<2
	MW7-ROX-013014	1/30/2014		42.94	NE	<2.5	<13	<13		<13	<13	<2.5	<13	<13	<13	<2.5	<2.5	<13	<13	<2.5	<2.5	<13	<13	<13	<2.5	<2.5	<2.5
	MW7-ROX-041614	4/16/2014		43.79	NE	<5	<25	<25		<25	<25	<5	<25	<25	<25	<5	<5	<25	<25	<5	<5	<25	<25	<25	<5	<5	<5
	MW7-ROX-071614	7/16/2014		42.05	NE	0.208 J	<0.005	<0.005		0.0127 J	<0.005	<0.001	0.0165 J	0.0197 J	<0.005	<0.001	0.224 J	<0.005	<0.005	<0.001	<0.001	0.143 J	0.0324 J	<0.005	0.48 J	0.187 J	0.667 J
	MW7-ROX-071614-DUP	7/16/2014		42.05	NE	0.206 J	<0.005	<0.005		0.0131 J	<0.005	<0.001	0.0141 J	0.0194 J	<0.005	<0.001	0.222 J	<0.005	<0.005	<0.001	<0.001	0.142 J	0.0318 J	<0.005	0.465 J	0.181 J	0.647 J
	MW7-ROX-101614	10/16/2014		41.31	NE	<5	<25	<25		<25	<25	<5	<25	<25	<25	<5	<5	<25 UJ	<25	<5	<5	<25	<25	<25 UJ	<5	<5	<5
	MW7-ROX-101614-DUP	10/16/2014		41.31	NE	<5	<25	<25		<25	<25	<5	<25	<25	<25	<5	<5	<25 UJ	<25	<5	<5	<25	<25	<25 UJ	<5	<5	<5
	MW7-ROX-012215	1/22/2015		43.45	NE	<1	<5	<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	<1
	MW7-ROX-012215-DUP	1/22/2015		43.45	NE	<1	<5	<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	<1
	MW7-ROX-042115	4/21/2015		44.63	NE	0.0822	<0.25	<0.25		<0.25	<0.25	<0.05	<0.25 UJ	<0.25	<0.25	<0.05	0.295	<0.25	<0.25	<0.05	<0.05	0.0791 J	0.0174 J	<0.25	0.116	0.0357 J	0.152
	MW7-ROX-042115-DUP	4/21/2015		44.63	NE	0.081	<0.25	<0.25		<0.25	<0.25	<0.05	<0.25 UJ	<0.25	<0.25	<0.05	0.285	<0.25	<0.25	<0.05	<0.05	0.0784 J	0.0173 J	<0.25	0.116	0.0369 J	0.153
	MW7-ROX-071515	7/15/2015	42.92 - 52.92	43.54	NE	<5	<25	<25		<25	<25	<5	<25	<25	<25	<5	<5	<25	<25	<5	<5	<25	<25	<25	<5	<5	<5
	MW7-ROX-071515-DUP	7/15/2015		43.54	NE	<5	<25	<25		<25	<25	<5	<25	<25	<25	<5	<5	<25	<25	<5	<5	<25	<25	<25	<5	<5	<5
MW-08	MW8-ROX-103012	10/30/2012	33.60 - 43.60	32.32	NE	<1	<5	<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	<1
	MW8-ROX-011513	1/15/2013		33.30	NE	<2	<10	<10		<10	<10	<2	<10	<10	<10	<2	2.09	<10	<10	<2	<2	<10	<10	<10	<2	<2	<2
	MW8-ROX-041013	4/10/2013		33.77	NE	<5	<25	<25		<25	<25	<5	<25	<25	<25	<5	<5	<25	<25	<5	<5	<25	<25	<25	<5	<5	<5
	MW8-ROX-071713	7/17/2013		30.43	NE	0.508	<0.005	<0.005		0.0173	<0.005	0.197 J	0.0335	0.0374	<0.005	<0.001	0.348	<0.005	<0.005	<0.001	<0.001	0.199	0.0598	<0.005 UJ	1.01	0.361	1.3
	MW8-ROX-071713-DUP	7/17/2013		30.43	NE	0.442 J	<0.005	<0.005		0.0174	<0.005	0.187 J	0.0347	0.0383	<0.005	<0.001	0.341	<0.005	<0.005	<0.001	<0.001	0.203	0.0613	<0.005 UJ	0.818 J	0.364	1.05
	MW8-ROX-101613	10/16/2013		31.59	NE	<2	<10	<10		<10	<10	<2 UJ	<10	<10	<10	<2	<2	<10	<10	<2	<2	<10	<10	<10 UJ	<2	<2	<2
	MW8-ROX-101613-DUP	10/16/2013		31.59	NE	<2	<10	<10		<10	<10	<2 UJ	<10	<10	<10	<2	<2	<10	<10	<2	<2	<10	<10	<10 UJ	<2	<2	<2
	MW8-ROX-013014	1/30/2014		34.02	NE	<2.5	<13	<13		<13	<13	1.92 J	<13	<13	<13	<2.5	<2.5	<13	<13	<2.5	<2.5	<13	<13	<13	<2.5	<2.5	<2.5
	MW8-ROX-013014-DUP	1/30/2014		34.02	NE	<2.5	<13	<13		<13	<13	1.99 J	<13	<13	<13	<2.5	<2.5	<13	<13	<2.5	<2.5	<13	<13	<13	<2.5	<2.5	<2.5
	MW8-ROX-041614	4/16/2014		34.73	NE	<2	<10	<10		<10	<10	<2	<10	<10	<10	<2	<2	<10	<10	<2	<2	<10	<10	<10	<2	<2	<2
	MW8-ROX-041614-DUP	4/16/2014		34.73	NE	<2	<10	<10		<10	<10	<2	<10	<10	<10	<2	<2	<10	<10	<2	<2	<10	<10	<10	<2	<2	<2
	MW8-ROX-071614	7/16/2014		33.01	NE	0.266	<0.005 UJ	<0.005 UJ		0.0266 J	<0.005 UJ	0.392 J	0.0598 J	0.0606 J	<0.005 UJ	<0.001 UJ	0.108 J	<0.005 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ	0.226 J	0.0904 J	<0.005 UJ	0.377 J	0.141 J	0.518 J
	MW8-ROX-101614	10/16/2014		32.23	NE	0.305 J	<5	<5		<5	<5	1.19	<5	<5	<5	<1	<1	<5 UJ	<5	<1	<1	<5	<5	<5 UJ	<1	<1	<1
	MW8-ROX-012215	1/22/2015		34.22	NE	0.359 J	<5	<5		<5	<5	0.906 J	<5	<5	<5	<1	0.259 J	<5	<5	<1	<1	<5	<5	<5	<1	<1	0.318 J
	MW8-ROX-042115	4/21/2015		35.41	NE	0.203	<0.25	<0.25		<0.25	<0.25	0.506	<0.25 UJ	0.0251 J	<0.25	<0.05	0.325	<0.25	<0.25	<0.05	<0.05	0.0473 J	0.0241 J	<0.25	0.164	0.0552	0.22
	MW8-ROX-071515	7/15/2015	33.60 - 43.60	34.07	NE	<5	<25	<25		<25	<25	<5	<25	<25	<25	<5	<5	<25	<25	<5	<5	<25	<25	<25	<5	<5	<5

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						VOCs																				
						Ethylbenzene	Hexachlorobutadiene	2-Hexanone (Methyl N-Butyl Ketone)	Isopentane	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	Tetrachloroethene	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,2-Trichloroethane	Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl acetate	m,p-Xylenes	o-Xylenes	Xylenes (total)
				Screening Values (mg/L)		0.7 [1]	0.007 [3]	0.035 [3]		0.7 [1]	0.56 [3]	0.07 [1]	0.14 [1]	0.7 [3]	0.1 [1]	0.005 [1]	1.0 [1]	0.0056 [3]	0.07 [1]	0.005 [1]	0.005 [1]		0.07 [3]	7.0 [2]	10 [1]		10 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-09	MW9-ROX-102912	10/29/2012	46.45 - 56.45	43.17	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW9-ROX-011113	1/11/2013		43.90	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW9-ROX-040913	4/9/2013		44.67	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW9-ROX-070813	7/8/2013		42.35	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW9-ROX-100313	10/3/2013		42.27	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW9-ROX-011414	1/14/2014		44.47	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW9-ROX-040714	4/7/2014		44.99	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW9-ROX-070914	7/9/2014		44.35	NE	<0.001	<0.005	<0.005 UJ		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW9-ROX-100714	10/7/2014		43.52	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	MW9-ROX-011315	1/13/2015		44.21	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW9-ROX-040915	4/9/2015		45.38	NE	<0.001	<0.005	<0.005 UJ		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW9-ROX-070915	7/9/2015	46.45 - 56.45	44.81	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
MW-10	MW10-ROX-102612	10/26/2012	44.43 - 54.43	43.08	NE																						
	MW10-ROX-121712	12/17/2012		43.08	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	0.00058 J
	MW10-ROX-011013	1/10/2013		44.10	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	0.016	<0.001	<0.001	<0.001
	MW10-ROX-012113	1/21/2013		44.10	NE	<0.005	<0.005	<0.025		<0.005	<0.025	<0.002	<0.0001	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.01	<0.005	<0.005	
	MW10-ROX-040913	4/9/2013		44.60	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW10-ROX-070813	7/8/2013		42.27	NE	<0.001	<0.005	<0.005	1.9	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW10-ROX-100313	10/3/2013		42.38	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW10-ROX-011514	1/15/2014		44.42	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW10-ROX-040714	4/7/2014		45.00	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW10-ROX-070914	7/9/2014		44.35	NE	<0.001	<0.005	<0.005 UJ		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW10-ROX-100714	10/7/2014		43.58	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	MW10-ROX-011315	1/13/2015		44.27	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW10-ROX-040815	4/8/2015		45.30	NE	<0.001	<0.005 UJ	<0.005		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW10-ROX-070915	7/9/2015	44.43 - 54.43	44.93	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
MW-11	MW11-ROX-102512	10/25/2012	41.66 - 51.66	40.59	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW11-ROX-011013	1/10/2013		41.43	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW11-ROX-040813	4/8/2013		42.02	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001 UJ	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW11-ROX-070813	7/8/2013		39.24	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW11-ROX-100713	10/7/2013		39.95	NE	<0.001	<0.005	<0.005 UJ		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW11-ROX-011514	1/15/2014		42.16	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW11-ROX-040714	4/7/2014		42.70	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW11-ROX-070914	7/9/2014		41.75	NE	<0.001	<0.005	<0.005 UJ		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW11-ROX-100714	10/7/2014		40.89	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	MW11-ROX-011315	1/13/2015		41.93	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW11-ROX-040815	4/8/2015		43.19	NE	<0.001	<0.005 UJ	<0.005		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW11-ROX-070915	7/9/2015	41.66 - 51.66	42.45	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
MW-12	MW12-ROX-102512	10/25/2012	41.92 - 51.92	40.95	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW12-ROX-011013	1/10/2013		41.83	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	0.00089 J	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW12-ROX-040813	4/8/2013		42.46	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001 UJ	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW12-ROX-070913	7/9/2013		39.28	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	MW12-ROX-100713	10/7/2013		40.22	NE	<0.001	<0.005	<0.005 UJ		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW12-ROX-011514	1/15/2014		42.54	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW12-ROX-040814	4/8/2014		43.15	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW12-ROX-070914	7/9/2014		41.97	NE	<0.001	<0.005	<0.005 UJ		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW12-ROX-100614	10/6/2014		40.98	NE	<0.001	<0.005	<0.005		<0.005	<0.005 UJ	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	MW12-ROX-011215	1/12/2015		42.33	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW12-ROX-040615	4/6/2015		43.75	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW12-ROX-070815	7/8/2015	41.92 - 51.92	42.86	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
MW-13	MW13-ROX-110812	11/8/2012	25.57 - 35.57	25.30	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0093	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW13-ROX-012313	1/23/2013		29.26	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0082	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	MW13-ROX-041213	4/12/2013		29.44	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0093	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW13-ROX-071213	7/12/2013		25.67	NE	<0.001	<0.005 UJ	<0.005		<0.005	<0.005	0.0094	<0.005	0.00064 J	<0.005	<0.001 UJ	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005 UJ	<0.005	<0.001	<0.001	<0.001
	MW13-ROX-100913	10/9/2013		26.94	NE	<0.001	<0.005 UJ	<0.005		<0.005	<0.005	0.0072	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW13-ROX-012914	1/29/2014		29.63	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.008 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW13-ROX-041114	4/11/2014		30.15	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0062	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW13-ROX-070714	7/7/2014		28.49	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0091 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW13-ROX-101014	10/10/2014		27.48	NE	<0.001	<0.005	<0.005 UJ		<0.005	<0.005	0.0045	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001 UJ	<0.001	<0.001	0.0011 J
	MW13-ROX-011615	1/16/2015		29.09	NE	0.00097 J	<0.005	<0.005		<0.005	<0.005	0.006	<0.005	<0.005	<0.005	<0.001	0.00076 J	<0.005	<0.005	<0.001	<0.001	0.00064 J	<0.005	<0.005	0.0022	0.00072 J	0.003
	MW13-ROX-041415	4/14/2015		30.71	NE	0.00033 J	<0.005	<0.005		<0.005	<0.005	0.0075	<0.005 UJ	<0.005	<0.005	<0.001	0.00035 J	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.00057 J	0.00024 J	0.00082 J
	MW13-ROX-070815	7/8/2015	25.57 - 35.57	29.16	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0054	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						VOCs																				
						Ethylbenzene	Hexachlorobutadiene	2-Hexanone (Methyl N-Butyl Ketone)	Isopentane	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	Tetrachloroethene	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,2-Trichloroethane	Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl acetate	m,p-Xylenes	o-Xylenes	Xylenes (total)
				Screening Values (mg/L)		0.7 [1]	0.007 [3]	0.035 [3]		0.7 [1]	0.56 [3]	0.07 [1]	0.14 [1]	0.7 [3]	0.1 [1]	0.005 [1]	1.0 [1]	0.0056 [3]	0.07 [1]	0.005 [1]	0.005 [1]		0.07 [3]	7.0 [2]	10 [1]		10 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-14	MW14-ROX-103112	10/31/2012	33.42 - 43.42	32.02	NE	<0.001	<0.005	<0.005		0.0161	<0.005	<0.001	<0.005	0.0121	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.0024	<0.001	0.0024
	MW14-ROX-011813	1/18/2013		33.05	NE	<0.001	<0.005	<0.005		0.021	<0.005	<0.001	<0.005	0.0162	<0.005	<0.001	0.00097 J	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.0026	<0.001	0.003
	MW14-ROX-041113	4/11/2013		33.31	NE	<0.001	<0.005	<0.005		0.0346	<0.005	<0.001	<0.005	0.0206	<0.005	<0.001	0.0014	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.0038	<0.001	0.0043
	MW14-ROX-071213	7/12/2013		30.36	NE	<0.001	<0.005 UJ	<0.005		0.0168	<0.005	<0.001	<0.005	0.0109	<0.005	<0.001 UJ	0.00059 J	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	0.0026	<0.001	0.0029
	MW14-ROX-101013	10/10/2013		30.80	NE	<0.001	<0.005	<0.005		0.0011 J	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	0.00088 J	0.0011 J	<0.005	<0.001	<0.001	<0.001
	MW14-ROX-012914	1/29/2014		33.67	NE	<0.001	<0.005	<0.005		0.0036 J	<0.005	<0.001	<0.005	0.002 J	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW14-ROX-041114	4/11/2014		34.30	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW14-ROX-070714	7/7/2014		32.82	NE	<0.001	<0.005	<0.005		0.00073 J	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW14-ROX-101414	10/14/2014		31.65	NE	<0.001	<0.005	<0.005 UJ		0.00043 J	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001 UJ	<0.001	0.00041 J J
	MW14-ROX-011615	1/16/2015		33.58	NE	0.00036 J	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	0.00042 J	<0.005	<0.005	<0.001	<0.001	0.00032 J	<0.005	<0.005	0.00072 J	<0.001	0.001
	MW14-ROX-041415	4/14/2015		35.16	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW14-ROX-070915	7/9/2015	33.42 - 43.42	34.06	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.0011 U	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
MW-16	MW16-ROX-012313	1/23/2013	37.06 - 47.06	43.05	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	MW16-ROX-040813	4/8/2013		43.39	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001 UJ	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW16-ROX-070813	7/8/2013		40.62	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW16-ROX-100813	10/8/2013		41.62	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW16-ROX-011514	1/15/2014		43.76	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW16-ROX-040914	4/9/2014		44.63	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW16-ROX-071014	7/10/2014		43.15	NE	<0.001	<0.005	<0.005 UJ		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW16-ROX-100714	10/7/2014		42.27	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	MW16-ROX-011315	1/13/2015		43.59	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW16-ROX-040915	4/9/2015		44.87	NE	<0.001	<0.005	<0.005 UJ		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW16-ROX-070915	7/9/2015	37.06 - 47.06	44.26	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	0.00038 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW16-ROX-070915-DUP	7/9/2015		44.26	NE	0.0004 J	<0.005	<0.005		<0.005	<0.005	<0.001	<0.0048 U	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.00097 J	<0.001	0.00097 J
MW-22	MW22-ROX-012313	1/23/2013	37.88 - 47.88	41.80	NE	3.45	<0.25	<0.25		0.126 J	<0.25	<0.05	0.396	0.22 J	<0.25	<0.05	10.5	<0.25	<0.25	<0.05	<0.05	1.23	0.288	<0.25 UJ	7.56	3.73	11.3
	MW22-ROX-012313-DUP	1/23/2013		41.80	NE	3.19	<0.25	<0.25		0.124 J	<0.25	<0.05	0.377	0.234 J	<0.25	<0.05	9.06	<0.25	<0.25	<0.05	<0.05	1.26	0.291	<0.25 UJ	6.96	3.52	10.5
	MW22-ROX-040513	4/5/2013		42.23	NE	2.44	<0.005	<0.005		0.159 J	0.0124 J	<0.001	0.286 J	0.29 J	<0.005	<0.001	6.14	<0.005	<0.005	<0.001	<0.001	0.931	0.379 J	<0.005	5.15	2.64	7.79
	MW22-ROX-071113	7/11/2013		39.35	NE	2.07	<0.005	<0.005 UJ		0.131	0.0102	<0.001	0.345	0.242	<0.005	<0.001	3.92	<0.005	<0.005	<0.001	<0.001	0.864	0.309	<0.005 UJ	4.13	2.26	6.39
	MW22-ROX-071113-DUP	7/11/2013		39.35	NE	1.79	<0.005	<0.005 UJ		0.133	0.0103	<0.001	0.362	0.245	<0.005	<0.001	3.57	<0.005	<0.005	<0.001	<0.001	0.754	0.311	<0.005 UJ	3.83	2.05	5.88
	MW22-ROX-100913	10/9/2013		40.39	NE	3.79	<0.005 UJ	<0.005		0.137	0.0101	<0.001	0.47	0.244	<0.005	<0.001	6.02	<0.005	<0.005	<0.001	<0.001	1.37	0.357	<0.005	7.46	3.48	10.9
	MW22-ROX-100913-DUP	10/9/2013		40.39	NE	3.97	<0.005 UJ	<0.005		0.136	0.0084	<0.001	0.445	0.243	<0.005	<0.001	6.32	<0.005	<0.005	<0.001	<0.001	1.43	0.343	<0.005	7.75	3.65	11.4
	MW22-ROX-012014	1/20/2014		42.49	NE	3.17	<0.005	0.0082		0.169	0.007	<0.001	0.287	0.287	<0.005	<0.001	5.33	<0.005	<0.005	<0.001	<0.001	1.3	0.298	<0.005	5.65	2.65	8.29
	MW22-ROX-012014-DUP	1/20/2014		42.49	NE	3.4	<0.005	0.0088		0.169	0.007	<0.001	0.262	0.286	<0.005	<0.001	5.71	<0.005	<0.005	<0.001	<0.001	1.37	0.398	<0.005	6.01	2.81	8.83
	MW22-ROX-041014	4/10/2014		43.15	NE	3.32	<0.005	<0.005		0.157	<0.005	<0.001	0.334	0.254	<0.005	<0.001	5.95	<0.005	<0.005	<0.001	<0.001	1.1	0.384	<0.005	6.85	3.38	10.2
	MW22-ROX-041014-DUP	4/10/2014		43.15	NE	3.02	<0.005	<0.005		0.138	0.0082	<0.001	0.28	0.235	<0.005	<0.001	5.52	<0.005	<0.005	<0.001	<0.001	1	0.35	<0.005	6.23	3.12	9.35
	MW22-ROX-071414	7/14/2014		41.85	NE	1.93	<0.005	<0.005		0.153 J	<0.005	<0.001	0.282 J	0.205 J	<0.005	<0.001	3.14	<0.005	<0.005	<0.001	<0.001	0.353 J	0.262 J	<0.005	3.78	1.85	5.64
	MW22-ROX-101014	10/10/2014		41.43	NE	1.88 J	<0.05	<0.05 UJ		0.0661	<0.05 UJ	<0.01	0.202	0.112	<0.05	<0.01	2.3	<0.05	<0.05	<0.01	<0.01	0.688	0.207	<0.05	3.08 J	1.74	4.82 J
	MW22-ROX-011615	1/16/2015		42.19	NE	2.84	<0.05	<0.05		0.11	0.0111 J	<0.01	0.339	0.2	<0.05	<0.01	3.24	0.0129 J	0.0106 J	<0.01	<0.01	1.05	0.373	<0.05	5.19	2.74	7.93
	MW22-ROX-041415	4/14/2015		43.71	NE	3.05	<0.005	<0.005		0.124	<0.005	<0.001	0.315 J	0.219	<0.005	<0.001	4.3	<0.005	<0.005	<0.001	<0.001	1.04	0.321	<0.005	6.26	3.09	9.35
	MW22-ROX-071515	7/15/2015	37.88 - 47.88	42.64	NE	3.21	<0.1	<0.1		0.0926 J	<0.1	<0.02	0.219	0.185	<0.1	<0.02	5.05	<0.1	<0.1	<0.02	<0.02	1.31	0.296	<0.1	6.7	3.48	10.2
MW-23	MW23-ROX-012615	1/26/2015	29.02 - 39.02	30.90	NE	<0.001	<0.002	<0.01		<0.001	<0.005	0.0037	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.01	<0.002	<0.001	<0.003
	MW23-ROX-040815	4/8/2015		32.24	NE	<0.001	<0.005 UJ	<0.005		<0.005	<0.005	0.0039	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW23-ROX-071015-BP	7/10/2015	29.02 - 39.02	30.54	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	0.004 J	<0.005	<0.005	<0.001	<0.001	<0.0011 U	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.00062 J	<0.001	0.00062 J
MW-24	MW24-ROX-040513	4/5/2013	38.89 - 48.89	43.39	NE	0.0012	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	0.0014	<0.005	<0.005	<0.001	<0.001	0.00051 J	<0.005	<0.005	0.0021	0.0009 J	0.003
	MW24-ROX-071113	7/11/2013		40.35	NE	<0.001	<0.005	<0.005 UJ		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	MW24-ROX-100913	10/9/2013		41.27	NE	<0.001	<0.005 UJ	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW24-ROX-011514	1/15/2014		43.47	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW24-ROX-040914	4/9/2014		44.13	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW24-ROX-071114	7/10/2014		42.97	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW24-ROX-100814	10/8/2014		42.16	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001 UJ	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW24-ROX-011315	1/13/2015		43.17	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW24-ROX-040915	4/9/2015		44.45	NE	<0.001	<0.005	<0.005 UJ		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW24-ROX-070915	7/9/2015	38.89 - 48.89	44.65	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
MW-25	MW25-ROX-102114	10/21/2014	35.59 - 45.59	36.44	NE	<2	<10	<10		<10	<10	<2	<10	<10	<10	<2	2.65	<10	<10	<2	<2	<10	<10	<10	<2	<2	0.753 J
	MW25-ROX-012215	1/22/2015		38.45	NE	<0.25	<1.3	<1.3		<1.3	<1.3	0.282	<1.3	<1.3	<1.3	<0.25	<0.25	<1.3	<1.3	<0.25	<0.25	<1.3	<1.3	<1.3	<0.25	<0.25	0.0821 J
	MW25-ROX-042115	4/21/2015		39.71	NE	<0.05	<0.25	<0.25		<0.25	<0.25	0.125	<0.25 UJ	<0.25	<0.25	<0.05	<0.05	<0.25	<0.25	<0.05	<0.05	<0.25	<0.25	<0.25	<0.05	<0.05	<0.05
	MW25-ROX-071515	7/15/2015	35.59 - 45.59	38.40	NE	<0.2	<1	<1		<1	<1	<0.2	<1	<1	<1	0.0577 J	<0.2	<1	<1	<0.2	<0.2	<1	<1	<1	<0.2	<0.2	<0.2
MW-26	MW26-ROX-102114	10/21/2014	38.15 - 48.15	39.43	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0019	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW26-ROX-011215	1/12/2015		41.09	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW26-ROX-040815	4/8/2015		42.52	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW26-ROX-070815	7/8/2015	38.15 - 48.15	41.76	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						VOCs																				
						Ethylbenzene	Hexachlorobutadiene	2-Hexanone (Methyl N-Butyl Ketone)	Isopentane	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	Tetrachloroethene	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,2-Trichloroethane	Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl acetate	m,p-Xylenes	o-Xylenes	Xylenes (total)
					Screening Values (mg/L)	0.7 [1]	0.007 [3]	0.035 [3]		0.7 [1]	0.56 [3]	0.07 [1]	0.14 [1]	0.7 [3]	0.1 [1]	0.005 [1]	1.0 [1]	0.0056 [3]	0.07 [1]	0.005 [1]	0.005 [1]		0.07 [3]	7.0 [2]	10 [1]		10 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-27	MW27-ROX-102114	10/21/2014	39.79 - 49.79	41.57	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW27-ROX-011515	1/15/2015		42.06	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW27-ROX-041015	4/10/2015		43.22	NE	<0.001	<0.005 UJ	<0.005 UJ		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	MW27-ROX-071015	7/10/2015	39.79 - 49.79	43.00	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
MW-28	MW28-ROX-102114	10/21/2014	33.61 - 43.61	36.44	NE	<0.001	<0.005	<0.005		0.00075 J	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	0.0011	<0.005	<0.005	<0.001	<0.001	0.0036 J	0.00059 J	<0.005	0.0036	0.0051	0.0087
	MW28-ROX-011515	1/15/2015		41.14	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	0.00026 J	<0.005	<0.005	<0.001	<0.001	0.00059 J	<0.005	<0.005	0.0012	0.00092 J	0.0021
	MW28-ROX-041415	4/14/2015		42.34	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	0.00042 J	0.00042 J
	MW28-ROX-071515	7/15/2015	33.61 - 43.61	42.19	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	0.00031 J	<0.005	<0.005	<0.001	<0.001	<0.001
P-54	P54-ROX-103012	10/30/2012	38.00 - 63.00	40.70	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P54-ROX-011113	1/11/2013		41.56	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P54-ROX-041013	4/10/2013		41.80	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P54-ROX-050313	5/3/2013		41.80	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P54-ROX-071113	7/11/2013		39.07	NE	<0.001	<0.005	<0.005 UJ		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005 UJ	<0.005	<0.001	<0.001	<0.001
	P54-ROX-100813	10/8/2013		39.94	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P54-ROX-011514	1/15/2014		42.20	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P54-ROX-040914	4/9/2014		42.80	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P54-ROX-071114	7/10/2014		41.71	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P54-ROX-100814	10/8/2014		40.88	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001 UJ	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P54-ROX-011415	1/14/2015		41.79	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P54-ROX-041015	4/10/2015		43.20	NE	<0.001	<0.005 UJ	<0.005 UJ		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	P54-ROX-070915	7/9/2015	38.00 - 63.00	42.25	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.0037 U	<0.005	<0.005	<0.001	<0.001	<0.005	<0.00092 U	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	0.00028 J
P-55	P55-ROX-012113	1/21/2013	39.82 - 64.82	45.24	NE	0.316	<0.01	<0.25		0.0678	<0.25	<0.02	0.079 J	0.14	<0.05	<0.05	0.189	<0.05	<0.01	<0.05	<0.05	0.039 J	0.026 J	<0.1	0.279	0.347	
	P55-ROX-012113	1/21/2013		45.24	NE	0.366	<0.005	<0.005		0.0937	<0.005	0.002	0.12	0.206	<0.005	<0.001	0.262	<0.005	<0.005	<0.001	<0.001	0.046	0.0312	<0.005	0.356	0.382	0.738
P-55R	P55-ROX-041513	4/15/2013	40.43 - 50.43	43.63	NE	0.35	<0.01	<0.01		0.068	<0.01	<0.002	0.0974 J	0.148	<0.01	<0.002	0.143	<0.01	<0.01	<0.002	<0.002	0.0241	0.0229	<0.01	0.235	0.362	0.597
	P55-ROX-071613	7/16/2013		40.06	NE	0.495	<0.005 UJ	<0.005	0.72	0.0884	<0.005	<0.001	0.0841	0.175	<0.005	<0.001	0.343	<0.005	<0.005	<0.001	<0.001	0.073	0.0559	<0.005 UJ	0.535	0.558	1.11
	P55-ROX-101013	10/10/2013		41.67	NE	0.602	<0.005	<0.005		0.0851	<0.005	0.001	0.121	0.167	<0.005	<0.001	0.601	<0.005	<0.005	<0.001	<0.001	0.151	0.062	<0.005	0.739	0.639	1.38
P-56	P56-ROX-103112	10/31/2012	40.82 - 65.82	44.80	NE	1.29	<0.005	<0.005		0.0752	<0.005	<0.001	0.167	0.105	<0.005	<0.001	0.187	<0.005	<0.005	<0.001	<0.001	0.387	0.0901	<0.005	1.62	0.144	1.73
	P56-ROX-011713	1/17/2013		45.65	NE	0.0088	<0.025	<0.025		0.0398	<0.025	<0.005	0.0322	0.0456	<0.025	<0.005	0.0119	<0.025	<0.025	<0.005	<0.005	0.0172 J	0.0092 J	<0.025	0.0745	<0.005	0.0745
	P56-ROX-041213	4/12/2013		46.12	NE	0.691	<0.01	<0.01		0.0581	<0.01	<0.002	0.0964 J	0.0805	<0.01	<0.002	0.0799	<0.01	<0.01	<0.002	<0.002	0.27	0.0486	<0.01	1	0.0243	1.03
	P56-ROX-071513	7/15/2013		43.25	NE	2	<0.005	<0.005		0.0968	<0.005	<0.001	0.316	0.145	<0.005	<0.001	0.311	<0.005	<0.005	<0.001	<0.001	0.551	0.134	<0.005	2.67	0.21	2.85
	P56-ROX-101013	10/10/2013		44.48	NE	1.58	<0.005	<0.005		0.0822	<0.005	0.00058 J	0.156	0.105	<0.005	<0.001	0.157	<0.005	<0.005	<0.001	<0.001	0.33	0.0714	<0.005	1.7	0.0617	1.76
	P56-ROX-012214	1/22/2014		46.35	NE	0.305	<0.005	<0.005		0.0399	<0.005	<0.001	0.0566	0.0426	<0.005	<0.001	0.0263	<0.005	<0.005	<0.001	<0.001	0.074	0.0172	<0.005	0.224	0.0093	0.233
	P56-ROX-041414	4/14/2014		47.32	NE	0.608	<0.005	<0.005		0.0781	<0.005	<0.001	0.0836	0.0951	<0.005	<0.001	0.0669	<0.005	<0.005	<0.001	<0.001	0.205	0.0472	<0.005	0.742	0.0156	0.758
	P56-ROX-070814	7/8/2014		45.97	NE	1.71 J	<0.005	<0.005		0.106 J	<0.005	<0.001	0.156 J	0.133 J	<0.005	<0.001	0.288 J	<0.005	<0.005	<0.001	<0.001	0.487 J	0.166 J	<0.005	2.04 J	0.122 J	2.09 J
	P56-ROX-101314	10/13/2014		45.05	NE	0.164	<0.005	<0.005 UJ		0.0645	<0.005 UJ	<0.001	0.0679	0.0709	<0.005	<0.001	0.0183	<0.005	<0.005	<0.001	<0.001	0.0657	0.0194	<0.005	0.17 J	0.0066	0.176 J
	P56-ROX-011915	1/19/2015		46.58	NE	0.104	<0.005	<0.005		0.0532	<0.005	<0.001	0.0261	0.0574	<0.005	<0.001	0.0114	<0.005	<0.005	<0.001	<0.001	0.0466	0.0135	<0.005	0.143	0.0043	0.148
	P56-ROX-041515	4/15/2015		48.05	NE	0.624	<0.005	<0.005		0.0768	<0.005	<0.001	0.0754 J	0.0918	<0.005	<0.001	0.068	<0.005	<0.005	<0.001	<0.001	0.189	0.0454	<0.005	0.737	0.0124	0.749
	P56-ROX-071015	7/10/2015	40.82 - 65.82	47.34	NE	0.0297	<0.005	<0.005		0.057	<0.005	<0.001	0.0158	0.0594	<0.005	<0.001	0.005	<0.005	<0.005	<0.001	<0.001	0.0063	0.0041 J	<0.005	0.0702	0.0035	0.0737
P-57	P57-ROX-110512	11/5/2012	40.46 - 65.46	44.98	NE	1.09	<2.5	<2.5		<2.5	<2.5	<0.5	1.53 J	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	0.577 J	<2.5	<2.5	1.03	<0.5	1.03
	P57-ROX-012913	1/29/2013		45.92	NE	1.1	<2.5	<2.5		<2.5	<2.5	<0.5	<2.5	0.331 J	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<0.5
	P57-ROX-041113	4/11/2013		46.29	NE	1.19	<2.5	<2.5		<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	0.494 J	<2.5	<2.5	<0.5	<0.5	<0.5
	P57-ROX-071613	7/16/2013		43.38	NE	1.59	<0.005 UJ	<0.005		0.0698 J	<0.005	0.112 J	0.203 J	0.0802 J	<0.005	<0.001	0.202 J	<0.005	<0.005	<0.001	<0.001	<5	0.129 J	<0.005 UJ	1.81	0.256 J	2.01
	P57-ROX-101413	10/14/2013		44.38	NE	1.1	<0.005	<0.005		0.0539	<0.005	0.107	0.206	0.0586	<0.005	<0.001	0.0421	<0.005	<0.005	<0.001	<0.001	0.763 J	0.12	<0.005	0.468	0.0206	0.489
	P57-ROX-020314	2/3/2014		46.57	NE	0.697 J	<5	<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	<1
	P57-ROX-041514	4/15/2014		46.70	NE	1.08	<0.005	0.0062		0.0492	<0.005	0.0563	0.272	0.0585	<0.005	<0.001	0.0248	0.0015 J	<0.005	<0.001	<0.001	0.503 E J	0.114	<0.005	0.296	0.0143	0.311
	P57-ROX-070814	7/8/2014		45.95	NE	1.12	<0.005 UJ	<0.005 UJ		0.0656 J	<0.005 UJ	<0.001 UJ	0.128 J	0.0605 J	<0.005 UJ	<0.001 UJ	0.154 J	<0.005 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ	0.375 J	0.0913 J	<0.005 UJ	1.46	0.237	1.7
	P57-ROX-070814-DUP	7/8/2014		45.95	NE	1.21	<0.005 UJ	<0.005 UJ		0.0689 J	<0.005 UJ	<0.001 UJ	0.139 J	0.0633 J	<0.005 UJ	<0.001 UJ	0.16 J	<0.005 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ	0.392 J	0.0954 J	<0.005 UJ	1.56	0.234	1.79
	P57-ROX-101414-DUP	10/14/2014		45.00	NE	1.77 J J	<10	<10 UJ		<10	<10 UJ	<2	<10	<10	<10	<2	0.849 J	<10	<10	<2	<2	1.18 J	<10	<10	2.37 J	0.949 J	3.32 J
	P57-ROX-101414	10/14/2014		45.00	NE	3.86 J	<10	<10 UJ		<10	<10 UJ	<2	2.05 J	<10	<10	<2	2.65	<10	<10	<2	<2	2.37 J	<10	<10	5.79 J	2.1	7.89 J
	P57-ROX-012315	1/23/2015	44.19 - 54.19	47.52	NE	0.773	<2.5	<2.5		<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	0.652 J	<2.5	<2.5	0.342 J	<0.5	0.342 J
	P57-ROX-042015	4/20/2015		48.73	NE	0.487	<0.25	<0.25		0.0246 J	<0.25	<0.05	<0.25 UJ	0.0468 J	<0.25	<0.05	0.0376 J	<0.25 UJ	<0.25	<0.05	<0.05	0.305	0.0323 J	<0.25	0.14	0.0141 J	0.154
	P57-ROX-071315	7/13/2015	44.19 - 54.19	47.81	NE	0.44 J	<5	<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	0.44 J	<5	<5	<5	<1	<1	0.237 J

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						VOCs																				
						Ethylbenzene	Hexachlorobutadiene	2-Hexanone (Methyl N-Butyl Ketone)	Isopentane	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	Tetrachloroethene	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,2-Trichloroethane	Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl acetate	m,p-Xylenes	o-Xylenes	Xylenes (total)
			Screening Values (mg/L)			0.7 [1]	0.007 [3]	0.035 [3]		0.7 [1]	0.56 [3]	0.07 [1]	0.14 [1]	0.7 [3]	0.1 [1]	0.005 [1]	1.0 [1]	0.0056 [3]	0.07 [1]	0.005 [1]	0.005 [1]		0.07 [3]	7.0 [2]	10 [1]		10 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
P-58	P58-ROX-110612	11/6/2012	40.21 - 65.21	43.09	NE	0.844	<0.5	<0.5		<0.5	<0.5	<0.1	<0.5	<0.5	<0.5	<0.1	0.124	<0.5	<0.5	<0.1	<0.1	0.658	0.108 J	<0.5	0.544	0.0807 J	0.624
	P58-ROX-121012	12/10/2012		43.09	NE																						
	P58-ROX-012213	1/22/2013		44.21	NE	1.27	<5	<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	0.728 J
	P58-ROX-041113	4/11/2013		44.40	NE	1.28 J	<10	<10		<10	<10	<2	<10	<10	<10	<2	<2	<10	<10	<2	<2	0.926 J	<10	<10	<2	<2	<2
	P58-ROX-071613	7/16/2013		41.49	NE	1.07	<0.005 UJ	<0.005		0.101	<0.005	<0.001	0.234	0.131	<0.005	<0.001	0.147	<0.005	<0.005	<0.001	<0.001	0.634 J	0.13	<0.005 UJ	0.723	0.12	0.843
	P58-ROX-101413	10/14/2013		42.19	NE	1.53	<0.005	<0.005		0.0999	0.0055	0.0015	0.234	0.135	<0.005	<0.001	0.2	<0.005	<0.005	<0.001	<0.001	1.17 J	0.131	<0.005	0.74	0.112	0.852
	P58-ROX-020314	2/3/2014		44.66	NE	0.767 J	<5	<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	<1
	P58-ROX-041514	4/15/2014		45.66	NE	0.891 J	<0.005	<0.005		0.0777 J	<0.005	<0.001	0.277 J	0.104 J	<0.005	<0.001	0.127 J	<0.005	<0.005	<0.001	<0.001	0.53 E J	0.0992 J	<0.005	0.552 J	0.0908 J	0.643 J
	P58-ROX-071814	7/18/2014		43.80	NE	<2	<10	<10		<10	<10	<2	<10	<10	<10	<2	<2	<10	<10	<2	<2	<10	<10	<10	<2	<2	<2
	P58-ROX-101514	10/15/2014		43.14	NE	0.793 J	<2.5	<2.5		1.43 J	<2.5	<0.5	<2.5	0.781 J	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	0.72 J	0.453 J	<2.5	<0.5	0.253 J	0.718
	P58-ROX-012315	1/23/2015		45.32	NE	1.13	<5	<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	0.714 J	<5	<5	0.686 J	<1	0.686 J
	P58-ROX-042015	4/20/2015		46.67	NE	0.81	<0.05	<0.05		0.0575	<0.05	<0.01	0.12 J	0.0762	<0.05	<0.01	0.101	<0.05 UJ	<0.05	<0.01	<0.01	0.549	0.0691	<0.05	0.433	0.0525	0.486
	P58-ROX-071415	7/14/2015	40.21 - 65.21	45.54	NE	0.457 J	<5	<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	0.285 J
P-59	P59-ROX-110212	11/2/2012	47.91 - 72.91	45.98	NE	1.87	<0.5	<0.5		<0.5	<0.5	<0.1	<0.5	0.105 J	<0.5	<0.1	1.09	<0.5	<0.5	<0.1	<0.1	0.558	0.154 J	<0.5	4.49	0.686	5.17
	P59-ROX-110212-DUP	11/2/2012		45.98	NE	1.94	<0.5	<0.5		<0.5	<0.5	<0.1	<0.5	0.111 J	<0.5	<0.1	1.1	<0.5	<0.5	<0.1	<0.1	0.592	0.167 J	<0.5	4.68	0.721	5.4
	P59-ROX-013013	1/30/2013		46.60	NE	1.9	<0.25	<0.25		0.0455 J	<0.25 UJ	<0.05 UJ	0.376	0.085 J	<0.25	<0.05	0.296	<0.25	<0.25	<0.05	<0.05	0.563	0.0491 J	<0.25	4.19	0.264	4.45
	P59-ROX-041213	4/12/2013		46.95	NE	2.85	<0.25	<0.25		0.062 J	<0.25	<0.05	0.664	0.136 J	<0.25	<0.05	0.523	<0.25	<0.25	<0.05	<0.05	0.946	<0.25	<0.25	6.52	0.646	7.16
	P59-ROX-041213-DUP	4/12/2013		46.95	NE	2.57	<0.25	<0.25		0.0543 J	<0.25	<0.05	0.547	0.117 J	<0.25	<0.05	0.463	<0.25	<0.25	<0.05	<0.05	0.843	<0.25	<0.25	5.89	0.591	6.48
	P59-ROX-071613	7/16/2013		44.13	NE	2.4	<0.005 UJ	<0.005		0.074 J	<0.005	<0.001	0.215 J	0.149 J	<0.005	<0.001	1.03	<0.005	<0.005	<0.001	<0.001	0.784	0.219	<0.005 UJ	5.76	0.431	6.19
	P59-ROX-101013	10/10/2013		45.50	NE	3.19	<0.005	<0.005		0.086	<0.005	0.0012	0.285	0.176	<0.005	<0.001	2.89	<0.005	<0.005	<0.001	<0.001	1.14	0.273	<0.005	7.47	1.28	8.75
	P59-ROX-020314	2/3/2014		47.35	NE	1.86	<0.1	<0.1		0.0409 J	<0.1	<0.02	0.0321 J	0.0824 J	<0.1	<0.02	0.66	<0.1	<0.1	<0.02	<0.02	0.621	0.193	<0.1	3.79	0.438	4.23
	P59-ROX-041514	4/15/2014		48.60	NE	1.69	<0.005	0.054		0.0495	<0.005	<0.001	0.196	0.0798	<0.005	<0.001	0.746	0.0027 J	<0.005	<0.001	<0.001	0.385	0.214	<0.005	4.83	0.902	5.73
	P59-ROX-070814	7/8/2014		47.69	NE	1.92	<0.005	<0.005		0.0948 J	<0.005	<0.001	0.228 J	0.16 J	<0.005	<0.001	1.55	<0.005	<0.005	<0.001	<0.001	0.607	0.285 J	<0.005	4.48	0.929	5.41
	P59-ROX-101414	10/14/2014		46.18	NE	2.33	<0.005	<0.005 UJ		0.0932 J	<0.005 UJ	0.0041 J	0.38 J	0.188 J	<0.005	<0.001	1.13	<0.005	<0.005	<0.001	<0.001	0.901	0.26 J	<0.005	5.14 J	1.03	6.17 J
	P59-ROX-011915	1/19/2015		47.42	NE	2.2	<0.5	<0.5		0.0619 J	<0.5	<0.1	0.572	0.108 J	<0.5	<0.1	0.375	<0.5	<0.5	<0.1	<0.1	0.609	0.21 J	<0.5	4.95	0.245	5.2
	P59-ROX-041615	4/16/2015		48.83	NE	2.13	<0.05	<0.05 UJ		0.0432 J	<0.05	<0.01	0.161 J	0.0763	<0.05	0.0032 J	0.69	<0.05	<0.05	<0.01	<0.01	0.576	0.177	<0.05	4.78	0.534	5.32
	P59-ROX-071315	7/13/2015	47.91 - 72.91	47.85	NE	0.664	<0.13	<0.13		0.0111 J	<0.13	<0.025	0.162	0.0211 J	<0.13	<0.025	0.103	0.0283 J	<0.13	<0.025	<0.025	0.15	0.0541 J	<0.13	1.6	0.0368	1.63
P-66	P66-ROX-103112	10/31/2012	34.72 - 59.72	34.75	NE	0.0012	<0.005	<0.005		0.122	<0.005	0.0733	<0.005	0.156	<0.005	<0.001	0.0014	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P66-ROX-011813	1/18/2013		35.70	NE	0.0014	<0.005	<0.005		0.146	<0.005	0.104	<0.005	0.193	<0.005	<0.001	0.0015	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	0.00093 J	0.00093 J
	P66-ROX-041113	4/11/2013		36.03	NE	0.0036	<0.005	<0.005		0.287	<0.005	0.086	<0.005	0.384	<0.005	<0.001	0.0012	<0.005	<0.005	<0.001	<0.001	0.0041 J	<0.005	<0.005	<0.001	<0.001	<0.001
	P66-ROX-071213	7/12/2013		33.20	NE	0.0022	<0.005 UJ	<0.005		0.191	<0.005	<0.001	<0.005	0.229	<0.005	<0.001 UJ	0.0018	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	0.001	0.0015
	P66-ROX-101013	10/10/2013		33.66	NE	0.0045	<0.005	<0.005		0.151	<0.005	0.085	0.0104	0.204	<0.005	<0.001	0.0013	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	0.00096 J	0.00096 J
	P66-ROX-110713	11/7/2013		33.66	NE	0.0016	<0.005	<0.005		0.0958	<0.005	0.0528	0.0057	0.0658	<0.005	<0.001	0.00086 J	<0.005	<0.005	0.0015	<0.001	<0.005	<0.005	<0.005	<0.001	0.00057 J	0.00057 J
	P66-ROX-012914	1/29/2014		36.39	NE	0.0013	<0.005	<0.005		0.131	<0.005	<0.001	<0.005	0.157	<0.005	<0.001	0.0017	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	0.0045	0.0045
	P66-ROX-041114	4/11/2014		37.10	NE	0.0014	<0.005	<0.005		0.115	<0.005	<0.001	0.0014 J	0.136	<0.005	<0.001	0.0017	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	0.00072 J	0.0013
	P66-ROX-070714	7/7/2014		35.60	NE	0.0016	<0.005	<0.005		0.144	<0.005	<0.001	<0.005	0.102	<0.005	<0.001	0.0022	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.001	0.00099 J	0.002
	P66-ROX-101414	10/14/2014		34.48	NE	0.0013	<0.005	<0.005 UJ		0.129	<0.005	0.0111	<0.005	0.137	<0.005	<0.001	0.0016	<0.005 UJ	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001 UJ	0.0009 J	0.0018 J
	P66-ROX-011615	1/16/2015		36.62	NE	0.0016	<0.005	<0.005		0.121	<0.005	0.0171	0.006	0.136	<0.005	<0.001	0.0018	<0.005	<0.005	<0.001	<0.001	0.00073 J	0.00029 J	<0.005	0.00093 J	0.0012	0.0021
	P66-ROX-011615-DUP	1/16/2015		36.62	NE	0.0014	<0.005	<0.005		0.116	<0.005	0.0172	0.0053	0.127	<0.005	<0.001	0.0016	<0.005	<0.005	<0.001	<0.001	0.00041 J	0.00019 J	<0.005	0.001	0.0013	0.0022
	P66-ROX-041415	4/14/2015		38.27	NE	0.003	<0.005	<0.005		0.133	<0.005	<0.001	<0.005 UJ	0.134	<0.005	<0.001	0.0024	<0.005	<0.005	<0.001	<0.001	0.00064 J	<0.005	<0.005	0.0028	0.0015	0.0044
	P66-ROX-041415-DUP	4/14/2015		38.27	NE	0.0027	<0.005	<0.005		0.13	<0.005	<0.001	<0.005 UJ	0.132	<0.005	<0.001	0.0022	<0.005	<0.005	<0.001	<0.001	0.00053 J	<0.005	<0.005	0.0024	0.0013	0.0037
	P66-ROX-070815	7/8/2015	34.72 - 59.72	37.24	NE	0.0024	<0.005	<0.005		0.133	<0.005	<0.001	<0.005	0.117	<0.005	<0.001	0.0017	<0.005	<0.005	<0.001	<0.001	0.0003 J	<0.005	<0.005	0.0016	0.0011	0.0027
	P66-ROX-070815-DUP	7/8/2015		37.24	NE	0.0022	<0.005	<0.005		0.132	<0.005	<0.001	<0.005	0.119	<0.005	<0.001	0.0018	<0.005	<0.005	<0.001	<0.001	0.00032 J	<0.005	<0.005	0.0016	0.0011	0.0027
P-74	P74-ROX-110112	11/1/2012	44.43 - 69.43	41.72	NE	0.0493	<0.1	<0.1		<0.1	<0.1	<0.02	0.0834 J	<0.1	<0.1	<0.02	0.232	<0.1	<0.1	<0.02	<0.02	0.125	0.0414 J	<0.1	0.246	0.0811	0.328
	P74-ROX-011713	1/17/2013		42.65	NE	0.0997	<0.1	<0.1		<0.1	<0.1	<0.02	0.141	<0.1	<0.1	<0.02	0.278	<0.1	<0.1	<0.02	<0.02	0.249	0.0973 J	<0.1	0.547	<0.02	0.555
	P74-ROX-041113	4/11/2013		42.83	NE	0.0086	<0.005	<0.005		<0.005	<0.005	<0.001	0.0016 J	<0.005	<0.005	<0.001	0.003	<0.005	<0.005	<0.001	<0.001	0.0184	0.0138	<0.005	0.0456	0.0146	0.0601
	P74-ROX-071513	7/15/2013		40.11	NE	0.0306	<0.005	<0.005		0.0031 J	<0.005	<0.001	0.024	0.0054	<0.005	<0.001	0.0064	<0.005	<0.005	<0.001	<0.001	0.101	0.0365	<0.005	0.109	0.027	0.136
	P74-ROX-101413	10/14/2013		41.72	NE	0.0653	<0.005	<0.005		0.0052	0.0074	0.0011	0.0257	0.0094	<0.005	<0.001	0.0344	<0.005	<0.005	<0.001	<0.001	0.192	0.0739	<0.005	0.237	0.0483	0.285
	P74-ROX-012414	1/24/2014		43.35	NE	0.115	<0.005	<0.005		0.0058	<0.005	<0.001	0.0322	0.0112	<0.005	<0.001	0.153	<0.005	<0.005	<0.001	<0.001	0.292	0.11	<0.005	0.316	0.0579	0.374
	P74-ROX-041514	4/15/2014		44.74	NE	0.0043	<0.005	<0.005		<0.005	<0.005	<0.001	0.00074 J	<0.005	<0.005	<0.001	0.00078 J	<0.005	<0.005	<0.001	<0.001	0.0083	0.0039 J	<0.005	0.0193	0.0015	0.0208
	P74-ROX-070814	7/8/2014		43.02	NE	0.0374	<0.005	<0.005		0.0018 J J	<0.005	<0.001	0.0128	0.0036 J	<0.005	<0.001	0.0087	<0.005	<0.005	<0.001	<0.001	0.117	0.0518	<0.005	0.121	0.0122	0.133
	P74-ROX-101414	10/14/2014		41.48	NE	<0.001	<0.005	<0.005 UJ		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001 UJ	<0.001	0.00043 J J
	P74-ROX-011915	1/19/2015		43.47	NE	0.082	<0.005	<0.005		0.0029 J	<0.005	0.0056	0.0193	0.0053	<0.005	<0.001	0.102	<0.005	<0.005	<0.001	<0.001	0.135	0.0589	<0.005	0.197	0.019	0.216
	P74-ROX-041515	4/15/2015		44.61	NE	0.0058	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	0.00042 J	<0.005	<0.001	0.0013	<0.005	<0.005	<0.001	<0.001	0.0086	0.0044 J	<0.005	0.0202	0.0012	0.0214
	P74-ROX-071015	7/10/2015	44.43 - 69.43	43.28	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						VOCs																				
						Ethylbenzene	Hexachlorobutadiene	2-Hexanone (Methyl N-Butyl Ketone)	Isopentane	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	Tetrachloroethene	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,2-Trichloroethane	Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl acetate	m,p-Xylenes	o-Xylenes	Xylenes (total)
					Screening Values (mg/L)	0.7 [1]	0.007 [3]	0.035 [3]		0.7 [1]	0.56 [3]	0.07 [1]	0.14 [1]	0.7 [3]	0.1 [1]	0.005 [1]	1.0 [1]	0.0056 [3]	0.07 [1]	0.005 [1]	0.005 [1]		0.07 [3]	7.0 [2]	10 [1]		10 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
P-93A	P93A-ROX-110712	11/7/2012	48.17 - 63.17	45.00	NE	0.265	<0.5	<0.5		<0.5	<0.5	<0.1	<0.5	<0.5	<0.5	<0.1	<0.1	<0.5	<0.5	<0.1	<0.1	<0.5	<0.5	<0.5	0.43	0.076 J	0.506
	P93A-ROX-110712-DUP	11/7/2012		45.00	NE	0.262	<0.5	<0.5		<0.5	<0.5	<0.1	<0.5	<0.5	<0.5	<0.1	<0.1	<0.5	<0.5	<0.1	<0.1	<0.5	<0.5	<0.5	0.404	0.073 J	0.477
	P93A-ROX-012313	1/23/2013		45.89	NE	<0.5	<2.5	<2.5		<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<2.5 UJ	<0.5	<0.5	<0.5
	P93A-ROX-012313-DUP	1/23/2013		45.89	NE	<0.5	<2.5	<2.5		<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<2.5 UJ	<0.5	<0.5	<0.5
	P93A-ROX-041113	4/11/2013		46.29	NE	0.255 J	<2.5	<2.5		<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<0.5
	P93A-ROX-041113-DUP	4/11/2013		46.29	NE	<0.5	<2.5	<2.5		<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<0.5
	P93A-ROX-071813	7/18/2013		43.25	NE	0.162	<0.005	<0.005		0.0101	<0.005	0.0054 J	0.0303	0.0113	<0.005	<0.005	<0.001	0.0072	<0.005	<0.001	<0.001	0.0915	0.0116	<0.005 UJ	0.273	0.0426	0.316
	P93A-ROX-101113	10/11/2013		44.18	NE	0.264	<0.005	<0.005		0.0142	<0.005	0.0034	0.0621	0.015	<0.005	<0.001	0.0133	<0.005	<0.005	<0.001	<0.001	0.146	0.0163	<0.005 UJ	0.451	0.0789	0.53
	P93A-ROX-012914	1/29/2014		46.53	NE	<0.5	<2.5	<2.5		<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<0.5
	P93A-ROX-041714	4/17/2014		47.41	NE	<0.5	<2.5	<2.5		<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<0.5
	P93A-ROX-071814	7/18/2014		45.70	NE	<1	<5	<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	<1
	P93A-ROX-071814-DUP	7/18/2014		45.70	NE	<1	<5	<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	<1
	P93A-ROX-101514	10/15/2014		45.06	NE	0.229 J J	<2.5	<2.5		<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	0.442 J	<2.5	<2.5	<0.5	0.263 J	0.65
	P93A-ROX-101514-DUP	10/15/2014		45.06	NE	0.226 J J	<2.5	<2.5		<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<2.5	<0.5	0.258 J	0.635
	P93A-ROX-012715	1/27/2015	43.07 - 53.07	46.05	NE	0.0856 J	<0.002 UJ	<0.01 UJ		0.0073 J	0.0011 J J	0.0013 J	0.0243 J	0.008 J	<0.001 UJ	<0.001 UJ	0.0039 J	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.001 UJ	0.127 E J	0.0282 J	<0.01 UJ	0.138 J	0.0347 J	0.173 J
	P93A-ROX-041715	4/17/2015		47.02	NE	0.0559	<0.005	<0.005		0.0049 J	<0.005	<0.001	0.011 J	0.0059	<0.005	<0.001	0.003	<0.005 UJ	<0.005	<0.001	<0.001	0.0886	0.03	<0.005	0.0477	0.0199	0.0677
	P93A-ROX-071315	7/13/2015	43.07 - 53.07	45.93	NE	0.0361 J	<0.5	<0.5		<0.5	<0.5	<0.1	<0.5	<0.5	<0.5	<0.1	0.0342 J	<0.5	<0.5	<0.1	<0.1	0.0313 J	<0.5	<0.5	<0.1	<0.1	0.0502 J
P-93B	P93B-ROX-110712	11/7/2012	74.60 - 76.60	45.05	NE	<0.1	<0.5	<0.5		<0.5	<0.5	<0.1	<0.5	<0.5	<0.5	<0.1	<0.1	<0.5	<0.5	<0.1	<0.1	<0.5	<0.5	<0.5	0.0986 J	<0.1	0.0986 J
	P93B-ROX-110712-DUP	11/7/2012		45.05	NE	0.0695 J	<0.5	<0.5		<0.5	<0.5	<0.1	<0.5	<0.5	<0.5	<0.1	0.0719 J	<0.5	<0.5	<0.1	<0.1	<0.5	<0.5	<0.5	0.237	<0.1	0.237
	P93B-ROX-012313	1/23/2013		45.89	NE	<1	<5	<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<5 UJ	<1	<1	<1
	P93B-ROX-041113	4/11/2013		46.32	NE	<0.5	<2.5	<2.5		<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<0.5
	P93B-ROX-071813	7/18/2013		43.30	NE	0.0652	<0.005	<0.005		0.0247	<0.005	0.0035 J	0.0093	0.0357	<0.005	<0.001	0.0646	<0.005	<0.005	<0.001	<0.001	0.025	0.0069	0.0176 J	0.195	0.0418	0.236
	P93B-ROX-101613	10/16/2013		44.43	NE	<2	<10	<10		<10	<10	<2 UJ	<10	<10	<10	<2	<2	<10	<10	<2	<2	<10	<10	<10 UJ	<2	<2	<2
	P93B-ROX-101613-DUP	10/16/2013		44.43	NE	<2	<10	<10		<10	<10	<2 UJ	<10	<10	<10	<2	<2	<10	<10	<2	<2	<10	<10	<10 UJ	<2	<2	<2
	P93B-ROX-012814	1/28/2014		46.58	NE	<1	<5	<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	<1
	P93B-ROX-012814-DUP	1/28/2014		46.58	NE	<1	<5	<5 UJ		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	<1
	P93B-ROX-041714	4/17/2014		47.46	NE	<0.5	<2.5	<2.5		<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<0.5
	P93B-ROX-041714-DUP	4/17/2014		47.46	NE	<0.5	<2.5	<2.5		<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<0.5
	P93B-ROX-071714	7/17/2014		45.75	NE	0.0236 J	<0.005 UJ	<0.005 UJ		0.0227 J	<0.005 UJ	<0.001 UJ	0.0053 J	0.0297 J	<0.005 UJ	<0.001 UJ	0.0129 J	<0.005 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ	0.008 J	0.0037 J J	<0.005 UJ	0.0662 J	0.0047 J	0.0708
	P93B-ROX-101514	10/15/2014		45.15	NE	<0.5	<2.5	<2.5 UJ		<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<0.5
	P93B-ROX-012315	1/23/2015		47.24	NE	<1	<5	<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	<1
	P93B-ROX-012315-DUP	1/23/2015		47.24	NE	<1	<5	<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	<1
	P93B-ROX-021915	2/19/2015		47.24	NE	<0.5	<1	<5		<0.5	<2.5	<0.5	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<5	<1	<0.5	<1.5
	P93B-ROX-041615	4/16/2015		48.42	NE	0.0947	<0.005	<0.005 UJ		0.0226	<0.005	<0.001	0.0033 J J	0.0286	<0.005	0.00073 J	0.111	<0.005	<0.005	<0.001	<0.001	0.0124	0.0043 J	<0.005	0.0993	0.0378	0.137
	P93B-ROX-041615-DUP	4/16/2015		48.42	NE	0.249 J	<5	<5 UJ		<5	<5	<1	<5 UJ	<5	<5	0.216 J	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	0.338 J
	P93B-ROX-070915	7/9/2015	74.60 - 76.60	47.74	NE	<5	<25	<25		<25	<25	<5	<25	<25	<25	<5	<5	<25	<25	<5	<5	<25	<25	<25	<5	<5	<5
	P93B-ROX-070915-DUP	7/9/2015		47.74	NE	<2	<10	<10		<10	<10	<2	7.01 J	<10	<10	<2	<2	<10	<10	<2	<2	<10	<10	<10	<2	<2	<2
P-93C	P93C-ROX-110812	11/8/2012	94.26 - 96.26	45.12	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0056	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P93C-ROX-012313	1/23/2013		45.78	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0044	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	P93C-ROX-041213	4/12/2013		46.21	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0045	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P93C-ROX-071813	7/18/2013		43.31	NE	0.0041	<0.005	<0.005		0.002 J	<0.005	0.0049 J	<0.005	0.002 J	<0.005	<0.001	0.007	<0.005	<0.005	<0.001	<0.001	0.0016 J	<0.005	<0.005 UJ	0.0076	0.0015	0.0091
	P93C-ROX-080813	8/8/2013		43.31	NE	<0.05	<0.25	<0.25		<0.25	<0.25	<0.05	<0.25	<0.25	<0.25	<0.05	<0.05	<0.25	<0.25	<0.05	<0.05	<0.25	<0.25	<0.25	<0.05	<0.05	<0.05
	P93C-ROX-101613	10/16/2013		44.31	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0035 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	P93C-ROX-012414	1/24/2014		46.44	NE	<0.001	<0.005	<0.005 UJ		<0.005	<0.005	0.0047 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P93C-ROX-041714	4/17/2014		47.34	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0043	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P93C-ROX-071714	7/17/2014		45.61	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0061 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P93C-ROX-101514	10/15/2014		44.99	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0046	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P93C-ROX-011915	1/19/2015	92.47 - 97.47	48.22	NE	<0.1	<0.5	<0.5		<0.5	<0.5	<0.1	<0.5	<0.5	<0.5	<0.1	<0.1	<0.5	<0.5	<0.1	<0.1	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1
	P93C-ROX-021915	2/19/2015		48.22	NE	<1	<2	<10		<1	<5	<1	<5	<1	<1	<1	<1	<1	<1	<1	<1	<2	<2	<10	<2	<1	<3
	P93C-ROX-041615	4/16/2015		48.22	NE	<0.1	<0.5	<0.5 UJ		<0.5	<0.5	<0.1	<0.5 UJ	<0.5	<0.5	<0.1	0.0295 J	<0.5	<0.5	<0.1	<0.1	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1
	P93C-ROX-071315	7/13/2015	92.47 - 97.47	47.09	NE	0.00047 J	<0.005	<0.005		<0.005	<0.005	0.0016	<0.0037 U	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	0.00059 J	<0.005	<0.005	0.00095 J	<0.001	0.0011

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						VOCs																					
						Ethylbenzene	Hexachlorobutadiene	2-Hexanone (Methyl N-Butyl Ketone)	Isopentane	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	Tetrachloroethene	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,2-Trichloroethane	Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl acetate	m,p-Xylenes	o-Xylenes	Xylenes (total)
				Screening Values (mg/L)		0.7 [1]	0.007 [3]	0.035 [3]		0.7 [1]	0.56 [3]	0.07 [1]	0.14 [1]	0.7 [3]	0.1 [1]	0.005 [1]	1.0 [1]	0.0056 [3]	0.07 [1]	0.005 [1]	0.005 [1]		0.07 [3]	7.0 [2]	10 [1]		10 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																					
P-93D	P93D-ROX-110812	11/8/2012	125.75 - 127.75	NM	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0023	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P93D-ROX-012213	1/22/2013		44.21	NE	0.00069 J	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	0.0015 J	<0.005	<0.005	<0.001	<0.001	<0.001
	P93D-ROX-041113	4/11/2013		46.37	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P93D-ROX-071213	7/12/2013		43.51	NE	<0.001	<0.005 UJ	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001 UJ	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	P93D-ROX-101113	10/11/2013		44.24	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.00066 J J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	P93D-ROX-013114	1/31/2014		46.62	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0011	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P93D-ROX-041414	4/14/2014		47.54	NE	<0.001	<0.005	<0.005		<0.005	<0.005	<0.001	0.0017 J	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P93D-ROX-071714	7/17/2014		45.78	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0011 J	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P93D-ROX-101514	10/15/2014		45.14	NE	<0.01	<0.05	<0.05		<0.05	<0.05	<0.01	<0.05	<0.05	<0.05	<0.01	<0.01	<0.05	<0.05	<0.01	<0.01	0.0083 J	<0.05	<0.05	<0.01	<0.01	<0.01
	P93D-ROX-110414	11/4/2014		45.14	NE	0.0013	<0.005	<0.005		<0.005	<0.005	0.002	<0.005	0.00067 J	<0.005	<0.001	0.0018	<0.005	<0.005	<0.001	<0.001	0.00057 J	<0.005	<0.005	<0.001	<0.001	<0.001
	P93D-ROX-012315	1/23/2015		42.28	NE	<0.25	<1.3	<1.3		<1.3	<1.3	<0.25	<1.3	<1.3	<1.3	<0.25	<0.25	<1.3	<1.3	<0.25	<0.25	<1.3	<1.3	<1.3	<0.25	<0.25	<0.25
	P93D-ROX-021915	2/19/2015		42.28	NE	<2.5	<5	<25		<2.5	<13	<2.5	<13	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<5	<25	<5	<2.5	<7.5
	P93D-ROX-042015	4/20/2015		48.52	NE	<0.1	<0.5	<0.5		<0.5	<0.5	<0.1	<0.5 UJ	<0.5	<0.5	<0.1	<0.1	<0.5 UJ	<0.5	<0.1	<0.1	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1
	P93D-ROX-070915	7/9/2015	125.75 - 127.75	47.96	NE	<0.5	<2.5	<2.5		<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<0.5
P-114	P114-ROX-110912	11/9/2012	32.67 - 52.67	30.90	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0076 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	0.0013 J	<0.001	0.0013 J
	P114-ROX-012313	1/23/2013		30.22	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.003 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	P114-ROX-041513	4/15/2013		31.80	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0051	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P114-ROX-071813	7/18/2013		27.22	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0023 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	P114-ROX-071813-DUP	7/18/2013		27.22	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0022 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	P114-ROX-101713	10/17/2013		29.43	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0036	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P114-ROX-012814	1/28/2014		32.11	NE	<0.001	<0.005	<0.005 UJ		<0.005	<0.005	0.0153	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P114-ROX-042114	4/21/2014		32.22	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0093	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P114-ROX-071814	7/18/2014		30.87	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0037	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P114-ROX-101714	10/17/2014		29.43	NE	0.00045 J J	<0.005	<0.005		<0.005	<0.005	0.0098 J	<0.005	0.00087 J J	<0.005	<0.001	<0.001	<0.005 UJ	<0.005	<0.001	<0.001	<0.005	0.00043 J J	<0.005 UJ	0.00059 J J	<0.001	0.00059 J J
	P114-ROX-012115	1/21/2015		31.53	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0268 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	0.00046 J J	<0.005	<0.005	0.00068 J J	<0.001	0.00093 J J
	P114-ROX-041715	4/17/2015		NM	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0237	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P114-ROX-070815	7/8/2015	32.67 - 52.67	29.16	NE	<0.001	<0.005	<0.005		<0.005	<0.005	0.0265	0.002 J	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
ROST-3-PZ	ROST3PZ-ROX-110112	11/1/2012	40.00 - 50.00	40.82	NE	0.0018	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	0.0026 J	<0.005	<0.005	0.0122	0.0037	0.0159
ROST-3-MW	ROST3MW-ROX-012313	1/23/2013	37.81 - 47.81	41.50	NE	0.0296	<0.005	<0.005		0.0066	<0.005	<0.001	0.0076	0.0156	<0.005	<0.001	0.0016	<0.005	<0.005	<0.001	<0.001	0.0786	0.022	<0.005 UJ	0.114	0.0159	0.13
	ROST3MW-ROX-040513	4/5/2013				0.0136	<0.005	<0.005		0.0032 J	<0.005	<0.001	0.132 J	0.0082	<0.005	<0.001	0.0076	<0.005	<0.005	<0.001	<0.001	0.0531	0.0145	<0.005	0.0603	0.0126	0.0729
	ROST3MW-ROX-071113	7/11/2013		39.50	NE	0.218	<0.005	<0.005 UJ		0.0146	<0.005	<0.001	0.0411	0.0279	<0.005	<0.001	0.014	<0.005	<0.005	<0.001	<0.001	0.164	0.0373	<0.005 UJ	0.644	0.124	0.768
	ROST3-MW-ROX-100913	10/9/2013		40.16	NE	0.0182	<0.005 UJ	<0.005		0.0017 J	<0.005	<0.001	0.0045 J	0.0029 J	<0.005	<0.001	0.0018	<0.005	<0.005	<0.001	<0.001	0.0168	0.0035 J	<0.005	0.0422	0.0123	0.0546
	ROST3MW-ROX-011714	1/17/2014		42.20	NE	0.008	<0.005	<0.005		0.00099 J	<0.005	<0.001	<0.005	0.002 J	<0.005	<0.001	0.0012	<0.005	<0.005	<0.001	<0.001	0.0207	0.0057	<0.005	0.0377	0.0063	0.044
	ROST3MW-ROX-041014	4/10/2014		42.80	NE	0.0055	<0.005	<0.005		0.00043 J	<0.005	<0.001	0.00084 J	0.00082 J	<0.005	<0.001	0.0015	<0.005	<0.005	<0.001	<0.001	0.0121	0.003 J	<0.005	0.0287	0.0028	0.0315
	ROST3MW-ROX-071414	7/14/2014		41.88	NE	0.008	<0.005	<0.005		0.00053 J	<0.005	<0.001	0.0045 J	0.00098 J	<0.005	<0.001	0.0024	<0.005	<0.005	<0.001	<0.001	0.0132	0.0032 J	<0.005	0.0371	0.0041	0.0412
	ROST3MW-ROX-100914	10/9/2014		41.31	NE	0.0398	<0.005	<0.005		0.0021 J	<0.005	<0.001 UJ	0.0061	0.0028 J	<0.005	<0.001	0.0032	<0.005	<0.005	<0.001	<0.001	0.018	0.005	<0.005 UJ	0.0651	0.0205	0.0856
	ROST3MW-ROX-011515	1/15/2015		41.83	NE	0.0144	<0.005	<0.005		0.0016 J	<0.005	<0.001	0.0061	0.0021 J	<0.005	<0.001	0.0011	<0.005	<0.005	<0.001	<0.001	0.0126	0.0036 J	<0.005	0.0166	0.0042	0.0209
	ROST3MW-ROX-041315	4/13/2015		43.43	NE	0.0085	<0.005	<0.005		0.0014 J J	<0.005	<0.001	<0.005 UJ	0.0015 J J	<0.005	<0.001	0.0008 J	<0.005	<0.005	<0.001	<0.001	0.0055 J	0.00068 J	<0.005	0.0015	0.0029	0.0044
	ROST3MW-ROX-071315	7/13/2015	37.81 - 47.81	42.36	NE	0.02	<0.00071 U	<0.005		0.00093 J	<0.005	<0.001	0.0052 J	0.0012 J	<0.005	<0.001	0.0027	<0.0015 U	<0.0013 U	<0.001	<0.001	0.0059	0.00061 J	0.0583	0.0263	0.0065	0.0328
ROST-4-PZ(C)	ROST4PZC-ROX-102912	10/29/2012	34.95 - 44.95	40.75	NE	0.0014	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.0021	<0.001	0.0021
	ROST4PZ(C)-ROX-011113	1/11/2013		41.42	NE	0.0013	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	0.002 J	0.0014 J	<0.005	0.0018	<0.001	0.0018
	ROST4PZC-ROX-041013	4/10/2013		42.27	NE	0.0028 J	<0.005	<0.005 UJ		0.00061 J J	<0.005 UJ	<0.001	<0.005	0.0011 J	<0.005 UJ	<0.001 UJ	0.0006 J J	<0.005 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ	0.0016 J	<0.005	<0.005	<0.001 UJ	<0.001 UJ	<0.001 UJ
	ROST4PZC-ROX-071113	7/11/2013		40.18	NE	0.0651	<0.005	<0.005 UJ		0.0025 J	<0.005	<0.001	0.0189	0.0041 J	<0.005	<0.001	0.041	<0.005	<0.005	<0.001	<0.001	0.0194	0.0044 J	<0.005 UJ	0.126	0.0649	0.191
	ROST4PZC-ROX-100913	10/9/2013		39.91	NE	0.0064	<0.005 UJ	<0.005		0.00066 J	<0.005	<0.001	0.0054	0.0012 J	<0.005	<0.001	0.0013	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.0101	0.0054	0.0155
	ROST4PZC-ROX-011714	1/17/2014		41.92	NE	0.0039	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	0.00073 J	<0.005	<0.001	0.0014	<0.005	<0.005	<0.001	<0.001	0.0017 J	<0.005	<0.005	0.0124	0.0057	0.018
	ROST4PZC-ROX-041014	4/10/2014		42.05	NE	0.00059 J	<0.005	<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	0.00057 J	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.0015	0.0015	0.003
	ROST4C-ROX-071114	7/10/2014		42.22	NE	0.0594	<0.005	<0.005		0.00037 J	<0.005	<0.001	0.0104 J	<0.005	<0.005	<0.001	0.0421	<0.005 UJ	<0.005	<0.001	<0.001	0.00082 J	<0.005	<0.005	0.0574	0.0815	0.139
	ROST4PZC-ROX-100914	10/9/2014		41.30	NE	0.0688	<0.005	<0.005		0.0011 J	<0.005	<0.001 UJ	0.0169	0.0011 J	<0.005	<0.001	0.0196	<0.005	<0.005	<0.001	<0.001	0.0046 J	0.00047 J	<0.005 UJ	0.112	0.0634	0.176
	ROST4PZC-ROX-011515	1/15/2015		41.65	NE	0.0035	<0.005	<0.005		0.00036 J	<0.005	<0.001	<0.005	0.00056 J	<0.005	<0.001	0.0005 J	<0.005	<0.005	<0.001	<0.001	0.0011 J	<0.005	<0.005	0.0026	0.0031	0.0057
	ROST4PZC-ROX-041315	4/13/2015		43.00	NE	0.0806	<0.005	<0.005		0.0013 J J	<0.005	<0.001	0.0146 J	0.0013 J J	<0.005	<0.001	0.0313	<0.005	<0.005	<0.001	<0.001	0.0052 J	0.00075 J	<0.005	0.148	0.0203	0.168
	ROST4PZ-ROX-071315	7/13/2015	34.95 - 44.95	42.59	NE	0.159	<0.005	<0.005		0.0037 J	<0.005	<0.001	0.0806	0.0053	<0.005	<0.001	0.0456	<0.005	<0.005	<0.001	<0.001	0.0334	0.0052	<0.005	0.4	0.0302	0.43

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						VOCs																				
						Ethylbenzene	Hexachlorobutadiene	2-Hexanone (Methyl N-Butyl Ketone)	Isopentane	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	Tetrachloroethene	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,2-Trichloroethane	Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl acetate	m,p-Xylenes	o-Xylenes	Xylenes (total)
				Screening Values (mg/L)		0.7 [1]	0.007 [3]	0.035 [3]		0.7 [1]	0.56 [3]	0.07 [1]	0.14 [1]	0.7 [3]	0.1 [1]	0.005 [1]	1.0 [1]	0.0056 [3]	0.07 [1]	0.005 [1]	0.005 [1]		0.07 [3]	7.0 [2]	10 [1]		10 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
T-12	T12-ROX-110512	11/5/2012	46.72 - 72.72	43.91	NE	1.73	<0.05	<0.05		0.0468 J	<0.05	<0.01	0.125	0.0831	<0.05	<0.01	0.322	<0.05	<0.05	<0.01	<0.01	0.385	0.0543	<0.05	2.55	0.176	2.73
	T12-ROX-011813	1/18/2013		44.50	NE	0.426	<0.025	<0.025		0.031	<0.025	<0.005	0.129	0.0466	<0.025	<0.005	0.184	<0.025	<0.025	<0.005	<0.005	0.42	0.0407	<0.025	1.11	0.0252	1.13
	T12-ROX-041513	4/15/2013		44.99	NE	1.03	<0.05	<0.05		0.0405 J	<0.05	<0.01	0.266 J	0.076	<0.05	<0.01	0.592	<0.05	<0.05	<0.01	<0.01	0.309	<0.05	<0.05	1.2	0.104	1.3
	T12-ROX-071613	7/16/2013		42.33	NE	0.45	<0.005 UJ	<0.005		0.0363 J	<0.005	<0.001	0.122 J	0.0627 J	<0.005	<0.001	0.186 J	<0.005	<0.005	<0.001	<0.001	0.361 J	0.0238 J	<0.005 UJ	0.794 J	0.0145 J	0.808 J
	T12-ROX-101513	10/15/2013		43.73	NE	1.82	<0.025	<0.025		0.0618	<0.025	<0.005	0.215 J	0.114	<0.025	<0.005	0.697	<0.025	<0.025	<0.005	<0.005	0.575	0.0607	<0.025	2.43	0.139	2.57
	T12-ROX-012414	1/24/2014		45.26	NE	0.518	<0.005	<0.005		0.0362	<0.005	<0.001	0.171	0.0676	<0.005	<0.001	0.421	<0.005	<0.005	<0.001	<0.001	0.526	0.0507	<0.005	1.12	0.0469	1.23
	T12-ROX-041514	4/15/2014		46.72	NE	0.376	<0.005	<0.005		0.0306	<0.005	<0.001	0.12	0.0534	<0.005	<0.001	0.406	<0.005	<0.005	<0.001	<0.001	0.22 J	0.0339	<0.005	0.841	0.0401	0.864
	T12-ROX-070814	7/8/2014		45.13	NE	0.614	<0.005	<0.005		0.0577 J	<0.005	<0.001	0.146	0.0912	<0.005	<0.001	0.686	<0.005	<0.005	<0.001	<0.001	0.425	0.0589	<0.005	1.25	0.0909	1.3
	T12-ROX-101714	10/17/2014		44.40	NE	1.75	<0.05	<0.05		0.0459 J	<0.05	<0.01	0.184 J	0.0707	<0.05	<0.01	0.722	<0.05 UJ	<0.05	<0.01	<0.01	0.244	0.0391 J	<0.05 UJ	2.25	0.114	2.36
	T12-ROX-011915	1/19/2015	46.83 - 72.83	45.27	NE	0.596	<0.05	<0.05		0.0432 J	<0.05	0.0033 J	0.196	0.0745	<0.05	<0.01	0.337	<0.05	<0.05	<0.01	<0.01	0.391	0.0521	<0.05	1.3	0.0747	1.38
	T12-ROX-041515	4/15/2015		46.73	NE	1.34	<0.005	<0.005		0.0662	<0.005	<0.001	0.131 J	0.117	<0.005	<0.001	0.658	<0.005	<0.005	<0.001	<0.001	0.331	0.0543	<0.005	1.62	0.177	1.62
	T12-ROX-071015	7/10/2015	46.83 - 72.83	46.09	NE	0.197	<0.05	<0.05		0.0222 J	<0.05	<0.01	0.0798	0.0455 J	<0.05	<0.01	0.0782	<0.05	<0.05	<0.01	<0.01	0.185	0.0173 J	<0.05	0.594	0.0097 J	0.603

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						SVOCs																		
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenzo(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate
					Screening Values (mg/L)	0.42 [1]	0.21 [3]	0.023 [3]	2.1 [1]	0.00013 [1]	0.0002 [1]	0.00018 [1]	0.21 [3]	0.00017 [1]	28 [1]	0.7 [3]	0.01 [2]	0.006 [2]	1.4 [2]		0.035 [2]	0.012 [1]	0.0003 [1]	0.007 [3]	0.021 [2]	5.6 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-01	MW1-ROX-102612	10/26/2012	48.80 - 58.80	41.22	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0057	0.00099 J	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057
	MW1-ROX-121712	12/17/2012		41.22	NE																					
	MW1-ROX-011013	1/10/2013		41.89	NE	<0.000024 U	<0.0001	<0.01 UJ	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW1-ROX-040913	4/9/2013		42.55	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0011 U
	MW1-ROX-070813	7/8/2013		39.56	NE	<0.000026 U	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	0.000027 J	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.0024 U	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	MW1-ROX-100313	10/3/2013		40.28	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00065 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW1-ROX-011414	1/14/2014		42.77	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011 UJ	<0.0053 UJ	<0.00011	<0.00011	<0.0021	<0.011 UJ	<0.0053
	MW1-ROX-040714	4/7/2014		43.28	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	0.003 J J	<0.011	<0.0054	<0.0022	<0.0054	<0.011 UJ	<0.0057 UJ	<0.00011	<0.00011	<0.0022	<0.011 UJ	<0.0054
	MW1-ROX-070914	7/9/2014		42.09	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW1-ROX-100614	10/6/2014		41.1	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW1-ROX-011215	1/12/2015		42.73	NE	0.00003 J	0.000027 J	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW1-ROX-040615	4/6/2015		44.11	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	0.00046 J	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW1-ROX-070815	7/8/2015	48.80 - 58.80	43.35	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
MW-02	MW2-ROX-102612	10/26/2012	49.87 - 59.87	42.35	NE	0.000093 J	<0.00011	<0.011	<0.00011	0.00016	<0.00011	<0.000054	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW2-ROX-011113	1/11/2013		42.94	NE	0.00016	0.000019 J	<0.011 UJ	<0.00011	<0.000056	0.000027 J	0.000039 J	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW2-ROX-040913	4/9/2013		43.70	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW2-ROX-071113	7/11/2013		40.82	NE	0.000035 J	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0055	0.00063 J	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	MW2-ROX-100813	10/8/2013		41.73	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW2-ROX-012014	1/20/2014		44.00	NE	<0.00011	0.00018	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW2-ROX-041014	4/10/2014		44.66	NE	<0.00012	<0.00012	<0.012	<0.00012	<0.00006	<0.00012	<0.00006	<0.00012	<0.00012	<0.012 UJ	<0.012	<0.006	<0.0024	<0.006	<0.012	<0.006	<0.00012	<0.00012	<0.0024	<0.012	<0.006
	MW2-ROX-071414	7/14/2014		43.13	NE	0.000084 J	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00037 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW2-ROX-101014	10/10/2014		42.49	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	MW2-ROX-011615	1/16/2015		44.1	NE	0.00018	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW2-ROX-041315	4/13/2015		45.56	NE	0.000041 J	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	0.001 J	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW2-ROX-071315	7/13/2015	49.87 - 59.87	44.53	NE	0.000042 J	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
MW-03	MW3-ROX-102512	10/25/2012	34.67 - 44.67	28.39	NE	<0.0001	<0.0001	<0.01 UJ	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.00059 U
	MW3-ROX-010913	1/9/2013		29.35	NE	<0.0001	0.000023 J	<0.01 UJ	0.000037 J	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005
	MW3-ROX-040813	4/8/2013		29.74	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057
	MW3-ROX-071113	7/11/2013		26.32	NE	0.000028 J	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0054	0.0038	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW3-ROX-100813	10/8/2013		27.38	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW3-ROX-011614	1/16/2014		29.91	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011 UJ	<0.0053 UJ	<0.00011	<0.00011	<0.0021	<0.011 UJ	<0.0053
	MW3-ROX-040914	4/9/2014		30.50	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	0.00038 J	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW3-ROX-071114	7/10/2014		29.05	NE	<0.0001	<0.0001	<0.011	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.011	<0.011	<0.0054	0.0013 J	<0.0054	<0.011	<0.0054	0.000028 J	<0.0001	<0.0022	<0.011	<0.0054
	MW3-ROX-100914	10/9/2014		28.18	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW3-ROX-011515	1/15/2015		29.65	NE	0.000027 J	<0.00011	<0.011	0.000021 J J	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW3-ROX-041015	4/10/2015		31.16	NE	0.000018 J	<0.0001	<0.011	0.000019 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.011	<0.011	<0.0053	<0.00073 U	<0.0053	<0.011	<0.0053	<0.0001	<0.0001	<0.0021	<0.011	<0.0053
	MW3-ROX-071015	7/10/2015	34.67 - 44.67	30.01	NE	<0.00011	<0.00011	<0.011	0.00002 J	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
MW-04	MW4-ROX-102912	10/29/2012	46.06 - 56.06	39.45	NE	<0.0001	<0.0001	<0.01 UJ	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW4-ROX-011113	1/11/2013		40.20	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW4-ROX-011113-DUP	1/11/2013		40.20	NE	<0.00012	<0.00012	<0.012 UJ	<0.00012	<0.00006	<0.00012	<0.00006	<0.00012	<0.00012	<0.012	<0.012	<0.006	<0.0024	<0.006	<0.012	<0.006	<0.00012	<0.00012	<0.0024	<0.012	<0.006
	MW4-ROX-030413	3/4/2013		40.20	NE																					
	MW4-ROX-040913	4/9/2013		40.90	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW4-ROX-040913-DUP	4/9/2013		40.90	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053 UJ
	MW4-ROX-071713	7/17/2013		37.61	NE	<0.000036 U	<0.00011	<0.011	<0.00011	<0.000055	0.00004 J	0.000034 J	0.000061 J	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	MW4-ROX-101613	10/16/2013		38.80	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0054	<0.0022	<0.0054	<0.011 UJ	<0.0055 UJ	<0.00011	<0.00011	<0.0022	<0.011 UJ	<0.0054
	MW4-ROX-013014	1/30/2014		41.09	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0054	<0.0022	<0.0054	<0.011 UJ	<0.0054 UJ	<0.00011	<0.00011	<0.0022	<0.011 UJ	<0.0054
	MW4-ROX-041614	4/16/2014		41.91	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW4-ROX-071614	7/16/2014		40.18	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	0.00038 J	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW4-ROX-101614	10/16/2014		39.49	NE	<0.00012	<0.00012	<0.012	<0.00012	<0.000059	<0.00012	<0.000059	<0.00012	<0.00012	<0.012	<0.012	<0.0059	<0.0024	<0.0059	<0.012	<0.0059	<0.00012	<0.00012	<0.0024	<0.012	<0.0059
	MW4-ROX-012115	1/21/2015		41.27	NE	0.000019 J	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW4-ROX-042115	4/21/2015	45.06 - 55.06	42.58	NE	0.000027 J	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW4-ROX-071415	7/14/2015	45.06 - 55.06	41.30	NE	0.000023 J	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						SVOCs																		
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenzo(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate
				Screening Values (mg/L)		0.42 [1]	0.21 [3]	0.023 [3]	2.1 [1]	0.00013 [1]	0.0002 [1]	0.00018 [1]	0.21 [3]	0.00017 [1]	28 [1]	0.7 [3]	0.01 [2]	0.006 [2]	1.4 [2]		0.035 [2]	0.012 [1]	0.0003 [1]	0.007 [3]	0.021 [2]	5.6 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-05	MW5-ROX-102912	10/29/2012	33.97 - 43.97	28.16	NE	<0.0001	<0.0001	<0.01 UJ	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	MW5-ROX-011113	1/11/2013		28.75	NE	0.000071 J	0.000066 J	<0.011 UJ	0.000028 J	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	MW5-ROX-040913	4/9/2013		29.41	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW5-ROX-070913	7/9/2013		26.04	NE	<0.0001	<0.0001	<0.01	<0.0001	0.0001 J	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005
	MW5-ROX-100813	10/8/2013		26.97	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	MW5-ROX-011714	1/17/2014		29.59	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW5-ROX-041014	4/10/2014		30.09	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW5-ROX-071414	7/14/2014		28.59	NE	0.000075 J	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW-5-ROX-100914	10/9/2014		27.75	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW5-ROX-011515	1/15/2015		29.34	NE	0.00012	<0.00011	<0.011	0.00007 J J	0.000035 J J	<0.00011	<0.000053	0.00002 J J	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	0.000025 J J	0.000017 J J	<0.0021	<0.011	<0.0053
	MW5-ROX-041315	4/13/2015		30.97	NE	0.000073 J	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW5-ROX-071315	7/13/2015	33.97 - 43.97	29.45	NE	0.000062 J	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
MW-06A	MW6A-ROX-102412	10/24/2012	34.83 - 44.83	30.06	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW6A-ROX-011413	1/14/2013		31.00	NE	<0.0001	<0.0001	<0.01 UJ	<0.0001	<0.000051	<0.0001	<0.000051	0.000073 J	<0.0001	<0.01 UJ	<0.01	<0.0051	0.00054 J	<0.0051	<0.01	<0.0051	<0.0001	0.000066 J	<0.002	<0.01	<0.0051
	MW6A-ROX-040313	4/3/2013		31.62	NE	<0.00011	<0.00011 UJ	<0.011 UJ	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0053	0.00052 J	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW6A-ROX-070913	7/9/2013		28.25	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	MW6A-ROX-070913-DUP	7/9/2013		28.25	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	MW6A-ROX-100713	10/7/2013		28.87	NE	0.0001 J	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.00082 U
	MW6A-ROX-100713-DUP	10/7/2013		28.87	NE	0.000093 J	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	0.00078 J
	MW6A-ROX-011614	1/16/2014		31.62	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW6A-ROX-011614-DUP	1/16/2014		31.62	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW6A-ROX-040814	4/8/2014		32.16	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0056	<0.00057 U	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW6A-ROX-040814-DUP	4/8/2014		32.16	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0054	<0.00066 U	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW6A-ROX-071014	7/10/2014		30.75	NE	<0.00011	0.000075 J	<0.011 UJ	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW6A-ROX-100814	10/8/2014		29.84	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW6A-ROX-011415	1/14/2015		31.54	NE	0.000089 J	0.00004 J	<0.011	0.00006 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW6A-ROX-040715	4/7/2015		33.08	NE	0.000061 J	0.000085 J	<0.01	0.000027 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	MW6A-ROX-071515	7/15/2015	34.83 - 44.83	31.52	NE	0.00011	<0.00011	<0.011	0.000047 J	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057
MW-06B	MW6B-ROX-102412	10/24/2012	64.05 - 69.05	30.11	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	0.00057 J	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	MW6B-ROX-011713	1/17/2013		31.11	NE	<0.0001	<0.0001	<0.01 UJ	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005
	MW6B-ROX-040313	4/3/2013		31.68	NE	<0.00011	<0.00011 UJ	<0.011 UJ	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW6B-ROX-070913	7/9/2013		28.25	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW6B-ROX-100713	10/7/2013		28.93	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.00057 U	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.00084 U
	MW6B-ROX-011614	1/16/2014		31.67	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	0.000051 J	<0.00011	<0.011 UJ	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	0.000042 J	<0.0022	<0.011	<0.0054
	MW6B-ROX-040814	4/8/2014		32.21	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW6B-ROX-071014	7/10/2014		30.81	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW6B-ROX-100814	10/8/2014		29.87	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW6B-ROX-011415	1/14/2015		31.59	NE	<0.00011	0.000016 J	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW6B-ROX-040715	4/7/2015		33.10	NE	<0.0001	0.000016 J	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	MW6B-ROX-040715-DUP	4/7/2015		33.10	NE	<0.0001	0.000016 J	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW6B-ROX-071415	7/14/2015	64.05 - 69.05	31.56	NE	0.00012	0.000017 J	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
MW-06C	MW6C-ROX-102412	10/24/2012	84.95 - 89.95	27.85	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	MW6C-ROX-011713	1/17/2013		30.88	NE	<0.0001	<0.0001	<0.01 UJ	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005
	MW6C-ROX-040313	4/3/2013		31.41	NE	<0.0001	<0.0001 UJ	<0.01 UJ	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01 UJ	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW6C-ROX-070913	7/9/2013		28.03	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW6C-ROX-100713	10/7/2013		28.72	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.00056 U	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0013 U
	MW6C-ROX-011614	1/16/2014		31.48	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	0.000041 J	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW6C-ROX-040814	4/8/2014		32.01	NE	<0.00012	<0.00012	<0.012	<0.00012	<0.000059	<0.00012	<0.000059	<0.00012	<0.00012	<0.012	<0.012	<0.0059	<0.0024	<0.0059	<0.012	<0.0059	<0.00012	<0.00012	<0.0024	<0.012	<0.0059
	MW6C-ROX-071014	7/10/2014		30.60	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	0.000034 J	<0.00011	<0.000056	0.000035 J	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	0.000037 J	<0.00011	<0.0022	<0.011	<0.0056
	MW6C-ROX-100814	10/8/2014		29.67	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW6C-ROX-011415	1/14/2015		31.41	NE	0.000017 J	<0.00011	<0.011	0.000024 J	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW6C-ROX-040915	4/9/2015		32.80	NE	<0.00011	<0.00011	<0.011	0.000016 J	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW6C-ROX-071415	7/14/2015	84.95 - 89.95	31.38	NE	0.000027 J	0.00002 J	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						SVOCs																		
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenzo(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate
				Screening Values (mg/L)		0.42 [1]	0.21 [3]	0.023 [3]	2.1 [1]	0.00013 [1]	0.0002 [1]	0.00018 [1]	0.21 [3]	0.00017 [1]	28 [1]	0.7 [3]	0.01 [2]	0.006 [2]	1.4 [2]		0.035 [2]	0.012 [1]	0.0003 [1]	0.007 [3]	0.021 [2]	5.6 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-06D	MW6D-ROX-102412	10/24/2012	104.72 - 109.72	29.71	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW6D-ROX-011713	1/17/2013		30.75	NE	<0.0001	<0.0001	<0.01 UJ	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005
	MW6D-ROX-040313	4/3/2013		31.27	NE	<0.00011	<0.00011 UJ	<0.011 UJ	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW6D-ROX-070913	7/9/2013		27.91	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	MW6D-ROX-100713	10/7/2013		28.58	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.001 U
	MW6D-ROX-011614	1/16/2014		31.33	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW6D-ROX-040814	4/8/2014		31.85	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	MW6D-ROX-071014	7/10/2014		31.47	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW6D-ROX-071014-DUP	7/10/2014		31.47	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW6D-ROX-100814	10/8/2014		29.53	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	0.016	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW6D-ROX-100814-DUP	10/8/2014		29.53	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW6D-ROX-011415	1/14/2015		31.26	NE	<0.00011	<0.00011	<0.011	0.000026 J	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW6D-ROX-011415-DUP	1/14/2015		31.26	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW6D-ROX-040715	4/7/2015		32.74	NE	0.000016 J	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW6D-ROX-071415	7/14/2015	104.72 - 109.72	31.19	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
MW-07	MW7-ROX-103012	10/30/2012	42.92 - 52.92	41.23	NE	0.00031	<0.00012	<0.012 UJ	<0.00012	<0.000058	<0.00012	<0.000058	<0.00012	<0.00012	<0.012	<0.012	<0.0058	0.0015 J	<0.0058	<0.012	<0.0058	<0.00012	<0.00012	<0.0023	<0.012	<0.0058
	MW7-ROX-103012-DUP	10/30/2012		41.23	NE	0.00034	<0.00011	<0.011 UJ	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	0.0007 J	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW7-ROX-011513	1/15/2013		42.21	NE	0.00073	0.00011	<0.011 UJ	0.000059 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	0.00061 J	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW7-ROX-011513-DUP	1/15/2013		42.21	NE	0.00066	0.000093 J	<0.01 UJ	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	0.00055 J	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW7-ROX-041013	4/10/2013		42.70	NE	0.0012	0.00015	<0.011	0.000089 J	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	0.00083 J	<0.011	<0.0054
	MW7-ROX-041013-DUP	4/10/2013		42.70	NE	0.0012	0.00016	<0.011	0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	0.00088 J	<0.011	<0.0053
	MW7-ROX-071713	7/17/2013		39.60	NE	0.00019	0.000031 J	<0.011	0.000028 J	0.00004 J	0.000044 J	0.000045 J	0.00008 J	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	0.000077 J	<0.0022	<0.011	<0.0054
	MW7-ROX-101613	10/16/2013		40.64	NE	0.00035	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	MW7-ROX-013014	1/30/2014		42.94	NE	0.00028	<0.0001	<0.01	0.00029	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005
	MW7-ROX-041614	4/16/2014		43.79	NE	0.00034	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW7-ROX-071614	7/16/2014		42.05	NE	0.00024	<0.0001	<0.01	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW7-ROX-071614-DUP	7/16/2014		42.05	NE	0.00022	<0.0001	<0.01	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW7-ROX-101614	10/16/2014		41.31	NE	0.00024	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW7-ROX-101614-DUP	10/16/2014		41.31	NE	0.00022	<0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057
	MW7-ROX-012215	1/22/2015		43.45	NE	0.00026	0.000051 J	<0.011	0.000056 J J	<0.00005 U	0.000028 J	0.00013 J	0.000034 J	0.000026 J	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.000046 U	0.000025 J	<0.0021	<0.011	<0.0053
	MW7-ROX-012215-DUP	1/22/2015		43.45	NE	0.00025	0.000044 J	<0.01	0.00046 J	<0.000052	<0.0001	<0.000052 UJ	<0.0001	<0.0001	<0.01	<0.01	<0.0052	0.00039 J	<0.0052	<0.01	<0.0052	<0.000021 U	<0.0001	<0.0021	<0.01	<0.0052
	MW7-ROX-042115	4/21/2015		44.63	NE	0.00038	0.000059 J	<0.01	0.000055 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	0.000022 J	<0.0001	0.00028 J	<0.01	<0.0051
	MW7-ROX-042115-DUP	4/21/2015		44.63	NE	0.00036	0.000053 J	<0.01	0.00005 J	<0.000051	0.000024 J	<0.000051	0.000018 J	<0.0001	<0.01	<0.01	<0.0051	0.00033 J	<0.0051	<0.01	<0.0051	0.000028 J	0.000016 J	<0.002	<0.01	<0.0051
	MW7-ROX-071515	7/15/2015	42.92 - 52.92	43.54	NE	0.00027	0.000038 J	<0.01	0.000038 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	0.00037 J	<0.0051	<0.01	<0.0051	0.000033 J	<0.0001	<0.002	<0.01	<0.0051
	MW7-ROX-071515-DUP	7/15/2015		43.54	NE	0.00025	0.000043 J	<0.01	0.000039 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	0.000034 J	<0.0001	<0.0021	<0.01	<0.0052
MW-08	MW8-ROX-103012	10/30/2012	33.60 - 43.60	32.32	NE	0.00026	0.00011	<0.011 UJ	0.00044	<0.00087 U	0.00053 B	0.00057 B	0.00058 B	0.00064 B	<0.011	<0.011	<0.0053	0.0012 J	0.00086 J	<0.011	<0.0053	0.00066 B	0.00059 B	<0.0021	<0.011	<0.0053
	MW8-ROX-011513	1/15/2013		33.30	NE	0.00017	0.000085 J	<0.011 UJ	0.000029 J	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0056	0.00089 J	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW8-ROX-041013	4/10/2013		33.77	NE	0.00018	0.000059 J	<0.011	0.000072 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	0.0023	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW8-ROX-071713	7/17/2013		30.43	NE	0.0002	<0.0001	<0.01	0.000049 J	<0.000052	0.000021 J	<0.000052	0.00004 J	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW8-ROX-071713-DUP	7/17/2013		30.43	NE	0.00019	0.000056 J	<0.011	0.000061 J	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	0.0004 J	<0.011	<0.0054
	MW8-ROX-101613	10/16/2013		31.59	NE	0.00021	0.000089 J	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	0.0005 J	<0.011	<0.0054
	MW8-ROX-101613-DUP	10/16/2013		31.59	NE	0.0002	0.000058 J	<0.012	<0.00012	<0.000059	<0.00012	<0.000059	<0.00012	<0.00012	<0.012	<0.012	<0.0059	<0.0024	<0.0059	<0.012	<0.0059	<0.00012	<0.00012	0.0004 J	<0.012	<0.0059
	MW8-ROX-013014	1/30/2014		34.02	NE	0.0002	0.000089 J	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	0.00053 J	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	0.0005 J	<0.01	<0.0051
	MW8-ROX-013014-DUP	1/30/2014		34.02	NE	0.00021	0.000083 J	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00072 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	0.00053 J	<0.011	<0.0054
	MW8-ROX-041614	4/16/2014		34.73	NE	0.00018	0.000074 J	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	0.0005 J	<0.011	<0.0056
	MW8-ROX-041614-DUP	4/16/2014		34.73	NE	0.00016	0.000063 J	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	0.00045 J	<0.01	<0.0051
	MW8-ROX-071614	7/16/2014		33.01	NE	0.00018	0.000068 J	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	0.00038 J	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	0.00041 J	<0.01	0.00057 J
	MW8-ROX-101614	10/16/2014		32.23	NE	0.00021	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW8-ROX-012215	1/22/2015		34.22	NE	0.00027	0.000073 J	<0.01	0.000035 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW8-ROX-042115	4/21/2015		35.41	NE	0.00018	0.000052 J	<0.011	0.000034 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	0.00045 J	<0.011	<0.0053
	MW8-ROX-071515	7/15/2015	33.60 - 43.60	34.07	NE	0.00018	<0.00011	<0.011	0.000037 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	0.0171	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						SVOCs																		
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenzo(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate
				Screening Values (mg/L)		0.42 [1]	0.21 [3]	0.023 [3]	2.1 [1]	0.00013 [1]	0.0002 [1]	0.00018 [1]	0.21 [3]	0.00017 [1]	28 [1]	0.7 [3]	0.01 [2]	0.006 [2]	1.4 [2]		0.035 [2]	0.012 [1]	0.0003 [1]	0.007 [3]	0.021 [2]	5.6 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-09	MW9-ROX-102912	10/29/2012	46.45 - 56.45	43.17	NE	<0.0001	<0.0001	<0.01 UJ	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW9-ROX-011113	1/11/2013		43.90	NE	0.000068 J	0.000064 J	<0.011 UJ	0.00006 J	<0.00054	<0.00011	0.000026 J	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW9-ROX-040913	4/9/2013		44.67	NE	<0.0001 UJ	<0.0001 UJ	<0.01 UJ	<0.0001 UJ	<0.000052 UJ	<0.0001 UJ	<0.000052 UJ	<0.0001 UJ	<0.0001 UJ	<0.01 UJ	<0.01 UJ	<0.0052 UJ	<0.0021 UJ	<0.0052 UJ	<0.01 UJ	<0.0052 UJ	<0.0001 UJ	<0.0001 UJ	<0.0021 UJ	<0.01 UJ	<0.0016 UJ
	MW9-ROX-070813	7/8/2013		42.35	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	0.000035 J	<0.00011	<0.00011		<0.011	<0.0056	<0.0022	<0.0056			<0.00011	<0.00011	<0.0022		<0.0056
	MW9-ROX-100313	10/3/2013		42.27	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005
	MW9-ROX-011414	1/14/2014		44.47	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011 UJ	<0.0053 UJ	<0.00011	<0.00011	<0.0021	<0.011 UJ	<0.0053
	MW9-ROX-040714	4/7/2014		44.99	NE	<0.00011	<0.00011	<0.011	<0.00011	0.000024 J	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0056	<0.00054 U	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW9-ROX-070914	7/9/2014		44.35	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00036 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW9-ROX-100714	10/7/2014		43.52	NE	<0.00012	<0.00012	<0.012	<0.00012	<0.000059	<0.00012	<0.000059	<0.00012	<0.00012	<0.012	<0.012	<0.0059	<0.0024	<0.0059	<0.012	<0.0059	<0.00012	<0.00012	<0.0024	<0.012	<0.0059
	MW9-ROX-011315	1/13/2015		44.21	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01 UJ	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW9-ROX-040915	4/9/2015		45.38	NE	0.00002 J	<0.0001	<0.01	0.00002 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.00026 U	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW9-ROX-070915	7/9/2015	46.45 - 56.45	44.81	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
MW-10	MW10-ROX-102612	10/26/2012	44.43 - 54.43	43.08	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW10-ROX-121712	12/17/2012		43.08	NE																					
	MW10-ROX-011013	1/10/2013		44.10	NE	<0.0001	<0.0001	<0.01 UJ	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005
	MW10-ROX-012113	1/21/2013		44.10	NE	<0.0001	<0.0001	<0.02	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.05	<0.02	<0.01	<0.006	<0.01	<0.02	<0.01	<0.0001	<0.0001	<0.01	<0.01	<0.01
	MW10-ROX-040913	4/9/2013		44.60	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0018 U
	MW10-ROX-070813	7/8/2013		42.27	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0027 U	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW10-ROX-100313	10/3/2013		42.38	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW10-ROX-011514	1/15/2014		44.42	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	0.000096 J	<0.00011	<0.011 UJ	<0.011	<0.0053	0.00054 J	<0.0053	<0.011 UJ	<0.0054 UJ	<0.00011	0.000074 J	<0.0021	<0.011 UJ	<0.0053
	MW10-ROX-040714	4/7/2014		45.00	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0053	<0.00068 U	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW10-ROX-070914	7/9/2014		44.35	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00052 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW10-ROX-100714	10/7/2014		43.58	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057
	MW10-ROX-011315	1/13/2015		44.27	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0056	<0.00042 J	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW10-ROX-040815	4/8/2015		45.30	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	MW10-ROX-070915	7/9/2015	44.43 - 54.43	44.93	NE	0.000023 J	<0.00011	<0.011	0.000039 J	0.000035 J	0.000022 J	0.000028 J	0.000027 J	0.000041 J J	<0.011	<0.011	<0.0054	0.00045 J	0.00028 J	<0.011	<0.0054	0.000045 J	0.00002 J	<0.0022	<0.011	<0.0054
MW-11	MW11-ROX-102512	10/25/2012	41.66 - 51.66	40.59	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.00042 U
	MW11-ROX-011013	1/10/2013		41.43	NE	<0.0001 UJ	<0.0001 UJ	<0.01 UJ	<0.0001 UJ	<0.00005 UJ	<0.0001 UJ	<0.00005 UJ	<0.0001 UJ	<0.0001 UJ	<0.01 UJ	<0.01 UJ	<0.005 UJ	<0.002 UJ	<0.005 UJ	<0.01 UJ	<0.005 UJ	<0.0001 UJ	<0.0001 UJ	<0.002 UJ	<0.01 UJ	<0.005 UJ
	MW11-ROX-040813	4/8/2013		42.02	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW11-ROX-070813	7/8/2013		39.24	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0052 U	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW11-ROX-100713	10/7/2013		39.95	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0011 U	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0011 U
	MW11-ROX-011514	1/15/2014		42.16	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	MW11-ROX-040714	4/7/2014		42.70	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0056	<0.0056 U	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW11-ROX-070914	7/9/2014		41.75	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057
	MW11-ROX-100714	10/7/2014		40.89	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW11-ROX-011315	1/13/2015		41.93	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW11-ROX-040815	4/8/2015		43.19	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW11-ROX-070915	7/9/2015	41.66 - 51.66	42.45	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
MW-12	MW12-ROX-102512	10/25/2012	41.92 - 51.92	40.95	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.00077 U
	MW12-ROX-011013	1/10/2013		41.83	NE	<0.0001	<0.0001	<0.01 UJ	<0.0001	<0.000051	<0.0001	0.000026 J	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	MW12-ROX-040813	4/8/2013		42.46	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW12-ROX-070913	7/9/2013		39.28	NE	<0.00011	<0.00011	<0.011	<0.00011	0.00012 J	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	MW12-ROX-100713	10/7/2013		40.22	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0055	<0.0022	<0.0055	<0.011 UJ	<0.0053 UJ	<0.00011	<0.00011	<0.0022	<0.011 UJ	<0.00062 U
	MW12-ROX-011514	1/15/2014		42.54	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	<0.0021	<0.0052	<0.01 UJ	<0.0052 UJ	<0.0001	<0.0001	<0.0021	<0.01 UJ	<0.0052
	MW12-ROX-040814	4/8/2014		43.15	NE	<0.00011	<0.00011	<0.01	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.01	<0.01 UJ	<0.0051	<0.00039 U	<0.0051	<0.01	<0.0051	<0.00011	<0.00011	<0.002	<0.01	<0.0051
	MW12-ROX-070914	7/9/2014		41.97	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW12-ROX-100614	10/6/2014		40.98	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW12-ROX-011215	1/12/2015		42.33	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW12-ROX-040615	4/6/2015		43.75	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW12-ROX-070815	7/8/2015	41.92 - 51.92	42.86	NE	0.000018 J	<0.00011	<0.011	<0.00011	0.000046 J	0.000067 J	0.000083	0.000081 J	0.00011 J	<0.011 UJ	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	0.00008 J	<0.00011	<0.0022	<0.011	<0.0056
MW-13	MW13-ROX-110812	11/8/2012	25.57 - 35.57	25.30	NE	<0.0001	<0.0001	<0.01 UJ	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005
	MW13-ROX-012313	1/23/2013		29.26	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055 UJ
	MW13-ROX-041213	4/12/2013		29.44	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	MW13-ROX-071213	7/12/2013		25.67	NE	<0.00011	<0.000063 U	<0.011	<0.000058 U	<0.00014 U	<0.00011	<0.000054	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0054	0.00079 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW13-ROX-100913	10/9/2013		26.94	NE	0.000098 J	0.000071 J	<0.01	<0.0001	0.000022 J	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	0.00068 J	<0.0052	<0.01	<0.0052	0.000034 J	<0.0001	<0.0021	<0.01	<0.0052
	MW13-ROX-012914	1/29/2014		29.63	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	MW13-ROX-041114	4/11/2014		30.15	NE	0.00013	0.000066 J	<0.012	<0.00012	<0.00006	<0.00012	<0.00006	<0.00012	<0.00012	<0.012	<0.012	<0.006	<0.00069 U	<0.006	<0.012	<0.006	<0.00012	<0.00012	<0.0024	<0.012	<0.006
	MW13-ROX-070714	7/7/2014		28.49	NE	<0.00011	0.000061 J	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	MW13-ROX-101014	10/10/2014		27.48	NE	<0.00012	0.00019	<0.012	<0.00012	<0.00006	<0.00012	<0.00006	<0.00012	<0.00012	<0.012	<0.012	<0.006	<0.0024	<0.006	<0.012	<0.006	<0.00012	<0.00012	<0.0024	<0.012	<0.006
	MW13-ROX-011615	1/16/2015		29.09	NE	0.00014	0.00009 J	<0.011	0.000053 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	0.00003 J	<0.00011	<0.0021	<0.011	<0.0053
	MW13-ROX-041415	4/14/2015		30.71	NE	<0.00011	0.000075 J	<0.011	0.000051 J	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW13-ROX-070815	7/8/2015	25.57 - 35.57	29.16	NE	0.000089 J	0.000057 J	<0.011	0.000028 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						SVOCs																		
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenzo(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate
				Screening Values (mg/L)		0.42 [1]	0.21 [3]	0.023 [3]	2.1 [1]	0.00013 [1]	0.0002 [1]	0.00018 [1]	0.21 [3]	0.00017 [1]	28 [1]	0.7 [3]	0.01 [2]	0.006 [2]	1.4 [2]		0.035 [2]	0.012 [1]	0.0003 [1]	0.007 [3]	0.021 [2]	5.6 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-14	MW14-ROX-103112	10/31/2012	33.42 - 43.42	32.02	NE	0.00074	0.00008 J	<0.01 UJ	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	0.0003 J	<0.01	<0.005
	MW14-ROX-011813	1/18/2013		33.05	NE	0.00092	0.00013	<0.01 UJ	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005
	MW14-ROX-041113	4/11/2013		33.31	NE	0.00068	0.000098 J	<0.011	<0.00011	0.00013	<0.00011	0.000054	0.000053 J	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW14-ROX-071213	7/12/2013		30.36	NE	0.00046 B	<0.000062 U	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	0.00066 J	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW14-ROX-101013	10/10/2013		30.80	NE	0.00065	0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	0.00019 J	<0.011	<0.0057
	MW14-ROX-012914	1/29/2014		33.67	NE	0.00062	0.00012	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00056 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW14-ROX-041114	4/11/2014		34.30	NE	0.00037	0.000089 J	<0.012	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.012	<0.012	<0.006	<0.00069 U	<0.006	<0.012	<0.006	<0.00011	<0.00011	<0.0024	<0.012	<0.006
	MW14-ROX-070714	7/7/2014		32.82	NE	0.00033	0.000063 J	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00048 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW14-ROX-101414	10/14/2014		31.65	NE	0.00054	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW14-ROX-011615	1/16/2015		33.58	NE	0.00027	0.00006 J	<0.011	0.000015 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW14-ROX-041415	4/14/2015		35.16	NE	0.00026	0.000057 J	<0.01	0.00003 J	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.00011	<0.00011	<0.0021	<0.01	<0.0052
	MW14-ROX-070915	7/9/2015	33.42 - 43.42	34.06	NE	0.0002	0.000051 J	<0.01	0.000027 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	0.00051 J	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
MW-16	MW16-ROX-012313	1/23/2013	37.06 - 47.06	43.05	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053 UJ
	MW16-ROX-040813	4/8/2013		43.39	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW16-ROX-070813	7/8/2013		40.62	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW16-ROX-100813	10/8/2013		41.62	NE	<0.0001 UJ	<0.0001 UJ	<0.01 UJ	<0.0001 UJ	<0.000052 UJ	<0.0001 UJ	<0.000052 UJ	<0.0001 UJ	<0.0001 UJ	<0.01 UJ	<0.01 UJ	<0.0052 UJ	<0.0021 UJ	<0.0052 UJ	<0.01 UJ	<0.0052 UJ	<0.0001 UJ	<0.0001 UJ	<0.0021 UJ	<0.01 UJ	<0.0052 UJ
	MW16-ROX-011514	1/15/2014		43.76	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	0.00061 J	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW16-ROX-040914	4/9/2014		44.63	NE	<0.00012	<0.00012	<0.012	<0.00012	<0.000059	<0.00012	<0.000059	<0.00012	<0.00012	<0.012	<0.012	<0.0059	<0.0024	<0.0059	<0.012	<0.0059	<0.00012	<0.00012	<0.0024	<0.012	<0.0059
	MW16-ROX-071014	7/10/2014		43.15	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW16-ROX-100714	10/7/2014		42.27	NE	<0.00012	<0.00012	<0.012	<0.00012	<0.00006	<0.00012	<0.00006	<0.00012	<0.00012	<0.012	<0.012	<0.006	<0.0024	<0.006	<0.012	<0.006	<0.00012	<0.00012	<0.0024	<0.012	<0.006
	MW16-ROX-011315	1/13/2015		43.59	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW16-ROX-040915	4/9/2015		44.87	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW16-ROX-070915	7/9/2015	37.06 - 47.06	44.26	NE	0.000026 J	0.00002 J	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	MW16-ROX-070915-DUP	7/9/2015		44.26	NE	<0.00011	<0.00011	<0.011	0.000025 J	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
MW-22	MW22-ROX-012313	1/23/2013	37.88 - 47.88	41.80	NE	0.00018	<0.0001	<0.01 UJ	0.00002 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	0.0031 J	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052 UJ
	MW22-ROX-012313-DUP	1/23/2013		41.80	NE	0.00018	<0.00011	<0.011 UJ	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	0.0033 J	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053 UJ
	MW22-ROX-040513	4/5/2013		42.23	NE	0.00018	0.000049 J J	<0.011 UJ	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW22-ROX-071113	7/11/2013		39.35	NE	0.00026	0.00048	<0.011	0.000035 J	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0054	0.0017 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW22-ROX-071113-DUP	7/11/2013		39.35	NE	0.00018	0.00047	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0056	0.0021 J	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW22-ROX-100913	10/9/2013		40.39	NE	0.00019	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW22-ROX-100913-DUP	10/9/2013		40.39	NE	0.00018	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW22-ROX-012014	1/20/2014		42.49	NE	0.00015	<0.00011	<0.053	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.053	<0.053	<0.027	<0.011	<0.027	<0.053	<0.027	<0.00011	<0.00011	<0.011	<0.053	<0.027
	MW22-ROX-012014-DUP	1/20/2014		42.49	NE	0.00014	<0.00011	<0.054	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.054	<0.054	<0.027	<0.011	<0.027	<0.054	<0.027	<0.00011	<0.00011	<0.011	<0.054	<0.027
	MW22-ROX-041014	4/10/2014		43.15	NE	0.0001 J	<0.00011	<0.056	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.056 UJ	<0.056	<0.028	<0.011	<0.028	<0.056	<0.028	<0.00011	<0.00011	<0.011	<0.056	<0.028
	MW22-ROX-041014-DUP	4/10/2014		43.15	NE	0.00012	<0.00011	<0.056	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.056 UJ	<0.056	<0.028	<0.011	<0.028	<0.056	<0.028	<0.00011	<0.00011	<0.011	<0.056	<0.028
	MW22-ROX-071414	7/14/2014		41.85	NE	0.00013	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00045 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW22-ROX-101014	10/10/2014		41.43	NE	0.00029	0.00019	<0.013	0.00019	<0.000063	<0.00013	<0.000063	<0.00013	<0.00013	<0.013	<0.013	<0.0063	<0.0025	<0.0063	<0.013	<0.0063	<0.00013	<0.00013	<0.0025	<0.013	<0.0063
	MW22-ROX-011615	1/16/2015		42.19	NE	0.00015	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW22-ROX-041415	4/14/2015		43.71	NE	0.00014	<0.0001	<0.01	0.000027 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW22-ROX-071515	7/15/2015	37.88 - 47.88	42.64	NE	0.00013	0.000028 J	<0.057	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.057	<0.057	<0.029	<0.011	<0.029	<0.057	<0.029	<0.00011	<0.00011	<0.011	<0.057	<0.029
MW-23	MW23-ROX-012615	1/26/2015	29.02 - 39.02	30.90	NE	<0.001	<0.001	<0.005	<0.001	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.05	<0.005	<0.005	<0.005	<0.005	<0.005	<0.0002	<0.0002	<0.0002	<0.005	<0.005	<0.005
	MW23-ROX-040815	4/8/2015		32.24	NE	0.000076 J	<0.0001	<0.01	0.000058 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	0.000028 J	<0.0001	<0.002	<0.01	<0.0051
	MW23-ROX-071015-BP	7/10/2015	29.02 - 39.02	30.54	NE	0.000036 J	<0.00011	<0.011	0.000033 J	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	0.000018 J	<0.00011	<0.0022	<0.011	<0.0056
MW-24	MW24-ROX-040513	4/5/2013	38.89 - 48.89	43.39	NE	<0.0001	<0.0001 UJ	<0.01 UJ	<0.0001	<0.000052	<0.0001	0.000057	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW24-ROX-071113	7/11/2013		40.35	NE	0.000024 J	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0054	<0.0022	<0.0054	<0.011 UJ	<0.0053 UJ	<0.00011	<0.00011	<0.0022	<0.011 UJ	<0.0054
	MW24-ROX-100913	10/9/2013		41.27	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW24-ROX-011514	1/15/2014		43.47	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW24-ROX-040914	4/9/2014		44.13	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW24-ROX-071114	7/10/2014		42.97	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW24-ROX-100814	10/8/2014		42.16	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW24-ROX-011315	1/13/2015		43.17	NE	0.000074 J	0.000077 J	<0.011	0.000022 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW24-ROX-040915	4/9/2015		44.45	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW24-ROX-070915	7/9/2015	38.89 - 48.89	44.65	NE	<0.0001	<0.0001	<0.01	0.000044 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
MW-25	MW25-ROX-102114	10/21/2014	35.59 - 45.59	36.44	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW25-ROX-012215	1/22/2015		38.45	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	0.00059 J	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW25-ROX-042115	4/21/2015		39.71	NE	0.000032 J	<0.0001	<0.01	0.000016 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	MW25-ROX-071515	7/15/2015	35.59 - 45.59	38.40	NE	0.000036 J	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
MW-26	MW26-ROX-102114	10/21/2014	38.15 - 48.15	39.43	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW26-ROX-011215	1/12/2015		41.09	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01 UJ	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW26-ROX-040815	4/8/2015		42.52	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW26-ROX-070815	7/8/2015	38.15 - 48.15	41.76	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						SVOCs																		
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenzo(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate
				Screening Values (mg/L)		0.42 [1]	0.21 [3]	0.023 [3]	2.1 [1]	0.00013 [1]	0.0002 [1]	0.00018 [1]	0.21 [3]	0.00017 [1]	28 [1]	0.7 [3]	0.01 [2]	0.006 [2]	1.4 [2]		0.035 [2]	0.012 [1]	0.0003 [1]	0.007 [3]	0.021 [2]	5.6 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-27	MW27-ROX-102114	10/21/2014	39.79 - 49.79	41.57	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW27-ROX-011515	1/15/2015		42.06	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	0.0001 J J	0.00013 J	0.000029 J J	0.000078 J J	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	0.000051 J J	<0.0021	<0.011	<0.00029 U
	MW27-ROX-041015	4/10/2015		43.22	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.00041 U	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW27-ROX-071015	7/10/2015	39.79 - 49.79	43.00	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
MW-28	MW28-ROX-102114	10/21/2014	33.61 - 43.61	36.44	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW28-ROX-011515	1/15/2015		41.14	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	0.0007 J	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	MW28-ROX-041415	4/14/2015		42.34	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000057	0.000027 J	0.00006	0.00004 J	0.00002 J	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057
	MW28-ROX-071515	7/15/2015	33.61 - 43.61	42.19	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
P-54	P54-ROX-103012	10/30/2012	38.00 - 63.00	40.70	NE	<0.0001	<0.0001	<0.01 UJ	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	P54-ROX-011113	1/11/2013		41.56	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P54-ROX-041013	4/10/2013		41.80	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057
	P54-ROX-050313	5/3/2013		41.80	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	P54-ROX-071113	7/11/2013		39.07	NE	0.000032 J	0.000016 J	<0.01	0.000018 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	0.00052 J	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	P54-ROX-100813	10/8/2013		39.94	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057
	P54-ROX-011514	1/15/2014		42.20	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00058 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	P54-ROX-040914	4/9/2014		42.80	NE	<0.00012	<0.00012	<0.012	<0.00012	<0.00006	<0.00012	<0.00006	<0.00012	<0.00012	<0.012	<0.012	<0.006	<0.0024	<0.006	<0.012	<0.006	<0.00012	<0.00012	<0.0024	<0.012	<0.006
	P54-ROX-071114	7/10/2014		41.71	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	P54-ROX-100814	10/8/2014		40.88	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	P54-ROX-011415	1/14/2015		41.79	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	P54-ROX-041015	4/10/2015		43.20	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P54-ROX-070915	7/9/2015	38.00 - 63.00	42.25	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
P-55	P55-ROX-012113	1/21/2013	39.82 - 64.82	45.24	NE	0.00069	0.00019	<0.02	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.05	<0.02	<0.01	<0.006	<0.01	<0.02	<0.01	<0.0001	<0.0001	0.001 J	<0.01	<0.01
	P55-ROX-012113	1/21/2013		45.24	NE	0.00054	0.00014	<0.01 UJ	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	0.001 J	<0.01	0.00073 J
P-55R	P55-ROX-041513	4/15/2013	40.43 - 50.43	43.63	NE	0.00073	0.00021	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001 UJ	<0.0001 UJ	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	0.0017 J	<0.01	<0.0052
	P55-ROX-071613	7/16/2013		40.06	NE	0.00066	0.0002	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056 UJ	<0.00066 U	<0.0056	<0.011	<0.0056 UJ	<0.00011	<0.00011	0.0016 J	<0.011	<0.0056
	P55-ROX-101013	10/10/2013		41.67	NE	0.00071	0.00019	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0055	0.0006 J	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	0.0016 J	<0.011	<0.0055
P-56	P56-ROX-103112	10/31/2012	40.82 - 65.82	44.80	NE	0.0011	<0.0001	<0.01 UJ	0.00012	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	0.00066 J	<0.01	<0.0051
	P56-ROX-011713	1/17/2013		45.65	NE	0.00039	0.000083 J	<0.01 UJ	0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	0.0044	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005
	P56-ROX-041213	4/12/2013		46.12	NE	0.00053	0.000088 J	<0.011	0.0001 J	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	P56-ROX-071513	7/15/2013		43.25	NE	0.00065	0.00013	<0.011	0.00014	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055 UJ	<0.0022	<0.0055	<0.011	<0.0055 UJ	<0.00011	<0.00011	0.00075 J	<0.011	<0.0055
	P56-ROX-101013	10/10/2013		44.48	NE	0.0006	0.000092 J	<0.011	0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	0.00059 J	<0.011	<0.0055
	P56-ROX-012214	1/22/2014		46.35	NE	0.00055	<0.0001	<0.01	0.00013	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	0.00047 J	<0.01	<0.0052
	P56-ROX-041414	4/14/2014		47.32	NE	0.00051	0.000081 J	<0.012	<0.00012	<0.000059	<0.00012	<0.000059	<0.00012	<0.00012	<0.012	<0.012	<0.0059	<0.0024	<0.0059	<0.012	<0.0059	<0.00012	<0.00012	0.00067 J	<0.012	<0.0059
	P56-ROX-070814	7/8/2014		45.97	NE	0.00035	0.000081 J	<0.011 UJ	0.0001 J	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	0.00049 J	<0.011	<0.0056
	P56-ROX-101314	10/13/2014		45.05	NE	0.00057	0.00011	<0.011	0.00012	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.001 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	0.00055 J	<0.011	<0.0054
	P56-ROX-011915	1/19/2015		46.58	NE	0.00068	0.000079 J	<0.011	0.000097 J	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	P56-ROX-041515	4/15/2015		48.05	NE	0.00061	0.0001 J	<0.011	0.00013	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00038 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	0.00055 J	<0.011	<0.0054
	P56-ROX-071015	7/10/2015	40.82 - 65.82	47.34	NE	0.00065	0.000095 J	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
P-57	P57-ROX-110512	11/5/2012	40.46 - 65.46	44.98	NE	0.00053	<0.0001	<0.01	0.000061 J	<0.00005	<0.0001	<0.00005	0.00005 J	<0.0001	<0.01 UJ	<0.01	<0.005	0.00052 J	<0.005	<0.01	<0.005	<0.0001	0.000049 J	0.0006 J	<0.01	<0.005
	P57-ROX-012913	1/29/2013		45.92	NE	0.00061	0.00013	<0.012 UJ	0.000076 J	<0.000059	<0.00012	<0.000059	<0.00012	<0.00012	<0.012	<0.012	<0.0059	<0.0024	<0.0059	<0.012	<0.0059	<0.00012	<0.00012	<0.0024	<0.012	<0.0059
	P57-ROX-041113	4/11/2013		46.29	NE	0.00063	0.00012	<0.01	0.000073 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	P57-ROX-071613	7/16/2013		43.38	NE	0.00047	0.0001 J	<0.011	0.000077 J	0.00012	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056 UJ	<0.0022	<0.0056	<0.011	<0.0056 UJ	<0.00011	<0.00011	0.00088 J	<0.011	<0.0056
	P57-ROX-101413	10/14/2013		44.38	NE	0.00045	0.000071 J	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.0012 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	0.00082 J	<0.011	<0.0054
	P57-ROX-020314	2/3/2014		46.57	NE	0.00041	0.000075 J	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	0.00067 J	<0.011	<0.0053
	P57-ROX-041514	4/15/2014		46.70	NE	0.00036	0.000074 J	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	0.0007 J	<0.011	<0.0056
	P57-ROX-070814	7/8/2014		45.95	NE	0.00029	0.000069 J	<0.011 UJ	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	0.0007 J	<0.011	<0.0053
	P57-ROX-070814-DUP	7/8/2014		45.95	NE	0.00029	0.000075 J	<0.011 UJ	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	0.00071 J	<0.011	<0.0054
	P57-ROX-101414-DUP	10/14/2014		45.00	NE	0.0003	<0.00012	<0.012	<0.00012	<0.000058	<0.00012	<0.000058	<0.00012	<0.00012	<0.012	<0.012	<0.0058	<0.0023	<0.0058	<0.012	<0.0058	<0.00012	<0.00012	<0.0023	<0.012	<0.0058
	P57-ROX-101414	10/14/2014		45.00	NE	0.00036	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	P57-ROX-012315	1/23/2015	44.19 - 54.19	47.52	NE	0.00059	0.00014	<0.011	0.000073 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	0.0013 J	<0.011	<0.0053
	P57-ROX-042015	4/20/2015		48.73	NE	0.00054	0.00012	<0.01	0.00009 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	0.0011 J	<0.01	<0.0052
	P57-ROX-071315	7/13/2015	44.19 - 54.19	47.81	NE	0.00049	0.0001 J	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						SVOCs																			
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenzo(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate
				Screening Values (mg/L)		0.42 [1]	0.21 [3]	0.023 [3]	2.1 [1]	0.00013 [1]	0.0002 [1]	0.00018 [1]	0.21 [3]	0.00017 [1]	28 [1]	0.7 [3]	0.01 [2]	0.006 [2]	1.4 [2]		0.035 [2]	0.012 [1]	0.0003 [1]	0.007 [3]	0.021 [2]	5.6 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
P-58	P58-ROX-110612	11/6/2012	40.21 - 65.21	43.09	NE																					
	P58-ROX-121012	12/10/2012		43.09	NE	0.00093	0.00024	<0.011	0.00083	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.0103	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	0.002 J	<0.011	<0.0054
	P58-ROX-012213	1/22/2013		44.21	NE	0.0011	0.0006	<0.011 UJ	<0.00011	0.00038	0.00022	0.00012	0.00012	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	0.00039	0.000068 J	0.0038	<0.011	<0.0054
	P58-ROX-041113	4/11/2013		44.40	NE	0.0015	0.0005	<0.011	<0.00011	0.0003	0.00019	0.000095	0.000074 J	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	0.00032	<0.00011	0.0044	<0.011	<0.0054
	P58-ROX-071613	7/16/2013		41.49	NE	0.00076	0.00027	<0.011	0.000096 J	0.00018	0.000073 J	0.000045 J	<0.00011	<0.00011	<0.011	<0.011	<0.0055 UJ	<0.0022	<0.0055	<0.011	<0.0055 UJ	0.00012	<0.00011	0.0025	<0.011	<0.0055
	P58-ROX-101413	10/14/2013		42.19	NE	0.00084	<0.00011	<0.011	<0.00011	<0.000054	0.000067 J	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.0099	<0.0054	<0.011	<0.0054	0.000099 J	<0.00011	0.0024	<0.011	<0.0054
	P58-ROX-020314	2/3/2014		44.66	NE	0.00061	0.00018	<0.01	<0.0001	0.000035 J	0.000047 J	<0.000052	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	0.000079 J	<0.0001	0.0016 J	<0.01	<0.0052
	P58-ROX-041514	4/15/2014		45.66	NE	0.0011	0.00072	0.0028 J	0.00071	0.00082	0.00063	0.00072	0.00071	0.00071	<0.011 UJ	0.0051 J	0.0015 J	<0.00099 U	0.00091 J	0.0044 J	0.0043 J	0.00073	0.00075	0.0023	<0.011 UJ	0.00077 J
	P58-ROX-071814	7/18/2014		43.80	NE	0.00067	0.00021	<0.011	<0.00011	0.000083	0.000086 J	0.000045 J	0.000035 J	<0.00011	<0.011 UJ	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	0.00015	<0.00011	0.0018 J	<0.011	<0.0055
	P58-ROX-101514	10/15/2014		43.14	NE	0.00058	0.00023	<0.011	<0.00011	0.00013	0.00011	0.000074	0.000065 J	<0.00011	<0.011	<0.011	0.014	<0.00042 U	<0.0054	<0.011	<0.0054	0.00018	<0.00011	0.0022	<0.011	<0.0054
	P58-ROX-012315	1/23/2015		45.32	NE	0.0006	0.00018	<0.011	0.000053 J	0.000026 J	0.00002 J	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	0.000032 J	<0.00011	0.0019 J	<0.011	<0.0053
	P58-ROX-042015	4/20/2015		46.67	NE	0.00064	0.00017	<0.01	0.000077 J	0.000052	0.000063 J	0.000059	0.000028 J	0.000016 J	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	0.000095 J	<0.0001	0.002 J	<0.01	<0.0052
	P58-ROX-071415	7/14/2015	40.21 - 65.21	45.54	NE	0.00059	0.00018	<0.011	<0.00011	0.000087	0.000074 J	<0.000055	0.000042 J	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	0.00015	<0.00011	0.002 J	<0.011	<0.0055
P-59	P59-ROX-110212	11/2/2012	47.91 - 72.91	45.98	NE	0.00043	<0.00011	<0.011	0.000086 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	0.00031 J	<0.011	<0.0053
	P59-ROX-110212-DUP	11/2/2012		45.98	NE	0.00042	<0.0001	<0.01	0.000084 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	0.00029 J	<0.01	<0.0052
	P59-ROX-013013	1/30/2013		46.60	NE	0.00047	<0.0001	<0.01 UJ	0.00012	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	0.0041	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	P59-ROX-041213	4/12/2013		46.95	NE	0.00057	0.00013	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	0.0831 J	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	P59-ROX-041213-DUP	4/12/2013		46.95	NE	0.00058	0.00012	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	0.0518 J	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P59-ROX-071613	7/16/2013		44.13	NE	0.00035	0.000071 J	<0.011	0.000092 J	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054 UJ	<0.0022	<0.0054	<0.011	<0.0054 UJ	<0.00011	<0.00011	0.00041 J	<0.011	<0.0054
	P59-ROX-101013	10/10/2013		45.50	NE	0.00055	0.000084 J	<0.011	0.00021	0.000068	<0.00011	0.000039 J	<0.00011	<0.00011	<0.011 UJ	0.0009 J	<0.0054	0.00069 J	<0.0054	<0.011	<0.0054	0.000088 J	<0.00011	<0.0022	<0.011	<0.0054
	P59-ROX-020314	2/3/2014		47.35	NE	0.00046	<0.0001	<0.01	0.00018	0.000035 J	<0.0001	<0.000052	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	0.000046 J	<0.0001	<0.0021	<0.01	<0.0052
	P59-ROX-041514	4/15/2014		48.60	NE	0.0013	<0.00011	<0.011	0.00018	0.00006	0.000042 J	0.000044 J	0.000035 J	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	0.0001 J	<0.00011	<0.0021	<0.011	<0.0053
	P59-ROX-070814	7/8/2014		47.69	NE	0.0015	0.000091 J	<0.011 UJ	0.00012	0.000029 J	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	0.000027 J	<0.00011	<0.0023	<0.011	<0.0057
	P59-ROX-101414	10/14/2014		46.18	NE	0.00045 J	<0.00054	<0.011	<0.00054	<0.00027	<0.00054	<0.00027	<0.00054	<0.00054	<0.011	<0.011	0.0035 J	<0.0022	<0.0054	<0.011	<0.0054	<0.00054	<0.00054	<0.0022	<0.011	<0.0054
	P59-ROX-011915	1/19/2015		47.42	NE	0.00075	0.00013	<0.011	0.00021	0.000038 J	0.000021 J	<0.000054	0.00002 J	<0.00011	<0.011	<0.011	<0.0054	0.00042 J	<0.0054	<0.011	<0.0054	0.000047 J	<0.00011	<0.0022	<0.011	<0.0054
	P59-ROX-041615	4/16/2015		48.83	NE	0.00031	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	P59-ROX-071315	7/13/2015	47.91 - 72.91	47.85	NE	0.00058	<0.00011	<0.011	0.00037	0.000068	0.000035 J	0.000056	0.000037 J	0.000033 J	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	0.00013	<0.00011	<0.0022	<0.011	<0.0054
P-66	P66-ROX-103112	10/31/2012	34.72 - 59.72	34.75	NE	0.00078	0.00022	<0.01 UJ	0.0006	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	0.0019 J	<0.01	<0.005
	P66-ROX-011813	1/18/2013		35.70	NE	0.00074	0.00034	<0.011 UJ	<0.000055 U	<0.000053	<0.00011	<0.000028 U	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	0.0018 J	<0.011	<0.0053
	P66-ROX-041113	4/11/2013		36.03	NE	0.0011	0.00028	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	0.0025	<0.011	<0.0053
	P66-ROX-071213	7/12/2013		33.20	NE	0.00087	<0.00011	<0.011	<0.0002 U	0.00018 B	<0.00015 U	0.00017 B	<0.00019 U	0.00015	<0.011 UJ	<0.011	<0.0056	0.0124	<0.0056	<0.011	<0.0056	0.00017	0.00017	0.0016 J	<0.011	<0.0056
	P66-ROX-101013	10/10/2013		33.66	NE	0.00066	0.0002	<0.011	<0.00011	0.000028 J	<0.00011	<0.000056	0.000036 J	<0.00011	<0.011 UJ	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	0.0016 J	<0.011	<0.0056
	P66-ROX-110713	11/7/2013		33.66	NE																					
	P66-ROX-012914	1/29/2014		36.39	NE	0.00099	0.00032	<0.011	<0.00011	0.000039 J	0.000044 J	0.000048 J	0.000052 J	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	0.000047 J	0.000035 J	0.0019 J	<0.011	<0.0053
	P66-ROX-041114	4/11/2014		37.10	NE	0.00058	0.00017	<0.012	<0.00012	<0.000058	<0.00012	<0.000058	<0.00012	<0.00012	<0.012	<0.012	<0.0058	<0.00068 U	<0.0058	<0.012	<0.0058	<0.00012	<0.00012	<0.0023	<0.012	<0.0058
	P66-ROX-070714	7/7/2014		35.60	NE	0.00033	0.00016	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	P66-ROX-101414	10/14/2014		34.48	NE	0.00045	0.00018	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	0.0012 J	<0.011	<0.0055
	P66-ROX-011615	1/16/2015		36.62	NE	0.00067	0.00026	<0.011	0.000065 J J	0.00003 J J	<0.00011 UJ	<0.000053 UJ	<0.00011	<0.00011 UJ	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	0.000029 J J	<0.00011	<0.0021	<0.011	<0.0053
	P66-ROX-011615-DUP	1/16/2015		36.62	NE	0.00068	0.00027	<0.011	0.00031 J	0.00043 J	0.0003 J	0.00032 J	0.00015	0.00023 J	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	0.00032 J	0.000062 J	<0.0022	<0.011	<0.0054
	P66-ROX-041415	4/14/2015		38.27	NE	0.0006	0.00022	<0.011	<0.00011	<0.000054	0.000019 J	0.000055	0.000022 J	0.000021 J	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	0.000024 J	<0.00011	0.0016 J	<0.011	<0.0054
	P66-ROX-041415-DUP	4/14/2015		38.27	NE	0.00066	0.00021	<0.011	0.000044 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	0.0016 J	<0.011	<0.0053
	P66-ROX-070815	7/8/2015	34.72 - 59.72	37.24	NE	0.00054	0.00017	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	0.001 J	<0.011	<0.0053
	P66-ROX-070815-DUP	7/8/2015		37.24	NE	0.00051	0.00021	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	0.000017 J	<0.00011	0.0011 J	<0.011	<0.0053
P-74	P74-ROX-110112	11/1/2012	44.43 - 69.43	41.72	NE	0.00023	<0.0001	<0.01 UJ	0.000044 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	0.00044 J	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	0.00031 J	0.001 J	<0.0052
	P74-ROX-011713	1/17/2013		42.65	NE	0.00019	0.0001	<0.01 UJ	0.000063 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	0.0028 J	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	P74-ROX-041113	4/11/2013		42.83	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	P74-ROX-071513	7/15/2013		40.11	NE	<0.000063 U	<0.00011	<0.011	0.000032 J	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	0.0013 J	<0.0054
	P74-ROX-101413	10/14/2013		41.72	NE	0.0002	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00097 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	0.00033 J	0.0012 J	<0.0054
	P74-ROX-012414	1/24/2014		43.35	NE	0.00023	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	0.00063 J	0.00097 J	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	P74-ROX-041514	4/15/2014		44.74	NE	<0.00012	<0.00012	<0.012	<0.00012	<0.000059	<0.00012	<0.000059	<0.00012	<0.00012	<0.012	<0.012	<0.0059	<0.0024	<0.0059	<0.012	<0.0059	<0.00012	<0.00012	<0.0024	<0.012	<0.0059
	P74-ROX-070814	7/8/2014		43.02	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057
	P74-ROX-101414	10/14/2014		41.48	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	0.00096 J	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005
	P74-ROX-011915	1/19/2015		43.47	NE	0.00018	0.000061 J	<0.011	0.000046 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P74-ROX-041515	4/15/2015		44.61	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	P74-ROX-071015	7/10/2015	44.43 - 69.43	43.28	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						SVOCs																		
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenzo(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate
				Screening Values (mg/L)		0.42 [1]	0.21 [3]	0.023 [3]	2.1 [1]	0.00013 [1]	0.0002 [1]	0.00018 [1]	0.21 [3]	0.00017 [1]	28 [1]	0.7 [3]	0.01 [2]	0.006 [2]	1.4 [2]		0.035 [2]	0.012 [1]	0.0003 [1]	0.007 [3]	0.021 [2]	5.6 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
P-93A	P93A-ROX-110712	11/7/2012	48.17 - 63.17	45.00	NE	<0.00022 U	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	0.0026	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	0.00027 J	<0.01	<0.0052
	P93A-ROX-110712-DUP	11/7/2012		45.00	NE	0.00029 B	<0.0001	<0.01	0.000061 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	0.0023	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	P93A-ROX-012313	1/23/2013		45.89	NE	0.00016	<0.0001	<0.01 UJ	0.000028 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	0.0099	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052 UJ
	P93A-ROX-012313-DUP	1/23/2013		45.89	NE	0.00014	<0.0001	<0.01 UJ	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	0.011	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052 UJ
	P93A-ROX-041113	4/11/2013		46.29	NE	0.00023	<0.0001	<0.01	0.000074 J	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005
	P93A-ROX-041113-DUP	4/11/2013		46.29	NE	0.00021	<0.0001	<0.01	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005
	P93A-ROX-071813	7/18/2013		43.25	NE	<0.00011	0.000032 J	<0.011	0.00003 J	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	0.00024 J	<0.011	<0.0056
	P93A-ROX-101113	10/11/2013		44.18	NE	0.00017	<0.0001	<0.01	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005
	P93A-ROX-012914	1/29/2014		46.53	NE	0.00022	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	P93A-ROX-041714	4/17/2014		47.41	NE	0.00013	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	P93A-ROX-071814	7/18/2014		45.70	NE	0.00017	<0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0057	0.0041	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.00037 U
	P93A-ROX-071814-DUP	7/18/2014		45.70	NE	0.00016	<0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057
	P93A-ROX-101514	10/15/2014		45.06	NE	0.0002	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0004 U	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	0.0003 J	<0.01	<0.0052
	P93A-ROX-101514-DUP	10/15/2014		45.06	NE	0.00022 J	<0.00011 UJ	<0.011 UJ	<0.00011 UJ	<0.000054 UJ	<0.00011 UJ	<0.000054 UJ	<0.00011 UJ	<0.00011 UJ	<0.011 UJ	<0.011 UJ	0.0044 J J	<0.0041 UJ	<0.0054 UJ	<0.011 UJ	<0.0054 UJ	<0.00011 UJ	<0.00011 UJ	0.00033 J J	<0.011 UJ	<0.0054 UJ
	P93A-ROX-012715	1/27/2015	43.07 - 53.07	46.05	NE	<0.001	<0.001	<0.005	<0.001	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.05	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.0002	<0.0002	<0.005	<0.005	<0.005
	P93A-ROX-041715	4/17/2015		47.02	NE	0.00011	<0.00011	<0.011	0.000031 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	0.00046 J	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	0.00029 J	<0.011	<0.0053
	P93A-ROX-071315	7/13/2015	43.07 - 53.07	45.93	NE	0.00011	0.000029 J	<0.01	0.00003 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	0.00048 J	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
P-93B	P93B-ROX-110712	11/7/2012	74.60 - 76.60	45.05	NE	<0.0001	0.000073 JB	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	0.0017 J	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	P93B-ROX-110712-DUP	11/7/2012		45.05	NE	<0.000047 U	0.000058 J	<0.01	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	0.00057 J	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005
	P93B-ROX-012313	1/23/2013		45.89	NE	0.00014	0.000072 J	<0.011 UJ	0.00013	0.00022	0.00011	0.00013	0.00012	0.00012	<0.011	<0.011	<0.0053	0.0055	0.0032 J	0.0013 J	<0.0053	0.00012	0.00012	<0.0021	<0.011	<0.0053 UJ
	P93B-ROX-041113	4/11/2013		46.32	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	P93B-ROX-071813	7/18/2013		43.30	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	P93B-ROX-101613	10/16/2013		44.43	NE	<0.0001	0.000065 J	<0.01	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005
	P93B-ROX-101613-DUP	10/16/2013		44.43	NE	<0.0001	0.000091 J	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	P93B-ROX-012814	1/28/2014		46.58	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	0.00072 J	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	P93B-ROX-012814-DUP	1/28/2014		46.58	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	0.0012 J	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	P93B-ROX-041714	4/17/2014		47.46	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0051	0.0015 J	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	P93B-ROX-041714-DUP	4/17/2014		47.46	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	0.00045 J	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P93B-ROX-071714	7/17/2014		45.75	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	P93B-ROX-101514	10/15/2014		45.15	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	P93B-ROX-012315	1/23/2015		47.24	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	0.00063 J	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P93B-ROX-012315-DUP	1/23/2015		47.24	NE	0.000019 J	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P93B-ROX-021915	2/19/2015		47.24	NE																					
	P93B-ROX-041615	4/16/2015		48.42	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P93B-ROX-041615-DUP	4/16/2015		48.42	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P93B-ROX-070915	7/9/2015	74.60 - 76.60	47.74	NE	<0.0001	<0.0001	<0.01	0.000029 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	0.0153	<0.002	<0.0051	<0.01	<0.0051	0.000017 J	<0.0001	<0.002	<0.01	<0.0051
	P93B-ROX-070915-DUP	7/9/2015		47.74	NE	0.000062 J	0.00004 J	<0.01	0.000041 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	0.0142	<0.002	<0.0051	<0.01	<0.0051	0.000016 J	<0.0001	<0.002	<0.01	<0.0051
P-93C	P93C-ROX-110812	11/8/2012	94.26 - 96.26	45.12	NE	<0.0001	<0.0001	<0.01 UJ	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	0.00081 J	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005
	P93C-ROX-012313	1/23/2013		45.78	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	0.0049	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055 UJ
	P93C-ROX-041213	4/12/2013		46.21	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005
	P93C-ROX-071813	7/18/2013		43.31	NE	<0.000045 U	<0.00011	<0.011	0.000021 J	<0.000056	0.00015	<0.000056	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	P93C-ROX-080813	8/8/2013		43.31	NE																					
	P93C-ROX-101613	10/16/2013		44.31	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	P93C-ROX-012414	1/24/2014		46.44	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	P93C-ROX-041714	4/17/2014		47.34	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	P93C-ROX-071714	7/17/2014		45.61	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	P93C-ROX-101514	10/15/2014		44.99	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	P93C-ROX-011915	1/19/2015	92.47 - 97.47	48.22	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	P93C-ROX-021915	2/19/2015		48.22	NE																					
	P93C-ROX-041615	4/16/2015		48.22	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	P93C-ROX-071315	7/13/2015	92.47 - 97.47	47.09	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						SVOCs																			
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenzo(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate
				Screening Values (mg/L)		0.42 [1]	0.21 [3]	0.023 [3]	2.1 [1]	0.00013 [1]	0.0002 [1]	0.00018 [1]	0.21 [3]	0.00017 [1]	28 [1]	0.7 [3]	0.01 [2]	0.006 [2]	1.4 [2]		0.035 [2]	0.012 [1]	0.0003 [1]	0.007 [3]	0.021 [2]	5.6 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																			
P-93D	P93D-ROX-110812	11/8/2012	125.75 - 127.75	NM	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	P93D-ROX-012213	1/22/2013		44.21	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P93D-ROX-041113	4/11/2013		46.37	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	P93D-ROX-071213	7/12/2013		43.51	NE	<0.000026 U	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0056	0.00057 J	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	P93D-ROX-101113	10/11/2013		44.24	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.005	<0.002	<0.005	<0.01 UJ	<0.005 UJ	<0.0001	<0.0001	<0.002	<0.01 UJ	<0.005
	P93D-ROX-013114	1/31/2014		46.62	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	0.0045	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P93D-ROX-041414	4/14/2014		47.54	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0005 U	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P93D-ROX-071714	7/17/2014		45.78	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	P93D-ROX-101514	10/15/2014		45.14	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	P93D-ROX-110414	11/4/2014		45.14	NE																				
	P93D-ROX-012315	1/23/2015		42.28	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P93D-ROX-021915	2/19/2015		42.28	NE																				
	P93D-ROX-042015	4/20/2015		48.52	NE	<0.0001	<0.0001	<0.01	0.000017 J	<0.000052	<0.0001	0.000061	0.00002 J	0.000023 J	<0.01	<0.01	<0.0052	<0.00035 U	<0.0052	<0.01	<0.0052	0.000021 J	<0.0001	<0.0021	<0.01	<0.0052
	P93D-ROX-070915	7/9/2015	125.75 - 127.75	47.96	NE	<0.0001	<0.0001	<0.01	0.000018 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	0.0043 J	<0.002	<0.0051	<0.01	<0.0051	0.000016 J	<0.0001	<0.002	<0.01	<0.0051
P-114	P114-ROX-110912	11/9/2012	32.67 - 52.67	30.90	NE	<0.0001	<0.0001	<0.01 UJ	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	P114-ROX-012313	1/23/2013		30.22	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	0.0059	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053 UJ
	P114-ROX-041513	4/15/2013		31.80	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001 UJ	<0.0001 UJ	<0.01	<0.01	<0.0052	0.0023	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	P114-ROX-071813	7/18/2013		27.22	NE	0.00013 B	<0.00011	<0.011	0.00011	0.000045 J	0.000034 J	0.000064	0.000067 J	<0.00011	<0.011 UJ	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	0.000073 J	<0.0022	<0.011	<0.0055
	P114-ROX-071813-DUP	7/18/2013		27.22	NE	<0.00011	<0.00011	<0.011	0.00013	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P114-ROX-101713	10/17/2013		29.43	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	P114-ROX-012814	1/28/2014		32.11	NE	<0.00011	<0.00011	<0.011	0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00066 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	P114-ROX-042114	4/21/2014		32.22	NE	0.00011	<0.0001	<0.01	0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	P114-ROX-071814	7/18/2014		30.87	NE	0.000082 J	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	P114-ROX-101714	10/17/2014		29.43	NE	0.000078 J	<0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057
	P114-ROX-012115	1/21/2015		31.53	NE	0.00019	<0.00011	<0.011	0.000096 J	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	P114-ROX-041715	4/17/2015		NM	NE	0.00021	0.000044 J	<0.011	0.000054 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	0.00038 J	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P114-ROX-070815	7/8/2015	32.67 - 52.67	29.16	NE	0.0002	<0.0001	<0.01	0.000035 J	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005
ROST-3-PZ	ROST3PZ-ROX-110112	11/1/2012	40.00 - 50.00	40.82	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
ROST-3-MW	ROST3MW-ROX-012313	1/23/2013	37.81 - 47.81	41.50	NE	0.00025	0.000059 J	<0.01 UJ	0.000074 J	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005 UJ
	ROST3MW-ROX-040513	4/5/2013				0.00016	<0.00011 UJ	<0.011 UJ	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	ROST3MW-ROX-071113	7/11/2013		39.50	NE	0.00029	<0.00011	<0.011	0.000091 J	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0054	0.00061 J	<0.0054	<0.011 UJ	<0.0054 UJ	<0.00011	<0.00011	0.00025 J	<0.011 UJ	<0.0054
	ROST3-MW-ROX-100913	10/9/2013		40.16	NE	0.0001 J	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0054	<0.0022	<0.0054	<0.011 UJ	<0.0054 UJ	<0.00011	<0.00011	<0.0022	<0.011 UJ	<0.0054
	ROST3MW-ROX-011714	1/17/2014		42.20	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011 UJ	<0.0053 UJ	<0.00011	<0.00011	<0.0021	<0.011 UJ	<0.0053
	ROST3MW-ROX-041014	4/10/2014		42.80	NE	<0.00012	<0.00012	<0.012	<0.00012	<0.00006	<0.00012	<0.00006	<0.00012	<0.00012	<0.012 UJ	<0.012	<0.006	<0.0024	<0.006	<0.012	<0.006	<0.00012	<0.00012	<0.0024	<0.012	<0.006
	ROST3MW-ROX-071414	7/14/2014		41.88	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	ROST3MW-ROX-100914	10/9/2014		41.31	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	0.00046 J	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	ROST3MW-ROX-011515	1/15/2015		41.83	NE	0.000027 J	<0.00011	<0.011	0.000019 J J	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057
	ROST3MW-ROX-041315	4/13/2015		43.43	NE	0.000028 J	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	ROST3MW-ROX-071315	7/13/2015	37.81 - 47.81	42.36	NE	0.000037 J	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
ROST-4-PZ(C)	ROST4PZC-ROX-102912	10/29/2012	34.95 - 44.95	40.75	NE	0.000054 J	<0.0001	<0.01 UJ	0.00005 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	0.0045	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	ROST4PZ(C)-ROX-011113	1/11/2013		41.42	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	ROST4PZC-ROX-041013	4/10/2013		42.27	NE	0.000066 J	0.000018 J	<0.011	0.000033 J	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	ROST4PZC-ROX-071113	7/11/2013		40.18	NE	0.00019	0.000073 J	<0.011	0.00012	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0054	0.0032	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	ROST4PZC-ROX-100913	10/9/2013		39.91	NE	0.00012	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	ROST4PZC-ROX-011714	1/17/2014		41.92	NE	<0.00012	<0.00012	<0.012	<0.00012	<0.00059	<0.00012	<0.00059	<0.00012	<0.00012	<0.01 UJ	<0.012	<0.0059	<0.0024	<0.0059	<0.01 UJ	<0.005 UJ	<0.00012	<0.00012	<0.0024	<0.01 UJ	<0.0059
	ROST4PZC-ROX-041014	4/10/2014		42.05	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	ROST4C-ROX-071114	7/10/2014		42.22	NE	<0.0001	<0.0001	<0.011	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.011	<0.011	<0.0053	0.0007 J	<0.0053	<0.011	<0.0053	<0.0001	<0.0001	<0.0021	<0.011	<0.0053
	ROST4PZC-ROX-100914	10/9/2014		41.30	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	ROST4PZC-ROX-011515	1/15/2015		41.65	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	0.0042	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057
	ROST4PZC-ROX-041315	4/13/2015		43.00	NE	<0.0001	<0.0001	<0.01	0.000018 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	ROST4PZ-ROX-071315	7/13/2015	34.95 - 44.95	42.59	NE	0.000093 J	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						SVOCs																		
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenzo(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate
				Screening Values (mg/L)		0.42 [1]	0.21 [3]	0.023 [3]	2.1 [1]	0.00013 [1]	0.0002 [1]	0.00018 [1]	0.21 [3]	0.00017 [1]	28 [1]	0.7 [3]	0.01 [2]	0.006 [2]	1.4 [2]		0.035 [2]	0.012 [1]	0.0003 [1]	0.007 [3]	0.021 [2]	5.6 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
T-12	T12-ROX-110512	11/5/2012	46.72 - 72.72	43.91	NE	0.00044	<0.0001	<0.01	0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.005	0.00054 J	<0.005	<0.01	<0.005	<0.0001	<0.0001	0.00029 J	<0.01	<0.005
	T12-ROX-011813	1/18/2013		44.50	NE	0.0005	0.000093 J	<0.011 UJ	<0.00013 U	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	T12-ROX-041513	4/15/2013		44.99	NE	0.00063	0.00009 J	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001 UJ	<0.0001 UJ	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	0.00048 J	<0.01	<0.0051
	T12-ROX-071613	7/16/2013		42.33	NE	0.00055	0.0001 J	<0.011	0.00015	0.00013	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	0.001 J	<0.0054 UJ	<0.0044 U	<0.0054	<0.011	<0.0054 UJ	<0.00011	<0.00011	0.00042 J	<0.011	<0.0054
	T12-ROX-101513	10/15/2013		43.73	NE	0.00036	<0.00011	<0.011	0.00012	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	0.000028 J	<0.00011	0.00029 J	<0.011	<0.0054
	T12-ROX-012414	1/24/2014		45.26	NE	0.0005	<0.0001	<0.01	0.00014	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	T12-ROX-041514	4/15/2014		46.72	NE	0.00037	<0.00011	<0.011	0.00012	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	0.00031 J	<0.011	<0.0056
	T12-ROX-070814	7/8/2014		45.13	NE	0.00024	<0.00011	<0.011 UJ	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	T12-ROX-101714	10/17/2014		44.40	NE	0.00036	0.000072 J	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	T12-ROX-011915	1/19/2015	46.83 - 72.83	45.27	NE	0.00039	0.000064 J	<0.011	0.00013	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	T12-ROX-041515	4/15/2015		46.73	NE	0.00036	0.000065 J	<0.011	0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	0.00033 J	<0.011	0.00036 J J
	T12-ROX-071015	7/10/2015	46.83 - 72.83	46.09	NE	0.00034	<0.00011	<0.011	0.00015	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						SVOCs																				
						2,4-Dimethylphenol	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate	2,6-Dinitrotoluene	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3 & 4-Methylphenol (m & p-Cresol)	Nitrobenzene	N-Nitrosodimethylamine	N-Nitrosodiphenylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene
				Screening Values (mg/L)		0.14 [2]		0.7 [1]	0.14 [2]	0.00031 [2]	0.28 [1]	0.28 [1]	0.00006 [2]		0.00043 [1]	0.49 [3]	0.028 [1]	0.35 [1]	0.35 [3]	0.014 [1]	0.0006 [3]	0.0032 [2]	0.001 [1]	0.21 [3]	0.1 [1]	0.21 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-01	MW1-ROX-102612	10/26/2012	48.80 - 58.80	41.22	NE	<0.011	<0.0057	<0.0057	<0.0057	<0.011	<0.00011	<0.00011	<0.0057		<0.00011	<0.00023	<0.00023	<0.011	<0.011	<0.0057	<0.0057	<0.0057	<0.011	<0.000057	<0.0057	<0.00011
	MW1-ROX-121712	12/17/2012		41.22	NE																					
	MW1-ROX-011013	1/10/2013		41.89	NE	<0.01	<0.0052 UJ	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.000021 U	<0.0052	<0.0001
	MW1-ROX-040913	4/9/2013		42.55	NE	<0.011	<0.0053 UJ	<0.0012 U	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011
	MW1-ROX-070813	7/8/2013		39.56	NE	<0.01	<0.0051	<0.0051	<0.0051	<0.01	0.000033 J	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.000043 U	<0.0051	<0.0001
	MW1-ROX-100313	10/3/2013		40.28	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011
	MW1-ROX-011414	1/14/2014		42.77	NE	<0.011 UJ	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011 UJ	<0.011 UJ	<0.0053	<0.0053	<0.0053	<0.011 UJ	0.000031 J	<0.0053 UJ	<0.00011
	MW1-ROX-040714	4/7/2014		43.28	NE	<0.011 UJ	<0.0054	<0.00029 U	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011 UJ	<0.011 UJ	<0.0054	<0.0054	<0.0054	<0.011 UJ	<0.000023 U	<0.0057 UJ	<0.00011
	MW1-ROX-070914	7/9/2014		42.09	NE	<0.011	<0.0054	0.0016 JB	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.000085 J	0.00012 JB J	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011
	MW1-ROX-100614	10/6/2014		41.1	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.0021	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000053	<0.0053 UJ	<0.00011
	MW1-ROX-011215	1/12/2015		42.73	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000017 J	0.000027 J	<0.0053		<0.00011	<0.00003 U	<0.000036 U	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.00003 J	<0.0053	<0.00011
	MW1-ROX-040615	4/6/2015		44.11	NE	<0.011	<0.0053	0.00044 J	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.000018 J	0.000035 J	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011
	MW1-ROX-070815	7/8/2015	48.80 - 58.80	43.35	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.000038 J	0.000066 J	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000022 J	<0.0053	<0.00011
MW-02	MW2-ROX-102612	10/26/2012	49.87 - 59.87	42.35	NE	0.0034 J	<0.0054	<0.0054	<0.0054	<0.011	0.000061 J	0.00011	<0.0054		<0.00011	0.0091	0.0182	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.00011	<0.0054	0.000046 J
	MW2-ROX-011113	1/11/2013		42.94	NE	<0.011	<0.0056 UJ	<0.0056	<0.0056	<0.011	0.00004 J	<0.00011	<0.0056		<0.00011	0.008	0.0162	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	0.000044 J	<0.0056	0.000039 J
	MW2-ROX-040913	4/9/2013		43.70	NE	0.005 J	<0.0054 UJ	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.012	0.0256	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011
	MW2-ROX-071113	7/11/2013		40.82	NE	0.005 J	<0.0055	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	0.0123 J	0.0249	<0.011	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.000051 U	<0.0055 UJ	<0.00011
	MW2-ROX-100813	10/8/2013		41.73	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.009	0.0201	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011
	MW2-ROX-012014	1/20/2014		44.00	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.0094	0.0208	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000043 U	<0.0053	<0.00011
	MW2-ROX-041014	4/10/2014		44.66	NE	<0.012	<0.006	<0.00046 U	<0.006	<0.012	<0.00012	<0.00012	<0.006		<0.00012	0.0083	0.0193	<0.012	<0.012	<0.006	<0.006	<0.006	<0.012	<0.00006	<0.006	<0.00012
	MW2-ROX-071414	7/14/2014		43.13	NE	<0.011	<0.0054	<0.00045 U	<0.0054	<0.011	0.00012	0.00014	<0.0054		<0.00011	0.01	0.0215	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00017 U	<0.0054	0.000096 J
	MW2-ROX-101014	10/10/2014		42.49	NE	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	0.01	0.0214	<0.01	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.000051	<0.0051	<0.0001
	MW2-ROX-011615	1/16/2015		44.1	NE	<0.011	<0.0053	<0.00034 U	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.0108	0.0236	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000025 J	<0.0053	<0.00011
	MW2-ROX-041315	4/13/2015		45.56	NE	<0.011	<0.0054	<0.00045 U	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.0124	0.0253	<0.011	0.00066 J	<0.0054	<0.0054	<0.0054	<0.011	0.000023 J	<0.0054	<0.00011
	MW2-ROX-071315	7/13/2015	49.87 - 59.87	44.53	NE	0.0028 J	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	0.000036 J	<0.0054		<0.00011	0.0129	0.0283	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.000027 JB J	<0.0054	<0.00011
MW-03	MW3-ROX-102512	10/25/2012	34.67 - 44.67	28.39	NE	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.000051	<0.0051 UJ	<0.0001
	MW3-ROX-010913	1/9/2013		29.35	NE	<0.01	<0.005	0.0025 J	<0.005	<0.01	0.000047 J	0.000052 J	<0.005		<0.0001	<0.0002	0.000081 J	<0.01	<0.01	<0.005	<0.005	<0.005	<0.01	0.000068	<0.005 UJ	0.000036 J
	MW3-ROX-040813	4/8/2013		29.74	NE	<0.011	<0.0057	<0.0057	<0.0057	<0.011	<0.00011	<0.00011	<0.0057		<0.00011	<0.00023	<0.00023	<0.011	<0.011	<0.0057	<0.0057	<0.0057	<0.011	<0.000057	<0.0057	<0.00011
	MW3-ROX-071113	7/11/2013		26.32	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.00044 J	0.00038	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000039 U	<0.0054 UJ	<0.000072 U
	MW3-ROX-100813	10/8/2013		27.38	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.00013 J	0.00014 J	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011
	MW3-ROX-011614	1/16/2014		29.91	NE	<0.011 UJ	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011 UJ	<0.011 UJ	<0.0053	<0.0053 UJ	<0.0053	<0.011 UJ	<0.000053	<0.0053 UJ	<0.00011
	MW3-ROX-040914	4/9/2014		30.50	NE	<0.011	<0.0056	<0.00056 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000019 U	<0.0056	<0.00011
	MW3-ROX-071114	7/10/2014		29.05	NE	<0.011	<0.0054	<0.00028 U	<0.0054	<0.011	<0.0001	<0.0001	<0.0054		<0.0001	0.000067 J	<0.0002	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00003 U	<0.0054	<0.0001
	MW3-ROX-100914	10/9/2014		28.18	NE	<0.011	<0.0056	<0.00023 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011
	MW3-ROX-011515	1/15/2015		29.65	NE	<0.011	<0.0056	0.00028 J J	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	0.00033 J	0.0003 J	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	0.000018 J J	<0.0056	<0.00011
	MW3-ROX-041015	4/10/2015		31.16	NE	<0.011	<0.0053	0.00054 J	<0.0053	<0.011	0.000024 J J	<0.0001	<0.0053		<0.0001	0.00013 J	0.000097 J	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000026 JB J	<0.0053	0.000018 J
	MW3-ROX-071015	7/10/2015	34.67 - 44.67	30.01	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	0.00028 JB	0.00026 JB	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011
MW-04	MW4-ROX-102912	10/29/2012	46.06 - 56.06	39.45	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	0.00025	0.00016 J	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.000052	<0.0052	<0.0001
	MW4-ROX-011113	1/11/2013		40.20	NE	<0.011	<0.0056 UJ	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	0.00014 J	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000056	0.0608	<0.00011
	MW4-ROX-011113-DUP	1/11/2013		40.20	NE	<0.012	<0.006 UJ	<0.006	<0.006	<0.012	<0.00012	<0.00012	<0.006		<0.00012	<0.00024	0.000099 J	<0.012	<0.012	<0.006	<0.006	<0.006	<0.012	<0.00006	0.0665	<0.00012
	MW4-ROX-030413	3/4/2013		40.20	NE																					
	MW4-ROX-040913	4/9/2013		40.90	NE	<0.011	<0.0053 UJ	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00022	0.000082 J	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000054	0.11	<0.00011
	MW4-ROX-040913-DUP	4/9/2013		40.90	NE	<0.011	<0.0053 UJ	<0.00062 U	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	0.000076 J	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000053	0.103	<0.00011
	MW4-ROX-071713	7/17/2013		37.61	NE	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		0.000052 J	0.00037	0.00023	<0.011	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.00003 U	0.0661	<0.00011
	MW4-ROX-101613	10/16/2013		38.80	NE	<0.011 UJ	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.00016 J	0.00015 J	<0.011 UJ	<0.011 UJ	<0.0054	<0.0054	<0.0054	<0.011 UJ	<0.000054	0.0168 J	<0.00011
	MW4-ROX-013014	1/30/2014		41.09	NE	<0.011 UJ	<0.0054	<0.0013 U	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.00027	0.00022	<0.011 UJ	<0.011 UJ	<0.0054	<0.0054	<0.0054	<0.011 UJ	<0.000022 U	0.0164 J	<0.00011
	MW4-ROX-041614	4/16/2014		41.91	NE	<0.011	<0.0056	<0.00076 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	0.000072 J	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011
	MW4-ROX-071614	7/16/2014		40.18	NE	<0.01	<0.0052	<0.00043 U	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	0.00024	0.00022	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.000041 U	<0.0052	<0.0001
	MW4-ROX-101614	10/16/2014		39.49	NE	<0.012	<0.0059	<0.0059	<0.0059	<0.012	<0.00012	<0.00012	<0.0059		<0.00012	<0.0024	<0.0024	<0.012	<0.012	<0.0059	<0.0059	<0.0059	<0.012	0.000029 J	0.0115	<0.00012
	MW4-ROX-012115	1/21/2015		41.27	NE	<0.011	<0.0053	0.0011 J	<0.0053	<0.011	<0.000018 U	<0.00011	<0.0053		<0.00011	0.00012 JB	<0.00011 U	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000019 U	<0.0053	<0.000022 U
	MW4-ROX-042115	4/21/2015	45.06 - 55.06	42.58	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	0.000018 J	<0.0001	<0.0052		<0.0001	0.00024 J	0.00021 J	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	0.00002 J	<0.0052	0.000018 J
	MW4-ROX-071415	7/14/2015	45.06 - 55.06	41.30	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	0.000018 J	<0.0056		<0.00011	0.00032 J	0.00035 JB J	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	0.000018 JB	<0.0056	<0.00011

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						SVOCs																			
						2,4-Dimethylphenol	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate	2,6-Dinitrotoluene	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3 & 4-Methylphenol (m & p-Cresol)	Nitrobenzene	N-Nitrosodimethylamine	N-Nitrosodiphenylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene
				Screening Values (mg/L)		0.14 [2]		0.7 [1]	0.14 [2]	0.00031 [2]	0.28 [1]	0.28 [1]	0.00006 [2]		0.00043 [1]	0.49 [3]	0.028 [1]	0.35 [1]	0.35 [3]	0.014 [1]	0.0006 [3]	0.0032 [2]	0.001 [1]	0.21 [3]	0.1 [1]	0.21 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-05	MW5-ROX-102912	10/29/2012	33.97 - 43.97	28.16	NE	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	0.0091	0.000084 J	<0.01	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.000051	<0.0051	<0.0001
	MW5-ROX-011113	1/11/2013		28.75	NE	<0.011	<0.0055 UJ	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	0.0043	0.000084 J	<0.011	<0.011	<0.0055	<0.0055	<0.0055	<0.011	0.000048 J	<0.0055	<0.00011
	MW5-ROX-040913	4/9/2013		29.41	NE	<0.011	<0.0054 UJ	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.004	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011
	MW5-ROX-070913	7/9/2013		26.04	NE	<0.01	<0.005	<0.005	<0.005	<0.01	<0.0001	<0.00099 U	<0.005		<0.0001	0.0015	<0.0002 UJ	<0.01	<0.01	<0.005	<0.005	<0.005	<0.01	<0.000074 U	<0.005	<0.0001
	MW5-ROX-100813	10/8/2013		26.97	NE	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	0.0038	0.00009 J	<0.011	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011
	MW5-ROX-011714	1/17/2014		29.59	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.0035	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011
	MW5-ROX-041014	4/10/2014		30.09	NE	<0.011	<0.0056	<0.00087 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	0.0038	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011
	MW5-ROX-071414	7/14/2014		28.59	NE	<0.011	<0.0053	<0.00037 U	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.00052 B	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000088 U	<0.0053	<0.00011
	MW-5-ROX-100914	10/9/2014		27.75	NE	<0.011	<0.0054	<0.00023 U	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.00099 J	<0.0022	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00003 U	0.00072 J	<0.00011
	MW5-ROX-011515	1/15/2015		29.34	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000037 J J	<0.00011	<0.0053		0.000023 J J	0.00071 J	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000039 J J	<0.0053	0.000038 J J
	MW5-ROX-041315	4/13/2015		30.97	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.000099 JB J	0.000031 JB J	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011
	MW5-ROX-071315	7/13/2015	33.97 - 43.97	29.45	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	0.000026 J	<0.0054		<0.00011	0.000087 JB J	0.00018 JB J	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.000024 JB J	<0.0054	<0.00011
MW-06A	MW6A-ROX-102412	10/24/2012	34.83 - 44.83	30.06	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011
	MW6A-ROX-011413	1/14/2013		31.00	NE	<0.01	<0.0051 UJ	<0.0051	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		0.000072 J	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051 UJ	<0.0051	<0.01	<0.000051	<0.0051 UJ	<0.0001
	MW6A-ROX-040313	4/3/2013		31.62	NE	<0.011	<0.0053	0.0018 J	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053 UJ	<0.0053	<0.011	0.000084	<0.0053 UJ	0.000053 J
	MW6A-ROX-070913	7/9/2013		28.25	NE	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011
	MW6A-ROX-070913-DUP	7/9/2013		28.25	NE	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011
	MW6A-ROX-100713	10/7/2013		28.87	NE	<0.011	<0.0056 UJ	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011
	MW6A-ROX-100713-DUP	10/7/2013		28.87	NE	<0.011	<0.0054 UJ	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011
	MW6A-ROX-011614	1/16/2014		31.62	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052 UJ	<0.0052	<0.01	<0.000052	<0.0052 UJ	<0.0001
	MW6A-ROX-011614-DUP	1/16/2014		31.62	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053 UJ	<0.0053	<0.011	<0.000053	<0.0053 UJ	<0.00011
	MW6A-ROX-040814	4/8/2014		32.16	NE	<0.011	<0.0056	<0.00075 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000054	<0.0056	<0.00011
	MW6A-ROX-040814-DUP	4/8/2014		32.16	NE	<0.011	<0.0054	<0.00077 U	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000055	<0.0054	<0.00011
	MW6A-ROX-071014	7/10/2014		30.75	NE	<0.011	<0.0054	<0.00026 U	<0.0054	<0.011	<0.00011	0.00013	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.000046 J	<0.0054	<0.00011
	MW6A-ROX-100814	10/8/2014		29.84	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.0021	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011
	MW6A-ROX-011415	1/14/2015		31.54	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000037 J J	0.000076 J	<0.0053		<0.00011	<0.0021	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000046 J	<0.0053	0.000027 J
	MW6A-ROX-040715	4/7/2015		33.08	NE	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	0.000019 J	0.000023 J	<0.01	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.000051	<0.0051	<0.0001
	MW6A-ROX-071515	7/15/2015	34.83 - 44.83	31.52	NE	<0.011	<0.0057	<0.0057	<0.0057	<0.011	<0.00011	0.000058 J	<0.0057		<0.00011	0.000056 J	0.000076 JB J	<0.011	<0.011	<0.0057	<0.0057	<0.0057	<0.011	0.000026 J	<0.0057	<0.00011
MW-06B	MW6B-ROX-102412	10/24/2012	64.05 - 69.05	30.11	NE	<0.01	<0.0051	0.00079 J	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.000051	<0.0051	<0.0001
	MW6B-ROX-011713	1/17/2013		31.11	NE	<0.01	<0.005	0.0026 J	<0.005	<0.01	<0.0001	<0.0001	<0.005		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.005	<0.005	<0.005	<0.01	<0.00005	<0.005	<0.0001
	MW6B-ROX-040313	4/3/2013		31.68	NE	<0.011	<0.0054	0.0012 J	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	0.0002 J	<0.011	<0.011	<0.0054	<0.0054 UJ	<0.0054	<0.011	<0.000054	<0.0054 UJ	<0.00011
	MW6B-ROX-070913	7/9/2013		28.25	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011
	MW6B-ROX-100713	10/7/2013		28.93	NE	<0.011	<0.0054 UJ	<0.0054	<0.0054	0.0224	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011
	MW6B-ROX-011614	1/16/2014		31.67	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		0.000043 J	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054 UJ	<0.0054	<0.011	<0.000054	<0.0054 UJ	<0.00011
	MW6B-ROX-040814	4/8/2014		32.21	NE	<0.011	<0.0053	<0.00043 U	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000018 J	<0.0053	<0.00011
	MW6B-ROX-071014	7/10/2014		30.81	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011
	MW6B-ROX-100814	10/8/2014		29.87	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.0021	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011
	MW6B-ROX-011415	1/14/2015		31.59	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.0022	0.000017 J	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011
	MW6B-ROX-040715	4/7/2015		33.10	NE	<0.01	<0.0051	0.00029 J	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.002	<0.002	<0.01	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.000051	<0.0051	<0.0001
	MW6B-ROX-040715-DUP	4/7/2015		33.10	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.0021	<0.0021	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.000052	<0.0052	<0.0001
	MW6B-ROX-071415	7/14/2015	64.05 - 69.05	31.56	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	0.00013	<0.0053		<0.00011	0.0036	0.0068	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000045 JB J	<0.0053	<0.00011
MW-06C	MW6C-ROX-102412	10/24/2012	84.95 - 89.95	27.85	NE	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.000051	<0.0051	<0.0001
	MW6C-ROX-011713	1/17/2013		30.88	NE	<0.01	<0.005	0.0022 J	<0.005	<0.01	<0.0001	<0.0001	<0.005		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.005	<0.005	<0.005	<0.01	<0.00005	<0.005	<0.0001
	MW6C-ROX-040313	4/3/2013		31.41	NE	<0.01	<0.0052	0.00077 J	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	0.00016 J	<0.01	<0.01	<0.0052	<0.0052 UJ	<0.0052	<0.01	<0.000052	<0.0052 UJ	<0.0001
	MW6C-ROX-070913	7/9/2013		28.03	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011
	MW6C-ROX-100713	10/7/2013		28.72	NE	<0.011	<0.0055 UJ	0.00043 J	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011
	MW6C-ROX-011614	1/16/2014		31.48	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053 UJ	<0.0053	<0.011	<0.000053	<0.0053 UJ	<0.00011
	MW6C-ROX-040814	4/8/2014		32.01	NE	<0.012	<0.0059	<0.0004 U	<0.0059	<0.012	<0.00012	<0.00012	<0.0059		<0.00012	<0.00024	<0.00024	<0.012	<0.012	<0.0059	<0.0059	<0.0059	<0.012	<0.000059	<0.0059	<0.00012
	MW6C-ROX-071014	7/10/2014		30.60	NE	<0.011	<0.0056	<0.00032 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		0.000035 J	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011
	MW6C-ROX-100814	10/8/2014		29.67	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011
	MW6C-ROX-011415	1/14/2015		31.41	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	0.000022 J J	<0.00011	<0.0056		<0.00011	<0.0022	0.000028 J	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	0.000025 J	<0.0056	0.000021 J
	MW6C-ROX-040915	4/9/2015		32.80	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.0022	0.000025 JB J	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011
	MW6C-ROX-071415	7/14/2015	84.95 - 89.95	31.38	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.000064 JB J	0.00014 JB J	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						SVOCs																			
						2,4-Dimethylphenol	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate	2,6-Dinitrotoluene	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3 & 4-Methylphenol (m & p-Cresol)	Nitrobenzene	N-Nitrosodimethylamine	N-Nitrosodiphenylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene
				Screening Values (mg/L)		0.14 [2]		0.7 [1]	0.14 [2]	0.00031 [2]	0.28 [1]	0.28 [1]	0.00006 [2]		0.00043 [1]	0.49 [3]	0.028 [1]	0.35 [1]	0.35 [3]	0.014 [1]	0.0006 [3]	0.0032 [2]	0.001 [1]	0.21 [3]	0.1 [1]	0.21 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-06D	MW6D-ROX-102412	10/24/2012	104.72 - 109.72	29.71	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.000052	<0.0052	<0.0001
	MW6D-ROX-011713	1/17/2013		30.75	NE	<0.01	<0.005	<0.005	<0.005	<0.01	<0.0001	<0.0001	<0.005		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.005	<0.005	<0.005	<0.01	<0.00005	<0.005	<0.0001
	MW6D-ROX-040313	4/3/2013		31.27	NE	<0.011	<0.0053	0.00069 J	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053 UJ	<0.0053	<0.011	<0.000053	<0.0053 UJ	<0.00011
	MW6D-ROX-070913	7/9/2013		27.91	NE	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011
	MW6D-ROX-100713	10/7/2013		28.58	NE	<0.011	<0.0054 UJ	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011
	MW6D-ROX-011614	1/16/2014		31.33	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052 UJ	<0.0052	<0.01	<0.000052	<0.0052 UJ	<0.0001
	MW6D-ROX-040814	4/8/2014		31.85	NE	<0.011	<0.0055	<0.00039 U	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011
	MW6D-ROX-071014	7/10/2014		31.47	NE	<0.011	<0.0056	<0.00027 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011
	MW6D-ROX-071014-DUP	7/10/2014		31.47	NE	<0.011	<0.0054	<0.00029 U	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011
	MW6D-ROX-100814	10/8/2014		29.53	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011
	MW6D-ROX-100814-DUP	10/8/2014		29.53	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011
	MW6D-ROX-011415	1/14/2015		31.26	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.000031 J J	0.000018 J	<0.0054		<0.00011	0.000015 J	0.000033 J	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.000033 J	<0.0054	0.000027 J
	MW6D-ROX-011415-DUP	1/14/2015		31.26	NE	<0.011	<0.0056	0.00027 J J	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011
	MW6D-ROX-040715	4/7/2015		32.74	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.0021	0.000026 J	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011
	MW6D-ROX-071415	7/14/2015	104.72 - 109.72	31.19	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	0.00011 JB J	0.00023 JB J	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011
MW-07	MW7-ROX-103012	10/30/2012	42.92 - 52.92	41.23	NE	<0.012	<0.0058	<0.0058	<0.0058	<0.012	<0.00012	0.00023	<0.0058		<0.00012	0.0061 J	0.0077	<0.012	<0.012	<0.0058	<0.0058 UJ	<0.0058	<0.012	0.00036	0.0615 J	<0.00005 U
	MW7-ROX-103012-DUP	10/30/2012		41.23	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	0.00026	<0.0056		<0.00011	0.008 J	0.0098	<0.011	<0.011	<0.0056	<0.0056 UJ	<0.0056	<0.011	0.00037	0.0812 J	<0.00005 U
	MW7-ROX-011513	1/15/2013		42.21	NE	<0.011	<0.0053 UJ	<0.0053	<0.0053	<0.011	0.00004 J	0.00061	<0.0053		<0.00011	0.0187	0.0224	<0.011	<0.011	<0.0053	<0.0053 UJ	<0.0053	<0.011	0.00086	0.0865 J	0.000089 J
	MW7-ROX-011513-DUP	1/15/2013		42.21	NE	<0.01	<0.0052 UJ	<0.0052	<0.0052	<0.01	<0.0001	0.00057	<0.0052		<0.0001	0.0173	0.0207	<0.01	<0.01	<0.0052	<0.0052 UJ	<0.0052	<0.01	0.00078	0.0735 J	0.000078 J
	MW7-ROX-041013	4/10/2013		42.70	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.000039 J	0.00081	<0.0054		<0.00011	0.0271	0.0351	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.0014	0.147	0.00015
	MW7-ROX-041013-DUP	4/10/2013		42.70	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000068 J	0.00087	<0.0053		<0.00011	0.0274	0.0357	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.0015	0.148	0.00016
	MW7-ROX-071713	7/17/2013		39.60	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	0.00019	<0.0054		0.000078 J	0.0043	0.006	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.00024	0.118	0.000039 J
	MW7-ROX-101613	10/16/2013		40.64	NE	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.00011	0.00022	<0.0055		<0.00011	0.0082	0.011	<0.011	<0.011	<0.0055	<0.0055	<0.0055	<0.011	0.00019	0.0849	<0.00011
	MW7-ROX-013014	1/30/2014		42.94	NE	<0.01	<0.005	<0.0007 U	<0.005	<0.01	<0.0001	0.00021	<0.005		<0.0001	0.0059	0.0083	<0.01	<0.01	<0.005	<0.005	<0.005	<0.01	0.00029	0.0314	<0.0001
	MW7-ROX-041614	4/16/2014		43.79	NE	<0.01	<0.0052	<0.00071 U	<0.0052	<0.01	<0.0001	0.00026	<0.0052		<0.0001	0.0074	0.0103	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	0.00033 B	0.0988	<0.0001
	MW7-ROX-071614	7/16/2014		42.05	NE	<0.01	<0.0052	<0.00027 U	<0.0052	<0.01	<0.0001	0.00021	<0.0052		<0.0001	0.0052	0.0079	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	0.00028	0.0618	<0.0001
	MW7-ROX-071614-DUP	7/16/2014		42.05	NE	<0.01	<0.0052	<0.00038 U	<0.0052	<0.01	<0.0001	0.00019	<0.0052		<0.0001	0.0052	0.0077	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	0.00026	0.0638	<0.0001
	MW7-ROX-101614	10/16/2014		41.31	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	0.0002	<0.0056		<0.00011	0.0049	0.0074	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	0.00028	0.155	<0.00011
	MW7-ROX-101614-DUP	10/16/2014		41.31	NE	<0.011	<0.0057	<0.0057	<0.0057	<0.011	<0.00011	0.00019	<0.0057		<0.00011	0.0047	0.007	<0.011	<0.011	<0.0057	<0.0057	<0.0057	<0.011	0.00027	0.133	<0.00011
	MW7-ROX-012215	1/22/2015		43.45	NE	0.00072 J	<0.0053	0.00035 J	<0.0053	<0.011	<0.000063 U	0.00024	<0.0053		0.00003 J	0.0053	0.0068	<0.011	0.00059 J	<0.0053	<0.0053	<0.0053	<0.011	0.00049	0.145	<0.000099 U
	MW7-ROX-012215-DUP	1/22/2015		43.45	NE	0.00071 J	<0.0052	0.00027 J	<0.0052	<0.01	<0.000021 U	0.00022	<0.0052		<0.0001	0.0052	0.0066	<0.01	0.00056 J	<0.0052	<0.0052	<0.0052	<0.01	0.00045	0.136	<0.000058 U
	MW7-ROX-042115	4/21/2015		44.63	NE	0.0014 J	<0.0051	<0.0051	<0.0051	<0.01	<0.0001	0.00033	<0.0051		<0.0001	0.008	0.01	0.00037 J	0.0011 J	<0.0051	<0.0051	<0.0051	<0.01	0.00066	0.0707	0.000057 J
	MW7-ROX-042115-DUP	4/21/2015		44.63	NE	0.0012 J	<0.0051	<0.0051	<0.0051	<0.01	0.000026 J	0.0003	<0.0051		<0.0001	0.0074	0.0093	0.00032 J	0.0011 J	<0.0051	<0.0051	<0.0051	<0.01	0.00063	0.0766	0.000066 J
	MW7-ROX-071515	7/15/2015	42.92 - 52.92	43.54	NE	<0.01	<0.0051	0.00063 J	<0.0051	<0.01	0.000019 J	0.00021	<0.0051		<0.0001	0.0047	0.0065	<0.01	0.0031 J	<0.0051	<0.0051	<0.0051	<0.01	0.00031	0.104	0.000052 J
	MW7-ROX-071515-DUP	7/15/2015		43.54	NE	<0.01	<0.0052	0.00057 J	<0.0052	<0.01	0.000023 J	0.00018	<0.0052		<0.0001	0.0055	0.0082	<0.01	0.0032 J	<0.0052	<0.0052	<0.0052	<0.01	0.00034	0.117	0.000053 J
MW-08	MW8-ROX-103012	10/30/2012	33.60 - 43.60	32.32	NE	0.0085 J	<0.0053	0.00082 J	0.00063 J	<0.011	0.00059 B	0.00053	<0.0053		0.00059 B	0.0097	0.0112	0.0058 J	0.0158	<0.0053	<0.0053 UJ	0.00052 J	0.003 J	0.00057	0.165 J	0.00054 B
	MW8-ROX-011513	1/15/2013		33.30	NE	0.019	<0.0056 UJ	<0.0056	<0.0056	<0.011	<0.00011	0.00041	<0.0056		<0.00011	0.011	0.0129	0.0332	0.102	<0.0056	<0.0056 UJ	<0.0056	<0.011	0.00016	0.0997 J	<0.00011
	MW8-ROX-041013	4/10/2013		33.77	NE	0.0358	<0.0053	0.0013 J	<0.0053	<0.011	0.000056 J	0.00032	<0.0053		<0.00011	0.0091	0.0113	0.0388	0.084	<0.0053	<0.0053	<0.0053	<0.011	0.00019	0.253 J	0.000042 J
	MW8-ROX-071713	7/17/2013		30.43	NE	0.009 J	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	0.00033	<0.0052		<0.0001	0.0097 J	0.0113	0.0046 J	0.0106	<0.0052	<0.0052	<0.0052	<0.01	0.00015	0.328	0.000062 J
	MW8-ROX-071713-DUP	7/17/2013		30.43	NE	0.0089 J	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	0.00036	<0.0054		<0.00011	0.0087 J	0.0098	0.0037 J	0.0091 J	<0.0054	<0.0054	<0.0054	<0.011	0.00016	0.303	<0.00011
	MW8-ROX-101613	10/16/2013		31.59	NE	0.0066 J	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	0.00041	<0.0054		<0.00011	0.0117	0.0136	0.0022 J	0.0052 J	<0.0054	<0.0054	<0.0054	<0.011	0.00011	0.0996	<0.00011
	MW8-ROX-101613-DUP	10/16/2013		31.59	NE	0.0062 J	<0.0059	<0.0059	<0.0059	<0.012	<0.00012	0.00037	<0.0059		<0.00012	0.0108	0.0128	0.0019 J	0.0046 J	<0.0059	<0.0059	<0.0059	<0.012	0.000097	0.108	<0.00012
	MW8-ROX-013014	1/30/2014		34.02	NE	0.0124	<0.0051	<0.0011 U	<0.0051	<0.01	<0.0001	0.00054	<0.0051		<0.0001	0.0137	0.0123	0.0128	0.0198	<0.0051	<0.0051	<0.0051	<0.01	0.00018	0.105	<0.0001
	MW8-ROX-013014-DUP	1/30/2014		34.02	NE	0.0121	<0.0054	<0.00092 U	<0.0054	<0.011	<0.00011	0.00052	<0.0054		<0.00011	0.0136	0.0123	0.0129	0.019	<0.0054	<0.0054	<0.0054	<0.011	0.00019	0.135	<0.00011
	MW8-ROX-041614	4/16/2014		34.73	NE	<0.011	<0.0056	<0.00073 U	<0.0056	<0.011	<0.00011	0.00046	<0.0056		<0.00011	0.0142	0.0097	<0.011	0.0062 J	<0.0056	<0.0056	<0.0056	<0.011	0.00015 B J	0.135	<0.00011
	MW8-ROX-041614-DUP	4/16/2014		34.73	NE	<0.01	<0.0051	<0.0006 U	<0.0051	<0.01	<0.0001	0.00043	<0.0051		<0.0001	0.0129	0.0086	<0.01	0.0053 J	<0.0051	<0.0051	<0.0051	<0.01	0.00016 B J	0.118	<0.0001
	MW8-ROX-071614	7/16/2014		33.01	NE	<0.01	<0.0052	<0.00045 U	<0.0052	<0.01	<0.0001	0.00038	<0.0052		<0.0001	0.0125	0.0048	0.0037 J	0.0045 J	<0.0052	<0.0052	<0.0052	<0.01	0.0002 B	0.111	<0.0001
	MW8-ROX-101614	10/16/2014		32.23	NE	0.0099 J	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	0.00054	<0.0056		<0.00011	0.0145	0.0045	0.019	0.0558	<0.0056	<0.0056	<0.0056	<0.011	0.00023	0.126	<0.00011
	MW8-ROX-012215	1/22/2015		34.22	NE	0.0172	<0.0052	0.00027 J	<0.0052	<0.01	<0.0001	0.00037	<0.0052		<0.0001	0.011	0.0046	0.0102	0.0242	<0.0052	<0.0052	<0.0052	<0.01	0.00016 B	0.146	<0.0001
	MW8-ROX-042115	4/21/2015		35.41	NE	0.0201	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	0.00041	<0.0053		<0.00011	0.0126	0.0053	0.0049 J	0.0063 J	<0.0053	<0.0053	<0.0053	<0.011	0.00014	0.129	<0.00011
	MW8-ROX-071515	7/15/2015	33.60 - 43.60	34.07	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	0.0003	<0.0053		<0.00011	0.0113	0.0083	0.0018 J	0.0046 J	<0.0053	<0.0053	<0.0053	<0.011	0.00016	0.135	<0.00011

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						SVOCs																				
						2,4-Dimethylphenol	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate	2,6-Dinitrotoluene	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3 & 4-Methylphenol (m & p-Cresol)	Nitrobenzene	N-Nitrosodimethylamine	N-Nitrosodiphenylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene
			Screening Values (mg/L)			0.14 [2]		0.7 [1]	0.14 [2]	0.00031 [2]	0.28 [1]	0.28 [1]	0.00006 [2]		0.00043 [1]	0.49 [3]	0.028 [1]	0.35 [1]	0.35 [3]	0.014 [1]	0.0006 [3]	0.0032 [2]	0.001 [1]	0.21 [3]	0.1 [1]	0.21 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-09	MW9-ROX-102912	10/29/2012	46.45 - 56.45	43.17	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.000052	<0.0052	<0.0001
	MW9-ROX-011113	1/11/2013		43.90	NE	<0.011	<0.0054 UJ	<0.0054	<0.0054	<0.011	0.000066 J	0.00011	<0.0054		<0.00011	<0.00022	0.00014 J	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.00012	<0.0054	0.000057 J
	MW9-ROX-040913	4/9/2013		44.67	NE	<0.01 UJ	<0.0052 UJ	<0.0018 UJ	<0.0052 UJ	<0.01 UJ	<0.0001 UJ	<0.0001 UJ	<0.0052 UJ		<0.0001 UJ	<0.00021 UJ	<0.00021 UJ	<0.01 UJ	<0.01 UJ	<0.0052 UJ	<0.0052 UJ	<0.0052 UJ	<0.01 UJ	<0.000052 UJ	<0.0052 UJ	<0.0001 UJ
	MW9-ROX-070813	7/8/2013		42.35	NE		<0.0056	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022			<0.0056	<0.0056	<0.0056		<0.000028 U		<0.00011
	MW9-ROX-100313	10/3/2013		42.27	NE	<0.01	<0.005	<0.005	<0.005	<0.01	<0.0001	<0.0001	<0.005		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.005	<0.005	<0.005	<0.01	<0.00005	<0.005	<0.0001
	MW9-ROX-011414	1/14/2014		44.47	NE	<0.011 UJ	<0.0053 UJ	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011 UJ	<0.011 UJ	<0.0053	<0.0053	<0.0053	<0.011 UJ	<0.000053	<0.0053 UJ	<0.00011
	MW9-ROX-040714	4/7/2014		44.99	NE	<0.011	<0.0056	<0.00062 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	0.0001 J	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000056 U	<0.0056	<0.00011
	MW9-ROX-070914	7/9/2014		44.35	NE	<0.011	<0.0054	<0.0006 U	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011
	MW9-ROX-100714	10/7/2014		43.52	NE	<0.012	<0.0059	<0.0059	<0.0059	<0.012	<0.00012	<0.00012	<0.0059		<0.00012	<0.0024	<0.0024	<0.012	<0.012	<0.0059	<0.0059	<0.0059	<0.012	<0.000059	<0.0059	<0.00012
	MW9-ROX-011315	1/13/2015		44.21	NE	<0.01	<0.0052	0.00023 J	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.0021	<0.0021	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	0.000016 JB	<0.0052	<0.0001
	MW9-ROX-040915	4/9/2015		45.38	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	0.000027 J	<0.0052		<0.0001	<0.0021	0.000018 JB J	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	0.000026 J	<0.0052	<0.0001
	MW9-ROX-070915	7/9/2015	46.45 - 56.45	44.81	NE	<0.011	<0.0055	0.00042 J	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	0.000073 J	0.00013 J	<0.011	<0.011	<0.0055	<0.0055	<0.0055	<0.011	0.000044 J	<0.0055	<0.00011
MW-10	MW10-ROX-102612	10/26/2012	44.43 - 54.43	43.08	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	0.000052 J	0.000086 J	<0.0056		<0.00011	<0.00022	0.00009 J	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	0.000076	<0.0056	0.00004 J
	MW10-ROX-121712	12/17/2012		43.08	NE																					
	MW10-ROX-011013	1/10/2013		44.10	NE	<0.01	<0.005 UJ	<0.005	<0.005	<0.01	<0.0001	<0.0001	<0.005		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.005	<0.005	<0.005	<0.01	<0.000021 U	<0.005	<0.0001
	MW10-ROX-012113	1/21/2013		44.10	NE	<0.01	<0.01	<0.01	<0.01	<0.001	<0.0001	<0.0001	<0.002		<0.0001		<0.01	<0.01	<0.01	<0.004	<0.02	<0.003	<0.004	<0.0001	<0.005	<0.0001
	MW10-ROX-040913	4/9/2013		44.60	NE	<0.011	<0.0054 UJ	<0.0019 U	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011
	MW10-ROX-070813	7/8/2013		42.27	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000021 U	<0.0056	<0.00011
	MW10-ROX-100313	10/3/2013		42.38	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011
	MW10-ROX-011514	1/15/2014		44.42	NE	<0.011 UJ	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		0.000072 J	<0.00021	<0.00021	<0.011 UJ	<0.011 UJ	<0.0053	<0.0053	<0.0053	<0.011 UJ	0.000037 JB	<0.0054 UJ	<0.00011
	MW10-ROX-040714	4/7/2014		45.00	NE	<0.011	<0.0053	<0.00085 U	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000042 U	<0.0053	<0.00011
	MW10-ROX-070914	7/9/2014		44.35	NE	<0.011	<0.0054	<0.00065 U	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011
	MW10-ROX-100714	10/7/2014		43.58	NE	<0.011	<0.0057	<0.0057	<0.0057	<0.011	<0.00011	<0.00011	<0.0057		<0.00011	<0.0023	<0.0023	<0.011	<0.011	<0.0057	<0.0057	<0.0057	<0.011	<0.000057	<0.0057	<0.00011
	MW10-ROX-011315	1/13/2015		44.27	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.0022	<0.00018 U	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011
	MW10-ROX-040815	4/8/2015		45.30	NE	<0.01	<0.0051	<0.0051	<0.0051	<0.01	0.000016 J	<0.0001	<0.0051		<0.0001	<0.002	0.00002 JB	<0.01	<0.01	<0.0051	<0.0051	<0.0051	<0.01	0.000019 J	<0.0051	<0.0001
	MW10-ROX-070915	7/9/2015	44.43 - 54.43	44.93	NE	<0.011	<0.0054	0.00064 J	<0.0054	<0.011	0.000057 J	0.000037 J	<0.0054		0.000024 J	0.000035 J	0.000058 J	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.000077	<0.0054	0.000059 J
MW-11	MW11-ROX-102512	10/25/2012	41.66 - 51.66	40.59	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000054	<0.0054 UJ	<0.00011
	MW11-ROX-011013	1/10/2013		41.43	NE	<0.01 UJ	<0.005 UJ	<0.005 UJ	<0.005 UJ	<0.01 UJ	<0.0001 UJ	<0.0001 UJ	<0.005 UJ		<0.0001 UJ	<0.0002 UJ	<0.0002 UJ	<0.01 UJ	<0.01 UJ	<0.005 UJ	<0.005 UJ	<0.005 UJ	<0.01 UJ	<0.000015 UJ	<0.005 UJ	<0.0001 UJ
	MW11-ROX-040813	4/8/2013		42.02	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011
	MW11-ROX-070813	7/8/2013		39.24	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011
	MW11-ROX-100713	10/7/2013		39.95	NE	<0.011	<0.0055 UJ	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011
	MW11-ROX-011514	1/15/2014		42.16	NE	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.000026 U	<0.0055	<0.00011
	MW11-ROX-040714	4/7/2014		42.70	NE	<0.011	<0.0056	<0.0007 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000023 U	<0.0056	<0.00011
	MW11-ROX-070914	7/9/2014		41.75	NE	<0.011	<0.0057	<0.00042 U	<0.0057	<0.011	<0.00011	<0.00011	<0.0057		<0.00011	<0.00023	<0.00023	<0.011	<0.011	<0.0057	<0.0057	<0.0057	<0.011	0.00003 J	<0.0057	<0.00011
	MW11-ROX-100714	10/7/2014		40.89	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.0021	<0.0021	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.000052	<0.0052	<0.0001
	MW11-ROX-011315	1/13/2015		41.93	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.0022	<0.00002 U	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011
	MW11-ROX-040815	4/8/2015		43.19	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.0022	0.000022 JB	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011
	MW11-ROX-070915	7/9/2015	41.66 - 51.66	42.45	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.000029 J	0.000045 J	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.000029 J	<0.0054	<0.00011
MW-12	MW12-ROX-102512	10/25/2012	41.92 - 51.92	40.95	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000053	<0.0053 UJ	<0.00011
	MW12-ROX-011013	1/10/2013		41.83	NE	<0.01	<0.0051 UJ	<0.0051	<0.0051	<0.01	0.000045 J	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.000032 U	<0.0051	<0.0001
	MW12-ROX-040813	4/8/2013		42.46	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	0.000044 J	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.000052	<0.0052	<0.0001
	MW12-ROX-070913	7/9/2013		39.28	NE	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011
	MW12-ROX-100713	10/7/2013		40.22	NE	<0.011 UJ	<0.0055 UJ	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011 UJ	<0.011 UJ	<0.0055	<0.0055	<0.0055	0.0018 J J	<0.000055	<0.0053 UJ	<0.00011
	MW12-ROX-011514	1/15/2014		42.54	NE	<0.01 UJ	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01 UJ	<0.01 UJ	<0.0052	<0.0052	<0.0052	<0.01 UJ	<0.000022 U	<0.0052 UJ	<0.0001
	MW12-ROX-040814	4/8/2014		43.15	NE	<0.01	<0.0051	<0.0006 U	<0.0051	<0.01	<0.00011	<0.00011	<0.0051		<0.00011	<0.00023	<0.00023	<0.01	<0.01	<0.0051	<0.0051	<0.0051	<0.01	0.000021 J	<0.0051	<0.00011
	MW12-ROX-070914	7/9/2014		41.97	NE	<0.011	<0.0056	<0.00098 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011
	MW12-ROX-100614	10/6/2014		40.98	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.0021	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000053	<0.0053 UJ	<0.00011
	MW12-ROX-011215	1/12/2015		42.33	NE	<0.011	<0.0056	0.00023 J	<0.0056	<0.011	0.00002 J	<0.00011	<0.0056		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	0.000018 J	<0.0056	<0.00011
	MW12-ROX-040615	4/6/2015		43.75	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000019 J	<0.00011	<0.0053		<0.00011	0.000018 J	0.000031 J	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00002 U	<0.0053	0.000016 J
	MW12-ROX-070815	7/8/2015	41.92 - 51.92	42.86	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	0.00012	0.00003 J	<0.0056		0.000059 J	0.000035 J	0.000079 J	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	0.000067 J	<0.0056	0.000081 J
MW-13	MW13-ROX-110812	11/8/2012	25.57 - 35.57	25.30	NE	<0.01	<0.005	0.00054 J	<0.005	<0.01	<0.0001	<0.0001	<0.005		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.005	<0.005	<0.005	<0.01	<0.00005	<0.005	<0.0001
	MW13-ROX-012313	1/23/2013		29.26	NE	<0.011	<0.0055 UJ	0.0027 J	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	0.00011 J	<0.011	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011
	MW13-ROX-041213	4/12/2013		29.44	NE	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	0.00011 J	<0.01	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.000051	<0.0051	<0.0001
	MW13-ROX-071213	7/12/2013		25.67	NE	<0.011	<0.0054 UJ	<0.0054	<0.0054	<0.011	<0.000042	<0.00011	<0.0054		<0.00011	<0.00022	<0.000067 U	<0.011	<0.011	<0.0054	<0.0054 UJ	<0.0054	<0.011	<0.000076	<0.0054 UJ	<0.00004
	MW13-ROX-100913	10/9/2013		26.94	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.000052	<0.0052	<0.0001
	MW13-ROX-012914	1/29/2014		29.63	NE	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.000096 U	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011
	MW13-ROX-041114	4/11/2014		30.15	NE	<0.012	<0.006	<0.00079 U	<0.006	<0.012	<0.00012	<0.00012	<0.006		<0.00012	<0.00024	<0.00024	<0.012	<0.012	<0.006	<0.006	<0.006	<0.012	0.000033 J	<0.006	<0.00012
	MW13-ROX-070714	7/7/2014		28.49	NE	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011
	MW13-ROX-101014	10/10/2014		27.48	NE	<0.012	<0.006	<0.006	<0.006	<0.012	<0.00012	<0.00012	<0.006		<0.00012	<0.0024	<0.0024	<0.012	<0.012	<0.006	<0.006	<0.006	<0.012	0.000032 J	<0.006	<0.00012
	MW13-ROX-011615	1/16/2015		29.09	NE	<0.011	<0.0053	<0.00034 U	<0.0053	<0.011	0.000022 J	0.000035 J	<0.0053		<0.00011	0.00004 J	0.00008 J	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000025 J	<0.0053	0.000046 J
	MW13-ROX-041415	4/14/2015		30.71	NE	0.0013 J	<0.0056	<0.0056	<0.0056	<0.011	0.000025 J	0.000066 J	<0.0056		<0.00011	0.000029 J	0.000055 J	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	0.00007	<0.0056	0.000023 J
	MW13-ROX-070815	7/8/2015	25.57 - 35.57	29.16	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.000031 J	0.000047 J	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000053	0.00032 J	0.000016 J

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						SVOCs																				
						2,4-Dimethylphenol	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate	2,6-Dinitrotoluene	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3 & 4-Methylphenol (m & p-Cresol)	Nitrobenzene	N-Nitrosodimethylamine	N-Nitrosodiphenylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene
			Screening Values (mg/L)			0.14 [2]		0.7 [1]	0.14 [2]	0.00031 [2]	0.28 [1]	0.28 [1]	0.00006 [2]		0.00043 [1]	0.49 [3]	0.028 [1]	0.35 [1]	0.35 [3]	0.014 [1]	0.0006 [3]	0.0032 [2]	0.001 [1]	0.21 [3]	0.1 [1]	0.21 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-14	MW14-ROX-103112	10/31/2012	33.42 - 43.42	32.02	NE	<0.01 UJ	<0.005	0.00044 J	<0.005	<0.01	<0.0001	0.00029	<0.005		<0.0001	0.0192	0.004	<0.01	<0.01	<0.005	<0.005 UJ	<0.005	<0.01	<0.000051	<0.005 UJ	<0.0001
	MW14-ROX-011813	1/18/2013		33.05	NE	<0.01	<0.005 UJ	<0.005	<0.005	<0.01	<0.0001	0.00064	<0.005		<0.0001	0.0215	0.0084	<0.01	<0.01	<0.005	<0.005	<0.005	<0.01	<0.00005	<0.005	<0.0001
	MW14-ROX-041113	4/11/2013		33.31	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.000068 J	0.00016	<0.0054		<0.00011	0.0124	0.0018	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.0001	<0.0054	0.000053 J
	MW14-ROX-071213	7/12/2013		30.36	NE	<0.011	<0.0053 UJ	0.00043 J	<0.0053	<0.011	<0.00011	<0.000093 U	<0.0053		<0.00011	0.0127	0.0027	<0.011	<0.011	<0.0053	<0.0053 UJ	<0.0053	<0.011	<0.000032 U	<0.0053 UJ	<0.000067 U
	MW14-ROX-101013	10/10/2013		30.80	NE	<0.011	<0.0057	<0.0057	<0.0057	<0.011	<0.00011	0.00034	<0.0057		<0.00011	0.0184	<0.00023	<0.011	<0.011	<0.0057	<0.0057	<0.0057	<0.011	<0.000057	<0.0057	<0.00011
	MW14-ROX-012914	1/29/2014		33.67	NE	<0.011	<0.0054	0.00045 J	<0.0054	<0.011	<0.00011	0.00041	<0.0054		<0.00011	0.0075	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011
	MW14-ROX-041114	4/11/2014		34.30	NE	<0.012	<0.006	<0.00082 U	<0.006	<0.012	<0.00011	0.0003	<0.006		<0.00011	0.0018	<0.00023	<0.012	<0.012	<0.006	<0.006	<0.006	<0.012	<0.000057	<0.006	<0.00011
	MW14-ROX-070714	7/7/2014		32.82	NE	<0.011	<0.0054	0.00031 J	<0.0054	<0.011	<0.00011	0.00024	<0.0054		<0.00011	0.0014	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.00024 J	<0.0054	<0.00011
	MW14-ROX-101414	10/14/2014		31.65	NE	<0.011	<0.0056	<0.00056 U	<0.0056	<0.011	<0.00011	0.00024	<0.0056		<0.00011	0.0014 J	<0.0022	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000021 U	<0.0056	<0.00011
	MW14-ROX-011615	1/16/2015		33.58	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	0.00013	<0.0053		<0.00011	0.00012 J	0.000026 J	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000021 J	<0.0053	<0.00011
	MW14-ROX-041415	4/14/2015		35.16	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.00011	0.00017	<0.0052		<0.00011	0.00007 J	0.000018 J	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.000054	<0.0052	<0.00011
	MW14-ROX-070915	7/9/2015	33.42 - 43.42	34.06	NE	<0.01	<0.0052	0.00044 J	<0.0052	<0.01	0.000016 J	0.00017	<0.0052		<0.0001	0.00019 J	0.00012 J	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	0.000062	<0.0052	0.000017 J
MW-16	MW16-ROX-012313	1/23/2013	37.06 - 47.06	43.05	NE	<0.011	<0.0053 UJ	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	0.000085 J	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000025 J J	<0.0053	<0.00011
	MW16-ROX-040813	4/8/2013		43.39	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	0.000058 J	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.000052	<0.0052	<0.0001
	MW16-ROX-070813	7/8/2013		40.62	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000018 U	<0.0056	<0.00011
	MW16-ROX-100813	10/8/2013		41.62	NE	<0.01 UJ	<0.0052 UJ	<0.0052 UJ	<0.0052 UJ	<0.01 UJ	<0.0001 UJ	<0.0001 UJ	<0.0052 UJ		<0.0001 UJ	<0.00021 UJ	<0.00021 UJ	<0.01 UJ	<0.01 UJ	<0.0052 UJ	<0.0052 UJ	<0.0052 UJ	<0.01 UJ	<0.000052 UJ	<0.0052 UJ	<0.0001 UJ
	MW16-ROX-011514	1/15/2014		43.76	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.000031 U	<0.0052	<0.0001
	MW16-ROX-040914	4/9/2014		44.63	NE	<0.012	<0.0059	<0.00067 U	<0.0059	<0.012	<0.00012	<0.00012	<0.0059		<0.00012	<0.00024	<0.00024	<0.012	<0.012	<0.0059	<0.0059	<0.0059	<0.012	<0.000059	<0.0059	<0.00012
	MW16-ROX-071014	7/10/2014		43.15	NE	<0.011	<0.0054	<0.00021 U	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011
	MW16-ROX-100714	10/7/2014		42.27	NE	<0.012	<0.006	<0.006	<0.006	<0.012	<0.00012	<0.00012	<0.006		<0.00012	<0.0024	<0.0024	<0.012	<0.012	<0.006	<0.006	<0.006	<0.012	<0.00006	<0.006	<0.00012
	MW16-ROX-011315	1/13/2015		43.59	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.000016 U	<0.000022 U	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011
	MW16-ROX-040915	4/9/2015		44.87	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.000026 JB J	0.000039 JB J	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011
	MW16-ROX-070915	7/9/2015	37.06 - 47.06	44.26	NE	<0.011	<0.0055	0.00043 J	<0.0055	<0.011	<0.00011	0.000037 J	<0.0055		<0.00011	0.000067 J	0.00012 J	<0.011	<0.011	<0.0055	<0.0055	<0.0055	<0.011	0.000043 J	<0.0055	<0.00011
	MW16-ROX-070915-DUP	7/9/2015		44.26	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	0.000047 J	0.000074 J	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	0.000023 J	<0.0056	<0.00011
MW-22	MW22-ROX-012313	1/23/2013	37.88 - 47.88	41.80	NE	0.0146	<0.0052 UJ	0.0024 J	<0.0052	<0.01	<0.0001	0.00018	<0.0052		<0.0001	0.0276	0.05	0.018	0.0322	<0.0052	<0.0052	<0.0052	<0.01	0.00019	0.0111	<0.0001
	MW22-ROX-012313-DUP	1/23/2013		41.80	NE	0.0149	<0.0053 UJ	0.0024 J	<0.0053	<0.011	<0.00011	0.00018	<0.0053		<0.00011	0.028	0.0501	0.0187	0.0349	<0.0053	<0.0053	<0.0053	<0.011	0.0002	0.0122	<0.00011
	MW22-ROX-040513	4/5/2013		42.23	NE	0.0269	<0.0053	0.00057 J	<0.0053	<0.011	<0.00011	0.00018	<0.0053		<0.00011	0.0241	0.0413	0.0236	0.0403	<0.0053	<0.0053 UJ	<0.0053	<0.011	0.00019	0.0123 J	<0.00011
	MW22-ROX-071113	7/11/2013		39.35	NE	0.104	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	0.00027	<0.0054		<0.00011	0.0232 J	0.0393	0.0159	0.029	<0.0054	<0.0054	<0.0054	<0.011	0.0002 B	0.0094 J	<0.00011
	MW22-ROX-071113-DUP	7/11/2013		39.35	NE	0.0978	<0.0056	0.00052 J	<0.0056	<0.011	<0.00011	0.00017	<0.0056		<0.00011	0.0216 J	0.037	0.0147	0.0269	<0.0056	<0.0056	<0.0056	<0.011	0.0002 B	0.0088 J	<0.00011
	MW22-ROX-100913	10/9/2013		40.39	NE	0.0863	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	0.00019	<0.0054		<0.00011	0.0276	0.0468	0.0152	0.0319	<0.0054	<0.0054	<0.0054	<0.011	0.00019	<0.0054	<0.00011
	MW22-ROX-100913-DUP	10/9/2013		40.39	NE	0.0826	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	0.0002	<0.0054		<0.00011	0.0265	0.0451	0.0139	0.0296	<0.0054	<0.0054	<0.0054	<0.011	0.00016	<0.0054	<0.00011
	MW22-ROX-012014	1/20/2014		42.49	NE	0.0399 J	<0.027	<0.027	<0.027	<0.053	<0.00011	0.00017	<0.027		<0.00011	0.0258	0.0459	0.0124 J	0.0313 J	<0.027	<0.027	<0.027	<0.053	0.0002 B	0.0071 J	<0.00011
	MW22-ROX-012014-DUP	1/20/2014		42.49	NE	0.0364 J	<0.027	<0.027	<0.027	<0.054	<0.00011	0.00015	<0.027		<0.00011	0.0232	0.0416	0.0118 J	0.0296 J	<0.027	<0.027	<0.027	<0.054	0.0002 B	0.007 J	<0.00011
	MW22-ROX-041014	4/10/2014		43.15	NE	0.0316 J	<0.028	<0.0016 U	<0.028	<0.056	<0.00011	<0.00011	<0.028		<0.00011	0.0174	0.0287	0.0156 J	0.035 J	<0.028	<0.028	<0.028	<0.056	0.0001	<0.028	<0.00011
	MW22-ROX-041014-DUP	4/10/2014		43.15	NE	0.032 J	<0.028	<0.0018 U	<0.028	<0.056	<0.00011	0.00012	<0.028		<0.00011	0.0199	0.0322	0.0159 J	0.038 J	<0.028	<0.028	<0.028	<0.056	0.0001	<0.028	<0.00011
	MW22-ROX-071414	7/14/2014		41.85	NE	0.0281	<0.0054	<0.00057 U	<0.0054	<0.011	<0.00011	0.00015	<0.0054		<0.00011	0.0198	0.0355	0.0102 J	0.0204	<0.0054	<0.0054	<0.0054	<0.011	<0.00018 U	<0.0054	<0.00011
	MW22-ROX-101014	10/10/2014		41.43	NE	<0.013	<0.0063	<0.0063	<0.0063	<0.013	<0.00013	0.00014	<0.0063		<0.00013	0.0193	0.0339	0.0064 J	0.011 J	<0.0063	<0.0063	<0.0063	<0.013	0.00036	0.0079	<0.00013
	MW22-ROX-011615	1/16/2015		42.19	NE	0.0329	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	0.00051	<0.0053		<0.00011	0.0153	0.0184	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000064	0.0119	<0.00011
	MW22-ROX-041415	4/14/2015		43.71	NE	0.0143	<0.0052	<0.0052	<0.0052	<0.01	0.000016 J	0.00021	<0.0052	0.047 JN	<0.0001	0.024	0.0397	<0.01	0.0201	<0.0052	<0.0052	<0.0052	<0.01	0.00013	0.0108	0.00002 J
	MW22-ROX-071515	7/15/2015	37.88 - 47.88	42.64	NE	<0.057	<0.029	<0.029	<0.029	<0.057	<0.00011	0.00011	<0.029	0.033 JN	<0.00011	0.0216	0.0374	0.0075 J	<0.057	<0.029	<0.029	<0.029	<0.057	0.000099	<0.029	<0.00011
MW-23	MW23-ROX-012615	1/26/2015	29.02 - 39.02	30.90	NE	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	0.00096 J	<0.005 UJ		<0.0002	0.0019	0.00056 J	<0.005	<0.005	<0.005	<0.005	<0.005	<0.025	0.0037	<0.005	<0.001
	MW23-ROX-040815	4/8/2015		32.24	NE	<0.01	<0.0051	<0.0051	<0.0051	<0.01	0.000029 J	0.000053 J	<0.0051		<0.0001	0.000036 JB J	0.000028 JB J	<0.01	<0.01	<0.0051	<0.0051	<0.0051	<0.01	0.00057	<0.0051	0.00015
	MW23-ROX-071015-BP	7/10/2015	29.02 - 39.02	30.54	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	0.00002 J	0.000025 J	<0.0056		<0.00011	0.000045 JB J	0.000079 JB J	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	0.000052 J	<0.0056	0.000068 J
MW-24	MW24-ROX-040513	4/5/2013	38.89 - 48.89	43.39	NE	<0.01	<0.0052	0.00049 J	<0.0052	<0.01	0.000088 J	<0.0001	<0.0052		<0.0001	<0.00021	0.00015 J	<0.01	<0.01	<0.0052	<0.0052 UJ	<0.0052	<0.01	<0.000052	<0.0052 UJ	0.000066 J
	MW24-ROX-071113	7/11/2013		40.35	NE	<0.011 UJ	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022 UJ	0.000062 J	<0.011 UJ	<0.011 UJ	<0.0054	<0.0054	<0.0054	<0.011 UJ	<0.000038 U	<0.0053 UJ	<0.00011
	MW24-ROX-100913	10/9/2013		41.27	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011
	MW24-ROX-011514	1/15/2014		43.47	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011
	MW24-ROX-040914	4/9/2014		44.13	NE	<0.011	<0.0056	<0.00092 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011
	MW24-ROX-071114	7/10/2014		42.97	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011
	MW24-ROX-100814	10/8/2014		42.16	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011
	MW24-ROX-011315	1/13/2015		43.17	NE	<0.011	<0.0053	0.00023 J	<0.0053	<0.011	<0.00011	0.000059 J	<0.0053		<0.00011	0.00009 JB	<0.000099 U	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000037 J	<0.0053	<0.00011
	MW24-ROX-040915	4/9/2015		44.45	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.00002 JB J	0.000035 JB J	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011
	MW24-ROX-070915	7/9/2015	38.89 - 48.89	44.65	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	0.000049 J	0.000081 J	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	0.000041 J	<0.0052	<0.0001
MW-25	MW25-ROX-102114	10/21/2014	35.59 - 45.59	36.44	NE	0.0025 J	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	0.00093 J	0.00057 J	0.0011 J	0.0028 J	<0.0056	<0.0056	<0.0056	<0.011	0.000033 J	0.173	<0.00011
	MW25-ROX-012215	1/22/2015		38.45	NE	<0.01	<0.0052	0.00028 J	<0.0052	<0.01	<0.000018 U	<0.0001	<0.0052		<0.0001	0.00036 J	0.00015 J	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.000052	0.107	<0.000019 U
	MW25-ROX-042115	4/21/2015		39.71	NE	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	0.00067 J	0.00035 J	<0.01	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.000051	0.0592	<0.0001
	MW25-ROX-071515	7/15/2015	35.59 - 45.59	38.40	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	0.000019 J	<0.0052		<0.0001	0.00088 J	0.00049 J	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	0.000017 J	0.112	<0.0001
MW-26	MW26-ROX-102114	10/21/2014	38.15 - 48.15	39.43	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.0021	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011
	MW26-ROX-011215	1/12/2015		41.09	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.0021	<0.000017 U	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	0.000015 J	<0.0052	<0.0001
	MW26-ROX-040815	4/8/2015		42.52	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.0021	<0.0021	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.000052	<0.0052	<0.0001
	MW26-ROX-070815	7/8/2015	38.15 - 48.15	41.76	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.000046 J	0.000065 J	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.00003 J	<0.0053	<0.00011

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						SVOCs																				
						2,4-Dimethylphenol	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate	2,6-Dinitrotoluene	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3 & 4-Methylphenol (m & p-Cresol)	Nitrobenzene	N-Nitrosodimethylamine	N-Nitrosodiphenylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene
				Screening Values (mg/L)		0.14 [2]		0.7 [1]	0.14 [2]	0.00031 [2]	0.28 [1]	0.28 [1]	0.00006 [2]		0.00043 [1]	0.49 [3]	0.028 [1]	0.35 [1]	0.35 [3]	0.014 [1]	0.0006 [3]	0.0032 [2]	0.001 [1]	0.21 [3]	0.1 [1]	0.21 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-27	MW27-ROX-102114	10/21/2014	39.79 - 49.79	41.57	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.0021	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011
	MW27-ROX-011515	1/15/2015		42.06	NE	<0.011	<0.0053	0.00026 J J	<0.0053 UJ	<0.011	<0.00011	0.000023 J J	<0.0053		0.000047 J J	<0.0021	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000028 J J	<0.0053	0.000019 J J
	MW27-ROX-041015	4/10/2015		43.22	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.000024 J J	<0.00011	<0.0054		<0.00011	0.000036 J	0.00007 J	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.000019 JB J	<0.0054	0.000018 J
	MW27-ROX-071015	7/10/2015	39.79 - 49.79	43.00	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	0.00005 JB J	0.000086 JB J	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011
MW-28	MW28-ROX-102114	10/21/2014	33.61 - 43.61	36.44	NE	<0.011	<0.0053	0.00026 J	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.00075 J	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000017 J	<0.0053	<0.00011
	MW28-ROX-011515	1/15/2015		41.14	NE	0.0012 J	<0.0055	0.00033 J J	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	0.00047 J	<0.0022	<0.011	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011
	MW28-ROX-041415	4/14/2015		42.34	NE	<0.011	<0.0057	<0.0057	<0.0057	<0.011	<0.00011	<0.00011	<0.0057		0.000035 J	0.00024 J	0.000037 J	<0.011	<0.011	<0.0057	<0.0057	<0.0057	<0.011	<0.000057	<0.0057	<0.00011
	MW28-ROX-071515	7/15/2015	33.61 - 43.61	42.19	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	0.00021 J J	0.0001 JB J	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	0.00002 J	<0.0056	<0.00011
P-54	P54-ROX-103012	10/30/2012	38.00 - 63.00	40.70	NE	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051 UJ	<0.0051	<0.01	<0.000051	<0.0051 UJ	<0.0001
	P54-ROX-011113	1/11/2013		41.56	NE	<0.011	<0.0053 UJ	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000032 J	<0.0053	<0.00011
	P54-ROX-041013	4/10/2013		41.80	NE	<0.011	<0.0057 UJ	<0.0057	<0.0057	<0.011	<0.00011	<0.00011	<0.0057		<0.00011	<0.00023	<0.00023	<0.011	<0.011	<0.0057	<0.0057	<0.0057	<0.011	<0.000057	<0.0057	<0.00011
	P54-ROX-050313	5/3/2013		41.80	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011
	P54-ROX-071113	7/11/2013		39.07	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021 UJ	0.000083 J	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.000049 U	<0.0052 UJ	<0.0001
	P54-ROX-100813	10/8/2013		39.94	NE	<0.011	<0.0057	<0.0057	<0.0057	<0.011	<0.00011	<0.00011	<0.0057		<0.00011	<0.00023	<0.00023	<0.011	<0.011	<0.0057	<0.0057	<0.0057	<0.011	<0.000057	<0.0057	<0.00011
	P54-ROX-011514	1/15/2014		42.20	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011
	P54-ROX-040914	4/9/2014		42.80	NE	<0.012	<0.006	<0.00062 U	<0.006	<0.012	<0.00012	<0.00012	<0.006		<0.00012	<0.00024	<0.00024	<0.012	<0.012	<0.006	<0.006	<0.006	<0.012	<0.00006	<0.006	<0.00012
	P54-ROX-071114	7/10/2014		41.71	NE	<0.011	<0.0054	<0.00028 U	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.00011 J	0.00013 J	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000051 U	<0.0054	<0.00011
	P54-ROX-100814	10/8/2014		40.88	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011
	P54-ROX-011415	1/14/2015		41.79	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	0.000021 J J	<0.00011	<0.0056		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	0.00002 J	<0.0056	0.00003 J
	P54-ROX-041015	4/10/2015		43.20	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.00002 J J	<0.00011	<0.0053		<0.00011	0.000024 J	0.000046 J	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000025 JB J	<0.0053	0.000018 J
	P54-ROX-070915	7/9/2015	38.00 - 63.00	42.25	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	0.000019 J	<0.0052		<0.0001	0.000089 J	0.00015 J	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	0.000041 J	<0.0052	<0.0001
P-55	P55-ROX-012113	1/21/2013	39.82 - 64.82	45.24	NE	0.004 J	<0.01	<0.01	<0.01	<0.001	<0.0001	0.00133	<0.002		<0.0001		0.042	<0.01	<0.01	<0.004	<0.02	<0.003	<0.004	0.00211	0.004 J	<0.0001
	P55-ROX-012113	1/21/2013		45.24	NE	0.0024 J	<0.0051	0.00069 J	<0.0051	<0.01	<0.0001	0.00093	<0.0051		<0.0001	0.0176	0.0254	<0.01	0.0018 J	<0.0051	<0.0051	<0.0051	<0.01	0.0017	0.0034 J	<0.0001
P-55R	P55-ROX-041513	4/15/2013	40.43 - 50.43	43.63	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	0.0013	<0.0052		<0.0001	0.0268	0.0389	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	0.0021	<0.0052	<0.0001
	P55-ROX-071613	7/16/2013		40.06	NE	0.0024 J	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	0.0015	<0.0056		<0.00011	0.0244	0.0353	<0.011 UJ	<0.011	<0.0056	<0.0056	<0.0056	<0.011	0.0019	0.0048 J J	<0.00011
	P55-ROX-101013	10/10/2013		41.67	NE	0.0014 J	<0.0055	<0.0055	<0.0055	<0.011	<0.00011	0.0014	<0.0055		<0.00011	0.0279	0.0415	<0.011	<0.011	<0.0055	<0.0055	<0.0055	<0.011	0.0017	0.002 J	<0.00011
P-56	P56-ROX-103112	10/31/2012	40.82 - 65.82	44.80	NE	<0.01 UJ	<0.0051	<0.0051	<0.0051	<0.01	<0.0001	0.00046	<0.0051		<0.0001	0.024	0.0307	<0.01	0.0011 J	<0.0051	<0.0051 UJ	<0.0051	<0.01	0.0013	<0.0051 UJ	<0.0001
	P56-ROX-011713	1/17/2013		45.65	NE	<0.01	<0.005	<0.005	<0.005	<0.01	<0.0001	0.00032	<0.005		<0.0001	0.0147	0.0131	<0.01	<0.01	<0.005	<0.005	<0.005	<0.01	0.0012	0.0014 J	<0.0001
	P56-ROX-041213	4/12/2013		46.12	NE	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.00011	0.00032	<0.0055		<0.00011	0.0208	0.0239	<0.011	<0.011	<0.0055	<0.0055	<0.0055	<0.011	0.0012	<0.0055	<0.00011
	P56-ROX-071513	7/15/2013		43.25	NE	0.0086 J	<0.0055	<0.0055	<0.0055	<0.011	<0.00011	0.00059	<0.0055		<0.00011	0.0315	0.0431	<0.011 UJ	0.0064 J	<0.0055	<0.0055	<0.0055	<0.011	0.0015	<0.0055 UJ	<0.00011
	P56-ROX-101013	10/10/2013		44.48	NE	0.0042 J	<0.0055	<0.0055	<0.0055	<0.011	<0.00011	0.00044	<0.0055		<0.00011	0.0251	0.03	<0.011	<0.011	<0.0055	<0.0055	<0.0055	<0.011	0.0013	<0.0055	<0.00011
	P56-ROX-012214	1/22/2014		46.35	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	0.00035	<0.0052		<0.0001	0.0193	0.0228	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	0.0012	<0.0052	<0.0001
	P56-ROX-041414	4/14/2014		47.32	NE	<0.012	<0.0059	0.00051 J	<0.0059	<0.012	<0.00012	0.00038	<0.0059		<0.00012	0.0223	0.0269	<0.012	0.0008 J	<0.0059	<0.0059	<0.0059	<0.012	0.0012	<0.0059	<0.00012
	P56-ROX-070814	7/8/2014		45.97	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	0.00036	<0.0056		<0.00011	0.0181	0.0243	<0.011	0.0165	<0.0056	<0.0056	<0.0056	<0.011	0.001	<0.0056	<0.00011
	P56-ROX-101314	10/13/2014		45.05	NE	<0.011	<0.0054	<0.00035 U	<0.0054	<0.011	<0.00011	0.00041	<0.0054		<0.00011	0.0235	0.0296	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.0015	<0.0054	<0.00011
	P56-ROX-011915	1/19/2015		46.58	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	0.0003	<0.0054		<0.00011	0.0197	0.0223	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.0011	<0.0054	0.00003 J
	P56-ROX-041515	4/15/2015		48.05	NE	0.0026 J	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	0.00041	<0.0054		<0.00011	0.026	0.0293	<0.011	0.0011 J	<0.0054	<0.0054	<0.0054	<0.011	0.0013	<0.0054	0.000027 J J
	P56-ROX-071015	7/10/2015	40.82 - 65.82	47.34	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	0.00033	<0.0053		<0.00011	0.0262	0.0119	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.0014	<0.0053	0.000029 J
P-57	P57-ROX-110512	11/5/2012	40.46 - 65.46	44.98	NE	<0.01 UJ	<0.005	<0.005	<0.005	<0.01	<0.0001	0.00062	<0.005		0.00005 J	0.0249	0.0305	<0.01	<0.01	<0.005	<0.005	<0.005	<0.01	0.00048	0.0547 J	<0.0001
	P57-ROX-012913	1/29/2013		45.92	NE	0.0023 J J	<0.0059	<0.0059	<0.0059	<0.012	<0.00012	0.00094	<0.0059		<0.00012	0.0369	0.0447	<0.012	<0.012	<0.0059	<0.0059	<0.0059	<0.012	0.00074	<0.0059 UJ	<0.00012
	P57-ROX-041113	4/11/2013		46.29	NE	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.0001	0.00076	<0.0051		<0.0001	0.0348	0.0453	<0.01	<0.01	<0.0051	<0.0051	<0.0051	<0.01	0.00074	0.146	<0.0001
	P57-ROX-071613	7/16/2013		43.38	NE	0.002 J	<0.0056	<0.0056	<0.0056	<0.011	0.000038 J	0.0008	<0.0056		<0.00011	0.0267	0.0365	<0.011 UJ	0.0086 J	<0.0056	<0.0056	<0.0056	<0.011	0.00073	0.164 J	<0.000052 U
	P57-ROX-101413	10/14/2013		44.38	NE	0.0029 J	<0.0054	0.00049 J	<0.0054	<0.011	<0.00011	0.00067	<0.0054		<0.00011	0.0252	0.0324	<0.011	<0.011	<0.0054	<0.0054 UJ	<0.0054	<0.011	0.00049	0.202	0.000047 J
	P57-ROX-020314	2/3/2014		46.57	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	0.00062	<0.0053		<0.00011	0.0234	0.0314	<0.011	0.0027 J	<0.0053	<0.0053	<0.0053	<0.011	0.00052	0.168 J	<0.00011
	P57-ROX-041514	4/15/2014		46.70	NE	<0.011 UJ	<0.0056	<0.00058 U	<0.0056	<0.011	<0.00011	0.00061	<0.0056		<0.00011	0.0238	0.032	<0.011	<0.011	<0.0056	<0.0056 UJ	<0.0056	<0.011	0.00045 J	0.106 J	<0.00011
	P57-ROX-070814	7/8/2014		45.95	NE	<0.011	<0.0053	0.00026 J	<0.0053	<0.011	<0.00011 UJ	0.00055	<0.0053	0.024 JN	<0.00011	0.022	0.0306	<0.011	0.0303	<0.0053	<0.0053	<0.0053	<0.011	0.00047	0.141	<0.00011
	P57-ROX-070814-DUP	7/8/2014		45.95	NE	<0.011	<0.0054	0.00027 J	<0.0054	<0.011	<0.00011 UJ	0.00054	<0.0054	0.023 JN	<0.00011	0.022	0.03	<0.011	0.0299	<0.0054	<0.0054	<0.0054	<0.011	0.00048	0.136	<0.00011
	P57-ROX-101414-DUP	10/14/2014		45.00	NE	<0.012	<0.0058	<0.00082 U	<0.0058	<0.012	<0.00012	0.00065	<0.0058		<0.00012	0.0243	0.0338	<0.012	0.0138	<0.0058	<0.0058	<0.0058	<0.012	0.00058	0.271 J	<0.00012
	P57-ROX-101414	10/14/2014		45.00	NE	<0.011	<0.0056	<0.00086 U	<0.0056	<0.011	<0.00011	0.00068	<0.0056		<0.00011	0.026	0.0345	<0.011	0.0152	<0.0056	<0.0056	<0.0056	<0.011	0.00059	0.274 J	<0.00011
	P57-ROX-012315	1/23/2015	44.19 - 54.19	47.52	NE	<0.011	<0.0053	0.00039 J	<0.0053	<0.011	<0.00002 U	0.00098	<0.0053		<0.00011	0.0385	0.0507	<0.011	0.0044 J	<0.0053	<0.0053	<0.0053	<0.011	0.00062	0.159	<0.000027 U
	P57-ROX-042015	4/20/2015		48.73	NE	<0.01	<0.0052	0.00037 J	<0.0052	<0.01	<0.0001	0.00089	<0.0052		<0.0001	0.0312	0.045	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	0.0007	0.164	0.000021 J
	P57-ROX-071315	7/13/2015	44.19 - 54.19	47.81	NE	<0.011	<0.0053	0.00044 J	<0.0053	<0.011	<0.00011	0.00082	<0.0053		<0.00011	0.0302	0.0464	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.00064	0.189	0.00002 J

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						SVOCs																		
						2,4-Dimethylphenol	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate	2,6-Dinitrotoluene	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3 & 4-Methylphenol (m & p-Cresol)	Nitrobenzene	N-Nitrosodimethylamine	N-Nitrosodiphenylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene
				Screening Values (mg/L)		0.14 [2]		0.7 [1]	0.14 [2]	0.00031 [2]	0.28 [1]	0.28 [1]	0.00006 [2]		0.00043 [1]	0.49 [3]	0.028 [1]	0.35 [1]	0.35 [3]	0.014 [1]	0.0006 [3]	0.0032 [2]	0.001 [1]	0.21 [3]	0.1 [1]	0.21 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
P-58	P58-ROX-110612	11/6/2012	40.21 - 65.21	43.09	NE																					
	P58-ROX-121012	12/10/2012		43.09	NE	<0.011	<0.0054 UJ	<0.0054	<0.0054	<0.011	<0.00011	0.0014	<0.0054		<0.00011	0.0616	0.0807	<0.011	0.0124	<0.0054	<0.0054	<0.0054	<0.011	0.00085	0.178	0.00012
	P58-ROX-012213	1/22/2013		44.21	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.00024	0.003	<0.0054		0.000072 J	0.068	0.0846	<0.011	0.0198	<0.0054	<0.0054	<0.0054	<0.011	0.0023	0.208	0.00077
	P58-ROX-041113	4/11/2013		44.40	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.00019	0.0022	<0.0054		<0.00011	0.0692	0.0961	<0.011	0.014	<0.0054	<0.0054	<0.0054	<0.011	0.0021	0.0985	0.00055
	P58-ROX-071613	7/16/2013		41.49	NE	<0.011	<0.0055	<0.0055	<0.0055	<0.011	0.000071 J	0.0013	<0.0055		<0.00011	0.0544	0.0708	<0.011 UJ	0.0359	<0.0055	<0.0055	<0.0055	<0.011	0.00099	0.247	<0.0002 U
	P58-ROX-101413	10/14/2013		42.19	NE	0.0016 J	<0.0054	0.00058 J	<0.0054	<0.011	0.000066 J	0.0014	<0.0054		<0.00011	0.0488	0.0628	<0.011	0.0481	<0.0054	<0.0054 UJ	<0.0054	<0.011	0.00095	0.213	0.00021
	P58-ROX-020314	2/3/2014		44.66	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	0.000058 J	0.0011	<0.0052		<0.0001	0.0353	0.0474	<0.01	0.0073 J	<0.0052	<0.0052	<0.0052	<0.01	0.00069	0.123 J	0.00014
	P58-ROX-041514	4/15/2014		45.66	NE	<0.011 UJ	<0.0053 UJ	<0.0013 U	0.00072 J	<0.011 UJ	0.00079	0.0017	0.00088 J		0.00072	0.0284	0.0381	<0.011 UJ	0.0136 J	<0.0053	0.0021 J J	<0.0053 UJ	<0.011 UJ	0.0013	0.123 J	0.00085
	P58-ROX-071814	7/18/2014		43.80	NE	<0.011	<0.0055	<0.00032 U	<0.0055	<0.011	0.000062 J	0.0012	<0.0055		0.0005	0.0412	0.0554	<0.011	0.012	<0.0055	<0.0055	<0.0055	<0.011	0.00092	0.173	0.00022
	P58-ROX-101514	10/15/2014		43.14	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.000064 J	0.0015	<0.0054		<0.00011	0.0504	0.0674	<0.011	0.0237	<0.0054	<0.0054	<0.0054	<0.011	0.001	0.145	0.00024
	P58-ROX-012315	1/23/2015		45.32	NE	<0.011	<0.0053	0.00038 J	<0.0053	<0.011	<0.000028 U	0.0011	<0.0053		<0.00011	0.0428	0.0565	<0.011	0.0025 J	<0.0053	<0.0053	<0.0053	<0.011	0.00064	0.162	0.000097 JB
	P58-ROX-042015	4/20/2015		46.67	NE	<0.01	<0.0052	0.00028 J	<0.0052	<0.01	0.000048 J	0.0012	<0.0052		<0.0001	0.0444	0.0563	<0.01	0.0047 J	<0.0052	<0.0052	<0.0052	<0.01	0.00075	0.112	0.00019
	P58-ROX-071415	7/14/2015	40.21 - 65.21	45.54	NE	<0.011	<0.0055	0.00081 J	<0.0055	<0.011	0.000054 J	0.0011	<0.0055		<0.00011	0.04	0.055	<0.011	0.0165	<0.0055	<0.0055	<0.0055	<0.011	0.00083	0.153	0.00023
P-59	P59-ROX-110212	11/2/2012	47.91 - 72.91	45.98	NE	0.0102 J J	<0.0053	<0.0053	<0.0053	<0.011	0.000063 J	0.0005	<0.0053		<0.00011	0.0187	0.0282	0.0065 J	0.0137	<0.0053	<0.0053	<0.0053	<0.011	0.00075	0.0766 J	0.00009 J
	P59-ROX-110212-DUP	11/2/2012		45.98	NE	0.0092 J J	<0.0052	<0.0052	<0.0052	<0.01	0.000066 J	0.00048	<0.0052		<0.0001	0.0179	0.0268	0.0056 J	0.0116	<0.0052	<0.0052	<0.0052	<0.01	0.00073	0.0656 J	0.000093 J
	P59-ROX-013013	1/30/2013		46.60	NE	0.0581	<0.0052 UJ	0.0022 J	<0.0052	<0.01	<0.000079 U	0.00069	<0.0052		<0.0001	0.0222	0.0305	0.154	0.107	<0.0052	<0.0052 UJ	<0.0052	<0.01	0.001	0.141 J	<0.00011 U
	P59-ROX-041213	4/12/2013		46.95	NE	0.0919	<0.0054	<0.0054	<0.0054	<0.011	0.000077 J	0.00064	<0.0054		<0.00011	0.0247	0.0369	0.174	0.0842	<0.0054	<0.0054	<0.0054	<0.011	0.0012	0.119	0.000098 J
	P59-ROX-041213-DUP	4/12/2013		46.95	NE	0.0914	<0.0053	<0.0053	<0.0053	<0.011	0.000078 J	0.00065	<0.0053		<0.00011	0.0265	0.0383	0.154	0.0794	<0.0053	<0.0053	<0.0053	<0.011	0.0012	0.101	0.0001 J
	P59-ROX-071613	7/16/2013		44.13	NE	0.0583	<0.0054	<0.0054	<0.0054	<0.011	0.000061 J	0.00063	<0.0054		<0.00011	0.0189	0.0302	0.17	0.042	<0.0054	<0.0054	<0.0054	<0.011	0.00087	0.121 J	<0.000078 U
	P59-ROX-101013	10/10/2013		45.50	NE	0.078	<0.0054	<0.0054	0.00091 J	<0.011	0.00015	0.0007	<0.0054		<0.00011	0.0192	0.0305	0.201	0.0528	<0.0054	<0.0054	<0.0054	<0.011	0.0014	0.0524	0.00028
	P59-ROX-020314	2/3/2014		47.35	NE	0.147 J	<0.0052	<0.0052	<0.0052	<0.01	0.00012	0.00067	<0.0052		<0.0001	0.0141	0.0214	0.31 J	0.0142	<0.0052	<0.0052	<0.0052	<0.01	0.0014	0.0444 J	0.00019
	P59-ROX-041514	4/15/2014		48.60	NE	<0.011 UJ	<0.0053	<0.0053	<0.0053	<0.011	0.00015	0.00066	<0.0053		<0.00011	0.0233	0.0317	<0.011	0.0186 J	<0.0053	<0.0053 UJ	<0.0053	<0.011	0.0016	0.13 J	0.0003
	P59-ROX-070814	7/8/2014		47.69	NE	0.17	<0.0057	0.00045 J	<0.0057	<0.011	0.000053 J J	0.00046	<0.0057		<0.00011	0.0181	0.0291	0.0793	0.0184	<0.0057	<0.0057	<0.0057	<0.011	0.00088	<0.0057	0.0001 J
	P59-ROX-101414	10/14/2014		46.18	NE	0.0492	<0.0054	<0.00042 U	<0.0054	<0.011	<0.00054	0.00087	<0.0054		<0.00054	0.0268	0.0425	0.0387	0.0092 J	<0.0054	<0.0054	<0.0054	<0.011	0.0015	0.0361	<0.00054
	P59-ROX-011915	1/19/2015		47.42	NE	0.153	<0.0054	<0.0054	<0.0054	<0.011	0.00014	0.00073	<0.0054		<0.00011	0.0145	0.0216	0.0789	0.0145	<0.0054	<0.0054	<0.0054	<0.011	0.0013	0.0169	0.00027
	P59-ROX-041615	4/16/2015		48.83	NE	0.165	<0.0054	<0.0054	<0.0054	<0.011	0.000078 J	0.00028	<0.0054	0.057 JN	<0.00011	0.0136	0.0189	0.0661	0.168	<0.0054	<0.0054	<0.0054	<0.011	0.00081	0.0909	0.00014
	P59-ROX-071315	7/13/2015	47.91 - 72.91	47.85	NE	0.113	<0.0054	<0.0054	<0.0054	<0.011	0.0002	0.00045	<0.0054		<0.00011	0.0045	0.0049	0.044	0.0123	<0.0054	<0.0054	<0.0054	<0.011	0.00064	0.0062	0.00039
P-66	P66-ROX-103112	10/31/2012	34.72 - 59.72	34.75	NE	<0.01 UJ	<0.005	<0.005	<0.005	<0.01	<0.000051 U	0.0017	<0.005		<0.0001	0.0689	0.0268	<0.01	<0.01	<0.005	<0.005 UJ	<0.005	<0.01	0.00054	<0.005 UJ	<0.00007 U
	P66-ROX-011813	1/18/2013		35.70	NE	<0.011	<0.0053 UJ	<0.0053	<0.0053	<0.011	0.000076 J	0.0019	<0.0053		<0.00011	0.0655	0.0315	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.00082	0.0019 J	0.00011
	P66-ROX-041113	4/11/2013		36.03	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000072 J	0.0017	<0.0053		<0.00011	0.0681	0.0131	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.00091	<0.0053	0.000087 J
	P66-ROX-071213	7/12/2013		33.20	NE	<0.011	<0.0056 UJ	<0.0056	<0.0056	<0.011	<0.00019 U	0.0018	<0.0056		0.00017	0.0688	0.0642	<0.011	<0.011	<0.0056	<0.0056 UJ	<0.0056	<0.011	0.00088	0.0035 J J	<0.0002 U
	P66-ROX-101013	10/10/2013		33.66	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	0.000052 J	0.0013	<0.0056		<0.00011	0.0571	0.0218	<0.011	0.0034 J	<0.0056	<0.0056	<0.0056	<0.011	0.0005	<0.0056	0.00009 J
	P66-ROX-110713	11/7/2013		33.66	NE																					
	P66-ROX-012914	1/29/2014		36.39	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000065 J	0.0016	<0.0053		0.000041 J	0.0701	0.0284	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.00077	<0.0053	0.000099 J
	P66-ROX-041114	4/11/2014		37.10	NE	<0.012	<0.0058	<0.00088 U	<0.0058	<0.012	<0.00012	0.0013	<0.0058		<0.00012	0.0649	0.023	<0.012	<0.012	<0.0058	<0.0058	<0.0058	<0.012	0.00049	<0.0058	0.000049 J
	P66-ROX-070714	7/7/2014		35.60	NE	<0.011	<0.0056	0.0003 J	<0.0056	<0.011	<0.00011	0.00078	<0.0056		<0.00011	0.0445	0.006	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	0.00041 J	<0.0056	<0.00011
	P66-ROX-101414	10/14/2014		34.48	NE	<0.011	<0.0055	<0.00066 U	<0.0055	<0.011	<0.00011	0.0011	<0.0055		<0.00011	0.0595	0.0075	<0.011	<0.011	<0.0055	<0.0055	<0.0055	<0.011	0.00064	<0.0055	0.000043 J
	P66-ROX-011615	1/16/2015		36.62	NE	<0.011	<0.0053	<0.00022 U	<0.0053	<0.011	0.000047 J J	0.0014	<0.0053		<0.00011	0.0739	0.0178	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.00072 J	<0.0053	0.000077 J J
	P66-ROX-011615-DUP	1/16/2015		36.62	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.001 J	0.0015	<0.0054		0.00014	0.0682	0.0165	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.0016 J	<0.0054	0.00086 J
	P66-ROX-041415	4/14/2015		38.27	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.00005 J	0.0013	<0.0054		<0.00011	0.0665	0.02	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.00062	<0.0054	0.000053 J
	P66-ROX-041415-DUP	4/14/2015		38.27	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000038 J	0.0013	<0.0053		<0.00011	0.0627	0.0187	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.00059	<0.0053	0.000041 J
	P66-ROX-070815	7/8/2015	34.72 - 59.72	37.24	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000027 J	0.0011	<0.0053		<0.00011	0.0546	0.0075	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.00053	<0.0053	0.000028 J
	P66-ROX-070815-DUP	7/8/2015		37.24	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000024 J	0.0011	<0.0053		<0.00011	0.0574	0.0077	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.00056	<0.0053	0.00004 J
P-74	P74-ROX-110112	11/1/2012	44.43 - 69.43	41.72	NE	0.008 J J	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	0.0003	<0.0052		<0.0001	0.0123	0.0136	0.0054 J	0.002 J	<0.0052	<0.0052 UJ	<0.0052	<0.01	0.00013	0.0307 J	<0.0001
	P74-ROX-011713	1/17/2013		42.65	NE	0.0021 J	<0.0051	<0.0051	<0.0051	<0.01	0.000038 J	0.00038	<0.0051		<0.0001	0.0156	0.0198	<0.01	0.001 J	<0.0051	<0.0051	<0.0051	<0.01	0.00023	0.0298	0.000048 J
	P74-ROX-041113	4/11/2013		42.83	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.000052	<0.0046 U	<0.0001
	P74-ROX-071513	7/15/2013		40.11	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.00014	0.00011	<0.0054		<0.00011	0.0019	0.00019 J	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00008 U	0.008	0.000074 J
	P74-ROX-101413	10/14/2013		41.72	NE	0.0019 J	<0.0054	0.00047 J	<0.0054	<0.011	0.00015	0.00025	<0.0054		<0.00011	0.0073	0.0079	<0.011	<0.011	<0.0054	<0.0054 UJ	<0.0054	<0.011	0.00079	0.0125	0.000057 J
	P74-ROX-012414	1/24/2014		43.35	NE	<0.01	<0.0051	0.00048 J	<0.0051	<0.01	0.000088 J	0.00028	<0.0051		<0.0001	0.0088	0.0106	<0.01	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.00014 U	0.0278	0.000049 J
	P74-ROX-041514	4/15/2014		44.74	NE	<0.012 UJ	<0.0059	<0.0014 U	<0.0059	<0.012	<0.00012	<0.00012	<0.0059		<0.00012	0.0017 J	0.0022 J	<0.012	<0.012	<0.0059	<0.0059 UJ	<0.0059	<0.012	0.000054 JB J	<0.0059 UJ	<0.00012
	P74-ROX-070814	7/8/2014		43.02	NE	<0.011	<0.0057	0.00039 J	<0.0057	<0.011	<0.00011	0.00011	<0.0057		<0.00011	0.0034	0.003	<0.011	<0.011	<0.0057	<0.0057	<0.0057	<0.011	0.000054 J	<0.0057	<0.00011
	P74-ROX-101414	10/14/2014		41.48	NE	<0.01	<0.005	<0.0019 U	<0.005	<0.01	<0.0001	<0.0001	<0.005		<0.0001	<0.002	<0.002	<0.01	<0.01	<0.005	<0.005	<0.005	<0.01	<0.00005	<0.005	<0.0001
	P74-ROX-011915	1/19/2015		43.47	NE	0.02	<0.0053	<0.0053	<0.0053	<0.011	0.000053 J	0.00023	<0.0053		<0.00011	0.0077	0.0107	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.00015 B	0.0169	0.000038 J
	P74-ROX-041515	4/15/2015		44.61	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.0021	<0.0021	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.000052	<0.0052	<0.0001
	P74-ROX-071015	7/10/2015	44.43 - 69.43	43.28	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.000019 J	<0.00011	<0.0054		<0.00011	0.00002 JB J	0.000029 JB J	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						SVOCs																			
						2,4-Dimethylphenol	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate	2,6-Dinitrotoluene	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3 & 4-Methylphenol (m & p-Cresol)	Nitrobenzene	N-Nitrosodimethylamine	N-Nitrosodiphenylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene
					Screening Values (mg/L)	0.14 [2]		0.7 [1]	0.14 [2]	0.00031 [2]	0.28 [1]	0.28 [1]	0.00006 [2]		0.00043 [1]	0.49 [3]	0.028 [1]	0.35 [1]	0.35 [3]	0.014 [1]	0.0006 [3]	0.0032 [2]	0.001 [1]	0.21 [3]	0.1 [1]	0.21 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
P-93A	P93A-ROX-110712	11/7/2012	48.17 - 63.17	45.00	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	0.00029	<0.0052		<0.0001	0.015	0.0194	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	0.00028 B	0.19	<0.0001
	P93A-ROX-110712-DUP	11/7/2012		45.00	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	0.00037	<0.0052		<0.0001	0.016	0.0206	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	0.00034 B	0.217	<0.0001
	P93A-ROX-012313	1/23/2013		45.89	NE	<0.01	<0.0052 UJ	<0.0052	<0.0052	<0.01	<0.0001	0.00021	<0.0052		<0.0001	0.0096	0.0093	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	0.00024	0.168	<0.0001
	P93A-ROX-012313-DUP	1/23/2013		45.89	NE	<0.01	<0.0052 UJ	<0.0052	<0.0052	<0.01	<0.0001	0.00019	<0.0052		<0.0001	0.0094	0.009	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	0.00023	0.165	<0.0001
	P93A-ROX-041113	4/11/2013		46.29	NE	<0.01	<0.005	<0.005	<0.005	<0.01	0.000046 J	0.0003	<0.005		<0.0001	0.0146 J	0.0098	<0.01	<0.01	<0.005	<0.005	<0.005	<0.01	0.00035	0.2	0.00004 J
	P93A-ROX-041113-DUP	4/11/2013		46.29	NE	<0.01	<0.005	<0.005	<0.005	<0.01	<0.0001	0.00025	<0.005		<0.0001	0.0146 J	0.0096	<0.01	<0.01	<0.005	<0.005	<0.005	<0.01	0.00024	0.179	<0.0001
	P93A-ROX-071813	7/18/2013		43.25	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	0.00023	<0.0056		<0.00011	0.0089	0.0062	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	0.00021	0.107	<0.00011
	P93A-ROX-101113	10/11/2013		44.18	NE	<0.01	<0.005	<0.005	<0.005	<0.01	<0.0001	0.00028	<0.005		<0.0001	0.0128	0.0085	<0.01	<0.01	<0.005	<0.005	<0.005	<0.01	0.00013	0.0837 J	<0.0001
	P93A-ROX-012914	1/29/2014		46.53	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	0.00032	<0.0054		<0.00011	0.0133	0.0072	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.00022 B	0.105	<0.00011
	P93A-ROX-041714	4/17/2014		47.41	NE	<0.011	<0.0056	<0.0012 U	<0.0056	<0.011	<0.00011	0.00027	<0.0056		<0.00011	0.0086	0.0048	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	0.00018 B J	0.0735	<0.00011
	P93A-ROX-071814	7/18/2014		45.70	NE	<0.011	<0.0057	<0.00077 U	<0.0057	<0.011	<0.00011	0.00024	<0.0057		<0.00011	0.0084	0.0053	<0.011	<0.011	0.0059	<0.0057	<0.0057	<0.011	0.00017 B	0.0355	<0.00011
	P93A-ROX-071814-DUP	7/18/2014		45.70	NE	<0.011	<0.0057	<0.00041 U	<0.0057	<0.011	<0.00011	0.00025	<0.0057		<0.00011	0.0095	0.0062	<0.011	<0.011	0.0052 J	<0.0057	<0.0057	<0.011	0.00017 B	0.0396	<0.00011
	P93A-ROX-101514	10/15/2014		45.06	NE	<0.01	<0.0052	0.00024 J	<0.0052	<0.01	<0.0001	0.00037	<0.0052		<0.0001	0.0114	0.0095	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	0.0003	0.0471	<0.0001
	P93A-ROX-101514-DUP	10/15/2014		45.06	NE	<0.011 UJ	<0.0054 UJ	0.00046 J J	<0.0054 UJ	<0.011 UJ	<0.00011 UJ	0.00039 J	<0.0054 UJ		<0.00011 UJ	0.0122 J	0.0101 J	<0.011 UJ	<0.011 UJ	0.0011 J J	<0.0054 UJ	<0.0054 UJ	<0.011 UJ	0.0003 J	0.05 J	<0.00011 UJ
	P93A-ROX-012715	1/27/2015	43.07 - 53.07	46.05	NE	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005		<0.0002	0.008	0.0038	<0.005	<0.005	<0.005	<0.005	<0.005	<0.025	0.00026 J	0.09	<0.001
	P93A-ROX-041715	4/17/2015		47.02	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000017 J	0.00021	<0.0053		<0.00011	0.0061	0.0028	<0.011	0.00063 J	<0.0053	<0.0053	<0.0053	<0.011	0.00018	0.0251	0.000026 J
	P93A-ROX-071315	7/13/2015	43.07 - 53.07	45.93	NE	<0.01	<0.0052	0.00064 J	<0.0052	<0.01	0.000025 J	0.00022	<0.0052		<0.0001	0.0056	0.0032	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	0.00018	0.128	0.000032 J
P-93B	P93B-ROX-110712	11/7/2012	74.60 - 76.60	45.05	NE	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	0.00026	0.00045 B	<0.01	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.000051	0.13	<0.0001
	P93B-ROX-110712-DUP	11/7/2012		45.05	NE	<0.01	<0.005	<0.005	<0.005	<0.01	<0.0001	<0.0001	<0.005		<0.0001	0.0003	0.0005 B	<0.01	<0.01	<0.005	<0.005	<0.005	<0.01	<0.00005	0.114	<0.0001
	P93B-ROX-012313	1/23/2013		45.89	NE	0.0021 J	0.00024 J J	0.003 J	<0.0053	<0.011	0.00013	0.00012	0.00058 J		0.00012	<0.00021	0.00012 J	<0.011	0.0014 J	<0.0053	<0.0053	<0.0053	<0.011	0.00016	0.176	0.00013
	P93B-ROX-041113	4/11/2013		46.32	NE	<0.01	<0.0051	0.0013 J	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.000051	0.122	<0.0001
	P93B-ROX-071813	7/18/2013		43.30	NE	<0.011	<0.0056	0.0005 J	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	0.000034 J	0.151	<0.00011
	P93B-ROX-101613	10/16/2013		44.43	NE	<0.01	<0.005	<0.005	<0.005	<0.01	<0.0001	<0.0001	<0.005		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.005	<0.005	<0.005	<0.01	<0.00005	0.069	<0.0001
	P93B-ROX-101613-DUP	10/16/2013		44.43	NE	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.000051	0.082	<0.0001
	P93B-ROX-012814	1/28/2014		46.58	NE	<0.011	<0.0055	0.00045 J	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.000022 U	0.074	<0.00011
	P93B-ROX-012814-DUP	1/28/2014		46.58	NE	<0.01	<0.0051	0.00048 J	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.000024 U	0.0927	<0.0001
	P93B-ROX-041714	4/17/2014		47.46	NE	<0.01	<0.0051	<0.0024 U	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.000051	0.0719	<0.0001
	P93B-ROX-041714-DUP	4/17/2014		47.46	NE	<0.011	<0.0053	<0.00098 U	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000053	0.0861	<0.00011
	P93B-ROX-071714	7/17/2014		45.75	NE	<0.01	<0.0052	<0.00046 U	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.000023 U	<0.0052 UJ	<0.0001
	P93B-ROX-101514	10/15/2014		45.15	NE	<0.011	<0.0056	0.00024 J	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000056	0.128	<0.00011
	P93B-ROX-012315	1/23/2015		47.24	NE	<0.011	<0.0053	0.00025 J	<0.0053	<0.011	<0.00011	<0.000017 U	<0.0053		<0.00011	0.00002 J	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000053	0.0979	<0.00011
	P93B-ROX-012315-DUP	1/23/2015		47.24	NE	<0.011	<0.0053	0.00031 J	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.000023 J	0.000041 J	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000024 U	0.123	<0.00011
	P93B-ROX-021915	2/19/2015		47.24	NE																					
	P93B-ROX-041615	4/16/2015		48.42	NE	0.00099 J	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.000034 JB J	0.00008 JB J	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000053	0.104 J	<0.00011
	P93B-ROX-041615-DUP	4/16/2015		48.42	NE	0.00084 J	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	0.00002 J	<0.0053		<0.00011	0.000028 JB J	0.000048 JB J	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000053	0.08 J	<0.00011
	P93B-ROX-070915	7/9/2015	74.60 - 76.60	47.74	NE	0.0009 J	<0.0051	<0.0051	<0.0051	<0.01	0.000035 J	0.000031 J	<0.0051		<0.0001	0.000041 J	0.000059 J	<0.01	<0.01	<0.0051	<0.0051	<0.0051	<0.01	0.000054 J	0.101	0.000025 J
	P93B-ROX-070915-DUP	7/9/2015		47.74	NE	0.00082 J	<0.0051	<0.0051	<0.0051	<0.01	0.000029 J	0.000095 J	<0.0051		<0.0001	0.000058 J	0.000077 J	<0.01	<0.01	<0.0051	<0.0051	<0.0051	<0.01	0.00031 J	0.0909	<0.0001
P-93C	P93C-ROX-110812	11/8/2012	94.26 - 96.26	45.12	NE	<0.01	<0.005	<0.005	<0.005	<0.01	<0.0001	<0.0001	<0.005		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.005	<0.005	<0.005	<0.01	<0.00005	<0.005	<0.0001
	P93C-ROX-012313	1/23/2013		45.78	NE	<0.011	<0.0055 UJ	0.0025 J	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011
	P93C-ROX-041213	4/12/2013		46.21	NE	<0.01	<0.005 UJ	<0.005	<0.005	<0.01	<0.0001	<0.0001	<0.005		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.005	<0.005 UJ	<0.005	<0.01	<0.00005	<0.005	<0.0001
	P93C-ROX-071813	7/18/2013		43.31	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	0.000026 J	0.0352	<0.00011
	P93C-ROX-080813	8/8/2013		43.31	NE																					
	P93C-ROX-101613	10/16/2013		44.31	NE	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.000051	0.005 J	<0.0001
	P93C-ROX-012414	1/24/2014		46.44	NE	<0.01	<0.0051	0.00051 J	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.000051	<0.0051	<0.0001
	P93C-ROX-041714	4/17/2014		47.34	NE	<0.01	<0.0052	<0.00048 U	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.000052	<0.0052 UJ	<0.0001
	P93C-ROX-071714	7/17/2014		45.61	NE	<0.01	<0.0052	<0.00035 U	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.000024 U	<0.0087 UJ	<0.0001
	P93C-ROX-101514	10/15/2014		44.99	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011
	P93C-ROX-011915	1/19/2015	92.47 - 97.47	48.22	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.000033 U	<0.000042 U	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000033 U	0.0309	<0.00011
	P93C-ROX-021915	2/19/2015		48.22	NE																					
	P93C-ROX-041615	4/16/2015		48.22	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.00006 JB J	0.000084 JB J	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.000024 J	0.0215	<0.00011
	P93C-ROX-071315	7/13/2015	92.47 - 97.47	47.09	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.000095 JB J	0.00016 JB J	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						SVOCs																			
						2,4-Dimethylphenol	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate	2,6-Dinitrotoluene	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3 & 4-Methylphenol (m & p-Cresol)	Nitrobenzene	N-Nitrosodimethylamine	N-Nitrosodiphenylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene
					Screening Values (mg/L)	0.14 [2]		0.7 [1]	0.14 [2]	0.00031 [2]	0.28 [1]	0.28 [1]	0.00006 [2]		0.00043 [1]	0.49 [3]	0.028 [1]	0.35 [1]	0.35 [3]	0.014 [1]	0.0006 [3]	0.0032 [2]	0.001 [1]	0.21 [3]	0.1 [1]	0.21 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
P-93D	P93D-ROX-110812	11/8/2012	125.75 - 127.75	NM	NE	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011
	P93D-ROX-012213	1/22/2013		44.21	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.00027	0.00036	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000042 J	<0.0053	<0.00011
	P93D-ROX-041113	4/11/2013		46.37	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.000052	<0.0087 U	<0.0001
	P93D-ROX-071213	7/12/2013		43.51	NE	<0.011	<0.0056 UJ	0.00045 J	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.000059 U	<0.011	<0.011	<0.0056	<0.0056 UJ	<0.0056	<0.011	<0.000056	<0.0056 UJ	<0.00011
	P93D-ROX-101113	10/11/2013		44.24	NE	<0.01 UJ	<0.005	<0.005	<0.005	<0.01	0.000087 J	<0.0001	<0.005		<0.0001	<0.0002	<0.0002	<0.01 UJ	<0.01 UJ	<0.005	<0.005	<0.005	<0.01 UJ	<0.00005	<0.005 UJ	0.000084 J
	P93D-ROX-013114	1/31/2014		46.62	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000024 U	<0.0053	<0.00011
	P93D-ROX-041414	4/14/2014		47.54	NE	<0.011	<0.0053	0.00036 J	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00003 U	<0.0053	<0.00011
	P93D-ROX-071714	7/17/2014		45.78	NE	<0.01	<0.0052	<0.00025 U	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.000022 U	<0.0052 UJ	<0.0001
	P93D-ROX-101514	10/15/2014		45.14	NE	<0.011	<0.0054	0.00031 J	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.000019 J	0.0458	<0.00011
	P93D-ROX-110414	11/4/2014		45.14	NE																					
	P93D-ROX-012315	1/23/2015		42.28	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.0021	0.000019 J	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000053	0.044	<0.00011
	P93D-ROX-021915	2/19/2015		42.28	NE																					
	P93D-ROX-042015	4/20/2015		48.52	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	0.000024 J	0.00002 J	<0.0052		<0.0001	0.00012 J	0.00016 J	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	0.000017 J	0.0395	0.000021 J
	P93D-ROX-070915	7/9/2015	125.75 - 127.75	47.96	NE	<0.01	<0.0051	<0.0051	<0.0051	<0.01	0.000025 J	0.000019 J	<0.0051		<0.0001	0.000026 J	0.00038 J	<0.01	<0.01	<0.0051	<0.0051	<0.0051	<0.01	0.000043 J	0.0278	0.000026 J
P-114	P114-ROX-110912	11/9/2012	32.67 - 52.67	30.90	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.000052	<0.0052	<0.0001
	P114-ROX-012313	1/23/2013		30.22	NE	<0.011	<0.0053 UJ	0.0024 J	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011
	P114-ROX-041513	4/15/2013		31.80	NE	<0.01	<0.0052	0.00047 J	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.000052	<0.0052	<0.0001
	P114-ROX-071813	7/18/2013		27.22	NE	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		0.000071 J	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.0055	<0.011	0.000059	<0.0055	<0.00011
	P114-ROX-071813-DUP	7/18/2013		27.22	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000052 J	<0.0053	<0.00011
	P114-ROX-101713	10/17/2013		29.43	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011
	P114-ROX-012814	1/28/2014		32.11	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.00015 B	<0.0054	<0.00011
	P114-ROX-042114	4/21/2014		32.22	NE	<0.01	<0.0051	0.0026 JB	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.0051	<0.01 UJ	<0.000051	<0.0051	<0.0001
	P114-ROX-071814	7/18/2014		30.87	NE	<0.01	<0.0051	<0.00028 U	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.00012 U	<0.0051	<0.0001
	P114-ROX-101714	10/17/2014		29.43	NE	<0.011	<0.0057	<0.0057	<0.0057	<0.011	<0.00011	<0.00011	<0.0057		<0.00011	<0.0023	<0.0023	<0.011	<0.011	<0.0057	<0.0057	<0.0057	<0.011	<0.000057	<0.0057	<0.00011
	P114-ROX-012115	1/21/2015		31.53	NE	<0.011	<0.0056	0.00091 J	<0.0056	<0.011	<0.00002 U	0.000048 J	<0.0056		<0.00011	<0.000092 U	<0.00012 U	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.000046 U	<0.0056	<0.000042 U
	P114-ROX-041715	4/17/2015		NM	NE	<0.011	<0.0053	0.00031 J	<0.0053	<0.011	0.000023 J	<0.00011	<0.0053		<0.00011	0.000025 JB J	0.000029 JB J	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000039 J	<0.0053	0.000027 J
	P114-ROX-070815	7/8/2015	32.67 - 52.67	29.16	NE	<0.01	<0.005	<0.005	<0.005	<0.01	<0.0001	0.000033 J	<0.005		<0.0001	<0.002	<0.002	<0.01	<0.01	<0.005	<0.005	<0.005	<0.01	0.000023 J	<0.005	0.000032 J
ROST-3-PZ	ROST3PZ-ROX-110112	11/1/2012	40.00 - 50.00	40.82	NE	<0.011 UJ	<0.0053	0.0017 J	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.00028	0.00031	<0.011	0.0019 J	<0.0053	<0.0053 UJ	<0.0053	<0.011	<0.000053	<0.0053 UJ	<0.00011
ROST-3-MW	ROST3MW-ROX-012313	1/23/2013	37.81 - 47.81	41.50	NE	<0.01	<0.005 UJ	<0.005	<0.005	<0.01	<0.0001	0.00031	<0.005		<0.0001	0.0061	0.0087	<0.01	<0.01	<0.005	<0.005	<0.005	<0.01	0.00068	<0.005	<0.0001
	ROST3MW-ROX-040513	4/5/2013				<0.011	<0.0054	0.00044 J	<0.0054	<0.011	<0.00011	0.00017	<0.0054		<0.00011	0.0029	0.0039	<0.011	<0.011	<0.0054	<0.0054 UJ	<0.0054	<0.011	0.00055	<0.0054 UJ	<0.00011
	ROST3MW-ROX-071113	7/11/2013		39.50	NE	0.0016 J J	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	0.00043	<0.0054		<0.00011	0.0105 J	0.0142	<0.011 UJ	<0.011 UJ	<0.0054	<0.0054	<0.0054	<0.011 UJ	0.00073	<0.0054 UJ	<0.000044 U
	ROST3-MW-ROX-100913	10/9/2013		40.16	NE	<0.011 UJ	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	0.00012	<0.0054		<0.00011	0.0024	0.0026	<0.011 UJ	<0.011 UJ	<0.0054	<0.0054	<0.0054	<0.011 UJ	0.00014	<0.0054 UJ	0.000044 J
	ROST3MW-ROX-011714	1/17/2014		42.20	NE	<0.011 UJ	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.0011	0.00099	<0.011 UJ	<0.011 UJ	<0.0053	<0.0053	<0.0053	<0.011 UJ	0.0002	<0.0053 UJ	<0.00011
	ROST3MW-ROX-041014	4/10/2014		42.80	NE	<0.012	<0.006	<0.00076 U	<0.006	<0.012	<0.00012	<0.00012	<0.006		<0.00012	0.00075	0.0008	<0.012	<0.012	<0.006	<0.006	<0.006	<0.012	0.0001	<0.006	<0.00012
	ROST3MW-ROX-071414	7/14/2014		41.88	NE	<0.011	<0.0054	<0.0004 U	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.00092	0.00097	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00016 U	<0.0054	<0.00011
	ROST3MW-ROX-100914	10/9/2014		41.31	NE	<0.011	<0.0056	<0.00026 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	0.00075 J	0.00057 J	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	0.00014 B	<0.0056	<0.00011
	ROST3MW-ROX-011515	1/15/2015		41.83	NE	<0.011	<0.0057	0.00045 J J	<0.0057	<0.011	0.000022 J J	0.000035 J J	<0.0057		<0.00011	0.001 J	0.00024 J	<0.011	<0.011	<0.0057	<0.0057	<0.0057	<0.011	0.0001 J	<0.0057	0.000033 J J
	ROST3MW-ROX-041315	4/13/2015		43.43	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	0.00003 J	<0.0052		<0.0001	0.001 J	0.0005 J	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	0.00011	<0.0052	0.000019 J
	ROST3MW-ROX-071315	7/13/2015	37.81 - 47.81	42.36	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	0.000048 J	<0.0053		<0.00011	0.0014 J	0.00084 JB	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.00011 B	<0.0053	0.000018 J
ROST-4-PZ(C)	ROST4PZC-ROX-102912	10/29/2012	34.95 - 44.95	40.75	NE	<0.01	<0.0052	0.0018 J	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	0.0004	0.00041	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	0.0002	<0.0052	<0.0001
	ROST4PZ(C)-ROX-011113	1/11/2013		41.42	NE	<0.011	<0.0053 UJ	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	0.000064 J	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.00012	<0.0053	<0.00011
	ROST4PZC-ROX-041013	4/10/2013		42.27	NE	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.00011	0.000069 J	<0.0055		<0.00011	0.00062	0.000078 J	<0.011	<0.011	<0.0055	<0.0055	<0.0055	<0.011	0.00018	<0.0055 U	<0.00011
	ROST4PZC-ROX-071113	7/11/2013		40.18	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.000099 J	0.00027	<0.0054		<0.00011	0.0027 J	0.0021	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.00052	0.00057 J J	<0.00009 U
	ROST4PZC-ROX-100913	10/9/2013		39.91	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.002	0.00095	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.0002	<0.0053	<0.00011
	ROST4PZC-ROX-011714	1/17/2014		41.92	NE	<0.01 UJ	<0.0059	<0.0059	<0.0059	<0.012	<0.00012	<0.00012	<0.0059		<0.00012	0.00019 J	<0.00024	<0.01 UJ	<0.01 UJ	<0.0059	<0.0059	<0.0059	<0.01 UJ	0.000077	<0.005 UJ	<0.00012
	ROST4PZC-ROX-041014	4/10/2014		42.05	NE	<0.011	<0.0056	<0.00038 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	0.000065 J	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.0056	<0.011	0.000051 J	<0.0056	<0.00011
	ROST4C-ROX-071114	7/10/2014		42.22	NE	<0.011	<0.0053	<0.00031 U	<0.0053	<0.011	<0.0001	<0.0001	<0.0053		<0.0001	0.00021	<0.0002	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00012 U	<0.0053	<0.0001
	ROST4PZC-ROX-100914	10/9/2014		41.30	NE	<0.011	<0.0056	<0.00032 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.0022	<0.0022	<0.011	0.00071 J	<0.0056	<0.0056	<0.0056	<0.011	<0.000088 U	0.00088 J	<0.00011
	ROST4PZC-ROX-011515	1/15/2015		41.65	NE	<0.011	<0.0057	0.0003 J J	<0.0057	<0.011	<0.00011	<0.00011	<0.0057		<0.00011	0.000038 J	0.000018 J J	<0.011	<0.011	<0.0057	<0.0057	<0.0057	<0.011	0.00004 J J	<0.0057	0.000022 J J
	ROST4PZC-ROX-041315	4/13/2015		43.00	NE	0.0013 J	<0.0051	<0.0051	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	0.0012 J	0.00038 JB	<0.01	0.0011 J	<0.0051	<0.0051	<0.0051	<0.01	0.000075	<0.0051	0.000022 J
	ROST4PZ-ROX-071315	7/13/2015	34.95 - 44.95	42.59	NE	0.0028 J	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	0.00005 J	<0.0052		<0.0001	0.0095	0.0077	<0.01	<0.01	<0.0052	<0.0052	<0.0052	<0.01	0.00011 B	<0.0052	0.000025 J

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

						SVOCs																			
						2,4-Dimethylphenol	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate	2,6-Dinitrotoluene	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3 & 4-Methylphenol (m & p-Cresol)	Nitrobenzene	N-Nitrosodimethylamine	N-Nitrosodiphenylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene
					Screening Values (mg/L)	0.14 [2]		0.7 [1]	0.14 [2]	0.00031 [2]	0.28 [1]	0.28 [1]	0.00006 [2]		0.00043 [1]	0.49 [3]	0.028 [1]	0.35 [1]	0.35 [3]	0.014 [1]	0.0006 [3]	0.0032 [2]	0.001 [1]	0.21 [3]	0.1 [1]	0.21 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
T-12	T12-ROX-110512	11/5/2012	46.72 - 72.72	43.91	NE	0.0028 J J	<0.005	<0.005	<0.005	<0.01	<0.0001	0.00031	<0.005		<0.0001	0.0232	0.0354	0.00096 J	0.0015 J	<0.005	<0.005	<0.005	<0.01	0.00083	<0.005 UJ	0.000048 J
	T12-ROX-011813	1/18/2013		44.50	NE	0.0065 J	<0.0053 UJ	<0.0053	<0.0053	<0.011	<0.00011	0.00046	<0.0053		<0.00011	0.0241	0.0322	<0.011	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.0011	0.0265	0.000067 J
	T12-ROX-041513	4/15/2013		44.99	NE	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.0001	0.00037	<0.0051		<0.0001	0.0289	0.0444	0.0047 J	0.0042 J	<0.0051	<0.0051	<0.0051	<0.01	0.0011	0.0149	0.000063 J
	T12-ROX-071613	7/16/2013		42.33	NE	0.0096 J	<0.0054	<0.0054	<0.0054	<0.011	0.000044 J	0.00034	<0.0054		<0.00011	0.0236	0.0331	0.0029 J J	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.0011	0.0514 J	<0.00009 U
	T12-ROX-101513	10/15/2013		43.73	NE	0.0047 J	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	0.00029	<0.0054		<0.00011	0.0199	0.0319	0.0018 J	0.0032 J	<0.0054	<0.0054	<0.0054	<0.011	0.00077	0.0083	0.00009 J
	T12-ROX-012414	1/24/2014		45.26	NE	0.0073 J	<0.0051	0.00044 J	<0.0051	<0.01	<0.0001	0.00035	<0.0051		<0.0001	0.0215	0.0326	0.0022 J	<0.01	<0.0051	<0.0051	<0.0051	<0.01	0.001	0.0498	0.00006 J
	T12-ROX-041514	4/15/2014		46.72	NE	<0.011 UJ	<0.0056	<0.00034 U	<0.0056	<0.011	<0.00011	0.0003	<0.0056		<0.00011	0.0189	0.0283	<0.011	<0.011	<0.0056	<0.0056 UJ	<0.0056	<0.011	0.00078	0.0672 J	0.00005 J
	T12-ROX-070814	7/8/2014		45.13	NE	<0.011	<0.0054	0.00038 J	<0.0054	<0.011	<0.00011	0.00022	<0.0054		<0.00011	0.015	0.0245	0.0092 J	0.0033 J	<0.0054	<0.0054	<0.0054	<0.011	0.00051	<0.0054	<0.00011
	T12-ROX-101714	10/17/2014		44.40	NE	<0.011	<0.0056	0.00061 J	<0.0056	<0.011	<0.00011	0.00031	<0.0056		<0.00011	0.022	0.0369	0.003 J	0.0059 J	<0.0056	<0.0056	<0.0056	<0.011	0.00079	0.0154	<0.00011
	T12-ROX-011915	1/19/2015	46.83 - 72.83	45.27	NE	0.0069 J	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	0.00032	<0.0053	0.0069 JN	<0.00011	0.021	0.0332	0.0055 J	0.0016 J	<0.0053	<0.0053	<0.0053	<0.011	0.00082	0.0155	0.000055 J
	T12-ROX-041515	4/15/2015		46.73	NE	0.0044 J	<0.0056	0.00033 J	<0.0056	<0.011	0.000024 J	0.00032	<0.0056		<0.00011	0.021	0.0335 J	0.0021 J	0.0042 J	<0.0056	<0.0056	<0.0056	<0.011	0.00086	0.0099	0.000052 J J
	T12-ROX-071015	7/10/2015	46.83 - 72.83	46.09	NE	0.0041 J	<0.0054	<0.0054	<0.0054	<0.011	0.000027 J	0.00029	<0.0054		<0.00011	0.0178	0.0301	<0.011	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.00083	0.0221	0.000053 J

Notes:

1 Denotes screening critieria source from 35 I.A.C. 620, Subpart D.

2 Denotes screening critieria source from 35 I.A.C. 742 (TACO), Appendix B, Table E.

3 Denotes screening criteria source from IL EPA Toxicity Assessment Unit (Chemicals not in TACO, Tier 1 Tables).

4 Beginning in 4Q12, naphthalene was analyzed via 8260 VOC, and prior historical results were reported by PAH analysis.

5 Beginning in 4Q13, professional judgment criteria used to review common laboratory contaminants was reevaluated. Acetone, 2-butanone, and methylene chloride are only U-qualified when present in the method blank.

6 The laboratory has been requested to perform a library search in all samples for butane, hexane, isopentane, 1,2,3-trimethylbenzene, and indene, which are reported as Tentatively Identified Compounds (TICs), when identified.

Indicates a historical exceedance of screening criteria.
Indicates a current exceedance of screening criteria.
Empty cell without a value indicates previous quarter analyte result was rejected, the analyte was not analyzed, or the TIC was not identified.

LABORATORY QUALIFIERS
B = Target analyte or common lab contaminant was identified in the method blank indicating poss ble field or lab contamination.
D = The result is from a diluted sample.
J = The analyte was detected below the reporting limit. Result is estimated.
E = The value exceeds calibration range.
JN = Estimated value for tentatively identified compound (library search).

URS QUALIFIERS
J = The result is estimated.
UJ = Estimated non-detect.
U = Result is non-detect.