AECOM
1001 Highlands Plaza Drive West
Suite 300
St. Louis, MO 63110-1337
www.aecom.com

314 429 0100 tel
314 429 0462 fax

May 25, 2017

Ms. Joyce Munie, P.E.
Manager, Permit Section
Illinois Environmental Protection Agency
Bureau of Land
1021 North Grand Avenue East
Springfield, Illinois 62794

Submittal of Corrected Information
Groundwater Monitoring Report –3rd Quarter 2016
Roxana, Illinois
1191150002 – Madison County
Equilon Enterprises LLC d/b/a Shell Oil Products US
Log No. B-43R

Dear Ms. Munie:

On behalf of Shell Oil Products US (SOPUS), AECOM Technical Services, Inc. (AECOM) hereby submits the enclosed addendum to the above-referenced report (the Report).

AECOM collects a variety of samples for SOPUS as part of the work performed in connection with the above-referenced site including the samples referenced and utilized in the Report. AECOM contracts with independent laboratories to analyze the samples collected. As noted in SOPUS' initial disclosure letter and our subsequent communications, Accutest Laboratories (Accutest) issued revised laboratory analyses in response to an internal evaluation performed of its process. Please note, the majority of the corrected analyses were issued only to include a revised footnote and the numeric value of the analytical results reported remained unchanged. If any numeric values of analytical results presented in the Report were updated by Accutest, the updated results are presented as part of the information included in the Report addendum. Moreover, based upon our evaluation of the Report and the revised information received from Accutest, the conclusion(s) of the Report as originally issued are unaffected.

The information provided within and the format of this addendum is as discussed during our meeting with IEPA on March 23, 2017. This addendum includes the following information:

- IEPA LPC form
- Revised analytical results table

If you have any questions during your review, please contact Kevin Dyer, SOPUS Senior Principal Program Manager, at kevin.dyer@shell.com (618/288-7237), or Bob Billman at bob.billman@aecom.com (314/743-4108).

Sincerely,

AECOM, on behalf of Shell Oil Products US

Robert Billman, PG
Senior Project Manager

Robert E. Mooshegian, CHMM
Senior Program Manager

Enclosures: 2 copies

cc: Kevin Dyer, SOPUS
Eric Petersen, Phillips 66
Lori Littrell, Atlantic Richfield Company
Shannon Haney, Greensfelder, Hemker & Gale P.C.
Repositories – Village Hall, Roxana Public Library, website
Project File

Illinois Environmental Protection Agency

Bureau of Land • 1021 North Grand Avenue East • P.O. Box 19276 • Springfield • Illinois • 62794-9276

RCRA FACILITY GROUNDWATER, LEACHATE AND GAS REPORTING FORM

This form must be used as a cover sheet for the notices and reports, identified below as required by: (1) a facility's RCRA interim status closure plan; (2) the RCRA interim status regulations; or (3) a facility's RCRA permit. All reports must be submitted to the Illinois EPA's Bureau of Land Permit Section. This form is for use by Hazardous Waste facilities only. Reporting for Solid Waste facilities should be submitted on a separate form. All reports submitted to the Illinois EPA's Bureau of Land Permit Section must contain an original, plus a minimum of two copies.

Note: This form is not to be used with permit or closure plan modification requests. The facility's approved permit or closure plan will state whether the document you are submitting is required as a report or a modification request.

Facility Name: Equilon Enterprises LLC dba Shell Oil Products US

Facility Address: 900 South Central Ave., Roxana, IL 62048

Site ID #: 1191150002 Fed ID #: ILD 080 012 305

Check the appropriate heading. Only one heading may be checked for each corresponding submittal. Check the appropriate sub-heading, where applicable. Attach the original and all copies behind this form.

☐ LPC-160 Forms

Groundwater	Leachate
___ Quarterly - Enter: 1, 2, 3, or 4	___ Quarterly - Enter: 1, 2, 3, or 4
☐ Semi-Annual	☐ Semi-Annual
☐ Annual	☐ Annual
☐ Biennial	☐ Biennial

☐ Groundwater Data (without LPC-160 Forms)

___ Quarterly - Enter: 1, 2, 3, or 4 ☐ Annual ☐ Semi-Annual ☐ Biennial

☐ Well Construction Information

- ☐ Well Construction Forms, Boring Logs and/or Abandonment Forms
- ☐ Well Survey Data (e.g., Stick-up Elevation Data)

☐ Notice of Statistically Significant Evidence of Groundwater Contamination (35 Ill. Adm. Code 724.198)

☐ Notice of Exceedence of Groundwater Concentration Limit (35 Ill. Adm. Code 724.199(h))

☐ Notice of Alternate Source or Error in Sampling Analysis or Evaluation of Groundwater (35 Ill. Adm. Code 724.199(i))

☐ Gas Monitoring Reports

☑ Other (identify)

3Q15, 4Q15, 1Q16, 2Q16, & 3Q16 Groundwater Sampling Report Addenda - Addenda being issued due to revised laboratory reports.

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																			
						Acetone	Benzene	Bromobenzene	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Cymene (p-Isopropyltoluene)	1,2-Dibromo-3-chloropropane (DBCP)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene
					Screening Values (mg/L)	6.3 [1]	0.005 [1]	0.056 [3]	4.2 [1]	0.35 [3]	0.7 [3]	0.7 [3]	0.7 [1]	0.100 [1]		0.07 [1]			0.0002 [1]	0.6 [2]		0.075 [2]	1.4 [1]	0.005 [2]	0.005 [2]	0.001 [2]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																			
MW-01	MW1-ROX-100313	10/3/2013	48.80 - 58.80	40.28	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW1-ROX-011414	1/14/2014		42.77	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW1-ROX-040714	4/7/2014		43.28	NE	<0.01 UJ	0.00066	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW1-ROX-070914	7/9/2014		42.09	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW1-ROX-100614	10/6/2014		41.1	NE	<0.01 UJ	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW1-ROX-011215	1/12/2015		42.73	NE	0.035	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW1-ROX-040615	4/6/2015		44.11	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW1-ROX-070815	7/8/2015		43.35	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW1-ROX-100615	10/6/2015		40.83	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000031	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW1-ROX-010816	1/8/2016		40.93	NE	<0.025	0.0029	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW1-ROX-041216	4/12/2016		40.35	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW1-ROX-071416	7/14/2016	48.80 - 58.80	39.43	NE	<0.025	0.00063 J	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
MW-02	MW2-ROX-100813	10/8/2013	49.87 - 59.87	41.73	NE	<0.01	0.0139	<0.005	0.0133	<0.005	0.0082	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0104	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW2-ROX-012014	1/20/2014		44.00	NE	<0.01	0.0238	<0.005	<0.005	0.0254	0.0096	0.0015 J	<0.005	<0.001	<0.002	<0.001	<0.002	0.0106	<0.000015	<0.001	<0.001	<0.001	0.0043	<0.002	<0.002	<0.0005
	MW2-ROX-041014	4/10/2014		44.66	NE	<0.01	0.0214	<0.005	0.0136	0.0208	0.0077	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.009	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW2-ROX-071414	7/14/2014		43.13	NE	<0.01	0.0102 J	<0.005	<0.005	0.0194 J	0.0073 J	0.0013 J J	<0.005	<0.001	<0.002	<0.001	<0.002	0.008 J	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW2-ROX-101014	10/10/2014		42.49	NE	<0.02 UJ	0.0132	<0.01	<0.01	0.0145	0.0057 J	0.0011 J	<0.01 UJ	<0.002 UJ	<0.004	<0.002	<0.004	0.0063 J	<0.000014	<0.002	<0.002	<0.002	<0.002	<0.004	<0.004	<0.001
	MW2-ROX-011615	1/16/2015		44.1	NE	<0.01	0.0278	0.00045 J	<0.005	0.0185	0.0091	0.0016 J	<0.005	<0.001	<0.002	<0.001	0.0052	0.0109	<0.000015	0.0008 J	0.00084 J	0.00099 J	<0.001	<0.002	<0.002	<0.0005
	MW2-ROX-041315	4/13/2015		45.56	NE	<0.01	0.0283	<0.005	<0.005	<0.005	0.0052 J	0.00084 J J	0.00028 J	<0.001	<0.002	<0.001	<0.002	0.0064	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW2-ROX-071315	7/13/2015		44.53	NE	<0.01	0.0204	<0.005	<0.005	<0.005	0.006	0.0012 J	<0.0023 U	<0.001	<0.002	<0.001	<0.002	0.006	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW2-ROX-101215	10/12/2015		42.15	NE	0.054	0.035	<0.002	0.048 J	<0.002	0.0056	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.0065	<0.000041	<0.002	<0.002	<0.002	<0.002	<0.01	<0.002	<0.01
	MW2-ROX-011416	1/14/2016		42.04	NE	0.034 J	0.018	<0.002	0.0089 J	0.0057	0.0039	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.0046	<0.000029	<0.002	<0.002	<0.002	<0.002	<0.01	<0.002	<0.01
	MW2-ROX-041316	4/13/2016		41.59	NE	0.028 J	0.017	<0.002	0.019 J	<0.002	0.0078	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.0087	<0.00003	<0.002	<0.002	<0.002	<0.002	<0.01	<0.002	<0.01
	MW2-ROX-071416	7/14/2016	49.87 - 59.87	40.79	NE	<0.05	0.012	<0.002	<0.05	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.0066	<0.000031 UJ	<0.002	<0.002	<0.002	<0.002	<0.01	<0.002	<0.01
MW-03	MW3-ROX-100813	10/8/2013	34.67 - 44.67	27.38	NE	<0.01	0.00057	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW3-ROX-011614	1/16/2014		29.91	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW3-ROX-040914	4/9/2014		30.50	NE	<0.01	0.0015	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW3-ROX-071114	7/10/2014		29.05	NE	<0.01 UJ	0.00062	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW3-ROX-100914	10/9/2014		28.18	NE	<0.01 UJ	0.0005	<0.005	<0.005	<0.005	<0.005	0.00083 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW3-ROX-011515	1/15/2015		29.65	NE	<0.01	0.00037 J	<0.005	<0.005	<0.005	0.00049 J	0.0009 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW3-ROX-041015	4/10/2015		31.16	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005 UJ	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW3-ROX-071015	7/10/2015		30.01	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW3-ROX-100915	10/9/2015		27.98	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW3-ROX-010716	1/7/2016		27.92	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW3-ROX-040616	4/6/2016		27.07	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	0.0007 J	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000031	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW3-ROX-070816	7/8/2016	34.67 - 44.67	26.51	NE	0.03	0.00042 J	<0.001	0.0047 J	<0.001	0.00092 J	0.0011	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000031	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
MW-04	MW4-ROX-101613	10/16/2013	46.06 - 56.06	38.80	NE	<0.1	1.7	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.01	<0.02	<0.01	<0.02	<0.05	<0.000015	<0.01	<0.01	<0.01	<0.01	<0.02	<0.02	<0.005
	MW4-ROX-013014	1/30/2014		41.09	NE	<0.01	2.01	<0.005	<0.005	0.00058 J	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW4-ROX-041614	4/16/2014		41.91	NE	<0.01	0.553	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW4-ROX-071614	7/16/2014		40.18	NE	<0.01	1.86	<0.005	<0.005	<0.005	<0.05	<0.05	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW4-ROX-101614	10/16/2014		39.49	NE	<0.05	0.815	<0.025	<0.025 UJ	<0.025	<0.025	<0.025	<0.025	<0.005	<0.01	<0.005	<0.01	<0.025	<0.000014	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01	<0.0025
	MW4-ROX-012115	1/21/2015		41.27	NE	<0.01	0.0902	<0.005	<0.005	<0.005	<0.005	0.00065 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW4-ROX-042115	4/21/2015	45.06 - 55.06	42.58	NE	<0.01	0.0702	<0.005	<0.005	<0.005	<0.005	0.00066 J	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW4-ROX-071415	7/14/2015		41.30	NE	<0.01	0.063	<0.005	<0.005	0.00066 J	0.00051 J	0.00074 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW4-ROX-101915	10/19/2015		39.44	NE	<0.025	0.0036	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW4-ROX-011316	1/13/2016		39.10	NE	<0.025	0.12	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW4-ROX-041916	4/19/2016		38.50	NE	<0.025	0.0012	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW4-ROX-071416	7/14/2016	45.06 - 55.06	37.85	NE	<0.025	0.0008 J	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																		
						Acetone	Benzene	Bromobenzene	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Cymene (p-Isopropyltoluene)	1,2-Dibromo-3-chloropropane (DBCP)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene
					Screening Values (mg/L)	6.3 [1]	0.005 [1]	0.056 [3]	4.2 [1]	0.35 [3]	0.7 [3]	0.7 [3]	0.7 [1]	0.100 [1]		0.07 [1]			0.0002 [1]	0.6 [2]		0.075 [2]	1.4 [1]	0.005 [2]	0.005 [2]	0.001 [2]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-05	MW5-ROX-100813	10/8/2013	33.97 - 43.97	26.97	NE	<0.01	0.0016	<0.005	<0.005	<0.005	<0.005	0.0064	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW5-ROX-011714	1/17/2014		29.59	NE	<0.01	0.002	<0.005	<0.005	<0.005	0.002 J	0.0064	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW5-ROX-041014	4/10/2014		30.09	NE	0.021 J	0.0037	<0.005	<0.005	<0.005	0.0017 J	0.0062	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW5-ROX-071414	7/14/2014		28.59	NE	<0.01	0.001	<0.005	<0.005	<0.005	0.0011 J	0.0046 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW-5-ROX-100914	10/9/2014		27.75	NE	<0.01 UJ	0.028	<0.005	<0.005	<0.005	0.00083 J	0.0049 J	<0.005 UJ	<0.001 UJ	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW5-ROX-011515	1/15/2015		29.34	NE	<0.01	0.003	<0.005	<0.005	<0.005	0.0014 J	0.0059	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW5-ROX-041315	4/13/2015		30.97	NE	<0.01	0.0391	<0.005	<0.005	<0.005	0.0014 J J	0.0051 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW5-ROX-071315	7/13/2015		29.45	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	0.0031 J	<0.00032 U	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW5-ROX-101215	10/12/2015		27.53	NE	<0.025	0.0088	<0.001	<0.025	<0.001	<0.001	0.0035	<0.001	<0.001	<0.001	0.00079 J	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW5-ROX-011416	1/14/2016		27.19	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	0.0026	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW5-ROX-040616	4/6/2016		26.80	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	0.0016	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW5-ROX-070816	7/8/2016	33.97 - 43.97	26.28	NE	0.011 J	<0.001	<0.001	<0.025	<0.001	<0.001	0.003	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
MW-06A	MW6A-ROX-100713	10/7/2013	34.83 - 44.83	28.87	NE	<0.01 UJ	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6A-ROX-100713-DUP	10/7/2013		28.87	NE	<0.01 UJ	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6A-ROX-011614	1/16/2014		31.62	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6A-ROX-011614-DUP	1/16/2014		31.62	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6A-ROX-040814	4/8/2014		32.16	NE	0.11 J	0.0011	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6A-ROX-040814-DUP	4/8/2014		32.16	NE	0.116 J	0.001	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6A-ROX-071014	7/10/2014		30.75	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002 UJ	<0.001	<0.002 UJ	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6A-ROX-100814	10/8/2014		29.84	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6A-ROX-011415	1/14/2015		31.54	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6A-ROX-040715	4/7/2015		33.08	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6A-ROX-071515	7/15/2015		31.52	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6A-ROX-100715	10/7/2015		29.77	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW6A-ROX-011116	1/11/2016		29.36	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW6A-ROX-040716	4/7/2016		29.07	NE	0.023 J	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW6A-ROX-071116	7/11/2016	34.83 - 44.83	28.45	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
MW-06B	MW6B-ROX-100713	10/7/2013	64.05 - 69.05	28.93	NE	<0.01 UJ	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6B-ROX-011614	1/16/2014		31.67	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6B-ROX-040814	4/8/2014		32.21	NE	<0.01 UJ	0.0009	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6B-ROX-071014	7/10/2014		30.81	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002 UJ	<0.001	<0.002 UJ	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6B-ROX-100814	10/8/2014		29.87	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6B-ROX-011415	1/14/2015		31.59	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6B-ROX-040715	4/7/2015		33.10	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6B-ROX-040715-DUP	4/7/2015		33.10	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6B-ROX-071415	7/14/2015		31.56	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6B-ROX-100715	10/7/2015		29.80	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000033	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW6B-ROX-011116	1/11/2016		29.41	NE	<0.025	<0.001	<0.001	0.005 J	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW6B-ROX-040716	4/7/2016		29.11	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW6B-ROX-071116	7/11/2016	64.05 - 69.05	28.49	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
MW-06C	MW6C-ROX-100713	10/7/2013	84.95 - 89.95	28.72	NE	<0.01 UJ	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6C-ROX-011614	1/16/2014		31.48	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6C-ROX-040814	4/8/2014		32.01	NE	<0.01 UJ	0.0021	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6C-ROX-071014	7/10/2014		30.60	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002 UJ	<0.001	<0.002 UJ	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6C-ROX-100814	10/8/2014		29.67	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6C-ROX-011415	1/14/2015		31.41	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6C-ROX-040915	4/9/2015		32.80	NE	<0.01 UJ	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6C-ROX-071415	7/14/2015		31.38	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6C-ROX-100715	10/7/2015		29.60	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW6C-ROX-010816	1/8/2016		29.31	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW6C-ROX-040716	4/7/2016		28.91	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW6C-ROX-071116	7/11/2016	84.95 - 89.95	28.30	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																			
						Acetone	Benzene	Bromobenzene	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Cymene (p-Isopropyltoluene)	1,2-Dibromo-3-chloropropane (DBCP)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene
				Screening Values (mg/L)		6.3 [1]	0.005 [1]	0.056 [3]	4.2 [1]	0.35 [3]	0.7 [3]	0.7 [3]	0.7 [1]	0.100 [1]		0.07 [1]			0.0002 [1]	0.6 [2]		0.075 [2]	1.4 [1]	0.005 [2]	0.005 [2]	0.001 [2]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-06D	MW6D-ROX-100713	10/7/2013	104.72 - 109.72	28.58	NE	<0.01 UJ	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6D-ROX-011614	1/16/2014		31.33	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6D-ROX-040814	4/8/2014		31.85	NE	<0.01 UJ	0.0064	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6D-ROX-071014	7/10/2014		31.47	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002 UJ	<0.001	<0.002 UJ	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6D-ROX-071014-DUP	7/10/2014		31.47	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002 UJ	<0.001	<0.002 UJ	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6D-ROX-100814	10/8/2014		29.53	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6D-ROX-100814-DUP	10/8/2014		29.53	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6D-ROX-011415	1/14/2015		31.26	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6D-ROX-011415-DUP	1/14/2015		31.26	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6D-ROX-040715	4/7/2015		32.74	NE	<0.01	0.00032 J	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6D-ROX-071415	7/14/2015		31.19	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW6D-ROX-100715	10/7/2015		29.45	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW6D-ROX-010816	1/8/2016		29.59	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000031	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW6D-ROX-010816-DUP	1/8/2016		29.59	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW6D-ROX-040716	4/7/2016		28.76	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW6D-ROX-040716-DUP	4/7/2016		28.76	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW6D-ROX-071116	7/11/2016	104.72 - 109.72	28.16	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000031	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW6D-ROX-071116-DUP	7/11/2016		28.16	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
MW-07	MW7-ROX-101613	10/16/2013	42.92 - 52.92	40.64	NE	<20	553	<10	<10	<10	<10	<10	<10	<2	<4	<2	<4	<10	<0.000015	<2	<2	<2	<2	<4	<4	<1
	MW7-ROX-013014	1/30/2014		42.94	NE	<25	1490	<13	<13	<13	<13	<13	<13 UJ	<2.5	<5	<2.5	<5	<13	<0.000015	<2.5	<2.5	<2.5	<2.5	<5	<5	<1.3
	MW7-ROX-041614	4/16/2014		43.79	NE	<50	1390	<25	<25	<25	<25	<25	<25	<5	<10	<5	<10	<25	<0.000015	<5	<5	<5	<5	<10	<10	<2.5
	MW7-ROX-071614	7/16/2014		42.05	NE	<0.01	1270	<0.005	<0.005	0.0036 J J	0.0022 J J	0.0022 J J	<0.005	<0.001	<0.002	<0.001	<0.002	0.0015 J J	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW7-ROX-071614-DUP	7/16/2014		42.05	NE	<0.01	1370	<0.005	<0.005	0.0034 J J	0.0023 J J	0.0022 J J	<0.005	<0.001	<0.002	<0.001	<0.002	0.0015 J J	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW7-ROX-101614	10/16/2014		41.31	NE	<50	1130	<25	<25 UJ	<25	<25	<25	<25	<5	<10	<5	<10	<25	<0.000014	<5	<5	<5	<5	<10	<10	<2.5
	MW7-ROX-101614-DUP	10/16/2014		41.31	NE	<50	984	<25	<25 UJ	<25	<25	<25	<25	<5	<10	<5	<10	<25	<0.000014	<5	<5	<5	<5	<10	<10	<2.5
	MW7-ROX-012215	1/22/2015		43.45	NE	<10	821	<5	<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<0.000014	<1	<1	<1	<1	<2	<2	<0.5
	MW7-ROX-012215-DUP	1/22/2015		43.45	NE	<10	799	<5	<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<0.000015	<1	<1	<1	<1	<2	<2	<0.5
	MW7-ROX-042115	4/21/2015		44.63	NE	<0.5	1110	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.05	<0.1	<0.05	<0.1	<0.25	<0.000014	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1	<0.025
	MW7-ROX-042115-DUP	4/21/2015		44.63	NE	<0.5	1160	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.05	<0.1	<0.05	<0.1	<0.25	<0.000014	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1	<0.025
	MW7-ROX-071515	7/15/2015		43.54	NE	<50	1300	<25	<25	<25	<25	<25	<25	<5	<10	<5	<10	<25	<0.000014	<5	<5	<5	<5	<10	<10	<2.5
	MW7-ROX-071515-DUP	7/15/2015		43.54	NE	<50	1370	<25	<25	<25	<25	<25	<25	<5	<10	<5	<10	<25	<0.000014	<5	<5	<5	<5	<10	<10	<2.5
	MW7-ROX-101915	10/19/2015		41.43	NE	<250	1000	<10	<250	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.000029	<10	<10	<10	<10	<50	<10	<50
	MW7-ROX-101915-DUP	10/19/2015		41.43	NE	<250	990	<10	<250	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.000029	<10	<10	<10	<10	<50	<10	<50
	MW7-ROX-011416	1/14/2016		41.02	NE	<130	740	<5	<130	<5	<5	<5	<5	<5	<5	<5	<5	<5	<0.000029	<5	<5	<5	<5	<25	<5	<25
	MW7-ROX-011416-DUP	1/14/2016		41.02	NE	<130	700	<5	<130	<5	<5	<5	<5	<5	<5	<5	<5	<5	<0.000029	<5	<5	<5	<5	<25	<5	<25
	MW7-ROX-041916	4/19/2016		40.68	NE	<50	1100	<2	<50	<2	<2	<2	<2	<2	<2	<2	<2	<2	<0.000029	<2	<2	<2	<2	<10	<2	<10
	MW7-ROX-041916-DUP	4/19/2016		40.68	NE	<50	1100	<2	<50	<2	<2	<2	<2	<2	<2	<2	<2	<2	<0.000029	<2	<2	<2	<2	<10	<2	<10
	MW7-ROX-071416	7/14/2016	42.92 - 52.92	39.99	NE	<130	670	<5	<130	<5	<5	<5	<5	<5	<5	<5	<5	<5	<0.000029	<5	<5	<5	<5	<25	<5	<25
	MW7-ROX-071416-DUP	7/14/2016		39.99	NE	<130	680	<5	<130	<5	<5	<5	<5	<5	<5	<5	<5	<5	<0.000029	<5	<5	<5	<5	<25	<5	<25
MW-08	MW8-ROX-101613	10/16/2013	33.60 - 43.60	31.59	NE	<20	360	<10	<10	<10	<10	<10	<10	<2	<4	<2	<4	<10	<0.000015	<2	<2	<2	<2	<4	<4	<1
	MW8-ROX-101613-DUP	10/16/2013		31.59	NE	<20	351	<10	<10	<10	<10	<10	<10	<2	<4	<2	<4	<10	<0.000015	<2	<2	<2	<2	<4	<4	<1
	MW8-ROX-013014	1/30/2014		34.02	NE	<25	721	<13	<13	<13	<13	<13	<13 UJ	<2.5	<5	<2.5	<5	<13	<0.000014	<2.5	<2.5	<2.5	<2.5	<5	<5	<1.3
	MW8-ROX-013014-DUP	1/30/2014		34.02	NE	<25	748	<13	<13	<13	<13	<13	<13 UJ	<2.5	<5	<2.5	<5	<13	<0.000015	<2.5	<2.5	<2.5	<2.5	<5	<5	<1.3
	MW8-ROX-041614	4/16/2014		34.73	NE	<20	862	<10	<10	<10	<10	<10	<10	<2	<4	<2	<4	<10	<0.000014	<2	<2	<2	<2	<4	<4	<1
	MW8-ROX-041614-DUP	4/16/2014		34.73	NE	<20	1060	<10	<10	<10	<10	<10	<10	<2	<4	<2	<4	<10	<0.000015	<2	<2	<2	<2	<4	<4	<1
	MW8-ROX-071614	7/16/2014		33.01	NE	<0.01 UJ	276	<0.005 UJ	<0.005 UJ	0.0069 J	0.0042 J J	0.0028 J J	<0.005 UJ	<0.001 UJ	<0.002 UJ	<0.001 UJ	<0.002 UJ	0.0032 J J	<0.000014 UJ	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.002 UJ	<0.002 UJ	<0.0005 UJ
	MW8-ROX-101614	10/16/2014		32.23	NE	<10	486	<5	<5 UJ	<5	<5	<5	<5	<1	<2	<1	<2	<5	<0.000015	<1	<1	<1	<1	<2	<2	<0.5
	MW8-ROX-012215	1/22/2015		34.22	NE	<10	764	<5	<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<0.000015	<1	<1	<1	<1	<2	<2	<0.5
	MW8-ROX-042115	4/21/2015		35.41	NE	<0.5	1100	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.05	<0.1	<0.05	<0.1	<0.25	<0.000014	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1	<0.025
	MW8-ROX-071515	7/15/2015		34.07	NE	<50	879	<25	<25	<25	<25	<25	<25	<5	<10	<5	<10	<25	<0.000014	<5	<5	<5	<5	<10	<10	<2.5
	MW8-ROX-101915	10/19/2015		32.30	NE	<130	580	<5	<130	<5	<5	<5	<5	<5	<5	<5	<5	<5	<0.00003	<5	<5	<5	<5	<25	<5	<25
	MW8-ROX-011416	1/14/2016		31.79	NE	<50	300	<2	<50	<2	<2	<2	<2	<2	<2	<2	<2	<2	<0.00003	<2	<2	<2	<2	<10	<2	<10
	MW8-ROX-041916	4/19/2016		31.45	NE	<25	480	<1	<25	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.00003	<1	<1	<1	<1	<5	<1	<5
	MW8-ROX-071416	7/14/2016	33.60 - 43.60	30.80	NE	<50	310	<2	<50	<2	<2	<2	<2	<2	<2	<2	<2	<2	<0.00003	<2	<2	<2	<2	<10	<2	<10

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																		
						Acetone	Benzene	Bromobenzene	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Cymene (p-Isopropyltoluene)	1,2-Dibromo-3-chloropropane (DBCP)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene
					Screening Values (mg/L)	6.3 [1]	0.005 [1]	0.056 [3]	4.2 [1]	0.35 [3]	0.7 [3]	0.7 [3]	0.7 [1]	0.100 [1]		0.07 [1]			0.0002 [1]	0.6 [2]		0.075 [2]	1.4 [1]	0.005 [2]	0.005 [2]	0.001 [2]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-09	MW9-ROX-100313	10/3/2013	46.45 - 56.45	42.27	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW9-ROX-011414	1/14/2014		44.47	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW9-ROX-040714	4/7/2014		44.99	NE	<0.01 UJ	0.0044	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW9-ROX-070914	7/9/2014		44.35	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW9-ROX-100714	10/7/2014		43.52	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW9-ROX-011315	1/13/2015		44.21	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW9-ROX-040915	4/9/2015		45.38	NE	<0.01 UJ	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW9-ROX-070915	7/9/2015		44.81	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW9-ROX-100815	10/8/2015		42.64	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW9-ROX-011316	1/13/2016		42.63	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000031	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW9-ROX-041216	4/12/2016		41.98	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW9-ROX-071316	7/13/2016	46.45 - 56.45	40.93	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
MW-10	MW10-ROX-100313	10/3/2013	44.43 - 54.43	42.38	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW10-ROX-011514	1/15/2014		44.42	NE	0.0174	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW10-ROX-040714	4/7/2014		45.00	NE	0.0684 J	0.0018	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	0.0032	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW10-ROX-070914	7/9/2014		44.35	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW10-ROX-100714	10/7/2014		43.58	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW10-ROX-011315	1/13/2015		44.27	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW10-ROX-040815	4/8/2015		45.30	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW10-ROX-070915	7/9/2015		44.93	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.00048 U	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW10-ROX-100915	10/9/2015		42.79	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW10-ROX-011316	1/13/2016		42.53	NE	0.023 J	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000032	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW10-ROX-041116	4/11/2016		41.88	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000031	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW10-ROX-071316	7/13/2016	44.43 - 54.43	41.00	NE	<0.025	0.0006 J	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
MW-11	MW11-ROX-100713	10/7/2013	41.66 - 51.66	39.95	NE	<0.01 UJ	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW11-ROX-011514	1/15/2014		42.16	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW11-ROX-040714	4/7/2014		42.70	NE	<0.01 UJ	0.0014	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW11-ROX-070914	7/9/2014		41.75	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW11-ROX-100714	10/7/2014		40.89	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW11-ROX-011315	1/13/2015		41.93	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW11-ROX-040815	4/8/2015		43.19	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW11-ROX-070915	7/9/2015		42.45	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.00021 U	<0.001	<0.002	<0.001	0.00058 J	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW11-ROX-100815	10/8/2015		40.15	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW11-ROX-011216	1/12/2016		40.33	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW11-ROX-041116	4/11/2016		39.49	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000031	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW11-ROX-071316	7/13/2016	41.66 - 51.66	38.59	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
MW-12	MW12-ROX-100713	10/7/2013	41.92 - 51.92	40.22	NE	<0.01 UJ	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW12-ROX-011514	1/15/2014		42.54	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW12-ROX-040814	4/8/2014		43.15	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW12-ROX-070914	7/9/2014		41.97	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW12-ROX-100614	10/6/2014		40.98	NE	<0.01 UJ	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW12-ROX-011215	1/12/2015		42.33	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW12-ROX-040615	4/6/2015		43.75	NE	0.0265 J	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW12-ROX-070815	7/8/2015		42.86	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW12-ROX-100815	10/8/2015		40.54	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW12-ROX-100815-DUP	10/8/2015		40.54	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW12-ROX-011116	1/11/2016		40.98	NE	0.015 J	<0.001	<0.001	0.0043 J	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000031	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW12-ROX-040716	4/7/2016		39.82	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW12-ROX-071216	7/12/2016	41.92 - 51.92	38.89	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																			
						Acetone	Benzene	Bromobenzene	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Cymene (p-Isopropyltoluene)	1,2-Dibromo-3-chloropropane (DBCP)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene
					Screening Values (mg/L)	6.3 [1]	0.005 [1]	0.056 [3]	4.2 [1]	0.35 [3]	0.7 [3]	0.7 [3]	0.7 [1]	0.100 [1]		0.07 [1]			0.0002 [1]	0.6 [2]		0.075 [2]	1.4 [1]	0.005 [2]	0.005 [2]	0.001 [2]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																			
MW-13	MW13-ROX-100913	10/9/2013	25.57 - 35.57	26.94	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW13-ROX-012914	1/29/2014		29.63	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW13-ROX-041114	4/11/2014		30.15	NE	<0.01	0.00058	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW13-ROX-070714	7/7/2014		28.49	NE	<0.01 UJ	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW13-ROX-101014	10/10/2014		27.48	NE	<0.01 UJ	0.00037 J	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001 UJ	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW13-ROX-011615	1/16/2015		29.09	NE	<0.01	0.00046 J	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW13-ROX-041415	4/14/2015		30.71	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW13-ROX-070815	7/8/2015		29.16	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	0.0016 J	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW13-ROX-100515	10/5/2015		27.34	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW13-ROX-010716	1/7/2016		27.16	NE	0.019 J	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW13-ROX-040816	4/8/2016		26.81	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW13-ROX-071116	7/11/2016	25.57 - 35.57	26.01	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
MW-14	MW14-ROX-101013	10/10/2013	33.42 - 43.42	30.80	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	0.0013 J	0.0012 J	<0.005	<0.001	<0.002	<0.001	<0.002	0.0011 J	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW14-ROX-012914	1/29/2014		33.67	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	0.0013 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW14-ROX-041114	4/11/2014		34.30	NE	<0.01	0.0017	<0.005	<0.005	<0.005	<0.005	0.00046 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW14-ROX-070714	7/7/2014		32.82	NE	<0.01 UJ	<0.0005	<0.005	<0.005	<0.005	0.00042 J	0.00047 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW14-ROX-101414	10/14/2014		31.65	NE	<0.01 UJ	<0.0005	<0.005	<0.005	<0.005	<0.005	0.00063 J	<0.005	<0.001 UJ	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW14-ROX-011615	1/16/2015		33.58	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	0.00053 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW14-ROX-041415	4/14/2015		35.16	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW14-ROX-070915	7/9/2015		34.06	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.00081 U	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW14-ROX-101315	10/13/2015		31.88	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000031	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW-14-ROX-010816	1/8/2016		31.64	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000028	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW14-ROX-041416	4/14/2016		31.32	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW14-ROX-071116	7/11/2016	33.42 - 43.42	30.59	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
MW-16	MW16-ROX-100813	10/8/2013	37.06 - 47.06	41.62	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW16-ROX-011514	1/15/2014		43.76	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW16-ROX-040914	4/9/2014		44.63	NE	<0.01	0.00034 J	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW16-ROX-071014	7/10/2014		43.15	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002 UJ	<0.001	<0.002 UJ	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW16-ROX-100714	10/7/2014		42.27	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW16-ROX-011315	1/13/2015		43.59	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW16-ROX-040915	4/9/2015		44.87	NE	<0.01 UJ	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW16-ROX-070915	7/9/2015		44.26	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.0003 U	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW16-ROX-070915-DUP	7/9/2015		44.26	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW16-ROX-100715	10/7/2015		41.83	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW16-ROX-011216	1/12/2016		41.99	NE	0.016 J	0.00092 J	<0.001	<0.025	<0.001	<0.001	<0.001	0.0015	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW16-ROX-040816	4/8/2016		41.17	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW16-ROX-071216	7/12/2016	37.06 - 47.06	39.93	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
MW-22	MW22-ROX-100913	10/9/2013	37.88 - 47.88	40.39	NE	<0.01	1.33	<0.005	<0.005	0.0286	0.012	0.0167	<0.005	<0.001	<0.002	<0.001	<0.002	0.01	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW22-ROX-100913-DUP	10/9/2013		40.39	NE	<0.01	1.39	<0.005	<0.005	0.0276	0.0118	0.0163	<0.005	<0.001	0.0018 J	<0.001	<0.002	0.0095	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW22-ROX-012014	1/20/2014		42.49	NE	<0.01	1.47	<0.005	0.0804	0.0357	0.0128	0.0147	<0.005	<0.001	<0.002	<0.001	<0.002	0.0094	<0.000015	<0.001	<0.001	<0.001	0.0028	<0.002	<0.002	<0.0005
	MW22-ROX-012014-DUP	1/20/2014		42.49	NE	<0.01	1.58	<0.005	0.0815	0.0355	0.0127	0.0146	<0.005	<0.001	<0.002	<0.001	<0.002	0.0094	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW22-ROX-041014	4/10/2014		43.15	NE	0.0911 J	1.7	<0.005	0.0334	0.0331	0.0128	0.0152	<0.005	<0.001	<0.002	<0.001	<0.002	0.0094	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW22-ROX-041014-DUP	4/10/2014		43.15	NE	<0.01 UJ	1.56	<0.005	0.0287	0.0319	0.0123	0.0144	<0.005	0.00046 J	<0.002	<0.001	<0.002	0.0089	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW22-ROX-071414	7/14/2014		41.85	NE	<0.01	1.74	<0.005	0.0185 J	0.0349 J	0.013 J	0.0137 J	<0.005	<0.001	<0.002	<0.001	<0.002	0.0085 J	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW22-ROX-101014	10/10/2014		41.43	NE	<0.1 UJ	1.62	<0.05	<0.05	0.0165 J	0.0066 J	0.0096 J	<0.05 UJ	<0.01 UJ	<0.02	<0.01	<0.02	0.0045 J	<0.000014	<0.01	<0.01	<0.01	<0.01	<0.02	<0.02	<0.005
	MW22-ROX-011615	1/16/2015		42.19	NE	<0.1	1.51	<0.05	<0.05	0.0373 J	0.0133 J	0.0152 J	<0.05	<0.01	<0.02	<0.01	<0.02	0.0117 J	<0.000015	<0.01	<0.01	<0.01	<0.01	<0.02	<0.02	<0.005
	MW22-ROX-041415	4/14/2015		43.71	NE	<0.01	1.62	<0.005	<0.005	0.0112	0.0105	0.0123	<0.005	<0.001	<0.002	<0.001	<0.002	0.0078	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW22-ROX-071515	7/15/2015		42.64	NE	<0.2	2.92	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.04	<0.02	<0.04	<0.1	<0.000014	<0.02	<0.02	<0.02	<0.02	<0.04	<0.04	<0.01
	MW22-ROX-101415	10/14/2015		40.54	NE	<0.5	0.8	<0.02	<0.5	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.00003	<0.02	<0.02	<0.02	<0.02	<0.1	<0.02	<0.1
	MW22-ROX-011516	1/15/2016		40.42	NE	<0.5	1.2	<0.02	<0.5	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.000029	<0.02	<0.02	<0.02	<0.02	<0.1	<0.02	<0.1
	MW22-ROX-011516-DUP	1/15/2016		40.42	NE	<0.5	1.1	<0.02	<0.5	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.000029	<0.02	<0.02	<0.02	<0.02	<0.1	<0.02	<0.1
	MW22-ROX-041316	4/13/2016		39.56	NE	<0.63	1.2	<0.025	<0.63	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.00003	<0.025	<0.025	<0.025	<0.025	<0.13	<0.025	<0.13
	MW22-ROX-041316-DUP	4/13/2016		39.56	NE	<0.63	1.2	<0.025	<0.63	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.000029	<0.025	<0.025	<0.025	<0.025	<0.13	<0.025	<0.13
	MW22-ROX-071516	7/15/2016	37.88 - 47.88	38.97	NE	<0.13	0.061	<0.005	<0.13	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.000031	<0.005	<0.005	<0.005	<0.005	<0.025	<0.005	<0.025
	MW22-ROX-071516-DUP	7/15/2016		38.97	NE	<0.13	0.062	<0.005	<0.13	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.00003	<0.005	<0.005	<0.005	<0.005	<0.025	<0.005	<0.025

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																		
						Acetone	Benzene	Bromobenzene	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Cymene (p-Isopropyltoluene)	1,2-Dibromo-3-chloropropane (DBCP)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene
				Screening Values (mg/L)		6.3 [1]	0.005 [1]	0.056 [3]	4.2 [1]	0.35 [3]	0.7 [3]	0.7 [3]	0.7 [1]	0.100 [1]		0.07 [1]			0.0002 [1]	0.6 [2]		0.075 [2]	1.4 [1]	0.005 [2]	0.005 [2]	0.001 [2]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-23	MW23-ROX-012615	1/26/2015	29.02 - 39.02	30.90	NE	<0.025	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.002	<0.001	<0.002	<0.001	<0.002	<0.001	<0.000019	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001
	MW23-ROX-040815	4/8/2015		32.24	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW23-ROX-071015-BP	7/10/2015		30.54	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.00029 U	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW23-ROX-100515	10/5/2015		28.89	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000031	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW-23-ROX-010716	1/7/2016		28.78	NE	0.014 J	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW-23-ROX-040616	4/6/2016		27.96	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000031	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW-23-ROX-070816	7/8/2016	29.02 - 39.02	27.54	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
MW-24	MW24-ROX-100913	10/9/2013	38.89 - 48.89	41.27	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW24-ROX-011514	1/15/2014		43.47	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW24-ROX-040914	4/9/2014		44.13	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW24-ROX-071114	7/10/2014		42.97	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW24-ROX-100814	10/8/2014		42.16	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW24-ROX-011315	1/13/2015		43.17	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW24-ROX-040915	4/9/2015		44.45	NE	<0.01 UJ	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW24-ROX-070915	7/9/2015		44.65	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.00019 U	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW24-ROX-100715	10/7/2015		41.45	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW24-ROX-011316	1/13/2016		41.44	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW24-ROX-040816	4/8/2016		40.79	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW24-ROX-071216	7/12/2016	38.89 - 48.89	39.67	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000031	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
MW-25	MW25-ROX-102114	10/21/2014	35.59 - 45.59	36.44	NE	<20	501	<10	<10	<10	<10	<10	<10	<2	<4	<2	<4 UJ	<10	<0.000014	<2	<2	<2	<2	<4	<4	<1
	MW25-ROX-012215	1/22/2015		38.45	NE	<2.5 UJ	62.8	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<0.25	<0.5	<0.25	<0.5	<1.3	<0.000014	<0.25	<0.25	<0.25	<0.25	<0.5	<0.5	<0.13
	MW25-ROX-042115	4/21/2015		39.71	NE	<0.5	78.7	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.05	<0.1	<0.05	<0.1	<0.25	<0.000014	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1	<0.025
	MW25-ROX-071515	7/15/2015		38.40	NE	<2	71.9	<1	<1	<1	<1	<1	<1	<0.2	<0.4	<0.2	<0.4	<1	<0.000014	<0.2	<0.2	<0.2	<0.2	<0.4	<0.4	<0.1
	MW25-ROX-101915	10/19/2015		36.55	NE	<2.5	11	<0.1	<2.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.000031	<0.1	<0.1	<0.1	<0.1	<0.5	<0.1	<0.5
	MW25-ROX-011416	1/14/2016		36.12	NE	<0.5	2.2	<0.02	<0.5	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.000029	<0.02	<0.02	<0.02	<0.02	<0.1	<0.02	<0.1
	MW25-ROX-041916	4/19/2016		35.67	NE	<0.025	0.99	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW25-ROX-071816	7/18/2016	35.59 - 45.59	35.19	NE	<0.25	1.2	<0.01	<0.25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.000028	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.05
MW-26	MW26-ROX-102114	10/21/2014	38.15 - 48.15	39.43	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW26-ROX-011215	1/12/2015		41.09	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW26-ROX-040815	4/8/2015		42.52	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW26-ROX-070815	7/8/2015		41.76	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW26-ROX-100615	10/6/2015		39.19	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW26-ROX-010716	1/7/2016		39.55	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW26-ROX-040616	4/6/2016		38.44	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW26-ROX-071216	7/12/2016	38.15 - 48.15	37.74	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000032	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
MW-27	MW27-ROX-102114	10/21/2014	39.79 - 49.79	41.57	NE	<0.01	0.00033 J	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW27-ROX-011515	1/15/2015		42.06	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW27-ROX-041015	4/10/2015		43.22	NE	0.0027 J J	0.00035 J	<0.005	<0.005 UJ	<0.005	<0.005	<0.005 UJ	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW27-ROX-071015	7/10/2015		43.00	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW27-ROX-100815	10/8/2015		40.32	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000031	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW27-ROX-011316	1/13/2016		40.68	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000031	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW27-ROX-041116	4/11/2016		39.73	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW-27-ROX-071316	7/13/2016	39.79 - 49.79	38.94	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
MW-28	MW28-ROX-102114	10/21/2014	33.61 - 43.61	36.44	NE	<0.01	0.0081	<0.005	<0.005	<0.005	0.00083 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002 UJ	0.00049 J	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW28-ROX-011515	1/15/2015		41.14	NE	<0.01	0.0541	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW28-ROX-041415	4/14/2015		42.34	NE	<0.01	0.0189	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW28-ROX-071515	7/15/2015		42.19	NE	<0.01	0.0668	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	MW28-ROX-101215	10/12/2015		40.04	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW28-ROX-101215-DUP	10/12/2015		40.04	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW28-ROX-011416	1/14/2016		39.98	NE	0.018 J	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW28-ROX-041216	4/12/2016		39.20	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	MW28-ROX-071416	7/14/2016	33.61 - 43.61	38.49	NE	<0.025	0.0098	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000031	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																		
						Acetone	Benzene	Bromobenzene	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Cymene (p-Isopropyltoluene)	1,2-Dibromo-3-chloropropane (DBCP)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene
				Screening Values (mg/L)		6.3 [1]	0.005 [1]	0.056 [3]	4.2 [1]	0.35 [3]	0.7 [3]	0.7 [3]	0.7 [1]	0.100 [1]		0.07 [1]			0.0002 [1]	0.6 [2]		0.075 [2]	1.4 [1]	0.005 [2]	0.005 [2]	0.001 [2]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
P-54	P54-ROX-100813	10/8/2013	38.00 - 63.00	39.94	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P54-ROX-011514	1/15/2014		42.20	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P54-ROX-040914	4/9/2014		42.80	NE	<0.01	0.00081	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P54-ROX-071114	7/10/2014		41.71	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P54-ROX-100814	10/8/2014		40.88	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P54-ROX-011415	1/14/2015		41.79	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P54-ROX-041015	4/10/2015		43.20	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005 UJ	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P54-ROX-070915	7/9/2015		42.25	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P54-ROX-100915	10/9/2015		40.20	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000028	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	P54-ROX-011216	1/12/2016		40.22	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	P54-ROX-041216	4/12/2016		39.42	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	P54-ROX-071216	7/12/2016	38.00 - 63.00	38.44	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000031	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
P-55	P55-ROX-101013	10/10/2013	40.43 - 50.43			<0.01	0.757	<0.005	<0.005	0.0239	0.0147	0.0013 J	<0.005	<0.001	0.005	<0.001	0.0017 J J	0.0066	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
P-56	P56-ROX-101013	10/10/2013	40.82 - 65.82	44.48	NE	<0.01	0.14	<0.005	<0.005	0.0088	0.005	0.0018 J	<0.005	<0.001	0.0038	<0.001	<0.002	0.0046 J	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	0.001
	P56-ROX-012214	1/22/2014		46.35	NE	<0.01	0.0895	<0.005	<0.005	0.0033 J	0.0023 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0018 J	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P56-ROX-041414	4/14/2014		47.32	NE	<0.01	0.128	<0.005	<0.005	0.0069	0.0046 J	0.0014 J	<0.005	<0.001	<0.002	<0.001	<0.002	0.0034 J	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P56-ROX-070814	7/8/2014		45.97	NE	0.0626 J	0.127 J	<0.005	0.0132 J	0.0159 J	0.0073 J	0.0034 J J	<0.005	<0.001	<0.002	<0.001	<0.002	0.0058 J	<0.000014	<0.001	<0.001	<0.001	0.0018 J	<0.002	<0.002	<0.0005
	P56-ROX-101314	10/13/2014		45.05	NE	<0.01 UJ	0.107	<0.005	<0.005	0.0062	0.004 J	0.0012 J	<0.005 UJ	<0.001 UJ	<0.002	<0.001	<0.002	0.0035 J	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P56-ROX-011915	1/19/2015		46.58	NE	<0.01	0.0991	<0.005	<0.005	0.004 J	0.0037 J	0.00077 J	0.004 J	<0.001	<0.002	<0.001	0.0045	0.003 J	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P56-ROX-041515	4/15/2015		48.05	NE	<0.01	0.0965	<0.005	<0.005	0.0028 J	0.0042 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0033 J	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P56-ROX-071015	7/10/2015		47.34	NE	<0.01	0.0683	<0.005	<0.005	<0.005	0.0034 J	0.00068 J	<0.005	<0.001	<0.002	<0.001	<0.002	0.0027 J	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P56-ROX-101415	10/14/2015		44.85	NE	0.15	0.033	<0.001	0.034	0.0012	0.0018	<0.001	0.0011	<0.001	<0.001	0.0022	<0.001	0.0013	<0.000031	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	P56-ROX-011116	1/11/2016		44.78	NE	0.069 J	0.03	<0.005	0.032 J	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.000031	<0.005	<0.005	<0.005	<0.005	<0.025	<0.005	<0.025
	P56-ROX-041416	4/14/2016		43.73	NE	<0.13	0.036	<0.005	<0.13	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.00003	<0.005	<0.005	<0.005	<0.005	<0.025	<0.005	<0.025
	P56-ROX-071216	7/12/2016	40.82 - 65.82	42.87	NE	<0.05	0.024	<0.002	<0.05	<0.002	0.0021	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.00003	<0.002	<0.002	<0.002	<0.002	<0.01	<0.002	<0.01
P-57	P57-ROX-101413	10/14/2013	40.46 - 65.46	44.38	NE	<0.01	288	<0.005	<0.005	0.0129	0.0116	0.0163	<0.005	<0.001	<0.002	<0.001	<0.002	0.0113	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P57-ROX-020314	2/3/2014		46.57	NE	<10	261	<5	<5	<5	<5	<5	<5 UJ	<1	<2	<1	<2	<5	<0.000015	<1	<1	<1	<1	<2	<2	<0.5
	P57-ROX-041514	4/15/2014		46.70	NE	<0.01 UJ	384	<0.005	0.0055 J	0.0151	0.0131	0.0147	<0.005	<0.001	<0.002	<0.001	<0.002	0.0114	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P57-ROX-070814	7/8/2014		45.95	NE	0.0497 J	378	<0.005 UJ	<0.005 UJ	0.011 J	0.0091 J	0.0066 J	<0.005 UJ	<0.001 UJ	<0.002 UJ	<0.001 UJ	<0.002 UJ	0.0081 J	<0.000014 UJ	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.002 UJ	<0.002 UJ	<0.0005 UJ
	P57-ROX-070814-DUP	7/8/2014		45.95	NE	0.0441 J	371	<0.005 UJ	0.0086 J	0.0114 J	0.0097 J	0.007 J	<0.005 UJ	<0.001 UJ	<0.002 UJ	<0.001 UJ	<0.002 UJ	0.0085 J	<0.000015 UJ	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.002 UJ	<0.002 UJ	<0.0005 UJ
	P57-ROX-101414-DUP	10/14/2014		45.00	NE	<20 UJ	220	<10	<10	<10	<10	<10	<10 UJ	<2 UJ	<4	<2	<4	<10	<0.000014	<2	<2	<2	<2	<4	<4	<1
	P57-ROX-101414	10/14/2014		45.00	NE	<20 UJ	255	<10	<10	<10	<10	<10	<10 UJ	<2 UJ	<4	<2	<4	<10	<0.000014	<2	<2	<2	<2	<4	<4	<1
	P57-ROX-012315	1/23/2015	44.19 - 54.19	47.52	NE	<5 UJ	107	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<0.000015	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25
	P57-ROX-042015	4/20/2015		48.73	NE	<0.5	134	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25 UJ	<0.05	<0.1	<0.05	<0.1	<0.25	<0.000013	<0.05	<0.05	<0.05	<0.05	<0.1 UJ	<0.1	<0.025
	P57-ROX-071315	7/13/2015		47.81	NE	<10	138	<5	<5	<5	<5	<5	0.852 J	<1	<2	<1	<2	<5	<0.000014	<1	<1	<1	<1	<2	<2	<0.5
	P57-ROX-101515	10/15/2015		45.56	NE	<25	140	<1	<25	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.000029	<1	<1	<1	<1	<5	<1	<5
	P57-ROX-011216	1/12/2016		45.61	NE	<25	160	<1	<25	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.000029	<1	<1	<1	<1	<5	<1	<5
	P57-ROX-041816	4/18/2016		44.80	NE	<6.3	73	<0.25	<6.3	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	0.000054 p	<0.25	<0.25	<0.25	<0.25	<1.3	<0.25	<1.3
	P57-ROX-071316	7/13/2016	44.19 - 54.19	44.02	NE	<13	70	<0.5	<13	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.000029	<0.5	<0.5	<0.5	<0.5	<2.5	<0.5	<2.5
P-58	P58-ROX-101413	10/14/2013	40.21 - 65.21	42.19	NE	<0.01	647	<0.005	<0.005	0.023	0.0235	0.0483	<0.005	<0.001	<0.002	<0.001	<0.002	0.0143	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P58-ROX-020314	2/3/2014		44.66	NE	<10	496	<5	<5	<5	<5	<5	<5 UJ	<1	<2	<1	<2	<5	<0.000015	<1	<1	<1	<1	<2	<2	<0.5
	P58-ROX-041514	4/15/2014		45.66	NE	<0.01 UJ	782	<0.005	0.0056 J	0.0216 J	0.0185 J	0.0396 J	<0.005	0.0013 J	<0.002	<0.001	<0.002	0.0116 J	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P58-ROX-071814	7/18/2014		43.80	NE	<20	406	<10	<10	<10	<10	<10	<10	<2	<4	<2	<4	<10	<0.000014	<2	<2	<2	<2	<4	<4	<1
	P58-ROX-101514	10/15/2014		43.14	NE	<5	493	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<0.000014	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25
	P58-ROX-012315	1/23/2015		45.32	NE	<10	304	<5	<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<0.000015	<1	<1	<1	<1	<2	<2	<0.5
	P58-ROX-042015	4/20/2015		46.67	NE	<0.1	325	<0.05	<0.05	0.0087 J	0.0094 J	0.0242 J	<0.05 UJ	<0.01	<0.02	<0.01	<0.02	0.0051 J	<0.000016	<0.01	<0.01	<0.01	<0.01	<0.02 UJ	<0.02	<0.005
	P58-ROX-071415	7/14/2015		45.54	NE	<10	266	<5	<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<0.000014	<1	<1	<1	<1	<2	<2	<0.5
	P58-ROX-101615	10/16/2015		43.45	NE	<50	430	<2	<50	<2	<2	<2	<2	<2	<2	<2	<2	<2	<0.000029	<2	<2	<2	<2	<10	<2	<10
	P58-ROX-011316	1/13/2016		43.18	NE	<50	510	<2	<50	<2	<2	<2	<2	<2	<2	<2	<2	<2	<0.000029	<2	<2	<2	<2	<10	<2	<10
	P58-ROX-041816	4/18/2016		42.68	NE	<25	440	<1	<25	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.000028	<1	<1	<1	<1	<5	<1	<5
	P58-ROX-071516	7/15/2016	40.21 - 65.21	42.05	NE	<50	250	<2	<50	<2	<2	<2	<2	<2	<2	<2	<2	<2	<0.00003	<2	<2	<2	<2	<10	<2	<10

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																			
						Acetone	Benzene	Bromobenzene	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Cymene (p-Isopropyltoluene)	1,2-Dibromo-3-chloropropane (DBCP)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene
					Screening Values (mg/L)	6.3 [1]	0.005 [1]	0.056 [3]	4.2 [1]	0.35 [3]	0.7 [3]	0.7 [3]	0.7 [1]	0.100 [1]		0.07 [1]			0.0002 [1]	0.6 [2]		0.075 [2]	1.4 [1]	0.005 [2]	0.005 [2]	0.001 [2]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
P-59	P59-ROX-101013	10/10/2013	47.91 - 72.91	45.50	NE	<0.01	14.7	<0.005	<0.005	0.0224	<0.005	0.0024 J	<0.005	<0.001	0.0034	<0.001	<0.002	0.0051	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P59-ROX-020314	2/3/2014		47.35	NE	<0.2	15.9	<0.1	<0.1	0.0165 J	<0.1	<0.1	<0.1 UJ	<0.02	<0.04	<0.02	<0.04	<0.1	<0.000015	<0.02	<0.02	<0.02	<0.02	<0.04	<0.04	<0.01
	P59-ROX-041514	4/15/2014		48.60	NE	<0.01 UJ	14.8	<0.005	0.0253 J	0.0181	0.0035 J	0.0014 J	<0.005	<0.001	<0.002	<0.001	<0.002	0.0029 J	<0.000015	<0.001	<0.001	<0.001	0.0023	<0.002	<0.002	<0.0005
	P59-ROX-070814	7/8/2014		47.69	NE	0.057 J	12.2	<0.005	0.0169 J	0.0251 J	0.0073 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0046 J J	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P59-ROX-101414	10/14/2014		46.18	NE	<0.01 UJ	12	<0.005	<0.005	0.0278 J	0.0097 J	0.0024 J J	<0.005 UJ	<0.001 UJ	<0.002	<0.001	<0.002	0.0043 J J	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P59-ROX-011915	1/19/2015		47.42	NE	<1	13.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.2	<0.1	<0.2	<0.5	<0.000015	<0.1	<0.1	<0.1	<0.1	<0.2	<0.2	<0.05
	P59-ROX-041615	4/16/2015		48.83	NE	<0.1 UJ	9.43	<0.05	<0.05 UJ	<0.05	<0.05	<0.05	<0.05	<0.01	<0.02	<0.01	<0.02	<0.05	<0.000014	<0.01	<0.01	<0.01	<0.01	<0.02	<0.02	<0.005
	P59-ROX-071315	7/13/2015		47.85	NE	<0.25	3.08	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.025	<0.05	<0.025	<0.05	<0.13	<0.000014	<0.025	<0.025	<0.025	<0.025	<0.05	<0.05	<0.013
	P59-ROX-101515	10/15/2015		45.75	NE	<1.3	7.2	<0.05	<1.3	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.000029	<0.05	<0.05	<0.05	<0.05	<0.25	<0.05	<0.25
	P59-ROX-011216	1/12/2016		46.10	NE	<0.63	5.4	<0.025	<0.63	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.000029	<0.025	<0.025	<0.025	<0.025	<0.13	<0.025	<0.13
	P59-ROX-041816	4/18/2016		44.28	NE	<0.5	4.9	<0.02	<0.5	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.000031	<0.02	<0.02	<0.02	<0.02	<0.1	<0.02	<0.1
	P59-ROX-071316	7/13/2016	47.91 - 72.91	44.01	NE	<0.63	4.2	<0.025	<0.63	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.000029	<0.025	<0.025	<0.025	<0.025	<0.13	<0.025	<0.13
P-66	P66-ROX-101013	10/10/2013	34.72 - 59.72	33.66	NE	0.0095 J	0.0646	<0.005	<0.005	0.0141	0.0186	0.0067	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P66-ROX-110713	11/7/2013		33.66	NE	<0.01	0.03	<0.005	<0.005	0.0088	0.0102	0.0071	<0.005	0.0007 J	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P66-ROX-012914	1/29/2014		36.39	NE	<0.01	0.008	<0.005	<0.005	0.016	0.0205	0.0053	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P66-ROX-041114	4/11/2014		37.10	NE	<0.01	0.0052	<0.005	<0.005	0.0129	0.0168	0.0041 J	<0.005	0.00052 J	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P66-ROX-070714	7/7/2014		35.60	NE	<0.01 UJ	0.0429	<0.005	<0.005	0.0112	0.0147	0.0023 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P66-ROX-101414	10/14/2014		34.48	NE	<0.01 UJ	0.0212	<0.005	<0.005	0.0135	0.0173	0.0036 J	<0.005	<0.001 UJ	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P66-ROX-011615	1/16/2015		36.62	NE	<0.01	0.0083	<0.005	<0.005	0.0162	0.021	0.0048 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P66-ROX-011615-DUP	1/16/2015		36.62	NE	<0.01	0.0076	<0.005	<0.005	0.0147	0.0198	0.0045 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P66-ROX-041415	4/14/2015		38.27	NE	<0.01	0.0223	<0.005	<0.005	0.0127	0.0181	0.0039 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P66-ROX-041415-DUP	4/14/2015		38.27	NE	<0.01	0.0214	<0.005	<0.005	0.0124	0.0177	0.004 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P66-ROX-070815	7/8/2015		37.24	NE	<0.01 UJ	0.0404	<0.005	<0.005 UJ	0.0124	0.0164	0.0027 J	<0.005	0.00035 J	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P66-ROX-070815-DUP	7/8/2015		37.24	NE	<0.01 UJ	0.0424	<0.005	<0.005 UJ	0.0126	0.0167	0.0027 J	<0.005	0.00038 J	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P66-ROX-101315	10/13/2015		34.84	NE	<0.025	0.0094	<0.001	<0.025	<0.001	0.008	0.0023	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	P-66-ROX-010816	1/8/2016		34.64	NE	<0.025	0.0013	<0.001	<0.025	<0.001	0.01	0.0019	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000028	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	P66-ROX-041516	4/15/2016		34.33	NE	0.015 J	0.0044	<0.001	<0.025	0.0052	0.0088	0.0026	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	P66-ROX-071116	7/11/2016	34.72 - 59.72	33.58	NE	<0.025	0.0037	<0.001	<0.025	0.0071	0.012	0.0028	<0.001	0.00054 J	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
P-74	P74-ROX-101413	10/14/2013	44.43 - 69.43	41.72	NE	<0.01	1.55	<0.005	<0.005	0.0158	0.003 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0031 J	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P74-ROX-012414	1/24/2014		43.35	NE	<0.01	4.45	<0.005	<0.005	0.0252	0.0031 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0031 J	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P74-ROX-041514	4/15/2014		44.74	NE	0.0398 J	0.0349	<0.005	<0.005 UJ	0.0013 J	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P74-ROX-070814	7/8/2014		43.02	NE	<0.01 UJ	0.309	<0.005	<0.005	0.0138	0.0014 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0018 J	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P74-ROX-101414	10/14/2014		41.48	NE	<0.01 UJ	0.00068	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001 UJ	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P74-ROX-011915	1/19/2015		43.47	NE	<0.01	3.13	<0.005	<0.005	0.0163	0.0022 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0029 J	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P74-ROX-041515	4/15/2015		44.61	NE	<0.01	0.032	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.00033 J	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P74-ROX-071015	7/10/2015		43.28	NE	0.011	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P74-ROX-101415	10/14/2015		41.75	NE	0.31	1.2	<0.005	<0.13	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.000029	<0.005	<0.005	<0.005	<0.005	<0.025	<0.005	<0.025
	P74-ROX-011116	1/11/2016		40.67	NE	0.023 J	0.0013	<0.001	0.003 J	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	P74-ROX-041516	4/15/2016		40.40	NE	0.016 J	0.028	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	P74-ROX-071216	7/12/2016	44.43 - 69.43	39.56	NE	<0.025	0.023	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																			
						Acetone	Benzene	Bromobenzene	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Cymene (p-Isopropyltoluene)	1,2-Dibromo-3-chloropropane (DBCP)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene
				Screening Values (mg/L)		6.3 [1]	0.005 [1]	0.056 [3]	4.2 [1]	0.35 [3]	0.7 [3]	0.7 [3]	0.7 [1]	0.100 [1]		0.07 [1]			0.0002 [1]	0.6 [2]		0.075 [2]	1.4 [1]	0.005 [2]	0.005 [2]	0.001 [2]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
P-93A	P93A-ROX-101113	10/11/2013	48.17 - 63.17	44.18	NE	<0.01 UJ	197	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0025 J	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P93A-ROX-012914	1/29/2014		46.53	NE	<5	136	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<0.000014	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25
	P93A-ROX-041714	4/17/2014		47.41	NE	<5	132	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<0.000014	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25
	P93A-ROX-071814	7/18/2014		45.70	NE	<10	170	<5	<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<0.000015	<1	<1	<1	<1	<2	<2	<0.5
	P93A-ROX-071814-DUP	7/18/2014		45.70	NE	<10	174	<5	<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<0.000014	<1	<1	<1	<1	<2	<2	<0.5
	P93A-ROX-101514	10/15/2014		45.06	NE	<5	293	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<0.000014	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25
	P93A-ROX-101514-DUP	10/15/2014		45.06	NE	<5	277	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<0.000014	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25
	P93A-ROX-012715	1/27/2015	43.07 - 53.07	46.05	NE	<0.025 UJ	168	<0.001 UJ	<0.005 UJ	0.0023 J	0.0069 J	0.0186 J	<0.002 UJ	<0.001 UJ	0.00078 J J	<0.001 UJ	<0.002 UJ	0.0064 J	<0.000019 UJ	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ
	P93A-ROX-041715	4/17/2015		47.02	NE	<0.01	139	<0.005	<0.005	0.00077 J	0.0048 J	0.014	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	0.0036 J	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002 UJ	<0.002	<0.0005
	P93A-ROX-071315	7/13/2015		45.93	NE	<1	315	<0.5	<0.5	<0.5	<0.5	<0.5	0.0476 J	<0.1	<0.2	<0.1	<0.2	<0.5	<0.000014	<0.1	<0.1	<0.1	<0.1	<0.2	<0.2	<0.05
	P93A-ROX-101515	10/15/2015		43.69	NE	<25	260	<1	<25	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.00003	<1	<1	<1	<1	<5	<1	<5
	P93A-ROX-101515-DUP	10/15/2015		43.69	NE	<25	250	<1	<25	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.000029	<1	<1	<1	<1	<5	<1	<5
	P-93A-ROX-011216	1/12/2016		43.73	NE	<50	430	<2	<50	<2	<2	<2	<2	<2	<2	<2	<2	<2	<0.00003	<2	<2	<2	<2	<10	<2	<10
	P-93A-ROX-011216-DUP	1/12/2016		43.73	NE	<50	450	<2	<50	<2	<2	<2	<2	<2	<2	<2	<2	<2	<0.000029	<2	<2	<2	<2	<10	<2	<10
	P93A-ROX-041916	4/19/2016		43.08	NE	<6.3	66	<0.25	<6.3	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.000028	<0.25	<0.25	<0.25	<0.25	<1.3	<0.25	<1.3
	P93A-ROX-041916-DUP	4/19/2016		43.08	NE	<6.3	70	<0.25	<6.3	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.00003	<0.25	<0.25	<0.25	<0.25	<1.3	<0.25	<1.3
	P93A-ROX-071316	7/13/2016	43.07 - 53.07	42.20	NE	<2.5	18	<0.1	<2.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.00003	<0.1	<0.1	<0.1	<0.1	<0.5	<0.1	<0.5
	P93A-ROX-071316-DUP	7/13/2016		42.20	NE	<2.5	20	<0.1	<2.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.00003	<0.1	<0.1	<0.1	<0.1	<0.5	<0.1	<0.5
P-93B	P93B-ROX-101613	10/16/2013	74.60 - 76.60	44.43	NE	<20	187	<10	<10	<10	<10	<10	<10	<2	<4	<2	<4	<10	<0.000015	<2	<2	<2	<2	<4	<4	<1
	P93B-ROX-101613-DUP	10/16/2013		44.43	NE	<20	180	<10	<10	<10	<10	<10	<10	<2	<4	<2	<4	<10	<0.000015	<2	<2	<2	<2	<4	<4	<1
	P93B-ROX-012814	1/28/2014		46.58	NE	<10	242	<5	<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<0.000015	<1	<1	<1	<1	<2	<2	<0.5
	P93B-ROX-012814-DUP	1/28/2014		46.58	NE	<10 UJ	293	<5	<5 UJ	<5	<5	<5	<5	<1	<2	<1	<2	<5	<0.000015	<1	<1	<1	<1	<2	<2	<0.5
	P93B-ROX-041714	4/17/2014		47.46	NE	<5	134	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<0.000015	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25
	P93B-ROX-041714-DUP	4/17/2014		47.46	NE	<5	126	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<0.000014	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25
	P93B-ROX-071714	7/17/2014		45.75	NE	<0.01 UJ	172	<0.005 UJ	<0.005 UJ	<0.005 UJ	<0.005 UJ	0.00042 J J	<0.005 UJ	<0.001 UJ	<0.002 UJ	<0.001 UJ	<0.002 UJ	<0.005 UJ	<0.000014 UJ	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.002 UJ	<0.002 UJ	<0.0005 UJ
	P93B-ROX-101514	10/15/2014		45.15	NE	<5 UJ	241	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5 UJ	<0.5	<1	<0.5	<1	<2.5	<0.000014	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25
	P93B-ROX-012315	1/23/2015		47.24	NE	<10	564	<5	<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<0.000014	<1	<1	<1	<1	<2	<2	<0.5
	P93B-ROX-012315-DUP	1/23/2015		47.24	NE	<10	623	<5	<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<0.000015	<1	<1	<1	<1	<2	<2	<0.5
	P93B-ROX-021915	2/19/2015		47.24	NE	<250	625	<0.5	<2.5	<0.5	<0.5	<0.5	<1	<0.5	<1	<0.5	<1	<0.5	<0.000019	<0.5	<0.5	<0.5	<0.5	<2.5	<0.5	<0.5
	P93B-ROX-041615	4/16/2015		48.42	NE	<0.01 UJ	400	<0.005	<0.005 UJ	<0.005	<0.005	0.001 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P93B-ROX-041615-DUP	4/16/2015		48.42	NE	<10 UJ	388	<5	<5 UJ	<5	<5	<5	<5	<1	<2	<1	<2	<5	<0.000014	<1	<1	<1	<1	<2	<2	<0.5
	P93B-ROX-070915	7/9/2015		47.74	NE	<50 UJ	497 J	<25	<25 UJ	<25	<25	<25	<25	<5	<10	<5	<10	<25	<0.000014	<5	<5	<5	<5	<10	<10	<2.5
	P93B-ROX-070915-DUP	7/9/2015		47.74	NE	<20 UJ	371 J	<10	<10 UJ	<10	<10	<10	<10	<2	<4	<2	<4	<10	<0.000014	<2	<2	<2	<2	<4	<4	<1
	P93B-ROX-101515	10/15/2015		45.18	NE	<63	1200	<2.5	<63	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<0.000032	<2.5	<2.5	<2.5	<2.5	<13	<2.5	<13
	P93B-ROX-011316	1/13/2016		44.96	NE	<25	280	<1	<25	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.000029	<1	<1	<1	<1	<5	<1	<5
	P93B-ROX-041916	4/19/2016		44.54	NE	<25	240	<1	<25	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.000029	<1	<1	<1	<1	<5	<1	<5
	P93B-ROX-071516	7/15/2016	74.60 - 76.60	43.65	NE	<25	100	<1	<25	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.00003	<1	<1	<1	<1	<5	<1	<5
P-93C	P93C-ROX-101613	10/16/2013	94.26 - 96.256	44.31	NE	<0.01	1.4	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P93C-ROX-012414	1/24/2014		46.44	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P93C-ROX-041714	4/17/2014		47.34	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P93C-ROX-071714	7/17/2014		45.61	NE	<0.01	1.52	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P93C-ROX-101514	10/15/2014		44.99	NE	<0.01	0.00075	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P93C-ROX-011915	1/19/2015	92.47 - 97.47	48.22	NE	<1	102	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.2	<0.1	<0.2	<0.5	<0.000015	<0.1	<0.1	<0.1	<0.1	<0.2	<0.2	<0.05
	P93C-ROX-021915	2/19/2015		48.22	NE	<25	75.4	<1	<5	<1	<1	<1	<2	<1	<2	<1	<2	<1	<0.000019	<1	<1	<1	<1	<5	<1	<1
	P93C-ROX-041615	4/16/2015		48.22	NE	<1 UJ	55.3	<0.5	<0.5 UJ	<0.5	<0.5	<0.5	<0.5	<0.1	<0.2	<0.1	<0.2	<0.5	<0.000014	<0.1	<0.1	<0.1	<0.1	<0.2	<0.2	<0.05
	P93C-ROX-071315	7/13/2015		47.09	NE	<0.01	0.0365	<0.005	<0.005	<0.005	<0.005	<0.005	<0.00025 U	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P93C-ROX-101415	10/14/2015		44.91	NE	<0.025	0.011	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	P-93C-ROX-010816	1/8/2016		44.68	NE	<0.025	0.04	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000028	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	P93C-ROX-041816	4/18/2016		44.06	NE	<0.025	0.068	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	P93C-ROX-071216	7/12/2016	92.47 - 97.47	43.37	NE	0.016 J	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000031	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																			
						Acetone	Benzene	Bromobenzene	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Cymene (p-Isopropyltoluene)	1,2-Dibromo-3-chloropropane (DBCP)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene
				Screening Values (mg/L)		6.3 [1]	0.005 [1]	0.056 [3]	4.2 [1]	0.35 [3]	0.7 [3]	0.7 [3]	0.7 [1]	0.100 [1]		0.07 [1]			0.0002 [1]	0.6 [2]		0.075 [2]	1.4 [1]	0.005 [2]	0.005 [2]	0.001 [2]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
P-93D	P93D-ROX-101113	10/11/2013	125.75 - 127.75	44.24	NE	<0.01	0.0014	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P93D-ROX-013114	1/31/2014		46.62	NE	<0.01	0.0012	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005 UJ	0.00062 J	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	0.0044	<0.0005
	P93D-ROX-041414	4/14/2014		47.54	NE	<0.01	0.0022	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	0.00069 J	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	0.0164	<0.0005
	P93D-ROX-071714	7/17/2014		45.78	NE	<0.01	0.00063	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P93D-ROX-101514	10/15/2014		45.14	NE	<0.1	36.4	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.01	<0.02	<0.01	<0.02	<0.05	<0.000014	<0.01	<0.01	<0.01	<0.01	<0.02	<0.02	<0.005
	P93D-ROX-110414	11/4/2014		45.14	NE	<0.01	19.9	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	0.0079	<0.0005
	P93D-ROX-012315	1/23/2015		42.28	NE	<2.5 UJ	62.6	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<0.25	<0.5	<0.25	<0.5	<1.3	<0.000015	<0.25	<0.25	<0.25	<0.25	<0.5	<0.5	<0.13
	P93D-ROX-021915	2/19/2015		42.28	NE	<130	240	<2.5	<13	<2.5	<2.5	<2.5	<5	<2.5	<5	<2.5	<5	<2.5	<0.000019	<2.5	<2.5	<2.5	<2.5	<13	<2.5	<2.5
	P93D-ROX-042015	4/20/2015		48.52	NE	<1	131	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5 UJ	<0.1	<0.2	<0.1	<0.2	<0.5	<0.000014	<0.1	<0.1	<0.1	<0.1	<0.2 UJ	<0.2	<0.05
	P93D-ROX-070915	7/9/2015		47.96	NE	<5 UJ	21.2	<2.5	<2.5 UJ	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<0.000014	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25
	P93D-ROX-101515	10/15/2015		45.28	NE	<2.5	15	<0.1	<2.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.00003	<0.1	<0.1	<0.1	<0.1	<0.5	<0.1	<0.5
	P93D-ROX-011316	1/13/2016		45.10	NE	<2.5	14	<0.1	<2.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.000033	<0.1	<0.1	<0.1	<0.1	<0.5	<0.1	<0.5
	P93D-ROX-041916	4/19/2016		44.61	NE	<1.3	9.5	<0.05	<1.3	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.000029	<0.05	<0.05	<0.05	<0.05	<0.25	<0.05	<0.25
	P93D-ROX-071516	7/15/2016	125.75 - 127.75	43.83	NE	<0.025	0.086	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
P-114	P114-ROX-101713	10/17/2013	32.67 - 52.67	29.43	NE	0.0047 J	0.00074	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P114-ROX-012814	1/28/2014		32.11	NE	0.142 J	0.0013	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P114-ROX-042114	4/21/2014		32.22	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P114-ROX-071814	7/18/2014		30.87	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P114-ROX-101714	10/17/2014		29.43	NE	<0.01	<0.0005	<0.005	<0.005	0.0052 J	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	0.0006 J J	<0.002	<0.0005
	P114-ROX-012115	1/21/2015		31.53	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P114-ROX-041715	4/17/2015		NM	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	P114-ROX-070815	7/8/2015		29.16	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	0.0015 J	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
P-114R	P114R-ROX-100515	10/5/2015	23.01 - 33.01	26.24	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	P114R-ROX-010716	1/7/2016		25.62	NE	<0.025	0.0004 J	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	P114R-ROX-040816	4/8/2016		25.65	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	P114R-ROX-070816	7/8/2016	23.01 - 33.01	24.92	NE	0.017 J	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000031	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
ROST-3-MW	ROST3-MW-ROX-100913	10/9/2013	37.81 - 47.81	40.16	NE	<0.01	0.0033	<0.005	<0.0164	0.00073 J	<0.005	<0.005	<0.005	<0.001	0.0034	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST3MW-ROX-011714	1/17/2014		42.20	NE	<0.01	0.004	<0.005	<0.005	0.0012 J	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST3MW-ROX-041014	4/10/2014		42.80	NE	<0.01	0.0075	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST3MW-ROX-071414	7/14/2014		41.88	NE	<0.01	0.0058	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST3MW-ROX-100914	10/9/2014		41.31	NE	<0.01 UJ	0.003	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST3MW-ROX-011515	1/15/2015		41.83	NE	<0.01	0.0022	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST3MW-ROX-041315	4/13/2015		43.43	NE	0.0251 J	0.0057	<0.005	<0.005	<0.005	<0.005 UJ	<0.005 UJ	0.00037 J	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST3MW-ROX-071315	7/13/2015		42.36	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.00066 U	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST3MW-ROX-101215	10/12/2015		40.29	NE	0.017 J	<0.001	<0.001	0.0064 J	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	ROST3MW-ROX-011416	1/14/2016		40.30	NE	<0.025	0.0012	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	ROST3MW-ROX-041216	4/12/2016		39.69	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	ROST3MW-ROX-071416	7/14/2016	37.81 - 47.81	38.70	NE	<0.025	0.0017	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.000032	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
ROST-4-PZ(C)	ROST4PZC-ROX-100913	10/9/2013	34.95 - 44.95	39.91	NE	<0.01	0.00066	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST4PZC-ROX-011714	1/17/2014		41.92	NE	<0.01	0.0015	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST4PZC-ROX-041014	4/10/2014		42.05	NE	<0.01	0.0019	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST4C-ROX-071114	7/10/2014		42.22	NE	<0.01 UJ	0.0751	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST4PZC-ROX-100914	10/9/2014		41.30	NE	<0.01 UJ	0.039	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST4PZC-ROX-011515	1/15/2015		41.65	NE	0.016	0.0013	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST4PZC-ROX-041315	4/13/2015		43.00	NE	<0.01	0.0694	<0.005	<0.005	<0.005	<0.005 UJ	<0.005 UJ	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST4PZ-ROX-071315	7/13/2015		42.59	NE	<0.01	0.0683	<0.005	<0.005	<0.005	<0.005	<0.005	<0.0011 U	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	ROST4PZC-ROX-101215	10/12/2015		40.35	NE	0.022 J	0.071	<0.001	0.0097 J	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.00003	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
	ROST4PZC-ROX-011516	1/15/2016		40.54	NE	<0.05	0.059	<0.002	<0.05	<0.002	<0.002	<0.002	0.001 J	<0.002	<0.002	<0.002	<0.002	<0.002	<0.000029	<0.002	<0.002	<0.002	<0.002	<0.01	<0.002	<0.01
	ROST4PZC-ROX-041316	4/13/2016		39.61	NE	<0.05	0.05	<0.002	<0.05	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.000029	<0.002	<0.002	<0.002	<0.002	<0.01	<0.002	<0.01
	ROST4PZC-ROX-071516	7/15/2016	34.95 - 44.95	38.93	NE	<0.05	0.044	<0.002	<0.05	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.000031	<0.002	<0.002	<0.002	<0.002	<0.01	<0.002	<0.01

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																				
						Acetone	Benzene	Bromobenzene	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Cymene (p-Isopropyltoluene)	1,2-Dibromo-3-chloropropane (DBCP)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene
					Screening Values (mg/L)	6.3 [1]	0.005 [1]	0.056 [3]	4.2 [1]	0.35 [3]	0.7 [3]	0.7 [3]	0.7 [1]	0.100 [1]		0.07 [1]			0.0002 [1]	0.6 [2]		0.075 [2]	1.4 [1]	0.005 [2]	0.005 [2]	0.001 [2]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
T-12	T12-ROX-101513	10/15/2013	46.72 - 72.72	43.73	NE	0.0803	2.02	<0.025	0.0246 J	0.0098 J	0.0038 J	<0.025	<0.025	<0.005	<0.01	<0.005	<0.01	<0.025	<0.000015	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01	<0.0025
	T12-ROX-012414	1/24/2014		45.26	NE	<0.01	2.48	<0.005	<0.005	0.0083	0.0029 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	T12-ROX-041514	4/15/2014		46.72	NE	<0.01 UJ	2.07	<0.005	0.017 J	0.0062	0.0024 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0018 J	<0.000015	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	T12-ROX-070814	7/8/2014		45.13	NE	0.0658 J	2.1	<0.005	0.0094	0.0096	0.0039 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0024 J	<0.000014	<0.001	<0.001	<0.001	0.0022	<0.002	<0.002	<0.0005
	T12-ROX-101714	10/17/2014		44.40	NE	<0.1	1.83	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.01	<0.02	<0.01	<0.02	<0.05	<0.000014	<0.01	<0.01	<0.01	<0.01	<0.02	<0.02	<0.005
	T12-ROX-011915	1/19/2015	46.83 - 72.83	45.27	NE	<0.1	2.02	<0.05	<0.05	0.0115 J	<0.05	<0.05	<0.05	<0.01	<0.02	<0.01	<0.02	<0.05	<0.000015	<0.01	<0.01	<0.01	<0.01	<0.02	<0.02	<0.005
	T12-ROX-041515	4/15/2015		46.73	NE	<0.01	1.69	<0.005	<0.005	0.0094	0.0045 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0025 J	<0.000014	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005
	T12-ROX-071015	7/10/2015		46.09	NE	<0.1	2.3	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.01	<0.02	<0.01	<0.02	<0.05	<0.000014	<0.01	<0.01	<0.01	<0.01	<0.02	<0.02	<0.005
	T12-ROX-101515	10/15/2015		43.72	NE	<0.25	2.5	<0.01	<0.25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.000029	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.05
	T12-ROX-011216	1/12/2016		44.13	NE	<0.25	1.5	<0.01	<0.25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.00003	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.05
	T12-ROX-041516	4/15/2016		42.07	NE	<0.13	1.4	<0.005	<0.13	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.00003	<0.005	<0.005	<0.005	<0.005	<0.025	<0.005	<0.025
	T12-ROX-071216	7/12/2016	46.83 - 72.83	41.50	NE	<0.25	1.6	<0.01	<0.25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.000029	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.05

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																			
						Ethylbenzene	Hexachlorobutadiene	2-Hexanone (Methyl N-Butyl Ketone)	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	Tetrachloroethene	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,2-Trichloroethane	Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl acetate	m,p-Xylenes	o-Xylenes	Xylenes (total)
					Screening Values (mg/L)	0.7 [1]	0.007 [3]	0.035 [3]	0.7 [1]	0.56 [3]	0.07 [1]	0.14 [1]	0.7 [3]	0.1 [1]	0.005 [1]	1.0 [1]	0.0056 [3]	0.07 [1]	0.005 [1]	0.005 [1]		0.07 [3]	7.0 [2]	10 [1]		10 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																			
MW-01	MW1-ROX-100313	10/3/2013	48.80 - 58.80	40.28	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.0013	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW1-ROX-011414	1/14/2014		42.77	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.0018	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW1-ROX-040714	4/7/2014		43.28	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW1-ROX-070914	7/9/2014		42.09	NE	<0.001	<0.005	<0.005 UJ	<0.005	<0.005	0.0035	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW1-ROX-100614	10/6/2014		41.1	NE	<0.001	<0.005	<0.005	<0.005	<0.005 UJ	0.00082 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	MW1-ROX-011215	1/12/2015		42.73	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.00084 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW1-ROX-040615	4/6/2015		44.11	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.00059 J	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW1-ROX-070815	7/8/2015		43.35	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW1-ROX-100615	10/6/2015		40.83	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW1-ROX-010816	1/8/2016		40.93	NE	<0.001	<0.005	<0.025	<0.001	<0.025	0.00078 J	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW1-ROX-041216	4/12/2016		40.35	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW1-ROX-071416	7/14/2016	48.80 - 58.80	39.43	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	0.0014	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	0.0016 J
MW-02	MW2-ROX-100813	10/8/2013	49.87 - 59.87	41.73	NE	0.942	<0.005	0.0079	0.0983	<0.005	0.0032	0.0939	0.132	<0.005	<0.001	0.0164	<0.005	<0.005	<0.001	<0.001	0.368	0.174	0.0768	0.912	0.0519	0.912
	MW2-ROX-012014	1/20/2014		44.00	NE	0.426	<0.005	<0.005	0.102	<0.005	<0.001	0.0663	0.133	<0.005	<0.001	0.0099	<0.005	<0.005	<0.001	<0.001	0.264	0.156	<0.005	0.486	0.0304	0.516
	MW2-ROX-041014	4/10/2014		44.66	NE	0.478	<0.005	<0.005	0.0816	<0.005	<0.001	0.0474	0.106	<0.005	<0.001	0.0072	<0.005	<0.005	<0.001	<0.001	0.181	0.121	<0.005	0.444	0.0275	0.472
	MW2-ROX-071414	7/14/2014		43.13	NE	0.955	<0.005	<0.005	0.0966 J	<0.005	<0.001	0.0792 J	0.112 J	<0.005	<0.001	0.0113 J	<0.005	<0.005	<0.001	<0.001	0.341 J	0.15 J	<0.005	0.764	0.0845	0.804
	MW2-ROX-101014	10/10/2014		42.49	NE	0.386 J	<0.01	<0.01 UJ	0.0675	<0.01 UJ	<0.002	0.0512	0.0867	<0.01	<0.002	0.006	<0.01	<0.01	<0.002	<0.002	0.135	0.0901	<0.01	0.26 J	0.0183	0.278 J
	MW2-ROX-011615	1/16/2015		44.1	NE	0.358	0.0031 J	0.0039 J	0.0823	0.0061	<0.001	0.0626	0.107	0.00052 J	<0.001	0.0121	0.0051	0.0044 J	<0.001	0.0015	0.0895	0.102	<0.005	0.207	0.0206	0.228
	MW2-ROX-041315	4/13/2015		45.56	NE	0.547	<0.005	<0.005	0.0613 J	<0.005	0.0013	0.068 J	0.0802 J	<0.005	<0.001	0.0103	<0.005	<0.005	<0.001	<0.001	0.185 J	0.0882	<0.005	0.549	0.0495	0.598
	MW2-ROX-071315	7/13/2015		44.53	NE	0.984	<0.005	<0.005	0.0683	<0.005	<0.001	0.0878	0.0983	<0.005	<0.001	0.0103	<0.0015 U	<0.005	<0.001	<0.001	0.206	0.109	<0.005	0.719	0.0689	0.78
	MW2-ROX-101215	10/12/2015		42.15	NE	0.42	<0.01	<0.05	0.082	<0.05	<0.002	0.039	0.088	<0.002	<0.002	0.013	<0.002	<0.002	<0.01	<0.002	0.1	0.09	<0.05	0.26	0.023	0.28
	MW2-ROX-011416	1/14/2016		42.04	NE	0.22	<0.01	<0.05	0.049	<0.05	<0.002	0.027	0.063	<0.002	<0.002	0.012	<0.002	<0.002	<0.01	<0.002	0.05	0.072	<0.05	0.11	0.01	0.12
	MW2-ROX-041316	4/13/2016		41.59	NE	0.33	<0.01	<0.05	0.075	<0.05	<0.002	0.029	0.099	<0.002	<0.002	0.018	<0.002	<0.002	<0.01	<0.002	0.077	0.1	<0.05	0.23	0.017	0.24
	MW2-ROX-071416	7/14/2016	49.87 - 59.87	40.79	NE	0.26	<0.01	<0.05	0.079	<0.05	<0.002	0.048	0.095	<0.002	<0.002	0.016	<0.002	<0.002	<0.01	<0.002	0.079	0.1	<0.05	0.16	0.021	0.18
MW-03	MW3-ROX-100813	10/8/2013	34.67 - 44.67	27.38	NE	0.0025	<0.005	<0.005	<0.005	<0.005	0.00075 J	<0.005	0.0021 J	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	0.0197	0.0011	<0.001	0.0011
	MW3-ROX-011614	1/16/2014		29.91	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW3-ROX-040914	4/9/2014		30.50	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW3-ROX-071114	7/10/2014		29.05	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW3-ROX-100914	10/9/2014		28.18	NE	<0.001	<0.005	<0.005	0.0004 J	<0.005	0.003 J	<0.005	0.00053 J	<0.005	<0.001	0.00046 J	<0.005	<0.005	<0.001	<0.001	0.0012 J	<0.005	<0.005 UJ	0.00095 J	<0.001	<0.00095 U
	MW3-ROX-011515	1/15/2015		29.65	NE	0.00039 J	<0.005	<0.005	0.00065 J	<0.005	0.0101	<0.005	0.0018 J	<0.005	<0.001	0.00062 J	<0.005	<0.005	<0.001	<0.001	0.00071 J	0.00031 J	<0.005	0.0014	<0.001	0.0015
	MW3-ROX-041015	4/10/2015		31.16	NE	<0.001	<0.005 UJ	<0.005 UJ	<0.005	<0.005	0.0012	<0.005 UJ	0.00042 J	<0.005	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	0.00046 J
	MW3-ROX-071015	7/10/2015		30.01	NE	0.00039 J	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	0.00062 J	<0.005	<0.001	0.0014	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.00087 J	<0.001	0.00087 J
	MW3-ROX-100915	10/9/2015		27.98	NE	0.0011	<0.005	<0.025	0.007	<0.025	<0.001	<0.001	0.0036	<0.001	<0.001	0.015	<0.001	<0.001	<0.005	<0.001	<0.001	0.00073 J	<0.025	0.055	0.0028 J	0.058
	MW3-ROX-010716	1/7/2016		27.92	NE	<0.001	<0.005	<0.025	<0.001	<0.025	0.008	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW3-ROX-040616	4/6/2016		27.07	NE	0.0031	<0.005	<0.025	0.014	<0.025	0.0097	<0.001	0.025	<0.001	<0.001	0.039	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	0.1	0.006	0.11
	MW3-ROX-070816	7/8/2016	34.67 - 44.67	26.51	NE	0.0012	<0.005	<0.025	0.016	<0.025	0.0054	<0.001	0.034	<0.001	<0.001	0.014	<0.001	<0.001	<0.005	<0.001	<0.001	0.00062 J	<0.025	0.076	0.0042 J	0.08
MW-04	MW4-ROX-101613	10/16/2013	46.06 - 56.06	38.80	NE	<0.01	<0.05	<0.05	<0.05	<0.05	0.0333 J	<0.05	<0.05	<0.05	<0.01	<0.01	<0.05	<0.05	<0.01	<0.01	<0.05	<0.05	<0.05 UJ	<0.01	<0.01	0.0058 J
	MW4-ROX-013014	1/30/2014		41.09	NE	0.00048 J	<0.005	<0.005	0.0021 J	<0.005	<0.001	<0.005	0.0026 J	<0.005	<0.001	0.0037	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.0132	0.0049	0.0181
	MW4-ROX-041614	4/16/2014		41.91	NE	<0.001	<0.005	<0.005	0.00059 J	<0.005	<0.001	<0.005	0.00081 J	<0.005	<0.001	0.00099 J	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.0027	0.00039 J	0.0031
	MW4-ROX-071614	7/16/2014		40.18	NE	<0.01	<0.005	<0.005	<0.05	<0.005	<0.001	<0.05 UJ	<0.05	<0.005	<0.001	0.006 J	<0.005	<0.005	<0.001	<0.001	<0.05	<0.05	<0.005	<0.01	<0.01	0.0055 J
	MW4-ROX-101614	10/16/2014		39.49	NE	<0.005	<0.025	<0.025	0.0026 J	<0.025	0.0379	<0.025	<0.025	<0.025	<0.005	<0.005	<0.025 UJ	<0.025	<0.005	<0.005	0.0037 J	<0.025	<0.025 UJ	0.0086	0.0022 J	0.0108
	MW4-ROX-012115	1/21/2015		41.27	NE	<0.001	<0.005	<0.005	0.0012 J	<0.005	0.0536	<0.005	0.00093 J	<0.005	<0.001	0.0024	<0.005	<0.005	<0.001	<0.001	0.00045 J	<0.005	<0.005	0.006	0.0013	0.0074
	MW4-ROX-042115	4/21/2015	45.06 - 55.06	42.58	NE	0.00051 J	<0.005	<0.005	0.0012 J	<0.005	<0.001	<0.005 UJ	0.0013 J	<0.005	<0.001	0.0024	<0.005	<0.005	<0.001	<0.001	0.00045 J	<0.005	<0.005	0.0042	0.0011	0.0053
	MW4-ROX-071415	7/14/2015		41.30	NE	0.00057 J	<0.005	<0.005	0.0026 J	<0.005	<0.001	<0.005	0.0029 J	<0.005	<0.001	0.0033	<0.005	<0.005	<0.001	<0.001	0.00058 J	0.00024 J	<0.005	0.0082	0.0016	0.0098
	MW4-ROX-101915	10/19/2015		39.44	NE	<0.001	<0.005	<0.025	0.0016	<0.025	0.011	<0.001	0.0015	<0.001	<0.001	0.0014	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	0.0041 J	0.001 J	0.0051
	MW4-ROX-011316	1/13/2016		39.10	NE	0.00066 J	<0.005	<0.025	0.0017	<0.025	0.012	<0.001	0.0021	<0.001	<0.001	0.0011	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	0.0047 J	0.0011 J	0.0058
	MW4-ROX-041916	4/19/2016		38.50	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	0.00092 J
	MW4-ROX-071416	7/14/2016	45.06 - 55.06	37.85	NE	<0.001	<0.005	<0.025	0.00053 J	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	0.0016 J

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																				
						Ethylbenzene	Hexachlorobutadiene	2-Hexanone (Methyl N-Butyl Ketone)	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	Tetrachloroethene	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,2-Trichloroethane	Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl acetate	m,p-Xylenes	o-Xylenes	Xylenes (total)
				Screening Values (mg/L)		0.7 [1]	0.007 [3]	0.035 [3]	0.7 [1]	0.56 [3]	0.07 [1]	0.14 [1]	0.7 [3]	0.1 [1]	0.005 [1]	1.0 [1]	0.0056 [3]	0.07 [1]	0.005 [1]	0.005 [1]		0.07 [3]	7.0 [2]	10 [1]		10 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-05	MW5-ROX-100813	10/8/2013	33.97 - 43.97	26.97	NE	<0.001	<0.005	<0.005	0.0045 J	<0.005	0.0221	<0.005	<0.005	<0.005	<0.001	0.002	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	0.0129	0.0044	0.00097 J	0.0054
	MW5-ROX-011714	1/17/2014		29.59	NE	<0.001	<0.005	<0.005	0.00097 J	<0.005	0.0282	<0.005	<0.005	<0.005	<0.001	0.0014	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.0081	0.0045	0.0127
	MW5-ROX-041014	4/10/2014		30.09	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.0344	0.001 J	<0.005	<0.005	<0.001	0.0013	<0.005	<0.005	<0.001	<0.001	0.00052 J	<0.005	<0.005	0.0013	0.00095 J	0.0023
	MW5-ROX-071414	7/14/2014		28.59	NE	<0.001	<0.005	<0.005	0.00049 J	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	0.0016	<0.005	<0.005	<0.001	<0.001	0.00033 J	<0.005	<0.005	0.002	0.00073 J	0.0027
	MW-5-ROX-100914	10/9/2014		27.75	NE	<0.001 UJ	<0.005	<0.005 UJ	0.0012 J	<0.005 UJ	0.019	<0.005	<0.005	<0.005	<0.001	0.0015	<0.005	<0.005	<0.001	<0.001	0.00058 J	<0.005	<0.005	0.0027 J	0.0012 J	0.0039 J
	MW5-ROX-011515	1/15/2015		29.34	NE	<0.001	<0.005	<0.005	0.0057	<0.005	0.0215	<0.005	0.0018 J	<0.005	<0.001	0.0014	<0.005	<0.005	<0.001	<0.001	0.00037 J	0.00031 J	<0.005	0.0076	0.0015	0.009
	MW5-ROX-041315	4/13/2015		30.97	NE	0.0005 J	<0.005	<0.005	0.0076 J	<0.005	0.0349	<0.005 UJ	0.0056 J	<0.005	<0.001	0.00057 J	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005	<0.005	0.0088	0.00051 J	0.0093
	MW5-ROX-071315	7/13/2015		29.45	NE	<0.001	<0.005	<0.005	0.00097 J	<0.005	0.0413	<0.005	<0.005	<0.005	<0.001	0.00032 J	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.0019	0.00032 J	0.0022
	MW5-ROX-101215	10/12/2015		27.53	NE	0.0012	<0.005	<0.025	0.0031	<0.025	0.021	<0.001	<0.001	<0.001	<0.001	0.0019	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	0.0044 J	<0.005	0.0044 J
	MW5-ROX-011416	1/14/2016		27.19	NE	<0.001	<0.005	<0.025	0.0017	<0.025	0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	0.0018 J
	MW5-ROX-040616	4/6/2016		26.80	NE	<0.001	<0.005	<0.025	0.0019	<0.025	0.007	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	0.0025 J	<0.005	0.003 J
	MW5-ROX-070816	7/8/2016	33.97 - 43.97	26.28	NE	<0.001	<0.005	<0.025	0.001	<0.025	0.0084	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	0.0017 J	<0.005	0.0021 J
MW-06A	MW6A-ROX-100713	10/7/2013	34.83 - 44.83	28.87	NE	<0.001	<0.005	<0.005 UJ	<0.005	<0.005	0.0131	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-100713-DUP	10/7/2013		28.87	NE	<0.001	<0.005	<0.005 UJ	<0.005	<0.005	0.0132	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-011614	1/16/2014		31.62	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.0108	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-011614-DUP	1/16/2014		31.62	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.0103	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-040814	4/8/2014		32.16	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.00086 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-040814-DUP	4/8/2014		32.16	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-071014	7/10/2014		30.75	NE	<0.001	<0.005	<0.005 UJ	<0.005	<0.005	0.0148	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-100814	10/8/2014		29.84	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.0082 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-011415	1/14/2015		31.54	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-040715	4/7/2015		33.08	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.0077	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-071515	7/15/2015		31.52	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.0045	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-100715	10/7/2015		29.77	NE	<0.001	<0.005	<0.025	<0.001	<0.025	0.0053	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW6A-ROX-011116	1/11/2016		29.36	NE	<0.001	<0.005	<0.025	<0.001	<0.025	0.0034	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW6A-ROX-040716	4/7/2016		29.07	NE	<0.001	<0.005	<0.025	<0.001	<0.025	0.0043	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW6A-ROX-071116	7/11/2016	34.83 - 44.83	28.45	NE	<0.001	<0.005	<0.025	<0.001	<0.025	0.0036	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.01
MW-06B	MW6B-ROX-100713	10/7/2013	64.05 - 69.05	28.93	NE	<0.001	<0.005	<0.005 UJ	<0.005	<0.005	0.0113	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-011614	1/16/2014		31.67	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.0069	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-040814	4/8/2014		32.21	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.0047	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-071014	7/10/2014		30.81	NE	<0.001	<0.005	<0.005 UJ	<0.005	<0.005	0.0054	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-100814	10/8/2014		29.87	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.003 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-011415	1/14/2015		31.59	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-040715	4/7/2015		33.10	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.0052	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-040715-DUP	4/7/2015		33.10	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.0054	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-071415	7/14/2015		31.56	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.0048	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-100715	10/7/2015		29.80	NE	<0.001	<0.005	<0.025	<0.001	<0.025	0.003	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW6B-ROX-011116	1/11/2016		29.41	NE	<0.001	<0.005	<0.025	<0.001	<0.025	0.0063	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW6B-ROX-040716	4/7/2016		29.11	NE	<0.001	<0.005	<0.025	<0.001	<0.025	0.0029	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW6B-ROX-071116	7/11/2016	64.05 - 69.05	28.49	NE	<0.001	<0.005	<0.025	<0.001	<0.025	0.0019	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.01
MW-06C	MW6C-ROX-100713	10/7/2013	84.95 - 89.95	28.72	NE	<0.001	<0.005	<0.005 UJ	<0.005	<0.005	0.00075 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6C-ROX-011614	1/16/2014		31.48	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.00068 J	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6C-ROX-040814	4/8/2014		32.01	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6C-ROX-071014	7/10/2014		30.60	NE	<0.001	<0.005	<0.005 UJ	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6C-ROX-100814	10/8/2014		29.67	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.00052 J J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6C-ROX-011415	1/14/2015		31.41	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.0037	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6C-ROX-040915	4/9/2015		32.80	NE	<0.001	<0.005	<0.005 UJ	<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6C-ROX-071415	7/14/2015		31.38	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6C-ROX-100715	10/7/2015		29.60	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW6C-ROX-010816	1/8/2016		29.31	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW6C-ROX-040716	4/7/2016		28.91	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW6C-ROX-071116	7/11/2016	84.95 - 89.95	28.30	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.01

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																		
						Ethylbenzene	Hexachlorobutadiene	2-Hexanone (Methyl N-Butyl Ketone)	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	Tetrachloroethene	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,2-Trichloroethane	Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl acetate	m,p-Xylenes	o-Xylenes	Xylenes (total)
					Screening Values (mg/L)	0.7 [1]	0.007 [3]	0.035 [3]	0.7 [1]	0.56 [3]	0.07 [1]	0.14 [1]	0.7 [3]	0.1 [1]	0.005 [1]	1.0 [1]	0.0056 [3]	0.07 [1]	0.005 [1]	0.005 [1]		0.07 [3]	7.0 [2]	10 [1]		10 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-06D	MW6D-ROX-100713	10/7/2013	104.72 - 109.72	28.58	NE	<0.001	<0.005	<0.005 UJ	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-011614	1/16/2014		31.33	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.00061 J	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-040814	4/8/2014		31.85	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.00094 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-071014	7/10/2014		31.47	NE	<0.001	<0.005	<0.005 UJ	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-071014-DUP	7/10/2014		31.47	NE	<0.001	<0.005	<0.005 UJ	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-100814	10/8/2014		29.53	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.00051 UJ	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-100814-DUP	10/8/2014		29.53	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.00057 J J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-011415	1/14/2015		31.26	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-011415-DUP	1/14/2015		31.26	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-040715	4/7/2015		32.74	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-071415	7/14/2015		31.19	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6D-ROX-100715	10/7/2015		29.45	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW6D-ROX-010816	1/8/2016		29.59	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW6D-ROX-010816-DUP	1/8/2016		29.59	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW6D-ROX-040716	4/7/2016		28.76	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.01
	MW6D-ROX-040716-DUP	4/7/2016		28.76	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW6D-ROX-071116	7/11/2016	104.72 - 109.72	28.16	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.01
	MW6D-ROX-071116-DUP	7/11/2016		28.16	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.01
MW-07	MW7-ROX-101613	10/16/2013	42.92 - 52.92	40.64	NE	<2	<10	<10	<10	<10	<2 UJ	<10	<10	<10	<2	<2	<10	<10	<2	<2	<10	<10	<10 UJ	<2	<2	<2
	MW7-ROX-013014	1/30/2014		42.94	NE	<2.5	<13	<13	<13	<13	<2.5	<13	<13	<13	<2.5	<2.5	<13	<13	<2.5	<2.5	<13	<13	<13	<2.5	<2.5	<2.5
	MW7-ROX-041614	4/16/2014		43.79	NE	<5	<25	<25	<25	<25	<5	<25	<25	<25	<5	<5	<25	<25	<5	<5	<25	<25	<25	<5	<5	<5
	MW7-ROX-071614	7/16/2014		42.05	NE	0.208 J	<0.005	<0.005	0.0127 J	<0.005	<0.001	0.0165 J	0.0197 J	<0.005	<0.001	0.224 J	<0.005	<0.005	<0.001	<0.001	0.143 J	0.0324 J	<0.005	0.48 J	0.187 J	0.667 J
	MW7-ROX-071614-DUP	7/16/2014		42.05	NE	0.206 J	<0.005	<0.005	0.0131 J	<0.005	<0.001	0.0141 J	0.0194 J	<0.005	<0.001	0.222 J	<0.005	<0.005	<0.001	<0.001	0.142 J	0.0318 J	<0.005	0.465 J	0.181 J	0.647 J
	MW7-ROX-101614	10/16/2014		41.31	NE	<5	<25	<25	<25	<25	<5	<25	<25	<25	<5	<5	<25 UJ	<25	<5	<5	<25	<25	<25 UJ	<5	<5	<5
	MW7-ROX-101614-DUP	10/16/2014		41.31	NE	<5	<25	<25	<25	<25	<5	<25	<25	<25	<5	<5	<25 UJ	<25	<5	<5	<25	<25	<25 UJ	<5	<5	<5
	MW7-ROX-012215	1/22/2015		43.45	NE	<1	<5	<5	<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	<1
	MW7-ROX-012215-DUP	1/22/2015		43.45	NE	<1	<5	<5	<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	<1
	MW7-ROX-042115	4/21/2015		44.63	NE	0.0822	<0.25	<0.25	<0.25	<0.25	<0.05	<0.25 UJ	<0.25	<0.25	<0.05	0.295	<0.25	<0.25	<0.05	<0.05	0.0791 J	0.0174 J	<0.25	0.116	0.0357 J	0.152
	MW7-ROX-042115-DUP	4/21/2015		44.63	NE	0.081	<0.25	<0.25	<0.25	<0.25	<0.05	<0.25 UJ	<0.25	<0.25	<0.05	0.285	<0.25	<0.25	<0.05	<0.05	0.0784 J	0.0173 J	<0.25	0.116	0.0369 J	0.153
	MW7-ROX-071515	7/15/2015		43.54	NE	<5	<25	<25	<25	<25	<5	<25	<25	<25	<5	<5	<25	<25	<5	<5	<25	<25	<25	<5	<5	<5
	MW7-ROX-071515-DUP	7/15/2015		43.54	NE	<5	<25	<25	<25	<25	<5	<25	<25	<25	<5	<5	<25	<25	<5	<5	<25	<25	<25	<5	<5	<5
	MW7-ROX-101915	10/19/2015		41.43	NE	<10	<50	<250	<10	<250	<10	<10	<10	<10	<10	<10	<10	<10	<50	<10	<10	<10	<250	<50	<50	<50
	MW7-ROX-101915-DUP	10/19/2015		41.43	NE	<10	<50	<250	<10	<250	<10	<10	<10	<10	<10	<10	<10	<10	<50	<10	<10	<10	<250	<50	<50	<50
	MW7-ROX-011416	1/14/2016		41.02	NE	<5	<25	<130	<5	<130	<5	<5	<5	<5	<5	<5	<5	<5	<25	<5	<5	<5	<130	<25	<25	<25
	MW7-ROX-011416-DUP	1/14/2016		41.02	NE	<5	<25	<130	<5	<130	<5	<5	<5	<5	<5	<5	<5	<5	<25	<5	<5	<5	<130	<25	<25	<25
	MW7-ROX-041916	4/19/2016		40.68	NE	<2	<10	<50	<2	<50	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	<2	<50	<10	<10	<10
	MW7-ROX-041916-DUP	4/19/2016		40.68	NE	<2	<10	<50	<2	<50	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	<2	<50	<10	<10	<10
	MW7-ROX-071416	7/14/2016	42.92 - 52.92	39.99	NE	<5	<25	<130	<5	<130	<5	<5	<5	<5	<5	<5	<5	<5	<25	<5	<5	<5	<130	<25	<25	<50
	MW7-ROX-071416-DUP	7/14/2016		39.99	NE	<5	<25	<130	<5	<130	<5	<5	<5	<5	<5	<5	<5	<5	<25	<5	<5	<5	<130	<25	<25	<50
MW-08	MW8-ROX-101613	10/16/2013	33.60 - 43.60	31.59	NE	<2	<10	<10	<10	<10	<2 UJ	<10	<10	<10	<2	<2	<10	<10	<2	<2	<10	<10	<10 UJ	<2	<2	<2
	MW8-ROX-101613-DUP	10/16/2013		31.59	NE	<2	<10	<10	<10	<10	<2 UJ	<10	<10	<10	<2	<2	<10	<10	<2	<2	<10	<10	<10 UJ	<2	<2	<2
	MW8-ROX-013014	1/30/2014		34.02	NE	<2.5	<13	<13	<13	<13	1.92 J	<13	<13	<13	<2.5	<2.5	<13	<13	<2.5	<2.5	<13	<13	<13	<2.5	<2.5	<2.5
	MW8-ROX-013014-DUP	1/30/2014		34.02	NE	<2.5	<13	<13	<13	<13	1.99 J	<13	<13	<13	<2.5	<2.5	<13	<13	<2.5	<2.5	<13	<13	<13	<2.5	<2.5	<2.5
	MW8-ROX-041614	4/16/2014		34.73	NE	<2	<10	<10	<10	<10	<2	<10	<10	<10	<2	<2	<10	<10	<2	<2	<10	<10	<10	<2	<2	<2
	MW8-ROX-041614-DUP	4/16/2014		34.73	NE	<2	<10	<10	<10	<10	<2	<10	<10	<10	<2	<2	<10	<10	<2	<2	<10	<10	<10	<2	<2	<2
	MW8-ROX-071614	7/16/2014		33.01	NE	0.266	<0.005 UJ	<0.005 UJ	0.0266 J	<0.005 UJ	0.392 J	0.0598 J	0.0606 J	<0.005 UJ	<0.001 UJ	0.108 J	<0.005 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ	0.226 J	0.0904 J	<0.005 UJ	0.377 J	0.141 J	0.518 J
	MW8-ROX-101614	10/16/2014		32.23	NE	0.305 J	<5	<5	<5	<5	1.19	<5	<5	<5	<1	<1	<5 UJ	<5	<1	<1	<5	<5	<5 UJ	<1	<1	<1
	MW8-ROX-012215	1/22/2015		34.22	NE	0.359 J	<5	<5	<5	<5	0.906 J	<5	<5	<5	<1	0.259 J	<5	<5	<1	<1	<5	<5	<5	<1	<1	0.318 J
	MW8-ROX-042115	4/21/2015		35.41	NE	0.203	<0.25	<0.25	<0.25	<0.25	0.506	<0.25 UJ	0.0251 J	<0.25	<0.05	0.325	<0.25	<0.25	<0.05	<0.05	0.0473 J	0.0241 J	<0.25	0.164	0.0552	0.22
	MW8-ROX-071515	7/15/2015		34.07	NE	<5	<25	<25	<25	<25	<5	<25	<25	<25	<5	<5	<25	<25	<5	<5	<25	<25	<25	<5	<5	<5
	MW8-ROX-101915	10/19/2015		32.30	NE	<5	<25	<130	<5	<130	<5	<5	<5	<5	<5	<5	<5	<5	<25	<5	<5	<5	<130	<25	<25	<25
	MW8-ROX-011416	1/14/2016		31.79	NE	<2	<10	<50	<2	<50	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	<2	<50	<10	<10	<10
	MW8-ROX-041916	4/19/2016		31.45	NE	<1	<5	<25	<1	<25	<1	<1	<1	<1	<1	<1	<1	<1	<5	<1	<1	<1	<25	<5	<5	<5
	MW8-ROX-071416	7/14/2016	33.60 - 43.60	30.80	NE	<2	<10	<50	<2	<50	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	<2	<50	<10	<10	<20

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																			
						Ethylbenzene	Hexachlorobutadiene	2-Hexanone (Methyl N-Butyl Ketone)	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	Tetrachloroethene	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,2-Trichloroethane	Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl acetate	m,p-Xylenes	o-Xylenes	Xylenes (total)
					Screening Values (mg/L)	0.7 [1]	0.007 [3]	0.035 [3]	0.7 [1]	0.56 [3]	0.07 [1]	0.14 [1]	0.7 [3]	0.1 [1]	0.005 [1]	1.0 [1]	0.0056 [3]	0.07 [1]	0.005 [1]	0.005 [1]		0.07 [3]	7.0 [2]	10 [1]		10 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																			
MW-09	MW9-ROX-100313	10/3/2013	46.45 - 56.45	42.27	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW9-ROX-011414	1/14/2014		44.47	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW9-ROX-040714	4/7/2014		44.99	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW9-ROX-070914	7/9/2014		44.35	NE	<0.001	<0.005	<0.005 UJ	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW9-ROX-100714	10/7/2014		43.52	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	MW9-ROX-011315	1/13/2015		44.21	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW9-ROX-040915	4/9/2015		45.38	NE	<0.001	<0.005	<0.005 UJ	<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW9-ROX-070915	7/9/2015		44.81	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW9-ROX-100815	10/8/2015		42.64	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW9-ROX-011316	1/13/2016		42.63	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW9-ROX-041216	4/12/2016		41.98	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW9-ROX-071316	7/13/2016	46.45 - 56.45	40.93	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.01
MW-10	MW10-ROX-100313	10/3/2013	44.43 - 54.43	42.38	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW10-ROX-011514	1/15/2014		44.42	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW10-ROX-040714	4/7/2014		45.00	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW10-ROX-070914	7/9/2014		44.35	NE	<0.001	<0.005	<0.005 UJ	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW10-ROX-100714	10/7/2014		43.58	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	MW10-ROX-011315	1/13/2015		44.27	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW10-ROX-040815	4/8/2015		45.30	NE	<0.001	<0.005 UJ	<0.005	<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW10-ROX-070915	7/9/2015		44.93	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW10-ROX-100915	10/9/2015		42.79	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW10-ROX-011316	1/13/2016		42.53	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW10-ROX-041116	4/11/2016		41.88	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW10-ROX-071316	7/13/2016	44.43 - 54.43	41.00	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.01
MW-11	MW11-ROX-100713	10/7/2013	41.66 - 51.66	39.95	NE	<0.001	<0.005	<0.005 UJ	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW11-ROX-011514	1/15/2014		42.16	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW11-ROX-040714	4/7/2014		42.70	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW11-ROX-070914	7/9/2014		41.75	NE	<0.001	<0.005	<0.005 UJ	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW11-ROX-100714	10/7/2014		40.89	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	MW11-ROX-011315	1/13/2015		41.93	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW11-ROX-040815	4/8/2015		43.19	NE	<0.001	<0.005 UJ	<0.005	<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW11-ROX-070915	7/9/2015		42.45	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW11-ROX-100815	10/8/2015		40.15	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW11-ROX-011216	1/12/2016		40.33	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW11-ROX-041116	4/11/2016		39.49	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW11-ROX-071316	7/13/2016	41.66 - 51.66	38.59	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.01
MW-12	MW12-ROX-100713	10/7/2013	41.92 - 51.92	40.22	NE	<0.001	<0.005	<0.005 UJ	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW12-ROX-011514	1/15/2014		42.54	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW12-ROX-040814	4/8/2014		43.15	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW12-ROX-070914	7/9/2014		41.97	NE	<0.001	<0.005	<0.005 UJ	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW12-ROX-100614	10/6/2014		40.98	NE	<0.001	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	MW12-ROX-011215	1/12/2015		42.33	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW12-ROX-040615	4/6/2015		43.75	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW12-ROX-070815	7/8/2015		42.86	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW12-ROX-100815	10/8/2015		40.54	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW12-ROX-100815-DUP	10/8/2015		40.54	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW12-ROX-011116	1/11/2016		40.98	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW12-ROX-040716	4/7/2016		39.82	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW12-ROX-071216	7/12/2016	41.92 - 51.92	38.89	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.01

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																				
						Ethylbenzene	Hexachlorobutadiene	2-Hexanone (Methyl N-Butyl Ketone)	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	Tetrachloroethene	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,2-Trichloroethane	Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl acetate	m,p-Xylenes	o-Xylenes	Xylenes (total)
				Screening Values (mg/L)		0.7 [1]	0.007 [3]	0.035 [3]	0.7 [1]	0.56 [3]	0.07 [1]	0.14 [1]	0.7 [3]	0.1 [1]	0.005 [1]	1.0 [1]	0.0056 [3]	0.07 [1]	0.005 [1]	0.005 [1]		0.07 [3]	7.0 [2]	10 [1]		10 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-13	MW13-ROX-100913	10/9/2013	25.57 - 35.57	26.94	NE	<0.001	<0.005 UJ	<0.005	<0.005	<0.005	0.0072	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW13-ROX-012914	1/29/2014		29.63	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.008 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW13-ROX-041114	4/11/2014		30.15	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.0062	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW13-ROX-070714	7/7/2014		28.49	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.0091 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW13-ROX-101014	10/10/2014		27.48	NE	<0.001	<0.005	<0.005 UJ	<0.005	<0.005	0.0045	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001 UJ	<0.001	0.0011 J
	MW13-ROX-011615	1/16/2015		29.09	NE	0.00097 J	<0.005	<0.005	<0.005	<0.005	0.006	<0.005	<0.005	<0.005	<0.001	0.00076 J	<0.005	<0.005	<0.001	<0.001	0.00064 J	<0.005	<0.005	0.0022	0.00072 J	0.003
	MW13-ROX-041415	4/14/2015		30.71	NE	0.00033 J	<0.005	<0.005	<0.005	<0.005	0.0075	<0.005 UJ	<0.005	<0.005	<0.001	0.00035 J	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.00057 J	0.00024 J	0.00082 J
	MW13-ROX-070815	7/8/2015		29.16	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.0054	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW13-ROX-100515	10/5/2015		27.34	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW13-ROX-010716	1/7/2016		27.16	NE	0.0021	<0.005	<0.025	0.008	<0.025	0.013	<0.001	0.011	<0.001	<0.001	0.033	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	0.059	0.0038 J	0.063
	MW13-ROX-040816	4/8/2016		26.81	NE	<0.001	<0.005	<0.025	<0.001	<0.025	0.0055	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW13-ROX-071116	7/11/2016	25.57 - 35.57	26.01	NE	<0.001	<0.005	<0.025	<0.001	<0.025	0.0064	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.01
MW-14	MW14-ROX-101013	10/10/2013	33.42 - 43.42	30.80	NE	<0.001	<0.005	<0.005	0.0011 J	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	0.00088 J	0.0011 J	<0.005	<0.001	<0.001	<0.001
	MW14-ROX-012914	1/29/2014		33.67	NE	<0.001	<0.005	<0.005	0.0036 J	<0.005	<0.001	<0.005	0.002 J	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW14-ROX-041114	4/11/2014		34.30	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW14-ROX-070714	7/7/2014		32.82	NE	<0.001	<0.005	<0.005	0.00073 J	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW14-ROX-101414	10/14/2014		31.65	NE	<0.001	<0.005	<0.005 UJ	0.00043 J	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001 UJ	<0.001	0.00041 J J
	MW14-ROX-011615	1/16/2015		33.58	NE	0.00036 J	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	0.00042 J	<0.005	<0.005	<0.001	<0.001	0.00032 J	<0.005	<0.005	0.00072 J	<0.001	0.001
	MW14-ROX-041415	4/14/2015		35.16	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW14-ROX-070915	7/9/2015		34.06	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.0011 U	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW14-ROX-101315	10/13/2015		31.88	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW-14-ROX-010816	1/8/2016		31.64	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW14-ROX-041416	4/14/2016		31.32	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	0.001 J
	MW14-ROX-071116	7/11/2016	33.42 - 43.42	30.59	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.01
MW-16	MW16-ROX-100813	10/8/2013	37.06 - 47.06	41.62	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW16-ROX-011514	1/15/2014		43.76	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW16-ROX-040914	4/9/2014		44.63	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW16-ROX-071014	7/10/2014		43.15	NE	<0.001	<0.005	<0.005 UJ	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW16-ROX-100714	10/7/2014		42.27	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	MW16-ROX-011315	1/13/2015		43.59	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW16-ROX-040915	4/9/2015		44.87	NE	<0.001	<0.005	<0.005 UJ	<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW16-ROX-070915	7/9/2015		44.26	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	0.00038 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW16-ROX-070915-DUP	7/9/2015		44.26	NE	0.0004 J	<0.005	<0.005	<0.005	<0.005	<0.001	<0.0048 U	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.005	0.00097 J	<0.001	0.00097 J
	MW16-ROX-100715	10/7/2015		41.83	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW16-ROX-011216	1/12/2016		41.99	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.01
	MW16-ROX-040816	4/8/2016		41.17	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW16-ROX-071216	7/12/2016	37.06 - 47.06	39.93	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.01
MW-22	MW22-ROX-100913	10/9/2013	37.88 - 47.88	40.39	NE	3.79	<0.005 UJ	<0.005	0.137	0.0101	<0.001	0.47	0.244	<0.005	<0.001	6.02	<0.005	<0.005	<0.001	<0.001	1.37	0.357	<0.005	7.46	3.48	10.9
	MW22-ROX-100913-DUP	10/9/2013		40.39	NE	3.97	<0.005 UJ	<0.005	0.136	0.0084	<0.001	0.445	0.243	<0.005	<0.001	6.32	<0.005	<0.005	<0.001	<0.001	1.43	0.343	<0.005	7.75	3.65	11.4
	MW22-ROX-012014	1/20/2014		42.49	NE	3.17	<0.005	0.0082	0.169	0.007	<0.001	0.287	0.287	<0.005	<0.001	5.33	<0.005	<0.005	<0.001	<0.001	1.3	0.298	<0.005	5.65	2.65	8.29
	MW22-ROX-012014-DUP	1/20/2014		42.49	NE	3.4	<0.005	0.0088	0.169	0.007	<0.001	0.262	0.286	<0.005	<0.001	5.71	<0.005	<0.005	<0.001	<0.001	1.37	0.398	<0.005	6.01	2.81	8.83
	MW22-ROX-041014	4/10/2014		43.15	NE	3.32	<0.005	<0.005	0.157	<0.005	<0.001	0.334	0.254	<0.005	<0.001	5.95	<0.005	<0.005	<0.001	<0.001	1.1	0.384	<0.005	6.85	3.38	10.2
	MW22-ROX-041014-DUP	4/10/2014		43.15	NE	3.02	<0.005	<0.005	0.138	0.0082	<0.001	0.28	0.235	<0.005	<0.001	5.52	<0.005	<0.005	<0.001	<0.001	1	0.35	<0.005	6.23	3.12	9.35
	MW22-ROX-071414	7/14/2014		41.85	NE	1.93	<0.005	<0.005	0.153 J	<0.005	<0.001	0.282 J	0.205 J	<0.005	<0.001	3.14	<0.005	<0.005	<0.001	<0.001	0.353 J	0.262 J	<0.005	3.78	1.85	5.64
	MW22-ROX-101014	10/10/2014		41.43	NE	1.88 J	<0.05	<0.05 UJ	0.0661	<0.05 UJ	<0.01	0.202	0.112	<0.05	<0.01	2.3	<0.05	<0.05	<0.01	<0.01	0.688	0.207	<0.05	3.08 J	1.74	4.82 J
	MW22-ROX-011615	1/16/2015		42.19	NE	2.84	<0.05	<0.05	0.11	0.0111 J	<0.01	0.339	0.2	<0.05	<0.01	3.24	0.0129 J	0.0106 J	<0.01	<0.01	1.05	0.373	<0.05	5.19	2.74	7.93
	MW22-ROX-041415	4/14/2015		43.71	NE	3.05	<0.005	<0.005	0.124	<0.005	<0.001	0.315 J	0.219	<0.005	<0.001	4.3	<0.005	<0.005	<0.001	<0.001	1.04	0.321	<0.005	6.26	3.09	9.35
	MW22-ROX-071515	7/15/2015		42.64	NE	3.21	<0.1	<0.1	0.0926 J	<0.1	<0.02	0.219	0.185	<0.1	<0.02	5.05	<0.1	<0.1	<0.02	<0.02	1.31	0.296	<0.1	6.7	3.48	10.2
	MW22-ROX-101415	10/14/2015		40.54	NE	1.6	<0.1	<0.5	0.048	<0.5	<0.02	0.18	0.075	<0.02	<0.02	0.96	<0.02	<0.02	<0.1	<0.02	0.47	0.11	<0.5	3	1.6	4.6
	MW22-ROX-011516	1/15/2016		40.42	NE	2	<0.1	<0.5	0.08	<0.5	<0.02	0.26	0.13	<0.02	<0.02	1.8	<0.02	<0.02	<0.1	<0.02	0.81	0.21	<0.5	3.2	1.9	5
	MW22-ROX-011516-DUP	1/15/2016		40.42	NE	1.9	<0.1	<0.5	0.075	<0.5	<0.02	0.23	0.12	<0.02	<0.02	1.7	<0.02	<0.02	<0.1	<0.02	0.74	0.19	<0.5	2.9	1.7	4.7
	MW22-ROX-041316	4/13/2016		39.56	NE	2.8	<0.13	<0.63	0.097	<0.63	<0.025	0.33	0.17	<0.025	<0.025	1.6	<0.025	<0.025	<0.13	<0.025	0.98	0.25	<0.63	5.5	2.6	8.1
	MW22-ROX-041316-DUP	4/13/2016		39.56	NE	3	<0.13	<0.63	0.1	<0.63	<0.025	0.32	0.17	<0.025	<0.025	1.7	<0.025	<0.025	<0.13	<0.025	1	0.26	<0.63	5.7	2.8	8.5
	MW22-ROX-071516	7/15/2016	37.88 - 47.88	38.97	NE	0.41	<0.025	<0.13	0.024	<0.13	<0.005	0.075	0.045	<0.005	<0.005	0.051	<0.005	<0.005	<0.025	<0.005	0.22	0.064	<0.13	0.56	0.31	0.88
	MW22-ROX-071516-DUP	7/15/2016		38.97	NE	0.41	<0.025	<0.13	0.025	<0.13	<0.005	0.078	0.042	<0.005	<0.005	0.051	<0.005	<0.005	<0.025	<0.005	0.21	0.063	<0.13	0.57	0.31	0.88

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																		
						Ethylbenzene	Hexachlorobutadiene	2-Hexanone (Methyl N-Butyl Ketone)	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	Tetrachloroethene	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,2-Trichloroethane	Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl acetate	m,p-Xylenes	o-Xylenes	Xylenes (total)
					Screening Values (mg/L)	0.7 [1]	0.007 [3]	0.035 [3]	0.7 [1]	0.56 [3]	0.07 [1]	0.14 [1]	0.7 [3]	0.1 [1]	0.005 [1]	1.0 [1]	0.0056 [3]	0.07 [1]	0.005 [1]	0.005 [1]		0.07 [3]	7.0 [2]	10 [1]		10 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-23	MW23-ROX-012615	1/26/2015	29.02 - 39.02	30.90	NE	<0.001	<0.002	<0.01	<0.001	<0.005	0.0037	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.01	<0.002	<0.001	<0.003
	MW23-ROX-040815	4/8/2015		32.24	NE	<0.001	<0.005 UJ	<0.005	<0.005	<0.005	0.0039	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW23-ROX-071015-BP	7/10/2015		30.54	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	0.004 J	<0.005	<0.005	<0.001	<0.001	<0.0011 U	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.00062 J	<0.001	0.00062 J
	MW23-ROX-100515	10/5/2015		28.89	NE	<0.001	<0.005	<0.025	<0.001	<0.025	0.0013	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW-23-ROX-010716	1/7/2016		28.78	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW-23-ROX-040616	4/6/2016		27.96	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW-23-ROX-070816	7/8/2016	29.02 - 39.02	27.54	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.01
MW-24	MW24-ROX-100913	10/9/2013	38.89 - 48.89	41.27	NE	<0.001	<0.005 UJ	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW24-ROX-011514	1/15/2014		43.47	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW24-ROX-040914	4/9/2014		44.13	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW24-ROX-071114	7/10/2014		42.97	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW24-ROX-100814	10/8/2014		42.16	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001 UJ	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW24-ROX-011315	1/13/2015		43.17	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW24-ROX-040915	4/9/2015		44.45	NE	<0.001	<0.005	<0.005 UJ	<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW24-ROX-070915	7/9/2015		44.65	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW24-ROX-100715	10/7/2015		41.45	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW24-ROX-011316	1/13/2016		41.44	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW24-ROX-040816	4/8/2016		40.79	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW24-ROX-071216	7/12/2016	38.89 - 48.89	39.67	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.01
MW-25	MW25-ROX-102114	10/21/2014	35.59 - 45.59	36.44	NE	<2	<10	<10	<10	<10	<2	<10	<10	<10	<2	2.65	<10	<10	<2	<2	<10	<10	<10	<2	<2	0.753 J
	MW25-ROX-012215	1/22/2015		38.45	NE	<0.25	<1.3	<1.3	<1.3	<1.3	0.282	<1.3	<1.3	<1.3	<0.25	<0.25	<1.3	<1.3	<0.25	<0.25	<1.3	<1.3	<1.3	<0.25	<0.25	0.0821 J
	MW25-ROX-042115	4/21/2015		39.71	NE	<0.05	<0.25	<0.25	<0.25	<0.25	0.125	<0.25 UJ	<0.25	<0.25	<0.05	<0.05	<0.25	<0.25	<0.05	<0.05	<0.25	<0.25	<0.25	<0.05	<0.05	<0.05
	MW25-ROX-071515	7/15/2015		38.40	NE	<0.2	<1	<1	<1	<1	<0.2	<1	<1	<1	0.0577 J	<0.2	<1	<1	<0.2	<0.2	<1	<1	<1	<0.2	<0.2	<0.2
	MW25-ROX-101915	10/19/2015		36.55	NE	<0.1	<0.5	<2.5	<0.1	<2.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.5	<0.1	<0.1	<0.1	<2.5	<0.5	<0.5	<0.5
	MW25-ROX-011416	1/14/2016		36.12	NE	<0.02	<0.1	<0.5	<0.02	<0.5	0.042	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.5	<0.1	<0.1	<0.1
	MW25-ROX-041916	4/19/2016		35.67	NE	<0.001	<0.005	<0.025	<0.001	<0.025	0.049	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	0.00085 J
	MW25-ROX-071816	7/18/2016	35.59 - 45.59	35.19	NE	<0.01	<0.05	<0.25	<0.01	<0.25	0.025	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01	<0.25	<0.05	<0.05	<0.1
MW-26	MW26-ROX-102114	10/21/2014	38.15 - 48.15	39.43	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.0019	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW26-ROX-011215	1/12/2015		41.09	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW26-ROX-040815	4/8/2015		42.52	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW26-ROX-070815	7/8/2015		41.76	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW26-ROX-100615	10/6/2015		39.19	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW26-ROX-010716	1/7/2016		39.55	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW26-ROX-040616	4/6/2016		38.44	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW26-ROX-071216	7/12/2016	38.15 - 48.15	37.74	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.01
MW-27	MW27-ROX-102114	10/21/2014	39.79 - 49.79	41.57	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW27-ROX-011515	1/15/2015		42.06	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW27-ROX-041015	4/10/2015		43.22	NE	<0.001	<0.005 UJ	<0.005 UJ	<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	MW27-ROX-071015	7/10/2015		43.00	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW27-ROX-100815	10/8/2015		40.32	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW27-ROX-011316	1/13/2016		40.68	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW27-ROX-041116	4/11/2016		39.73	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW-27-ROX-071316	7/13/2016	39.79 - 49.79	38.94	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.01
MW-28	MW28-ROX-102114	10/21/2014	33.61 - 43.61	36.44	NE	<0.001	<0.005	<0.005	0.00075 J	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	0.0011	<0.005	<0.005	<0.001	<0.001	0.0036 J	0.00059 J	<0.005	0.0036	0.0051	0.0087
	MW28-ROX-011515	1/15/2015		41.14	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	0.00026 J	<0.005	<0.005	<0.001	<0.001	0.00059 J	<0.005	<0.005	0.0012	0.00092 J	0.0021
	MW28-ROX-041415	4/14/2015		42.34	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	0.00042 J	0.00042 J
	MW28-ROX-071515	7/15/2015		42.19	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	0.00031 J	<0.005	<0.005	<0.001	<0.001	<0.001
	MW28-ROX-101215	10/12/2015		40.04	NE	0.00066 J	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	0.0017 J
	MW28-ROX-101215-DUP	10/12/2015		40.04	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW28-ROX-011416	1/14/2016		39.98	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW28-ROX-041216	4/12/2016		39.20	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	MW28-ROX-071416	7/14/2016	33.61 - 43.61	38.49	NE	<0.001	<0.005	<0.025	<0.001	<0.025	0.0011	<0.001	<0.001	<0.001	<0.001	0.0013	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	0.0017 J

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																			
						Ethylbenzene	Hexachlorobutadiene	2-Hexanone (Methyl N-Butyl Ketone)	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	Tetrachloroethene	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,2-Trichloroethane	Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl acetate	m,p-Xylenes	o-Xylenes	Xylenes (total)
					Screening Values (mg/L)	0.7 [1]	0.007 [3]	0.035 [3]	0.7 [1]	0.56 [3]	0.07 [1]	0.14 [1]	0.7 [3]	0.1 [1]	0.005 [1]	1.0 [1]	0.0056 [3]	0.07 [1]	0.005 [1]	0.005 [1]		0.07 [3]	7.0 [2]	10 [1]		10 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																			
P-54	P54-ROX-100813	10/8/2013	38.00 - 63.00	39.94	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P54-ROX-011514	1/15/2014		42.20	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P54-ROX-040914	4/9/2014		42.80	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P54-ROX-071114	7/10/2014		41.71	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P54-ROX-100814	10/8/2014		40.88	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001 UJ	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P54-ROX-011415	1/14/2015		41.79	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P54-ROX-041015	4/10/2015		43.20	NE	<0.001	<0.005 UJ	<0.005 UJ	<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	P54-ROX-070915	7/9/2015		42.25	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.0037 U	<0.005	<0.005	<0.001	<0.001	<0.005	<0.00092 U	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	0.00028 J
	P54-ROX-100915	10/9/2015		40.20	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	P54-ROX-011216	1/12/2016		40.22	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	P54-ROX-041216	4/12/2016		39.42	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	P54-ROX-071216	7/12/2016	38.00 - 63.00	38.44	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.01
P-55	P55-ROX-101013	10/10/2013	40.43 - 50.43			0.602	<0.005	<0.005	0.0851	<0.005	0.001	0.121	0.167	<0.005	<0.001	0.601	<0.005	<0.005	<0.001	<0.001	0.151	0.062	<0.005	0.739	0.639	1.38
P-56	P56-ROX-101013	10/10/2013	40.82 - 65.82	44.48	NE	1.58	<0.005	<0.005	0.0822	<0.005	0.00058 J	0.156	0.105	<0.005	<0.001	0.157	<0.005	<0.005	<0.001	<0.001	0.33	0.0714	<0.005	1.7	0.0617	1.76
	P56-ROX-012214	1/22/2014		46.35	NE	0.305	<0.005	<0.005	0.0399	<0.005	<0.001	0.0566	0.0426	<0.005	<0.001	0.0263	<0.005	<0.005	<0.001	<0.001	0.074	0.0172	<0.005	0.224	0.0093	0.233
	P56-ROX-041414	4/14/2014		47.32	NE	0.608	<0.005	<0.005	0.0781	<0.005	<0.001	0.0836	0.0951	<0.005	<0.001	0.0669	<0.005	<0.005	<0.001	<0.001	0.205	0.0472	<0.005	0.742	0.0156	0.758
	P56-ROX-070814	7/8/2014		45.97	NE	1.71 J	<0.005	<0.005	0.106 J	<0.005	<0.001	0.156 J	0.133 J	<0.005	<0.001	0.288 J	<0.005	<0.005	<0.001	<0.001	0.487 J	0.166 J	<0.005	2.04 J	0.122 J	2.09 J
	P56-ROX-101314	10/13/2014		45.05	NE	0.164	<0.005	<0.005 UJ	0.0645	<0.005 UJ	<0.001	0.0679	0.0709	<0.005	<0.001	0.0183	<0.005	<0.005	<0.001	<0.001	0.0657	0.0194	<0.005	0.17 J	0.0066	0.176 J
	P56-ROX-011915	1/19/2015		46.58	NE	0.104	<0.005	<0.005	0.0532	<0.005	<0.001	0.0261	0.0574	<0.005	<0.001	0.0114	<0.005	<0.005	<0.001	<0.001	0.0466	0.0135	<0.005	0.143	0.0043	0.148
	P56-ROX-041515	4/15/2015		48.05	NE	0.624	<0.005	<0.005	0.0768	<0.005	<0.001	0.0754 J	0.0918	<0.005	<0.001	0.068	<0.005	<0.005	<0.001	<0.001	0.189	0.0454	<0.005	0.737	0.0124	0.749
	P56-ROX-071015	7/10/2015		47.34	NE	0.0297	<0.005	<0.005	0.057	<0.005	<0.001	0.0158	0.0594	<0.005	<0.001	0.005	<0.005	<0.005	<0.001	<0.001	0.0063	0.0041 J	<0.005	0.0702	0.0035	0.0737
	P56-ROX-101415	10/14/2015		44.85	NE	0.067	<0.005	<0.025	0.027	0.011 J	<0.001	0.016	0.031	<0.001	<0.001	0.0077	<0.001	<0.001	<0.005	<0.001	0.029	0.0077	<0.025	0.1	0.0031 J	0.1
	P56-ROX-011116	1/11/2016		44.78	NE	0.092	<0.025	<0.13	0.031	<0.13	<0.005	0.023	0.036	<0.005	<0.005	0.016	<0.005	<0.005	<0.025	<0.005	0.063	0.016	<0.13	0.22	0.0062 J	0.22
	P56-ROX-041416	4/14/2016		43.73	NE	0.093	<0.025	<0.13	0.035	<0.13	<0.005	0.019	0.039	<0.005	<0.005	0.017	<0.005	<0.005	<0.025	<0.005	0.074	0.019	<0.13	0.2	0.0061 J	0.21
	P56-ROX-071216	7/12/2016	40.82 - 65.82	42.87	NE	0.034	<0.01	<0.05	0.032	<0.05	<0.002	0.013	0.032	<0.002	<0.002	0.011	<0.002	<0.002	<0.01	<0.002	0.037	0.011	<0.05	0.1	0.0036 J	0.11
P-57	P57-ROX-101413	10/14/2013	40.46 - 65.46	44.38	NE	1.1	<0.005	<0.005	0.0539	<0.005	0.107	0.206	0.0586	<0.005	<0.001	0.0421	<0.005	<0.005	<0.001	<0.001	0.763 J	0.12	<0.005	0.468	0.0206	0.489
	P57-ROX-020314	2/3/2014		46.57	NE	0.697 J	<5	<5	<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	<1
	P57-ROX-041514	4/15/2014		46.70	NE	1.08	<0.005	0.0062	0.0492	<0.005	0.0563	0.272	0.0585	<0.005	<0.001	0.0248	0.0015 J	<0.005	<0.001	<0.001	0.503 E J	0.114	<0.005	0.296	0.0143	0.311
	P57-ROX-070814	7/8/2014		45.95	NE	1.12	<0.005 UJ	<0.005 UJ	0.0656 J	<0.005 UJ	<0.001 UJ	0.128 J	0.0605 J	<0.005 UJ	<0.001 UJ	0.154 J	<0.005 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ	0.375 J	0.0913 J	<0.005 UJ	1.46	0.237	1.7
	P57-ROX-070814-DUP	7/8/2014		45.95	NE	1.21	<0.005 UJ	<0.005 UJ	0.0689 J	<0.005 UJ	<0.001 UJ	0.139 J	0.0633 J	<0.005 UJ	<0.001 UJ	0.16 J	<0.005 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ	0.392 J	0.0954 J	<0.005 UJ	1.56	0.234	1.79
	P57-ROX-101414-DUP	10/14/2014		45.00	NE	1.77 J J	<10	<10 UJ	<10	<10 UJ	<2	<10	<10	<10	<2	0.849 J	<10	<10	<2	<2	1.18 J	<10	<10	2.37 J	0.949 J	3.32 J
	P57-ROX-101414	10/14/2014		45.00	NE	3.86 J	<10	<10 UJ	<10	<10 UJ	<2	2.05 J	<10	<10	<2	2.65	<10	<10	<2	<2	2.37 J	<10	<10	5.79 J	2.1	7.89 J
	P57-ROX-012315	1/23/2015	44.19 - 54.19	47.52	NE	0.773	<2.5	<2.5	<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	0.652 J	<2.5	<2.5	0.342 J	<0.5	0.342 J
	P57-ROX-042015	4/20/2015		48.73	NE	0.487	<0.25	<0.25	0.0246 J	<0.25	<0.05	<0.25 UJ	0.0468 J	<0.25	<0.05	0.0376 J	<0.25 UJ	<0.25	<0.05	<0.05	0.305	0.0323 J	<0.25	0.14	0.0141 J	0.154
	P57-ROX-071315	7/13/2015		47.81	NE	0.44 J	<5	<5	<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	0.44 J	<5	<5	<5	<1	<1	0.237 J
	P57-ROX-101515	10/15/2015		45.56	NE	<1	<5	<25	<1	<25	<1	<1	<1	<1	<1	1.8	<1	<1	<5	<1	<1	<1	<25	<5	<5	0.63 J
	P57-ROX-011216	1/12/2016		45.61	NE	0.55 J	<5	<25	<1	<25	<1	<1	<1	<1	<1	<1	<1	<1	<5	<1	<1	<1	<25	<5	<5	0.83 J
	P57-ROX-041816	4/18/2016		44.80	NE	0.2 J	<1.3	<6.3	<0.25	<6.3	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<1.3	<0.25	<0.25	<0.25	<6.3	<1.3	<1.3	<1.3
	P57-ROX-071316	7/13/2016	44.19 - 54.19	44.02	NE	0.57	<2.5	<13	<0.5	<13	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	<0.5	<0.5	<0.5	<13	<2.5	<2.5	<5
P-58	P58-ROX-101413	10/14/2013	40.21 - 65.21	42.19	NE	1.53	<0.005	<0.005	0.0999	0.0055	0.0015	0.234	0.135	<0.005	<0.001	0.2	<0.005	<0.005	<0.001	<0.001	1.17 J	0.131	<0.005	0.74	0.112	0.852
	P58-ROX-020314	2/3/2014		44.66	NE	0.767 J	<5	<5	<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	<1
	P58-ROX-041514	4/15/2014		45.66	NE	0.891 J	<0.005	<0.005	0.0777 J	<0.005	<0.001	0.277 J	0.104 J	<0.005	<0.001	0.127 J	<0.005	<0.005	<0.001	<0.001	0.53 E J	0.0992 J	<0.005	0.552 J	0.0908 J	0.643 J
	P58-ROX-071814	7/18/2014		43.80	NE	<2	<10	<10	<10	<10	<2	<10	<10	<10	<2	<2	<10	<10	<2	<2	<10	<10	<10	<2	<2	<2
	P58-ROX-101514	10/15/2014		43.14	NE	0.793 J	<2.5	<2.5	1.43 J	<2.5	<0.5	<2.5	0.781 J	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	0.72 J	0.453 J	<2.5	<0.5	0.253 J	0.718
	P58-ROX-012315	1/23/2015		45.32	NE	1.13	<5	<5	<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	0.714 J	<5	<5	0.686 J	<1	0.686 J
	P58-ROX-042015	4/20/2015		46.67	NE	0.81	<0.05	<0.05	0.0575	<0.05	<0.01	0.12 J	0.0762	<0.05	<0.01	0.101	<0.05 UJ	<0.05	<0.01	<0.01	0.549	0.0691	<0.05	0.433	0.0525	0.486
	P58-ROX-071415	7/14/2015		45.54	NE	0.457 J	<5	<5	<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	0.285 J
	P58-ROX-101615	10/16/2015		43.45	NE	<2	<10	<50	<2	<50	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	<2	<50	<10	<10	<10
	P58-ROX-011316	1/13/2016		43.18	NE	<2	<10	<50	<2	<50	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	<2	<50	<10	<10	<10
	P58-ROX-041816	4/18/2016		42.68	NE	0.62 J	<5	<25	<1	<25	<1	<1	<1	<1	<1	<1	<1	<1	<5	<1	<1	<1	<25	<5	<5	<5
	P58-ROX-071516	7/15/2016	40.21 - 65.21	42.05	NE	<2	<10	<50	<2	<50	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	<2	<50	<10	<10	<20

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																			
						Ethylbenzene	Hexachlorobutadiene	2-Hexanone (Methyl N-Butyl Ketone)	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	Tetrachloroethene	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,2-Trichloroethane	Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl acetate	m,p-Xylenes	o-Xylenes	Xylenes (total)
					Screening Values (mg/L)	0.7 [1]	0.007 [3]	0.035 [3]	0.7 [1]	0.56 [3]	0.07 [1]	0.14 [1]	0.7 [3]	0.1 [1]	0.005 [1]	1.0 [1]	0.0056 [3]	0.07 [1]	0.005 [1]	0.005 [1]		0.07 [3]	7.0 [2]	10 [1]		10 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																			
P-59	P59-ROX-101013	10/10/2013	47.91 - 72.91	45.50	NE	3.19	<0.005	<0.005	0.086	<0.005	0.0012	0.285	0.176	<0.005	<0.001	2.89	<0.005	<0.005	<0.001	<0.001	1.14	0.273	<0.005	7.47	1.28	8.75
	P59-ROX-020314	2/3/2014		47.35	NE	1.86	<0.1	<0.1	0.0409 J	<0.1	<0.02	0.0321 J	0.0824 J	<0.1	<0.02	0.66	<0.1	<0.1	<0.02	<0.02	0.621	0.193	<0.1	3.79	0.438	4.23
	P59-ROX-041514	4/15/2014		48.60	NE	1.69	<0.005	0.054	0.0495	<0.005	<0.001	0.196	0.0798	<0.005	<0.001	0.746	0.0027 J	<0.005	<0.001	<0.001	0.385	0.214	<0.005	4.83	0.902	5.73
	P59-ROX-070814	7/8/2014		47.69	NE	1.92	<0.005	<0.005	0.0948 J	<0.005	<0.001	0.228 J	0.16 J	<0.005	<0.001	1.55	<0.005	<0.005	<0.001	<0.001	0.607	0.285 J	<0.005	4.48	0.929	5.41
	P59-ROX-101414	10/14/2014		46.18	NE	2.33	<0.005	<0.005 UJ	0.0932 J	<0.005 UJ	0.0041 J	0.38 J	0.188 J	<0.005	<0.001	1.13	<0.005	<0.005	<0.001	<0.001	0.901	0.26 J	<0.005	5.14 J	1.03	6.17 J
	P59-ROX-011915	1/19/2015		47.42	NE	2.2	<0.5	<0.5	0.0619 J	<0.5	<0.1	0.572	0.108 J	<0.5	<0.1	0.375	<0.5	<0.5	<0.1	<0.1	0.609	0.21 J	<0.5	4.95	0.245	5.2
	P59-ROX-041615	4/16/2015		48.83	NE	2.13	<0.05	<0.05 UJ	0.0432 J	<0.05	<0.01	0.161 J	0.0763	<0.05	0.0032 J	0.69	<0.05	<0.05	<0.01	<0.01	0.576	0.177	<0.05	4.78	0.534	5.32
	P59-ROX-071315	7/13/2015		47.85	NE	0.664	<0.13	<0.13	0.0111 J	<0.13	<0.025	0.162	0.0211 J	<0.13	<0.025	0.103	0.0283 J	<0.13	<0.025	<0.025	0.15	0.0541 J	<0.13	1.6	0.0368	1.63
	P59-ROX-101515	10/15/2015		45.75	NE	1.1	<0.25	<1.3	0.03 J	<1.3	<0.05	0.085	0.04 J	<0.05	<0.05	0.54	<0.05	<0.05	<0.25	<0.05	0.28	0.1	<1.3	2.8	0.27	3.1
	P59-ROX-011216	1/12/2016		46.10	NE	1.1	<0.13	<0.63	0.022 J	<0.63	<0.025	0.11	0.037	<0.025	<0.025	1.6	<0.025	<0.025	<0.13	<0.025	0.26	0.08	<0.63	2.3	0.46	2.8
	P59-ROX-041816	4/18/2016		44.28	NE	1.7	<0.1	<0.5	0.04	<0.5	<0.02	0.14	0.084	<0.02	<0.02	0.85	<0.02	<0.02	<0.1	<0.02	0.56	0.16	<0.5	3.4	0.31	3.7
	P59-ROX-071316	7/13/2016	47.91 - 72.91	44.01	NE	1.4	<0.13	<0.63	0.046	<0.63	<0.025	0.18	0.059	<0.025	<0.025	0.47	<0.025	<0.025	<0.13	<0.025	0.48	0.16	<0.63	2.1	0.17	2.2
P-66	P66-ROX-101013	10/10/2013	34.72 - 59.72	33.66	NE	0.0045	<0.005	<0.005	0.151	<0.005	0.085	0.0104	0.204	<0.005	<0.001	0.0013	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	0.00096 J	0.00096 J
	P66-ROX-110713	11/7/2013		33.66	NE	0.0016	<0.005	<0.005	0.0958	<0.005	0.0528	0.0057	0.0658	<0.005	<0.001	0.00086 J	<0.005	<0.005	0.0015	<0.001	<0.005	<0.005	<0.005	<0.001	0.00057 J	0.00057 J
	P66-ROX-012914	1/29/2014		36.39	NE	0.0013	<0.005	<0.005	0.131	<0.005	<0.001	<0.005	0.157	<0.005	<0.001	0.0017	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	0.0045	0.0045
	P66-ROX-041114	4/11/2014		37.10	NE	0.0014	<0.005	<0.005	0.115	<0.005	<0.001	0.0014 J	0.136	<0.005	<0.001	0.0017	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	0.00072 J	0.0013
	P66-ROX-070714	7/7/2014		35.60	NE	0.0016	<0.005	<0.005	0.144	<0.005	<0.001	<0.005	0.102	<0.005	<0.001	0.0022	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.001	0.00099 J	0.002
	P66-ROX-101414	10/14/2014		34.48	NE	0.0013	<0.005	<0.005 UJ	0.129	<0.005	0.0111	<0.005	0.137	<0.005	<0.001	0.0016	<0.005 UJ	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001 UJ	0.0009 J	0.0018 J
	P66-ROX-011615	1/16/2015		36.62	NE	0.0016	<0.005	<0.005	0.121	<0.005	0.0171	0.006	0.136	<0.005	<0.001	0.0018	<0.005	<0.005	<0.001	<0.001	0.00073 J	0.00029 J	<0.005	0.00093 J	0.0012	0.0021
	P66-ROX-011615-DUP	1/16/2015		36.62	NE	0.0014	<0.005	<0.005	0.116	<0.005	0.0172	0.0053	0.127	<0.005	<0.001	0.0016	<0.005	<0.005	<0.001	<0.001	0.00041 J	0.00019 J	<0.005	0.001	0.0013	0.0022
	P66-ROX-041415	4/14/2015		38.27	NE	0.003	<0.005	<0.005	0.133	<0.005	<0.001	<0.005 UJ	0.134	<0.005	<0.001	0.0024	<0.005	<0.005	<0.001	<0.001	0.00064 J	<0.005	<0.005	0.0028	0.0015	0.0044
	P66-ROX-041415-DUP	4/14/2015		38.27	NE	0.0027	<0.005	<0.005	0.13	<0.005	<0.001	<0.005 UJ	0.132	<0.005	<0.001	0.0022	<0.005	<0.005	<0.001	<0.001	0.00053 J	<0.005	<0.005	0.0024	0.0013	0.0037
	P66-ROX-070815	7/8/2015		37.24	NE	0.0024	<0.005	<0.005	0.133	<0.005	<0.001	<0.005	0.117	<0.005	<0.001	0.0017	<0.005	<0.005	<0.001	<0.001	0.0003 J	<0.005	<0.005	0.0016	0.0011	0.0027
	P66-ROX-070815-DUP	7/8/2015		37.24	NE	0.0022	<0.005	<0.005	0.132	<0.005	<0.001	<0.005	0.119	<0.005	<0.001	0.0018	<0.005	<0.005	<0.001	<0.001	0.00032 J	<0.005	<0.005	0.0016	0.0011	0.0027
	P66-ROX-101315	10/13/2015		34.84	NE	0.0042	<0.005	<0.025	0.072	<0.025	0.019	0.0035	0.068	<0.001	<0.001	0.00092 J	<0.001	<0.001	<0.005	<0.001	0.0012	<0.001	<0.025	0.0024 J	0.00086 J	0.0033 J
	P-66-ROX-010816	1/8/2016		34.64	NE	<0.001	<0.005	<0.025	0.085	<0.025	<0.001	<0.001	0.083	<0.001	<0.001	0.0012	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	P66-ROX-041516	4/15/2016		34.33	NE	0.0048	<0.005	<0.025	0.068	<0.025	<0.001	0.017	0.075	<0.001	<0.001	0.00086 J	<0.001	<0.001	<0.005	<0.001	0.0017	0.00056 J	<0.025	0.002 J	0.00077 J	0.0027 J
	P66-ROX-071116	7/11/2016	34.72 - 59.72	33.58	NE	0.0075	<0.005	<0.025	0.083	<0.025	0.017	0.026	0.1	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	0.006	0.00082 J	<0.025	0.0032 J	0.001 J	0.0042 J
P-74	P74-ROX-101413	10/14/2013	44.43 - 69.43	41.72	NE	0.0653	<0.005	<0.005	0.0052	0.0074	0.0011	0.0257	0.0094	<0.005	<0.001	0.0344	<0.005	<0.005	<0.001	<0.001	0.192	0.0739	<0.005	0.237	0.0483	0.285
	P74-ROX-012414	1/24/2014		43.35	NE	0.115	<0.005	<0.005	0.0058	<0.005	<0.001	0.0322	0.0112	<0.005	<0.001	0.153	<0.005	<0.005	<0.001	<0.001	0.292	0.11	<0.005	0.316	0.0579	0.374
	P74-ROX-041514	4/15/2014		44.74	NE	0.0043	<0.005	<0.005	<0.005	<0.005	<0.001	0.00074 J	<0.005	<0.005	<0.001	0.00078 J	<0.005	<0.005	<0.001	<0.001	0.0083	0.0039 J	<0.005	0.0193	0.0015	0.0208
	P74-ROX-070814	7/8/2014		43.02	NE	0.0374	<0.005	<0.005	0.0018 J J	<0.005	<0.001	0.0128	0.0036 J	<0.005	<0.001	0.0087	<0.005	<0.005	<0.001	<0.001	0.117	0.0518	<0.005	0.121	0.0122	0.133
	P74-ROX-101414	10/14/2014		41.48	NE	<0.001	<0.005	<0.005 UJ	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001 UJ	<0.001	0.00043 J J
	P74-ROX-011915	1/19/2015		43.47	NE	0.082	<0.005	<0.005	0.0029 J	<0.005	0.0056	0.0193	0.0053	<0.005	<0.001	0.102	<0.005	<0.005	<0.001	<0.001	0.135	0.0589	<0.005	0.197	0.019	0.216
	P74-ROX-041515	4/15/2015		44.61	NE	0.0058	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	0.00042 J	<0.005	<0.001	0.0013	<0.005	<0.005	<0.001	<0.001	0.0086	0.0044 J	<0.005	0.0202	0.0012	0.0214
	P74-ROX-071015	7/10/2015		43.28	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P74-ROX-101415	10/14/2015		41.75	NE	0.056	<0.025	<0.13	<0.005	<0.13	<0.005	0.02	0.0038 J	<0.005	<0.005	0.012	<0.005	<0.005	<0.025	<0.005	0.081	0.033	<0.13	0.21	0.0071 J	0.21
	P74-ROX-011116	1/11/2016		40.67	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	0.0032	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	0.001 J
	P74-ROX-041516	4/15/2016		40.40	NE	0.0025	<0.005	<0.025	<0.001	<0.025	0.0018	0.0012	<0.001	<0.001	<0.001	0.003	<0.001	<0.001	<0.005	<0.001	0.0096	0.0062	<0.025	0.013	0.001 J	0.014
	P74-ROX-071216	7/12/2016	44.43 - 69.43	39.56	NE	0.0021	<0.005	<0.025	<0.001	<0.025	<0.001	0.0018	<0.001	<0.001	<0.001	0.0013	<0.001	<0.001	<0.005	<0.001	0.016	0.0098	<0.025	0.0069	0.00089 J	0.0078 J

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																			
						Ethylbenzene	Hexachlorobutadiene	2-Hexanone (Methyl N-Butyl Ketone)	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	Tetrachloroethene	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,2-Trichloroethane	Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl acetate	m,p-Xylenes	o-Xylenes	Xylenes (total)
				Screening Values (mg/L)		0.7 [1]	0.007 [3]	0.035 [3]	0.7 [1]	0.56 [3]	0.07 [1]	0.14 [1]	0.7 [3]	0.1 [1]	0.005 [1]	1.0 [1]	0.0056 [3]	0.07 [1]	0.005 [1]	0.005 [1]		0.07 [3]	7.0 [2]	10 [1]		10 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																			
P-93A	P93A-ROX-101113	10/11/2013	48.17 - 63.17	44.18	NE	0.264	<0.005	<0.005	0.0142	<0.005	0.0034	0.0621	0.015	<0.005	<0.001	0.0133	<0.005	<0.005	<0.001	<0.001	0.146	0.0163	<0.005 UJ	0.451	0.0789	0.53
	P93A-ROX-012914	1/29/2014		46.53	NE	<0.5	<2.5	<2.5	<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<0.5
	P93A-ROX-041714	4/17/2014		47.41	NE	<0.5	<2.5	<2.5	<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<0.5
	P93A-ROX-071814	7/18/2014		45.70	NE	<1	<5	<5	<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	<1
	P93A-ROX-071814-DUP	7/18/2014		45.70	NE	<1	<5	<5	<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	<1
	P93A-ROX-101514	10/15/2014		45.06	NE	0.229 J J	<2.5	<2.5	<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	0.442 J	<2.5	<2.5	<0.5	0.263 J	0.65
	P93A-ROX-101514-DUP	10/15/2014		45.06	NE	0.226 J J	<2.5	<2.5	<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<2.5	<0.5	0.258 J	0.635
	P93A-ROX-012715	1/27/2015	43.07 - 53.07	46.05	NE	0.0856 J	<0.002 UJ	<0.01 UJ	0.0073 J	0.0011 J J	0.0013 J	0.0243 J	0.008 J	<0.001 UJ	<0.001 UJ	0.0039 J	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.001 UJ	0.127 E J	0.0282 J	<0.01 UJ	0.138 J	0.0347 J	0.173 J
	P93A-ROX-041715	4/17/2015		47.02	NE	0.0559	<0.005	<0.005	0.0049 J	<0.005	<0.001	0.011 J	0.0059	<0.005	<0.001	0.003	<0.005 UJ	<0.005	<0.001	<0.001	0.0886	0.03	<0.005	0.0477	0.0199	0.0677
	P93A-ROX-071315	7/13/2015		45.93	NE	0.0361 J	<0.5	<0.5	<0.5	<0.5	<0.1	<0.5	<0.5	<0.5	<0.1	0.0342 J	<0.5	<0.5	<0.1	<0.1	0.0313 J	<0.5	<0.5	<0.1	<0.1	0.0502 J
	P93A-ROX-101515	10/15/2015		43.69	NE	<1	<5	<25	<1	<25	<1	<1	<1	<1	<1	<1	<1	<1	<5	<1	<1	<1	<25	<5	<5	<5
	P93A-ROX-101515-DUP	10/15/2015		43.69	NE	<1	<5	<25	<1	<25	<1	<1	<1	<1	<1	<1	<1	<1	<5	<1	<1	<1	<25	<5	<5	<5
	P-93A-ROX-011216	1/12/2016		43.73	NE	<2	<10	<50	<2	<50	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	<2	<50	<10	<10	<10
	P-93A-ROX-011216-DUP	1/12/2016		43.73	NE	<2	<10	<50	<2	<50	<2	<2	<2	<2	<2	<2	<2	<2	<2	<10	<2	<2	<2	<50	<10	<10	<10
	P93A-ROX-041916	4/19/2016		43.08	NE	<0.25	<1.3	<6.3	<0.25	<6.3	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<1.3	<0.25	<0.25	<0.25	<6.3	<1.3	<1.3	<1.3
	P93A-ROX-041916-DUP	4/19/2016		43.08	NE	<0.25	<1.3	<6.3	<0.25	<6.3	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<1.3	<0.25	<0.25	<0.25	<6.3	<1.3	<1.3	<1.3
	P93A-ROX-071316	7/13/2016	43.07 - 53.07	42.20	NE	<0.1	<0.5	<2.5	<0.1	<2.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.5	<0.1	<0.1	<0.1	<2.5	<0.5	<0.5	<1
	P93A-ROX-071316-DUP	7/13/2016		42.20	NE	<0.1	<0.5	<2.5	<0.1	<2.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.5	<0.1	<0.1	<0.1	<2.5	<0.5	<0.5	<1
P-93B	P93B-ROX-101613	10/16/2013	74.60 - 76.60	44.43	NE	<2	<10	<10	<10	<10	<2 UJ	<10	<10	<10	<2	<2	<10	<10	<2	<2	<10	<10	<10 UJ	<2	<2	<2
	P93B-ROX-101613-DUP	10/16/2013		44.43	NE	<2	<10	<10	<10	<10	<2 UJ	<10	<10	<10	<2	<2	<10	<10	<2	<2	<10	<10	<10 UJ	<2	<2	<2
	P93B-ROX-012814	1/28/2014		46.58	NE	<1	<5	<5	<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	<1
	P93B-ROX-012814-DUP	1/28/2014		46.58	NE	<1	<5	<5 UJ	<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	<1
	P93B-ROX-041714	4/17/2014		47.46	NE	<0.5	<2.5	<2.5	<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<0.5
	P93B-ROX-041714-DUP	4/17/2014		47.46	NE	<0.5	<2.5	<2.5	<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<0.5
	P93B-ROX-071714	7/17/2014		45.75	NE	0.0236 J	<0.005 UJ	<0.005 UJ	0.0227 J	<0.005 UJ	<0.001 UJ	0.0053 J	0.0297 J	<0.005 UJ	<0.001 UJ	0.0129 J	<0.005 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ	0.008 J	0.0037 J J	<0.005 UJ	0.0662 J	0.0047 J	0.0708
	P93B-ROX-101514	10/15/2014		45.15	NE	<0.5	<2.5	<2.5 UJ	<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<0.5
	P93B-ROX-012315	1/23/2015		47.24	NE	<1	<5	<5	<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	<1
	P93B-ROX-012315-DUP	1/23/2015		47.24	NE	<1	<5	<5	<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	<1
	P93B-ROX-021915	2/19/2015		47.24	NE	<0.5	<1	<5	<0.5	<2.5	<0.5	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<5	<1	<0.5	<1.5
	P93B-ROX-041615	4/16/2015		48.42	NE	0.0947	<0.005	<0.005 UJ	0.0226	<0.005	<0.001	0.0033 J J	0.0286	<0.005	0.00073 J	0.111	<0.005	<0.005	<0.001	<0.001	0.0124	0.0043 J	<0.005	0.0993	0.0378	0.137
	P93B-ROX-041615-DUP	4/16/2015		48.42	NE	0.249 J	<5	<5 UJ	<5	<5	<1	<5 UJ	<5	<5	0.216 J	<1	<5	<5	<1	<1	<5	<5	<5	<1	<1	0.338 J
	P93B-ROX-070915	7/9/2015		47.74	NE	<5	<25	<25	<25	<25	<5	<25	<25	<25	<5	<5	<25	<25	<5	<5	<25	<25	<25	<5	<5	<5
	P93B-ROX-070915-DUP	7/9/2015		47.74	NE	<2	<10	<10	<10	<10	<2	7.01 J	<10	<10	<2	<2	<10	<10	<2	<2	<10	<10	<10	<2	<2	<2
	P93B-ROX-101515	10/15/2015		45.18	NE	<2.5	<13	<63	<2.5	<63	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<63	<13	<13	<13
	P93B-ROX-011316	1/13/2016		44.96	NE	<1	<5	<25	<1	<25	<1	<1	<1	<1	<1	<1	<1	<1	<5	<1	<1	<1	<25	<5	<5	<5
	P93B-ROX-041916	4/19/2016		44.54	NE	<1	<5	<25	<1	<25	<1	<1	<1	<1	<1	<1	<1	<1	<5	<1	<1	<1	<25	<5	<5	<5
	P93B-ROX-071516	7/15/2016	74.60 - 76.60	43.65	NE	<1	<5	<25	<1	<25	<1	<1	<1	<1	<1	<1	<1	<1	<5	<1	<1	<1	<25	<5	<5	<10
P-93C	P93C-ROX-101613	10/16/2013	94.26 - 96.256	44.31	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.0035 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	P93C-ROX-012414	1/24/2014		46.44	NE	<0.001	<0.005	<0.005 UJ	<0.005	<0.005	0.0047 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P93C-ROX-041714	4/17/2014		47.34	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.0043	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P93C-ROX-071714	7/17/2014		45.61	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.0061 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P93C-ROX-101514	10/15/2014		44.99	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.0046	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P93C-ROX-011915	1/19/2015	92.47 - 97.47	48.22	NE	<0.1	<0.5	<0.5	<0.5	<0.5	<0.1	<0.5	<0.5	<0.5	<0.1	<0.1	<0.5	<0.5	<0.1	<0.1	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1
	P93C-ROX-021915	2/19/2015		48.22	NE	<1	<2	<10	<1	<5	<1	<5	<1	<1	<1	<1	<1	<1	<1	<1	<2	<2	<10	<2	<1	<3
	P93C-ROX-041615	4/16/2015		48.22	NE	<0.1	<0.5	<0.5 UJ	<0.5	<0.5	<0.1	<0.5 UJ	<0.5	<0.5	<0.1	0.0295 J	<0.5	<0.5	<0.1	<0.1	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1
	P93C-ROX-071315	7/13/2015		47.09	NE	0.00047 J	<0.005	<0.005	<0.005	<0.005	0.0016	<0.0037 U	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	0.00059 J	<0.005	<0.005	0.00095 J	<0.001	0.0011
	P93C-ROX-101415	10/14/2015		44.91	NE	<0.001	<0.005	<0.025	<0.001	<0.025	0.0022	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	P-93C-ROX-010816	1/8/2016		44.68	NE	<0.001	<0.005	<0.025	<0.001	<0.025	0.0021	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	P93C-ROX-041816	4/18/2016		44.06	NE	0.00085 J	<0.005	<0.025	<0.001	<0.025	0.00099 J	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	0.0011	<0.001	<0.025	<0.005	<0.005	0.00067 J
	P93C-ROX-071216	7/12/2016		43.37	NE	<0.001	<0.005	<0.025	<0.001	<0.025	0.0029	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.01

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																			
						Ethylbenzene	Hexachlorobutadiene	2-Hexanone (Methyl N-Butyl Ketone)	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	Tetrachloroethene	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,2-Trichloroethane	Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl acetate	m,p-Xylenes	o-Xylenes	Xylenes (total)
				Screening Values (mg/L)		0.7 [1]	0.007 [3]	0.035 [3]	0.7 [1]	0.56 [3]	0.07 [1]	0.14 [1]	0.7 [3]	0.1 [1]	0.005 [1]	1.0 [1]	0.0056 [3]	0.07 [1]	0.005 [1]	0.005 [1]		0.07 [3]	7.0 [2]	10 [1]		10 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																			
P-93D	P93D-ROX-101113	10/11/2013	125.75 - 127.75	44.24	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.00066 J J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	P93D-ROX-013114	1/31/2014		46.62	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.0011	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P93D-ROX-041414	4/14/2014		47.54	NE	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	0.0017 J	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P93D-ROX-071714	7/17/2014		45.78	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.0011 J	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P93D-ROX-101514	10/15/2014		45.14	NE	<0.01	<0.05	<0.05	<0.05	<0.05	<0.01	<0.05	<0.05	<0.05	<0.01	<0.01	<0.05	<0.05	<0.01	<0.01	0.0083 J	<0.05	<0.05	<0.01	<0.01	<0.01
	P93D-ROX-110414	11/4/2014		45.14	NE	0.0013	<0.005	<0.005	<0.005	<0.005	0.002	<0.005	0.00067 J	<0.005	<0.001	0.0018	<0.005	<0.005	<0.001	<0.001	0.00057 J	<0.005	<0.005	<0.001	<0.001	<0.001
	P93D-ROX-012315	1/23/2015		42.28	NE	<0.25	<1.3	<1.3	<1.3	<1.3	<0.25	<1.3	<1.3	<1.3	<0.25	<0.25	<1.3	<1.3	<0.25	<0.25	<1.3	<1.3	<1.3	<0.25	<0.25	<0.25
	P93D-ROX-021915	2/19/2015		42.28	NE	<2.5	<5	<25	<2.5	<13	<2.5	<13	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<5	<25	<5	<2.5	<7.5
	P93D-ROX-042015	4/20/2015		48.52	NE	<0.1	<0.5	<0.5	<0.5	<0.5	<0.1	<0.5 UJ	<0.5	<0.5	<0.1	<0.1	<0.5 UJ	<0.5	<0.1	<0.1	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1
	P93D-ROX-070915	7/9/2015		47.96	NE	<0.5	<2.5	<2.5	<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<0.5
	P93D-ROX-101515	10/15/2015		45.28	NE	<0.1	<0.5	<2.5	<0.1	<2.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.5	<0.1	<0.1	<0.1	<2.5	<0.5	<0.5	0.081 J
	P93D-ROX-011316	1/13/2016		45.10	NE	<0.1	<0.5	<2.5	<0.1	<2.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.5	<0.1	<0.1	<0.1	<2.5	<0.5	<0.5	<0.5
	P93D-ROX-041916	4/19/2016		44.61	NE	<0.05	<0.25	<1.3	<0.05	<1.3	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.25	<0.05	<0.05	<0.05	<1.3	<0.25	<0.25	<0.25
	P93D-ROX-071516	7/15/2016	125.75 - 127.75	43.83	NE	<0.001	<0.005	<0.025	<0.001	<0.025	0.0017	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.01
P-114	P114-ROX-101713	10/17/2013	32.67 - 52.67	29.43	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.0036	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P114-ROX-012814	1/28/2014		32.11	NE	<0.001	<0.005	<0.005 UJ	<0.005	<0.005	0.0153	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P114-ROX-042114	4/21/2014		32.22	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.0093	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P114-ROX-071814	7/18/2014		30.87	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.0037	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P114-ROX-101714	10/17/2014		29.43	NE	0.00045 J J	<0.005	<0.005	<0.005	<0.005	0.0098 J	<0.005	0.00087 J J	<0.005	<0.001	<0.001	<0.005 UJ	<0.005	<0.001	<0.001	<0.005	0.00043 J J	<0.005 UJ	0.00059 J J	<0.001	0.00059 J J
	P114-ROX-012115	1/21/2015		31.53	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.0268 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	0.00046 J J	<0.005	<0.005	0.00068 J J	<0.001	0.00093 J J
	P114-ROX-041715	4/17/2015		NM	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.0237	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P114-ROX-070815	7/8/2015		29.16	NE	<0.001	<0.005	<0.005	<0.005	<0.005	0.0265	0.002 J	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
P-114R	P114R-ROX-100515	10/5/2015	23.01 - 33.01	26.24	NE	<0.001	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	P114R-ROX-010716	1/7/2016		25.62	NE	<0.001	<0.005	<0.025	<0.001	<0.025	0.00091 J	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	P114R-ROX-040816	4/8/2016		25.65	NE	<0.001	<0.005	<0.025	<0.001	<0.025	0.00084 J	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
	P114R-ROX-070816	7/8/2016	23.01 - 33.01	24.92	NE	<0.001	<0.005	<0.025	<0.001	<0.025	0.00082 J	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	<0.01
ROST-3-MW	ROST3-MW-ROX-100913	10/9/2013	37.81 - 47.81	40.16	NE	0.0182	<0.005 UJ	<0.005	0.0017 J	<0.005	<0.001	0.0045 J	0.0029 J	<0.005	<0.001	0.0018	<0.005	<0.005	<0.001	<0.001	0.0168	0.0035 J	<0.005	0.0422	0.0123	0.0546
	ROST3MW-ROX-011714	1/17/2014		42.20	NE	0.008	<0.005	<0.005	0.00099 J	<0.005	<0.001	<0.005	0.002 J	<0.005	<0.001	0.0012	<0.005	<0.005	<0.001	<0.001	0.0207	0.0057	<0.005	0.0377	0.0063	0.044
	ROST3MW-ROX-041014	4/10/2014		42.80	NE	0.0055	<0.005	<0.005	0.00043 J	<0.005	<0.001	0.00084 J	0.00082 J	<0.005	<0.001	0.0015	<0.005	<0.005	<0.001	<0.001	0.0121	0.003 J	<0.005	0.0287	0.0028	0.0315
	ROST3MW-ROX-071414	7/14/2014		41.88	NE	0.008	<0.005	<0.005	0.00053 J	<0.005	<0.001	0.0045 J	0.00098 J	<0.005	<0.001	0.0024	<0.005	<0.005	<0.001	<0.001	0.0132	0.0032 J	<0.005	0.0371	0.0041	0.0412
	ROST3MW-ROX-100914	10/9/2014		41.31	NE	0.0398	<0.005	<0.005	0.0021 J	<0.005	<0.001 UJ	0.0061	0.0028 J	<0.005	<0.001	0.0032	<0.005	<0.005	<0.001	<0.001	0.018	0.005	<0.005 UJ	0.0651	0.0205	0.0856
	ROST3MW-ROX-011515	1/15/2015		41.83	NE	0.0144	<0.005	<0.005	0.0016 J	<0.005	<0.001	0.0061	0.0021 J	<0.005	<0.001	0.0011	<0.005	<0.005	<0.001	<0.001	0.0126	0.0036 J	<0.005	0.0166	0.0042	0.0209
	ROST3MW-ROX-041315	4/13/2015		43.43	NE	0.0085	<0.005	<0.005	0.0014 J J	<0.005	<0.001	<0.005 UJ	0.0015 J J	<0.005	<0.001	0.0008 J	<0.005	<0.005	<0.001	<0.001	0.0055 J	0.00068 J	<0.005	0.0015	0.0029	0.0044
	ROST3MW-ROX-071315	7/13/2015		42.36	NE	0.02	<0.00071 U	<0.005	0.00093 J	<0.005	<0.001	0.0052 J	0.0012 J	<0.005	<0.001	0.0027	<0.0015 U	<0.0013 U	<0.001	<0.001	0.0059	0.00061 J	0.0583	0.0263	0.0065	0.0328
	ROST3MW-ROX-101215	10/12/2015		40.29	NE	0.06	<0.005	<0.025	0.0023	<0.025	<0.001	0.008	0.0029	<0.001	<0.001	0.0036	<0.001	<0.001	<0.005	<0.001	0.02	0.0045	<0.025	0.13	0.024	0.16
	ROST3MW-ROX-011416	1/14/2016		40.30	NE	0.027	<0.005	<0.025	0.0016	<0.025	<0.001	0.0071	0.0018	<0.001	<0.001	0.0016	<0.001	<0.001	<0.005	<0.001	0.008	0.0015	<0.025	0.04	0.0077	0.047
	ROST3MW-ROX-041216	4/12/2016		39.69	NE	0.0011	<0.005	<0.025	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.025	<0.005	<0.005	0.00064 J
	ROST3MW-ROX-071416	7/14/2016	37.81 - 47.81	38.70	NE	0.0042	<0.005	<0.025	0.00055 J	<0.025	<0.001	0.0035	<0.001	<0.001	<0.001	0.0015	<0.001	<0.001	<0.005	<0.001	0.0029	<0.001	<0.025	0.0042 J	0.0017 J	0.0058 J
ROST-4-PZ(C)	ROST4PZC-ROX-100913	10/9/2013	34.95 - 44.95	39.91	NE	0.0064	<0.005 UJ	<0.005	0.00066 J	<0.005	<0.001	0.0054	0.0012 J	<0.005	<0.001	0.0013	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.0101	0.0054	0.0155
	ROST4PZC-ROX-011714	1/17/2014		41.92	NE	0.0039	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	0.00073 J	<0.005	<0.001	0.0014	<0.005	<0.005	<0.001	<0.001	0.0017 J	<0.005	<0.005	0.0124	0.0057	0.018
	ROST4PZC-ROX-041014	4/10/2014		42.05	NE	0.00059 J	<0.005	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	0.00057 J	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.005	0.0015	0.0015	0.003
	ROST4C-ROX-071114	7/10/2014		42.22	NE	0.0594	<0.005	<0.005	0.00037 J	<0.005	<0.001	0.0104 J	<0.005	<0.005	<0.001	0.0421	<0.005 UJ	<0.005	<0.001	<0.001	0.00082 J	<0.005	<0.005	0.0574	0.0815	0.139
	ROST4PZC-ROX-100914	10/9/2014		41.30	NE	0.0688	<0.005	<0.005	0.0011 J	<0.005	<0.001 UJ	0.0169	0.0011 J	<0.005	<0.001	0.0196	<0.005	<0.005	<0.001	<0.001	0.0046 J	0.00047 J	<0.005 UJ	0.112	0.0634	0.176
	ROST4PZC-ROX-011515	1/15/2015		41.65	NE	0.0035	<0.005	<0.005	0.00036 J	<0.005	<0.001	<0.005	0.00056 J	<0.005	<0.001	0.0005 J	<0.005	<0.005	<0.001	<0.001	0.0011 J	<0.005	<0.005	0.0026	0.0031	0.0057
	ROST4PZC-ROX-041315	4/13/2015		43.00	NE	0.0806	<0.005	<0.005	0.0013 J J	<0.005	<0.001	0.0146 J	0.0013 J J	<0.005	<0.001	0.0313	<0.005	<0.005	<0.001	<0.001	0.0052 J	0.00075 J	<0.005	0.148	0.0203	0.168
	ROST4PZ-ROX-071315	7/13/2015		42.59	NE	0.159	<0.005	<0.005	0.0037 J	<0.005	<0.001	0.0806	0.0053	<0.005	<0.001	0.0456	<0.005	<0.005	<0.001	<0.001	0.0334	0.0052	<0.005	0.4	0.0302	0.43
	ROST4PZC-ROX-101215	10/12/2015		40.35	NE	0.15	<0.005	<0.025	0.0051	<0.025	<0.001	0.082	0.0059	<0.001	<0.001	0.042	<0.001	<0.001	<0.005	<0.001	0.036	0.0066	<0.025	0.53	0.036	0.57
	ROST4PZC-ROX-011516	1/15/2016		40.54	NE	0.036	<0.01	<0.05	0.0044	<0.05	<0.002	0.071	0.006	<0.002	<0.002	0.03	<0.002	<0.002	<0.01	<0.002	0.037	0.004	<0.05	0.17	0.02	0.19
	ROST4PZC-ROX-041316	4/13/2016		39.61	NE	0.067	<0.01	<0.05	0.0073	<0.05	<0.002	0.12	0.01	<0.002	<0.002	0.039	<0.002	<0.002	<0.01	<0.002	0.063	0.013	<0.05	0.49	0.014	0.51
	ROST4PZC-ROX-071516	7/15/2016	34.95 - 44.95	38.93	NE	0.047	<0.01	<0.05	0.0089	<0.05	<0.002	0.1	0.012	<0.002	<0.002	0.029	<0.002	<0.002	<0.01	<0.002	0.065	0.018	<0.05	0.27	0.0065 J	0.28

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																				
						Ethylbenzene	Hexachlorobutadiene	2-Hexanone (Methyl N-Butyl Ketone)	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	Tetrachloroethene	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,2-Trichloroethane	Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl acetate	m,p-Xylenes	o-Xylenes	Xylenes (total)
				Screening Values (mg/L)		0.7 [1]	0.007 [3]	0.035 [3]	0.7 [1]	0.56 [3]	0.07 [1]	0.14 [1]	0.7 [3]	0.1 [1]	0.005 [1]	1.0 [1]	0.0056 [3]	0.07 [1]	0.005 [1]	0.005 [1]		0.07 [3]	7.0 [2]	10 [1]		10 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
T-12	T12-ROX-101513	10/15/2013	46.72 - 72.72	43.73	NE	1.82	<0.025	<0.025	0.0618	<0.025	<0.005	0.215 J	0.114	<0.025	<0.005	0.697	<0.025	<0.025	<0.005	<0.005	0.575	0.0607	<0.025	2.43	0.139	2.57
	T12-ROX-012414	1/24/2014		45.26	NE	0.518	<0.005	<0.005	0.0362	<0.005	<0.001	0.171	0.0676	<0.005	<0.001	0.421	<0.005	<0.005	<0.001	<0.001	0.526	0.0507	<0.005	1.12	0.0469	1.23
	T12-ROX-041514	4/15/2014		46.72	NE	0.376	<0.005	<0.005	0.0306	<0.005	<0.001	0.12	0.0534	<0.005	<0.001	0.406	<0.005	<0.005	<0.001	<0.001	0.22 J	0.0339	<0.005	0.841	0.0401	0.864
	T12-ROX-070814	7/8/2014		45.13	NE	0.614	<0.005	<0.005	0.0577 J	<0.005	<0.001	0.146	0.0912	<0.005	<0.001	0.686	<0.005	<0.005	<0.001	<0.001	0.425	0.0589	<0.005	1.25	0.0909	1.3
	T12-ROX-101714	10/17/2014		44.40	NE	1.75	<0.05	<0.05	0.0459 J	<0.05	<0.01	0.184 J	0.0707	<0.05	<0.01	0.722	<0.05 UJ	<0.05	<0.01	<0.01	0.244	0.0391 J	<0.05 UJ	2.25	0.114	2.36
	T12-ROX-011915	1/19/2015	46.83 - 72.83	45.27	NE	0.596	<0.05	<0.05	0.0432 J	<0.05	0.0033 J	0.196	0.0745	<0.05	<0.01	0.337	<0.05	<0.05	<0.01	<0.01	0.391	0.0521	<0.05	1.3	0.0747	1.38
	T12-ROX-041515	4/15/2015		46.73	NE	1.34	<0.005	<0.005	0.0662	<0.005	<0.001	0.131 J	0.117	<0.005	<0.001	0.658	<0.005	<0.005	<0.001	<0.001	0.331	0.0543	<0.005	1.62	0.177	1.62
	T12-ROX-071015	7/10/2015		46.09	NE	0.197	<0.05	<0.05	0.0222 J	<0.05	<0.01	0.0798	0.0455 J	<0.05	<0.01	0.0782	<0.05	<0.05	<0.01	<0.01	0.185	0.0173 J	<0.05	0.594	0.0097 J	0.603
	T12-ROX-101515	10/15/2015		43.72	NE	0.2	<0.05	<0.25	0.034	<0.25	<0.01	0.081	0.055	<0.01	<0.01	0.096	<0.01	<0.01	<0.05	<0.01	0.15	0.016	<0.25	0.55	0.008 J	0.56
	T12-ROX-011216	1/12/2016		44.13	NE	0.098	<0.05	<0.25	0.015	<0.25	0.037	0.1	0.019	<0.01	<0.01	0.084	<0.01	<0.01	<0.05	<0.01	0.13	0.014	<0.25	0.45	0.0074 J	0.46
	T12-ROX-041516	4/15/2016		42.07	NE	0.023	<0.025	<0.13	0.015	<0.13	<0.005	0.064	0.021	<0.005	<0.005	0.053	<0.005	<0.005	<0.025	<0.005	0.053	0.0094	<0.13	0.21	0.0045 J	0.22
	T12-ROX-071216	7/12/2016	46.83 - 72.83	41.50	NE	0.15	<0.05	<0.25	0.026	<0.25	<0.01	0.058	0.04	<0.01	<0.01	0.064	<0.01	<0.01	<0.05	<0.01	0.051	0.011	<0.25	0.16	0.0079 J	0.16

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenzo(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate
				Screening Values (mg/L)		0.42 [1]	0.21 [3]	0.015 [3]	2.1 [1]	0.00013 [1]	0.0002 [1]	0.00018 [1]	0.21 [3]	0.00017 [1]	28 [1]	0.7 [3]	0.01 [2]	0.006 [2]	1.4 [2]		0.035 [2]	0.012 [1]	0.0003 [1]	0.007 [3]	0.021 [2]	5.6 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-01	MW1-ROX-100313	10/3/2013	48.80 - 58.80	40.28	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00065 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW1-ROX-011414	1/14/2014		42.77	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011 UJ	<0.0053 UJ	<0.00011	<0.00011	<0.0021	<0.011 UJ	<0.0053
	MW1-ROX-040714	4/7/2014		43.28	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	0.003 J J	<0.011	<0.0054	<0.0022	<0.0054	<0.011 UJ	<0.0057 UJ	<0.00011	<0.00011	<0.0022	<0.011 UJ	<0.0054
	MW1-ROX-070914	7/9/2014		42.09	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW1-ROX-100614	10/6/2014		41.1	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW1-ROX-011215	1/12/2015		42.73	NE	0.00003 J	0.000027 J	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW1-ROX-040615	4/6/2015		44.11	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	0.00046 J	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW1-ROX-070815	7/8/2015		43.35	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW1-ROX-100615	10/6/2015		40.83	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW1-ROX-010816	1/8/2016		40.93	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW1-ROX-041216	4/12/2016		40.35	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	0.011	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW1-ROX-071416	7/14/2016	48.80 - 58.80	39.43	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01 UJ	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
MW-02	MW2-ROX-100813	10/8/2013	49.87 - 59.87	41.73	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW2-ROX-012014	1/20/2014		44.00	NE	<0.00011	0.00018	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW2-ROX-041014	4/10/2014		44.66	NE	<0.00012	<0.00012	<0.012	<0.00012	<0.00006	<0.00012	<0.00006	<0.00012	<0.00012	<0.012 UJ	<0.012	<0.006	<0.0024	<0.006	<0.012	<0.006	<0.00012	<0.00012	<0.0024	<0.012	<0.006
	MW2-ROX-071414	7/14/2014		43.13	NE	0.000084 J	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00037 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW2-ROX-101014	10/10/2014		42.49	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	MW2-ROX-011615	1/16/2015		44.1	NE	0.00018	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW2-ROX-041315	4/13/2015		45.56	NE	0.000041 J	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	0.001 J	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW2-ROX-071315	7/13/2015		44.53	NE	0.000042 J	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW2-ROX-101215	10/12/2015		42.15	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW2-ROX-011416	1/14/2016		42.04	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW2-ROX-041316	4/13/2016		41.59	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	0.0044 J	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW2-ROX-071416	7/14/2016	49.87 - 59.87	40.79	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01 UJ	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
MW-03	MW3-ROX-100813	10/8/2013	34.67 - 44.67	27.38	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW3-ROX-011614	1/16/2014		29.91	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011 UJ	<0.0053 UJ	<0.00011	<0.00011	<0.0021	<0.011 UJ	<0.0053
	MW3-ROX-040914	4/9/2014		30.50	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	0.00038 J	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW3-ROX-071114	7/10/2014		29.05	NE	<0.0001	<0.0001	<0.011	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.011	<0.011	<0.0054	0.0013 J	<0.0054	<0.011	<0.0054	0.000028 J	<0.0001	<0.0022	<0.011	<0.0054
	MW3-ROX-100914	10/9/2014		28.18	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW3-ROX-011515	1/15/2015		29.65	NE	0.000027 J	<0.00011	<0.011	0.000021 J J	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW3-ROX-041015	4/10/2015		31.16	NE	0.000018 J	<0.0001	<0.011	0.000019 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.011	<0.011	<0.0053	<0.00073 U	<0.0053	<0.011	<0.0053	<0.0001	<0.0001	<0.0021	<0.011	<0.0053
	MW3-ROX-071015	7/10/2015		30.01	NE	<0.00011	<0.00011	<0.011	0.00002 J	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW3-ROX-100915	10/9/2015		27.98	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW3-ROX-010716	1/7/2016		27.92	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW3-ROX-040616	4/6/2016		27.07	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW3-ROX-070816	7/8/2016	34.67 - 44.67	26.51	NE	<0.0002	<0.0002	<0.01 UJ	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002 UJ	<0.01	<0.01	<0.01
MW-04	MW4-ROX-101613	10/16/2013	46.06 - 56.06	38.80	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0054	<0.0022	<0.0054	<0.011 UJ	<0.0055 UJ	<0.00011	<0.00011	<0.0022	<0.011 UJ	<0.0054
	MW4-ROX-013014	1/30/2014		41.09	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0054	<0.0022	<0.0054	<0.011 UJ	<0.0054 UJ	<0.00011	<0.00011	<0.0022	<0.011 UJ	<0.0054
	MW4-ROX-041614	4/16/2014		41.91	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW4-ROX-071614	7/16/2014		40.18	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	0.00038 J	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW4-ROX-101614	10/16/2014		39.49	NE	<0.00012	<0.00012	<0.012	<0.00012	<0.000059	<0.00012	<0.000059	<0.00012	<0.00012	<0.012	<0.012	<0.0059	<0.0024	<0.0059	<0.012	<0.0059	<0.00012	<0.00012	<0.0024	<0.012	<0.0059
	MW4-ROX-012115	1/21/2015		41.27	NE	0.000019 J	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW4-ROX-042115	4/21/2015	45.06 - 55.06	42.58	NE	0.000027 J	<0.00011	<0.011	<0.00011	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW4-ROX-071415	7/14/2015		41.30	NE	0.000023 J	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW4-ROX-101915	10/19/2015		39.44	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW4-ROX-011316	1/13/2016		39.10	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW4-ROX-041916	4/19/2016		38.50	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW4-ROX-071416	7/14/2016	45.06 - 55.06	37.85	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01 UJ	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																	
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenzo(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate
				Screening Values (mg/L)		0.42 [1]	0.21 [3]	0.015 [3]	2.1 [1]	0.00013 [1]	0.0002 [1]	0.00018 [1]	0.21 [3]	0.00017 [1]	28 [1]	0.7 [3]	0.01 [2]	0.006 [2]	1.4 [2]		0.035 [2]	0.012 [1]	0.0003 [1]	0.007 [3]	0.021 [2]	5.6 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-05	MW5-ROX-100813	10/8/2013	33.97 - 43.97	26.97	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	MW5-ROX-011714	1/17/2014		29.59	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW5-ROX-041014	4/10/2014		30.09	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW5-ROX-071414	7/14/2014		28.59	NE	0.000075 J	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW-5-ROX-100914	10/9/2014		27.75	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW5-ROX-011515	1/15/2015		29.34	NE	0.00012	<0.00011	<0.011	0.00007 J J	0.000035 J J	<0.00011	<0.000053	0.00002 J J	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	0.000025 J J	0.000017 J J	<0.0021	<0.011	<0.0053
	MW5-ROX-041315	4/13/2015		30.97	NE	0.000073 J	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW5-ROX-071315	7/13/2015		29.45	NE	0.000062 J	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW5-ROX-101215	10/12/2015		27.53	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	0.00008 J	0.000088 J	0.000087 J	0.000088 J	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.000071 J	0.000078 J	<0.01	<0.01	<0.01
	MW5-ROX-011416	1/14/2016		27.19	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW5-ROX-040616	4/6/2016		26.80	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW5-ROX-070816	7/8/2016	33.97 - 43.97	26.28	NE	<0.0002	<0.0002	<0.01 UJ	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002 UJ	<0.01	<0.01	<0.01
MW-06A	MW6A-ROX-100713	10/7/2013	34.83 - 44.83	28.87	NE	0.0001 J	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.00082 U
	MW6A-ROX-100713-DUP	10/7/2013		28.87	NE	0.000093 J	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	0.00078 J
	MW6A-ROX-011614	1/16/2014		31.62	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW6A-ROX-011614-DUP	1/16/2014		31.62	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW6A-ROX-040814	4/8/2014		32.16	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0056	<0.00057 U	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW6A-ROX-040814-DUP	4/8/2014		32.16	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0054	<0.00066 U	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW6A-ROX-071014	7/10/2014		30.75	NE	<0.00011	0.000075 J	<0.011 UJ	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW6A-ROX-100814	10/8/2014		29.84	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW6A-ROX-011415	1/14/2015		31.54	NE	0.000089 J	0.00004 J	<0.011	0.00006 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW6A-ROX-040715	4/7/2015		33.08	NE	0.000061 J	0.000085 J	<0.01	0.000027 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	MW6A-ROX-071515	7/15/2015		31.52	NE	0.00011	<0.00011	<0.011	0.000047 J	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057
	MW6A-ROX-100715	10/7/2015		29.77	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW6A-ROX-011116	1/11/2016		29.36	NE	0.00017 J	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW6A-ROX-040716	4/7/2016		29.07	NE	0.00012 J	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW6A-ROX-071116	7/11/2016	34.83 - 44.83	28.45	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
MW-06B	MW6B-ROX-100713	10/7/2013	64.05 - 69.05	28.93	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.00057 U	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.00084 U
	MW6B-ROX-011614	1/16/2014		31.67	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	0.000051 J	<0.00011	<0.011 UJ	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	0.000042 J	<0.0022	<0.011	<0.0054
	MW6B-ROX-040814	4/8/2014		32.21	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW6B-ROX-071014	7/10/2014		30.81	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW6B-ROX-100814	10/8/2014		29.87	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW6B-ROX-011415	1/14/2015		31.59	NE	<0.00011	0.000016 J	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW6B-ROX-040715	4/7/2015		33.10	NE	<0.0001	0.000016 J	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	MW6B-ROX-040715-DUP	4/7/2015		33.10	NE	<0.0001	0.000016 J	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW6B-ROX-071415	7/14/2015		31.56	NE	0.00012	0.000017 J	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW6B-ROX-100715	10/7/2015		29.80	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW6B-ROX-011116	1/11/2016		29.41	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW6B-ROX-040716	4/7/2016		29.11	NE	0.00005 J	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW6B-ROX-071116	7/11/2016	64.05 - 69.05	28.49	NE	<0.0002	<0.0002	<0.01	<0.0002	0.000054 J	0.000082 J	0.00014 J	0.000079 J	0.00013 J	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.00004 J	0.000069 J	<0.01	<0.01	<0.01
MW-06C	MW6C-ROX-100713	10/7/2013	84.95 - 89.95	28.72	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.00056 U	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0013 U
	MW6C-ROX-011614	1/16/2014		31.48	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	0.000041 J	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW6C-ROX-040814	4/8/2014		32.01	NE	<0.00012	<0.00012	<0.012	<0.00012	<0.000059	<0.00012	<0.000059	<0.00012	<0.00012	<0.012	<0.012	<0.0059	<0.0024	<0.0059	<0.012	<0.0059	<0.00012	<0.00012	<0.0024	<0.012	<0.0059
	MW6C-ROX-071014	7/10/2014		30.60	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	0.000034 J	<0.00011	<0.000056	0.000035 J	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	0.000037 J	<0.00011	<0.0022	<0.011	<0.0056
	MW6C-ROX-100814	10/8/2014		29.67	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW6C-ROX-011415	1/14/2015		31.41	NE	0.000017 J	<0.00011	<0.011	0.000024 J	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW6C-ROX-040915	4/9/2015		32.80	NE	<0.00011	<0.00011	<0.011	0.000016 J	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW6C-ROX-071415	7/14/2015		31.38	NE	0.000027 J	0.00002 J	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW6C-ROX-100715	10/7/2015		29.60	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW6C-ROX-010816	1/8/2016		29.31	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW6C-ROX-040716	4/7/2016		28.91	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW6C-ROX-071116	7/11/2016	84.95 - 89.95	28.30	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																	
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenzo(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate
				Screening Values (mg/L)		0.42 [1]	0.21 [3]	0.015 [3]	2.1 [1]	0.00013 [1]	0.0002 [1]	0.00018 [1]	0.21 [3]	0.00017 [1]	28 [1]	0.7 [3]	0.01 [2]	0.006 [2]	1.4 [2]		0.035 [2]	0.012 [1]	0.0003 [1]	0.007 [3]	0.021 [2]	5.6 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-06D	MW6D-ROX-100713	10/7/2013	104.72 - 109.72	28.58	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.001 U
	MW6D-ROX-011614	1/16/2014		31.33	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW6D-ROX-040814	4/8/2014		31.85	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	MW6D-ROX-071014	7/10/2014		31.47	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW6D-ROX-071014-DUP	7/10/2014		31.47	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW6D-ROX-100814	10/8/2014		29.53	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	0.016	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW6D-ROX-100814-DUP	10/8/2014		29.53	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW6D-ROX-011415	1/14/2015		31.26	NE	<0.00011	<0.00011	<0.011	0.000026 J	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW6D-ROX-011415-DUP	1/14/2015		31.26	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW6D-ROX-040715	4/7/2015		32.74	NE	0.000016 J	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW6D-ROX-071415	7/14/2015		31.19	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW6D-ROX-100715	10/7/2015		29.45	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	0.000059 J	0.000054 J	0.000049 J	0.000047 J	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW6D-ROX-010816	1/8/2016		29.59	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW6D-ROX-010816-DUP	1/8/2016		29.59	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW6D-ROX-040716	4/7/2016		28.76	NE	0.000058 J	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW6D-ROX-040716-DUP	4/7/2016		28.76	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW6D-ROX-071116	7/11/2016	104.72 - 109.72	28.16	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	0.013	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW6D-ROX-071116-DUP	7/11/2016		28.16	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
MW-07	MW7-ROX-101613	10/16/2013	42.92 - 52.92	40.64	NE	0.00035	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	MW7-ROX-013014	1/30/2014		42.94	NE	0.00028	<0.0001	<0.01	0.00029	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005
	MW7-ROX-041614	4/16/2014		43.79	NE	0.00034	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW7-ROX-071614	7/16/2014		42.05	NE	0.00024	<0.0001	<0.01	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW7-ROX-071614-DUP	7/16/2014		42.05	NE	0.00022	<0.0001	<0.01	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW7-ROX-101614	10/16/2014		41.31	NE	0.00024	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW7-ROX-101614-DUP	10/16/2014		41.31	NE	0.00022	<0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057
	MW7-ROX-012215	1/22/2015		43.45	NE	0.00026	0.000051 J	<0.011	0.000056 J J	<0.00005 U	0.000028 J	0.00013 J	0.000034 J	0.000026 J	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.000046 U	0.000025 J	<0.0021	<0.011	<0.0053
	MW7-ROX-012215-DUP	1/22/2015		43.45	NE	0.00025	0.000044 J	<0.01	0.00046 J	<0.000052	<0.0001	<0.000052 UJ	<0.0001	<0.0001	<0.01	<0.01	<0.0052	0.00039 J	<0.0052	<0.01	<0.0052	<0.000021 U	<0.0001	<0.0021	<0.01	<0.0052
	MW7-ROX-042115	4/21/2015		44.63	NE	0.00038	0.000059 J	<0.01	0.000055 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	0.000022 J	<0.0001	0.00028 J	<0.01	<0.0051
	MW7-ROX-042115-DUP	4/21/2015		44.63	NE	0.00036	0.000053 J	<0.01	0.00005 J	<0.000051	0.000024 J	<0.000051	0.000018 J	<0.0001	<0.01	<0.01	<0.0051	0.00033 J	<0.0051	<0.01	<0.0051	0.000028 J	0.000016 J	<0.002	<0.01	<0.0051
	MW7-ROX-071515	7/15/2015		43.54	NE	0.00027	0.000038 J	<0.01	0.000038 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	0.00037 J	<0.0051	<0.01	<0.0051	0.000033 J	<0.0001	<0.002	<0.01	<0.0051
	MW7-ROX-071515-DUP	7/15/2015		43.54	NE	0.00025	0.000043 J	<0.01	0.000039 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	0.000034 J	<0.0001	<0.0021	<0.01	<0.0052
	MW7-ROX-101915	10/19/2015		41.43	NE	0.00012 J	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW7-ROX-101915-DUP	10/19/2015		41.43	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.011 J *	<0.01	<0.01	0.0024 J	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW7-ROX-011416	1/14/2016		41.02	NE	0.00019 J	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.018 J	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW7-ROX-011416-DUP	1/14/2016		41.02	NE	0.00023	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.022 J	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW7-ROX-041916	4/19/2016		40.68	NE	0.00024	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.031	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW7-ROX-041916-DUP	4/19/2016		40.68	NE	0.00021	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.021 J	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW7-ROX-071416	7/14/2016	42.92 - 52.92	39.99	NE	0.00031	0.000058 J	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01 UJ	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW7-ROX-071416-DUP	7/14/2016		39.99	NE	0.00023	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01 UJ	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
MW-08	MW8-ROX-101613	10/16/2013	33.60 - 43.60	31.59	NE	0.00021	0.000089 J	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	0.0005 J	<0.011	<0.0054
	MW8-ROX-101613-DUP	10/16/2013		31.59	NE	0.0002	0.000058 J	<0.012	<0.00012	<0.000059	<0.00012	<0.000059	<0.00012	<0.00012	<0.012	<0.012	<0.0059	<0.0024	<0.0059	<0.012	<0.0059	<0.00012	<0.00012	0.0004 J	<0.012	<0.0059
	MW8-ROX-013014	1/30/2014		34.02	NE	0.0002	0.000089 J	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	0.00053 J	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	0.0005 J	<0.01	<0.0051
	MW8-ROX-013014-DUP	1/30/2014		34.02	NE	0.00021	0.000083 J	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00072 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	0.00053 J	<0.011	<0.0054
	MW8-ROX-041614	4/16/2014		34.73	NE	0.00018	0.000074 J	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	0.0005 J	<0.011	<0.0056
	MW8-ROX-041614-DUP	4/16/2014		34.73	NE	0.00016	0.000063 J	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	0.00045 J	<0.01	<0.0051
	MW8-ROX-071614	7/16/2014		33.01	NE	0.00018	0.000068 J	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	0.00038 J	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	0.00041 J	<0.01	0.00057 J
	MW8-ROX-101614	10/16/2014		32.23	NE	0.00021	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW8-ROX-012215	1/22/2015		34.22	NE	0.00027	0.000073 J	<0.01	0.000035 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW8-ROX-042115	4/21/2015		35.41	NE	0.00018	0.000052 J	<0.011	0.000034 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	0.00045 J	<0.011	<0.0053
	MW8-ROX-071515	7/15/2015		34.07	NE	0.00018	<0.00011	<0.011	0.000037 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	0.0171	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW8-ROX-101915	10/19/2015		32.30	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW8-ROX-011416	1/14/2016		31.79	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW8-ROX-041916	4/19/2016		31.45	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW8-ROX-071416	7/14/2016	33.60 - 43.60	30.80	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01 UJ	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenzo(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate
				Screening Values (mg/L)		0.42 [1]	0.21 [3]	0.015 [3]	2.1 [1]	0.00013 [1]	0.0002 [1]	0.00018 [1]	0.21 [3]	0.00017 [1]	28 [1]	0.7 [3]	0.01 [2]	0.006 [2]	1.4 [2]		0.035 [2]	0.012 [1]	0.0003 [1]	0.007 [3]	0.021 [2]	5.6 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-09	MW9-ROX-100313	10/3/2013	46.45 - 56.45	42.27	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005
	MW9-ROX-011414	1/14/2014		44.47	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011 UJ	<0.0053 UJ	<0.00011	<0.00011	<0.0021	<0.011 UJ	<0.0053
	MW9-ROX-040714	4/7/2014		44.99	NE	<0.00011	<0.00011	<0.011	<0.00011	0.000024 J	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0056	<0.00054 U	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW9-ROX-070914	7/9/2014		44.35	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00036 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW9-ROX-100714	10/7/2014		43.52	NE	<0.00012	<0.00012	<0.012	<0.00012	<0.000059	<0.00012	<0.000059	<0.00012	<0.00012	<0.012	<0.012	<0.0059	<0.0024	<0.0059	<0.012	<0.0059	<0.00012	<0.00012	<0.0024	<0.012	<0.0059
	MW9-ROX-011315	1/13/2015		44.21	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01 UJ	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW9-ROX-040915	4/9/2015		45.38	NE	0.00002 J	<0.0001	<0.01	0.00002 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.00026 U	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW9-ROX-070915	7/9/2015		44.81	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	MW9-ROX-100815	10/8/2015		42.64	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW9-ROX-011316	1/13/2016		42.63	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002 UJ	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW9-ROX-041216	4/12/2016		41.98	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW9-ROX-071316	7/13/2016	46.45 - 56.45	40.93	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
MW-10	MW10-ROX-100313	10/3/2013	44.43 - 54.43	42.38	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW10-ROX-011514	1/15/2014		44.42	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	0.000096 J	<0.00011	<0.011 UJ	<0.011	<0.0053	0.00054 J	<0.0053	<0.011 UJ	<0.0054 UJ	<0.00011	0.000074 J	<0.0021	<0.011 UJ	<0.0053
	MW10-ROX-040714	4/7/2014		45.00	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0053	<0.00068 U	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW10-ROX-070914	7/9/2014		44.35	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00052 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW10-ROX-100714	10/7/2014		43.58	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057
	MW10-ROX-011315	1/13/2015		44.27	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0056	0.00042 J	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW10-ROX-040815	4/8/2015		45.30	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	MW10-ROX-070915	7/9/2015		44.93	NE	0.000023 J	<0.00011	<0.011	0.000039 J	0.000035 J	0.000022 J	0.000028 J	0.000027 J	0.000041 J J	<0.011	<0.011	<0.0054	0.00045 J	0.00028 J	<0.011	<0.0054	0.000045 J	0.00002 J	<0.0022	<0.011	<0.0054
	MW10-ROX-100915	10/9/2015		42.79	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW10-ROX-011316	1/13/2016		42.53	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002 UJ	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW10-ROX-041116	4/11/2016		41.88	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW10-ROX-071316	7/13/2016	44.43 - 54.43	41.00	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
MW-11	MW11-ROX-100713	10/7/2013	41.66 - 51.66	39.95	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0011 U	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0011 U
	MW11-ROX-011514	1/15/2014		42.16	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	MW11-ROX-040714	4/7/2014		42.70	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0056	<0.0056 U	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW11-ROX-070914	7/9/2014		41.75	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057
	MW11-ROX-100714	10/7/2014		40.89	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW11-ROX-011315	1/13/2015		41.93	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW11-ROX-040815	4/8/2015		43.19	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW11-ROX-070915	7/9/2015		42.45	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW11-ROX-100815	10/8/2015		40.15	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	0.0068 J	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW11-ROX-011216	1/12/2016		40.33	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002 UJ	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW11-ROX-041116	4/11/2016		39.49	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW11-ROX-071316	7/13/2016	41.66 - 51.66	38.59	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	0.011	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
MW-12	MW12-ROX-100713	10/7/2013	41.92 - 51.92	40.22	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0055	<0.0022	<0.0055	<0.011 UJ	<0.0053 UJ	<0.00011	<0.00011	<0.0022	<0.011 UJ	<0.00062 U
	MW12-ROX-011514	1/15/2014		42.54	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	<0.0021	<0.0052	<0.01 UJ	<0.0052 UJ	<0.0001	<0.0001	<0.0021	<0.01 UJ	<0.0052
	MW12-ROX-040814	4/8/2014		43.15	NE	<0.00011	<0.00011	<0.01	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.01	<0.01 UJ	<0.0051	<0.00039 U	<0.0051	<0.01	<0.0051	<0.00011	<0.00011	<0.002	<0.01	<0.0051
	MW12-ROX-070914	7/9/2014		41.97	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW12-ROX-100614	10/6/2014		40.98	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW12-ROX-011215	1/12/2015		42.33	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW12-ROX-040615	4/6/2015		43.75	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW12-ROX-070815	7/8/2015		42.86	NE	0.000018 J	<0.00011	<0.011	<0.00011	0.000046 J	0.000067 J	0.000083	0.000081 J	0.00011 J	<0.011 UJ	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	0.00008 J	<0.00011	<0.0022	<0.011	<0.0056
	MW12-ROX-100815	10/8/2015		40.54	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW12-ROX-100815-DUP	10/8/2015		40.54	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW12-ROX-011116	1/11/2016		40.98	NE	<0.0002	<0.0002	<0.01	<0.0002	0.000085 J	0.00016 J	0.00035	0.00019 J	0.00014 J	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.00028	<0.0002	<0.01	<0.01	<0.01
	MW12-ROX-040716	4/7/2016		39.82	NE	0.000069 J	<0.0002	<0.01	<0.0002	<0.0002	0.000054 J	0.000064 J	0.000045 J	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW12-ROX-071216	7/12/2016	41.92 - 51.92	38.89	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																		
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenzo(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate
				Screening Values (mg/L)		0.42 [1]	0.21 [3]	0.015 [3]	2.1 [1]	0.00013 [1]	0.0002 [1]	0.00018 [1]	0.21 [3]	0.00017 [1]	28 [1]	0.7 [3]	0.01 [2]	0.006 [2]	1.4 [2]		0.035 [2]	0.012 [1]	0.0003 [1]	0.007 [3]	0.021 [2]	5.6 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-13	MW13-ROX-100913	10/9/2013	25.57 - 35.57	26.94	NE	0.000096 J	0.000071 J	<0.01	<0.0001	0.000022 J	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	0.00068 J	<0.0052	<0.01	<0.0052	0.000034 J	<0.0001	<0.0021	<0.01	<0.0052
	MW13-ROX-012914	1/29/2014		29.63	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	MW13-ROX-041114	4/11/2014		30.15	NE	0.00013	0.000066 J	<0.012	<0.00012	<0.00006	<0.00012	<0.00006	<0.00012	<0.00012	<0.012	<0.012	<0.006	<0.00069 U	<0.006	<0.012	<0.006	<0.00012	<0.00012	<0.0024	<0.012	<0.006
	MW13-ROX-070714	7/7/2014		28.49	NE	<0.00011	0.000061 J	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	MW13-ROX-101014	10/10/2014		27.48	NE	<0.00012	0.00019	<0.012	<0.00012	<0.00006	<0.00012	<0.00006	<0.00012	<0.00012	<0.012	<0.012	<0.006	<0.0024	<0.006	<0.012	<0.006	<0.00012	<0.00012	<0.0024	<0.012	<0.006
	MW13-ROX-011615	1/16/2015		29.09	NE	0.00014	0.00009 J	<0.011	0.000053 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	0.00003 J	<0.00011	<0.0021	<0.011	<0.0053
	MW13-ROX-041415	4/14/2015		30.71	NE	<0.00011	0.000075 J	<0.011	0.000051 J	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW13-ROX-070815	7/8/2015		29.16	NE	0.000089 J	0.000057 J	<0.011	0.000028 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW13-ROX-100515	10/5/2015		27.34	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW13-ROX-010716	1/7/2016		27.16	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW13-ROX-040816	4/8/2016		26.81	NE	0.00015 J	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01 UJ	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW13-ROX-071116	7/11/2016	25.57 - 35.57	26.01	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
MW-14	MW14-ROX-101013	10/10/2013	33.42 - 43.42	30.80	NE	0.00065	0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	0.00019 J	<0.011	<0.0057
	MW14-ROX-012914	1/29/2014		33.67	NE	0.00062	0.00012	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00056 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW14-ROX-041114	4/11/2014		34.30	NE	0.00037	0.000089 J	<0.012	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.012	<0.012	<0.006	<0.00069 U	<0.006	<0.012	<0.006	<0.00011	<0.00011	<0.0024	<0.012	<0.006
	MW14-ROX-070714	7/7/2014		32.82	NE	0.00033	0.000063 J	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00048 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW14-ROX-101414	10/14/2014		31.65	NE	0.00054	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW14-ROX-011615	1/16/2015		33.58	NE	0.00027	0.00006 J	<0.011	0.000015 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW14-ROX-041415	4/14/2015		35.16	NE	0.00026	0.000057 J	<0.01	0.00003 J	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.00011	<0.00011	<0.0021	<0.01	<0.0052
	MW14-ROX-070915	7/9/2015		34.06	NE	0.0002	0.000051 J	<0.01	0.000027 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	0.00051 J	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW14-ROX-101315	10/13/2015		31.88	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW-14-ROX-010816	1/8/2016		31.64	NE	0.00015 J	<0.0002	<0.01	<0.0002	<0.0002	0.000054 J	0.000046 J	0.000075 J	0.000048 J	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW14-ROX-041416	4/14/2016		31.32	NE	0.000074 J	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW14-ROX-071116	7/11/2016	33.42 - 43.42	30.59	NE	0.000059 J	0.00002 J	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
MW-16	MW16-ROX-100813	10/8/2013	37.06 - 47.06	41.62	NE	<0.0001 UJ	<0.0001 UJ	<0.01 UJ	<0.0001 UJ	<0.000052 UJ	<0.0001 UJ	<0.000052 UJ	<0.0001 UJ	<0.0001 UJ	<0.01 UJ	<0.01 UJ	<0.0052 UJ	<0.0021 UJ	<0.0052 UJ	<0.01 UJ	<0.0052 UJ	<0.0001 UJ	<0.0001 UJ	<0.0021 UJ	<0.01 UJ	<0.0052 UJ
	MW16-ROX-011514	1/15/2014		43.76	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	0.00061 J	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW16-ROX-040914	4/9/2014		44.63	NE	<0.00012	<0.00012	<0.012	<0.00012	<0.000059	<0.00012	<0.000059	<0.00012	<0.00012	<0.012	<0.012	<0.0059	<0.0024	<0.0059	<0.012	<0.0059	<0.00012	<0.00012	<0.0024	<0.012	<0.0059
	MW16-ROX-071014	7/10/2014		43.15	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW16-ROX-100714	10/7/2014		42.27	NE	<0.00012	<0.00012	<0.012	<0.00012	<0.00006	<0.00012	<0.00006	<0.00012	<0.00012	<0.012	<0.012	<0.006	<0.0024	<0.006	<0.012	<0.006	<0.00012	<0.00012	<0.0024	<0.012	<0.006
	MW16-ROX-011315	1/13/2015		43.59	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW16-ROX-040915	4/9/2015		44.87	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW16-ROX-070915	7/9/2015		44.26	NE	0.000026 J	0.00002 J	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	MW16-ROX-070915-DUP	7/9/2015		44.26	NE	<0.00011	<0.00011	<0.011	0.000025 J	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW16-ROX-100715	10/7/2015		41.83	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW16-ROX-011216	1/12/2016		41.99	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002 UJ	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW16-ROX-040816	4/8/2016		41.17	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01 UJ	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW16-ROX-071216	7/12/2016	37.06 - 47.06	39.93	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
MW-22	MW22-ROX-100913	10/9/2013	37.88 - 47.88	40.39	NE	0.00019	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW22-ROX-100913-DUP	10/9/2013		40.39	NE	0.00018	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW22-ROX-012014	1/20/2014		42.49	NE	0.00015	<0.00011	<0.053	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.053	<0.053	<0.027	<0.011	<0.027	<0.053	<0.027	<0.00011	<0.00011	<0.011	<0.053	<0.027
	MW22-ROX-012014-DUP	1/20/2014		42.49	NE	0.00014	<0.00011	<0.054	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.054	<0.054	<0.027	<0.011	<0.027	<0.054	<0.027	<0.00011	<0.00011	<0.011	<0.054	<0.027
	MW22-ROX-041014	4/10/2014		43.15	NE	0.0001 J	<0.00011	<0.056	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.056 UJ	<0.056	<0.028	<0.011	<0.028	<0.056	<0.028	<0.00011	<0.00011	<0.011	<0.056	<0.028
	MW22-ROX-041014-DUP	4/10/2014		43.15	NE	0.00012	<0.00011	<0.056	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.056 UJ	<0.056	<0.028	<0.011	<0.028	<0.056	<0.028	<0.00011	<0.00011	<0.011	<0.056	<0.028
	MW22-ROX-071414	7/14/2014		41.85	NE	0.00013	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00045 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW22-ROX-101014	10/10/2014		41.43	NE	0.00029	0.00019	<0.013	0.00019	<0.000063	<0.00013	<0.000063	<0.00013	<0.00013	<0.013	<0.013	<0.0063	<0.0025	<0.0063	<0.013	<0.0063	<0.00013	<0.00013	<0.0025	<0.013	<0.0063
	MW22-ROX-011615	1/16/2015		42.19	NE	0.00015	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW22-ROX-041415	4/14/2015		43.71	NE	0.00014	<0.0001	<0.01	0.000027 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW22-ROX-071515	7/15/2015		42.64	NE	0.00013	0.000028 J	<0.057	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.057	<0.057	<0.029	<0.011	<0.029	<0.057	<0.029	<0.00011	<0.00011	<0.011	<0.057	<0.029
	MW22-ROX-101415	10/14/2015		40.54	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW22-ROX-011516	1/15/2016		40.42	NE	<0.002	<0.002	<0.01	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.02 J	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<0.002	<0.01	<0.01	<0.01
	MW22-ROX-011516-DUP	1/15/2016		40.42	NE	<0.002	<0.002	<0.01	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.018 J	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<0.002	<0.01	<0.01	<0.01
	MW22-ROX-041316	4/13/2016		39.56	NE	<0.0002	<0.0002	<0.01 UJ	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03 UJ	<0.01 UJ	<0.01 UJ	0.0023 J H J	<0.01 UJ	<0.01 UJ	<0.01 UJ	<0.0002	<0.0002	<0.01 UJ	<0.01 UJ	0.0041 J H J
	MW22-ROX-041316-DUP	4/13/2016		39.56	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	0.0031 J
	MW22-ROX-071516	7/15/2016	37.88 - 47.88	38.97	NE	<0.0002	<0.0002	<0.01 UJ	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	0.0055 J J
	MW22-ROX-071516-DUP	7/15/2016		38.97	NE	<0.0002	<0.0002	<0.01 UJ	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																	
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenzo(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate
				Screening Values (mg/L)		0.42 [1]	0.21 [3]	0.015 [3]	2.1 [1]	0.00013 [1]	0.0002 [1]	0.00018 [1]	0.21 [3]	0.00017 [1]	28 [1]	0.7 [3]	0.01 [2]	0.006 [2]	1.4 [2]		0.035 [2]	0.012 [1]	0.0003 [1]	0.007 [3]	0.021 [2]	5.6 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-23	MW23-ROX-012615	1/26/2015	29.02 - 39.02	30.90	NE	<0.001	<0.001	<0.005	<0.001	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.05	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.0002	<0.0002	<0.005	<0.005	<0.005
	MW23-ROX-040815	4/8/2015		32.24	NE	0.000076 J	<0.0001	<0.01	0.000058 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	0.000028 J	<0.0001	<0.002	<0.01	<0.0051
	MW23-ROX-071015-BP	7/10/2015		30.54	NE	0.000036 J	<0.00011	<0.011	0.000033 J	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	0.000018 J	<0.00011	<0.0022	<0.011	<0.0056
	MW23-ROX-100515	10/5/2015		28.89	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW-23-ROX-010716	1/7/2016		28.78	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW-23-ROX-040616	4/6/2016		27.96	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW-23-ROX-070816	7/8/2016	29.02 - 39.02	27.54	NE	<0.0002	<0.0002	<0.01 UJ	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0091 J	<0.01	<0.01	0.0024 J F1	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
MW-24	MW24-ROX-100913	10/9/2013	38.89 - 48.89	41.27	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW24-ROX-011514	1/15/2014		43.47	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW24-ROX-040914	4/9/2014		44.13	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW24-ROX-071114	7/10/2014		42.97	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW24-ROX-100814	10/8/2014		42.16	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW24-ROX-011315	1/13/2015		43.17	NE	0.000074 J	0.000077 J	<0.011	0.000022 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW24-ROX-040915	4/9/2015		44.45	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0003 U	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW24-ROX-070915	7/9/2015		44.65	NE	<0.0001	<0.0001	<0.01	0.000044 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW24-ROX-100715	10/7/2015		41.45	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW24-ROX-011316	1/13/2016		41.44	NE	<0.0002	<0.0002	<0.01	<0.0002	0.000078 J	0.000059 J	0.00006 J	0.000067 J J	0.000096 J	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.000092 J	0.000081 J	<0.01	<0.01	<0.01
	MW24-ROX-040816	4/8/2016		40.79	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01 UJ	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW24-ROX-071216	7/12/2016	38.89 - 48.89	39.67	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
MW-25	MW25-ROX-102114	10/21/2014	35.59 - 45.59	36.44	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW25-ROX-012215	1/22/2015		38.45	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	0.00059 J	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW25-ROX-042115	4/21/2015		39.71	NE	0.000032 J	<0.0001	<0.01	0.000016 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	MW25-ROX-071515	7/15/2015		38.40	NE	0.000036 J	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW25-ROX-101915	10/19/2015		36.55	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW25-ROX-011416	1/14/2016		36.12	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW25-ROX-041916	4/19/2016		35.67	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW25-ROX-071816	7/18/2016	35.59 - 45.59	35.19	NE	<0.0002 UJ	<0.0002 UJ	<0.01 UJ	<0.0002 UJ	<0.0002 UJ	<0.0002 UJ	<0.0002 UJ	<0.0002 UJ	<0.0002 UJ	<0.03 UJ	<0.01 UJ	<0.01 UJ	<0.01 UJ	<0.01 UJ	<0.01 UJ	<0.01 UJ	<0.0002 UJ	<0.0002 UJ	<0.01 UJ	<0.01 UJ	<0.01 UJ
MW-26	MW26-ROX-102114	10/21/2014	38.15 - 48.15	39.43	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW26-ROX-011215	1/12/2015		41.09	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01 UJ	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW26-ROX-040815	4/8/2015		42.52	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW26-ROX-070815	7/8/2015		41.76	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW26-ROX-100615	10/6/2015		39.19	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW26-ROX-010716	1/7/2016		39.55	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW26-ROX-040616	4/6/2016		38.44	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW26-ROX-071216	7/12/2016	38.15 - 48.15	37.74	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
MW-27	MW27-ROX-102114	10/21/2014	39.79 - 49.79	41.57	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW27-ROX-011515	1/15/2015		42.06	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	0.0001 J J	0.00013 J	0.000029 J J	0.000078 J J	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	0.000051 J J	<0.0021	<0.011	<0.00029 U
	MW27-ROX-041015	4/10/2015		43.22	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.00041 U	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	MW27-ROX-071015	7/10/2015		43.00	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW27-ROX-100815	10/8/2015		40.32	NE	<0.0002	<0.0002	<0.01	0.000024 J	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW27-ROX-011316	1/13/2016		40.68	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002 UJ	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW27-ROX-041116	4/11/2016		39.73	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW-27-ROX-071316	7/13/2016	39.79 - 49.79	38.94	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
MW-28	MW28-ROX-102114	10/21/2014	33.61 - 43.61	36.44	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	MW28-ROX-011515	1/15/2015		41.14	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	0.0007 J	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	MW28-ROX-041415	4/14/2015		42.34	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000057	0.000027 J	0.00006	0.00004 J	0.00002 J	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057
	MW28-ROX-071515	7/15/2015		42.19	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	MW28-ROX-101215	10/12/2015		40.04	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW28-ROX-101215-DUP	10/12/2015		40.04	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW28-ROX-011416	1/14/2016		39.98	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW28-ROX-041216	4/12/2016		39.20	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	MW28-ROX-071416	7/14/2016	33.61 - 43.61	38.49	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01 UJ	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenzo(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate
				Screening Values (mg/L)		0.42 [1]	0.21 [3]	0.015 [3]	2.1 [1]	0.00013 [1]	0.0002 [1]	0.00018 [1]	0.21 [3]	0.00017 [1]	28 [1]	0.7 [3]	0.01 [2]	0.006 [2]	1.4 [2]		0.035 [2]	0.012 [1]	0.0003 [1]	0.007 [3]	0.021 [2]	5.6 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
P-54	P54-ROX-100813	10/8/2013	38.00 - 63.00	39.94	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057
	P54-ROX-011514	1/15/2014		42.20	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00058 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	P54-ROX-040914	4/9/2014		42.80	NE	<0.00012	<0.00012	<0.012	<0.00012	<0.00006	<0.00012	<0.00006	<0.00012	<0.00012	<0.012	<0.012	<0.006	<0.0024	<0.006	<0.012	<0.006	<0.00012	<0.00012	<0.0024	<0.012	<0.006
	P54-ROX-071114	7/10/2014		41.71	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	P54-ROX-100814	10/8/2014		40.88	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	P54-ROX-011415	1/14/2015		41.79	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	P54-ROX-041015	4/10/2015		43.20	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P54-ROX-070915	7/9/2015		42.25	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	P54-ROX-100915	10/9/2015		40.20	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	P54-ROX-011216	1/12/2016		40.22	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002 UJ	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	P54-ROX-041216	4/12/2016		39.42	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	P54-ROX-071216	7/12/2016	38.00 - 63.00	38.44	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	0.0024 J	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
P-55	P55-ROX-101013	10/10/2013	40.43 - 50.43			0.00071	0.00019	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0055	0.0006 J	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	0.0016 J	<0.011	<0.0055
P-56	P56-ROX-101013	10/10/2013	40.82 - 65.82	44.48	NE	0.0006	0.000092 J	<0.011	0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	0.00059 J	<0.011	<0.0055
	P56-ROX-012214	1/22/2014		46.35	NE	0.00055	<0.0001	<0.01	0.00013	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	0.00047 J	<0.01	<0.0052
	P56-ROX-041414	4/14/2014		47.32	NE	0.00051	0.000081 J	<0.012	<0.00012	<0.000059	<0.00012	<0.000059	<0.00012	<0.00012	<0.012	<0.012	<0.0059	<0.0024	<0.0059	<0.012	<0.0059	<0.00012	<0.00012	0.00067 J	<0.012	<0.0059
	P56-ROX-070814	7/8/2014		45.97	NE	0.00035	0.000081 J	<0.011 UJ	0.0001 J	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	0.00049 J	<0.011	<0.0056
	P56-ROX-101314	10/13/2014		45.05	NE	0.00057	0.00011	<0.011	0.00012	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.001 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	0.00055 J	<0.011	<0.0054
	P56-ROX-011915	1/19/2015		46.58	NE	0.00068	0.000079 J	<0.011	0.000097 J	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	P56-ROX-041515	4/15/2015		48.05	NE	0.00061	0.0001 J	<0.011	0.00013	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00038 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	0.00055 J	<0.011	<0.0054
	P56-ROX-071015	7/10/2015		47.34	NE	0.00065	0.000095 J	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P56-ROX-101415	10/14/2015		44.85	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.028 J	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	P56-ROX-011116	1/11/2016		44.78	NE	0.00057	0.000092 J	<0.01	0.00021	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	0.0089 J	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	P56-ROX-041416	4/14/2016		43.73	NE	0.00069	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	0.00054 J	<0.01	<0.01
	P56-ROX-071216	7/12/2016	40.82 - 65.82	42.87	NE	0.00026	<0.0002	<0.01	0.000067 J	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	0.0023 J	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
P-57	P57-ROX-101413	10/14/2013	40.46 - 65.46	44.38	NE	0.00045	0.000071 J	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.0012 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	0.00082 J	<0.011	<0.0054
	P57-ROX-020314	2/3/2014		46.57	NE	0.00041	0.000075 J	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	0.00067 J	<0.011	<0.0053
	P57-ROX-041514	4/15/2014		46.70	NE	0.00036	0.000074 J	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	0.0007 J	<0.011	<0.0056
	P57-ROX-070814	7/8/2014		45.95	NE	0.00029	0.000069 J	<0.011 UJ	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	0.0007 J	<0.011	<0.0053
	P57-ROX-070814-DUP	7/8/2014		45.95	NE	0.00029	0.000075 J	<0.011 UJ	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	0.00071 J	<0.011	<0.0054
	P57-ROX-101414-DUP	10/14/2014		45.00	NE	0.0003	<0.00012	<0.012	<0.00012	<0.000058	<0.00012	<0.000058	<0.00012	<0.00012	<0.012	<0.012	<0.0058	<0.0023	<0.0058	<0.012	<0.0058	<0.00012	<0.00012	<0.0023	<0.012	<0.0058
	P57-ROX-101414	10/14/2014		45.00	NE	0.00036	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	P57-ROX-012315	1/23/2015	44.19 - 54.19	47.52	NE	0.00059	0.00014	<0.011	0.000073 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	0.0013 J	<0.011	<0.0053
	P57-ROX-042015	4/20/2015		48.73	NE	0.00054	0.00012	<0.01	0.00009 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	0.0011 J	<0.01	<0.0052
	P57-ROX-071315	7/13/2015		47.81	NE	0.00049	0.0001 J	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P57-ROX-101515	10/15/2015		45.56	NE	0.00029	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0076 J *	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	0.00067 J	<0.01	<0.01
	P57-ROX-011216	1/12/2016		45.61	NE	0.00046 J	0.00022 J	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.03	<0.01	<0.01	<0.001	<0.01	<0.01	<0.01	<0.001	<0.001	0.001 J	<0.01	<0.01
	P57-ROX-041816	4/18/2016		44.80	NE	0.00028 H J	<0.0002 UJ	<0.01 UJ	<0.0002 UJ	0.000041 J H J	<0.0002 UJ	<0.0002 UJ	<0.0002 UJ	<0.0002 UJ	<0.03 UJ	<0.01 UJ	<0.01 UJ	<0.01 UJ	<0.01 UJ	<0.01 UJ	<0.01 UJ	<0.0002 UJ	<0.0002 UJ	<0.01 UJ	<0.01 UJ	<0.01 UJ
	P57-ROX-071316	7/13/2016	44.19 - 54.19	44.02	NE	0.00041 J	<0.001	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.03	<0.01	<0.01	0.038	<0.01	<0.01	<0.01	<0.001	<0.001	<0.01	<0.01	<0.01
P-58	P58-ROX-101413	10/14/2013	40.21 - 65.21	42.19	NE	0.00084	<0.00011	<0.011	<0.00011	<0.000054	0.000067 J	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.0099	<0.0054	<0.011	<0.0054	0.000099 J	<0.00011	0.0024	<0.011	<0.0054
	P58-ROX-020314	2/3/2014		44.66	NE	0.00061	0.00018	<0.01	<0.0001	0.000035 J	0.000047 J	<0.000052	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	0.000079 J	<0.0001	0.0016 J	<0.01	<0.0052
	P58-ROX-041514	4/15/2014		45.66	NE	0.0011	0.00072	0.0028 J	0.00071	0.00082	0.00063	0.00072	0.00071	0.00071	<0.011 UJ	0.0051 J	0.0015 J	<0.00099 U	0.00091 J	0.0044 J	0.0043 J	0.00073	0.00075	0.0023	<0.011 UJ	0.00077 J
	P58-ROX-071814	7/18/2014		43.80	NE	0.00067	0.00021	<0.011	<0.00011	0.000083	0.000086 J	0.000045 J	0.000035 J	<0.00011	<0.011 UJ	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	0.00015	<0.00011	0.0018 J	<0.011	<0.0055
	P58-ROX-101514	10/15/2014		43.14	NE	0.00058	0.00023	<0.011	<0.00011	0.00013	0.00011	0.000074	0.000065 J	<0.00011	<0.011	<0.011	<0.0054	<0.00042 U	<0.0054	<0.011	<0.0054	0.00018	<0.00011	0.0022	<0.011	<0.0054
	P58-ROX-012315	1/23/2015		45.32	NE	0.0006	0.00018	<0.011	0.000053 J	0.000026 J	0.00002 J	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	0.000032 J	<0.00011	0.0019 J	<0.011	<0.0053
	P58-ROX-042015	4/20/2015		46.67	NE	0.00064	0.00017	<0.01	0.000077 J	0.000052	0.000063 J	0.000059	0.000028 J	0.000016 J	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	0.000095 J	<0.0001	0.002 J	<0.01	<0.0052
	P58-ROX-071415	7/14/2015		45.54	NE	0.00059	0.00018	<0.011	<0.00011	0.000087	0.000074 J	<0.000055	0.000042 J	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	0.00015	<0.00011	0.002 J	<0.011	<0.0055
	P58-ROX-101615	10/16/2015		43.45	NE	0.00021	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	0.00059 J	<0.01	<0.01
	P58-ROX-011316	1/13/2016		43.18	NE	0.00069	0.00022	<0.01	0.000067 J	<0.0002	<0.0002	<0.0002	<0.0002 UJ	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	P58-ROX-041816	4/18/2016		42.68	NE	0.00081 H J	<0.0002 UJ	<0.01 UJ	<0.0002 UJ	<0.0002 UJ	<0.0002 UJ	<0.0002 UJ	<0.0002 UJ	<0.0002 UJ	0.013 J H * J	<0.01 UJ	<0.01 UJ	<0.01 UJ	<0.01 UJ	<0.01 UJ	<0.01 UJ	0.00015 J H J	<0.0002 UJ	0.0018 J H J	<0.01 UJ	<0.01 UJ
	P58-ROX-071516	7/15/2016	40.21 - 65.21	42.05	NE	0.0003	0.00013 J	<0.01 UJ	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																	
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenzo(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate
					Screening Values (mg/L)	0.42 [1]	0.21 [3]	0.015 [3]	2.1 [1]	0.00013 [1]	0.0002 [1]	0.00018 [1]	0.21 [3]	0.00017 [1]	28 [1]	0.7 [3]	0.01 [2]	0.006 [2]	1.4 [2]		0.035 [2]	0.012 [1]	0.0003 [1]	0.007 [3]	0.021 [2]	5.6 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
P-59	P59-ROX-101013	10/10/2013	47.91 - 72.91	45.50	NE	0.00055	0.000084 J	<0.011	0.00021	0.000068	<0.00011	0.000039 J	<0.00011	<0.00011	<0.011 UJ	0.0009 J	<0.0054	0.00069 J	<0.0054	<0.011	<0.0054	0.000088 J	<0.00011	<0.0022	<0.011	<0.0054
	P59-ROX-020314	2/3/2014		47.35	NE	0.00046	<0.0001	<0.01	0.00018	0.000035 J	<0.0001	<0.000052	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	0.000046 J	<0.0001	<0.0021	<0.01	<0.0052
	P59-ROX-041514	4/15/2014		48.60	NE	0.0013	<0.00011	<0.011	0.00018	0.00006	0.000042 J	0.000044 J	0.000035 J	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	0.0001 J	<0.00011	<0.0021	<0.011	<0.0053
	P59-ROX-070814	7/8/2014		47.69	NE	0.0015	0.000091 J	<0.011 UJ	0.00012	0.000029 J	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	0.000027 J	<0.00011	<0.0023	<0.011	<0.0057
	P59-ROX-101414	10/14/2014		46.18	NE	0.00045 J	<0.00054	<0.011	<0.00054	<0.00027	<0.00054	<0.00027	<0.00054	<0.00054	<0.011	<0.011	0.0035 J	<0.0022	<0.0054	<0.011	<0.0054	<0.00054	<0.00054	<0.0022	<0.011	<0.0054
	P59-ROX-011915	1/19/2015		47.42	NE	0.00075	0.00013	<0.011	0.00021	0.000038 J	0.000021 J	<0.000054	0.00002 J	<0.00011	<0.011	<0.011	<0.0054	0.00042 J	<0.0054	<0.011	<0.0054	0.000047 J	<0.00011	<0.0022	<0.011	<0.0054
	P59-ROX-041615	4/16/2015		48.83	NE	0.00031	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	P59-ROX-071315	7/13/2015		47.85	NE	0.00058	<0.00011	<0.011	0.00037	0.000068	0.000035 J	0.000056	0.000037 J	0.000033 J	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	0.00013	<0.00011	<0.0022	<0.011	<0.0054
	P59-ROX-101515	10/15/2015		45.75	NE	<0.002	<0.002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	P59-ROX-011216	1/12/2016		46.10	NE	0.00036 J	0.00019 J	<0.01	0.00021 J	<0.001	<0.001	<0.001	<0.001	<0.001	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.01	<0.01	<0.01
	P59-ROX-041816	4/18/2016		44.28	NE	<0.0002 UJ	0.00013 J J	<0.01 UJ	0.00048 J	<0.0002 UJ	<0.0002 UJ	<0.0002 UJ	<0.0002 UJ	<0.0002 UJ	0.012 J J	<0.01 UJ	<0.01 UJ	<0.01 UJ	<0.01 UJ	<0.01 UJ	<0.01 UJ	<0.0002 UJ	<0.0002 UJ	<0.01 UJ	<0.01 UJ	<0.01 UJ
	P59-ROX-071316	7/13/2016	47.91 - 72.91	44.01	NE	<0.001	<0.001	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.01	<0.01	<0.01
P-66	P66-ROX-101013	10/10/2013	34.72 - 59.72	33.66	NE	0.00066	0.0002	<0.011	<0.00011	0.000028 J	<0.00011	<0.000056	0.000036 J	<0.00011	<0.011 UJ	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	0.0016 J	<0.011	<0.0056
	P66-ROX-110713	11/7/2013		33.66	NE																					
	P66-ROX-012914	1/29/2014		36.39	NE	0.00099	0.00032	<0.011	<0.00011	0.000039 J	0.000044 J	0.000048 J	0.000052 J	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	0.000047 J	0.000035 J	0.0019 J	<0.011	<0.0053
	P66-ROX-041114	4/11/2014		37.10	NE	0.00058	0.00017	<0.012	<0.00012	<0.000058	<0.00012	<0.000058	<0.00012	<0.00012	<0.012	<0.012	<0.0058	<0.00068 U	<0.0058	<0.012	<0.0058	<0.00012	<0.00012	<0.0023	<0.012	<0.0058
	P66-ROX-070714	7/7/2014		35.60	NE	0.00033	0.00016	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	P66-ROX-101414	10/14/2014		34.48	NE	0.00045	0.00018	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	0.0012 J	<0.011	<0.0055
	P66-ROX-011615	1/16/2015		36.62	NE	0.00067	0.00026	<0.011	0.000065 J J	0.00003 J J	<0.00011 UJ	<0.000053 UJ	<0.00011	<0.00011 UJ	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	0.000029 J J	<0.00011	<0.0021	<0.011	<0.0053
	P66-ROX-011615-DUP	1/16/2015		36.62	NE	0.00068	0.00027	<0.011	0.00031 J	0.00043 J	0.0003 J	0.00032 J	0.00015	0.00023 J	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	0.00032 J	0.000062 J	<0.0022	<0.011	<0.0054
	P66-ROX-041415	4/14/2015		38.27	NE	0.0006	0.00022	<0.011	<0.00011	<0.000054	0.000019 J	0.000055	0.000022 J	0.000021 J	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	0.000024 J	<0.00011	0.0016 J	<0.011	<0.0054
	P66-ROX-041415-DUP	4/14/2015		38.27	NE	0.00066	0.00021	<0.011	0.000044 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	0.0016 J	<0.011	<0.0053
	P66-ROX-070815	7/8/2015		37.24	NE	0.00054	0.00017	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	0.001 J	<0.011	<0.0053
	P66-ROX-070815-DUP	7/8/2015		37.24	NE	0.00051	0.00021	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	0.000017 J	<0.00011	0.0011 J	<0.011	<0.0053
	P66-ROX-101315	10/13/2015		34.84	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	P-66-ROX-010816	1/8/2016		34.64	NE	0.00071	0.00022	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	0.0012 J	<0.01	<0.01
	P66-ROX-041516	4/15/2016		34.33	NE	0.00039	<0.0002	<0.01	<0.0002	<0.0002	0.00004 J	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	0.0014 J	<0.01	<0.01
	P66-ROX-071116	7/11/2016	34.72 - 59.72	33.58	NE	0.0006 J	0.00028 J	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.01	<0.01	0.0019 J
P-74	P74-ROX-101413	10/14/2013	44.43 - 69.43	41.72	NE	0.0002	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00097 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	0.00033 J	0.0012 J	<0.0054
	P74-ROX-012414	1/24/2014		43.35	NE	0.00023	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	0.00063 J	0.00097 J	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	P74-ROX-041514	4/15/2014		44.74	NE	<0.00012	<0.00012	<0.012	<0.00012	<0.000059	<0.00012	<0.000059	<0.00012	<0.00012	<0.012	<0.012	<0.0059	<0.0024	<0.0059	<0.012	<0.0059	<0.00012	<0.00012	<0.0024	<0.012	<0.0059
	P74-ROX-070814	7/8/2014		43.02	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057
	P74-ROX-101414	10/14/2014		41.48	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	0.00096 J	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005
	P74-ROX-011915	1/19/2015		43.47	NE	0.00018	0.000061 J	<0.011	0.000046 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P74-ROX-041515	4/15/2015		44.61	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	P74-ROX-071015	7/10/2015		43.28	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	P74-ROX-101415	10/14/2015		41.75	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	P74-ROX-011116	1/11/2016		40.67	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	P74-ROX-041516	4/15/2016		40.40	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	P74-ROX-071216	7/12/2016	44.43 - 69.43	39.56	NE	0.000042 J	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																	
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenzo(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate
				Screening Values (mg/L)		0.42 [1]	0.21 [3]	0.015 [3]	2.1 [1]	0.00013 [1]	0.0002 [1]	0.00018 [1]	0.21 [3]	0.00017 [1]	28 [1]	0.7 [3]	0.01 [2]	0.006 [2]	1.4 [2]		0.035 [2]	0.012 [1]	0.0003 [1]	0.007 [3]	0.021 [2]	5.6 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
P-93A	P93A-ROX-101113	10/11/2013	48.17 - 63.17	44.18	NE	0.00017	<0.0001	<0.01	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005
	P93A-ROX-012914	1/29/2014		46.53	NE	0.00022	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	P93A-ROX-041714	4/17/2014		47.41	NE	0.00013	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	P93A-ROX-071814	7/18/2014		45.70	NE	0.00017	<0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0057	0.0041	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.00037 U
	P93A-ROX-071814-DUP	7/18/2014		45.70	NE	0.00016	<0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057
	P93A-ROX-101514	10/15/2014		45.06	NE	0.0002	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0004 U	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	0.0003 J	<0.01	<0.0052
	P93A-ROX-101514-DUP	10/15/2014		45.06	NE	0.00022 J	<0.00011 UJ	<0.011 UJ	<0.00011 UJ	<0.000054 UJ	<0.00011 UJ	<0.000054 UJ	<0.00011 UJ	<0.00011 UJ	<0.011 UJ	<0.011 UJ	0.0044 J J	<0.0041 UJ	<0.0054 UJ	<0.011 UJ	<0.0054 UJ	<0.00011 UJ	<0.00011 UJ	0.00033 J J	<0.011 UJ	<0.0054 UJ
	P93A-ROX-012715	1/27/2015	43.07 - 53.07	46.05	NE	<0.001	<0.001	<0.005	<0.001	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.05	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.0002	<0.0002	<0.005	<0.005	<0.005
	P93A-ROX-041715	4/17/2015		47.02	NE	0.00011	<0.00011	<0.011	0.000031 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	0.00046 J	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	0.00029 J	<0.011	<0.0053
	P93A-ROX-071315	7/13/2015		45.93	NE	0.00011	0.000029 J	<0.01	0.00003 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	0.00048 J	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	P93A-ROX-101515	10/15/2015		43.69	NE	0.000079 J	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	P93A-ROX-101515-DUP	10/15/2015		43.69	NE	0.00008 J	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	P-93A-ROX-011216	1/12/2016		43.73	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	P-93A-ROX-011216-DUP	1/12/2016		43.73	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.01 J	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	P93A-ROX-041916	4/19/2016		43.08	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	P93A-ROX-041916-DUP	4/19/2016		43.08	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	P93A-ROX-071316	7/13/2016	43.07 - 53.07	42.20	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	P93A-ROX-071316-DUP	7/13/2016		42.20	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
P-93B	P93B-ROX-101613	10/16/2013	74.60 - 76.60	44.43	NE	<0.0001	0.000065 J	<0.01	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005
	P93B-ROX-101613-DUP	10/16/2013		44.43	NE	<0.0001	0.000091 J	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	P93B-ROX-012814	1/28/2014		46.58	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	0.00072 J	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	P93B-ROX-012814-DUP	1/28/2014		46.58	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	0.0012 J	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	P93B-ROX-041714	4/17/2014		47.46	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0051	0.0015 J	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	P93B-ROX-041714-DUP	4/17/2014		47.46	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	0.00045 J	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P93B-ROX-071714	7/17/2014		45.75	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	P93B-ROX-101514	10/15/2014		45.15	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	P93B-ROX-012315	1/23/2015		47.24	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	0.00063 J	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P93B-ROX-012315-DUP	1/23/2015		47.24	NE	0.000019 J	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P93B-ROX-021915	2/19/2015		47.24	NE																					
	P93B-ROX-041615	4/16/2015		48.42	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P93B-ROX-041615-DUP	4/16/2015		48.42	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P93B-ROX-070915	7/9/2015		47.74	NE	<0.0001	<0.0001	<0.01	0.000029 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	0.0153	<0.002	<0.0051	<0.01	<0.0051	0.000017 J	<0.0001	<0.002	<0.01	<0.0051
	P93B-ROX-070915-DUP	7/9/2015		47.74	NE	0.000062 J	0.00004 J	<0.01	0.000041 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	0.0142	<0.002	<0.0051	<0.01	<0.0051	0.000016 J	<0.0001	<0.002	<0.01	<0.0051
	P93B-ROX-101515	10/15/2015		45.18	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	P93B-ROX-011316	1/13/2016		44.96	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002 UJ	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	P93B-ROX-041916	4/19/2016		44.54	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	P93B-ROX-071516	7/15/2016	74.60 - 76.60	43.65	NE	<0.0002	<0.0002	<0.01 UJ	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
P-93C	P93C-ROX-101613	10/16/2013	94.26 - 96.256	44.31	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	P93C-ROX-012414	1/24/2014		46.44	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	P93C-ROX-041714	4/17/2014		47.34	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	P93C-ROX-071714	7/17/2014		45.61	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	P93C-ROX-101514	10/15/2014		44.99	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	P93C-ROX-011915	1/19/2015	92.47 - 97.47	48.22	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	P93C-ROX-021915	2/19/2015		48.22	NE																					
	P93C-ROX-041615	4/16/2015		48.22	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	P93C-ROX-071315	7/13/2015		47.09	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	P93C-ROX-101415	10/14/2015		44.91	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	P-93C-ROX-010816	1/8/2016		44.68	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	P93C-ROX-041816	4/18/2016		44.06	NE	<0.0002 UJ	<0.0002 UJ	<0.01 UJ	0.000025 J J	<0.0002 UJ	<0.0002 UJ	<0.0002 UJ	<0.0002 UJ	<0.0002 UJ	<0.03 UJ	<0.01 UJ	<0.01 UJ	<0.01 UJ	<0.01 UJ	<0.01 UJ	<0.01 UJ	<0.0002 UJ	<0.0002 UJ	<0.01 UJ	<0.01 UJ	<0.01 UJ
	P93C-ROX-071216	7/12/2016	92.47 - 97.47	43.37	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	0.00004 J	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	0.000048 J	<0.01	<0.01	<0.01

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																	
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenzo(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate
				Screening Values (mg/L)		0.42 [1]	0.21 [3]	0.015 [3]	2.1 [1]	0.00013 [1]	0.0002 [1]	0.00018 [1]	0.21 [3]	0.00017 [1]	28 [1]	0.7 [3]	0.01 [2]	0.006 [2]	1.4 [2]		0.035 [2]	0.012 [1]	0.0003 [1]	0.007 [3]	0.021 [2]	5.6 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
P-93D	P93D-ROX-101113	10/11/2013	125.75 - 127.75	44.24	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.005	<0.002	<0.005	<0.01 UJ	<0.005 UJ	<0.0001	<0.0001	<0.002	<0.01 UJ	<0.005
	P93D-ROX-013114	1/31/2014		46.62	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	0.0045	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P93D-ROX-041414	4/14/2014		47.54	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0005 U	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P93D-ROX-071714	7/17/2014		45.78	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	P93D-ROX-101514	10/15/2014		45.14	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	P93D-ROX-110414	11/4/2014		45.14	NE																					
	P93D-ROX-012315	1/23/2015		42.28	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P93D-ROX-021915	2/19/2015		42.28	NE																					
	P93D-ROX-042015	4/20/2015		48.52	NE	<0.0001	<0.0001	<0.01	0.000017 J	<0.000052	<0.0001	0.000061	0.00002 J	0.000023 J	<0.01	<0.01	<0.0052	<0.00035 U	<0.0052	<0.01	<0.0052	0.000021 J	<0.0001	<0.0021	<0.01	<0.0052
	P93D-ROX-070915	7/9/2015		47.96	NE	<0.0001	<0.0001	<0.01	0.000018 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	0.0043 J	<0.002	<0.0051	<0.01	<0.0051	0.000016 J	<0.0001	<0.002	<0.01	<0.0051
	P93D-ROX-101515	10/15/2015		45.28	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	P93D-ROX-011316	1/13/2016		45.10	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002 UJ	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	P93D-ROX-041916	4/19/2016		44.61	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	P93D-ROX-071516	7/15/2016	125.75 - 127.75	43.83	NE	<0.0002	<0.0002	<0.01 UJ	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
P-114	P114-ROX-101713	10/17/2013	32.67 - 52.67	29.43	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	P114-ROX-012814	1/28/2014		32.11	NE	<0.00011	<0.00011	<0.011	0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00066 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	P114-ROX-042114	4/21/2014		32.22	NE	0.00011	<0.0001	<0.01	0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	P114-ROX-071814	7/18/2014		30.87	NE	0.000082 J	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	P114-ROX-101714	10/17/2014		29.43	NE	0.000078 J	<0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057
	P114-ROX-012115	1/21/2015		31.53	NE	0.00019	<0.00011	<0.011	0.000096 J	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	P114-ROX-041715	4/17/2015		NM	NE	0.00021	0.000044 J	<0.011	0.000054 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	0.00038 J	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P114-ROX-070815	7/8/2015		29.16	NE	0.0002	<0.0001	<0.01	0.000035 J	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005
P-114R	P114R-ROX-100515	10/5/2015	23.01 - 33.01	26.24	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	0.000071 J	0.00007 J	<0.0002	0.00006 J	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	P114R-ROX-010716	1/7/2016		25.62	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	P114R-ROX-040816	4/8/2016		25.65	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0088 J	<0.01 UJ	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	P114R-ROX-070816	7/8/2016	23.01 - 33.01	24.92	NE	<0.0002	<0.0002	<0.05 UJ	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.15	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.0002	<0.0002	<0.05	<0.05	<0.05
ROST-3-MW	ROST3-MW-ROX-100913	10/9/2013	37.81 - 47.81	40.16	NE	0.0001 J	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0054	<0.0022	<0.0054	<0.011 UJ	<0.0054 UJ	<0.00011	<0.00011	<0.0022	<0.011 UJ	<0.0054
	ROST3MW-ROX-011714	1/17/2014		42.20	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011 UJ	<0.0053 UJ	<0.00011	<0.00011	<0.0021	<0.011 UJ	<0.0053
	ROST3MW-ROX-041014	4/10/2014		42.80	NE	<0.00012	<0.00012	<0.012	<0.00012	<0.00006	<0.00012	<0.00006	<0.00012	<0.00012	<0.012 UJ	<0.012	<0.006	<0.0024	<0.006	<0.012	<0.006	<0.00012	<0.00012	<0.0024	<0.012	<0.006
	ROST3MW-ROX-071414	7/14/2014		41.88	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	ROST3MW-ROX-100914	10/9/2014		41.31	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	0.00046 J	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	ROST3MW-ROX-011515	1/15/2015		41.83	NE	0.000027 J	<0.00011	<0.011	0.000019 J J	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057
	ROST3MW-ROX-041315	4/13/2015		43.43	NE	0.000028 J	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	ROST3MW-ROX-071315	7/13/2015		42.36	NE	0.000037 J	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	ROST3MW-ROX-101215	10/12/2015		40.29	NE	0.000081 J	<0.0002	<0.01	0.00003 J	0.000092 J	0.000089 J	0.00011 J	0.000089 J	0.00012 J	<0.03	<0.01	<0.01	0.0039 J	<0.01	<0.01	<0.01	0.000095 J	0.000094 J	<0.01	<0.01	<0.01
	ROST3MW-ROX-011416	1/14/2016		40.30	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	ROST3MW-ROX-041216	4/12/2016		39.69	NE	0.00017 J	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002 UJ	<0.01	<0.01	<0.01
	ROST3MW-ROX-071416	7/14/2016	37.81 - 47.81	38.70	NE	0.000079 J	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01 UJ	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
ROST-4-PZ(C)	ROST4PZC-ROX-100913	10/9/2013	34.95 - 44.95	39.91	NE	0.00012	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	ROST4PZC-ROX-011714	1/17/2014		41.92	NE	<0.00012	<0.00012	<0.012	<0.00012	<0.000059	<0.00012	<0.000059	<0.00012	<0.00012	<0.01 UJ	<0.012	<0.0059	<0.0024	<0.0059	<0.01 UJ	<0.005 UJ	<0.00012	<0.00012	<0.0024	<0.01 UJ	<0.0059
	ROST4PZC-ROX-041014	4/10/2014		42.05	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	ROST4C-ROX-071114	7/10/2014		42.22	NE	<0.0001	<0.0001	<0.011	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.011	<0.011	<0.0053	0.0007 J	<0.0053	<0.011	<0.0053	<0.0001	<0.0001	<0.0021	<0.011	<0.0053
	ROST4PZC-ROX-100914	10/9/2014		41.30	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	ROST4PZC-ROX-011515	1/15/2015		41.65	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	0.0042	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057
	ROST4PZC-ROX-041315	4/13/2015		43.00	NE	<0.0001	<0.0001	<0.01	0.000018 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	ROST4PZ-ROX-071315	7/13/2015		42.59	NE	0.000093 J	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	ROST4PZC-ROX-101215	10/12/2015		40.35	NE	0.00019 J	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	ROST4PZC-ROX-011516	1/15/2016		40.54	NE	0.00046 J	<0.002	<0.01	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<0.002	<0.01	<0.01	<0.01
	ROST4PZC-ROX-041316	4/13/2016		39.61	NE	0.00051	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	ROST4PZC-ROX-071516	7/15/2016	34.95 - 44.95	38.93	NE	0.00025	0.000041 J	<0.01 UJ	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	0.0027 J	0.00084 J	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	0.0014 J J

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																	
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenzo(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate
				Screening Values (mg/L)		0.42 [1]	0.21 [3]	0.015 [3]	2.1 [1]	0.00013 [1]	0.0002 [1]	0.00018 [1]	0.21 [3]	0.00017 [1]	28 [1]	0.7 [3]	0.01 [2]	0.006 [2]	1.4 [2]		0.035 [2]	0.012 [1]	0.0003 [1]	0.007 [3]	0.021 [2]	5.6 [1]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
T-12	T12-ROX-101513	10/15/2013	46.72 - 72.72	43.73	NE	0.00036	<0.00011	<0.011	0.00012	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	0.000028 J	<0.00011	0.00029 J	<0.011	<0.0054
	T12-ROX-012414	1/24/2014		45.26	NE	0.0005	<0.0001	<0.01	0.00014	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	T12-ROX-041514	4/15/2014		46.72	NE	0.00037	<0.00011	<0.011	0.00012	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	0.00031 J	<0.011	<0.0056
	T12-ROX-070814	7/8/2014		45.13	NE	0.00024	<0.00011	<0.011 UJ	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	T12-ROX-101714	10/17/2014		44.40	NE	0.00036	0.000072 J	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	T12-ROX-011915	1/19/2015	46.83 - 72.83	45.27	NE	0.00039	0.000064 J	<0.011	0.00013	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	T12-ROX-041515	4/15/2015		46.73	NE	0.00036	0.000065 J	<0.011	0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	0.00033 J	<0.011	0.00036 J J
	T12-ROX-071015	7/10/2015		46.09	NE	0.00034	<0.00011	<0.011	0.00015	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	T12-ROX-101515	10/15/2015		43.72	NE	0.00022	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	T12-ROX-011216	1/12/2016		44.13	NE	0.00042	<0.0004	<0.01	0.00015 J	<0.0004	<0.0004	<0.0004	<0.0004	<0.0004	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0004	<0.0004	<0.01	<0.01	<0.01
	T12-ROX-041516	4/15/2016		42.07	NE	0.00037	0.000062 J	<0.01	0.000074 J	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
	T12-ROX-071216	7/12/2016	46.83 - 72.83	41.50	NE	0.00035	0.000053 J	<0.01	0.000083 J	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																		
						2,4-Dimethylphenol	Di-n-butyl phthalate	Di-n-octyl phthalate	2,4-Dinitrophenol	2,6-Dinitrotoluene	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3 & 4-Methylphenol (m & p-Cresol)	Nitrobenzene	N-Nitrosodimethylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	Pyridine
					Screening Values (mg/L)	0.14 [2]	0.7 [1]	0.14 [2]	0.014 [2]	0.00031 [2]	0.28 [1]	0.28 [1]	0.00006 [2]		0.00043 [1]	0.49 [3]	0.028 [1]	0.35 [1]	0.35 [3]	0.014 [1]	0.0000017 [3]	0.001 [1]	0.21 [3]	0.1 [1]	0.21 [1]	0.007 [3]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																			
MW-01	MW1-ROX-100313	10/3/2013	48.80 - 58.80	40.28	NE	<0.011	<0.0054	<0.0054	<0.022	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011
	MW1-ROX-011414	1/14/2014		42.77	NE	<0.011 UJ	<0.0053	<0.0053	<0.021 UJ	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011 UJ	<0.011 UJ	<0.0053	<0.0053	<0.011 UJ	0.000031 J	<0.0053 UJ	<0.00011	<0.011
	MW1-ROX-040714	4/7/2014		43.28	NE	<0.011 UJ	<0.00029 U	<0.0054	<0.023 UJ	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011 UJ	<0.011 UJ	<0.0054	<0.0054	<0.011 UJ	<0.000023 U	<0.0057 UJ	<0.00011	<0.011
	MW1-ROX-070914	7/9/2014		42.09	NE	<0.011	0.0016 JB	<0.0054	<0.022 UJ	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.000085 J	0.00012 JB J	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011
	MW1-ROX-100614	10/6/2014		41.1	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.0021	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053 UJ	<0.00011	<0.011
	MW1-ROX-011215	1/12/2015		42.73	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	0.000017 J	0.000027 J	<0.0053		<0.00011	<0.00003 U	<0.000036 U	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.00003 J	<0.0053	<0.00011	<0.011 UJ
	MW1-ROX-040615	4/6/2015		44.11	NE	<0.011	0.00044 J	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.000018 J	0.000035 J	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011
	MW1-ROX-070815	7/8/2015		43.35	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.000038 J	0.000066 J	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000022 J	<0.0053	<0.00011	<0.011
	MW1-ROX-100615	10/6/2015		40.83	NE	<0.01	<0.01	0.00056 J	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000057 J	0.000096 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW1-ROX-010816	1/8/2016		40.93	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	0.000062 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW1-ROX-041216	4/12/2016		40.35	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.00005 J	0.000068 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW1-ROX-071416	7/14/2016	48.80 - 58.80	39.43	NE	<0.01	<0.01	<0.00086 U	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
MW-02	MW2-ROX-100813	10/8/2013	49.87 - 59.87	41.73	NE	<0.011	<0.0054	<0.0054	<0.022	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.009	0.0201	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011 UJ
	MW2-ROX-012014	1/20/2014		44.00	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.0094	0.0208	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000043 U	<0.0053	<0.00011	<0.011 UJ
	MW2-ROX-041014	4/10/2014		44.66	NE	<0.012	<0.00046 U	<0.006	<0.024	<0.012	<0.00012	<0.00012	<0.006		<0.00012	0.0083	0.0193	<0.012	<0.012	<0.006	<0.006	<0.012	<0.00006	<0.006	<0.00012	<0.012
	MW2-ROX-071414	7/14/2014		43.13	NE	<0.011	<0.00045 U	<0.0054	<0.022	<0.011	0.00012	0.00014	<0.0054		<0.00011	0.01	0.0215	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.00017 U	<0.0054	0.000096 J	<0.011
	MW2-ROX-101014	10/10/2014		42.49	NE	<0.01	<0.0051	<0.0051	<0.02	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	0.01	0.0214	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000051	<0.0051	<0.0001	<0.01
	MW2-ROX-011615	1/16/2015		44.1	NE	<0.011	<0.00034 U	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.0108	0.0236	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000025 J	<0.0053	<0.00011	<0.011
	MW2-ROX-041315	4/13/2015		45.56	NE	<0.011	<0.00045 U	<0.0054	<0.022	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.0124	0.0253	<0.011	0.00066 J	<0.0054	<0.0054	<0.011	0.000023 J	<0.0054	<0.00011	<0.011
	MW2-ROX-071315	7/13/2015		44.53	NE	0.0028 J	<0.0054	<0.0054	<0.022	<0.011	<0.00011	0.000036 J	<0.0054		<0.00011	0.0129	0.0283	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.000027 JB J	<0.0054	<0.00011	<0.011
	MW2-ROX-101215	10/12/2015		42.15	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.01	0.017	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW2-ROX-011416	1/14/2016		42.04	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.011	0.013	<0.01	0.001 J	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW2-ROX-041316	4/13/2016		41.59	NE	<0.01	<0.01	<0.01	0.0082 J	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.0093	0.0065	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW2-ROX-071416	7/14/2016	49.87 - 59.87	40.79	NE	<0.01	<0.01	<0.00089 U	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.0068	0.014	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
MW-03	MW3-ROX-100813	10/8/2013	34.67 - 44.67	27.38	NE	<0.011	<0.0054	<0.0054	<0.022	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.00013 J	0.00014 J	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011 UJ
	MW3-ROX-011614	1/16/2014		29.91	NE	<0.011 UJ	<0.0053	<0.0053	<0.021 UJ	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011 UJ	<0.011 UJ	<0.0053	<0.0053 UJ	<0.011 UJ	<0.000053	<0.0053 UJ	<0.00011	<0.011 UJ
	MW3-ROX-040914	4/9/2014		30.50	NE	<0.011	<0.00056 U	<0.0056	<0.022	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000019 U	<0.0056	<0.00011	<0.011
	MW3-ROX-071114	7/10/2014		29.05	NE	<0.011	<0.00028 U	<0.0054	<0.022	<0.011	<0.0001	<0.0001	<0.0054		<0.0001	0.000067 J	<0.0002	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.00003 U	<0.0054	<0.0001	<0.011 UJ
	MW3-ROX-100914	10/9/2014		28.18	NE	<0.011	<0.00023 U	<0.0056	<0.022	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011
	MW3-ROX-011515	1/15/2015		29.65	NE	<0.011	0.00028 J J	<0.0056	<0.022	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	0.00033 J	0.0003 J	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.000018 J J	<0.0056	<0.00011	<0.011
	MW3-ROX-041015	4/10/2015		31.16	NE	<0.011	0.00054 J	<0.0053	<0.021	<0.011	0.000024 J J	<0.0001	<0.0053		<0.0001	0.00013 J	0.000097 J	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000026 JB J	<0.0053	0.000018 J	<0.01
	MW3-ROX-071015	7/10/2015		30.01	NE	<0.011	<0.0056	<0.0056	<0.022	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	0.00028 JB	0.00026 JB	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011
	MW3-ROX-100915	10/9/2015		27.98	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.00035	0.00029	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW3-ROX-010716	1/7/2016		27.92	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.00053	0.00045	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW3-ROX-040616	4/6/2016		27.07	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.00082	0.00068	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW3-ROX-070816	7/8/2016	34.67 - 44.67	26.51	NE	<0.01	<0.01	<0.0013 U	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.00044	0.00029	<0.01	<0.02	<0.01	<0.01	0.0018 J H	<0.0002	<0.01	<0.0002	<0.01 UJ
MW-04	MW4-ROX-101613	10/16/2013	46.06 - 56.06	38.80	NE	<0.011 UJ	<0.0054	<0.0054	<0.022 UJ	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.00016 J	0.00015 J	<0.011 UJ	<0.011 UJ	<0.0054	<0.0054	<0.011 UJ	<0.000054	0.0168 J	<0.00011	<0.011
	MW4-ROX-013014	1/30/2014		41.09	NE	<0.011 UJ	<0.0013 U	<0.0054	<0.022 UJ	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.00027	0.00022	<0.011 UJ	<0.011 UJ	<0.0054	<0.0054	<0.011 UJ	<0.000022 U	0.0164 J	<0.00011	<0.011
	MW4-ROX-041614	4/16/2014		41.91	NE	<0.011	<0.00076 U	<0.0056	<0.022	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	0.000072 J	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011
	MW4-ROX-071614	7/16/2014		40.18	NE	<0.01	<0.00043 U	<0.0052	<0.021	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	0.00024	0.00022	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000041 U	<0.0052	<0.0001	<0.01
	MW4-ROX-101614	10/16/2014		39.49	NE	<0.012	<0.0059	<0.0059	<0.024	<0.012	<0.00012	<0.00012	<0.0059		<0.00012	<0.0024	<0.0024	<0.012	<0.012	<0.0059	<0.0059	<0.012	0.000029 J	0.0115	<0.00012	<0.012 UJ
	MW4-ROX-012115	1/21/2015		41.27	NE	<0.011	0.0011 J	<0.0053	<0.021	<0.011	<0.000018 U	<0.00011	<0.0053		<0.00011	0.00012 JB	<0.00011 U	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000019 U	<0.0053	<0.000022 U	<0.011 UJ
	MW4-ROX-042115	4/21/2015	45.06 - 55.06	42.58	NE	<0.01	<0.0052	<0.0052	<0.021	<0.01	0.000018 J	<0.0001	<0.0052		<0.0001	0.00024 J	0.00021 J	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.00002 J	<0.0052	0.000018 J	<0.01
	MW4-ROX-071415	7/14/2015		41.30	NE	<0.011	<0.0056	<0.0056	<0.022	<0.011	<0.00011	0.000018 J	<0.0056		<0.00011	0.00032 J	0.00035 JB J	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.000018 JB	<0.0056	<0.00011	<0.011
	MW4-ROX-101915	10/19/2015		39.44	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.00017 J	0.00013 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW4-ROX-011316	1/13/2016		39.10	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.00028	0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW4-ROX-041916	4/19/2016		38.50	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.00015 J	0.000089 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW4-ROX-071416	7/14/2016	45.06 - 55.06	37.85	NE	<0.01	<0.01	<0.00072 U	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.00015 J	0.000069 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																		
						2,4-Dimethylphenol	Di-n-butyl phthalate	Di-n-octyl phthalate	2,4-Dinitrophenol	2,6-Dinitrotoluene	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3 & 4-Methylphenol (m & p-Cresol)	Nitrobenzene	N-Nitrosodimethylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	Pyridine
					Screening Values (mg/L)	0.14 [2]	0.7 [1]	0.14 [2]	0.014 [2]	0.00031 [2]	0.28 [1]	0.28 [1]	0.00006 [2]		0.00043 [1]	0.49 [3]	0.028 [1]	0.35 [1]	0.35 [3]	0.014 [1]	0.0000017 [3]	0.001 [1]	0.21 [3]	0.1 [1]	0.21 [1]	0.007 [3]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																			
MW-05	MW5-ROX-100813	10/8/2013	33.97 - 43.97	26.97	NE	<0.011	<0.0055	<0.0055	<0.022	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	0.0038	0.00009 J	<0.011	<0.011	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011	<0.011 UJ
	MW5-ROX-011714	1/17/2014		29.59	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.0035	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011
	MW5-ROX-041014	4/10/2014		30.09	NE	<0.011	<0.00087 U	<0.0056	<0.022	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	0.0038	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011
	MW5-ROX-071414	7/14/2014		28.59	NE	<0.011	<0.00037 U	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.00052 B	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000088 U	<0.0053	<0.00011	<0.011
	MW-5-ROX-100914	10/9/2014		27.75	NE	<0.011	<0.00023 U	<0.0054	<0.022	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.00099 J	<0.0022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.00003 U	0.00072 J	<0.00011	<0.011
	MW5-ROX-011515	1/15/2015		29.34	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	0.000037 J J	<0.00011	<0.0053		0.000023 J J	0.00071 J	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000039 J J	<0.0053	0.000038 J J	<0.011
	MW5-ROX-041315	4/13/2015		30.97	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.000099 JB J	0.000031 JB J	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011
	MW5-ROX-071315	7/13/2015		29.45	NE	<0.011	<0.0054	<0.0054	<0.022	<0.011	<0.00011	0.000026 J	<0.0054		<0.00011	0.000087 JB J	0.00018 JB J	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.000024 JB J	<0.0054	<0.00011	<0.011
	MW5-ROX-101215	10/12/2015		27.53	NE	<0.01	<0.01	<0.01	<0.03	<0.01	0.000055 J	<0.0002	<0.01	<0.01	0.000086 J	0.00016 J	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW5-ROX-011416	1/14/2016		27.19	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW5-ROX-040616	4/6/2016		26.80	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.00034	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW5-ROX-070816	7/8/2016	33.97 - 43.97	26.28	NE	<0.01	<0.01	<0.001 U	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01 UJ
MW-06A	MW6A-ROX-100713	10/7/2013	34.83 - 44.83	28.87	NE	<0.011	<0.0056	<0.0056	<0.022	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011
	MW6A-ROX-100713-DUP	10/7/2013		28.87	NE	<0.011	<0.0054	<0.0054	<0.022	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011
	MW6A-ROX-011614	1/16/2014		31.62	NE	<0.01	<0.0052	<0.0052	<0.021	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052 UJ	<0.01	<0.000052	<0.0052 UJ	<0.0001	<0.01 UJ
	MW6A-ROX-011614-DUP	1/16/2014		31.62	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053 UJ	<0.011	<0.000053	<0.0053 UJ	<0.00011	<0.011 UJ
	MW6A-ROX-040814	4/8/2014		32.16	NE	<0.011	<0.00075 U	<0.0056	<0.022	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000054	<0.0056	<0.00011	<0.011 UJ
	MW6A-ROX-040814-DUP	4/8/2014		32.16	NE	<0.011	<0.00077 U	<0.0054	<0.022	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000055	<0.0054	<0.00011	<0.011 UJ
	MW6A-ROX-071014	7/10/2014		30.75	NE	<0.011	<0.00026 U	<0.0054	<0.022 UJ	<0.011	<0.00011	0.00013	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.000046 J	<0.0054	<0.00011	<0.011
	MW6A-ROX-100814	10/8/2014		29.84	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.0021	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011 UJ
	MW6A-ROX-011415	1/14/2015		31.54	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	0.000037 J J	0.000076 J	<0.0053		<0.00011	<0.0021	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000046 J	<0.0053	0.000027 J	<0.011
	MW6A-ROX-040715	4/7/2015		33.08	NE	<0.01	<0.0051	<0.0051	<0.02	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	0.000019 J	0.000023 J	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000051	<0.0051	<0.0001	<0.01
	MW6A-ROX-071515	7/15/2015		31.52	NE	<0.011	<0.0057	<0.0057	<0.023	<0.011	<0.00011	0.000058 J	<0.0057		<0.00011	0.000056 J	0.000076 JB J	<0.011	<0.011	<0.0057	<0.0057	<0.011	0.000026 J	<0.0057	<0.00011	<0.011
	MW6A-ROX-100715	10/7/2015		29.77	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW6A-ROX-011116	1/11/2016		29.36	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW6A-ROX-040716	4/7/2016		29.07	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000036 J	0.000047 J	<0.01	<0.02	<0.01	<0.01	<0.02	0.00005 J	<0.01	<0.0002	<0.01
	MW6A-ROX-071116	7/11/2016	34.83 - 44.83	28.45	NE	<0.01	<0.01	0.00086 J	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01 UJ
MW-06B	MW6B-ROX-100713	10/7/2013	64.05 - 69.05	28.93	NE	<0.011	<0.0054	<0.0054	<0.022	0.0224	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011
	MW6B-ROX-011614	1/16/2014		31.67	NE	<0.011	<0.0054	<0.0054	<0.022	<0.011	<0.00011	<0.00011	<0.0054		0.000043 J	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054 UJ	<0.011	<0.000054	<0.0054 UJ	<0.00011	<0.011 UJ
	MW6B-ROX-040814	4/8/2014		32.21	NE	<0.011	<0.00043 U	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000018 J	<0.0053	<0.00011	<0.011
	MW6B-ROX-071014	7/10/2014		30.81	NE	<0.011	<0.0056	<0.0056	<0.022 UJ	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011
	MW6B-ROX-100814	10/8/2014		29.87	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.0021	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011 UJ
	MW6B-ROX-011415	1/14/2015		31.59	NE	<0.011	<0.0054	<0.0054	<0.022	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.0022	0.000017 J	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011
	MW6B-ROX-040715	4/7/2015		33.10	NE	<0.01	0.00029 J	<0.0051	<0.02	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.002	<0.002	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000051	<0.0051	<0.0001	<0.01
	MW6B-ROX-040715-DUP	4/7/2015		33.10	NE	<0.01	<0.0052	<0.0052	<0.021	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.0021	<0.0021	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000052	<0.0052	<0.0001	<0.01
	MW6B-ROX-071415	7/14/2015		31.56	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	<0.00011	0.00013	<0.0053		<0.00011	0.0036	0.0068	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000045 JB J	<0.0053	<0.00011	<0.011
	MW6B-ROX-100715	10/7/2015		29.80	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000059 J	0.000088 J J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW6B-ROX-011116	1/11/2016		29.41	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000029 J	0.000067 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW6B-ROX-040716	4/7/2016		29.11	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000045 J	0.000088 J	<0.01	<0.02	<0.01	<0.01	<0.02	0.000079 J	<0.01	<0.0002	<0.01
	MW6B-ROX-071116	7/11/2016	64.05 - 69.05	28.49	NE	<0.01	<0.01	0.00055 J	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	0.00011 J	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01 UJ
MW-06C	MW6C-ROX-100713	10/7/2013	84.95 - 89.95	28.72	NE	<0.011	0.00043 J	<0.0055	<0.022	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011	<0.011
	MW6C-ROX-011614	1/16/2014		31.48	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053 UJ	<0.011	<0.000053	<0.0053 UJ	<0.00011	<0.011 UJ
	MW6C-ROX-040814	4/8/2014		32.01	NE	<0.012	<0.0004 U	<0.0059	<0.024	<0.012	<0.00012	<0.00012	<0.0059		<0.00012	<0.00024	<0.00024	<0.012	<0.012	<0.0059	<0.0059	<0.012	<0.000059	<0.0059	<0.00012	<0.012
	MW6C-ROX-071014	7/10/2014		30.60	NE	<0.011	<0.00032 U	<0.0056	<0.022 UJ	<0.011	<0.00011	<0.00011	<0.0056		0.000035 J	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011
	MW6C-ROX-100814	10/8/2014		29.67	NE	<0.011	<0.0056	<0.0056	<0.022	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011 UJ
	MW6C-ROX-011415	1/14/2015		31.41	NE	<0.011	<0.0056	<0.0056	<0.022	<0.011	0.000022 J J	<0.00011	<0.0056		<0.00011	<0.0022	0.000028 J	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.000025 J	<0.0056	0.000021 J	<0.011
	MW6C-ROX-040915	4/9/2015		32.80	NE	<0.011	<0.0054	<0.0054	<0.022	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.0022	0.000025 JB J	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011
	MW6C-ROX-071415	7/14/2015		31.38	NE	<0.011	<0.0054	<0.0054	<0.022	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.000064 JB J	0.00014 JB J	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011
	MW6C-ROX-100715	10/7/2015		29.60	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000056 J	0.000083 J J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW6C-ROX-010816	1/8/2016		29.31	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW6C-ROX-040716	4/7/2016		28.91	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.00003 J	0.000055 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW6C-ROX-071116	7/11/2016		28.30	NE	<0.01	<0.01	0.00059 J	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000043 J	0.000047 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01 UJ

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																		
						2,4-Dimethylphenol	Di-n-butyl phthalate	Di-n-octyl phthalate	2,4-Dinitrophenol	2,6-Dinitrotoluene	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3 & 4-Methylphenol (m & p-Cresol)	Nitrobenzene	N-Nitrosodimethylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	Pyridine
				Screening Values (mg/L)		0.14 [2]	0.7 [1]	0.14 [2]	0.014 [2]	0.00031 [2]	0.28 [1]	0.28 [1]	0.00006 [2]		0.00043 [1]	0.49 [3]	0.028 [1]	0.35 [1]	0.35 [3]	0.014 [1]	0.0000017 [3]	0.001 [1]	0.21 [3]	0.1 [1]	0.21 [1]	0.007 [3]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																			
MW-06D	MW6D-ROX-100713	10/7/2013	104.72 - 109.72	28.58	NE	<0.011	<0.0054	<0.0054	<0.022	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011
	MW6D-ROX-011614	1/16/2014		31.33	NE	<0.01	<0.0052	<0.0052	<0.021	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052 UJ	<0.01	<0.000052	<0.0052 UJ	<0.0001	<0.01 UJ
	MW6D-ROX-040814	4/8/2014		31.85	NE	<0.011	<0.00039 U	<0.0055	<0.022	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011	<0.011
	MW6D-ROX-071014	7/10/2014		31.47	NE	<0.011	<0.00027 U	<0.0056	<0.022 UJ	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011
	MW6D-ROX-071014-DUP	7/10/2014		31.47	NE	<0.011	<0.00029 U	<0.0054	<0.022 UJ	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011
	MW6D-ROX-100814	10/8/2014		29.53	NE	<0.011	<0.0054	<0.0054	<0.022	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011 UJ
	MW6D-ROX-100814-DUP	10/8/2014		29.53	NE	<0.011	<0.0056	<0.0056	<0.022	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011 UJ
	MW6D-ROX-011415	1/14/2015		31.26	NE	<0.011	<0.0054	<0.0054	<0.022	<0.011	0.000031 J J	0.000018 J	<0.0054		<0.00011	0.000015 J	0.000033 J	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.000033 J	<0.0054	0.000027 J	<0.011
	MW6D-ROX-011415-DUP	1/14/2015		31.26	NE	<0.011	0.00027 J J	<0.0056	<0.022	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011
	MW6D-ROX-040715	4/7/2015		32.74	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.0021	0.000026 J	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011
	MW6D-ROX-071415	7/14/2015		31.19	NE	<0.011	<0.0056	<0.0056	<0.022	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	0.00011 JB J	0.00023 JB J	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011
	MW6D-ROX-100715	10/7/2015		29.45	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000081 J	0.00012 J J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW6D-ROX-010816	1/8/2016		29.59	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW6D-ROX-010816-DUP	1/8/2016		29.59	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW6D-ROX-040716	4/7/2016		28.76	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	0.00005 J	<0.01	<0.01	<0.0002	0.000051 J	0.0001 J	<0.01	<0.02	<0.01	<0.01	<0.02	0.0001 J	<0.01	<0.0002	<0.01
	MW6D-ROX-040716-DUP	4/7/2016		28.76	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000034 J	0.000064 J	<0.01	<0.02	<0.01	<0.01	<0.02	0.000045 J	<0.01	<0.0002	<0.01
	MW6D-ROX-071116	7/11/2016	104.72 - 109.72	28.16	NE	<0.01	<0.01	0.00079 J	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000045 J	0.000051 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01 UJ
	MW6D-ROX-071116-DUP	7/11/2016		28.16	NE	<0.01	<0.01	0.00082 J	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01 UJ
MW-07	MW7-ROX-101613	10/16/2013	42.92 - 52.92	40.64	NE	<0.011	<0.0055	<0.0055	<0.022	<0.011	<0.00011	0.00022	<0.0055		<0.00011	0.0082	0.011	<0.011	<0.011	<0.0055	<0.0055	<0.011	0.00019	0.0849	<0.00011	<0.011
	MW7-ROX-013014	1/30/2014		42.94	NE	<0.01	<0.0007 U	<0.005	<0.02	<0.01	<0.0001	0.00021	<0.005		<0.0001	0.0059	0.0083	<0.01	<0.01	<0.005	<0.005	<0.01	0.00029	0.0314	<0.0001	<0.01
	MW7-ROX-041614	4/16/2014		43.79	NE	<0.01	<0.00071 U	<0.0052	<0.021	<0.01	<0.0001	0.00026	<0.0052		<0.0001	0.0074	0.0103	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.00033 B	0.0988	<0.0001	<0.01
	MW7-ROX-071614	7/16/2014		42.05	NE	<0.01	<0.00027 U	<0.0052	<0.021	<0.01	<0.0001	0.00021	<0.0052		<0.0001	0.0052	0.0079	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.00028	0.0618	<0.0001	<0.01
	MW7-ROX-071614-DUP	7/16/2014		42.05	NE	<0.01	<0.00038 U	<0.0052	<0.021	<0.01	<0.0001	0.00019	<0.0052		<0.0001	0.0052	0.0077	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.00026	0.0638	<0.0001	<0.01
	MW7-ROX-101614	10/16/2014		41.31	NE	<0.011	<0.0056	<0.0056	<0.022	<0.011	<0.00011	0.0002	<0.0056		<0.00011	0.0049	0.0074	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.00028	0.155	<0.00011	<0.011 UJ
	MW7-ROX-101614-DUP	10/16/2014		41.31	NE	<0.011	<0.0057	<0.0057	<0.023	<0.011	<0.00011	0.00019	<0.0057		<0.00011	0.0047	0.007	<0.011	<0.011	<0.0057	<0.0057	<0.011	0.00027	0.133	<0.00011	<0.011 UJ
	MW7-ROX-012215	1/22/2015		43.45	NE	0.00072 J	0.00035 J	<0.0053	<0.021	<0.011	<0.000063 U	0.00024	<0.0053		0.00003 J	0.0053	0.0068	<0.011	0.00059 J	<0.0053	<0.0053	<0.011	0.00049	0.145	<0.000099 U	<0.011
	MW7-ROX-012215-DUP	1/22/2015		43.45	NE	0.00071 J	0.00027 J	<0.0052	<0.021	<0.01	<0.000021 U	0.00022	<0.0052		<0.0001	0.0052	0.0066	<0.01	0.00056 J	<0.0052	<0.0052	<0.01	0.00045	0.136	<0.000058 U	<0.01
	MW7-ROX-042115	4/21/2015		44.63	NE	0.0014 J	<0.0051	<0.0051	<0.02	<0.01	<0.0001	0.00033	<0.0051		<0.0001	0.008	0.01	0.00037 J	0.0011 J	<0.0051	<0.0051	<0.01	0.00066	0.0707	0.000057 J	<0.01
	MW7-ROX-042115-DUP	4/21/2015		44.63	NE	0.0012 J	<0.0051	<0.0051	<0.02	<0.01	0.000026 J	0.0003	<0.0051		<0.0001	0.0074	0.0093	0.00032 J	0.0011 J	<0.0051	<0.0051	<0.01	0.00063	0.0766	0.000066 J	<0.01
	MW7-ROX-071515	7/15/2015		43.54	NE	<0.01	0.00063 J	<0.0051	<0.02	<0.01	0.000019 J	0.00021	<0.0051		<0.0001	0.0047	0.0065	<0.01	0.0031 J	<0.0051	<0.0051	<0.01	0.00031	0.104	0.000052 J	<0.01
	MW7-ROX-071515-DUP	7/15/2015		43.54	NE	<0.01	0.00057 J	<0.0052	<0.021	<0.01	0.000023 J	0.00018	<0.0052		<0.0001	0.0055	0.0082	<0.01	0.0032 J	<0.0052	<0.0052	<0.01	0.00034	0.117	0.000053 J	<0.01
	MW7-ROX-101915	10/19/2015		41.43	NE	0.0043 J	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	0.0018 J	<0.0002	0.0029	0.0041	<0.01	0.0018 J	<0.01	<0.01	<0.02	0.00014 J	0.13	<0.0002	<0.01
	MW7-ROX-101915-DUP	10/19/2015		41.43	NE	0.0044 J	<0.01	<0.01	<0.03	<0.01	<0.0002	0.00011 J	<0.01	0.0018 J	<0.0002	0.0026	0.0037	<0.01	0.0018 J	<0.01	<0.01	<0.02	0.00019 J	0.12	<0.0002	<0.01
	MW7-ROX-011416	1/14/2016		41.02	NE	0.0035 J	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	0.0018 J	<0.0002	0.004	0.0053	<0.01	0.0017 J	<0.01	<0.01	<0.02	0.00041	0.18	<0.0002	<0.01
	MW7-ROX-011416-DUP	1/14/2016		41.02	NE	0.0036 J	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	0.0019 J	<0.0002	0.0048	0.0061	<0.01	0.002 J	<0.01	<0.01	<0.02	0.00056	0.32	<0.0002	<0.01
	MW7-ROX-041916	4/19/2016		40.68	NE	0.0048 J	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	0.0023 J	<0.0002	0.0034	0.0051	<0.01	0.0034 J	<0.01	<0.01	<0.02	0.00021	0.25	<0.0002	<0.01
	MW7-ROX-041916-DUP	4/19/2016		40.68	NE	0.0042 J	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	0.0022 J	<0.0002	0.004	0.0059	<0.01	0.0026 J	<0.01	<0.01	<0.02	0.00025	0.18	<0.0002	<0.01
	MW7-ROX-071416	7/14/2016	42.92 - 52.92	39.99	NE	<0.01	<0.01	<0.00075 U	<0.03	<0.01	<0.0002	0.00026	<0.01	<0.01	<0.0002	0.004 J	0.005 J	<0.01	<0.02	<0.01	<0.01	<0.02	0.00041	0.16	<0.0002	<0.01
	MW7-ROX-071416-DUP	7/14/2016		39.99	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	0.00018 J	<0.01	0.0014 J	<0.0002	0.0028 J	0.0034 J	<0.01	0.0026 J	<0.01	<0.01	<0.02	0.00031	0.19	<0.0002	<0.01
MW-08	MW8-ROX-101613	10/16/2013	33.60 - 43.60	31.59	NE	0.0066 J	<0.0054	<0.0054	<0.022	<0.011	<0.00011	0.00041	<0.0054		<0.00011	0.0117	0.0136	0.0022 J	0.0052 J	<0.0054	<0.0054	<0.011	0.00011	0.0996	<0.00011	<0.011
	MW8-ROX-101613-DUP	10/16/2013		31.59	NE	0.0062 J	<0.0059	<0.0059	<0.024	<0.012	<0.00012	0.00037	<0.0059		<0.00012	0.0108	0.0128	0.0019 J	0.0046 J	<0.0059	<0.0059	<0.012	0.000097	0.108	<0.00012	<0.012
	MW8-ROX-013014	1/30/2014		34.02	NE	0.0124	<0.0011 U	<0.0051	<0.02	<0.01	<0.0001	0.00054	<0.0051		<0.0001	0.0137	0.0123	0.0128	0.0198	<0.0051	<0.0051	<0.01	0.00018	0.105	<0.0001	<0.01
	MW8-ROX-013014-DUP	1/30/2014		34.02	NE	0.0121	<0.00092 U	<0.0054	<0.022	<0.011	<0.00011	0.00052	<0.0054		<0.00011	0.0136	0.0123	0.0129	0.019	<0.0054	<0.0054	<0.011	0.00019	0.135	<0.00011	<0.011
	MW8-ROX-041614	4/16/2014		34.73	NE	<0.011	<0.00073 U	<0.0056	<0.022	<0.011	<0.00011	0.00046	<0.0056		<0.00011	0.0142	0.0097	<0.011	0.0062 J	<0.0056	<0.0056	<0.011	0.00015 B J	0.135	<0.00011	<0.011
	MW8-ROX-041614-DUP	4/16/2014		34.73	NE	<0.01	<0.0006 U	<0.0051	<0.02	<0.01	<0.0001	0.00043	<0.0051		<0.0001	0.0129	0.0086	<0.01	0.0053 J	<0.0051	<0.0051	<0.01	0.00016 B J	0.118	<0.0001	<0.01
	MW8-ROX-071614	7/16/2014		33.01	NE	<0.01	<0.00045 U	<0.0052	<0.021	<0.01	<0.0001	0.00038	<0.0052		<0.0001	0.0125	0.0048	0.0037 J	0.0045 J	<0.0052	<0.0052	<0.01	0.0002 B	0.111	<0.0001	<0.01
	MW8-ROX-101614	10/16/2014		32.23	NE	0.0099 J	<0.0056	<0.0056	<0.022	<0.011	<0.00011	0.00054	<0.0056		<0.00011	0.0145	0.0045	0.019	0.0558	<0.0056	<0.0056	<0.011	0.00023	0.126	<0.00011	<0.011 UJ
	MW8-ROX-012215	1/22/2015		34.22	NE	0.0172	0.00027 J	<0.0052	<0.021	<0.01	<0.0001	0.00037	<0.0052		<0.0001	0.011	0.0046	0.0102	0.0242	<0.0052	<0.0052	<0.01	0.00016 B	0.146	<0.0001	<0.01
	MW8-ROX-042115	4/21/2015		35.41	NE	0.0201	<0.0053	<0.0053	<0.021	<0.011	<0.00011	0.00041	<0.0053		<0.00011	0.0126	0.0053	0.0049 J	0.0063 J	<0.0053	<0.0053	<0.011	0.00014	0.129	<0.00011	<0.011
	MW8-ROX-071515	7/15/2015		34.07	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	<0.00011	0.0003	<0.0053		<0.00011	0.0113	0.0083	0.0018 J	0.0046 J	<0.0053	<0.0053	<0.011	0.00016	0.135	<0.00011	<0.011
	MW8-ROX-101915	10/19/2015		32.30	NE	0.0065 J	<0.01	<0.01	<0.03	<0.01	<0.0002	0.00018 J	<0.01	0.0015 J	<0.0002	0.0087	0.0052	0.0024 J	0.0054 J	<0.01	<0.01	<0.02	<0.0002	0.21	<0.0002	<0.01
	MW8-ROX-011416	1/14/2016		31.79	NE	0.008 J	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	0.0023 J	<0.0002	0.015	0.007	0.0077 J	0.016 J	<0.01	<0.01	<0.02	<0.0002	0.22	<0.0002	<0.01
	MW8-ROX-041916	4/19/2016		31.45	NE	0.012	<0.01	<0.01	<0.03	<0.01	<0.0002	0.00035	<0.01	0.0019 J	<0.0002	0.014	0.0063	0.0028 J	0.0036 J	<0.01	<0.01	<0.02	0.00013 J	0.27	<0.0002	<0.01
	MW8-ROX-071416	7/14/2016	33.60 - 43.60	30.80	NE	<0.01	<0.01	<0.00071 U	<0.03	<0.01	<0.0002	0.00024	<0.01	0.0014 J	<0.0002	0.0082	0.0038	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	0.13	<0.0002	<0.01

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																				
						2,4-Dimethylphenol	Di-n-butyl phthalate	Di-n-octyl phthalate	2,4-Dinitrophenol	2,6-Dinitrotoluene	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3 & 4-Methylphenol (m & p-Cresol)	Nitrobenzene	N-Nitrosodimethylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	Pyridine
					Screening Values (mg/L)	0.14 [2]	0.7 [1]	0.14 [2]	0.014 [2]	0.00031 [2]	0.28 [1]	0.28 [1]	0.00006 [2]		0.00043 [1]	0.49 [3]	0.028 [1]	0.35 [1]	0.35 [3]	0.014 [1]	0.0000017 [3]	0.001 [1]	0.21 [3]	0.1 [1]	0.21 [1]	0.007 [3]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-09	MW9-ROX-100313	10/3/2013	46.45 - 56.45	42.27	NE	<0.01	<0.005	<0.005	<0.02	<0.01	<0.0001	<0.0001	<0.005		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.005	<0.005	<0.01	<0.00005	<0.005	<0.0001	<0.01
	MW9-ROX-011414	1/14/2014		44.47	NE	<0.011 UJ	<0.0053	<0.0053	<0.021 UJ	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011 UJ	<0.011 UJ	<0.0053	<0.0053	<0.011 UJ	<0.000053	<0.0053 UJ	<0.00011	<0.011
	MW9-ROX-040714	4/7/2014		44.99	NE	<0.011	<0.00062 U	<0.0056	<0.022	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	0.0001 J	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056 U	<0.0056	<0.00011	<0.011 UJ
	MW9-ROX-070914	7/9/2014		44.35	NE	<0.011	<0.0006 U	<0.0054	<0.022 UJ	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011
	MW9-ROX-100714	10/7/2014		43.52	NE	<0.012	<0.0059	<0.0059	<0.024	<0.012	<0.00012	<0.00012	<0.0059		<0.00012	<0.0024	<0.0024	<0.012	<0.012	<0.0059	<0.0059	<0.012	<0.000059	<0.0059	<0.00012	<0.012
	MW9-ROX-011315	1/13/2015		44.21	NE	<0.01	0.00023 J	<0.0052	<0.021	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.0021	<0.0021	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.000016 JB	<0.0052	<0.0001	<0.01 UJ
	MW9-ROX-040915	4/9/2015		45.38	NE	<0.01	<0.0052	<0.0052	<0.021	<0.01	<0.0001	0.000027 J	<0.0052		<0.0001	<0.0021	0.000018 JB J	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.000026 J	<0.0052	<0.0001	<0.01
	MW9-ROX-070915	7/9/2015		44.81	NE	<0.011	0.00042 J	<0.0055	<0.022	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	0.000073 J	0.00013 J	<0.011	<0.011	<0.0055	<0.0055	<0.011	0.000044 J	<0.0055	<0.00011	<0.011
	MW9-ROX-100815	10/8/2015		42.64	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000034 J	0.000053 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW9-ROX-011316	1/13/2016		42.63	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW9-ROX-041216	4/12/2016		41.98	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	0.000025 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW9-ROX-071316	7/13/2016	46.45 - 56.45	40.93	NE	<0.01	<0.01	<0.00066 U	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000027 J	0.000027 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01 UJ
MW-10	MW10-ROX-100313	10/3/2013	44.43 - 54.43	42.38	NE	<0.011	<0.0056	<0.0056	<0.022	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011
	MW10-ROX-011514	1/15/2014		44.42	NE	<0.011 UJ	<0.0053	<0.0053	<0.022 UJ	<0.011	<0.00011	<0.00011	<0.0053		0.000072 J	<0.00021	<0.00021	<0.011 UJ	<0.011 UJ	<0.0053	<0.0053	<0.011 UJ	0.000037 JB	<0.0054 UJ	<0.00011	<0.011
	MW10-ROX-040714	4/7/2014		45.00	NE	<0.011	<0.00085 U	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000042 U	<0.0053	<0.00011	<0.011 UJ
	MW10-ROX-070914	7/9/2014		44.35	NE	<0.011	<0.00065 U	<0.0054	<0.022 UJ	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011
	MW10-ROX-100714	10/7/2014		43.58	NE	<0.011	<0.0057	<0.0057	<0.023	<0.011	<0.00011	<0.00011	<0.0057		<0.00011	<0.0023	<0.0023	<0.011	<0.011	<0.0057	<0.0057	<0.011	<0.000057	<0.0057	<0.00011	<0.011
	MW10-ROX-011315	1/13/2015		44.27	NE	<0.011	<0.0056	<0.0056	<0.022	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.0022	<0.000018 U	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011 UJ
	MW10-ROX-040815	4/8/2015		45.30	NE	<0.01	<0.0051	<0.0051	<0.02	<0.01	0.000016 J	<0.0001	<0.0051		<0.0001	<0.002	0.00002 JB	<0.01	<0.01	<0.0051	<0.0051	<0.01	0.000019 J	<0.0051	<0.0001	<0.01
	MW10-ROX-070915	7/9/2015		44.93	NE	<0.011	0.00064 J	<0.0054	<0.022	<0.011	0.000057 J	0.000037 J	<0.0054		0.000024 J	0.000035 J	0.000058 J	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.000077	<0.0054	0.000059 J	<0.011
	MW10-ROX-100915	10/9/2015		42.79	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000039 J	0.000063 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW10-ROX-011316	1/13/2016		42.53	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW10-ROX-041116	4/11/2016		41.88	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	0.000034 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW10-ROX-071316	7/13/2016	44.43 - 54.43	41.00	NE	<0.01	<0.01	<0.00056 U	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.00003 J	0.000033 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01 UJ
MW-11	MW11-ROX-100713	10/7/2013	41.66 - 51.66	39.95	NE	<0.011	<0.0055	<0.0055	<0.022	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011	<0.011
	MW11-ROX-011514	1/15/2014		42.16	NE	<0.011	<0.0055	<0.0055	<0.022	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.011	<0.000026 U	<0.0055	<0.00011	<0.011
	MW11-ROX-040714	4/7/2014		42.70	NE	<0.011	<0.0007 U	<0.0056	<0.022	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000023 U	<0.0056	<0.00011	<0.011 UJ
	MW11-ROX-070914	7/9/2014		41.75	NE	<0.011	<0.00042 U	<0.0057	<0.023 UJ	<0.011	<0.00011	<0.00011	<0.0057		<0.00011	<0.00023	<0.00023	<0.011	<0.011	<0.0057	<0.0057	<0.011	0.00003 J	<0.0057	<0.00011	<0.011
	MW11-ROX-100714	10/7/2014		40.89	NE	<0.01	<0.0052	<0.0052	<0.021	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.0021	<0.0021	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000052	<0.0052	<0.0001	<0.01
	MW11-ROX-011315	1/13/2015		41.93	NE	<0.011	<0.0054	<0.0054	<0.022	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.0022	<0.00002 U	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011 UJ
	MW11-ROX-040815	4/8/2015		43.19	NE	<0.011	<0.0054	<0.0054	<0.022	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.0022	0.000022 JB	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011
	MW11-ROX-070915	7/9/2015		42.45	NE	<0.011	<0.0054	<0.0054	<0.022	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.000029 J	0.000045 J	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.000029 J	<0.0054	<0.00011	<0.011
	MW11-ROX-100815	10/8/2015		40.15	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000029 J	0.000034 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW11-ROX-011216	1/12/2016		40.33	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW11-ROX-041116	4/11/2016		39.49	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW11-ROX-071316	7/13/2016	41.66 - 51.66	38.59	NE	<0.01	<0.01	<0.00065 U	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01 UJ
MW-12	MW12-ROX-100713	10/7/2013	41.92 - 51.92	40.22	NE	<0.011 UJ	<0.0055	<0.0055	<0.021 UJ	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011 UJ	<0.011 UJ	<0.0055	<0.0055	0.0018 J J	<0.000055	<0.0053 UJ	<0.00011	<0.011
	MW12-ROX-011514	1/15/2014		42.54	NE	<0.01 UJ	<0.0052	<0.0052	<0.021 UJ	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01 UJ	<0.01 UJ	<0.0052	<0.0052	<0.01 UJ	<0.000022 U	<0.0052 UJ	<0.0001	<0.01
	MW12-ROX-040814	4/8/2014		43.15	NE	<0.01	<0.0006 U	<0.0051	<0.02	<0.01	<0.00011	<0.00011	<0.0051		<0.00011	<0.00023	<0.00023	<0.01	<0.01	<0.0051	<0.0051	<0.01	0.000021 J	<0.0051	<0.00011	<0.01 UJ
	MW12-ROX-070914	7/9/2014		41.97	NE	<0.011	<0.00098 U	<0.0056	<0.022 UJ	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011
	MW12-ROX-100614	10/6/2014		40.98	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.0021	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053 UJ	<0.00011	<0.011
	MW12-ROX-011215	1/12/2015		42.33	NE	<0.011	0.00023 J	<0.0056	<0.022	<0.011	0.00002 J	<0.00011	<0.0056		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.000018 J	<0.0056	<0.00011	<0.011 UJ
	MW12-ROX-040615	4/6/2015		43.75	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	0.000019 J	<0.00011	<0.0053		<0.00011	0.000018 J	0.000031 J	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.00002 U	<0.0053	0.000016 J	<0.011
	MW12-ROX-070815	7/8/2015		42.86	NE	<0.011	<0.0056	<0.0056	<0.022	<0.011	0.00012	0.00003 J	<0.0056		0.000059 J	0.000035 J	0.000079 J	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.000067 J	<0.0056	0.000081 J	<0.011
	MW12-ROX-100815	10/8/2015		40.54	NE	<0.01	<0.01	<0.01	<0.03	<0.01	0.000039 J	<0.0002	<0.01	<0.01	<0.0002	0.00006 J	0.000081 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	0.000021 J	<0.01
	MW12-ROX-100815-DUP	10/8/2015		40.54	NE	<0.01	<0.01	<0.01	<0.03	<0.01	0.000039 J	<0.0002	<0.01	<0.01	<0.0002	0.000036 J	0.000055 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	0.000021 J	<0.01
	MW12-ROX-011116	1/11/2016		40.98	NE	<0.01	<0.01	<0.01	<0.03	<0.01	0.00037	<0.0002	<0.01	<0.01	0.00014 J	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	0.000088 J	<0.01	0.00016 J	<0.01
	MW12-ROX-040716	4/7/2016		39.82	NE	<0.01	<0.01	<0.01	<0.03	<0.01	0.000074 J	0.000069 J	<0.01	<0.01	0.000064 J	0.000046 J	0.000086 J	<0.01	<0.02	<0.01	<0.01	<0.02	0.00014 J	<0.01	0.000039 J	<0.01
	MW12-ROX-071216	7/12/2016	41.92 - 51.92	38.89	NE	<0.01	<0.01	0.00055 J J	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	0.000051 J J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01 UJ

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																		
						2,4-Dimethylphenol	Di-n-butyl phthalate	Di-n-octyl phthalate	2,4-Dinitrophenol	2,6-Dinitrotoluene	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3 & 4-Methylphenol (m & p-Cresol)	Nitrobenzene	N-Nitrosodimethylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	Pyridine
					Screening Values (mg/L)	0.14 [2]	0.7 [1]	0.14 [2]	0.014 [2]	0.00031 [2]	0.28 [1]	0.28 [1]	0.00006 [2]		0.00043 [1]	0.49 [3]	0.028 [1]	0.35 [1]	0.35 [3]	0.014 [1]	0.0000017 [3]	0.001 [1]	0.21 [3]	0.1 [1]	0.21 [1]	0.007 [3]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																			
MW-13	MW13-ROX-100913	10/9/2013	25.57 - 35.57	26.94	NE	<0.01	<0.0052	<0.0052	<0.021	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000052	<0.0052	<0.0001	<0.01
	MW13-ROX-012914	1/29/2014		29.63	NE	<0.011	<0.0055	<0.0055	<0.022	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.000096 U	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011	<0.011
	MW13-ROX-041114	4/11/2014		30.15	NE	<0.012	<0.00079 U	<0.006	<0.024	<0.012	<0.00012	<0.00012	<0.006		<0.00012	<0.00024	<0.00024	<0.012	<0.012	<0.006	<0.006	<0.012	0.000033 J	<0.006	<0.00012	<0.012
	MW13-ROX-070714	7/7/2014		28.49	NE	<0.011	<0.0055	<0.0055	<0.022	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011	<0.011
	MW13-ROX-101014	10/10/2014		27.48	NE	<0.012	<0.006	<0.006	<0.024	<0.012	<0.00012	<0.00012	<0.006		<0.00012	<0.0024	<0.0024	<0.012	<0.012	<0.006	<0.006	<0.012	0.000032 J	<0.006	<0.00012	<0.012
	MW13-ROX-011615	1/16/2015		29.09	NE	<0.011	<0.00034 U	<0.0053	<0.021	<0.011	0.000022 J	0.000035 J	<0.0053		<0.00011	0.00004 J	0.00008 J	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000025 J	<0.0053	0.000046 J	<0.011
	MW13-ROX-041415	4/14/2015		30.71	NE	0.0013 J	<0.0056	<0.0056	<0.022	<0.011	0.000025 J	0.000066 J	<0.0056		<0.00011	0.000029 J	0.000055 J	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.00007	<0.0056	0.000023 J	<0.011
	MW13-ROX-070815	7/8/2015		29.16	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.000031 J	0.000047 J	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	0.00032 J	0.000016 J	<0.011
	MW13-ROX-100515	10/5/2015		27.34	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.00085	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW13-ROX-010716	1/7/2016		27.16	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.00021	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW13-ROX-040816	4/8/2016		26.81	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW13-ROX-071116	7/11/2016		26.01	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01 UJ
MW-14	MW14-ROX-101013	10/10/2013	33.42 - 43.42	30.80	NE	<0.011	<0.0057	<0.0057	<0.023	<0.011	<0.00011	0.00034	<0.0057		<0.00011	0.0184	<0.00023	<0.011	<0.011	<0.0057	<0.0057	<0.011	<0.000057	<0.0057	<0.00011	<0.011
	MW14-ROX-012914	1/29/2014		33.67	NE	<0.011	0.00045 J	<0.0054	<0.022	<0.011	<0.00011	0.00041	<0.0054		<0.00011	0.0075	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011
	MW14-ROX-041114	4/11/2014		34.30	NE	<0.012	<0.00082 U	<0.006	<0.024	<0.012	<0.00011	0.0003	<0.006		<0.00011	0.0018	<0.00023	<0.012	<0.012	<0.006	<0.006	<0.012	<0.000057	<0.006	<0.00011	<0.012
	MW14-ROX-070714	7/7/2014		32.82	NE	<0.011	0.00031 J	<0.0054	<0.022	<0.011	<0.00011	0.00024	<0.0054		<0.00011	0.0014	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.00024 J	<0.0054	<0.00011	<0.011
	MW14-ROX-101414	10/14/2014		31.65	NE	<0.011	<0.00056 U	<0.0056	<0.022	<0.011	<0.00011	0.00024	<0.0056		<0.00011	0.0014 J	<0.0022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000021 U	<0.0056	<0.00011	<0.011
	MW14-ROX-011615	1/16/2015		33.58	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	<0.00011	0.00013	<0.0053		<0.00011	0.00012 J	0.000026 J	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000021 J	<0.0053	<0.00011	<0.011
	MW14-ROX-041415	4/14/2015		35.16	NE	<0.01	<0.0052	<0.0052	<0.021	<0.01	<0.00011	0.00017	<0.0052		<0.00011	0.00007 J	0.000018 J	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000054	<0.0052	<0.00011	<0.01
	MW14-ROX-070915	7/9/2015		34.06	NE	<0.01	0.00044 J	<0.0052	<0.021	<0.01	0.000016 J	0.00017	<0.0052		<0.0001	0.00019 J	0.00012 J	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.000062	<0.0052	0.000017 J	<0.01
	MW14-ROX-101315	10/13/2015		31.88	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	0.00013 J	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01 UJ
	MW-14-ROX-010816	1/8/2016		31.64	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	0.000095 J	<0.01	<0.01	0.000066 J	0.00013 J	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW14-ROX-041416	4/14/2016		31.32	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	0.000084 J	<0.01	<0.01	<0.0002	0.000084 J	0.00004 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW14-ROX-071116	7/11/2016		30.59	NE	<0.01	<0.01	0.00054 J J	<0.03	<0.01	<0.0002	0.000029 J	<0.01	<0.01	<0.0002	0.000057 J	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01 UJ
MW-16	MW16-ROX-100813	10/8/2013	37.06 - 47.06	41.62	NE	<0.01 UJ	<0.0052 UJ	<0.0052 UJ	<0.021 UJ	<0.01 UJ	<0.0001 UJ	<0.0001 UJ	<0.0052 UJ		<0.0001 UJ	<0.00021 UJ	<0.00021 UJ	<0.01 UJ	<0.01 UJ	<0.0052 UJ	<0.0052 UJ	<0.01 UJ	<0.000052 UJ	<0.0052 UJ	<0.0001 UJ	<0.01 UJ
	MW16-ROX-011514	1/15/2014		43.76	NE	<0.01	<0.0052	<0.0052	<0.021	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000031 U	<0.0052	<0.0001	<0.01
	MW16-ROX-040914	4/9/2014		44.63	NE	<0.012	<0.00067 U	<0.0059	<0.024	<0.012	<0.00012	<0.00012	<0.0059		<0.00012	<0.00024	<0.00024	<0.012	<0.012	<0.0059	<0.0059	<0.012	<0.000059	<0.0059	<0.00012	<0.012
	MW16-ROX-071014	7/10/2014		43.15	NE	<0.011	<0.00021 U	<0.0054	<0.022 UJ	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011
	MW16-ROX-100714	10/7/2014		42.27	NE	<0.012	<0.006	<0.006	<0.024	<0.012	<0.00012	<0.00012	<0.006		<0.00012	<0.0024	<0.0024	<0.012	<0.012	<0.006	<0.006	<0.012	<0.00006	<0.006	<0.00012	<0.012
	MW16-ROX-011315	1/13/2015		43.59	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.000016 U	<0.000022 U	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011 UJ
	MW16-ROX-040915	4/9/2015		44.87	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.000026 JB J	0.000039 JB J	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011
	MW16-ROX-070915	7/9/2015		44.26	NE	<0.011	0.00043 J	<0.0055	<0.022	<0.011	<0.00011	0.000037 J	<0.0055		<0.00011	0.000067 J	0.00012 J	<0.011	<0.011	<0.0055	<0.0055	<0.011	0.000043 J	<0.0055	<0.00011	<0.011
	MW16-ROX-070915-DUP	7/9/2015		44.26	NE	<0.011	<0.0056	<0.0056	<0.022	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	0.000047 J	0.000074 J	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.000023 J	<0.0056	<0.00011	<0.011
	MW16-ROX-100715	10/7/2015		41.83	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000045 J	0.000073 J J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW16-ROX-011216	1/12/2016		41.99	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW16-ROX-040816	4/8/2016		41.17	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW16-ROX-071216	7/12/2016	37.06 - 47.06	39.93	NE	<0.01	<0.01	0.00072 J J	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01 UJ
MW-22	MW22-ROX-100913	10/9/2013	37.88 - 47.88	40.39	NE	0.0863	<0.0054	<0.0054	<0.022	<0.011	<0.00011	0.00019	<0.0054		<0.00011	0.0276	0.0468	0.0152	0.0319	<0.0054	<0.0054	<0.011	0.00019	<0.0054	<0.00011	<0.011
	MW22-ROX-100913-DUP	10/9/2013		40.39	NE	0.0826	<0.0054	<0.0054	<0.022	<0.011	<0.00011	0.0002	<0.0054		<0.00011	0.0265	0.0451	0.0139	0.0296	<0.0054	<0.0054	<0.011	0.00016	<0.0054	<0.00011	<0.011
	MW22-ROX-012014	1/20/2014		42.49	NE	0.0399 J	<0.027	<0.027	<0.11	<0.053	<0.00011	0.00017	<0.027		<0.00011	0.0258	0.0459	0.0124 J	0.0313 J	<0.027	<0.027	<0.053	0.0002 B	0.0071 J	<0.00011	<0.053 UJ
	MW22-ROX-012014-DUP	1/20/2014		42.49	NE	0.0364 J	<0.027	<0.027	<0.11	<0.054	<0.00011	0.00015	<0.027		<0.00011	0.0232	0.0416	0.0118 J	0.0296 J	<0.027	<0.027	<0.054	0.0002 B	0.007 J	<0.00011	<0.054 UJ
	MW22-ROX-041014	4/10/2014		43.15	NE	0.0316 J	<0.0016 U	<0.028	<0.11	<0.056	<0.00011	<0.00011	<0.028		<0.00011	0.0174	0.0287	0.0156 J	0.035 J	<0.028	<0.028	<0.056	0.0001	<0.028	<0.00011	<0.056
	MW22-ROX-041014-DUP	4/10/2014		43.15	NE	0.032 J	<0.0018 U	<0.028	<0.11	<0.056	<0.00011	0.00012	<0.028		<0.00011	0.0199	0.0322	0.0159 J	0.038 J	<0.028	<0.028	<0.056	0.0001	<0.028	<0.00011	<0.056
	MW22-ROX-071414	7/14/2014		41.85	NE	0.0281	<0.00057 U	<0.0054	<0.022	<0.011	<0.00011	0.00015	<0.0054		<0.00011	0.0198	0.0355	0.0102 J	0.0204	<0.0054	<0.0054	<0.011	<0.00018 U	<0.0054	<0.00011	<0.011
	MW22-ROX-101014	10/10/2014		41.43	NE	<0.013	<0.0063	<0.0063	<0.025	<0.013	<0.00013	0.00014	<0.0063		<0.00013	0.0193	0.0339	0.0064 J	0.011 J	<0.0063	<0.0063	<0.013	0.00036	0.0079	<0.00013	<0.013
	MW22-ROX-011615	1/16/2015		42.19	NE	0.0329	<0.0053	<0.0053	<0.021	<0.011	<0.00011	0.00051	<0.0053		<0.00011	0.0153	0.0184	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000064	0.0119	<0.00011	<0.011
	MW22-ROX-041415	4/14/2015		43.71	NE	0.0143	<0.0052	<0.0052	<0.021	<0.01	0.000016 J	0.00021	<0.0052	0.047 JN	<0.0001	0.024	0.0397	<0.01	0.0201	<0.0052	<0.0052	<0.01	0.00013	0.0108	0.00002 J	<0.01
	MW22-ROX-071515	7/15/2015		42.64	NE	<0.057	<0.029	<0.029	<0.11	<0.057	<0.00011	0.00011	<0.029	0.033 JN	<0.00011	0.0216	0.0374	0.0075 J	<0.057	<0.029	<0.029	<0.057	0.000099	<0.029	<0.00011	<0.057
	MW22-ROX-101415	10/14/2015		40.54	NE	0.015	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	0.021	<0.0002	0.015	0.026	0.0055 J	0.0097 J	<0.01	<0.01	<0.02	<0.0002	0.0082 J	<0.0002	0.0038 J * J
	MW22-ROX-011516	1/15/2016		40.42	NE	0.021	<0.01	<0.01	<0.03	<0.01	<0.002	<0.002	<0.01	0.029	<0.002	0.022	0.038	0.0095 J	0.021	<0.01	<0.01	<0.02	<0.002	0.015	<0.002	0.0032 J
	MW22-ROX-011516-DUP	1/15/2016		40.42	NE	0.019	<0.01	<0.01	<0.03	<0.01	<0.002	<0.002	<0.01	0.027	<0.002	0.019	0.033	0.0083 J	0.019 J	<0.01	<0.01	<0.02	<0.002	0.013	<0.002	<0.01
	MW22-ROX-041316	4/13/2016		39.56	NE	0.035 H J	<0.01 UJ	<0.01 UJ	<0.03 UJ	<0.01 UJ	<0.0002	<0.0002	<0.01 UJ	0.032 H J	<0.0002	0.019	0.026	<0.01 UJ	0.018 J H J	<0.01 UJ	<0.01 UJ	<0.02 UJ	<0.0002	<0.01 UJ	<0.0002	<0.01 UJ
	MW22-ROX-041316-DUP	4/13/2016		39.56	NE	0.037	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	0.02	<0.0002	0.014	0.016	0.016	0.014 J	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW22-ROX-071516	7/15/2016	37.88 - 47.88	38.97	NE	0.0071 J	<0.01	<0.00072 U	<0.03	<0.01	<0.0002	<0.0002	<0.01	0.0043 J	<0.0002	0.0032 J	0.0048	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01 UJ
	MW22-ROX-071516-DUP	7/15/2016		38.97	NE	<0.01	<0.01	<0.00086 U	<0.03	<0.01	<0.0002	<0.0002	<0.01	0.005 J	<0.0002	0.0041 J	0.006	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01 UJ

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																				
						2,4-Dimethylphenol	Di-n-butyl phthalate	Di-n-octyl phthalate	2,4-Dinitrophenol	2,6-Dinitrotoluene	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3 & 4-Methylphenol (m & p-Cresol)	Nitrobenzene	N-Nitrosodimethylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	Pyridine
				Screening Values (mg/L)		0.14 [2]	0.7 [1]	0.14 [2]	0.014 [2]	0.00031 [2]	0.28 [1]	0.28 [1]	0.00006 [2]		0.00043 [1]	0.49 [3]	0.028 [1]	0.35 [1]	0.35 [3]	0.014 [1]	0.0000017 [3]	0.001 [1]	0.21 [3]	0.1 [1]	0.21 [1]	0.007 [3]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
MW-23	MW23-ROX-012615	1/26/2015	29.02 - 39.02	30.90	NE	<0.005	<0.005	<0.005	<0.025	<0.005	<0.001	0.00096 J	<0.005 UJ		<0.0002	0.0019	0.00056 J	<0.005	<0.005	<0.005	<0.005	<0.025	0.0037	<0.005	<0.001	<0.01
	MW23-ROX-040815	4/8/2015		32.24	NE	<0.01	<0.0051	<0.0051	<0.02	<0.01	0.000029 J	0.000053 J	<0.0051		<0.0001	0.000036 JB J	0.000028 JB J	<0.01	<0.01	<0.0051	<0.0051	<0.01	0.00057	<0.0051	0.00015	<0.01
	MW23-ROX-071015-BP	7/10/2015		30.54	NE	<0.011	<0.0056	<0.0056	<0.022	<0.011	0.00002 J	0.000025 J	<0.0056		<0.00011	0.000045 JB J	0.000079 JB J	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.000052 J	<0.0056	0.000068 J	<0.011
	MW23-ROX-100515	10/5/2015		28.89	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000072 J	0.00011 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW-23-ROX-010716	1/7/2016		28.78	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	0.000022 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	0.000027 J	<0.01
	MW-23-ROX-040616	4/6/2016		27.96	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW-23-ROX-070816	7/8/2016	29.02 - 39.02	27.54	NE	<0.01	<0.01	<0.0015 U	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000033 J	0.000039 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01 UJ
MW-24	MW24-ROX-100913	10/9/2013	38.89 - 48.89	41.27	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011
	MW24-ROX-011514	1/15/2014		43.47	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011
	MW24-ROX-040914	4/9/2014		44.13	NE	<0.011	<0.00092 U	<0.0056	<0.022	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011
	MW24-ROX-071114	7/10/2014		42.97	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011 UJ
	MW24-ROX-100814	10/8/2014		42.16	NE	<0.011	<0.0054	<0.0054	<0.022	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011 UJ
	MW24-ROX-011315	1/13/2015		43.17	NE	<0.011	0.00023 J	<0.0053	<0.021	<0.011	<0.00011	0.000059 J	<0.0053		<0.00011	0.00009 JB	<0.000099 U	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000037 J	<0.0053	<0.00011	<0.011 UJ
	MW24-ROX-040915	4/9/2015		44.45	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.00002 JB J	0.000035 JB J	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011
	MW24-ROX-070915	7/9/2015		44.65	NE	<0.01	<0.0052	<0.0052	<0.021	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	0.000049 J	0.000081 J	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.000041 J	<0.0052	<0.0001	<0.01
	MW24-ROX-100715	10/7/2015		41.45	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000057 J	0.000087 J J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW24-ROX-011316	1/13/2016		41.44	NE	<0.01	<0.01	<0.01	<0.03	<0.01	0.000036 J	<0.0002	<0.01	<0.01	0.000057 J	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	0.000034 J	<0.01
	MW24-ROX-040816	4/8/2016		40.79	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW24-ROX-071216	7/12/2016	38.89 - 48.89	39.67	NE	<0.01	<0.01	0.00073 J J	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.00003 J	0.000035 J J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01 UJ
MW-25	MW25-ROX-102114	10/21/2014	35.59 - 45.59	36.44	NE	0.0025 J	<0.0056	<0.0056	<0.022	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	0.00093 J	0.00057 J	0.0011 J	0.0028 J	<0.0056	<0.0056	<0.011	0.000033 J	0.173	<0.00011	<0.011
	MW25-ROX-012215	1/22/2015		38.45	NE	<0.01	0.00028 J	<0.0052	<0.021	<0.01	<0.000018 U	<0.0001	<0.0052		<0.0001	0.00036 J	0.00015 J	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000052	0.107	<0.000019 U	<0.01
	MW25-ROX-042115	4/21/2015		39.71	NE	<0.01	<0.0051	<0.0051	<0.02	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	0.00067 J	0.00035 J	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000051	0.0592	<0.0001	<0.01
	MW25-ROX-071515	7/15/2015		38.40	NE	<0.01	<0.0052	<0.0052	<0.021	<0.01	<0.0001	0.000019 J	<0.0052		<0.0001	0.00088 J	0.00049 J	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.000017 J	0.112	<0.0001	<0.01
	MW25-ROX-101915	10/19/2015		36.55	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.00026	0.00014 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	0.071	<0.0002	<0.01
	MW25-ROX-011416	1/14/2016		36.12	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.0004	0.00017 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	0.049	<0.0002	<0.01
	MW25-ROX-041916	4/19/2016		35.67	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.00031	0.00015 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	0.031	<0.0002	<0.01
	MW25-ROX-071816	7/18/2016	35.59 - 45.59	35.19	NE	<0.01 UJ	<0.01 UJ	<0.0023 UJ	<0.03 UJ	<0.01 UJ	<0.0002 UJ	<0.0002 UJ	<0.01 UJ	<0.01 UJ	<0.0002 UJ	0.000067 J H J	0.000047 J H J	<0.01 UJ	<0.02 UJ	<0.01 UJ	<0.01 UJ	<0.02 UJ	<0.0002 UJ	0.02 H J	<0.0002 UJ	<0.01 UJ
MW-26	MW26-ROX-102114	10/21/2014	38.15 - 48.15	39.43	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.0021	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011
	MW26-ROX-011215	1/12/2015		41.09	NE	<0.01	<0.0052	<0.0052	<0.021	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.0021	<0.000017 U	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.000015 J	<0.0052	<0.0001	<0.01 UJ
	MW26-ROX-040815	4/8/2015		42.52	NE	<0.01	<0.0052	<0.0052	<0.021	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.0021	<0.0021	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000052	<0.0052	<0.0001	<0.01
	MW26-ROX-070815	7/8/2015		41.76	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.000046 J	0.000065 J	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.00003 J	<0.0053	<0.00011	<0.011
	MW26-ROX-100615	10/6/2015		39.19	NE	<0.01	<0.01	0.00055 J	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000083 J	0.00013 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW26-ROX-010716	1/7/2016		39.55	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW26-ROX-040616	4/6/2016		38.44	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW26-ROX-071216	7/12/2016	38.15 - 48.15	37.74	NE	<0.01	<0.01	0.00058 J J	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01 UJ
MW-27	MW27-ROX-102114	10/21/2014	39.79 - 49.79	41.57	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.0021	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011
	MW27-ROX-011515	1/15/2015		42.06	NE	<0.011	0.00026 J J	<0.0053 UJ	<0.021	<0.011	<0.00011	0.000023 J J	<0.0053		0.000047 J J	<0.0021	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000028 J J	<0.0053	0.000019 J J	<0.011
	MW27-ROX-041015	4/10/2015		43.22	NE	<0.011	<0.0054	<0.0054	<0.022	<0.011	0.000024 J J	<0.00011	<0.0054		<0.00011	0.000036 J	0.00007 J	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.000019 JB J	<0.0054	0.000018 J	<0.011
	MW27-ROX-071015	7/10/2015		43.00	NE	<0.011	<0.0056	<0.0056	<0.022	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	0.00005 JB J	0.000086 JB J	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011
	MW27-ROX-100815	10/8/2015		40.32	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000035 J	0.000051 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW27-ROX-011316	1/13/2016		40.68	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW27-ROX-041116	4/11/2016		39.73	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000034 J	0.000051 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW-27-ROX-071316	7/13/2016	39.79 - 49.79	38.94	NE	<0.01	<0.01	<0.00054 U	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.00002 J	0.000028 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01 UJ
MW-28	MW28-ROX-102114	10/21/2014	33.61 - 43.61	36.44	NE	<0.011	0.00026 J	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.00075 J	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000017 J	<0.0053	<0.00011	<0.011
	MW28-ROX-011515	1/15/2015		41.14	NE	0.0012 J	0.00033 J J	<0.0055	<0.022	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	0.00047 J	<0.0022	<0.011	<0.011	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011	<0.011
	MW28-ROX-041415	4/14/2015		42.34	NE	<0.011	<0.0057	<0.0057	<0.023	<0.011	<0.00011	<0.00011	<0.0057		0.000035 J	0.00024 J	0.000037 J	<0.011	<0.011	<0.0057	<0.0057	<0.011	<0.000057	<0.0057	<0.00011	<0.011
	MW28-ROX-071515	7/15/2015		42.19	NE	<0.011	<0.0056	<0.0056	<0.022	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	0.00021 J J	0.0001 JB J	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.00002 J	<0.0056	<0.00011	<0.011
	MW28-ROX-101215	10/12/2015		40.04	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000069 J	0.00007 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW28-ROX-101215-DUP	10/12/2015		40.04	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000033 J	0.000028 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW28-ROX-011416	1/14/2016		39.98	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	0.013	<0.0002	<0.01
	MW28-ROX-041216	4/12/2016		39.20	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000048 J	0.000055 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	MW28-ROX-071416	7/14/2016	33.61 - 43.61	38.49	NE	<0.01	<0.01	<0.00084 U	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																		
						2,4-Dimethylphenol	Di-n-butyl phthalate	Di-n-octyl phthalate	2,4-Dinitrophenol	2,6-Dinitrotoluene	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3 & 4-Methylphenol (m & p-Cresol)	Nitrobenzene	N-Nitrosodimethylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	Pyridine
				Screening Values (mg/L)		0.14 [2]	0.7 [1]	0.14 [2]	0.014 [2]	0.00031 [2]	0.28 [1]	0.28 [1]	0.00006 [2]		0.00043 [1]	0.49 [3]	0.028 [1]	0.35 [1]	0.35 [3]	0.014 [1]	0.0000017 [3]	0.001 [1]	0.21 [3]	0.1 [1]	0.21 [1]	0.007 [3]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																			
P-54	P54-ROX-100813	10/8/2013	38.00 - 63.00	39.94	NE	<0.011	<0.0057	<0.0057	<0.023	<0.011	<0.00011	<0.00011	<0.0057		<0.00011	<0.00023	<0.00023	<0.011	<0.011	<0.0057	<0.0057	<0.011	<0.000057	<0.0057	<0.00011	<0.011 UJ
	P54-ROX-011514	1/15/2014		42.20	NE	<0.011	<0.0054	<0.0054	<0.022	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011
	P54-ROX-040914	4/9/2014		42.80	NE	<0.012	<0.00062 U	<0.006	<0.024	<0.012	<0.00012	<0.00012	<0.006		<0.00012	<0.00024	<0.00024	<0.012	<0.012	<0.006	<0.006	<0.012	<0.00006	<0.006	<0.00012	<0.012
	P54-ROX-071114	7/10/2014		41.71	NE	<0.011	<0.00028 U	<0.0054	<0.022	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.00011 J	0.00013 J	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000051 U	<0.0054	<0.00011	<0.011 UJ
	P54-ROX-100814	10/8/2014		40.88	NE	<0.011	<0.0056	<0.0056	<0.022	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011 UJ
	P54-ROX-011415	1/14/2015		41.79	NE	<0.011	<0.0056	<0.0056	<0.022	<0.011	0.000021 J J	<0.00011	<0.0056		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.00002 J	<0.0056	0.00003 J	<0.011
	P54-ROX-041015	4/10/2015		43.20	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	0.00002 J J	<0.00011	<0.0053		<0.00011	0.000024 J	0.000046 J	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000025 JB J	<0.0053	0.000018 J	<0.011
	P54-ROX-070915	7/9/2015		42.25	NE	<0.01	<0.0052	<0.0052	<0.021	<0.01	<0.0001	0.000019 J	<0.0052		<0.0001	0.000089 J	0.00015 J	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.000041 J	<0.0052	<0.0001	<0.01
	P54-ROX-100915	10/9/2015		40.20	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000037 J	0.000063 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	P54-ROX-011216	1/12/2016		40.22	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	P54-ROX-041216	4/12/2016		39.42	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	P54-ROX-071216	7/12/2016	38.00 - 63.00	38.44	NE	<0.01	<0.01	0.00083 J J	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000038 J	0.000049 J J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01 UJ
P-55	P55-ROX-101013	10/10/2013	40.43 - 50.43			0.0014 J	<0.0055	<0.0055	<0.022	<0.011	<0.00011	0.0014	<0.0055		<0.00011	0.0279	0.0415	<0.011	<0.011	<0.0055	<0.0055	<0.011	0.0017	0.002 J	<0.00011	<0.011
P-56	P56-ROX-101013	10/10/2013	40.82 - 65.82	44.48	NE	0.0042 J	<0.0055	<0.0055	<0.022	<0.011	<0.00011	0.00044	<0.0055		<0.00011	0.0251	0.03	<0.011	<0.011	<0.0055	<0.0055	<0.011	0.0013	<0.0055	<0.00011	<0.011
	P56-ROX-012214	1/22/2014		46.35	NE	<0.01	<0.0052	<0.0052	<0.021	<0.01	<0.0001	0.00035	<0.0052		<0.0001	0.0193	0.0228	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.0012	<0.0052	<0.0001	<0.01
	P56-ROX-041414	4/14/2014		47.32	NE	<0.012	0.00051 J	<0.0059	<0.024	<0.012	<0.00012	0.00038	<0.0059		<0.00012	0.0223	0.0269	<0.012	0.0008 J	<0.0059	<0.0059	<0.012	0.0012	<0.0059	<0.00012	<0.012
	P56-ROX-070814	7/8/2014		45.97	NE	<0.011	<0.0056	<0.0056	<0.022	<0.011	<0.00011	0.00036	<0.0056		<0.00011	0.0181	0.0243	<0.011	0.0165	<0.0056	<0.0056	<0.011	0.001	<0.0056	<0.00011	<0.011
	P56-ROX-101314	10/13/2014		45.05	NE	<0.011	<0.00035 U	<0.0054	<0.022	<0.011	<0.00011	0.00041	<0.0054		<0.00011	0.0235	0.0296	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.0015	<0.0054	<0.00011	<0.011 UJ
	P56-ROX-011915	1/19/2015		46.58	NE	<0.011	<0.0054	<0.0054	<0.022	<0.011	<0.00011	0.0003	<0.0054		<0.00011	0.0197	0.0223	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.0011	<0.0054	0.00003 J	<0.011
	P56-ROX-041515	4/15/2015		48.05	NE	0.0026 J	<0.0054	<0.0054	<0.022	<0.011	<0.00011	0.00041	<0.0054		<0.00011	0.026	0.0293	<0.011	0.0011 J	<0.0054	<0.0054	<0.011	0.0013	<0.0054	0.000027 J J	<0.011
	P56-ROX-071015	7/10/2015		47.34	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	<0.00011	0.00033	<0.0053		<0.00011	0.0262	0.0119	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.0014	<0.0053	0.000029 J	<0.011
	P56-ROX-101415	10/14/2015		44.85	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	0.00018 J	<0.01	<0.01	<0.0002	0.013	0.011 J	<0.01	0.29	<0.01	<0.01	<0.02	0.00082	<0.01	<0.0002	<0.01 UJ
	P56-ROX-011116	1/11/2016		44.78	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	0.00044	<0.01	<0.01	<0.0002	0.021	0.019	<0.01	0.0028 J	<0.01	<0.01	<0.02	0.0014	<0.01	<0.0002	<0.01
	P56-ROX-041416	4/14/2016		43.73	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	0.00014 J	<0.01	<0.01	<0.0002	0.02	0.021	<0.01	<0.02	<0.01	<0.01	<0.02	0.0011	<0.01	<0.0002	<0.01
	P56-ROX-071216	7/12/2016	40.82 - 65.82	42.87	NE	<0.01	<0.01	0.00093 J J	<0.03	<0.01	<0.0002	0.00019 J	<0.01	<0.01	<0.0002	0.011	0.011	<0.01	<0.02	<0.01	<0.01	<0.02	0.00053	<0.01	<0.0002	<0.01 UJ
P-57	P57-ROX-101413	10/14/2013	40.46 - 65.46	44.38	NE	0.0029 J	0.00049 J	<0.0054	<0.022	<0.011	<0.00011	0.00067	<0.0054		<0.00011	0.0252	0.0324	<0.011	<0.011	<0.0054	<0.0054 UJ	<0.011	0.00049	0.202	0.000047 J	<0.011 UJ
	P57-ROX-020314	2/3/2014		46.57	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	<0.00011	0.00062	<0.0053		<0.00011	0.0234	0.0314	<0.011	0.0027 J	<0.0053	<0.0053	<0.011	0.00052	0.168 J	<0.00011	<0.011 UJ
	P57-ROX-041514	4/15/2014		46.70	NE	<0.011 UJ	<0.00058 U	<0.0056	<0.022	<0.011	<0.00011	0.00061	<0.0056		<0.00011	0.0238	0.032	<0.011	<0.011	<0.0056	<0.0056 UJ	<0.011	0.00045 J	0.106 J	<0.00011	<0.011 UJ
	P57-ROX-070814	7/8/2014		45.95	NE	<0.011	0.00026 J	<0.0053	<0.021	<0.011	<0.00011 UJ	0.00055	<0.0053	0.024 JN	<0.00011	0.022	0.0306	<0.011	0.0303	<0.0053	<0.0053	<0.011	0.00047	0.141	<0.00011	<0.011
	P57-ROX-070814-DUP	7/8/2014		45.95	NE	<0.011	0.00027 J	<0.0054	<0.022	<0.011	<0.00011 UJ	0.00054	<0.0054	0.023 JN	<0.00011	0.022	0.03	<0.011	0.0299	<0.0054	<0.0054	<0.011	0.00048	0.136	<0.00011	<0.011
	P57-ROX-101414-DUP	10/14/2014		45.00	NE	<0.012	<0.00082 U	<0.0058	<0.023	<0.012	<0.00012	0.00065	<0.0058		<0.00012	0.0243	0.0338	<0.012	0.0138	<0.0058	<0.0058	<0.012	0.00058	0.271 J	<0.00012	<0.012
	P57-ROX-101414	10/14/2014		45.00	NE	<0.011	<0.00086 U	<0.0056	<0.022	<0.011	<0.00011	0.00068	<0.0056		<0.00011	0.026	0.0345	<0.011	0.0152	<0.0056	<0.0056	<0.011	0.00059	0.274 J	<0.00011	<0.011
	P57-ROX-012315	1/23/2015	44.19 - 54.19	47.52	NE	<0.011	0.00039 J	<0.0053	<0.021	<0.011	<0.00002 U	0.00098	<0.0053		<0.00011	0.0385	0.0507	<0.011	0.0044 J	<0.0053	<0.0053	<0.011	0.00062	0.159	<0.000027 U	<0.011 UJ
	P57-ROX-042015	4/20/2015		48.73	NE	<0.01	0.00037 J	<0.0052	<0.021	<0.01	<0.0001	0.00089	<0.0052		<0.0001	0.0312	0.045	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.0007	0.164	0.000021 J	<0.01
	P57-ROX-071315	7/13/2015		47.81	NE	<0.011	0.00044 J	<0.0053	<0.021	<0.011	<0.00011	0.00082	<0.0053		<0.00011	0.0302	0.0464	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.00064	0.189	0.00002 J	<0.011
	P57-ROX-101515	10/15/2015		45.56	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	0.00045	<0.01	<0.01	<0.0002	0.018	0.026	<0.01	0.038	<0.01	<0.01	<0.02	<0.0002	0.87	<0.0002	<0.01
	P57-ROX-011216	1/12/2016		45.61	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.001	0.00089 J	<0.01	0.0037 J	<0.001	0.038	0.057	<0.01	<0.02	<0.01	<0.01	<0.02	0.00071 J	0.21	<0.001	<0.01
	P57-ROX-041816	4/18/2016		44.80	NE	<0.01 UJ	<0.01 UJ	<0.01 UJ	<0.03 UJ	<0.01 UJ	<0.0002 UJ	0.00044 H J	<0.01 UJ	0.0012 J H J	<0.0002 UJ	0.019 H J	0.027 H J	<0.01 UJ	0.0012 J H J	<0.01 UJ	<0.01 UJ	<0.02 UJ	0.00037 H J	0.42 H J	<0.0002 UJ	<0.01 UJ
	P57-ROX-071316	7/13/2016	44.19 - 54.19	44.02	NE	<0.01	<0.01	<0.00069 U	<0.03	<0.01	<0.001	0.00053 J	<0.01	<0.01	<0.001	0.026	0.036	<0.01	<0.02	<0.01	<0.01	<0.02	0.00053 J	0.73	<0.001	<0.01 UJ
P-58	P58-ROX-101413	10/14/2013	40.21 - 65.21	42.19	NE	0.0016 J	0.00058 J	<0.0054	<0.022	<0.011	0.000066 J	0.0014	<0.0054		<0.00011	0.0488	0.0628	<0.011	0.0481	<0.0054	<0.0054 UJ	<0.011	0.00095	0.213	0.00021	<0.011 UJ
	P58-ROX-020314	2/3/2014		44.66	NE	<0.01	<0.0052	<0.0052	<0.021	<0.01	0.000058 J	0.0011	<0.0052		<0.0001	0.0353	0.0474	<0.01	0.0073 J	<0.0052	<0.0052	<0.01	0.00069	0.123 J	0.00014	<0.01 UJ
	P58-ROX-041514	4/15/2014		45.66	NE	<0.011 UJ	<0.0013 U	0.00072 J	<0.021 UJ	<0.011 UJ	0.00079	0.0017	0.00088 J		0.00072	0.0284	0.0381	<0.011 UJ	0.0136 J	<0.0053	0.0021 J J	<0.011 UJ	0.0013	0.123 J	0.00085	<0.011 UJ
	P58-ROX-071814	7/18/2014		43.80	NE	<0.011	<0.00032 U	<0.0055	<0.022 UJ	<0.011	0.000062 J	0.0012	<0.0055		0.0005	0.0412	0.0554	<0.011	0.012	<0.0055	<0.0055	<0.011	0.00092	0.173	0.00022	<0.011
	P58-ROX-101514	10/15/2014		43.14	NE	<0.011	<0.0054	<0.0054	<0.022	<0.011	0.000064 J	0.0015	<0.0054		<0.00011	0.0504	0.0674	<0.011	0.0237	<0.0054	<0.0054	<0.011	0.001	0.145	0.00024	<0.011
	P58-ROX-012315	1/23/2015		45.32	NE	<0.011	0.00038 J	<0.0053	<0.021	<0.011	<0.000028 U	0.0011	<0.0053		<0.00011	0.0428	0.0565	<0.011	0.0025 J	<0.0053	<0.0053	<0.011	0.00064	0.162	0.000097 JB	<0.011 UJ
	P58-ROX-042015	4/20/2015		46.67	NE	<0.01	0.00028 J	<0.0052	<0.021	<0.01	0.000048 J	0.0012	<0.0052		<0.0001	0.0444	0.0563	<0.01	0.0047 J	<0.0052	<0.0052	<0.01	0.00075	0.112	0.00019	<0.01
	P58-ROX-071415	7/14/2015		45.54	NE	<0.011	0.00081 J	<0.0055	<0.022	<0.011	0.000054 J	0.0011	<0.0055		<0.00011	0.04	0.055	<0.011	0.0165	<0.0055	<0.0055	<0.011	0.00083	0.153	0.00023	<0.011
	P58-ROX-101615	10/16/2015		43.45	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	0.00038	<0.01	<0.01	<0.0002	0.016	0.021	<0.01	0.013 J	<0.01	<0.01	<0.02	0.00021	0.23	0.000062 J	<0.01
	P58-ROX-011316	1/13/2016		43.18	NE	<0.01	<0.01	<0.01	<0.03	<0.01	0.000063 J	0.0012	<0.01	0.0025 J	<0.0002	0.062	0.083	<0.01	0.015 J	<0.01	<0.01	<0.02	0.00087	0.068	0.00017 J	<0.01
	P58-ROX-041816	4/18/2016		42.68	NE	<0.01 UJ	<0.01 UJ	<0.01 UJ	<0.03 UJ	<0.01 UJ	<0.0002 UJ	0.0012 H J	<0.01 UJ	0.002 J H J	<0.0002 UJ	0.061 H J	0.077 H J	<0.01 UJ	0.0035 J H J	<0.01 UJ	<0.01 UJ	<0.02 UJ	0.001 H J	0.45 H J	0.00024 H J	<0.01 UJ
	P58-ROX-071516	7/15/2016	40.21 - 65.21	42.05	NE	<0.01	0.004 J	<0.00098 U	<0.03	<0.01	<0.0002	0.00063	<0.01	0.0013 J	<0.0002	0.024	0.033	<0.01	<0.02	<0.01	<0.01	0.002 J	0.00032	0.21	<0.0002	<0.01 UJ

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																				
						2,4-Dimethylphenol	Di-n-butyl phthalate	Di-n-octyl phthalate	2,4-Dinitrophenol	2,6-Dinitrotoluene	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3 & 4-Methylphenol (m & p-Cresol)	Nitrobenzene	N-Nitrosodimethylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	Pyridine
					Screening Values (mg/L)	0.14 [2]	0.7 [1]	0.14 [2]	0.014 [2]	0.00031 [2]	0.28 [1]	0.28 [1]	0.00006 [2]		0.00043 [1]	0.49 [3]	0.028 [1]	0.35 [1]	0.35 [3]	0.014 [1]	0.0000017 [3]	0.001 [1]	0.21 [3]	0.1 [1]	0.21 [1]	0.007 [3]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
P-59	P59-ROX-101013	10/10/2013	47.91 - 72.91	45.50	NE	0.078	<0.0054	0.00091 J	<0.022	<0.011	0.00015	0.0007	<0.0054		<0.00011	0.0192	0.0305	0.201	0.0528	<0.0054	<0.0054	<0.011	0.0014	0.0524	0.00028	<0.011
	P59-ROX-020314	2/3/2014		47.35	NE	0.147 J	<0.0052	<0.0052	<0.021	<0.01	0.00012	0.00067	<0.0052		<0.0001	0.0141	0.0214	0.31 J	0.0142	<0.0052	<0.0052	<0.01	0.0014	0.0444 J	0.00019	<0.01 UJ
	P59-ROX-041514	4/15/2014		48.60	NE	<0.011 UJ	<0.0053	<0.0053	<0.021	<0.011	0.00015	0.00066	<0.0053		<0.00011	0.0233	0.0317	<0.011	0.0186 J	<0.0053	<0.0053 UJ	<0.011	0.0016	0.13 J	0.0003	<0.011 UJ
	P59-ROX-070814	7/8/2014		47.69	NE	0.17	0.00045 J	<0.0057	<0.023	<0.011	0.000053 J J	0.00046	<0.0057		<0.00011	0.0181	0.0291	0.0793	0.0184	<0.0057	<0.0057	<0.011	0.00088	<0.0057	0.0001 J	<0.011
	P59-ROX-101414	10/14/2014		46.18	NE	0.0492	<0.00042 U	<0.0054	<0.022	<0.011	<0.00054	0.00087	<0.0054		<0.00054	0.0268	0.0425	0.0387	0.0092 J	<0.0054	<0.0054	<0.011	0.0015	0.0361	<0.00054	<0.011
	P59-ROX-011915	1/19/2015		47.42	NE	0.153	<0.0054	<0.0054	<0.022	<0.011	0.00014	0.00073	<0.0054		<0.00011	0.0145	0.0216	0.0789	0.0145	<0.0054	<0.0054	<0.011	0.0013	0.0169	0.00027	<0.011
	P59-ROX-041615	4/16/2015		48.83	NE	0.165	<0.0054	<0.0054	<0.022	<0.011	0.000078 J	0.00028	<0.0054	0.057 JN	<0.00011	0.0136	0.0189	0.0661	0.168	<0.0054	<0.0054	<0.011	0.00081	0.0909	0.00014	<0.011
	P59-ROX-071315	7/13/2015		47.85	NE	0.113	<0.0054	<0.0054	<0.022	<0.011	0.0002	0.00045	<0.0054		<0.00011	0.0045	0.0049	0.044	0.0123	<0.0054	<0.0054	<0.011	0.00064	0.0062	0.00039	<0.011
	P59-ROX-101515	10/15/2015		45.75	NE	0.077	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.002	<0.01	0.0091 J	<0.0002	0.014	0.014	0.093	0.061	<0.01	<0.01	<0.02	<0.0002	0.072	<0.0002	<0.01 UJ
	P59-ROX-011216	1/12/2016		46.10	NE	0.0095 J	<0.01	0.00049 J	<0.03	<0.01	0.00017 J	0.00055 J	<0.01	0.018	<0.001	0.017	0.026	0.012	0.0068 J	<0.01	<0.01	<0.02	0.00089 J	<0.01	0.00019 J	0.0047 J
	P59-ROX-041816	4/18/2016		44.28	NE	0.01 J	<0.01 UJ	<0.01 UJ	<0.03 UJ	<0.01 UJ	0.00022 J	0.00024 J	<0.01 UJ	0.011 J	0.000044 J J	0.011 J	0.017 J	0.0021 J J	0.0033 J J	<0.01 UJ	<0.01 UJ	<0.02 UJ	0.000093 J J	0.044 J	0.00016 J J	<0.01 UJ
	P59-ROX-071316	7/13/2016	47.91 - 72.91	44.01	NE	0.063	<0.01	<0.00079 U	<0.03	<0.01	<0.001	<0.001	<0.01	<0.01	<0.001	0.018	0.021	<0.01	<0.02	<0.01	<0.01	<0.02	<0.001	<0.01	<0.001	<0.01 UJ
P-66	P66-ROX-101013	10/10/2013	34.72 - 59.72	33.66	NE	<0.011	<0.0056	<0.0056	<0.022	<0.011	0.000052 J	0.0013	<0.0056		<0.00011	0.0571	0.0218	<0.011	0.0034 J	<0.0056	<0.0056	<0.011	0.0005	<0.0056	0.00009 J	<0.011
	P66-ROX-110713	11/7/2013		33.66	NE																					
	P66-ROX-012914	1/29/2014		36.39	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	0.000065 J	0.0016	<0.0053		0.000041 J	0.0701	0.0284	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.00077	<0.0053	0.000099 J	<0.011
	P66-ROX-041114	4/11/2014		37.10	NE	<0.012	<0.00088 U	<0.0058	<0.023	<0.012	<0.00012	0.0013	<0.0058		<0.00012	0.0649	0.023	<0.012	<0.012	<0.0058	<0.0058	<0.012	0.00049	<0.0058	0.000049 J	<0.012
	P66-ROX-070714	7/7/2014		35.60	NE	<0.011	0.0003 J	<0.0056	<0.022	<0.011	<0.00011	0.00078	<0.0056		<0.00011	0.0445	0.006	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.00041 J	<0.0056	<0.00011	<0.011
	P66-ROX-101414	10/14/2014		34.48	NE	<0.011	<0.00066 U	<0.0055	<0.022	<0.011	<0.00011	0.0011	<0.0055		<0.00011	0.0595	0.0075	<0.011	<0.011	<0.0055	<0.0055	<0.011	0.00064	<0.0055	0.000043 J	<0.011
	P66-ROX-011615	1/16/2015		36.62	NE	<0.011	<0.00022 U	<0.0053	<0.021	<0.011	0.000047 J J	0.0014	<0.0053		<0.00011	0.0739	0.0178	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.00072 J	<0.0053	0.000077 J J	<0.011
	P66-ROX-011615-DUP	1/16/2015		36.62	NE	<0.011	<0.0054	<0.0054	<0.022	<0.011	0.001 J	0.0015	<0.0054		0.00014	0.0682	0.0165	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.0016 J	<0.0054	0.00086 J	<0.011
	P66-ROX-041415	4/14/2015		38.27	NE	<0.011	<0.0054	<0.0054	<0.022	<0.011	0.00005 J	0.0013	<0.0054		<0.00011	0.0665	0.02	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.00062	<0.0054	0.000053 J	<0.011
	P66-ROX-041415-DUP	4/14/2015		38.27	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	0.000038 J	0.0013	<0.0053		<0.00011	0.0627	0.0187	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.00059	<0.0053	0.000041 J	<0.011
	P66-ROX-070815	7/8/2015		37.24	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	0.000027 J	0.0011	<0.0053		<0.00011	0.0546	0.0075	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.00053	<0.0053	0.000028 J	<0.011
	P66-ROX-070815-DUP	7/8/2015		37.24	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	0.000024 J	0.0011	<0.0053		<0.00011	0.0574	0.0077	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.00056	<0.0053	0.00004 J	<0.011
	P66-ROX-101315	10/13/2015		34.84	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	0.001 J	<0.0002	0.034	0.0025	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01 UJ
	P-66-ROX-010816	1/8/2016		34.64	NE	<0.01	<0.01	<0.01	<0.03	<0.01	0.000037 J	0.0012	<0.01	<0.01	0.000049 J	0.084 E J	0.01	<0.01	<0.02	<0.01	<0.01	<0.02	0.00055	<0.01	0.000043 J	<0.01
	P66-ROX-041516	4/15/2016		34.33	NE	<0.01	<0.01	<0.01	<0.03	<0.01	0.000042 J	0.00049	<0.01	<0.01	<0.0002	0.027	0.0099	<0.01	<0.02	<0.01	<0.01	<0.02	0.00035	<0.01	0.000054 J	<0.01
	P66-ROX-071116	7/11/2016	34.72 - 59.72	33.58	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.001	0.00091 J	<0.01	<0.01	<0.001	0.062	0.013	<0.01	<0.02	<0.01	<0.01	<0.02	0.00054 J	<0.01	<0.001	<0.01 UJ
P-74	P74-ROX-101413	10/14/2013	44.43 - 69.43	41.72	NE	0.0019 J	0.00047 J	<0.0054	<0.022	<0.011	0.00015	0.00025	<0.0054		<0.00011	0.0073	0.0079	<0.011	<0.011	<0.0054	<0.0054 UJ	<0.011	0.000079	0.0125	0.000057 J	<0.011 UJ
	P74-ROX-012414	1/24/2014		43.35	NE	<0.01	0.00048 J	<0.0051	<0.02	<0.01	0.000088 J	0.00028	<0.0051		<0.0001	0.0088	0.0106	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.00014 U	0.0278	0.000049 J	<0.01
	P74-ROX-041514	4/15/2014		44.74	NE	<0.012 UJ	<0.0014 U	<0.0059	<0.024	<0.012	<0.00012	<0.00012	<0.0059		<0.00012	0.0017 J	0.0022 J	<0.012	<0.012	<0.0059	<0.0059 UJ	<0.012	0.000054 JB J	<0.0059 UJ	<0.00012	<0.012 UJ
	P74-ROX-070814	7/8/2014		43.02	NE	<0.011	0.00039 J	<0.0057	<0.023	<0.011	<0.00011	0.00011	<0.0057		<0.00011	0.0034	0.003	<0.011	<0.011	<0.0057	<0.0057	<0.011	0.000054 J	<0.0057	<0.00011	<0.011
	P74-ROX-101414	10/14/2014		41.48	NE	<0.01	<0.0019 U	<0.005	<0.02	<0.01	<0.0001	<0.0001	<0.005		<0.0001	<0.002	<0.002	<0.01	<0.01	<0.005	<0.005	<0.01	<0.00005	<0.005	<0.0001	<0.01
	P74-ROX-011915	1/19/2015		43.47	NE	0.02	<0.0053	<0.0053	<0.021	<0.011	0.000053 J	0.00023	<0.0053		<0.00011	0.0077	0.0107	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.00015 B	0.0169	0.000038 J	<0.011
	P74-ROX-041515	4/15/2015		44.61	NE	<0.01	<0.0052	<0.0052	<0.021	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.0021	<0.0021	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000052	<0.0052	<0.0001	<0.01
	P74-ROX-071015	7/10/2015		43.28	NE	<0.011	<0.0054	<0.0054	<0.022	<0.011	0.000019 J	<0.00011	<0.0054		<0.00011	0.00002 JB J	0.000029 JB J	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011
	P74-ROX-101415	10/14/2015		41.75	NE	0.021	<0.01	0.00089 J	<0.03	<0.01	<0.0002	0.00012 J	<0.01	0.0022 J	<0.0002	0.0032	0.0031	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	0.1	0.000037 J	<0.01 UJ
	P74-ROX-011116	1/11/2016		40.67	NE	<0.01	<0.01	0.00063 J B	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	P74-ROX-041516	4/15/2016		40.40	NE	<0.01	<0.01	<0.01	<0.03	<0.01	0.000022 J	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	0.00002 J	<0.01
	P74-ROX-071216	7/12/2016	44.43 - 69.43	39.56	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.0011	0.0011	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01 UJ

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																		
						2,4-Dimethylphenol	Di-n-butyl phthalate	Di-n-octyl phthalate	2,4-Dinitrophenol	2,6-Dinitrotoluene	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3 & 4-Methylphenol (m & p-Cresol)	Nitrobenzene	N-Nitrosodimethylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	Pyridine
					Screening Values (mg/L)	0.14 [2]	0.7 [1]	0.14 [2]	0.014 [2]	0.00031 [2]	0.28 [1]	0.28 [1]	0.00006 [2]		0.00043 [1]	0.49 [3]	0.028 [1]	0.35 [1]	0.35 [3]	0.014 [1]	0.0000017 [3]	0.001 [1]	0.21 [3]	0.1 [1]	0.21 [1]	0.007 [3]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
P-93A	P93A-ROX-101113	10/11/2013	48.17 - 63.17	44.18	NE	<0.01	<0.005	<0.005	<0.02	<0.01	<0.0001	0.00028	<0.005		<0.0001	0.0128	0.0085	<0.01	<0.01	<0.005	<0.005	<0.01	0.00013	0.0837 J	<0.0001	<0.01 UJ
	P93A-ROX-012914	1/29/2014		46.53	NE	<0.011	<0.0054	<0.0054	<0.022	<0.011	<0.00011	0.00032	<0.0054		<0.00011	0.0133	0.0072	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.00022 B	0.105	<0.00011	<0.011
	P93A-ROX-041714	4/17/2014		47.41	NE	<0.011	<0.0012 U	<0.0056	<0.022	<0.011	<0.00011	0.00027	<0.0056		<0.00011	0.0086	0.0048	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.00018 B J	0.0735	<0.00011	<0.011
	P93A-ROX-071814	7/18/2014		45.70	NE	<0.011	<0.00077 U	<0.0057	<0.023 UJ	<0.011	<0.00011	0.00024	<0.0057		<0.00011	0.0084	0.0053	<0.011	<0.011	0.0059	<0.0057	<0.011	0.00017 B	0.0355	<0.00011	<0.011
	P93A-ROX-071814-DUP	7/18/2014		45.70	NE	<0.011	<0.00041 U	<0.0057	<0.023 UJ	<0.011	<0.00011	0.00025	<0.0057		<0.00011	0.0095	0.0062	<0.011	<0.011	0.0052 J	<0.0057	<0.011	0.00017 B	0.0396	<0.00011	<0.011
	P93A-ROX-101514	10/15/2014		45.06	NE	<0.01	0.00024 J	<0.0052	<0.021	<0.01	<0.0001	0.00037	<0.0052		<0.0001	0.0114	0.0095	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.0003	0.0471	<0.0001	<0.01
	P93A-ROX-101514-DUP	10/15/2014		45.06	NE	<0.011 UJ	0.00046 J J	<0.0054 UJ	<0.022 UJ	<0.011 UJ	<0.00011 UJ	0.00039 J	<0.0054 UJ		<0.00011 UJ	0.0122 J	0.0101 J	<0.011 UJ	<0.011 UJ	0.0011 J J	<0.0054 UJ	<0.011 UJ	0.0003 J	0.05 J	<0.00011 UJ	<0.011 UJ
	P93A-ROX-012715	1/27/2015	43.07 - 53.07	46.05	NE	<0.005	<0.005	<0.005	<0.025	<0.005	<0.001	<0.001	<0.005		<0.0002	0.008	0.0038	<0.005	<0.005	<0.005	<0.005	<0.025	0.00026 J	0.09	<0.001	<0.01
	P93A-ROX-041715	4/17/2015		47.02	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	0.000017 J	0.00021	<0.0053		<0.00011	0.0061	0.0028	<0.011	0.00063 J	<0.0053	<0.0053	<0.011	0.00018	0.0251	0.000026 J	<0.011
	P93A-ROX-071315	7/13/2015		45.93	NE	<0.01	0.00064 J	<0.0052	<0.021	<0.01	0.000025 J	0.00022	<0.0052		<0.0001	0.0056	0.0032	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.00018	0.128	0.000032 J	<0.01
	P93A-ROX-101515	10/15/2015		43.69	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	0.00012 J	<0.01	<0.01	<0.0002	0.0041	0.0016	<0.01	0.0021 J	<0.01	<0.01	<0.02	0.000086 J	0.078	<0.0002	<0.01
	P93A-ROX-101515-DUP	10/15/2015		43.69	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	0.00013 J	<0.01	<0.01	<0.0002	0.004	0.0016	<0.01	0.0023 J	<0.01	<0.01	<0.02	0.000092 J	0.082	<0.0002	<0.01
	P-93A-ROX-011216	1/12/2016		43.73	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.0047 J	0.0018 J	<0.01	0.002 J	<0.01	<0.01	<0.02	0.00011 J	0.24	<0.0002	<0.01
	P-93A-ROX-011216-DUP	1/12/2016		43.73	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	0.00018 J	<0.01	<0.01	<0.0002	0.0064 J	0.0031 J	<0.01	0.003 J	<0.01	<0.01	<0.02	0.00013 J	0.19	<0.0002	<0.01
	P93A-ROX-041916	4/19/2016		43.08	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.00051	0.00016 J	<0.01	<0.02	<0.01	<0.01	<0.02	0.000039 J	0.0061 J	<0.0002	<0.01
	P93A-ROX-041916-DUP	4/19/2016		43.08	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.00062	0.00025	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	0.0056 J	<0.0002	<0.01
	P93A-ROX-071316	7/13/2016	43.07 - 53.07	42.20	NE	<0.01	<0.01	<0.0012 U	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.00022	0.0001 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	0.0051 J	<0.0002	<0.01 UJ
	P93A-ROX-071316-DUP	7/13/2016		42.20	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	0.00007 J	<0.01	<0.01	<0.0002	0.00025	0.00012 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	0.0078 J	<0.0002	<0.01 UJ
P-93B	P93B-ROX-101613	10/16/2013	74.60 - 76.60	44.43	NE	<0.01	<0.005	<0.005	<0.02	<0.01	<0.0001	<0.0001	<0.005		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.005	<0.005	<0.01	<0.00005	0.069	<0.0001	<0.01
	P93B-ROX-101613-DUP	10/16/2013		44.43	NE	<0.01	<0.0051	<0.0051	<0.02	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000051	0.082	<0.0001	<0.01
	P93B-ROX-012814	1/28/2014		46.58	NE	<0.011	0.00045 J	<0.0055	<0.022	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.011	<0.000022 U	0.074	<0.00011	<0.011
	P93B-ROX-012814-DUP	1/28/2014		46.58	NE	<0.01	0.00048 J	<0.0051	<0.02	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000024 U	0.0927	<0.0001	<0.01
	P93B-ROX-041714	4/17/2014		47.46	NE	<0.01	<0.0024 U	<0.0051	<0.02	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000051	0.0719	<0.0001	<0.01
	P93B-ROX-041714-DUP	4/17/2014		47.46	NE	<0.011	<0.00098 U	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	0.0861	<0.00011	<0.011
	P93B-ROX-071714	7/17/2014		45.75	NE	<0.01	<0.00046 U	<0.0052	<0.021	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000023 U	<0.0052 UJ	<0.0001	<0.01
	P93B-ROX-101514	10/15/2014		45.15	NE	<0.011	0.00024 J	<0.0056	<0.022	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	0.128	<0.00011	<0.011
	P93B-ROX-012315	1/23/2015		47.24	NE	<0.011	0.00025 J	<0.0053	<0.021	<0.011	<0.00011	<0.000017 U	<0.0053		<0.00011	0.00002 J	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	0.0979	<0.00011	<0.011 UJ
	P93B-ROX-012315-DUP	1/23/2015		47.24	NE	<0.011	0.00031 J	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.000023 J	0.000041 J	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000024 U	0.123	<0.00011	<0.011 UJ
	P93B-ROX-021915	2/19/2015		47.24	NE																					
	P93B-ROX-041615	4/16/2015		48.42	NE	0.00099 J	<0.0053	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.000034 JB J	0.00008 JB J	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	0.104 J	<0.00011	<0.011
	P93B-ROX-041615-DUP	4/16/2015		48.42	NE	0.00084 J	<0.0053	<0.0053	<0.021	<0.011	<0.00011	0.00002 J	<0.0053		<0.00011	0.000028 JB J	0.000048 JB J	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	0.08 J	<0.00011	<0.011
	P93B-ROX-070915	7/9/2015		47.74	NE	0.0009 J	<0.0051	<0.0051	<0.02	<0.01	0.000035 J	0.000031 J	<0.0051		<0.0001	0.000041 J	0.000059 J	<0.01	<0.01	<0.0051	<0.0051	<0.01	0.000054 J	0.101	0.000025 J	<0.01
	P93B-ROX-070915-DUP	7/9/2015		47.74	NE	0.00082 J	<0.0051	<0.0051	<0.02	<0.01	0.000029 J	0.000095 J	<0.0051		<0.0001	0.000058 J	0.000077 J	<0.01	<0.01	<0.0051	<0.0051	<0.01	0.00031 J	0.0909	<0.0001	<0.01
	P93B-ROX-101515	10/15/2015		45.18	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	0.18	<0.0002	<0.01 UJ
	P93B-ROX-011316	1/13/2016		44.96	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	0.071	<0.0002	<0.01
	P93B-ROX-041916	4/19/2016		44.54	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	0.21	<0.0002	<0.01
	P93B-ROX-071516	7/15/2016	74.60 - 76.60	43.65	NE	<0.01	<0.01	<0.0011 U	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	0.41	<0.0002	<0.01 UJ
P-93C	P93C-ROX-101613	10/16/2013	94.26 - 96.256	44.31	NE	<0.01	<0.0051	<0.0051	<0.02	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000051	0.005 J	<0.0001	<0.01
	P93C-ROX-012414	1/24/2014		46.44	NE	<0.01	0.00051 J	<0.0051	<0.02	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000051	<0.0051	<0.0001	<0.01
	P93C-ROX-041714	4/17/2014		47.34	NE	<0.01	<0.00048 U	<0.0052	<0.021	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000052	<0.0052 UJ	<0.0001	<0.01
	P93C-ROX-071714	7/17/2014		45.61	NE	<0.01	<0.00035 U	<0.0052	<0.021	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000024 U	<0.0087 UJ	<0.0001	<0.01
	P93C-ROX-101514	10/15/2014		44.99	NE	<0.011	<0.0056	<0.0056	<0.022	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011
	P93C-ROX-011915	1/19/2015	92.47 - 97.47	48.22	NE	<0.011	<0.0054	<0.0054	<0.022	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.000033 U	<0.000042 U	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000033 U	0.0309	<0.00011	<0.011
	P93C-ROX-021915	2/19/2015		48.22	NE																					
	P93C-ROX-041615	4/16/2015		48.22	NE	<0.011	<0.0054	<0.0054	<0.022	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.00006 JB J	0.000084 JB J	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.000024 J	0.0215	<0.00011	<0.011
	P93C-ROX-071315	7/13/2015		47.09	NE	<0.011	<0.0054	<0.0054	<0.022	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.000095 JB J	0.00016 JB J	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011
	P93C-ROX-101415	10/14/2015		44.91	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.0001 J	0.00013 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01 UJ
	P-93C-ROX-010816	1/8/2016		44.68	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	P93C-ROX-041816	4/18/2016		44.06	NE	<0.01 UJ	<0.01 UJ	<0.01 UJ	<0.03 UJ	<0.01 UJ	0.000023 J J	<0.0002 UJ	<0.01 UJ	<0.01 UJ	<0.0002 UJ	0.000089 J J	0.00013 J J	<0.01 UJ	<0.02 UJ	<0.01 UJ	<0.01 UJ	<0.02 UJ	<0.0002 UJ	<0.01 UJ	<0.0002 UJ	<0.01 UJ
	P93C-ROX-071216	7/12/2016	92.47 - 97.47	43.37	NE	<0.01	<0.01	0.00053 J J	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	0.000044 J	0.000055 J	0.000053 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01 UJ

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																			
						2,4-Dimethylphenol	Di-n-butyl phthalate	Di-n-octyl phthalate	2,4-Dinitrophenol	2,6-Dinitrotoluene	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3 & 4-Methylphenol (m & p-Cresol)	Nitrobenzene	N-Nitrosodimethylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	Pyridine
				Screening Values (mg/L)		0.14 [2]	0.7 [1]	0.14 [2]	0.014 [2]	0.00031 [2]	0.28 [1]	0.28 [1]	0.00006 [2]		0.00043 [1]	0.49 [3]	0.028 [1]	0.35 [1]	0.35 [3]	0.014 [1]	0.0000017 [3]	0.001 [1]	0.21 [3]	0.1 [1]	0.21 [1]	0.007 [3]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																			
P-93D	P93D-ROX-101113	10/11/2013	125.75 - 127.75	44.24	NE	<0.01 UJ	<0.005	<0.005	<0.02 UJ	<0.01	0.000087 J	<0.0001	<0.005		<0.0001	<0.0002	<0.0002	<0.01 UJ	<0.01 UJ	<0.005	<0.005	<0.01 UJ	<0.00005	<0.005 UJ	0.000084 J	<0.01 UJ
	P93D-ROX-013114	1/31/2014		46.62	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000024 U	<0.0053	<0.00011	<0.011
	P93D-ROX-041414	4/14/2014		47.54	NE	<0.011	0.00036 J	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.00003 U	<0.0053	<0.00011	<0.011
	P93D-ROX-071714	7/17/2014		45.78	NE	<0.01	<0.00025 U	<0.0052	<0.021	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000022 U	<0.0052 UJ	<0.0001	<0.01
	P93D-ROX-101514	10/15/2014		45.14	NE	<0.011	0.00031 J	<0.0054	<0.022	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.000019 J	0.0458	<0.00011	<0.011
	P93D-ROX-110414	11/4/2014		45.14	NE																					
	P93D-ROX-012315	1/23/2015		42.28	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.0021	0.000019 J	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	0.044	<0.00011	<0.011 UJ
	P93D-ROX-021915	2/19/2015		42.28	NE																					
	P93D-ROX-042015	4/20/2015		48.52	NE	<0.01	<0.0052	<0.0052	<0.021	<0.01	0.000024 J	0.00002 J	<0.0052		<0.0001	0.00012 J	0.00016 J	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.000017 J	0.0395	0.000021 J	<0.01
	P93D-ROX-070915	7/9/2015		47.96	NE	<0.01	<0.0051	<0.0051	<0.02	<0.01	0.000025 J	0.000019 J	<0.0051		<0.0001	0.000026 J	0.000038 J	<0.01	<0.01	<0.0051	<0.0051	<0.01	0.000043 J	0.0278	0.000026 J	<0.01
	P93D-ROX-101515	10/15/2015		45.28	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000021 J	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	0.071	<0.0002	<0.01
	P93D-ROX-011316	1/13/2016		45.10	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	0.063	<0.0002	<0.01
	P93D-ROX-041916	4/19/2016		44.61	NE	<0.01	<0.01	0.00057 J	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000032 J	0.000036 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	0.047	<0.0002	<0.01
	P93D-ROX-071516	7/15/2016	125.75 - 127.75	43.83	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01 UJ
P-114	P114-ROX-101713	10/17/2013	32.67 - 52.67	29.43	NE	<0.011	<0.0054	<0.0054	<0.022	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011
	P114-ROX-012814	1/28/2014		32.11	NE	<0.011	<0.0054	<0.0054	<0.022	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.00015 B	<0.0054	<0.00011	<0.011
	P114-ROX-042114	4/21/2014		32.22	NE	<0.01	0.0026 JB	<0.0051	<0.02 UJ	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.01 UJ	<0.000051	<0.0051	<0.0001	<0.01
	P114-ROX-071814	7/18/2014		30.87	NE	<0.01	<0.00028 U	<0.0051	<0.02 UJ	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.00012 U	<0.0051	<0.0001	<0.01
	P114-ROX-101714	10/17/2014		29.43	NE	<0.011	<0.0057	<0.0057	<0.023	<0.011	<0.00011	<0.00011	<0.0057		<0.00011	<0.0023	<0.0023	<0.011	<0.011	<0.0057	<0.0057	<0.011	<0.000057	<0.0057	<0.00011	<0.011 UJ
	P114-ROX-012115	1/21/2015		31.53	NE	<0.011	0.00091 J	<0.0056	<0.022	<0.011	<0.00002 U	0.000048 J	<0.0056		<0.00011	<0.000092 U	<0.00012 U	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000046 U	<0.0056	<0.000042 U	<0.011 UJ
	P114-ROX-041715	4/17/2015		NM	NE	<0.011	0.00031 J	<0.0053	<0.021	<0.011	0.000023 J	<0.00011	<0.0053		<0.00011	0.000025 JB J	0.000029 JB J	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000039 J	<0.0053	0.000027 J	<0.011
	P114-ROX-070815	7/8/2015		29.16	NE	<0.01	<0.005	<0.005	<0.02	<0.01	<0.0001	0.000033 J	<0.005		<0.0001	<0.002	<0.002	<0.01	<0.01	<0.005	<0.005	<0.01	0.000023 J	<0.005	0.000032 J	<0.01
P-114R	P114R-ROX-100515	10/5/2015	23.01 - 33.01	26.24	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	P114R-ROX-010716	1/7/2016		25.62	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000081 J	0.000095 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	P114R-ROX-040816	4/8/2016		25.65	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	P114R-ROX-070816	7/8/2016	23.01 - 33.01	24.92	NE	<0.05	<0.05	<0.05	<0.15	<0.05	<0.0002	<0.0002	<0.05	<0.05	<0.0002	<0.0002	<0.0002	<0.05	<0.1	<0.05	<0.05	<0.1	<0.0002	<0.05	<0.0002	<0.05 UJ
ROST-3-MW	ROST3-MW-ROX-100913	10/9/2013	37.81 - 47.81	40.16	NE	<0.011 UJ	<0.0054	<0.0054	<0.022 UJ	<0.011	<0.00011	0.00012	<0.0054		<0.00011	0.0024	0.0026	<0.011 UJ	<0.011 UJ	<0.0054	<0.0054	<0.011 UJ	0.00014	<0.0054 UJ	0.000044 J	<0.011
	ROST3MW-ROX-011714	1/17/2014		42.20	NE	<0.011 UJ	<0.0053	<0.0053	<0.021 UJ	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.0011	0.00099	<0.011 UJ	<0.011 UJ	<0.0053	<0.0053	<0.011 UJ	0.0002	<0.0053 UJ	<0.00011	<0.011
	ROST3MW-ROX-041014	4/10/2014		42.80	NE	<0.012	<0.00076 U	<0.006	<0.024	<0.012	<0.00012	<0.00012	<0.006		<0.00012	0.00075	0.0008	<0.012	<0.012	<0.006	<0.006	<0.012	0.0001	<0.006	<0.00012	<0.012
	ROST3MW-ROX-071414	7/14/2014		41.88	NE	<0.011	<0.0004 U	<0.0054	<0.022	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.00092	0.00097	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.00016 U	<0.0054	<0.00011	<0.011
	ROST3MW-ROX-100914	10/9/2014		41.31	NE	<0.011	<0.00026 U	<0.0056	<0.022	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	0.00075 J	0.00057 J	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.00014 B	<0.0056	<0.00011	<0.011
	ROST3MW-ROX-011515	1/15/2015		41.83	NE	<0.011	0.00045 J J	<0.0057	<0.023	<0.011	0.000022 J J	0.000035 J J	<0.0057		<0.00011	0.001 J	0.00024 J	<0.011	<0.011	<0.0057	<0.0057	<0.011	0.0001 J	<0.0057	0.000033 J J	<0.011
	ROST3MW-ROX-041315	4/13/2015		43.43	NE	<0.01	<0.0052	<0.0052	<0.021	<0.01	<0.0001	0.00003 J	<0.0052		<0.0001	0.001 J	0.0005 J	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.00011	<0.0052	0.000019 J	<0.01
	ROST3MW-ROX-071315	7/13/2015		42.36	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	<0.00011	0.000048 J	<0.0053		<0.00011	0.0014 J	0.00084 JB	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.00011 B	<0.0053	0.000018 J	<0.011
	ROST3MW-ROX-101215	10/12/2015		40.29	NE	<0.01	<0.01	0.0028 J	<0.03	<0.01	0.000056 J	0.000086 J	<0.01	<0.01	0.000092 J	0.0025	0.0023	<0.01	<0.02	<0.01	<0.01	<0.02	0.00018 J	<0.01	0.000056 J	<0.01
	ROST3MW-ROX-011416	1/14/2016		40.30	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.0017	0.0014	<0.01	<0.02	<0.01	<0.01	<0.02	0.000096 J	<0.01	<0.0002	<0.01
	ROST3MW-ROX-041216	4/12/2016		39.69	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.002	0.00013 J	<0.01	<0.02	<0.01	<0.01	<0.02	0.000081 J	<0.01	<0.0002	<0.01
	ROST3MW-ROX-071416	7/14/2016	37.81 - 47.81	38.70	NE	<0.01	<0.01	<0.00097 U	<0.03	<0.01	<0.0002	0.000043 J	<0.01	<0.01	<0.0002	0.0013	0.00077	<0.01	<0.02	<0.01	<0.01	<0.02	0.00011 J	<0.01	<0.0002	<0.01
ROST-4-PZ(C)	ROST4PZC-ROX-100913	10/9/2013	34.95 - 44.95	39.91	NE	<0.011	<0.0053	<0.0053	<0.021	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.002	0.00095	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.0002	<0.0053	<0.00011	<0.011
	ROST4PZC-ROX-011714	1/17/2014		41.92	NE	<0.01 UJ	<0.0059	<0.0059	<0.02 UJ	<0.012	<0.00012	<0.00012	<0.0059		<0.00012	0.00019 J	<0.00024	<0.01 UJ	<0.01 UJ	<0.0059	<0.0059	<0.01 UJ	0.000077	<0.005 UJ	<0.00012	<0.012
	ROST4PZC-ROX-041014	4/10/2014		42.05	NE	<0.011	<0.00038 U	<0.0056	<0.022	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	0.000065 J	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.000051 J	<0.0056	<0.00011	<0.011 UJ
	ROST4C-ROX-071114	7/10/2014		42.22	NE	<0.011	<0.00031 U	<0.0053	<0.021	<0.011	<0.0001	<0.0001	<0.0053		<0.0001	0.00021	<0.0002	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.00012 U	<0.0053	<0.0001	<0.011 UJ
	ROST4PZC-ROX-100914	10/9/2014		41.30	NE	<0.011	<0.00032 U	<0.0056	<0.022	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.0022	<0.0022	<0.011	0.00071 J	<0.0056	<0.0056	<0.011	<0.000088 U	0.00088 J	<0.00011	<0.011
	ROST4PZC-ROX-011515	1/15/2015		41.65	NE	<0.011	0.0003 J J	<0.0057	<0.023	<0.011	<0.00011	<0.00011	<0.0057		<0.00011	0.000038 J	0.000018 J J	<0.011	<0.011	<0.0057	<0.0057	<0.011	0.00004 J J	<0.0057	0.000022 J J	<0.011
	ROST4PZC-ROX-041315	4/13/2015		43.00	NE	0.0013 J	<0.0051	<0.0051	<0.02	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	0.0012 J	0.00038 JB	<0.01	0.0011 J	<0.0051	<0.0051	<0.01	0.000075	<0.0051	0.000022 J	<0.01
	ROST4PZ-ROX-071315	7/13/2015		42.59	NE	0.0028 J	<0.0052	<0.0052	<0.021	<0.01	<0.0001	0.00005 J	<0.0052		<0.0001	0.0095	0.0077	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.00011 B	<0.0052	0.000025 J	<0.01
	ROST4PZC-ROX-101215	10/12/2015		40.35	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	0.0012 J	<0.0002	0.013	0.011	<0.01	0.0051 J	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	ROST4PZC-ROX-011516	1/15/2016		40.54	NE	0.0046 J	<0.01	<0.01	<0.03	<0.01	<0.002	<0.002	<0.01	<0.01	<0.002	0.02	0.02	<0.01	0.001 J	<0.01	<0.01	<0.02	<0.002	<0.01	<0.002	<0.01
	ROST4PZC-ROX-041316	4/13/2016		39.61	NE	0.0072 J	<0.01	<0.01	<0.03	<0.01	0.000026 J	0.00026	<0.01	<0.01	<0.0002	0.02	0.016	<0.01	<0.02	<0.01	<0.01	<0.02	0.00021	<0.01	0.000028 J	<0.01
	ROST4PZC-ROX-071516	7/15/2016	34.95 - 44.95	38.93	NE	0.013	<0.01	<0.00081 U	<0.03	<0.01	<0.0002	0.00019 J	<0.01	<0.01	<0.0002	0.0035	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	0.00013 J	<0.01	<0.0002	<0.01 UJ

SEE LAST PAGE OF TABLE FOR NOTES

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																				
						2,4-Dimethylphenol	Di-n-butyl phthalate	Di-n-octyl phthalate	2,4-Dinitrophenol	2,6-Dinitrotoluene	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3 & 4-Methylphenol (m & p-Cresol)	Nitrobenzene	N-Nitrosodimethylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	Pyridine
					Screening Values (mg/L)	0.14 [2]	0.7 [1]	0.14 [2]	0.014 [2]	0.00031 [2]	0.28 [1]	0.28 [1]	0.00006 [2]		0.00043 [1]	0.49 [3]	0.028 [1]	0.35 [1]	0.35 [3]	0.014 [1]	0.0000017 [3]	0.001 [1]	0.21 [3]	0.1 [1]	0.21 [1]	0.007 [3]
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
T-12	T12-ROX-101513	10/15/2013	46.72 - 72.72	43.73	NE	0.0047 J	<0.0054	<0.0054	<0.022	<0.011	<0.00011	0.00029	<0.0054		<0.00011	0.0199	0.0319	0.0018 J	0.0032 J	<0.0054	<0.0054	<0.011	0.00077	0.0083	0.00009 J	<0.011
	T12-ROX-012414	1/24/2014		45.26	NE	0.0073 J	0.00044 J	<0.0051	<0.02	<0.01	<0.0001	0.00035	<0.0051		<0.0001	0.0215	0.0326	0.0022 J	<0.01	<0.0051	<0.0051	<0.01	0.001	0.0498	0.00006 J	<0.01
	T12-ROX-041514	4/15/2014		46.72	NE	<0.011 UJ	<0.00034 U	<0.0056	<0.022	<0.011	<0.00011	0.0003	<0.0056		<0.00011	0.0189	0.0283	<0.011	<0.011	<0.0056	<0.0056 UJ	<0.011	0.00078	0.0672 J	0.00005 J	<0.011 UJ
	T12-ROX-070814	7/8/2014		45.13	NE	<0.011	0.00038 J	<0.0054	<0.022	<0.011	<0.00011	0.00022	<0.0054		<0.00011	0.015	0.0245	0.0092 J	0.0033 J	<0.0054	<0.0054	<0.011	0.00051	<0.0054	<0.00011	<0.011
	T12-ROX-101714	10/17/2014		44.40	NE	<0.011	0.00061 J	<0.0056	<0.022	<0.011	<0.00011	0.00031	<0.0056		<0.00011	0.022	0.0369	0.003 J	0.0059 J	<0.0056	<0.0056	<0.011	0.00079	0.0154	<0.00011	<0.011 UJ
	T12-ROX-011915	1/19/2015	46.83 - 72.83	45.27	NE	0.0069 J	<0.0053	<0.0053	<0.021	<0.011	<0.00011	0.00032	<0.0053	0.0069 JN	<0.00011	0.021	0.0332	0.0055 J	0.0016 J	<0.0053	<0.0053	<0.011	0.00082	0.0155	0.000055 J	<0.011
	T12-ROX-041515	4/15/2015		46.73	NE	0.0044 J	0.00033 J	<0.0056	<0.022	<0.011	0.000024 J	0.00032	<0.0056		<0.00011	0.021	0.0335 J	0.0021 J	0.0042 J	<0.0056	<0.0056	<0.011	0.00086	0.0099	0.000052 J J	<0.011
	T12-ROX-071015	7/10/2015		46.09	NE	0.0041 J	<0.0054	<0.0054	<0.022	<0.011	0.000027 J	0.00029	<0.0054		<0.00011	0.0178	0.0301	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.00083	0.0221	0.000053 J	<0.011
	T12-ROX-101515	10/15/2015		43.72	NE	0.004 J	<0.01	<0.01	<0.03	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.017	0.024	<0.01	<0.02	<0.01	<0.01	<0.02	0.0005	0.054	0.000038 J	<0.01 UJ
	T12-ROX-011216	1/12/2016		44.13	NE	<0.01	<0.01	<0.01	<0.03	<0.01	<0.0004	0.00033 J	<0.01	<0.01	<0.0004	0.021	0.031	<0.01	<0.02	<0.01	<0.01	<0.02	0.00088	0.064	<0.0004	<0.01
	T12-ROX-041516	4/15/2016		42.07	NE	0.0037 J	<0.01	<0.01	<0.03	<0.01	0.000027 J	0.0003	<0.01	<0.01	<0.0002	0.017	0.024	<0.01	<0.02	<0.01	<0.01	<0.02	0.00049	0.098	0.000034 J	<0.01
	T12-ROX-071216	7/12/2016	46.83 - 72.83	41.50	NE	<0.01	<0.01	0.00076 J J	<0.03	<0.01	<0.0002	0.00022	<0.01	<0.01	<0.0002	0.0072	0.002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	0.038	0.000048 J	<0.01 UJ

Notes:

1 Denotes screening critieria source from 35 I.A.C. 620, Subpart D.

2 Denotes screening criteria source from 35 I.A.C. 742 (TACO), Appendix B, Table E.

3 Denotes screening criteria source from IL EPA Toxicity Assessment Unit (Chemicals not in TACO, Tier 1 Tables).

4 Beginning in 4Q12, naphthalene was analyzed via 8260 VOC, and prior historical results were reported by PAH analysis.

5 Beginning in 4Q13, professional judgment criteria used to review common laboratory contaminants was reevaluated. Acetone, 2-butanone, and methylene chloride are only U-qualified when present in the method blank.

6 The laboratory has been requested to perform a l brary search in all samples for butane, hexane, isopentane, 1,2,3-trimethylbenzene, and indene, which are reported as Tentatively Identified Compounds (TICs), when identified.

Indicates a historical exceedance of screening criteria.

Indicates a current exceedance of screening criteria.

Empty cell without a value indicates previous quarter analyte result was rejected, the analyte was not analyzed, or the TIC was not identified.

LABORATORY QUALIFIERS

B = Target analyte or common lab contaminant was identified in the method blank indicating possible field or lab contamination.

D = The result is from a diluted sample.

J = The analyte was detected below the reporting limit. Result is estimated.

E = The value exceeds cal bration range.

JN = Estimated value for tentatively identified compound (library search).

<#.## Indicates the analyte was not detected above the given reporting limit.

AECOM QUALIFIERS

J = The result is estimated.

UJ = Estimated non-detect.

U = Result is non-detect.