

May 25, 2017

Ms. Joyce Munie, P.E.
Manager, Permit Section
Illinois Environmental Protection Agency
Bureau of Land
1021 North Grand Avenue East
Springfield, Illinois 62794

Submittal of Corrected Information
Groundwater Monitoring Report –4th Quarter 2015
Roxana, Illinois
1191150002 – Madison County
Equilon Enterprises LLC d/b/a Shell Oil Products US
Log No. B-43R

Dear Ms. Munie:

On behalf of Shell Oil Products US (SOPUS), AECOM Technical Services, Inc. (AECOM) hereby submits the enclosed addendum to the above-referenced report (the Report).

AECOM collects a variety of samples for SOPUS as part of the work performed in connection with the above-referenced site including the samples referenced and utilized in the Report. AECOM contracts with independent laboratories to analyze the samples collected. As noted in SOPUS' initial disclosure letter and our subsequent communications, Accutest Laboratories (Accutest) issued revised laboratory analyses in response to an internal evaluation performed of its process. Please note, the majority of the corrected analyses were issued only to include a revised footnote and the numeric value of the analytical results reported remained unchanged. If any numeric values of analytical results presented in the Report were updated by Accutest, the updated results are presented as part of the information included in the Report addendum. Moreover, based upon our evaluation of the Report and the revised information received from Accutest, the conclusion(s) of the Report as originally issued are unaffected.

The information provided within and the format of this addendum is as discussed during our meeting with IEPA on March 23, 2017. This addendum includes the following information:

- IEPA LPC form
- Revised analytical results table



If you have any questions during your review, please contact Kevin Dyer, SOPUS Senior Principal Program Manager, at kevin.dyer@shell.com (618/288-7237), or Bob Billman at bob.billman@aecom.com (314/743-4108).

Sincerely,

AECOM, on behalf of Shell Oil Products US

A handwritten signature in blue ink that reads "Robert B. Billman". The signature is written in a cursive, flowing style.

Robert Billman, PG
Senior Project Manager

A handwritten signature in blue ink that reads "Robert E. Mooshegian". The signature is written in a cursive, flowing style.

Robert E. Mooshegian, CHMM
Senior Program Manager

Enclosures: 2 copies

cc: Kevin Dyer, SOPUS
Eric Petersen, Phillips 66
Lori Littrell, Atlantic Richfield Company
Shannon Haney, Greensfelder, Hemker & Gale P.C.
Repositories – Village Hall, Roxana Public Library, website
Project File



Illinois Environmental Protection Agency

Bureau of Land • 1021 North Grand Avenue East • P.O. Box 19276 • Springfield • Illinois • 62794-9276

RCRA FACILITY GROUNDWATER, LEACHATE AND GAS REPORTING FORM

This form must be used as a cover sheet for the notices and reports, identified below as required by: (1) a facility's RCRA interim status closure plan; (2) the RCRA interim status regulations; or (3) a facility's RCRA permit. All reports must be submitted to the Illinois EPA's Bureau of Land Permit Section. This form is for use by Hazardous Waste facilities only. Reporting for Solid Waste facilities should be submitted on a separate form. All reports submitted to the Illinois EPA's Bureau of Land Permit Section must contain an original, plus a minimum of two copies.

Note: This form is not to be used with permit or closure plan modification requests. The facility's approved permit or closure plan will state whether the document you are submitting is required as a report or a modification request.

Facility Name: Equilon Enterprises LLC dba Shell Oil Products US

Facility Address: 900 South Central Ave., Roxana, IL 62048

Site ID #: 1191150002 Fed ID #: ILD 080 012 305

Check the appropriate heading. Only one heading may be checked for each corresponding submittal. Check the appropriate sub-heading, where applicable. Attach the original and all copies behind this form.

☐ LPC-160 Forms

Groundwater

☐ Quarterly - Enter: 1, 2, 3, or 4

☐ Semi-Annual

☐ Annual

☐ Biennial

Leachate

☐ Quarterly - Enter: 1, 2, 3, or 4

☐ Semi-Annual

☐ Annual

☐ Biennial

☐ Groundwater Data (without LPC-160 Forms)

☐ Quarterly - Enter: 1, 2, 3, or 4 ☐ Annual ☐ Semi-Annual ☐ Biennial

☐ Well Construction Information

☐ Well Construction Forms, Boring Logs and/or Abandonment Forms

☐ Well Survey Data (e.g., Stick-up Elevation Data)

☐ Notice of Statistically Significant Evidence of Groundwater Contamination
(35 Ill. Adm. Code 724.198)

☐ Notice of Exceedence of Groundwater Concentration Limit (35 Ill. Adm. Code 724.199(h))

☐ Notice of Alternate Source or Error in Sampling Analysis or Evaluation of Groundwater
(35 Ill. Adm. Code 724.199(i))

☐ Gas Monitoring Reports

☒ Other (identify)

3Q15, 4Q15, 1Q16, 2Q16, & 3Q16 Groundwater Sampling Report Addenda - Addenda being issued due to revised laboratory reports.

TABLE 3

Screening Values (mg/L)						6.3 ¹	0.005 ¹	0.056 ³					4.2 ¹	0.35 ³					0.7 ¹	0.100 ¹					0.07 ¹					0.6 ²					0.075 ²	1.4 ¹	0.005 ²	0.005 ²	0.001 ²	0.7 ¹	0.007 ³																																																																																																																																																																																																																																																																																																								
Location	Sample ID	Sample Date	Screened Interval (ft btoe)	Depth to Water (ft btoe)	Product Thickness (ft)	Analytical Results (mg/L)																																																																																																																																																																																																																																																																																																																																											
MW-01	MW1-ROX-011013	1/10/2013	48.80 - 58.80	41.89	NE	<0.005	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.001	<0.005	<0.002	<0.002	<0.0005	<0.001	<0.005																																																																																																																																																																																																																																																																																																									
	MW1-ROX-040913	4/9/2013		42.55	NE	<0.005	0.0004 J	<0.005	<0.01	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.001	<0.005	<0.002	<0.002	<0.0005	<0.001	<0.005																																																																																																																																																																																																																																																																																																										
	MW1-ROX-070813	7/8/2013		39.56	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0009 U	<0.002	<0.0005	<0.001	<0.005																																																																																																																																																																																																																																																																																																														
	MW1-ROX-100313	10/3/2013		40.28	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.001	<0.005	<0.002	<0.002	<0.0005	<0.001	<0.005																																																																																																																																																																																																																																																																																																										
	MW1-ROX-011414	1/14/2014		42.77	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.001	<0.005	<0.002	<0.002	<0.0005	<0.001	<0.005																																																																																																																																																																																																																																																																																																										
	MW1-ROX-040714	4/7/2014		43.28	NE	<0.01 UJ	0.00066	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.001	<0.005	<0.002	<0.002	<0.0005	<0.001	<0.005																																																																																																																																																																																																																																																																																																										
	MW1-ROX-070914	7/9/2014		42.09	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.001	<0.005	<0.002	<0.002	<0.0005	<0.001	<0.005																																																																																																																																																																																																																																																																																																										
	MW1-ROX-100614	10/6/2014		41.1	NE	<0.01 UJ	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.001	<0.005	<0.002	<0.002	<0.0005	<0.001	<0.005																																																																																																																																																																																																																																																																																																										
	MW1-ROX-011215	1/12/2015		42.73	NE	0.035	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.001	<0.005	<0.002	<0.002	<0.0005	<0.001	<0.005																																																																																																																																																																																																																																																																																																										
	MW1-ROX-040615	4/6/2015		44.11	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.001	<0.005	<0.002	<0.002	<0.0005	<0.001	<0.005																																																																																																																																																																																																																																																																																																										
MW1-ROX-070815	7/8/2015	43.35	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.001	<0.005	<0.002	<0.002	<0.0005	<0.001	<0.005																																																																																																																																																																																																																																																																																																												
MW1-ROX-100615	10/6/2015	48.80 - 58.80	40.83	NE	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	&

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																							
						Acetone	Benzene	Bromobenzene	Butane	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Cymene (p-Isopropyltoluene)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene	Ethylbenzene	Hexachlorobutadiene	
Screening Values (mg/L)						6.3 ¹	0.005 ¹	0.056 ³		4.2 ¹	0.35 ³			0.7 ¹	0.100 ¹		0.07 ¹			0.6 ²		0.075 ²	1.4 ¹	0.005 ²	0.005 ²	0.001 ²	0.7 ¹	0.007 ³	
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																							
MW-06A	MW6A-ROX-011413	1/14/2013	34.83 - 44.83	31.00	NE	<0.005	0.0276	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW6A-ROX-040313	4/3/2013		31.62	NE	<0.005 UJ	0.0017	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW6A-ROX-070913	7/9/2013		28.25	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW6A-ROX-070913-DUP	7/9/2013		28.25	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW6A-ROX-100713	10/7/2013		28.87	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW6A-ROX-100713-DUP	10/7/2013		28.87	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW6A-ROX-011614	1/16/2014		31.62	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW6A-ROX-011614-DUP	1/16/2014		31.62	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW6A-ROX-040814	4/8/2014		32.16	NE	0.11 J	0.0011	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW6A-ROX-040814-DUP	4/8/2014		32.16	NE	0.116 J	0.001	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW6A-ROX-071014	7/10/2014		30.75	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002 UJ	<0.001	<0.002 UJ	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW6A-ROX-100814	10/8/2014		29.84	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW6A-ROX-011415	1/14/2015		31.54	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW6A-ROX-040715	4/7/2015		33.08	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW6A-ROX-071515	7/15/2015		31.52	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW6A-ROX-100715	10/7/2015		29.77	NE	<0.025	<0.001	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	<0.001	<0.005	
MW-06B	MW6B-ROX-011713	1/17/2013	64.05 - 69.05	31.11	NE	<0.005	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW6B-ROX-040313	4/3/2013		31.68	NE	<0.005 UJ	0.00043 J	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW6B-ROX-070913	7/9/2013		28.25	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW6B-ROX-100713	10/7/2013		28.93	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW6B-ROX-011614	1/16/2014		31.67	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW6B-ROX-040814	4/8/2014		32.21	NE	<0.01 UJ	0.0009	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW6B-ROX-071014	7/10/2014		30.81	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002 UJ	<0.001	<0.002 UJ	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW6B-ROX-100814	10/8/2014		29.87	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW6B-ROX-011415	1/14/2015		31.59	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW6B-ROX-040715	4/7/2015		33.10	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW6B-ROX-040715-DUP	4/7/2015		33.10	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW6B-ROX-071415	7/14/2015		31.56	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW6B-ROX-100715	10/7/2015		29.80	NE	<0.025	<0.001	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	<0.001		

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																							
						Acetone	Benzene	Bromobenzene	Butane	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Cymene (p-Isopropyltoluene)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropane	Ethylbenzene	Hexachlorobutadiene	
Screening Values (mg/L)						6.3 ¹	0.005 ¹	0.056 ³		4.2 ¹	0.35 ³			0.7 ¹	0.100 ¹		0.07 ¹			0.6 ²		0.075 ²	1.4 ¹	0.005 ²	0.005 ²	0.001 ²	0.7 ¹	0.007 ³	
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																							
MW-07	MW7-ROX-011513	1/15/2013	42.92 - 52.92	42.21	NE	<20	1230	<20		<20	<20	<20	<20	<20	<4	<8	<4	<8	<20	<4	<4	<4	<4	<8	<8	<2	<4	<20	
	MW7-ROX-011513-DUP	1/15/2013		42.21	NE	<20	1320	<20		<20	<20	<20	<20	<20	<4	<8	<4	<8	<20	<4	<4	<4	<4	<8	<8	<2	<4	<20	
	MW7-ROX-041013	4/10/2013		42.70	NE	<20	475	<10		<20	<10	<10	<10	<10	<2	<4	<2	<4	<10	<2	<2	<2	<2	<4	<4	<1	<2	<10	
	MW7-ROX-041013-DUP	4/10/2013		42.70	NE	<20	499	<10		<20	<10	<10	<10	<10	<2	<4	<2	<4	<10	<2	<2	<2	<2	<4	<4	<1	<2	<10	
	MW7-ROX-071713	7/17/2013		39.60	NE	<0.01	1000 J	<0.005		<0.005	<0.005	0.0023 J J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0016 J J	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001 UJ	0.2 J	<0.005
	MW7-ROX-101613	10/16/2013		40.64	NE	<20	553	<10		<10	<10	<10	<10	<10	<2	<4	<2	<4	<10	<2	<2	<2	<2	<4	<4	<1	<2	<10	
	MW7-ROX-013014	1/30/2014		42.94	NE	<25	1490	<13		<13	<13	<13	<13	<13 UJ	<2.5	<5	<2.5	<5	<13	<2.5	<2.5	<2.5	<2.5	<5	<5	<1.3	<2.5	<13	
	MW7-ROX-041614	4/16/2014		43.79	NE	<50	1390	<25		<25	<25	<25	<25	<25	<5	<10	<5	<10	<25	<5	<5	<5	<5	<10	<10	<2.5	<5	<25	
	MW7-ROX-071614	7/16/2014		42.05	NE	<0.01	1270	<0.005		<0.005	0.0036 J J	0.0022 J J	0.0022 J J	<0.005	<0.001	<0.002	<0.001	<0.002	0.0015 J J	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.208 J	<0.005
	MW7-ROX-071614-DUP	7/16/2014		42.05	NE	<0.01	1370	<0.005		<0.005	0.0034 J J	0.0023 J J	0.0022 J J	<0.005	<0.001	<0.002	<0.001	<0.002	0.0015 J J	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.206 J	<0.005
	MW7-ROX-101614	10/16/2014		41.31	NE	<50	1130	<25		<25 UJ	<25	<25	<25	<25	<5	<10	<5	<10	<25	<5	<5	<5	<5	<10	<10	<2.5	<5	<25	
	MW7-ROX-101614-DUP	10/16/2014		41.31	NE	<50	984	<25		<25 UJ	<25	<25	<25	<25	<5	<10	<5	<10	<25	<5	<5	<5	<5	<10	<10	<2.5	<5	<25	
	MW7-ROX-012215	1/22/2015		43.45	NE	<10	821	<5		<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<1	<1	<1	<1	<2	<2	<0.5	<1	<5	
	MW7-ROX-012215-DUP	1/22/2015		43.45	NE	<10	799	<5		<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<1	<1	<1	<1	<2	<2	<0.5	<1	<5	
	MW7-ROX-042115	4/21/2015		44.63	NE	<0.5	1110	<0.25		<0.25	<0.25	<0.25	<0.25	<0.25	<0.05	<0.1	<0.05	<0.1	<0.25	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1	<0.025	0.0822	<0.25	
	MW7-ROX-042115-DUP	4/21/2015		44.63	NE	<0.5	1160	<0.25		<0.25	<0.25	<0.25	<0.25	<0.25	<0.05	<0.1	<0.05	<0.1	<0.25	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1	<0.025	0.081	<0.25	
	MW7-ROX-071515	7/15/2015		43.54	NE	<50	1300	<25		<25	<25	<25	<25	<25	<5	<10	<5	<10	<25	<5	<5	<5	<5	<10	<10	<2.5	<5	<25	
	MW7-ROX-071515-DUP	7/15/2015		43.54	NE	<50	1370	<25		<25	<25	<25	<25	<25	<5	<10	<5	<10	<25	<5	<5	<5	<5	<10	<10	<2.5	<5	<25	
	MW7-ROX-101915	10/19/2015		41.43	NE	<250	1000	<10		<250	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<50	<10	<50	<10	<50
	MW7-ROX-101915-DUP	10/19/2015		41.43	NE	<250	990	<10		<250	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<50	<10	<50	<10	<50
MW-08	MW8-ROX-011513	1/15/2013	33.60 - 43.60	33.30	NE	<10	1120 J	<10		<10	<10	<10	<10	<10	<2	<4	<2	<4	<10	<2	<2	<2	<2	<4	<4	<1	<2	<10	
	MW8-ROX-041013	4/10/2013		33.77	NE	<50	969	<25		<50	<25	<25	<25	<25	<5	<10	<5	<10	<25	<5	<5	<5	<5	<10	<10	<2.5	<5	<25	
	MW8-ROX-071713	7/17/2013		30.43	NE	<0.008 U	532	<0.005		<0.005	<0.005	0.0033 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0023 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001 UJ	0.508	<0.005	
	MW8-ROX-071713-DUP	7/17/2013		30.43	NE	<0.01	494	<0.005		<0.005	<0.005	0.0031 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0024 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001 UJ	0.442 J	<0.005	
	MW8-ROX-101613	10/16/2013		31.59	NE	<20	360	<10		<10	<10	<10	<10	<10	<2	<4	<2	<4	<10	<2	<2	<2	<2	<4	<4	<1	<2	<10	
	MW8-ROX-101613-DUP	10/16/2013		31.59	NE	<20	351	<10		<10	<10	<10	<10	<10	<2	<4	<2	<4	<10	<2	<2	<2	<2	<4	<4	<1	<2	<10	
	MW8-ROX-013014	1/30/2014		34.02	NE	<25	721	<13		<13	<13	<13	<13	<13 UJ	<2.5	<5	<2.5	<5	<13	<2.5	<2.5	<2.5	<2.5	<5	<5	<1.3	<2.5	<13	
	MW8-ROX-013014-DUP	1/30/2014		34.02	NE	<25	748	<13		<13	<13	<13	<13	<13 UJ	<2.5	<5	<2.5	<5	<13	<2.5	<2.5	<2.5	<2.5	<5	<5	<1.3	<2.5	<13	
	MW8-ROX-041614	4/16/2014		34.73	NE	<20	862	<10		<10	<10	<10	<10	<10	<2	<4	<2	<4	<10	<2	<2	<2	<2	<4	<4	<1	<2	<10	
	MW8-ROX-041614-DUP	4/16/2014		34.73	NE	<20	1060	<10		<10	<10	<10	<10	<10	<2	<4	<2	<4	<10	<2	<2	<2	<2	<4	<4	<1	<2	<10	
	MW8-ROX-071614	7/16/2014		33.01	NE	<0.01 UJ	276	<0.005 UJ		<0.005 UJ	0.0069 J	0.0042 J J	0.0028 J J	<0.005 UJ	<0.001 UJ	<0.002 UJ	<0.001 UJ	<0.002 UJ	0.0032 J J	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.002 UJ	<0.002 UJ	<0.0005 UJ	0.266	<0.005 UJ	
	MW8-ROX-101614	10/16/2014		32.23	NE	<10	486	<5		<5 UJ	<5	<5	<5	<5	<1	<2	<1	<2	<5	<1	<1	<1	<1	<2	<2	<0.5	0.305 J	<5	
	MW8-ROX-012215	1/22/2015		34.22	NE	<10	764	<5		<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<1	<1	<1	<1	<2	<2	<0.5	0.359 J	<5	
	MW8-ROX-042115	4/21/2015		35.41	NE	<0.5	1100	<0.25		<0.25	<0.25	<0.25	<0.25	<0.25	<0.05	<0.1	<0.05	<0.1	<0.25	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1	<0.025	0.203	<0.25	
	MW8-ROX-071515	7/15/2015		34.07	NE	<50	879	<25		<25	<25	<25	<25	<25	<5	<10	<5	<10	<25	<5	<5	<5	<						

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																							
Screening Values (mg/L)						Acetone	Benzene	Bromobenzene	Butane	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Cymene (p-Isopropyltoluene)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropane	Ethylbenzene	Hexachlorobutadiene	
						6.3 ¹	0.005 ¹	0.056 ³		4.2 ¹	0.35 ³			0.7 ¹	0.100 ¹		0.07 ¹			0.6 ²		0.075 ²	1.4 ¹	0.005 ²	0.005 ²	0.001 ²	0.7 ¹	0.007 ³	
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																							
MW-11	MW11-ROX-011013	1/10/2013	41.66 - 51.66	41.43	NE	<0.005	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW11-ROX-040813	4/8/2013		42.02	NE	<0.005 UJ	<0.00065 U	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005
	MW11-ROX-070813	7/8/2013		39.24	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001 U	<0.002	<0.0005	<0.001	<0.005
	MW11-ROX-100713	10/7/2013		39.95	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005
	MW11-ROX-011514	1/15/2014		42.16	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005
	MW11-ROX-040714	4/7/2014		42.70	NE	<0.01 UJ	0.0014	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005
	MW11-ROX-070914	7/9/2014		41.75	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005
	MW11-ROX-100714	10/7/2014		40.89	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005
	MW11-ROX-011315	1/13/2015		41.93	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005
	MW11-ROX-040815	4/8/2015		43.19	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005 UJ
	MW11-ROX-070915	7/9/2015		42.45	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.00021 U	<0.001	<0.002	<0.001	0.00058 J	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005
	MW11-ROX-100815	10/8/2015	41.66 - 51.66	40.15	NE	<0.025	<0.001	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	<0.001	<0.005
MW-12	MW12-ROX-011013	1/10/2013	41.92 - 51.92	41.83	NE	<0.35 U	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW12-ROX-040813	4/8/2013		42.46	NE	<0.005 UJ	<0.00088 U	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005
	MW12-ROX-070913	7/9/2013		39.28	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005
	MW12-ROX-100713	10/7/2013		40.22	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005
	MW12-ROX-011514	1/15/2014		42.54	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005
	MW12-ROX-040814	4/8/2014		43.15	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005
	MW12-ROX-070914	7/9/2014		41.97	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW12-ROX-100614	10/6/2014		40.98	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005
	MW12-ROX-011215	1/12/2015		42.33	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005
	MW12-ROX-040615	4/6/2015		43.75	NE	0.0265 J	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW12-ROX-070815	7/8/2015		42.86	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005
	MW12-ROX-100815	10/8/2015	41.92 - 51.92	40.54	NE	<0.025	<0.001	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	<0.001	<0.005	
	MW12-ROX-100815-DUP	10/8/2015	40.54	NE	<0.025	<0.001	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	<0.001	<0.005	
MW-13	MW13-ROX-012313	1/23/2013	25.57 - 35.57	29.26	NE	<0.005	0.0067 J	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW13-ROX-041213	4/12/2013		29.44	NE	<0.0319 UJ	0.0102 J	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																							
Screening Values (mg/L)						Acetone	Benzene	Bromobenzene	Butane	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Cymene (p-Isopropyltoluene)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropane	Ethylbenzene	Hexachlorobutadiene	
Screening Values (mg/L)						6.3 ¹	0.005 ¹	0.056 ³		4.2 ¹	0.35 ³			0.7 ¹	0.100 ¹		0.07 ¹			0.6 ²		0.075 ²	1.4 ¹	0.005 ²	0.005 ²	0.001 ²	0.7 ¹	0.007 ³	
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																							
MW-22	MW22-ROX-012313	1/23/2013	37.88 - 47.88	41.80	NE	<0.25	2.12	<0.25		<0.295 U	<0.25	<0.25	<0.25	<0.25	<0.05	<0.1	<0.05	<0.1	<0.25	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1	<0.025	3.45	<0.25	
	MW22-ROX-012313-DUP	1/23/2013		41.80	NE	<0.25	2.09	<0.25		<0.31 U	<0.25	<0.25	<0.25	<0.25	<0.05	<0.1	<0.05	<0.1	<0.25	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1	<0.025	3.19	<0.25	
	MW22-ROX-040513	4/5/2013		42.23	NE	<0.005 UJ	1.5	<0.005		<0.005	0.0413 J	0.0142 J	0.0171 J	<0.005	<0.001	<0.002	<0.001	<0.002	0.0122 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	2.44	<0.005	
	MW22-ROX-071113	7/11/2013		39.35	NE	<0.01 UJ	1.19	<0.005		<0.005 UJ	<0.005	0.0116	0.0142	<0.005	<0.001	<0.002	<0.001	<0.002	0.0087	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	2.07	<0.005	
	MW22-ROX-071113-DUP	7/11/2013		39.35	NE	<0.01 UJ	1.11	<0.005		<0.005 UJ	<0.005	0.0116	0.0148	<0.005	<0.001	<0.002	<0.001	<0.002	0.0087	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	1.79	<0.005	
	MW22-ROX-100913	10/9/2013		40.39	NE	<0.01	1.33	<0.005		<0.005	0.0286	0.012	0.0167	<0.005	<0.001	<0.002	<0.001	<0.002	0.01	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	3.79	<0.005 UJ	
	MW22-ROX-100913-DUP	10/9/2013		40.39	NE	<0.01	1.39	<0.005		<0.005	0.0276	0.0118	0.0163	<0.005	<0.001	0.0018 J	<0.001	<0.002	0.0095	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	3.97	<0.005 UJ	
	MW22-ROX-012014	1/20/2014		42.49	NE	<0.01	1.47	<0.005		0.0804	0.0357	0.0128	0.0147	<0.005	<0.001	<0.002	<0.001	<0.002	0.0094	<0.001	<0.001	<0.001	0.0028	<0.002	<0.002	<0.0005	3.17	<0.005	
	MW22-ROX-012014-DUP	1/20/2014		42.49	NE	<0.01	1.58	<0.005		0.0815	0.0355	0.0127	0.0146	<0.005	<0.001	<0.002	<0.001	<0.002	0.0094	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	3.4	<0.005	
	MW22-ROX-041014	4/10/2014		43.15	NE	0.0911 J	1.7	<0.005		0.0334	0.0331	0.0128	0.0152	<0.005	<0.001	<0.002	<0.001	<0.002	0.0094	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	3.32	<0.005	
	MW22-ROX-041014-DUP	4/10/2014		43.15	NE	<0.01 UJ	1.56	<0.005		0.0287	0.0319	0.0123	0.0144	<0.005	0.00046 J	<0.002	<0.001	<0.002	0.0089	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	3.02	<0.005	
	MW22-ROX-071414	7/14/2014		41.85	NE	<0.01	1.74	<0.005		0.0185 J	0.0349 J	0.013 J	0.0137 J	<0.005	<0.001	<0.002	<0.001	<0.002	0.0085 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	1.93	<0.005	
	MW22-ROX-101014	10/10/2014		41.43	NE	<0.1 UJ	1.62	<0.05		<0.05	0.0165 J	0.0066 J	0.0096 J	<0.05 UJ	<0.01 UJ	<0.02	<0.01	<0.02	0.0045 J	<0.01	<0.01	<0.01	<0.01	<0.02	<0.02	<0.005	1.88 J	<0.05	
	MW22-ROX-011615	1/16/2015		42.19	NE	<0.1	1.51	<0.05		<0.05	0.0373 J	0.0133 J	0.0152 J	<0.05	<0.01	<0.02	<0.01	<0.02	0.0117 J	<0.01	<0.01	<0.01	<0.01	<0.02	<0.02	<0.005	2.84	<0.05	
	MW22-ROX-041415	4/14/2015		43.71	NE	<0.01	1.62	<0.005		<0.005	0.0112	0.0105	0.0123	<0.005	<0.001	<0.002	<0.001	<0.002	0.0078	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	3.05	<0.005	
	MW22-ROX-071515	7/15/2015		42.64	NE	<0.2	2.92	<0.1		<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.04	<0.02	<0.04	<0.1	<0.02	<0.02	<0.02	<0.02	<0.04	<0.04	<0.01	3.21	<0.1	
	MW22-ROX-101415	10/14/2015		40.54	NE	<0.5	0.8	<0.02		<0.5	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.1	<0.02	<0.1	1.6
MW-23	MW23-ROX-012615	1/26/2015	29.02 - 39.02	30.90	NE	<0.025	<0.001	<0.001		<0.005	<0.001	<0.001	<0.001	<0.002	<0.001	<0.002	<0.001	<0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.002
	MW23-ROX-040815	4/8/2015		32.24	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005 UJ	
	MW23-ROX-071015-BP	7/10/2015		30.54	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.00029 U	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW23-ROX-100515	10/5/2015		28.89	NE	<0.025	<0.001	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	<0.001
MW-24	MW24-ROX-040513	4/5/2013	38.89 - 48.89	43.39	NE	<0.005	0.0029	<0.005		<0.01	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0012	<0.005	
	MW24-ROX-071113	7/11/2013		40.35	NE	<0.0157 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW24-ROX-100913	10/9/2013		41.27	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005 UJ	
	MW24-ROX-011514	1/15/2014		43.47	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW24-ROX-040914	4/9/2014		44.13	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW24-ROX-071114	7/10/2014		42.97	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW24-ROX-100814	10/8/2014		42.16	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW24-ROX-011315	1/13/2015		43.17	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002 UJ	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	MW24-ROX-040915	4/9/2015		44.45	NE	<0.01 UJ	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.0		

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																							
Screening Values (mg/L)						6.3 ¹	0.005 ¹	0.056 ³		4.2 ¹	0.35 ³			0.7 ¹	0.100 ¹		0.07 ¹			0.6 ²		0.075 ²	1.4 ¹	0.005 ²	0.005 ²	0.001 ²	0.7 ¹	0.007 ³	
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																							
P-54	P54-ROX-011113	1/11/2013	38.00 - 63.00	41.56	NE	<0.005	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	P54-ROX-041013	4/10/2013		41.80	NE	<0.01	0.172	<0.005		<0.01	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	P54-ROX-050313	5/3/2013		41.80	NE	<0.01 UJ	0.0028	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	P54-ROX-071113	7/11/2013		39.07	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	P54-ROX-100813	10/8/2013		39.94	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	P54-ROX-011514	1/15/2014		42.20	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	P54-ROX-040914	4/9/2014		42.80	NE	<0.01	0.00081	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	P54-ROX-071114	7/10/2014		41.71	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	P54-ROX-100814	10/8/2014		40.88	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	P54-ROX-011415	1/14/2015		41.79	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	P54-ROX-041015	4/10/2015		43.20	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005 UJ	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005 UJ	
	P54-ROX-070915	7/9/2015		42.25	NE	<0.01 UJ	<0.0005	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	P54-ROX-100915	10/9/2015		38.00 - 63.00	40.20	NE	<0.025	<0.001	<0.001		<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005
P-55	P55-ROX-012113	1/21/2013	39.82 - 64.82	45.24	NE	<0.25	0.571	<0.05		<0.25	0.0533	0.011 J	<0.05	<0.05	<0.05	<0.1	<0.01	<0.1	<0.05	<0.01	<0.01	<0.01	<0.01	<0.05	<0.05	<0.005	<0.01	0.316	<0.01
	P55-ROX-012113	1/21/2013		45.24	NE	<0.005	0.538	<0.005		<0.253 U	0.0203	0.0143	0.0013 J	<0.005	<0.001	<0.002	<0.001	<0.002	0.0055	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.366	<0.005	
P-55R	P55-ROX-041513	4/15/2013	40.43 - 50.43	43.63	NE	<0.02 UJ	0.434	<0.01		<0.01	0.0052 J	0.0196	<0.01	<0.01	<0.002	<0.004	<0.002	<0.004	<0.01	<0.002	<0.002	<0.002	<0.002	<0.004	<0.004	<0.001	0.35	<0.01	
	P55-ROX-071613	7/16/2013		40.06	NE	<0.01	0.573	<0.005	0.88	<0.005	0.0256	0.0155	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0065	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.495	<0.005 UJ	
	P55-ROX-101013	10/10/2013		41.67	NE	<0.01	0.757	<0.005		<0.005	0.0239	0.0147	0.0013 J	<0.005	<0.001	0.005	<0.001	0.0017 J J	0.0066	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.602	<0.005	
P-56	P56-ROX-011713	1/17/2013	40.82 - 65.82	45.65	NE	<0.025	0.191	<0.025		<0.025	0.0031 J	<0.025	<0.025	<0.025	<0.005	<0.01	<0.005	<0.01	<0.025	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01	<0.0025	0.0088	<0.025	
	P56-ROX-041213	4/12/2013		46.12	NE	<0.02 UJ	0.131	<0.01		<0.01	0.0142	<0.01	<0.01	<0.002	<0.004	<0.002	<0.004	<0.01	<0.002	<0.002	<0.002	<0.002	<0.004	<0.004	<0.001	0.691	<0.01		
	P56-ROX-071513	7/15/2013		43.25	NE	<0.156 UJ	0.131	<0.005		<0.005	0.0141	0.0072	0.0038 J	<0.005	<0.001	0.0047	<0.001	<0.002	0.0061	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	2	<0.005	
	P56-ROX-101013	10/10/2013		44.48	NE	<0.01	0.14	<0.005		<0.005	0.0088	0.005	0.0018 J	<0.005	<0.001	0.0038	<0.001	<0.002	0.0046 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	0.001	1.58	<0.005	
	P56-ROX-012214	1/22/2014		46.35	NE	<0.01	0.0895	<0.005		<0.005	0.0033 J	0.0023 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0018 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.305	<0.005	
	P56-ROX-041414	4/14/2014		47.32	NE	<0.01	0.128	<0.005		<0.005	0.0069	0.0046 J	0.0014 J	<0.005	<0.001	<0.002	<0.001	<0.002	0.0034 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.608	<0.005	
	P56-ROX-070814	7/8/2014		45.97	NE	0.0626 J	0.127 J	<0.005		0.0132 J	0.0159 J	0.0073 J	0.0034 J J	<0.005	<0.001	<0.002	<0.001	<0.002	0.0058 J	<0.001	<0.001	<0.001	0.0018 J	<0.002	<0.002	<0.0005	1.71 J	<0.005	
	P56-ROX-101314	10/13/2014		45.05	NE	<0.01 UJ	0.107	<0.005		<0.005	0.0062	0.004 J	0.0012 J	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	0.0035 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.164	<0.005	
	P56-ROX-011915	1/19/2015		46.58	NE	<0.01	0.0991	<0.005		<0.005	0.004 J	0.0037 J	0.00077 J	0.004 J	<0.001	<0.002	<0.001	0.0045	0.003 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.104	<0.005	
	P56-ROX-041515	4/15/2015		48.05	NE	<0.01	0.0965	<0.005		<0.005	0.0028 J	0.0042 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0033 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.624	<0.005	
	P56-ROX-071015	7/10/2015		47.34	NE	<0.01	0.0683	<0.005		<0.005	0.0034 J	0.00068 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0027 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0297	<0.005	
	P56-ROX-101415	10/14/2015		40.82 - 65.82	44.85	NE	0.15	0.033	<0.001		0.034	0.0012	0.0018	<0.001	0.0011	<0.001	<0.001	0.0022	<0.001	0.0013	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	0.067	<0.005

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																							
Screening Values (mg/L)						6.3 ¹	0.005 ¹	0.056 ³		4.2 ¹	0.35 ³			0.7 ¹	0.100 ¹		0.07 ¹			0.6 ²		0.075 ²	1.4 ¹	0.005 ²	0.005 ²	0.001 ²	0.7 ¹	0.007 ³	
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																							
P-59	P59-ROX-013013	1/30/2013	47.91 - 72.91	46.60	NE	<0.25	12.1	<0.25		<0.25	<0.25	<0.25	<0.25	<0.25	<0.05	<0.1	<0.05	<0.1	<0.25	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1	<0.025	1.9	<0.25	
	P59-ROX-041213	4/12/2013		46.95	NE	<0.5 UJ	15	<0.25		<0.25	<0.25	0.289	<0.25	<0.25	<0.05	<0.1	<0.05	<0.1	<0.25	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1	<0.025	2.85	<0.25	
	P59-ROX-041213-DUP	4/12/2013		46.95	NE	<0.5 UJ	13.4	<0.25		<0.25	<0.25	0.288	<0.25	<0.25	<0.05	<0.1	<0.05	<0.1	<0.25	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1	<0.025	2.57	<0.25	
	P59-ROX-071613	7/16/2013		44.13	NE	<0.01	10.2	<0.005		<0.005	0.0213 J	0.0068 J	0.0027 J J	<0.005	<0.001	<0.002	<0.001	<0.002	0.0046 J J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	2.4	<0.005 UJ	
	P59-ROX-101013	10/10/2013		45.50	NE	<0.01	14.7	<0.005		<0.005	0.0224	<0.005	0.0024 J	<0.005	<0.001	0.0034	<0.001	<0.002	0.0051	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	3.19	<0.005	
	P59-ROX-020314	2/3/2014		47.35	NE	<0.2	15.9	<0.1		<0.1	0.0165 J	<0.1	<0.1 UJ	<0.02	<0.04	<0.02	<0.04	<0.1	<0.02	<0.02	<0.02	<0.02	<0.04	<0.04	<0.01	1.86	<0.1		
	P59-ROX-041514	4/15/2014		48.60	NE	<0.01 UJ	14.8	<0.005		0.0253 J	0.0181	0.0035 J	0.0014 J	<0.005	<0.001	<0.002	<0.001	<0.002	0.0029 J	<0.001	<0.001	<0.001	0.0023	<0.002	<0.002	<0.0005	1.69	<0.005	
	P59-ROX-070814	7/8/2014		47.69	NE	0.057 J	12.2	<0.005		0.0169 J	0.0251 J	0.0073 J	<0.005	<0.001	<0.002	<0.001	<0.002	0.0046 J J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	1.92	<0.005		
	P59-ROX-101414	10/14/2014		46.18	NE	<0.01 UJ	12	<0.005		<0.005	0.0278 J	0.0097 J	0.0024 J J	<0.005 UJ	<0.001 UJ	<0.002	<0.001	<0.002	0.0043 J J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	2.33	<0.005	
	P59-ROX-011915	1/19/2015		47.42	NE	<1	13.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.2	<0.1	<0.2	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.2	<0.05	2.2	<0.5	
	P59-ROX-041615	4/16/2015		48.83	NE	<0.1 UJ	9.43	<0.05		<0.05 UJ	<0.05	<0.05	<0.05	<0.05	<0.01	<0.02	<0.01	<0.02	<0.05	<0.01	<0.01	<0.01	<0.01	<0.02	<0.02	<0.005	2.13	<0.05	
	P59-ROX-071315	7/13/2015		47.85	NE	<0.25	3.08	<0.13		<0.13	<0.13	<0.13	<0.13	<0.13	<0.025	<0.05	<0.025	<0.05	<0.13	<0.025	<0.025	<0.025	<0.025	<0.05	<0.05	<0.013	0.664	<0.13	
P59-ROX-101515	10/15/2015	45.75	NE	<1.3	7.2	<0.05		<1.3	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.25	<0.05	<0.25	1.1	<0.25			
P-66	P66-ROX-011813	1/18/2013	34.72 - 59.72	35.70	NE	<0.005	0.0896	<0.005		<0.005	0.0129	0.0227	0.0087	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0014	<0.005	
	P66-ROX-041113	4/11/2013		36.03	NE	<0.01	0.0444	<0.005		<0.01	0.0199	0.0249	0.0104	<0.005	<0.001	0.00065 J	<0.001	<0.002	0.0093	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0036	<0.005	
	P66-ROX-071213	7/12/2013		33.20	NE	<0.01	0.187	<0.005		<0.005	0.0146	0.0221	0.006	<0.005	0.00059 J	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0022	<0.005 UJ	
	P66-ROX-101013	10/10/2013		33.66	NE	0.0095 J	0.0646	<0.005		<0.005	0.0141	0.0186	0.0067	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0045	<0.005	
	P66-ROX-110713	11/7/2013		33.66	NE	<0.01	0.03	<0.005		<0.005	0.0088	0.0102	0.0071	<0.005	0.0007 J	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0016	<0.005	
	P66-ROX-012914	1/29/2014		36.39	NE	<0.01	0.008	<0.005		<0.005	0.016	0.0205	0.0053	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0013	<0.005	
	P66-ROX-041114	4/11/2014		37.10	NE	<0.01	0.0052	<0.005		<0.005	0.0129	0.0168	0.0041 J	<0.005	0.00052 J	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0014	<0.005	
	P66-ROX-070714	7/7/2014		35.60	NE	<0.01 UJ	0.0429	<0.005		<0.005	0.0112	0.0147	0.0023 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0016	<0.005	
	P66-ROX-101414	10/14/2014		34.48	NE	<0.01 UJ	0.0212	<0.005		<0.005	0.0135	0.0173	0.0036 J	<0.005	<0.001 UJ	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0013	<0.005	
	P66-ROX-011615	1/16/2015		36.62	NE	<0.01	0.0083	<0.005		<0.005	0.0162	0.021	0.0048 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0016	<0.005	
	P66-ROX-011615-DUP	1/16/2015		36.62	NE	<0.01	0.0076	<0.005		<0.005	0.0147	0.0198	0.0045 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0014	<0.005	
	P66-ROX-041415	4/14/2015		38.27	NE	<0.01	0.0223	<0.005		<0.005	0.0127	0.0181	0.0039 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.003	<0.005	
	P66-ROX-041415-DUP	4/14/2015		38.27	NE	<0.01	0.0214	<0.005		<0.005	0.0124	0.0177	0.004 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0027	<0.005	
	P66-ROX-070815	7/8/2015		37.24	NE	<0.01 UJ	0.0404	<0.005		<0.005 UJ	0.0124	0.0164	0.0027 J	<0.005	0.00035 J	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0024	<0.005	
	P66-ROX-070815-DUP	7/8/2015		37.24	NE	<0.01 UJ	0.0424	<0.005		<0.005 UJ	0.0126	0.0167	0.0027 J	<0.005	0.00038 J	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0022	<0.005	
	P66-ROX-101315	10/13/2015		34.84	NE	<0.025	0.0094	<0.001		<0.025	<0.001	0.008	0.0023	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.001	<0.0005	0.0042	<0.005	
P-74	P74-ROX-011713	1/17/2013	44.43 - 69.43	42.65	NE	<0.1	4.99	<0.1		<0.1	0.0143 J	<0.1	<0.1	<0.1	<0.02	<0.04	<0.02	<0.04	<0.1	<0.02	<0.02	<0.02	<0.02	<0.04	<0.04	<0.01	0.0997	<0.1	
	P74-ROX-041113	4/11/2013		42.83	NE	<0.01	0.144	<0.005		<0.01	0.0026 J	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0		

TABLE 3

Screening Values (mg/L)						6.3 ¹	0.005 ¹	0.056 ³					4.2 ¹	0.35 ³					0.7 ¹	0.100 ¹					0.07 ¹					0.6 ²					0.075 ²	1.4 ¹	0.005 ²	0.005 ²	0.001 ²	0.7 ¹	0.007 ³													
Location	Sample ID	Sample Date	Screened Interval (ft btoe)	Depth to Water (ft btoe)	Product Thickness (ft)	Analytical Results (mg/L)																																																
P-93B	P93B-ROX-012313	1/23/2013	74.60 - 76.60	45.89	NE	<5	415	<5	<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<1	<1	<1	<1	<2	<2	<0.5	<1	<5	P93B-ROX-041113	4/11/2013	46.32	NE	<5	618	<2.5	<5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<0.5	<0.5	<0.5	<1	<1	<0.25	<0.5	<2.5			
	P93B-ROX-071813	7/18/2013		43.30	NE	<0.01	296	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001 UJ	0.0652	<0.005	P93B-ROX-101613	10/16/2013	44.43	NE	<20	187	<10	<10	<10	<10	<10	<2	<4	<2	<4	<10	<2	<2	<2	<4	<4	<1	<2	<10			
	P93B-ROX-101613-DUP	10/16/2013		44.43	NE	<20	180	<10	<10	<10	<10	<10	<2	<4	<2	<4	<10	<2	<2	<2	<2	<4	<4	<1	<2	<10	P93B-ROX-012814	1/28/2014	46.58	NE	<10	242	<5	<5	<5	<5	<5	<1	<2	<1	<1	<1	<2	<2	<0.5	<1	<5							
	P93B-ROX-012814-DUP	1/28/2014		46.58	NE	<10 UJ	293	<5	<5 UJ	<5	<5	<5	<5	<1	<2	<1	<2	<5	<1	<1	<1	<1	<2	<2	<0.5	<1	<5	P93B-ROX-041714	4/17/2014	47.46	NE	<5	134	<2.5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<0.5	<0.5	<0.5	<1	<1	<0.25	<0.5	<2.5			
	P93B-ROX-041714-DUP	4/17/2014		47.46	NE	<5	126	<2.5	<2.5	<2.5	<2.5	<2.5	<0.5	<1	<0.5	<1	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25	<0.5	<2.5	P93B-ROX-071714	7/17/2014	45.75	NE	<0.01 UJ	172	<0.005 UJ	<0.005 UJ	<0.005 UJ	0.00042 J	<0.005 UJ	<0.001 UJ	<0.002 UJ	<0.001 UJ	<0.002 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.002 UJ	<0.002 UJ	<0.0005 UJ	0.0236 J	<0.005 UJ			
	P93B-ROX-101514	10/15/2014		45.15	NE	<5 UJ	241	<2.5	<2.5	<2.5	<2.5	<2.5 UJ	<0.5	<1	<0.5	<1	<2.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<0.25	<0.5	<2.5	P93B-ROX-012315	1/23/2015	47.24	NE	<10	564	<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<1	<1	<1	<2	<2	<0.5	<1	<5				
	P93B-ROX-012315-DUP	1/23/2015		47.24	NE	<10	623	<5	<5	<5	<5	<5	<1	<2	<1	<2	<5	<1	<1	<1	<1	<2	<2	<0.5	<1	<5	P93B-ROX-021915	2/19/2015	47.24	NE	<250	625	<0.5	<2.5	<0.5	<0.5	<0.5	<1	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<2.5	<0.5	<0.5	<1	<5					
	P93B-ROX-041615	4/16/2015		48.42	NE	<0.01 UJ	400	<0.005	<0.005 UJ	<0.005	<0.005	0.001 J	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0947	<0.005	P93B-ROX-041615-DUP	4/16/2015	48.42	NE	<10 UJ	388	<5	<5 UJ	<5	<5	<5	<5	<1	<2	<1	<2	<5	<1	<1	<1	<1	<2	<2	<0.5	0.249 J	<5	
	P93B-ROX-070915	7/9/2015		47.74	NE	<50 UJ	497 J	<25	<25 UJ	<25	<25	<25	<25	<5	<10	<5	<10	<25	<5	<5	<5	<5	<10	<10	<2.5	<5	<25	P93B-ROX-070915-DUP	7/9/2015	47.74	NE	<20 UJ	371 J	<10	<10 UJ	<10	<10	<10	<10	<4	<2	<4	<10	<2	<2	<2	<4	<4	<1	<2	<10			
	P93B-ROX-101515	10/15/2015		74.60 - 76.60	45.18	NE	<63	1200	<2.5	<63	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<13	<2.5	<13	<2.5	<13	<2.5	<13	<2.5	<13	<2.5	<13	<2.5	<13	<2.5	<13	<2.5	<13	<2.5	<13											
	P93C-ROX-012313	1/23/2013		94.26 - 96.26	45.78	NE	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	P93C-ROX-041213	4/12/2013	46.21	NE	<0.0056 UJ	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005		
	P93C-ROX-071813	7/18/2013			43.31	NE	<0.01	101	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.001 UJ	0.0041	<0.005	P93C-ROX-080813	8/8/2013	43.31	NE	<0.5	19.1	<0.25	<0.25	<0.25	<0.25	<0.25	<0.5	<0.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	P93C-ROX-101613	10/16/2013			44.31	NE	<0.01	1.4	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	P93C-ROX-012414	1/24/2014	46.44	NE	<0.01 UJ	<0.0005	<0.005	<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	P93C-ROX-041714	4/17/2014			47.34	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	P93C-ROX-071714	7/17/2014	45.61	NE	<0.01	1.52	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	
	P93C-ROX-101514	10/15/2014			44.99	NE	<0.01	0.00075	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	P93C-ROX-011915	1/19/2015	48.22	NE	<1	102	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.2	<0.1	<0.2	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.2	<0.5	<0.1	<0.5		
	P93C-ROX-021915	2/19/2015			48.22	NE	<25	75.4	<1	<5	<1	<1	<1	<2	<1	<2	<1	<2	<1	<1	<1	<1	<1	<1	<5	<1	<1	<2	P93C-ROX-041615	4/16/2015	48.22	NE	<1 UJ	55.3	<0.5	<0.5 UJ	<0.5	<0.5	<0.5	<0.5	<0.1	<0.2	<0.1	<0.2	<0.5	<0.1	<0.1	<0.2	<0.2	<0.5	<0.1	<0.5		
	P93C-ROX-071315	7/13/2015			47.09	NE	<0.01	0.0365	<0.005	<0.005	<0.005	<0.005	<0.005	<0.00025 U	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.00047 J	<0.005	P93C-ROX-101415	10/14/2015	44.91	NE	<0.025	0.011	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	<0.001	<0.005			
	P-93D	P93D-ROX-012213			1/22/2013	125.75 - 127.75	44.21	NE	<0.005	0.106	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.00089 J	<0.005	P93D-ROX-041113	4/11/2013	46.37	NE	<0.01	<0.0005	<0.005	<0.01	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005
		P93D-ROX-071213			7/12/2013		43.51	NE	<0.01	<0.0005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005 UJ	P93D-ROX-101113	10/11/2013	44.24	NE	<0.01	0.0014	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005
P93D-ROX-013114		1/31/2014	46.62		NE		<0.01	0.0012	<0.005	<0.005	<0.005	<0.005	<0.005 UJ	0.00062 J	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	P93D-ROX-041414	4/14/2014	47.54	NE	<0.01	0.0022	<0.005	<0.005	<0.005	<0.005	<0.005	0.00069 J	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.002	0.0164	<0.0005	<0.001	<0.005			
P93D-ROX-071714		7/17/2014	45.78		NE		<0.01	0.00063	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	P93D-ROX-101514	10/15/2014	45.14	NE	<0.1	36.4	<0.05	<0.05	<0.05	<0.05	<0.05	<0.01	<0.2	<0.1	<0.2	<0.5	<0.1	<0.1	<0.1	<0.2	0.02	<0.005	<0.01	<0.05			
P93D-ROX-110414		11/4/2014	45.14		NE		<0.01	19.9	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	<0.001	<0.005	P93D-ROX-012315	1/23/2015	42.28	NE	<2.5 UJ	62.6	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<0.25	<0.5	<0.25	<0.5	<1.3	<0.25	<0.25	<0.25	<0.25	<0.5	<0.5	<0.13	<0.25	<1.3	
P93D-ROX-021915		2/19/2015	42.28		NE		<130	240	<2.5	<13	&																																											

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																							
Screening Values (mg/L)						Acetone	Benzene	Bromobenzene	Butane	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Cymene (p-Isopropyltoluene)	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	Dichloromethane (Methylene chloride)	1,2-Dichloropropane	trans-1,3-Dichloropropene	Ethylbenzene	Hexachlorobutadiene	
						6.3 ¹	0.005 ¹	0.056 ³		4.2 ¹	0.35 ³			0.7 ¹	0.100 ¹		0.07 ¹			0.6 ²		0.075 ²	1.4 ¹	0.005 ²	0.005 ²	0.001 ²	0.7 ¹	0.007 ³	
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																							
ROST-3-MW	ROST3MW-ROX-012313	1/23/2013	37.81 - 47.81	41.50	NE	<0.005	0.0051 J	<0.005		<0.005	0.0028 J	0.0013 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0011 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0296	<0.005	
	ROST3MW-ROX-040513	4/5/2013				<0.005 UJ	0.0605	<0.005		<0.005	<0.005	0.0011 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0012 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0136	<0.005	
	ROST3MW-ROX-071113	7/11/2013		39.50	NE	<0.01 UJ	0.0125	<0.005		<0.005 UJ	<0.005	0.0014 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0014 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.218	<0.005	
	ROST3-MW-ROX-100913	10/9/2013		40.16	NE	<0.01	0.0033	<0.005		<0.0164	0.00073 J	<0.005	<0.005	<0.005	<0.001	0.0034	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0182	<0.005 UJ	
	ROST3MW-ROX-011714	1/17/2014		42.20	NE	<0.01	0.004	<0.005		<0.005	0.0012 J	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.008	<0.005	
	ROST3MW-ROX-041014	4/10/2014		42.80	NE	<0.01	0.0075	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0055	<0.005	
	ROST3MW-ROX-071414	7/14/2014		41.88	NE	<0.01	0.0058	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.008	<0.005	
	ROST3MW-ROX-100914	10/9/2014		41.31	NE	<0.01 UJ	0.003	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0398	<0.005	
	ROST3MW-ROX-011515	1/15/2015		41.83	NE	<0.01	0.0022	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0144	<0.005	
	ROST3MW-ROX-041315	4/13/2015		43.43	NE	0.0251 J	0.0057	<0.005		<0.005	<0.005	<0.005 UJ	<0.005 UJ	0.00037 J	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0085	<0.005	
	ROST3MW-ROX-071315	7/13/2015		42.36	NE	<0.01	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.00066 U	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.02	<0.00071 U	
	ROST3MW-ROX-101215	10/12/2015		40.29	NE	0.017 J	<0.001	<0.001		0.0064 J	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	0.06	<0.005
ROST-4-PZ(C)	ROST4PZ(C)-ROX-011113	1/11/2013	34.95 - 44.95	41.42	NE	<0.005	<0.0005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0013	<0.005	
	ROST4PZC-ROX-041013	4/10/2013		42.27	NE	<0.01	0.0153 J	<0.005		<0.01	<0.005	<0.005	<0.005	<0.005	<0.001 UJ	<0.002	<0.001	<0.002	<0.005	<0.001 UJ	<0.001 UJ	<0.001 UJ	<0.001	<0.002	<0.002 UJ	<0.0005 UJ	0.0028 J	<0.005	
	ROST4PZC-ROX-071113	7/11/2013		40.18	NE	<0.01 UJ	0.0497	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0651	<0.005	
	ROST4PZC-ROX-100913	10/9/2013		39.91	NE	<0.01	0.00066	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0064	<0.005 UJ	
	ROST4PZC-ROX-011714	1/17/2014		41.92	NE	<0.01	0.0015	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0039	<0.005	
	ROST4PZC-ROX-041014	4/10/2014		42.05	NE	<0.01	0.0019	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.00059 J	<0.005	
	ROST4C-ROX-071114	7/10/2014		42.22	NE	<0.01 UJ	0.0751	<0.005		<0.005 UJ	<0.005	<0.005	<0.005	<0.005 UJ	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0594	<0.005	
	ROST4PZC-ROX-100914	10/9/2014		41.30	NE	<0.01 UJ	0.039	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0688	<0.005	
	ROST4PZC-ROX-011515	1/15/2015		41.65	NE	0.016	0.0013	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0035	<0.005	
	ROST4PZC-ROX-041315	4/13/2015		43.00	NE	<0.01	0.0694	<0.005		<0.005	<0.005	<0.005 UJ	<0.005 UJ	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.0806	<0.005	
	ROST4PZ-ROX-071315	7/13/2015		42.59	NE	<0.01	0.0683	<0.005		<0.005	<0.005	<0.005	<0.005	<0.0011 U	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.159	<0.005	
	ROST4PZC-ROX-101215	10/12/2015		40.35	NE	0.022 J	0.071	<0.001		0.0097 J	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.005	0.15	<0.005
T-12	T12-ROX-011813	1/18/2013	46.72 - 72.72	44.50	NE	<0.025	2.03 J	<0.025		<0.0795 U	0.0056 J	0.0036 J	<0.025	<0.025	<0.005	<0.01	<0.005	<0.01	<0.025	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01	<0.0025	0.426	<0.025	
	T12-ROX-041513	4/15/2013		44.99	NE	<0.1 UJ	1.61	<0.05		<0.05	<0.05	0.0595	<0.05	<0.05	<0.01	<0.02	<0.01	<0.02	<0.05	<0.01	<0.01	<0.01	<0.01	<0.02	<0.02	<0.005	1.03	<0.05	
	T12-ROX-071613	7/16/2013		42.33	NE	<0.01	1.65	<0.005		<0.005	0.0069 J	0.003 J J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0025 J J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.45	<0.005 UJ	
	T12-ROX-101513	10/15/2013		43.73	NE	0.0803	2.02	<0.025		0.0246 J	0.0098 J	0.0038 J	<0.025	<0.025	<0.005	<0.01	<0.005	<0.01	<0.025	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01	<0.0025	1.82	<0.025	
	T12-ROX-012414	1/24/2014		45.26	NE	<0.01	2.48	<0.005		<0.005	0.0083	0.0029 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	<0.005	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.518	<0.005	
	T12-ROX-041514	4/15/2014		46.72	NE	<0.01 UJ	2.07	<0.005		0.017 J	0.0062	0.0024 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0018 J	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.0005	0.376	<0.005	
	T12-ROX-070814	7/8/2014		45.13	NE	0.0658 J	2.1	<0.005		0.0094	0.0096	0.0039 J	<0.005	<0.005	<0.001	<0.002	<0.001	<0.002	0.0024 J	<0.001	<0.001	<0.001	0.0022	<0.002	<0.002	<0.0005	0.614	<0.005	
	T12-ROX-101714	10/17/2014		44.40	NE	<0.1	1.83	<0.05		<0.05	<0.05	<0.05	<0.05	<0.05	<0.01	<0.02	<0.01	<0.02	<0.05	<0.01	<0.01	<0.01	<0.01	<0.02	<0.02	<0.005	1.75	<0.05	
	T12-ROX-011915	1/19/2015		45.27	NE																								

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																							
Screening Values (mg/L)						0.42 ³	0.035 ³		0.7 ¹	0.56 ³	0.07 ¹	0.14 ¹	0.7 ³	0.1 ¹	0.005 ¹	1.0 ¹	0.0056 ³	0.07 ¹	0.005 ¹	0.005 ¹				0.07 ³	7.0 ²	10 ¹		10 ¹	
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																							
MW-01	MW1-ROX-011013	1/10/2013	48.80 - 58.80	41.89	NE		<0.005		<0.005	<0.005	0.0015	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	
	MW1-ROX-040913	4/9/2013		42.55	NE		<0.005		<0.005	<0.005	0.0012	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	
	MW1-ROX-070813	7/8/2013		39.56	NE		<0.005		<0.005	<0.005	0.0049	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	
	MW1-ROX-100313	10/3/2013		40.28	NE		<0.005		<0.005	<0.005	0.0013	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	
	MW1-ROX-011414	1/14/2014		42.77	NE		<0.005		<0.005	<0.005	0.0018	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	
	MW1-ROX-040714	4/7/2014		43.28	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	
	MW1-ROX-070914	7/9/2014		42.09	NE		<0.005 UJ		<0.005	<0.005	0.0035	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	
	MW1-ROX-100614	10/6/2014		41.1	NE		<0.005		<0.005	<0.005 UJ	0.00082 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001	<0.001	
	MW1-ROX-011215	1/12/2015		42.73	NE		<0.005		<0.005	<0.005	0.00084 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	
	MW1-ROX-040615	4/6/2015		44.11	NE		<0.005		<0.005	<0.005	0.00059 J	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	
	MW1-ROX-070815	7/8/2015		43.35	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	
	MW1-ROX-100615	10/6/2015		40.83	NE		<0.025		<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001		<0.001	<0.001	<0.025	<0.005	<0.005	<0.005	
MW-02	MW2-ROX-011113	1/11/2013	49.87 - 59.87	42.94	NE		<0.01		0.0879	<0.01	<0.002	0.0768	0.121	<0.01	<0.002	0.0093	<0.01	<0.01	<0.002	<0.002		0.219	0.105	<0.01	0.685	0.0287	0.713		
	MW2-ROX-040913	4/9/2013		43.70	NE		<0.025		0.085	<0.025	<0.005	0.0578	0.11	<0.025	<0.005	0.0073	<0.025	<0.025	<0.005	<0.005		0.338	0.155	<0.025	1.01	0.0454	1.05		
	MW2-ROX-071113	7/11/2013		40.82	NE		<0.005 UJ		0.0931	<0.005	0.0062	0.114	0.127	<0.005	<0.001	0.11	<0.005	<0.005	<0.001	<0.001		0.522	0.175	<0.005 UJ	1.88	0.174	1.88		
	MW2-ROX-100813	10/8/2013		41.73	NE		0.0079		0.0983	<0.005	0.0032	0.0939	0.132	<0.005	<0.001	0.0164	<0.005	<0.005	<0.001	<0.001		0.368	0.174	0.0768	0.912	0.0519	0.912		
	MW2-ROX-012014	1/20/2014		44.00	NE		<0.005		0.102	<0.005	<0.001	0.0663	0.133	<0.005	<0.001	0.0099	<0.005	<0.005	<0.001	<0.001		0.264	0.156	<0.005	0.486	0.0304	0.516		
	MW2-ROX-041014	4/10/2014		44.66	NE		<0.005		0.0816	<0.005	<0.001	0.0474	0.106	<0.005	<0.001	0.0072	<0.005	<0.005	<0.001	<0.001		0.181	0.121	<0.005	0.444	0.0275	0.472		
	MW2-ROX-071414	7/14/2014		43.13	NE		<0.005		0.0966 J	<0.005	<0.001	0.0792 J	0.112 J	<0.005	<0.001	0.0113 J	<0.005	<0.005	<0.001	<0.001		0.341 J	0.15 J	<0.005	0.764	0.0845	0.804		
	MW2-ROX-101014	10/10/2014		42.49	NE		<0.01 UJ		0.0675	<0.01 UJ	<0.002	0.0512	0.0867	<0.01	<0.002	0.006	<0.01	<0.01	<0.002	<0.002		0.135	0.0901	<0.01	0.26 J	0.0183	0.278 J		
	MW2-ROX-011615	1/16/2015		44.1	NE		0.0039 J		0.0823	0.0061	<0.001	0.0626	0.107	0.00052 J	<0.001	0.0121	0.0051	0.0044 J	<0.001	0.0015		0.0895	0.102	<0.005	0.207	0.0206	0.228		
	MW2-ROX-041315	4/13/2015		45.56	NE		<0.005		0.0613 J	<0.005	0.0013	0.068 J	0.0802 J	<0.005	<0.001	0.0103	<0.005	<0.005	<0.001	<0.001		0.185 J	0.0882	<0.005	0.549	0.0495	0.598		
	MW2-ROX-071315	7/13/2015		44.53	NE		<0.005		0.0683	<0.005	<0.001	0.0878	0.0983	<0.005	<0.001	0.0103	<0.0015 U	<0.005	<0.001	<0.001		0.206	0.109	<0.005	0.719	0.0689	0.78		
	MW2-ROX-101215	10/12/2015		42.15	NE		<0.05		0.082	<0.05	<0.002	0.039	0.088	<0.002	<0.002	0.013	<0.002	<0.002	<0.01	<0.002		0.1	0.09	<0.05	0.26	0.023	0.28		
MW-03	MW3-ROX-010913	1/9/2013	34.67 - 44.67	29.35	NE		<0.005		<0.005	<0.005	0.0008 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	0.007	<0.001	<0.001	<0.001	<0.001	
	MW3-ROX-040813	4/8/2013		29.74	NE		<0.005		<0.005	<0.005	<0.001 UJ	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	
	MW3-ROX-071113	7/11/2013		26.32	NE		<0.005 UJ		0.0049 J	<0.005	0.0035	<0.005	0.0055	<0.005	<0.001	0.0013	<0.005	<0.005	<0.001	<0.001		0.0013 J	<0.005	<0.005 UJ	0.0028	<0.001	0.0028		
	MW3-ROX-100813	10/8/2013		27.38	NE		<0.005		<0.005	<0.005	0.00075 J	<0.005	0.0021 J	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	0.0197	0.0011	<0.001	0.0011		
	MW3-ROX-011614	1/16/2014		29.91	NE		<0.005		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	
	MW3-ROX-040914	4/9/2014		30.50	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	
	MW3-ROX-071114	7/10/2014		29.05	NE		<0.005		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	
	MW3-ROX-100914	10/9/2014		28.18	NE		<0.005		0.0004 J	<0.005	0.003 J	<0.005	0.00053 J	<0.005	<0.001	0.00046 J	<0.005	<0.005	<0.001	<0.001		0.0012 J	<0.005	<0.005 UJ	0.00095 J	<0.001	<0.00095 U		
	MW3-ROX-011515	1/15/2015		29.65	NE		<																						

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																						
						Hexane	2-Hexanone (Methyl N-Butyl Ketone)	Isopentane	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	Tetrachloroethene	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,2-Trichloroethane	Trichloroethene	1,2,3-Trimethylbenzene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl acetate	m,p-Xylenes	o-Xylenes	Xylenes (total)	
Screening Values (mg/L)						0.42 ³	0.035 ³		0.7 ¹	0.56 ³	0.07 ¹	0.14 ¹	0.7 ³	0.1 ¹	0.005 ¹	1.0 ¹	0.0056 ³	0.07 ¹	0.005 ¹	0.005 ¹			0.07 ³	7.0 ²	10 ¹		10 ¹	
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																						
MW-06A	MW6A-ROX-011413	1/14/2013	34.83 - 44.83	31.00	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW6A-ROX-040313	4/3/2013		31.62	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-070913	7/9/2013		28.25	NE		<0.005		<0.005	<0.005	0.0027	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	MW6A-ROX-070913-DUP	7/9/2013		28.25	NE		<0.005		<0.005	<0.005	0.0025	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	MW6A-ROX-100713	10/7/2013		28.87	NE		<0.005 UJ		<0.005	<0.005	0.0131	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-100713-DUP	10/7/2013		28.87	NE		<0.005 UJ		<0.005	<0.005	0.0132	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-011614	1/16/2014		31.62	NE		<0.005		<0.005	<0.005	0.0108	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-011614-DUP	1/16/2014		31.62	NE		<0.005		<0.005	<0.005	0.0103	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-040814	4/8/2014		32.16	NE		<0.005		<0.005	<0.005	0.00086 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-040814-DUP	4/8/2014		32.16	NE		<0.005		<0.005	<0.005	0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-071014	7/10/2014		30.75	NE		<0.005 UJ		<0.005	<0.005	0.0148	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-100814	10/8/2014		29.84	NE		<0.005		<0.005	<0.005	0.0082 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-011415	1/14/2015		31.54	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-040715	4/7/2015		33.08	NE		<0.005		<0.005	<0.005	0.0077	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-071515	7/15/2015		31.52	NE		<0.005		<0.005	<0.005	0.0045	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6A-ROX-100715	10/7/2015	34.83 - 44.83	29.77	NE		<0.025		<0.001	<0.025	0.0053	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001		<0.001	<0.001	<0.025	<0.005	<0.005	<0.005	
MW-06B	MW6B-ROX-011713	1/17/2013	64.05 - 69.05	31.11	NE		<0.005		<0.005	<0.005	0.0166	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW6B-ROX-040313	4/3/2013		31.68	NE		<0.005		<0.005	<0.005	0.0132	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-070913	7/9/2013		28.25	NE		<0.005		<0.005	<0.005	0.0069	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	MW6B-ROX-100713	10/7/2013		28.93	NE		<0.005 UJ		<0.005	<0.005	0.0113	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-011614	1/16/2014		31.67	NE		<0.005		<0.005	<0.005	0.0069	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-040814	4/8/2014		32.21	NE		<0.005		<0.005	<0.005	0.0047	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-071014	7/10/2014		30.81	NE		<0.005 UJ		<0.005	<0.005	0.0054	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-100814	10/8/2014		29.87	NE		<0.005		<0.005	<0.005	0.003 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-011415	1/14/2015		31.59	NE		<0.005		<0.005	<0.005	0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-040715	4/7/2015		33.10	NE		<0.005		<0.005	<0.005	0.0052	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-040715-DUP	4/7/2015		33.10	NE		<0.005		<0.005	<0.005	0.0054	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-071415	7/14/2015		31.56	NE		<0.005		<0.005	<0.005	0.0048	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	MW6B-ROX-100715	10/7/2015	64.05 - 69.05	29.80	NE		<0.025		<0.001	<0.025	0.003	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001		<0.001	<0.001	<0.025	<0.005	<0.005	<0.005	
MW-06C	MW6C-ROX-011713	1/17/2013	84.95 - 89.95	30.88	NE		<0.005 UJ		<0.005 UJ	<0.005 UJ	0.0012 J	<0.005 UJ	<0.005 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ	<0.005 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ		<0.005 UJ	<0.005 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ	<0.001 UJ	
	MW6C-ROX-040313	4/3/2013		31.41	NE		<0.005		<0.005	<0.005	0.0022	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005				

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																							
Screening Values (mg/L)						0.42 ³	0.035 ³		0.7 ¹	0.56 ³	0.07 ¹	0.14 ¹	0.7 ³	0.1 ¹	0.005 ¹	1.0 ¹	0.0056 ³	0.07 ¹	0.005 ¹	0.005 ¹				0.07 ³	7.0 ²	10 ¹		10 ¹	
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																							
MW-07	MW7-ROX-011513	1/15/2013	42.92 - 52.92	42.21	NE		<20		<20	<20	<4	<20	<20	<20	<4	<4	<20	<20	<4	<4		<20	<20	<20	<4	<4	<4	<4	
	MW7-ROX-011513-DUP	1/15/2013		42.21	NE		<20		<20	<20	<4	<20	<20	<20	<4	<4	<20	<20	<4	<4		<20	<20	<20	<4	<4	<4	<4	
	MW7-ROX-041013	4/10/2013		42.70	NE		<10		<10	<10	<2	<10	<10	<10	<2	<2	<10	<10	<2	<2		<10	<10	<10	<2	<2	<2	<2	
	MW7-ROX-041013-DUP	4/10/2013		42.70	NE		<10		<10	<10	<2	<10	<10	<10	<2	<2	<10	<10	<2	<2		<10	<10	<10	<2	<2	<2	<2	
	MW7-ROX-071713	7/17/2013		39.60	NE		<0.005		0.0096 J	<0.005	0.0031 J	0.0185 J	0.0173 J	<0.005	<0.001	0.289 J	<0.005	<0.005	<0.001	<0.001		0.117 J	0.0264 J	0.0094 J	0.455 J	0.183 J	0.639 J	0.639 J	
	MW7-ROX-101613	10/16/2013		40.64	NE		<10		<10	<10	<2 UJ	<10	<10	<10	<2	<2	<10	<10	<2	<2		<10	<10	<10 UJ	<2	<2	<2	<2	
	MW7-ROX-013014	1/30/2014		42.94	NE		<13		<13	<13	<2.5	<13	<13	<13	<2.5	<2.5	<13	<13	<2.5	<2.5		<13	<13	<13	<2.5	<2.5	<2.5	<2.5	
	MW7-ROX-041614	4/16/2014		43.79	NE		<25		<25	<25	<5	<25	<25	<25	<5	<5	<25	<25	<5	<5		<25	<25	<25	<5	<5	<5	<5	
	MW7-ROX-071614	7/16/2014		42.05	NE		<0.005		0.0127 J	<0.005	<0.001	0.0165 J	0.0197 J	<0.005	<0.001	0.224 J	<0.005	<0.005	<0.001	<0.001		0.143 J	0.0324 J	<0.005	0.48 J	0.187 J	0.667 J	0.667 J	
	MW7-ROX-071614-DUP	7/16/2014		42.05	NE		<0.005		0.0131 J	<0.005	<0.001	0.0141 J	0.0194 J	<0.005	<0.001	0.222 J	<0.005	<0.005	<0.001	<0.001		0.142 J	0.0318 J	<0.005	0.465 J	0.181 J	0.647 J	0.647 J	
	MW7-ROX-101614	10/16/2014		41.31	NE		<25		<25	<25	<5	<25	<25	<25	<5	<5	<25 UJ	<25	<5	<5		<25	<25	<25 UJ	<5	<5	<5	<5	
	MW7-ROX-101614-DUP	10/16/2014		41.31	NE		<25		<25	<25	<5	<25	<25	<25	<5	<5	<25 UJ	<25	<5	<5		<25	<25	<25 UJ	<5	<5	<5	<5	
	MW7-ROX-012215	1/22/2015		43.45	NE		<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1		<5	<5	<5	<1	<1	<1	<1	
	MW7-ROX-012215-DUP	1/22/2015		43.45	NE		<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1		<5	<5	<5	<1	<1	<1	<1	
	MW7-ROX-042115	4/21/2015		44.63	NE		<0.25		<0.25	<0.25	<0.05	<0.25 UJ	<0.25	<0.25	<0.05	0.295	<0.25	<0.25	<0.05	<0.05		0.0791 J	0.0174 J	<0.25	0.116	0.0357 J	0.152	0.152	
	MW7-ROX-042115-DUP	4/21/2015		44.63	NE		<0.25		<0.25	<0.25	<0.05	<0.25 UJ	<0.25	<0.25	<0.05	0.285	<0.25	<0.25	<0.05	<0.05		0.0784 J	0.0173 J	<0.25	0.116	0.0369 J	0.153	0.153	
	MW7-ROX-071515	7/15/2015		43.54	NE		<25		<25	<25	<5	<25	<25	<25	<5	<5	<25	<25	<5	<5		<25	<25	<25	<5	<5	<5	<5	
	MW7-ROX-071515-DUP	7/15/2015		43.54	NE		<25		<25	<25	<5	<25	<25	<25	<5	<5	<25	<25	<5	<5		<25	<25	<25	<5	<5	<5	<5	
	MW7-ROX-101915	10/19/2015		41.43	NE		<250		<10	<250	<10	<10	<10	<10	<10	<10	<10	<10	<10	<50	<10		<10	<10	<250	<50	<50	<50	<50
	MW7-ROX-101915-DUP	10/19/2015		41.43	NE		<250		<10	<250	<10	<10	<10	<10	<10	<10	<10	<10	<10	<50	<10		<10	<10	<250	<50	<50	<50	<50
MW-08	MW8-ROX-011513	1/15/2013	33.60 - 43.60	33.30	NE		<10		<10	<10	<2	<10	<10	<10	<2	2.09	<10	<10	<2	<2		<10	<10	<10	<2	<2	<2	<2	
	MW8-ROX-041013	4/10/2013		33.77	NE		<25		<25	<25	<5	<25	<25	<25	<5	<5	<25	<25	<5	<5		<25	<25	<25	<5	<5	<5	<5	
	MW8-ROX-071713	7/17/2013		30.43	NE		<0.005		0.0173	<0.005	0.197 J	0.0335	0.0374	<0.005	<0.001	0.348	<0.005	<0.005	<0.001	<0.001		0.199	0.0598	<0.005 UJ	1.01	0.361	1.3	1.3	
	MW8-ROX-071713-DUP	7/17/2013		30.43	NE		<0.005		0.0174	<0.005	0.187 J	0.0347	0.0383	<0.005	<0.001	0.341	<0.005	<0.005	<0.001	<0.001		0.203	0.0613	<0.005 UJ	0.818 J	0.364	1.05	1.05	
	MW8-ROX-101613	10/16/2013		31.59	NE		<10		<10	<10	<2 UJ	<10	<10	<10	<2	<2	<10	<10	<2	<2		<10	<10	<10 UJ	<2	<2	<2	<2	
	MW8-ROX-101613-DUP	10/16/2013		31.59	NE		<10		<10	<10	<2 UJ	<10	<10	<10	<2	<2	<10	<10	<2	<2		<10	<10	<10 UJ	<2	<2	<2	<2	
	MW8-ROX-013014	1/30/2014		34.02	NE		<13		<13	<13	1.92 J	<13	<13	<13	<2.5	<2.5	<13	<13	<2.5	<2.5		<13	<13	<13	<2.5	<2.5	<2.5	<2.5	
	MW8-ROX-013014-DUP	1/30/2014		34.02	NE		<13		<13	<13	1.99 J	<13	<13	<13	<2.5	<2.5	<13	<13	<2.5	<2.5		<13	<13	<13	<2.5	<2.5	<2.5	<2.5	
	MW8-ROX-041614	4/16/2014		34.73	NE		<10		<10	<10	<2	<10	<10	<10	<2	<2	<10	<10	<2	<2		<10	<10	<10	<2	<2	<2	<2	
	MW8-ROX-041614-DUP	4/16/2014		34.73	NE		<10		<10	<10	<2	<10	<10	<10	<2	<2	<10	<10	<2	<2		<10	<10	<10	<2	<2	<2	<2	
	MW8-ROX-071614	7/16/2014		33.01	NE		<0.005 UJ		0.0266 J	<0.005 UJ	0.392 J	0.0598 J	0.0606 J	<0.005 UJ	<0.001 UJ	0.108 J	<0.005 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ		0.226 J	0.0904 J	<0.005 UJ	0.377 J	0.141 J	0.518 J	0.518 J	
	MW8-ROX-101614	10/16/2014		32.23	NE		<5		<5	<5	1.19	<5	<5	<5	<1	<1	<5 UJ	<5	<1	<1		<5	<5	<5 UJ	<1	<1	<1	<1	
	MW8-ROX-012215	1/22/2015		34.22	NE		<5		<5	<5	0.906 J	<5	<5	<5	<1	0.259 J	<5	<5	<1	<1		<5	<5	<5	<1	<1	0.318 J	0.318 J	
	MW8-ROX-042115	4/21/2015		35.41	NE		<0.25		<0.25	<0.25	0.506	<0.25 UJ	0.0251 J	<0.25	<0.05	0.325	<0.25	<0.25	<0.05	<0.05		0.0473 J	0.0241 J	<0.25	0.164	0.0552	0.22	0.22	
	MW8-ROX-071515	7/15/2015		34.07	NE		<25		<25	<25	<5	<25	<25	<25	<5	<5	<25	<25	<5	<5		<25	<25	<25	<5	<5	<5	<5	
	MW8-ROX-101915	10/19/2015		32.30	NE		<130		<5	<130	<5	<5	<5	<5	<5	<5	<5	<5	<25	<5		<5	<5	<130	<25	<25	<25	<25	
MW-09	MW9-ROX-011113	1/11/2013	46.45 - 56.45	43.90	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	
	MW9-ROX-040913	4/9/2013		44.67	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<						

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																							
Screening Values (mg/L)						0.42 ³	0.035 ³		0.7 ¹	0.56 ³	0.07 ¹	0.14 ¹	0.7 ³	0.1 ¹	0.005 ¹	1.0 ¹	0.0056 ³	0.07 ¹	0.005 ¹	0.005 ¹			0.07 ³	7.0 ²	10 ¹	10 ¹			
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																							
MW-11	MW11-ROX-011013	1/10/2013	41.66 - 51.66	41.43	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW11-ROX-040813	4/8/2013		42.02	NE		<0.005		<0.005	<0.005	<0.001 UJ	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW11-ROX-070813	7/8/2013		39.24	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW11-ROX-100713	10/7/2013		39.95	NE		<0.005 UJ		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW11-ROX-011514	1/15/2014		42.16	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW11-ROX-040714	4/7/2014		42.70	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW11-ROX-070914	7/9/2014		41.75	NE		<0.005 UJ		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW11-ROX-100714	10/7/2014		40.89	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001	
	MW11-ROX-011315	1/13/2015		41.93	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	MW11-ROX-040815	4/8/2015		43.19	NE		<0.005		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
MW11-ROX-070915	7/9/2015	42.45	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001			
MW11-ROX-100815	10/8/2015	40.15	NE		<0.025		<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001		<0.001	<0.001	<0.025	<0.005	<0.005	<0.005			
MW-12	MW12-ROX-011013	1/10/2013	41.92 - 51.92	41.83	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	0.00089 J	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW12-ROX-040813	4/8/2013		42.46	NE		<0.005		<0.005	<0.005	<0.001 UJ	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW12-ROX-070913	7/9/2013		39.28	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001		
	MW12-ROX-100713	10/7/2013		40.22	NE		<0.005 UJ		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW12-ROX-011514	1/15/2014		42.54	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW12-ROX-040814	4/8/2014		43.15	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW12-ROX-070914	7/9/2014		41.97	NE		<0.005 UJ		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW12-ROX-100614	10/6/2014		40.98	NE		<0.005		<0.005	<0.005 UJ	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001		
	MW12-ROX-011215	1/12/2015		42.33	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW12-ROX-040615	4/6/2015		43.75	NE		<0.005		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW12-ROX-070815	7/8/2015		42.86	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW12-ROX-100815	10/8/2015		40.54	NE		<0.025		<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001		<0.001	<0.001	<0.025	<0.005	<0.005	<0.005		
	MW12-ROX-100815-DUP	10/8/2015		40.54	NE		<0.025		<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001		<0.001	<0.001	<0.025	<0.005	<0.005	<0.005		
MW-13	MW13-ROX-012313	1/23/2013	25.57 - 35.57	29.26	NE		<0.005		<0.005	<0.005	0.0082	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001		
	MW13-ROX-041213	4/12/2013		29.44	NE		<0.005		<0.005	<0.005	0.0093	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW13-ROX-071213	7/12/2013		25.67	NE		<0.005		<0.005	<0.005	0.0094	<0.005	0.00064 J	<0.005	<0.001 UJ	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001		
	MW13-ROX-100913	10/9/2013		26.94	NE		<0.005		<0.005	<0.005	0.0072	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW13-ROX-012914	1/29/2014		29.63	NE		<0.005		<0.005	<0.005	0.008 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW13-ROX-041114	4/11/2014		30.15	NE		<0.005		<0.005	<0.005	0.0062	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW13-ROX-070714	7/7/2014		28.49	NE		<0.005		<0.005	<0.005	0.0091 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0						

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																							
						Hexane	2-Hexanone (Methyl N-Butyl Ketone)	Isopentane	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	Tetrachloroethene	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,2-Trichloroethane	Trichloroethene	1,2,3-Trimethylbenzene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl acetate	m,p-Xylenes	o-Xylenes	Xylenes (total)		
Screening Values (mg/L)						0.42 ³	0.035 ³		0.7 ¹	0.56 ³	0.07 ¹	0.14 ¹	0.7 ³	0.1 ¹	0.005 ¹	1.0 ¹	0.0056 ³	0.07 ¹	0.005 ¹	0.005 ¹			0.07 ³	7.0 ²	10 ¹		10 ¹		
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																							
MW-22	MW22-ROX-012313	1/23/2013	37.88 - 47.88	41.80	NE		<0.25		0.126 J	<0.25	<0.05	0.396	0.22 J	<0.25	<0.05	10.5	<0.25	<0.25	<0.05	<0.05		1.23	0.288	<0.25 UJ	7.56	3.73	11.3		
	MW22-ROX-012313-DUP	1/23/2013		41.80	NE		<0.25		0.124 J	<0.25	<0.05	0.377	0.234 J	<0.25	<0.05	9.06	<0.25	<0.25	<0.05	<0.05		1.26	0.291	<0.25 UJ	6.96	3.52	10.5		
	MW22-ROX-040513	4/5/2013		42.23	NE		<0.005		0.159 J	0.0124 J	<0.001	0.286 J	0.29 J	<0.005	<0.001	6.14	<0.005	<0.005	<0.001	<0.001		0.931	0.379 J	<0.005	5.15	2.64	7.79		
	MW22-ROX-071113	7/11/2013		39.35	NE		<0.005 UJ		0.131	0.0102	<0.001	0.345	0.242	<0.005	<0.001	3.92	<0.005	<0.005	<0.001	<0.001		0.864	0.309	<0.005 UJ	4.13	2.26	6.39		
	MW22-ROX-071113-DUP	7/11/2013		39.35	NE		<0.005 UJ		0.133	0.0103	<0.001	0.362	0.245	<0.005	<0.001	3.57	<0.005	<0.005	<0.001	<0.001		0.754	0.311	<0.005 UJ	3.83	2.05	5.88		
	MW22-ROX-100913	10/9/2013		40.39	NE		<0.005		0.137	0.0101	<0.001	0.47	0.244	<0.005	<0.001	6.02	<0.005	<0.005	<0.001	<0.001		1.37	0.357	<0.005	7.46	3.48	10.9		
	MW22-ROX-100913-DUP	10/9/2013		40.39	NE		<0.005		0.136	0.0084	<0.001	0.445	0.243	<0.005	<0.001	6.32	<0.005	<0.005	<0.001	<0.001		1.43	0.343	<0.005	7.75	3.65	11.4		
	MW22-ROX-012014	1/20/2014		42.49	NE		0.0082		0.169	0.007	<0.001	0.287	0.287	<0.005	<0.001	5.33	<0.005	<0.005	<0.001	<0.001		1.3	0.298	<0.005	5.65	2.65	8.29		
	MW22-ROX-012014-DUP	1/20/2014		42.49	NE		0.0088		0.169	0.007	<0.001	0.262	0.286	<0.005	<0.001	5.71	<0.005	<0.005	<0.001	<0.001		1.37	0.398	<0.005	6.01	2.81	8.83		
	MW22-ROX-041014	4/10/2014		43.15	NE		<0.005		0.157	<0.005	<0.001	0.334	0.254	<0.005	<0.001	5.95	<0.005	<0.005	<0.001	<0.001		1.1	0.384	<0.005	6.85	3.38	10.2		
	MW22-ROX-041014-DUP	4/10/2014		43.15	NE		<0.005		0.138	0.0082	<0.001	0.28	0.235	<0.005	<0.001	5.52	<0.005	<0.005	<0.001	<0.001		1	0.35	<0.005	6.23	3.12	9.35		
	MW22-ROX-071414	7/14/2014		41.85	NE		<0.005		0.153 J	<0.005	<0.001	0.282 J	0.205 J	<0.005	<0.001	3.14	<0.005	<0.005	<0.001	<0.001		0.353 J	0.262 J	<0.005	3.78	1.85	5.64		
	MW22-ROX-101014	10/10/2014		41.43	NE		<0.05 UJ		0.0661	<0.05 UJ	<0.01	0.202	0.112	<0.05	<0.01	2.3	<0.05	<0.05	<0.01	<0.01		0.688	0.207	<0.05	3.08 J	1.74	4.82 J		
	MW22-ROX-011615	1/16/2015		42.19	NE		<0.05		0.11	0.0111 J	<0.01	0.339	0.2	<0.05	<0.01	3.24	0.0129 J	0.0106 J	<0.01	<0.01		1.05	0.373	<0.05	5.19	2.74	7.93		
	MW22-ROX-041415	4/14/2015		43.71	NE		<0.005		0.124	<0.005	<0.001	0.315 J	0.219	<0.005	<0.001	4.3	<0.005	<0.005	<0.001	<0.001		1.04	0.321	<0.005	6.26	3.09	9.35		
MW22-ROX-071515	7/15/2015	42.64	NE		<0.1		0.0926 J	<0.1	<0.02	0.219	0.185	<0.1	<0.02	5.05	<0.1	<0.1	<0.02	<0.02		1.31	0.296	<0.1	6.7	3.48	10.2				
MW22-ROX-101415	10/14/2015	40.54	NE		<0.5		0.048	<0.5	<0.02	0.18	0.075	<0.02	<0.02	0.96	<0.02	<0.02	<0.1	<0.02		0.47	0.11	<0.5	3	1.6	4.6				
MW-23	MW23-ROX-012615	1/26/2015	29.02 - 39.02	30.90	NE		<0.01		<0.001	<0.005	0.0037	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001		<0.002	<0.002	<0.01	<0.002	<0.001	<0.003		
	MW23-ROX-040815	4/8/2015		32.24	NE		<0.005		<0.005	<0.005	0.0039	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW23-ROX-071015-BP	7/10/2015		30.54	NE		<0.005		<0.005	<0.005	<0.001	0.004 J	<0.005	<0.005	<0.005	<0.001	<0.0011 U	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	0.00062 J	<0.001	0.00062 J		
	MW23-ROX-100515	10/5/2015		28.89	NE		<0.025		<0.001	<0.025	0.0013	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001		<0.001	<0.001	<0.025	<0.005	<0.005	<0.005		
MW-24	MW24-ROX-040513	4/5/2013	38.89 - 48.89	43.39	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	0.0014	<0.005	<0.005	<0.001	<0.001		0.00051 J	<0.005	<0.005	0.0021	0.0009 J	0.003		
	MW24-ROX-071113	7/11/2013		40.35	NE		<0.005 UJ		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001		
	MW24-ROX-100913	10/9/2013		41.27	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW24-ROX-011514	1/15/2014		43.47	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW24-ROX-040914	4/9/2014		44.13	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW24-ROX-071114	7/10/2014		42.97	NE		<0.005		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005 UJ	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW24-ROX-100814	10/8/2014		42.16	NE		<0.005		<0.005	<0.005	<0.001 UJ	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW24-ROX-011315	1/13/2015		43.17	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW24-ROX-040915	4/9/2015		44.45	NE		<0.005 UJ		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	MW24-ROX-070915	7/9/2015		44.65	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
MW24-ROX-100715	10/7/2015	41.45	NE		<0.025		<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001		<0.001	<0.001	<0.025	<0.005	<0.005	<0.005				
MW-25	MW25-ROX-102114	10/21/2014	35.59 - 45.59	36.44	NE		<10		<10	<10	<2	<10	<10	<10	<2	2.65	<10	<10	<2	<2		<10	<10	<10	<2	<2	0.753 J		
	MW25-ROX-012215	1/22/2015		38.45	NE		<1.3		<1.3	<1.3	0.282	<1.3	<1.3	<1.3	<0.25	<0.25	<1.3	<1.3	<0.25	<0.25		<1.3	<1.3	<1.3	<0.25	<0.25	0.0821 J		
	MW25-ROX-042115	4/21/2015		39.71	NE		<0.25		<0.25	<0.25	0.125	<0.25 UJ	<0.25	<0.25	<0.05	<0													

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																							
Screening Values (mg/L)						0.42 ³	0.035 ³		0.7 ¹	0.56 ³	0.07 ¹	0.14 ¹	0.7 ³	0.1 ¹	0.005 ¹	1.0 ¹	0.0056 ³	0.07 ¹	0.005 ¹	0.005 ¹			0.07 ³	7.0 ²	10 ¹		10 ¹		
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																							
P-54	P54-ROX-011113	1/11/2013	38.00 - 63.00	41.56	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001		
	P54-ROX-041013	4/10/2013		41.80	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	P54-ROX-050313	5/3/2013		41.80	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	P54-ROX-071113	7/11/2013		39.07	NE		<0.005 UJ		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001	
	P54-ROX-100813	10/8/2013		39.94	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	P54-ROX-011514	1/15/2014		42.20	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	P54-ROX-040914	4/9/2014		42.80	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	P54-ROX-071114	7/10/2014		41.71	NE		<0.005		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005 UJ	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	P54-ROX-100814	10/8/2014		40.88	NE		<0.005		<0.005	<0.005	<0.001 UJ	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	P54-ROX-011415	1/14/2015		41.79	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	P54-ROX-041015	4/10/2015		43.20	NE		<0.005 UJ		<0.005	<0.005	<0.001	<0.005 UJ	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005 UJ	<0.005 UJ	<0.001	<0.001		<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001	
	P54-ROX-070915	7/9/2015		42.25	NE		<0.005		<0.005	<0.005	<0.001	<0.0037 U	<0.005	<0.005	<0.001	<0.001	<0.001	<0.005	<0.00092 U	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	0.00028 J	
P54-ROX-100915	10/9/2015	38.00 - 63.00	40.20	NE		<0.025		<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001		<0.001	<0.001	<0.025	<0.005	<0.005	<0.005			
P-55	P55-ROX-012113	1/21/2013	39.82 - 64.82	45.24	NE	0.276	<0.25		0.0678	<0.25	<0.02	0.079 J	0.14	<0.05	<0.05	0.189	<0.05	<0.01	<0.05	<0.05	0.183	0.039 J	0.026 J	<0.1	0.279	0.347			
	P55-ROX-012113	1/21/2013		45.24	NE		<0.005		0.0937	<0.005	0.002	0.12	0.206	<0.005	<0.001	0.262	<0.005	<0.005	<0.001	<0.001		0.046	0.0312	<0.005	0.356	0.382	0.738		
P-55R	P55-ROX-041513	4/15/2013	40.43 - 50.43	43.63	NE		<0.01		0.068	<0.01	<0.002	0.0974 J	0.148	<0.01	<0.002	0.143	<0.01	<0.01	<0.002	<0.002		0.0241	0.0229	<0.01	0.235	0.362	0.597		
	P55-ROX-071613	7/16/2013		40.06	NE		<0.005	0.72	0.0884	<0.005	<0.001	0.0841	0.175	<0.005	<0.001	0.343	<0.005	<0.005	<0.001	<0.001		0.073	0.0559	<0.005 UJ	0.535	0.558	1.11		
	P55-ROX-101013	10/10/2013		41.67	NE		<0.005		0.0851	<0.005	0.001	0.121	0.167	<0.005	<0.001	0.601	<0.005	<0.005	<0.001	<0.001		0.151	0.062	<0.005	0.739	0.639	1.38		
P-56	P56-ROX-011713	1/17/2013	40.82 - 65.82	45.65	NE		<0.025		0.0398	<0.025	<0.005	0.0322	0.0456	<0.025	<0.005	0.0119	<0.025	<0.025	<0.005	<0.005		0.0172 J	0.0092 J	<0.025	0.0745	<0.005	0.0745		
	P56-ROX-041213	4/12/2013		46.12	NE		<0.01		0.0581	<0.01	<0.002	0.0964 J	0.0805	<0.01	<0.002	0.0799	<0.01	<0.01	<0.002	<0.002		0.27	0.0486	<0.01	1	0.0243	1.03		
	P56-ROX-071513	7/15/2013		43.25	NE		<0.005		0.0968	<0.005	<0.001	0.316	0.145	<0.005	<0.001	0.311	<0.005	<0.005	<0.001	<0.001		0.551	0.134	<0.005	2.67	0.21	2.85		
	P56-ROX-101013	10/10/2013		44.48	NE		<0.005		0.0822	<0.005	0.00058 J	0.156	0.105	<0.005	<0.001	0.157	<0.005	<0.005	<0.001	<0.001		0.33	0.0714	<0.005	1.7	0.0617	1.76		
	P56-ROX-012214	1/22/2014		46.35	NE		<0.005		0.0399	<0.005	<0.001	0.0566	0.0426	<0.005	<0.001	0.0263	<0.005	<0.005	<0.001	<0.001		0.074	0.0172	<0.005	0.224	0.0093	0.233		
	P56-ROX-041414	4/14/2014		47.32	NE		<0.005		0.0781	<0.005	<0.001	0.0836	0.0951	<0.005	<0.001	0.0669	<0.005	<0.005	<0.001	<0.001		0.205	0.0472	<0.005	0.742	0.0156	0.758		
	P56-ROX-070814	7/8/2014		45.97	NE		<0.005		0.106 J	<0.005	<0.001	0.156 J	0.133 J	<0.005	<0.001	0.288 J	<0.005	<0.005	<0.001	<0.001		0.487 J	0.166 J	<0.005	2.04 J	0.122 J	2.09 J		
	P56-ROX-101314	10/13/2014		45.05	NE		<0.005 UJ		0.0645	<0.005 UJ	<0.001	0.0679	0.0709	<0.005	<0.001	0.0183	<0.005	<0.005	<0.001	<0.001		0.0657	0.0194	<0.005	0.17 J	0.0066	0.176 J		
	P56-ROX-011915	1/19/2015		46.58	NE		<0.005		0.0532	<0.005	<0.001	0.0261	0.0574	<0.005	<0.001	0.0114	<0.005	<0.005	<0.001	<0.001		0.0466	0.0135	<0.005	0.143	0.0043	0.148		
	P56-ROX-041515	4/15/2015		48.05	NE		<0.005		0.0768	<0.005	<0.001	0.0754 J	0.0918	<0.005	<0.001	0.068	<0.005	<0.005	<0.001	<0.001		0.189	0.0454	<0.005	0.737	0.0124	0.749		
	P56-ROX-071015	7/10/2015		47.34	NE		<0.005		0.057	<0.005	<0.001	0.0158	0.0594	<0.005	<0.001	0.005	<0.005	<0.005	<0.001	<0.001		0.0063	0.0041 J	<0.005	0.0702	0.0035	0.0737		
	P56-ROX-101415	10/14/2015		40.82 - 65.82	44.85	NE		<0.025		0.027	0.011 J	<0.001	0.016	0.031	<0.001	<0.001	0.0077	<0.001	<0.001	<0.005	<0.001		0.029	0.0077	<0.025	0.1	0.0031 J	0.1	
P-57	P57-ROX-012913	1/29/2013	40.46 - 65.46	45.92	NE		<2.5		<2.5	<2.5	<0.5	<2.5	0.331 J	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5		<2.5	<2.5	<2.5	<0.5	<0.5	<0.5		
	P57-ROX-041113	4/11/2013		46.29	NE		<2.5		<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5		0.494 J	<2.5	<2.5	<0.5	<0.5	<0.5		
	P57-ROX-071613	7/16/2013		43.38	NE		<0.005		0.0698 J	<0.005	0.112 J	0.203 J	0.0802 J	<0.005	<0.001	0.202 J	<0.005	<0.005	<0.001	<0.001		<5	0.129 J	<0.005 UJ	1.81	0.256 J	2.01		
	P57-ROX-101413	10/14/2013		44.38	NE		<0.005		0.0539	<0.005	0.107	0.206	0.0586	<0.005	<0.001	0.0421	<0.005	<0.005	<										

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																					
Screening Values (mg/L)						0.42 ³	0.035 ³		0.7 ¹	0.56 ³	0.07 ¹	0.14 ¹	0.7 ³	0.1 ¹	0.005 ¹	1.0 ¹	0.0056 ³	0.07 ¹	0.005 ¹	0.005 ¹			0.07 ³	7.0 ²	10 ¹	10 ¹	
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																					
P-59	P59-ROX-013013	1/30/2013	47.91 - 72.91	46.60	NE		<0.25		0.0455 J	<0.25 UJ	<0.05 UJ	0.376	0.085 J	<0.25	<0.05	0.296	<0.25	<0.25	<0.05	<0.05		0.563	0.0491 J	<0.25	4.19	0.264	4.45
	P59-ROX-041213	4/12/2013		46.95	NE		<0.25		0.062 J	<0.25	<0.05	0.664	0.136 J	<0.25	<0.05	0.523	<0.25	<0.25	<0.05	<0.05		0.946	<0.25	<0.25	6.52	0.646	7.16
	P59-ROX-041213-DUP	4/12/2013		46.95	NE		<0.25		0.0543 J	<0.25	<0.05	0.547	0.117 J	<0.25	<0.05	0.463	<0.25	<0.25	<0.05	<0.05		0.843	<0.25	<0.25	5.89	0.591	6.48
	P59-ROX-071613	7/16/2013		44.13	NE		<0.005		0.074 J	<0.005	<0.001	0.215 J	0.149 J	<0.005	<0.001	1.03	<0.005	<0.005	<0.001	<0.001		0.784	0.219	<0.005 UJ	5.76	0.431	6.19
	P59-ROX-101013	10/10/2013		45.50	NE		<0.005		0.086	<0.005	0.0012	0.285	0.176	<0.005	<0.001	2.89	<0.005	<0.005	<0.001	<0.001		1.14	0.273	<0.005	7.47	1.28	8.75
	P59-ROX-020314	2/3/2014		47.35	NE		<0.1		0.0409 J	<0.1	<0.02	0.0321 J	0.0824 J	<0.1	<0.02	0.66	<0.1	<0.1	<0.02	<0.02		0.621	0.193	<0.1	3.79	0.438	4.23
	P59-ROX-041514	4/15/2014		48.60	NE		0.054		0.0495	<0.005	<0.001	0.196	0.0798	<0.005	<0.001	0.746	0.0027 J	<0.005	<0.001	<0.001		0.385	0.214	<0.005	4.83	0.902	5.73
	P59-ROX-070814	7/8/2014		47.69	NE		<0.005		0.0948 J	<0.005	<0.001	0.228 J	0.16 J	<0.005	<0.001	1.55	<0.005	<0.005	<0.001	<0.001		0.607	0.285 J	<0.005	4.48	0.929	5.41
	P59-ROX-101414	10/14/2014		46.18	NE		<0.005 UJ		0.0932 J	<0.005 UJ	0.0041 J	0.38 J	0.188 J	<0.005	<0.001	1.13	<0.005	<0.005	<0.001	<0.001		0.901	0.26 J	<0.005	5.14 J	1.03	6.17 J
	P59-ROX-011915	1/19/2015		47.42	NE		<0.5		0.0619 J	<0.5	<0.1	0.572	0.108 J	<0.5	<0.1	0.375	<0.5	<0.5	<0.1	<0.1		0.609	0.21 J	<0.5	4.95	0.245	5.2
	P59-ROX-041615	4/16/2015		48.83	NE		<0.05 UJ		0.0432 J	<0.05	<0.01	0.161 J	0.0763	<0.05	0.0032 J	0.69	<0.05	<0.05	<0.01	<0.01		0.576	0.177	<0.05	4.78	0.534	5.32
	P59-ROX-071315	7/13/2015		47.85	NE		<0.13		0.0111 J	<0.13	<0.025	0.162	0.0211 J	<0.13	<0.025	0.103	0.0283 J	<0.13	<0.025	<0.025		0.15	0.0541 J	<0.13	1.6	0.0368	1.63
	P59-ROX-101515	10/15/2015		45.75	NE		<1.3		0.03 J	<1.3	<0.05	0.085	0.04 J	<0.05	<0.05	0.54	<0.05	<0.05	<0.25	<0.05		0.28	0.1	<1.3	2.8	0.27	3.1
P-66	P66-ROX-011813	1/18/2013	34.72 - 59.72	35.70	NE		<0.005		0.146	<0.005	0.104	<0.005	0.193	<0.005	<0.001	0.0015	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	0.00093 J	0.00093 J
	P66-ROX-041113	4/11/2013		36.03	NE		<0.005		0.287	<0.005	0.086	<0.005	0.384	<0.005	<0.001	0.0012	<0.005	<0.005	<0.001	<0.001		0.0041 J	<0.005	<0.005	<0.001	<0.001	<0.001
	P66-ROX-071213	7/12/2013		33.20	NE		<0.005		0.191	<0.005	<0.001	<0.005	0.229	<0.005	<0.001 UJ	0.0018	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005 UJ	<0.001	0.001	0.0015
	P66-ROX-101013	10/10/2013		33.66	NE		<0.005		0.151	<0.005	0.085	0.0104	0.204	<0.005	<0.001	0.0013	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	0.00096 J	0.00096 J
	P66-ROX-110713	11/7/2013		33.66	NE		<0.005		0.0958	<0.005	0.0528	0.0057	0.0658	<0.005	<0.001	0.00086 J	<0.005	<0.005	0.0015	<0.001		<0.005	<0.005	<0.005	<0.001	0.00057 J	0.00057 J
	P66-ROX-012914	1/29/2014		36.39	NE		<0.005		0.131	<0.005	<0.001	<0.005	0.157	<0.005	<0.001	0.0017	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	0.0045	0.0045
	P66-ROX-041114	4/11/2014		37.10	NE		<0.005		0.115	<0.005	<0.001	0.0014 J	0.136	<0.005	<0.001	0.0017	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	0.00072 J	0.0013
	P66-ROX-070714	7/7/2014		35.60	NE		<0.005		0.144	<0.005	<0.001	<0.005	0.102	<0.005	<0.001	0.0022	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	0.001	0.00099 J	0.002
	P66-ROX-101414	10/14/2014		34.48	NE		<0.005 UJ		0.129	<0.005	0.0111	<0.005	0.137	<0.005	<0.001	0.0016	<0.005 UJ	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001 UJ	0.0009 J	0.0018 J
	P66-ROX-011615	1/16/2015		36.62	NE		<0.005		0.121	<0.005	0.0171	0.006	0.136	<0.005	<0.001	0.0018	<0.005	<0.005	<0.001	<0.001		0.00073 J	0.00029 J	<0.005	0.00093 J	0.0012	0.0021
	P66-ROX-011615-DUP	1/16/2015		36.62	NE		<0.005		0.116	<0.005	0.0172	0.0053	0.127	<0.005	<0.001	0.0016	<0.005	<0.005	<0.001	<0.001		0.00041 J	0.00019 J	<0.005	0.001	0.0013	0.0022
	P66-ROX-041415	4/14/2015		38.27	NE		<0.005		0.133	<0.005	<0.001	<0.005 UJ	0.134	<0.005	<0.001	0.0024	<0.005	<0.005	<0.001	<0.001		0.00064 J	<0.005	<0.005	0.0028	0.0015	0.0044
	P66-ROX-041415-DUP	4/14/2015		38.27	NE		<0.005		0.13	<0.005	<0.001	<0.005 UJ	0.132	<0.005	<0.001	0.0022	<0.005	<0.005	<0.001	<0.001		0.00053 J	<0.005	<0.005	0.0024	0.0013	0.0037
	P66-ROX-070815	7/8/2015		37.24	NE		<0.005		0.133	<0.005	<0.001	<0.005	0.117	<0.005	<0.001	0.0017	<0.005	<0.005	<0.001	<0.001		0.0003 J	<0.005	<0.005	0.0016	0.0011	0.0027
	P66-ROX-070815-DUP	7/8/2015		37.24	NE		<0.005		0.132	<0.005	<0.001	<0.005	0.119	<0.005	<0.001	0.0018	<0.005	<0.005	<0.001	<0.001		0.00032 J	<0.005	<0.005	0.0016	0.0011	0.0027
	P66-ROX-101315	10/13/2015		34.84	NE		<0.025		0.072	<0.025	0.019	0.0035	0.068	<0.001	<0.001	0.00092 J	<0.001	<0.001	<0.005	<0.001		0.0012	<0.001	<0.025	0.0024 J	0.00086 J	0.0033 J
P-74	P74-ROX-011713	1/17/2013	44.43 - 69.43	42.65	NE		<0.1		<0.1	<0.02	0.141	<0.1	<0.1	<0.02	0.278	<0.1	<0.1	<0.02	<0.02		0.249	0.0973 J	<0.1	0.547	<0.02	0.555	
	P74-ROX-041113	4/11/2013		42.83	NE		<0.005		<0.005	<0.005	<0.001	0.0016 J	<0.005	<0.005	<0.001	0.003	<0.005	<0.005	<0.001	<0.001		0.0184	0.0138	<0.005	0.0456	0.0146	0.0601
	P74-ROX-071513	7/15/2013		40.11	NE		<0.005		0.0031 J	<0.005	<0.001	0.024	0.0054	<0.005	<0.001	0.0064	<0.005	<0.005	<0.001	<0.001		0.101	0.0365	<0.005	0.109	0.027	0.136
	P74-ROX-101413	10/14/2013		41.72	NE		<0.005		0.0052	0.0074	0.0011	0.0257	0.0094	<0.005	<0.001	0.0344	<0.005	<0.005	<0.001	<0.001		0.192	0.0739	<0.005	0.237	0.0483	0.285
	P74-ROX-012414	1/24/2014		43.35	NE		<0.005		0.0058	<0.005	<0.001	0.0322	0.0112	<0.005	<0.001	0.153	<0.005	<0.005	<0.001	<0.001		0.292	0.11	<0.005	0.316	0.0579	0.374
	P74-ROX-041514	4/15/2014		44.74	NE		<0.005		<0.005	<0.005	<0.001	0.00074 J	<0.005	<0.005	<0.001	0.00078 J	<0.005	<0.005	<0.001	<0.001		0.0083	0.0039 J	<0.005			

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																						
Screening Values (mg/L)						0.42 ³	0.035 ³		0.7 ¹	0.66 ³	0.07 ¹	0.14 ¹	0.7 ³	0.1 ¹	0.005 ¹	1.0 ¹	0.0056 ³	0.07 ¹	0.005 ¹	0.005 ¹				0.07 ³	7.0 ²	10 ¹	10 ¹	
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																						
P-93B	P93B-ROX-012313	1/23/2013	74.60 - 76.60	45.89	NE		<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1		<5	<5	<5 UJ	<1	<1	<1	
	P93B-ROX-041113	4/11/2013		46.32	NE		<2.5		<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5		<2.5	<2.5	<2.5	<0.5	<0.5	<0.5	
	P93B-ROX-071813	7/18/2013		43.30	NE		<0.005		0.0247	<0.005	0.0035 J	0.0093	0.0357	<0.005	<0.001	0.0646	<0.005	<0.005	<0.001	<0.001		0.025	0.0069	0.0176 J	0.195	0.0418	0.236	
	P93B-ROX-101613	10/16/2013		44.43	NE		<10		<10	<10	<2 UJ	<10	<10	<10	<2	<2	<10	<10	<2	<2		<10	<10	<10 UJ	<2	<2	<2	
	P93B-ROX-101613-DUP	10/16/2013		44.43	NE		<10		<10	<10	<2 UJ	<10	<10	<10	<2	<2	<10	<10	<2	<2		<10	<10	<10 UJ	<2	<2	<2	
	P93B-ROX-012814	1/28/2014		46.58	NE		<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1		<5	<5	<5	<1	<1	<1	
	P93B-ROX-012814-DUP	1/28/2014		46.58	NE		<5 UJ		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1		<5	<5	<5	<1	<1	<1	
	P93B-ROX-041714	4/17/2014		47.46	NE		<2.5		<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5		<2.5	<2.5	<2.5	<0.5	<0.5	<0.5	
	P93B-ROX-041714-DUP	4/17/2014		47.46	NE		<2.5		<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5		<2.5	<2.5	<2.5	<0.5	<0.5	<0.5	
	P93B-ROX-071714	7/17/2014		45.75	NE		<0.005 UJ		0.0227 J	<0.005 UJ	<0.001 UJ	0.0053 J	0.0297 J	<0.005 UJ	<0.001 UJ	0.0129 J	<0.005 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ		0.008 J	0.0037 J J	<0.005 UJ	0.0662 J	0.0047 J	0.0708	
	P93B-ROX-101514	10/15/2014		45.15	NE		<2.5 UJ		<2.5	<2.5	<0.5	<2.5	<2.5	<2.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5		<2.5	<2.5	<2.5	<0.5	<0.5	<0.5	
	P93B-ROX-012315	1/23/2015		47.24	NE		<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1		<5	<5	<5	<1	<1	<1	
	P93B-ROX-012315-DUP	1/23/2015		47.24	NE		<5		<5	<5	<1	<5	<5	<5	<1	<1	<5	<5	<1	<1		<5	<5	<5	<1	<1	<1	
	P93B-ROX-021915	2/19/2015		47.24	NE		<5		<0.5	<2.5	<0.5	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		<1	<1	<5	<1	<0.5	<1.5
P93B-ROX-041615	4/16/2015	48.42	NE		<0.005 UJ		0.0226	<0.005	<0.001	0.0033 J J	0.0286	<0.005	0.00073 J	0.111	<0.005	<0.005	<0.001	<0.001		0.0124	0.0043 J	<0.005	0.0993	0.0378	0.137			
P93B-ROX-041615-DUP	4/16/2015	48.42	NE		<5 UJ		<5	<5	<1	<5 UJ	<5	<5	0.216 J	<1	<5	<5	<1	<1		<5	<5	<5	<1	<1	0.338 J			
P93B-ROX-070915	7/9/2015	47.74	NE		<25		<25	<25	<5	<25	<25	<25	<5	<5	<25	<25	<5	<5		<25	<25	<25	<5	<5	<5			
P93B-ROX-070915-DUP	7/9/2015	47.74	NE		<10		<10	<10	<2	7.01 J	<10	<10	<2	<2	<10	<10	<2	<2		<10	<10	<10	<2	<2	<2			
P93B-ROX-101515	10/15/2015	45.18	NE		<63		<2.5	<63	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<13	<2.5		<2.5	<2.5	<63	<13	<13	<13			
P-93C	P93C-ROX-012313	1/23/2013	94.26 - 96.26	45.78	NE		<0.005		<0.005	<0.0044	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001	
	P93C-ROX-041213	4/12/2013		46.21	NE		<0.005		<0.005	<0.005	0.0045	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	P93C-ROX-071813	7/18/2013		43.31	NE		<0.005		0.002 J	<0.005	0.0049 J	<0.005	0.002 J	<0.005	<0.001	0.007	<0.005	<0.005	<0.001	<0.001		0.0016 J	<0.005	<0.005 UJ	0.0076	0.0015	0.0091	
	P93C-ROX-080813	8/8/2013		43.31	NE		<0.25		<0.25	<0.25	<0.05	<0.25	<0.25	<0.25	<0.05	<0.05	<0.25	<0.25	<0.05	<0.05		<0.25	<0.25	<0.25	<0.05	<0.05	<0.05	
	P93C-ROX-101613	10/16/2013		44.31	NE		<0.005		<0.005	<0.005	0.0035 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001	
	P93C-ROX-012414	1/24/2014		46.44	NE		<0.005 UJ		<0.005	<0.005	0.0047 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	P93C-ROX-041714	4/17/2014		47.34	NE		<0.005		<0.005	<0.005	0.0043	<0.005	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001
	P93C-ROX-071714	7/17/2014		45.61	NE		<0.005		<0.005	<0.005	0.0061 J	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	P93C-ROX-101514	10/15/2014		44.99	NE		<0.005		<0.005	<0.005	0.0046	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	P93C-ROX-011915	1/19/2015		48.22	NE		<0.5		<0.5	<0.5	<0.1	<0.5	<0.5	<0.5	<0.1	<0.1	<0.5	<0.5	<0.1	<0.1		<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	
	P93C-ROX-021915	2/19/2015		48.22	NE		<10		<1	<5	<1	<5	<1	<1	<1	<1	<1	<1	<1	<1		<2	<2	<10	<2	<1	<3	
	P93C-ROX-041615	4/16/2015		48.22	NE		<0.5 UJ		<0.5	<0.5	<0.1	<0.5 UJ	<0.5	<0.5	<0.1	0.0295 J	<0.5	<0.5	<0.1	<0.1		<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	
	P93C-ROX-071315	7/13/2015		47.09	NE		<0.005		<0.005	<0.005	0.0016	<0.0037 U	<0.005	<0.005	<0.005	<0.001	<0.005	<0.005	<0.001	<0.001		0.00059 J	<0.005	<0.005	0.00095 J	<0.001	0.0011	
	P93C-ROX-101415	10/14/2015		44.91	NE		<0.025		<0.001	<0.025	0.0022	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001		<0.001	<0.001	<0.025	<0.005	<0.005	<0.005
P-93D	P93D-ROX-012213	1/22/2013	125.75 - 127.75	44.21	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		0.0015 J	<0.005	<0.005	<0.001	<0.001	<0.001	
	P93D-ROX-041113	4/11/2013		46.37	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	<0.001	<0.001	<0.001	
	P93D-ROX-071213	7/12/2013		43.51	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.005	<0.001 UJ	<0.001	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005 UJ	<0.001	<0.001	<0.001
	P93D-ROX-101113	10/11/2013		44.24	NE		<0.005		<0.005	<																		

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						VOCs																					
Screening Values (mg/L)						Hexane	2-Hexanone (Methyl N-Butyl Ketone)	Isopentane	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	Tetrachloroethene	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,2-Trichloroethane	Trichloroethene	1,2,3-Trimethylbenzene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl acetate	m,p-Xylenes	o-Xylenes	Xylenes (total)
						0.42 ³	0.035 ³		0.7 ¹	0.56 ³	0.07 ¹	0.14 ¹	0.7 ³	0.1 ¹	0.005 ¹	1.0 ¹	0.0056 ³	0.07 ¹	0.005 ¹	0.005 ¹			0.07 ³	7.0 ²	10 ¹	10 ¹	
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																					
ROST-3-MW	ROST3MW-ROX-012313	1/23/2013	37.81 - 47.81	41.50	NE		<0.005		0.0066	<0.005	<0.001	0.0076	0.0156	<0.005	<0.001	0.0016	<0.005	<0.005	<0.001	<0.001		0.0786	0.022	<0.005 UJ	0.114	0.0159	0.13
	ROST3MW-ROX-040513	4/5/2013					<0.005		0.0032 J	<0.005	<0.001	0.132 J	0.0082	<0.005	<0.001	0.0076	<0.005	<0.005	<0.001	<0.001		0.0531	0.0145	<0.005	0.0603	0.0126	0.0729
	ROST3MW-ROX-071113	7/11/2013		39.50	NE		<0.005 UJ		0.0146	<0.005	<0.001	0.0411	0.0279	<0.005	<0.001	0.014	<0.005	<0.005	<0.001	<0.001		0.164	0.0373	<0.005 UJ	0.644	0.124	0.768
	ROST3-MW-ROX-100913	10/9/2013		40.16	NE		<0.005		0.0017 J	<0.005	<0.001	0.0045 J	0.0029 J	<0.005	<0.001	0.0018	<0.005	<0.005	<0.001	<0.001		0.0168	0.0035 J	<0.005	0.0422	0.0123	0.0546
	ROST3MW-ROX-011714	1/17/2014		42.20	NE		<0.005		0.00099 J	<0.005	<0.001	<0.005	0.002 J	<0.005	<0.001	0.0012	<0.005	<0.005	<0.001	<0.001		0.0207	0.0057	<0.005	0.0377	0.0063	0.044
	ROST3MW-ROX-041014	4/10/2014		42.80	NE		<0.005		0.00043 J	<0.005	<0.001	0.00084 J	0.00082 J	<0.005	<0.001	0.0015	<0.005	<0.005	<0.001	<0.001		0.0121	0.003 J	<0.005	0.0287	0.0028	0.0315
	ROST3MW-ROX-071414	7/14/2014		41.88	NE		<0.005		0.00053 J	<0.005	<0.001	0.0045 J	0.00098 J	<0.005	<0.001	0.0024	<0.005	<0.005	<0.001	<0.001		0.0132	0.0032 J	<0.005	0.0371	0.0041	0.0412
	ROST3MW-ROX-100914	10/9/2014		41.31	NE		<0.005		0.0021 J	<0.005	<0.001 UJ	0.0061	0.0028 J	<0.005	<0.001	0.0032	<0.005	<0.005	<0.001	<0.001		0.018	0.005	<0.005 UJ	0.0651	0.0205	0.0856
	ROST3MW-ROX-011515	1/15/2015		41.83	NE		<0.005		0.0016 J	<0.005	<0.001	0.0061	0.0021 J	<0.005	<0.001	0.0011	<0.005	<0.005	<0.001	<0.001		0.0126	0.0036 J	<0.005	0.0166	0.0042	0.0209
	ROST3MW-ROX-041315	4/13/2015		43.43	NE		<0.005		0.0014 J J	<0.005	<0.001	<0.005 UJ	0.0015 J J	<0.005	<0.001	0.0008 J	<0.005	<0.005	<0.001	<0.001		0.0055 J	0.00068 J	<0.005	0.0015	0.0029	0.0044
	ROST3MW-ROX-071315	7/13/2015		42.36	NE		<0.005		0.00093 J	<0.005	<0.001	0.0052 J	0.0012 J	<0.005	<0.001	0.0027	<0.0015 U	<0.0013 U	<0.001	<0.001		0.0059	0.00061 J	0.0583	0.0263	0.0065	0.0328
	ROST3MW-ROX-101215	10/12/2015		40.29	NE		<0.025		0.0023	<0.025	<0.001	0.008	0.0029	<0.001	<0.001	0.0036	<0.001	<0.001	<0.005	<0.001		0.02	0.0045	<0.025	0.13	0.024	0.16
ROST-4-PZ(C)	ROST4PZ(C)-ROX-011113	1/11/2013	34.95 - 44.95	41.42	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001		0.002 J	0.0014 J	<0.005	0.0018	<0.001	0.0018
	ROST4PZC-ROX-041013	4/10/2013		42.27	NE		<0.005 UJ		0.00061 J J	<0.005 UJ	<0.001	<0.005	0.0011 J	<0.005 UJ	<0.001 UJ	0.0006 J J	<0.005 UJ	<0.005 UJ	<0.001 UJ	<0.001 UJ		0.0016 J	<0.005	<0.005	<0.001 UJ	<0.001 UJ	<0.001 UJ
	ROST4PZC-ROX-071113	7/11/2013		40.18	NE		<0.005 UJ		0.0025 J	<0.005	<0.001	0.0189	0.0041 J	<0.005	<0.001	0.041	<0.005	<0.005	<0.001	<0.001		0.0194	0.0044 J	<0.005 UJ	0.126	0.0649	0.191
	ROST4PZC-ROX-100913	10/9/2013		39.91	NE		<0.005		0.00066 J	<0.005	<0.001	0.0054	0.0012 J	<0.005	<0.001	0.0013	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	0.0101	0.0054	0.0155
	ROST4PZC-ROX-011714	1/17/2014		41.92	NE		<0.005		<0.005	<0.005	<0.001	<0.005	0.00073 J	<0.005	<0.001	0.0014	<0.005	<0.005	<0.001	<0.001		0.0017 J	<0.005	<0.005	0.0124	0.0057	0.018
	ROST4PZC-ROX-041014	4/10/2014		42.05	NE		<0.005		<0.005	<0.005	<0.001	<0.005	<0.005	<0.005	<0.001	0.00057 J	<0.005	<0.005	<0.001	<0.001		<0.005	<0.005	<0.005	0.0015	0.0015	0.003
	ROST4C-ROX-071114	7/10/2014		42.22	NE		<0.005		0.00037 J	<0.005	<0.001	0.0104 J	<0.005	<0.005	<0.001	0.0421	<0.005 UJ	<0.005	<0.001	<0.001		0.00082 J	<0.005	<0.005	0.0574	0.0815	0.139
	ROST4PZC-ROX-100914	10/9/2014		41.30	NE		<0.005		0.0011 J	<0.005	<0.001 UJ	0.0169	0.0011 J	<0.005	<0.001	0.0196	<0.005	<0.005	<0.001	<0.001		0.0046 J	0.00047 J	<0.005 UJ	0.112	0.0634	0.176
	ROST4PZC-ROX-011515	1/15/2015		41.65	NE		<0.005		0.00036 J	<0.005	<0.001	<0.005	0.00056 J	<0.005	<0.001	0.0005 J	<0.005	<0.005	<0.001	<0.001		0.0011 J	<0.005	<0.005	0.0026	0.0031	0.0057
	ROST4PZC-ROX-041315	4/13/2015		43.00	NE		<0.005		0.0013 J J	<0.005	<0.001	0.0146 J	0.0013 J J	<0.005	<0.001	0.0313	<0.005	<0.005	<0.001	<0.001		0.0052 J	0.00075 J	<0.005	0.148	0.0203	0.168
	ROST4PZ-ROX-071315	7/13/2015		42.59	NE		<0.005		0.0037 J	<0.005	<0.001	0.0806	0.0053	<0.005	<0.001	0.0456	<0.005	<0.005	<0.001	<0.001		0.0334	0.0052	<0.005	0.4	0.0302	0.43
	ROST4PZC-ROX-101215	10/12/2015		40.35	NE		<0.025		0.0051	<0.025	<0.001	0.082	0.0059	<0.001	<0.001	0.042	<0.001	<0.001	<0.005	<0.001		0.036	0.0066	<0.025	0.53	0.036	0.57
T-12	T12-ROX-011813	1/18/2013	46.72 - 72.72	44.50	NE		<0.025		0.031	<0.025	<0.005	0.129	0.0466	<0.025	<0.005	0.184	<0.025	<0.025	<0.005	<0.005		0.42	0.0407	<0.025	1.11	0.0252	1.13
	T12-ROX-041513	4/15/2013		44.99	NE		<0.05		0.0405 J	<0.05	<0.01	0.266 J	0.076	<0.05	<0.01	0.592	<0.05	<0.05	<0.01	<0.01		0.309	<0.05	<0.05	1.2	0.104	1.3
	T12-ROX-071613	7/16/2013		42.33	NE		<0.005		0.0363 J	<0.005	<0.001	0.122 J	0.0627 J	<0.005	<0.001	0.186 J	<0.005	<0.005	<0.001	<0.001		0.361 J	0.0238 J	<0.005 UJ	0.794 J	0.0145 J	0.808 J
	T12-ROX-101513	10/15/2013		43.73	NE		<0.025		0.0618	<0.025	<0.005	0.215 J	0.114	<0.025	<0.005	0.697	<0.025	<0.025	<0.005	<0.005		0.575	0.0607	<0.025	2.43	0.139	2.57
	T12-ROX-012414	1/24/2014		45.26	NE		<0.005		0.0362	<0.005	<0.001	0.171	0.0676	<0.005	<0.001	0.421	<0.005	<0.005	<0.001	<0.001		0.526	0.0507	<0.005	1.12	0.0469	1.23
	T12-ROX-041514	4/15/2014		46.72	NE		<0.005		0.0306	<0.005	<0.001	0.12	0.0534	<0.005	<0.001	0.406	<0.005	<0.005	<0.001	<0.001		0.22 J	0.0339	<0.005	0.841	0.0401	0.864
	T12-ROX-070814	7/8/2014		45.13	NE		<0.005		0.0577 J	<0.005	<0.001	0.146	0.0912	<0.005	<0.001	0.686	<0.005	<0.005	<0.001	<0.001		0.425	0.0589	<0.005	1.25	0.0909	1.3
	T12-ROX-101714	10/17/2014		44.40	NE		<0.05		0.0459 J	<0.05	<0.01	0.184 J	0.0707	<0.05	<0.01	0.722	<0.05 UJ	<0.05	<0.01	<0.01		0.244	0.0391 J	<0.05 UJ	2.25	0.114	2.36
	T12-ROX-011915	1/19/2015		45.27	NE		<0.05		0.0432 J	<0.05	0.0033 J	0.196	0.0745	<0.05	<0.01	0.337	<0.05	<0.05	<0.01	<0.01		0.391	0.0521	<0.05	1.3	0.0747	1.38
	T12-ROX-041515	4/15/2015	46.83 - 72.83	46.73	NE		<0.005		0.0662	<0.005	<0.001	0.131 J	0.117	<0.005	<0.001	0.658	<0.005	<0.005	<0.001	<0.001		0.331	0.0543	<0.005	1.62	0.177	1.62
	T12-ROX-071015	7/10/2015		46.09	NE		<0.05		0.0222 J	<0.05	<0.01	0.0798	0.0455 J	<0.05	<0.01	0.0782	<0.05	<0.05	<0.01	<0.01		0.185	0.0173 J	<0.05	0.594	0.0097 J	0.603
	T12-ROX-101515	10/15/2015	46.83 - 72.83	43.72	NE		<0.25		0.034	<0.25	<0.01	0.081	0.055	<0.01	<0.01	0.096	<0.01	<0.01	<0.05	<0.01		0.15	0.016	<0.25	0.55	0.008 J	0.56

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																						
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethoxy)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzophenanthracene)	Dibenzo(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate		
Screening Values (mg/L)						0.42 ¹	0.21 ³	0.023 ³	2.1 ¹	0.00013 ¹	0.0002 ¹	0.00018 ¹	0.21 ³	0.00017 ¹	28 ¹	0.7 ³	0.01 ²	0.006 ²	1.4 ²		0.035 ²	0.012 ¹	0.0003 ¹	0.007 ³	0.021 ²	5.6 ¹		
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																						
MW-01	MW1-ROX-011013	1/10/2013	48.80 - 58.80	41.89	NE	<0.000024 U	<0.0001	<0.01 UJ	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052		
	MW1-ROX-040913	4/9/2013		42.55	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0011 U		
	MW1-ROX-070813	7/8/2013		39.56	NE	<0.000026 U	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	0.000027 J	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.0024 U	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051		
	MW1-ROX-100313	10/3/2013		40.28	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00065 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054		
	MW1-ROX-011414	1/14/2014		42.77	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011 UJ	<0.0053 UJ	<0.00011	<0.00011	<0.0021	<0.011 UJ	<0.0053		
	MW1-ROX-040714	4/7/2014		43.28	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	0.003 J J	<0.011	<0.0054	<0.0022	<0.0054	<0.011 UJ	<0.0057 UJ	<0.00011	<0.00011	<0.0022	<0.011 UJ	<0.0054		
	MW1-ROX-070914	7/9/2014		42.09	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054		
	MW1-ROX-100614	10/6/2014		41.1	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053		
	MW1-ROX-011215	1/12/2015		42.73	NE	0.00003 J	0.000027 J	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053		
	MW1-ROX-040615	4/6/2015		44.11	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	0.00046 J	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053		
	MW1-ROX-070815	7/8/2015		43.35	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053		
	MW1-ROX-100615	10/6/2015		40.83	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01		
MW-02	MW2-ROX-011113	1/11/2013	49.87 - 59.87	42.94	NE	0.00016	0.000019 J	<0.011 UJ	<0.00011	<0.000056	0.000027 J	0.000039 J	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056		
	MW2-ROX-040913	4/9/2013		43.70	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054		
	MW2-ROX-071113	7/11/2013		40.82	NE	0.000035 J	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0055	0.00063 J	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055		
	MW2-ROX-100813	10/8/2013		41.73	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054		
	MW2-ROX-012014	1/20/2014		44.00	NE	<0.00011	0.00018	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053		
	MW2-ROX-041014	4/10/2014		44.66	NE	<0.00012	<0.00012	<0.012	<0.00012	<0.00006	<0.00012	<0.00006	<0.00012	<0.00012	<0.012 UJ	<0.012	<0.006	<0.0024	<0.006	<0.012	<0.006	<0.00012	<0.00012	<0.0024	<0.012	<0.006		
	MW2-ROX-071414	7/14/2014		43.13	NE	0.000084 J	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00037 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054		
	MW2-ROX-101014	10/10/2014		42.49	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051		
	MW2-ROX-011615	1/16/2015		44.1	NE	0.00018	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053		
	MW2-ROX-041315	4/13/2015		45.56	NE	0.000041 J	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	0.001 J	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054		
	MW2-ROX-071315	7/13/2015		44.53	NE	0.000042 J	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054		
	MW2-ROX-101215	10/12/2015		42.15	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01		
MW-03	MW3-ROX-010913	1/9/2013	34.67 - 44.67	29.35	NE	<0.0001	0.000023 J	<0.01 UJ	0.000037 J	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005		
	MW3-ROX-040813	4/8/2013		29.74	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057		
	MW3-ROX-071113	7/11/2013		26.32	NE	0.000028 J	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0054	0.0038	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054		
	MW3-ROX-100813	10/8/2013		27.38	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011													

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																					
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenzo(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate	
Screening Values (mg/L)						0.42 ¹	0.21 ³	0.023 ³	2.1 ¹	0.00013 ¹	0.0002 ¹	0.00018 ¹	0.21 ³	0.00017 ¹	28 ¹	0.7 ³	0.01 ²	0.006 ²	1.4 ²		0.035 ²	0.012 ¹	0.0003 ¹	0.007 ³	0.021 ²	5.6 ¹	
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																					
MW-06A	MW6A-ROX-011413	1/14/2013	34.83 - 44.83	31.00	NE	<0.0001	<0.0001	<0.01 UJ	<0.0001	<0.000051	<0.0001	<0.000051	0.000073 J	<0.0001	<0.01 UJ	<0.01	<0.0051	0.00054 J	<0.0051	<0.01	<0.0051	<0.0001	0.000066 J	<0.002	<0.01	<0.0051	
	MW6A-ROX-040313	4/3/2013		31.62	NE	<0.00011	<0.00011 UJ	<0.011 UJ	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0053	0.00052 J	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053	
	MW6A-ROX-070913	7/9/2013		28.25	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055	
	MW6A-ROX-070913-DUP	7/9/2013		28.25	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055	
	MW6A-ROX-100713	10/7/2013		28.87	NE	0.0001 J	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.00082 U	
	MW6A-ROX-100713-DUP	10/7/2013		28.87	NE	0.000093 J	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	0.00078 J	
	MW6A-ROX-011614	1/16/2014		31.62	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052	
	MW6A-ROX-011614-DUP	1/16/2014		31.62	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053	
	MW6A-ROX-040814	4/8/2014		32.16	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0056	<0.00057 U	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056	
	MW6A-ROX-040814-DUP	4/8/2014		32.16	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0054	<0.00066 U	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054	
	MW6A-ROX-071014	7/10/2014		30.75	NE	<0.00011	0.000075 J	<0.011 UJ	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054	
	MW6A-ROX-100814	10/8/2014		29.84	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053	
	MW6A-ROX-011415	1/14/2015		31.54	NE	0.000089 J	0.00004 J	<0.011	0.00006 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053	
	MW6A-ROX-040715	4/7/2015		33.08	NE	0.000061 J	0.000085 J	<0.01	0.000027 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	MW6A-ROX-071515	7/15/2015		31.52	NE	0.00011	<0.00011	<0.011	0.000047 J	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057
	MW6A-ROX-100715	10/7/2015	34.83 - 44.83	29.77	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01	
MW-06B	MW6B-ROX-011713	1/17/2013	64.05 - 69.05	31.11	NE	<0.0001	<0.0001	<0.01 UJ	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005	
	MW6B-ROX-040313	4/3/2013		31.68	NE	<0.00011	<0.00011 UJ	<0.011 UJ	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054	
	MW6B-ROX-070913	7/9/2013		28.25	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056	
	MW6B-ROX-100713	10/7/2013		28.93	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.00057 U	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.00084 U	
	MW6B-ROX-011614	1/16/2014		31.67	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	0.000051 J	<0.00011	<0.011 UJ	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	0.000042 J	<0.0022	<0.011	<0.0054	
	MW6B-ROX-040814	4/8/2014		32.21	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053	
	MW6B-ROX-071014	7/10/2014		30.81	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056	
	MW6B-ROX-100814	10/8/2014		29.87	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053	
	MW6B-ROX-011415	1/14/2015		31.59	NE	<0.00011	0.000016 J	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054	
	MW6B-ROX-040715	4/7/2015		33.10	NE	<0.0001	0.000016 J	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051	
	MW6B-ROX-040715-DUP	4/7/2015		33.10	NE	<0.0001	0.000016 J	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052	
	MW6B-ROX-071415	7/14/2015		31.56	NE	0.00012	0.000017 J	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053	
	MW6B-ROX-100715	10/7/2015	64.05 - 69.05	29.80	NE	<0.0002	<0.0002	<0.																			

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																							
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(b)pyrene	Benzo(k)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenzo(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate			
Screening Values (mg/L)						0.42 ¹	0.21 ³	0.023 ³	2.1 ¹	0.00013 ¹	0.0002 ¹	0.00018 ¹	0.21 ³	0.00017 ¹	28 ¹	0.7 ³	0.01 ²	0.006 ²	1.4 ²		0.035 ²	0.012 ¹	0.0003 ¹	0.007 ³	0.021 ²	5.6 ¹			
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																							
MW-07	MW7-ROX-011513	1/15/2013	42.92 - 52.92	42.21	NE	0.00073	0.00011	<0.011 UJ	0.000059 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	0.00061 J	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053			
	MW7-ROX-011513-DUP	1/15/2013		42.21	NE	0.00066	0.000093 J	<0.01 UJ	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	0.00055 J	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052			
	MW7-ROX-041013	4/10/2013		42.70	NE	0.0012	0.00015	<0.011	0.000089 J	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	0.00083 J	<0.011	<0.0054			
	MW7-ROX-041013-DUP	4/10/2013		42.70	NE	0.0012	0.00016	<0.011	0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	0.00088 J	<0.011	<0.0053			
	MW7-ROX-071713	7/17/2013		39.60	NE	0.00019	0.000031 J	<0.011	0.000028 J	0.00004 J	0.000044 J	0.000045 J	0.00008 J	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	0.000077 J	<0.0022	<0.011	<0.0054			
	MW7-ROX-101613	10/16/2013		40.64	NE	0.00035	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055			
	MW7-ROX-013014	1/30/2014		42.94	NE	0.00028	<0.0001	<0.01	0.00029	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005			
	MW7-ROX-041614	4/16/2014		43.79	NE	0.00034	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052			
	MW7-ROX-071614	7/16/2014		42.05	NE	0.00024	<0.0001	<0.01	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052			
	MW7-ROX-071614-DUP	7/16/2014		42.05	NE	0.00022	<0.0001	<0.01	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052			
	MW7-ROX-101614	10/16/2014		41.31	NE	0.00024	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056			
	MW7-ROX-101614-DUP	10/16/2014		41.31	NE	0.00022	<0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057			
	MW7-ROX-012215	1/22/2015		43.45	NE	0.00026	0.000051 J	<0.011	0.000056 J	<0.00005	0.000028 J	0.00013 J	0.000034 J	0.000026 J	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.000046 U	0.000025 J	<0.0021	<0.011	<0.0053			
	MW7-ROX-012215-DUP	1/22/2015		43.45	NE	0.00025	0.000044 J	<0.01	0.00046 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.0001	<0.01	<0.01	<0.0052	0.00039 J	<0.0052	<0.01	<0.0052	<0.000021 U	<0.0001	<0.0021	<0.01	<0.0052		
	MW7-ROX-042115	4/21/2015		44.63	NE	0.00038	0.000059 J	<0.01	0.000055 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	0.000022 J	<0.0001	0.00028 J	<0.01	<0.0051		
	MW7-ROX-042115-DUP	4/21/2015		44.63	NE	0.00036	0.000053 J	<0.01	0.00005 J	<0.000051	0.000024 J	<0.000051	0.000018 J	<0.0001	<0.01	<0.01	<0.0051	0.00033 J	<0.0051	<0.01	<0.0051	0.000028 J	0.000016 J	<0.002	<0.01	<0.0051			
	MW7-ROX-071515	7/15/2015		43.54	NE	0.00027	0.000038 J	<0.01	0.000038 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.0001	<0.01	<0.01	<0.0051	0.00037 J	<0.0051	<0.01	<0.0051	0.000033 J	<0.0001	<0.002	<0.01	<0.0051		
	MW7-ROX-071515-DUP	7/15/2015		43.54	NE	0.00025	0.000043 J	<0.01	0.000039 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	0.000034 J	<0.0001	<0.0021	<0.01	<0.0052		
	MW7-ROX-101915	10/19/2015		41.43	NE	0.00012 J	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01		
	MW7-ROX-101915-DUP	10/19/2015		41.43	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.011 J *	<0.01	<0.01	0.0024 J	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01	
MW-08	MW8-ROX-011513	1/15/2013	33.60 - 43.60	33.30	NE	0.00017	0.000085 J	<0.011 UJ	0.000029 J	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0056	0.00089 J	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056			
	MW8-ROX-041013	4/10/2013		33.77	NE	0.00018	0.000059 J	<0.011	0.000072 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	0.0023	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053			
	MW8-ROX-071713	7/17/2013		30.43	NE	0.0002	<0.0001	<0.01	0.000049 J	<0.000052	0.000021 J	<0.000052	0.00004 J	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052			
	MW8-ROX-071713-DUP	7/17/2013		30.43	NE	0.00019	0.000056 J	<0.011	0.000061 J	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	0.0004 J	<0.011	<0.0054			
	MW8-ROX-101613	10/16/2013		31.59	NE	0.00021	0.000089 J	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	0.0005 J	<0.011	<0.0054			
	MW8-ROX-101613-DUP	10/16/2013		31.59	NE	0.0002	0.000058 J	<0.012	<0.00012	<0.000059	<0.00012	<0.000059	<0.00012	<0.00012	<0.012	<0.012	<0.0059	<0.0024	<0.0059	<0.012	<0.0059	<0.00012	<0.00012	0.0004 J	<0.012	<0.0059			
	MW8-ROX-013014	1/30/2014		34.02	NE	0.0002	0.000089 J	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	0.00053 J	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	0.0005 J	<0.01	<0.0051			
	MW8-ROX-013014-DUP	1/30/2014		34.02	NE	0.00021	0.000083 J	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00072 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	0.00053 J	<0.011	<0.0054			
	MW8-ROX-041614	4/16/2014		34.73	NE	0.00018	0.000074 J	<0.011	<0.00011	<0.000056	<0.00011	<																	

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																					
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(b)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenzo(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate	
						0.42 ¹	0.21 ³	0.023 ³	2.1 ¹	0.00013 ¹	0.0002 ¹	0.00018 ¹	0.21 ³	0.00017 ¹	28 ¹	0.7 ³	0.01 ²	0.006 ²	1.4 ²		0.035 ²	0.012 ¹	0.0003 ¹	0.007 ³	0.021 ²	5.6 ¹	
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																					
MW-11	MW11-ROX-011013	1/10/2013	41.66 - 51.66	41.43	NE	<0.0001 UJ	<0.0001 UJ	<0.01 UJ	<0.0001 UJ	<0.00005 UJ	<0.0001 UJ	<0.00005 UJ	<0.0001 UJ	<0.0001 UJ	<0.01 UJ	<0.01 UJ	<0.005 UJ	<0.002 UJ	<0.005 UJ	<0.01 UJ	<0.005 UJ	<0.0001 UJ	<0.0001 UJ	<0.002 UJ	<0.01 UJ	<0.005 UJ	
	MW11-ROX-040813	4/8/2013		42.02	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053	
	MW11-ROX-070813	7/8/2013		39.24	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0052 U	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054	
	MW11-ROX-100713	10/7/2013		39.95	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0011 UJ	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0011 U	
	MW11-ROX-011514	1/15/2014		42.16	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055	
	MW11-ROX-040714	4/7/2014		42.70	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0056	<0.0056 U	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056	
	MW11-ROX-070914	7/9/2014		41.75	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057	
	MW11-ROX-100714	10/7/2014		40.89	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	MW11-ROX-011315	1/13/2015		41.93	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054	
	MW11-ROX-040815	4/8/2015		43.19	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054	
	MW11-ROX-070915	7/9/2015		42.45	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054	
	MW11-ROX-100815	10/8/2015		40.15	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	0.0068 J	<0.01	<0.01	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
MW-12	MW12-ROX-011013	1/10/2013	41.92 - 51.92	41.83	NE	<0.0001	<0.0001	<0.01 UJ	<0.0001	<0.000051	<0.0001	0.000028 J	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051	
	MW12-ROX-040813	4/8/2013		42.46	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052	
	MW12-ROX-070913	7/9/2013		39.28	NE	<0.00011	<0.00011	<0.011	<0.00011	0.00012 J	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055	
	MW12-ROX-100713	10/7/2013		40.22	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0055	<0.0022	<0.0055	<0.011 UJ	<0.0053 UJ	<0.00011	<0.00011	<0.0022	<0.011 UJ	<0.00062 UJ	
	MW12-ROX-011514	1/15/2014		42.54	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	<0.0021	<0.0052	<0.01 UJ	<0.0052 UJ	<0.0001	<0.0001	<0.0021	<0.01 UJ	<0.0052	
	MW12-ROX-040814	4/8/2014		43.15	NE	<0.00011	<0.00011	<0.01	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.01 UJ	<0.01 UJ	<0.0051	<0.00039 UJ	<0.0051	<0.01	<0.0051	<0.00011	<0.00011	<0.002	<0.01	<0.0051	
	MW12-ROX-070914	7/9/2014		41.97	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056	
	MW12-ROX-100614	10/6/2014		40.98	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053	
	MW12-ROX-011215	1/12/2015		42.33	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056	
	MW12-ROX-040615	4/6/2015		43.75	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053	
	MW12-ROX-070815	7/8/2015		42.86	NE	0.000018 J	<0.00011	<0.011	<0.00011	0.000046 J	0.000067 J	0.000083	0.000081 J	0.00011 J	<0.011 UJ	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	0.00008 J	<0.00011	<0.0022	<0.011	<0.0056	
	MW12-ROX-100815	10/8/2015		40.54	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01	
MW12-ROX-100815-DUP	10/8/2015	40.54	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01			
MW-13	MW13-ROX-012313	1/23/2013	25.57 - 35.57	29.26	NE	<0.00011	<0.00011	<0.01 UJ	<0.0001 UJ	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055 UJ	
	MW13-ROX-041213	4/12/2013		29.44	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051	
	MW13-ROX-071213	7/12/2013		25.67	NE	<0.00011	<0.000063 UJ	<0.011	<0.000058 UJ	<0.00014 UJ	<0.00011	<0.000054	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0054	0.00079 J</									

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																									
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenzo(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate					
Screening Values (mg/L)						0.42 ¹	0.21 ³	0.023 ³	2.1 ¹	0.00013 ¹	0.0002 ¹	0.00018 ¹	0.21 ³	0.00017 ¹	28 ¹	0.7 ³	0.01 ²	0.006 ²	1.4 ²		0.035 ²	0.012 ¹	0.0003 ¹	0.007 ³	0.021 ²	5.6 ¹					
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																									
MW-22	MW22-ROX-012313	1/23/2013	37.88 - 47.88	41.80	NE	0.00018	<0.0001	<0.01 UJ	0.00002 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	0.0031 J	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052 UJ					
	MW22-ROX-012313-DUP	1/23/2013		41.80	NE	0.00018	<0.00011	<0.011 UJ	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	0.0033 J	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053 UJ					
	MW22-ROX-040513	4/5/2013		42.23	NE	0.00018	0.000049 J	<0.011 UJ	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053					
	MW22-ROX-071113	7/11/2013		39.35	NE	0.00026	0.00048	<0.011	0.000035 J	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0054	0.0017 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054					
	MW22-ROX-071113-DUP	7/11/2013		39.35	NE	0.00018	0.00047	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0056	0.0021 J	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056					
	MW22-ROX-100913	10/9/2013		40.39	NE	0.00019	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054					
	MW22-ROX-100913-DUP	10/9/2013		40.39	NE	0.00018	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054					
	MW22-ROX-012014	1/20/2014		42.49	NE	0.00015	<0.00011	<0.053	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.053	<0.053	<0.027	<0.011	<0.027	<0.053	<0.027	<0.00011	<0.00011	<0.011	<0.053	<0.027					
	MW22-ROX-012014-DUP	1/20/2014		42.49	NE	0.00014	<0.00011	<0.054	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.054	<0.054	<0.027	<0.011	<0.027	<0.054	<0.027	<0.00011	<0.00011	<0.011	<0.054	<0.027					
	MW22-ROX-041014	4/10/2014		43.15	NE	0.0001 J	<0.00011	<0.056	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.056 UJ	<0.056	<0.028	<0.011	<0.028	<0.056	<0.028	<0.00011	<0.00011	<0.011	<0.056	<0.028					
	MW22-ROX-041014-DUP	4/10/2014		43.15	NE	0.00012	<0.00011	<0.056	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.056 UJ	<0.056	<0.028	<0.011	<0.028	<0.056	<0.028	<0.00011	<0.00011	<0.011	<0.056	<0.028					
	MW22-ROX-071414	7/14/2014		41.85	NE	0.00013	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00045 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054					
	MW22-ROX-101014	10/10/2014		41.43	NE	0.00029	0.00019	<0.013	0.00019	<0.000063	<0.00013	<0.000063	<0.00013	<0.00013	<0.013	<0.013	<0.0063	<0.0025	<0.0063	<0.013	<0.0063	<0.00013	<0.00013	<0.0025	<0.013	<0.0063					
	MW22-ROX-011615	1/16/2015		42.19	NE	0.00015	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053					
	MW22-ROX-041415	4/14/2015		43.71	NE	0.00014	<0.0001	<0.01	0.000027 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052					
MW22-ROX-071515	7/15/2015	42.64	NE	0.00013	0.000028 J	<0.057	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.057	<0.057	<0.029	<0.011	<0.029	<0.057	<0.029	<0.00011	<0.00011	<0.011	<0.057	<0.029							
MW22-ROX-101415	10/14/2015	40.54	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01							
MW-23	MW23-ROX-012615	1/26/2015	29.02 - 39.02	30.90	NE	<0.001	<0.001	<0.005	<0.001	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.05	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.0002	<0.0002	<0.005	<0.005	<0.005					
	MW23-ROX-040815	4/8/2015		32.24	NE	0.000076 J	<0.0001	<0.01	0.000058 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	0.000028 J	<0.0001	<0.002	<0.01	<0.0051					
	MW23-ROX-071015-BP	7/10/2015		30.54	NE	0.000036 J	<0.00011	<0.011	0.000033 J	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	0.000018 J	<0.00011	<0.0022	<0.011	<0.0056					
	MW23-ROX-100515	10/5/2015		28.89	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01					
MW-24	MW24-ROX-040513	4/5/2013	38.89 - 48.89	43.39	NE	<0.0001	<0.0001 UJ	<0.01 UJ	<0.0001	<0.000052	<0.0001	0.000057	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052					
	MW24-ROX-071113	7/11/2013		40.35	NE	0.000024 J	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0054	<0.0022	<0.0054	<0.011 UJ	<0.0053 UJ	<0.00011	<0.00011	<0.0022	<0.011 UJ	<0.0054					
	MW24-ROX-100913	10/9/2013		41.27	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053					
	MW24-ROX-011514	1/15/2014		43.47	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053					
	MW24-ROX-040914	4/9/2014		44.13	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056					
	MW24-ROX-071114	7/10/2014		42.97	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053					
	MW24-ROX-100814	10/8/2014		42.16	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054					
	MW24-ROX-011315	1/13/2015		43.17	NE	0.000074 J	0.000077 J	<0.011	0.000022 J	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011 UJ	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053					
	MW24-RO																														

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																				
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(b)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzophenanthracene)	Dibenzo(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate
Screening Values (mg/L)						0.42 ¹	0.21 ³	0.023 ³	2.1 ¹	0.00013 ¹	0.0002 ¹	0.00018 ¹	0.21 ³	0.00017 ¹	28 ¹	0.7 ³	0.01 ²	0.006 ²	1.4 ²		0.035 ²	0.012 ¹	0.0003 ¹	0.007 ³	0.021 ²	5.6 ¹
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
P-54	P54-ROX-011113	1/11/2013	38.00 - 63.00	41.56	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P54-ROX-041013	4/10/2013		41.80	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057
	P54-ROX-050313	5/3/2013		41.80	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	P54-ROX-071113	7/11/2013		39.07	NE	0.000032 J	0.000016 J	<0.01	0.000018 J	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	0.00052 J	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	P54-ROX-100813	10/8/2013		39.94	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057
	P54-ROX-011514	1/15/2014		42.20	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00058 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	P54-ROX-040914	4/9/2014		42.80	NE	<0.00012	<0.00012	<0.012	<0.00012	<0.00006	<0.00012	<0.00006	<0.00012	<0.00012	<0.012	<0.012	<0.006	<0.0024	<0.006	<0.012	<0.006	<0.00012	<0.00012	<0.0024	<0.012	<0.006
	P54-ROX-071114	7/10/2014		41.71	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	P54-ROX-100814	10/8/2014		40.88	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	P54-ROX-011415	1/14/2015		41.79	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	P54-ROX-041015	4/10/2015		43.20	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P54-ROX-070915	7/9/2015		42.25	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	P54-ROX-100915	10/9/2015		38.00 - 63.00	40.20	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01
P-55	P55-ROX-012113	1/21/2013	39.82 - 64.82	45.24	NE	0.00069	0.00019	<0.02	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.05	<0.02	<0.01	<0.006	<0.01	<0.02	<0.01	<0.0001	<0.0001	0.001 J	<0.01	<0.01
	P55-ROX-012113	1/21/2013		45.24	NE	0.00054	0.00014	<0.01 UJ	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	0.001 J	<0.01	0.00073 J
P-55R	P55-ROX-041513	4/15/2013	40.43 - 50.43	43.63	NE	0.00073	0.00021	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001 UJ	<0.0001 UJ	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	0.0017 J	<0.01	<0.0052
	P55-ROX-071613	7/16/2013		40.06	NE	0.00066	0.0002	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056 UJ	<0.00066 U	<0.0056	<0.011	<0.0056 UJ	<0.00011	<0.00011	0.0016 J	<0.011	<0.0056
	P55-ROX-101013	10/10/2013		41.67	NE	0.00071	0.00019	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0055	0.0006 J	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	0.0016 J	<0.011	<0.0055
P-56	P56-ROX-011713	1/17/2013	40.82 - 65.82	45.65	NE	0.00039	0.000083 J	<0.01 UJ	0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	0.0044	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005
	P56-ROX-041213	4/12/2013		46.12	NE	0.00053	0.000088 J	<0.011	0.0001 J	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	P56-ROX-071513	7/15/2013		43.25	NE	0.00065	0.00013	<0.011	0.00014	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055 UJ	<0.0022	<0.0055	<0.011	<0.0055 UJ	<0.00011	<0.00011	0.00075 J	<0.011	<0.0055
	P56-ROX-101013	10/10/2013		44.48	NE	0.0006	0.000092 J	<0.011	0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	0.00059 J	<0.011	<0.0055
	P56-ROX-012214	1/22/2014		46.35	NE	0.00055	<0.0001	<0.01	0.00013	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	0.00047 J	<0.01	<0.0052
	P56-ROX-041414	4/14/2014		47.32	NE	0.00051	0.000081 J	<0.012	<0.00012	<0.000059	<0.00012	<0.000059	<0.00012	<0.00012	<0.012	<0.012	<0.0059	<0.0024	<0.0059	<0.012	<0.0059	<0.00012	<0.00012	0.00067 J	<0.012	<0.0059
	P56-ROX-070814	7/8/2014		45.97	NE	0.00035	0.000081 J	<0.011 UJ	0.0001 J	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	0.00049 J	<0.011	<0.0056
	P56-ROX-101314	10/13/2014		45.05	NE	0.00057	0.00011	<0.011	0.00012	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.001 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	0.00055 J	<0.011	<0.0054
	P56-ROX-011915	1/19/2015		46.58	NE	0.00068	0.000079 J	<0.011	0.000097 J	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	P56-ROX-041515	4/15/2015		48.05	NE	0.00061	0.0001 J	<0.011	0.00013	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	0.00038 J	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	0.00055 J	<0.011	<0.0054
	P56-ROX-071015	7/10/2015		47.34	NE	0.00065	0.000095 J	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<								

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																							
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzophenanthracene)	Dibenzo(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate			
Screening Values (mg/L)						0.42 ¹	0.21 ³	0.023 ³	2.1 ¹	0.00013 ¹	0.0002 ¹	0.00018 ¹	0.21 ³	0.00017 ¹	28 ¹	0.7 ³	0.01 ²	0.006 ²	1.4 ²		0.035 ²	0.012 ¹	0.0003 ¹	0.007 ³	0.021 ²	5.6 ¹			
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																							
P-59	P59-ROX-013013	1/30/2013	47.91 - 72.91	46.60	NE	0.00047	<0.0001	<0.01 UJ	0.00012	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	0.0041	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052			
	P59-ROX-041213	4/12/2013		46.95	NE	0.00057	0.00013	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	0.0831 J	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054			
	P59-ROX-041213-DUP	4/12/2013		46.95	NE	0.00058	0.00012	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	0.0518 J	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053			
	P59-ROX-071613	7/16/2013		44.13	NE	0.00035	0.000071 J	<0.011	0.000092 J	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054 UJ	<0.0022	<0.0054	<0.011	<0.0054 UJ	<0.00011	<0.00011	0.00041 J	<0.011	<0.0054			
	P59-ROX-101013	10/10/2013		45.50	NE	0.00055	0.000084 J	<0.011	0.000021	0.000068	<0.00011	0.000039 J	<0.00011	<0.00011	<0.011 UJ	0.0009 J	<0.0054	0.00069 J	<0.0054	<0.011	<0.0054	0.000088 J	<0.00011	<0.0022	<0.011	<0.0054			
	P59-ROX-020314	2/3/2014		47.35	NE	0.00046	<0.0001	<0.01	0.00018	0.000035 J	<0.0001	<0.000052	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	0.000046 J	<0.0001	<0.0021	<0.01	<0.0052			
	P59-ROX-041514	4/15/2014		48.60	NE	0.0013	<0.00011	<0.011	0.00018	0.00006	0.000042 J	0.000044 J	0.000035 J	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	0.0001 J	<0.00011	<0.0021	<0.011	<0.0053			
	P59-ROX-070814	7/8/2014		47.69	NE	0.0015	0.000091 J	<0.011 UJ	0.00012	0.000029 J	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	0.000027 J	<0.00011	<0.0023	<0.011	<0.0057			
	P59-ROX-101414	10/14/2014		46.18	NE	0.00045 J	<0.00054	<0.011	<0.00054	<0.00027	<0.00054	<0.00027	<0.00054	<0.00054	<0.011	<0.011	0.0035 J	<0.0022	<0.0054	<0.011	<0.0054	<0.00054	<0.00054	<0.0022	<0.011	<0.0054			
	P59-ROX-011915	1/19/2015		47.42	NE	0.00075	0.00013	<0.011	0.00021	0.000038 J	0.000021 J	<0.000054	0.00002 J	<0.00011	<0.011	<0.011	<0.0054	0.00042 J	<0.0054	<0.011	<0.0054	0.000047 J	<0.00011	<0.0022	<0.011	<0.0054			
	P59-ROX-041615	4/16/2015		48.83	NE	0.00031	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054			
	P59-ROX-071315	7/13/2015		47.85	NE	0.00058	<0.00011	<0.011	0.00037	0.000068	0.000035 J	0.000056	0.000037 J	0.000033 J	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	0.00013	<0.00011	<0.0022	<0.011	<0.0054			
	P59-ROX-101515	10/15/2015		45.75	NE	<0.002	<0.002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01			
P-66	P66-ROX-011813	1/18/2013	34.72 - 59.72	35.70	NE	0.00074	0.00034	<0.011 UJ	<0.000055 U	<0.000053	<0.00011	<0.000028 U	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	0.0018 J	<0.011	<0.0053			
	P66-ROX-041113	4/11/2013		36.03	NE	0.0011	0.00028	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	0.0025	<0.011	<0.0053			
	P66-ROX-071213	7/12/2013		33.20	NE	0.00087	<0.00011	<0.011	<0.0002 U	0.00018 B	<0.00015 U	0.00017 B	<0.00019 U	0.00015	<0.011 UJ	<0.011	<0.0056	0.0124	<0.0056	<0.011	<0.0056	0.00017	0.00017	0.0016 J	<0.011	<0.0056			
	P66-ROX-101013	10/10/2013		33.66	NE	0.00066	0.0002	<0.011	<0.00011	0.000028 J	<0.00011	<0.000056	0.000036 J	<0.00011	<0.011 UJ	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	0.0016 J	<0.011	<0.0056			
	P66-ROX-110713	11/7/2013		33.66	NE																								
	P66-ROX-012914	1/29/2014		36.39	NE	0.00099	0.00032	<0.011	<0.00011	0.000039 J	0.000044 J	0.000048 J	0.000052 J	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	0.000047 J	0.000035 J	0.0019 J	<0.011	<0.0053			
	P66-ROX-041114	4/11/2014		37.10	NE	0.00058	0.00017	<0.012	<0.00012	<0.000058	<0.00012	<0.000058	<0.00012	<0.00012	<0.012	<0.012	<0.0058	<0.00068 U	<0.0058	<0.012	<0.0058	<0.00012	<0.00012	<0.0023	<0.012	<0.0058			
	P66-ROX-070714	7/7/2014		35.60	NE	0.00033	0.00016	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056			
	P66-ROX-101414	10/14/2014		34.48	NE	0.00045	0.00018	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	0.0012 J	<0.011	<0.0055			
	P66-ROX-011615	1/16/2015		36.62	NE	0.00067	0.00026	<0.011	0.000065 J J	0.00003 J J	<0.00011 UJ	<0.000053 J J	<0.00011 UJ	<0.00011 UJ	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	0.000029 J J	<0.00011	<0.0021	<0.011	<0.0053			
	P66-ROX-011615-DUP	1/16/2015		36.62	NE	0.00068	0.00027	<0.011	0.00031 J	0.00043 J	0.00032 J	0.00015	0.00023 J	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	0.00032 J	0.000062 J	<0.0022	<0.011	<0.0054				
	P66-ROX-041415	4/14/2015		38.27	NE	0.0006	0.00022	<0.011	<0.00011	<0.000054	0.000019 J	0.000055	0.000022 J	0.000021 J	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	0.000024 J	<0.00011	0.0016 J	<0.011	<0.0054			
	P66-ROX-041415-DUP	4/14/2015		38.27	NE	0.00066	0.00021	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	0.0016 J	<0.011	<0.0053			
	P66-ROX-070815	7/8/2015		37.24	NE	0.00054	0.00017	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	0.001 J	<0.011	<0.0053			
	P66-ROX-070815-DUP	7/8/2015		37.24	NE	0.00051	0.00021	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	0.000017 J	<0.00011	0.0011 J	<0.011	<0.0053			
	P66-ROX-101315	10/13/2015		34.84	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01			
P-74	P74-ROX-011713	1/17/2013	44.43 - 69.43	42.65	NE	0.00019	0.0001	<0.01 UJ	0.000063 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.000.															

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																					
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(b)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethoxy)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenzo(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate	
Screening Values (mg/L)						0.42 ¹	0.21 ³	0.023 ³	2.1 ¹	0.00013 ¹	0.0002 ¹	0.00018 ¹	0.21 ³	0.00017 ¹	28 ¹	0.7 ³	0.01 ²	0.006 ²	1.4 ²		0.035 ²	0.012 ¹	0.0003 ¹	0.007 ³	0.021 ²	5.6 ¹	
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																					
P-93B	P93B-ROX-012313	1/23/2013	74.60 - 76.60	45.89	NE	0.00014	0.000072 J	<0.011 UJ	0.00013	0.00022	0.00011	0.00013	0.00012	0.00012	<0.011	<0.011	<0.0053	0.0055	0.0032 J	0.0013 J	<0.0053	0.00012	0.00012	<0.0021	<0.011	<0.0053 UJ	
	P93B-ROX-041113	4/11/2013		46.32	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051	
	P93B-ROX-071813	7/18/2013		43.30	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056	
	P93B-ROX-101613	10/16/2013		44.43	NE	<0.0001	0.000065 J	<0.01	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005	
	P93B-ROX-101613-DUP	10/16/2013		44.43	NE	<0.0001	0.000091 J	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	P93B-ROX-012814	1/28/2014		46.58	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	0.00072 J	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055	
	P93B-ROX-012814-DUP	1/28/2014		46.58	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.0001	<0.01	<0.01	<0.0051	0.0012 J	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	P93B-ROX-041714	4/17/2014		47.46	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0051	0.0015 J	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	P93B-ROX-041714-DUP	4/17/2014		47.46	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	0.00045 J	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053	
	P93B-ROX-071714	7/17/2014		45.75	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	P93B-ROX-101514	10/15/2014		45.15	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056	
	P93B-ROX-012315	1/23/2015		47.24	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	0.00063 J	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053	
	P93B-ROX-012315-DUP	1/23/2015		47.24	NE	0.000019 J	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	P93B-ROX-021915	2/19/2015		47.24	NE																						
	P93B-ROX-041615	4/16/2015		48.42	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053	
	P93B-ROX-041615-DUP	4/16/2015		48.42	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053	
	P93B-ROX-070915	7/9/2015		47.74	NE	<0.0001	<0.0001	<0.01	0.000029 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.0001	<0.01	<0.01	0.0153	<0.002	<0.0051	<0.01	<0.0051	0.000017 J	<0.0001	<0.002	<0.01	<0.0051
	P93B-ROX-070915-DUP	7/9/2015		47.74	NE	0.000062 J	0.00004 J	<0.01	0.000041 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.0001	<0.01	<0.01	0.0142	<0.002	<0.0051	<0.01	<0.0051	0.000016 J	<0.0001	<0.002	<0.01	<0.0051
	P93B-ROX-101515	10/15/2015		45.18	NE	<0.0002	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
P-93C	P93C-ROX-012313	1/23/2013	94.26 - 96.26	45.78	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	0.0049	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055 UJ	
	P93C-ROX-041213	4/12/2013		46.21	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005	
	P93C-ROX-071813	7/18/2013		43.31	NE	<0.000045 U	<0.00011	<0.011	0.000021 J	<0.000056	0.00015	<0.000056	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056	
	P93C-ROX-080813	8/8/2013		43.31	NE																						
	P93C-ROX-101613	10/16/2013		44.31	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051	
	P93C-ROX-012414	1/24/2014		46.44	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	P93C-ROX-041714	4/17/2014		47.34	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.0001	<0.01 UJ	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	P93C-ROX-071714	7/17/2014		45.61	NE	<0.0001	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	P93C-ROX-101514	10/15/2014		44.99	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056	
	P93C-ROX-011915	1/19/2015	92.47 - 97.47	48.22	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054	
	P93C-ROX-021915	2/19/2015		48.22	NE																						

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																				
						Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl alcohol	bis(2-Chloroethyl)ether	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	4-Chloro-3-methylphenol (p-Chloro-m-cresol)	2-Chlorophenol	Chrysene (1,2-Benzphenanthracene)	Dibenzo(a,h)anthracene	Dibenzofuran	2,4-Dichlorophenol	Diethyl phthalate
Screening Values (mg/L)						0.42 ¹	0.21 ³	0.023 ³	2.1 ¹	0.00013 ¹	0.0002 ¹	0.00018 ¹	0.21 ³	0.00017 ¹	28 ¹	0.7 ³	0.01 ²	0.006 ²	1.4 ²		0.035 ²	0.012 ¹	0.0003 ¹	0.007 ³	0.021 ²	5.6 ¹
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
ROST-3-MW	ROST3MW-ROX-012313	1/23/2013	37.81 - 47.81	41.50	NE	0.00025	0.000059 J	<0.01 UJ	0.000074 J	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.01	<0.01	<0.005	<0.002	<0.005	<0.01	<0.005	<0.0001	<0.0001	<0.002	<0.01	<0.005 UJ
	ROST3MW-ROX-040513	4/5/2013				0.00016	<0.00011 UJ	<0.011 UJ	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	ROST3MW-ROX-071113	7/11/2013		39.50	NE	0.00029	<0.00011	<0.011	0.000091 J	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0054	0.00061 J	<0.0054	<0.011 UJ	<0.0054 UJ	<0.00011	<0.00011	0.00025 J	<0.011 UJ	<0.0054
	ROST3-MW-ROX-100913	10/9/2013		40.16	NE	0.0001 J	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0054	<0.0022	<0.0054	<0.011 UJ	<0.0054 UJ	<0.00011	<0.00011	<0.0022	<0.011 UJ	<0.0054
	ROST3MW-ROX-011714	1/17/2014		42.20	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0053	<0.0021	<0.0053	<0.011 UJ	<0.0053 UJ	<0.00011	<0.00011	<0.0021	<0.011 UJ	<0.0053
	ROST3MW-ROX-041014	4/10/2014		42.80	NE	<0.00012	<0.00012	<0.012	<0.00012	<0.00006	<0.00012	<0.00006	<0.00012	<0.00012	<0.012 UJ	<0.012	<0.006	<0.0024	<0.006	<0.012	<0.006	<0.00012	<0.00012	<0.0024	<0.012	<0.006
	ROST3MW-ROX-071414	7/14/2014		41.88	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	ROST3MW-ROX-100914	10/9/2014		41.31	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	0.00046 J	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	ROST3MW-ROX-011515	1/15/2015		41.83	NE	0.000027 J	<0.00011	<0.011	0.000019 J	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	<0.0023	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057
	ROST3MW-ROX-041315	4/13/2015		43.43	NE	0.000028 J	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	ROST3MW-ROX-071315	7/13/2015		42.36	NE	0.000037 J	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	ROST3MW-ROX-101215	10/12/2015		40.29	NE	0.000081 J	<0.0002	<0.01	0.00003 J	0.000092 J	0.000089 J	0.00011 J	0.000089 J	0.00012 J	<0.03	<0.01	<0.01	<0.01	0.0039 J	<0.01	<0.01	<0.01	0.000095 J	0.000094 J	<0.01	<0.01
ROST-4-PZ(C)	ROST4PZ(C)-ROX-011113	1/11/2013	34.95 - 44.95	41.42	NE	<0.00011	<0.00011	<0.011 UJ	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	ROST4PZC-ROX-041013	4/10/2013		42.27	NE	0.000066 J	0.000018 J	<0.011	0.000033 J	<0.000055	<0.00011	<0.000055	<0.00011	<0.00011	<0.011	<0.011	<0.0055	<0.0022	<0.0055	<0.011	<0.0055	<0.00011	<0.00011	<0.0022	<0.011	<0.0055
	ROST4PZC-ROX-071113	7/11/2013		40.18	NE	0.00019	0.000073 J	<0.011	0.00012	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011 UJ	<0.011	<0.0054	0.0032	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	ROST4PZC-ROX-100913	10/9/2013		39.91	NE	0.00012	<0.00011	<0.011	<0.00011	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	ROST4PZC-ROX-011714	1/17/2014		41.92	NE	<0.00012	<0.00012	<0.012	<0.00012	<0.000059	<0.00012	<0.000059	<0.00012	<0.00012	<0.01 UJ	<0.012	<0.0059	<0.0024	<0.0059	<0.01 UJ	<0.005 UJ	<0.00012	<0.00012	<0.0024	<0.01 UJ	<0.0059
	ROST4PZC-ROX-041014	4/10/2014		42.05	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	ROST4C-ROX-071114	7/10/2014		42.22	NE	<0.0001	<0.0001	<0.011	<0.0001	<0.00005	<0.0001	<0.00005	<0.0001	<0.0001	<0.011	<0.011	<0.0053	0.0007 J	<0.0053	<0.011	<0.0053	<0.0001	<0.0001	<0.0021	<0.011	<0.0053
	ROST4PZC-ROX-100914	10/9/2014		41.30	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	<0.0022	<0.011	<0.0056
	ROST4PZC-ROX-011515	1/15/2015		41.65	NE	<0.00011	<0.00011	<0.011	<0.00011	<0.000057	<0.00011	<0.000057	<0.00011	<0.00011	<0.011	<0.011	<0.0057	0.0042	<0.0057	<0.011	<0.0057	<0.00011	<0.00011	<0.0023	<0.011	<0.0057
	ROST4PZC-ROX-041315	4/13/2015		43.00	NE	<0.0001	<0.0001	<0.01	0.000018 J	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	ROST4PZC-ROX-071315	7/13/2015		42.59	NE	0.000093 J	<0.0001	<0.01	<0.0001	<0.000052	<0.0001	<0.000052	<0.0001	<0.0001	<0.01	<0.01	<0.0052	<0.0021	<0.0052	<0.01	<0.0052	<0.0001	<0.0001	<0.0021	<0.01	<0.0052
	ROST4PZC-ROX-101215	10/12/2015		40.35	NE	0.00019 J	<0.0002	<0.01	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.01
T-12	T12-ROX-011813	1/18/2013	46.72 - 72.72	44.50	NE	0.0005	0.000093 J	<0.011 UJ	<0.00013 U	<0.000053	<0.00011	<0.000053	<0.00011	<0.00011	<0.011	<0.011	<0.0053	<0.0021	<0.0053	<0.011	<0.0053	<0.00011	<0.00011	<0.0021	<0.011	<0.0053
	T12-ROX-041513	4/15/2013		44.99	NE	0.00063	0.00009 J	<0.01	<0.0001	<0.000051	<0.0001	<0.000051	<0.0001 UJ	<0.0001 UJ	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	0.00048 J	<0.01	<0.0051
	T12-ROX-071613	7/16/2013		42.33	NE	0.00055	0.0001 J	<0.011	0.00015	0.00013	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	0.001 J	<0.0054 UJ	<0.0044 U	<0.0054	<0.011	<0.0054 UJ	<0.00011	<0.00011	0.00042 J	<0.011	<0.0054
	T12-ROX-101513	10/15/2013		43.73	NE	0.00036	<0.00011	<0.011	0.00012	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	0.000028 J	<0.00011	0.00029 J	<0.011	<0.0054
	T12-ROX-012414	1/24/2014		45.26	NE	0.0005	<0.0001	<0.01	0.00014	<0.000051	<0.0001	<0.000051	<0.0001	<0.0001	<0.01	<0.01	<0.0051	<0.002	<0.0051	<0.01	<0.0051	<0.0001	<0.0001	<0.002	<0.01	<0.0051
	T12-ROX-041514	4/15/2014		46.72	NE	0.00037	<0.00011	<0.011	0.00012	<0.000056	<0.00011	<0.000056	<0.00011	<0.00011	<0.011	<0.011	<0.0056	<0.0022	<0.0056	<0.011	<0.0056	<0.00011	<0.00011	0.00031 J	<0.011	<0.0056
	T12-ROX-070814	7/8/2014		45.13	NE	0.00024	<0.00011	<0.011 UJ	<0.00011	<0.000054	<0.00011	<0.000054	<0.00011	<0.00011	<0.011	<0.011	<0.0054	<0.0022	<0.0054	<0.011	<0.0054	<0.00011	<0.00011	<0.0022	<0.011	<0.0054
	T12-ROX-101714	10/17/2014		44.40	NE	0.00036																				

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																					
Screening Values (mg/L)						0.14 ²		0.7 ¹	0.14 ²	0.00031 ²	0.28 ¹	0.28 ¹	0.00006 ²		0.00043 ¹	0.49 ³	0.028 ¹		0.35 ¹	0.35 ³	0.014 ¹	0.0006 ³	0.001 ¹	0.21 ³	0.1 ¹	0.21 ¹	0.007 ³
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																					
MW-01	MW1-ROX-011013	1/10/2013	48.80 - 58.80	41.89	NE	<0.01	<0.0052 UJ	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000021 U	<0.0052	<0.0001	<0.01 UJ	<0.01
	MW1-ROX-040913	4/9/2013		42.55	NE	<0.011	<0.0053 UJ	<0.0012 U	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011	<0.011
	MW1-ROX-070813	7/8/2013		39.56	NE	<0.01	<0.0051	<0.0051	<0.0051	<0.01	0.000033 J	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000043 U	<0.0051	<0.0001	<0.01	<0.01
	MW1-ROX-100313	10/3/2013		40.28	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011	<0.011
	MW1-ROX-011414	1/14/2014		42.77	NE	<0.011 UJ	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011 UJ	<0.011 UJ	<0.0053	<0.0053	<0.011 UJ	0.000031 J	<0.0053 UJ	<0.00011	<0.011	<0.011
	MW1-ROX-040714	4/7/2014		43.28	NE	<0.011 UJ	<0.0054	<0.00029 U	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011 UJ	<0.011 UJ	<0.0054	<0.0054	<0.011 UJ	<0.000023 U	<0.0057 UJ	<0.00011	<0.011	<0.011
	MW1-ROX-070914	7/9/2014		42.09	NE	<0.011	<0.0054	0.00016 JB	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.000085 J	0.00012 JB J	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011	<0.011
	MW1-ROX-100614	10/6/2014		41.1	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.0021	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053 UJ	<0.00011	<0.011	<0.011
	MW1-ROX-011215	1/12/2015		42.73	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000017 J	0.000027 J	<0.0053		<0.00011	<0.00003 U	<0.000036 U	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.00003 J	<0.0053	<0.00011	<0.011 UJ	<0.011 UJ
	MW1-ROX-040615	4/6/2015		44.11	NE	<0.011	<0.0053	0.00044 J	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.000018 J	0.000035 J	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011	<0.011
MW1-ROX-070815	7/8/2015	43.35	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.000038 J	0.000066 J	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000022 J	<0.0053	<0.00011	<0.011	<0.011		
MW-02	MW1-ROX-100615	10/6/2015	48.80 - 58.80	40.83	NE	<0.01	<0.01	<0.01	0.00056 J	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000057 J	0.000096 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01	<0.01
	MW2-ROX-011113	1/11/2013		42.94	NE	<0.011	<0.0056 UJ	<0.0056	<0.0056	<0.011	0.00004 J	<0.00011	<0.0056		<0.00011	0.008	0.0162	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.000044 J	<0.0056	0.000039 J	<0.011 UJ	<0.011 UJ
	MW2-ROX-040913	4/9/2013		43.70	NE	0.005 J	<0.0054 UJ	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.012	0.0256	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011	<0.011
	MW2-ROX-071113	7/11/2013		40.82	NE	0.005 J	<0.0055	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	0.0123 J	0.0249	<0.011	<0.011	<0.0055	<0.0055	<0.011	<0.000051 U	<0.0055 UJ	<0.00011	<0.011 UJ	<0.011 UJ
	MW2-ROX-100813	10/8/2013		41.73	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.009	0.0201	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011 UJ	<0.011 UJ
	MW2-ROX-012014	1/20/2014		44.00	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.0094	0.0208	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000043 U	<0.0053	<0.00011	<0.011 UJ	<0.011 UJ
	MW2-ROX-041014	4/10/2014		44.66	NE	<0.012	<0.006	<0.00046 U	<0.006	<0.012	<0.00012	<0.00012	<0.006		<0.00012	0.0083	0.0193	<0.012	<0.012	<0.006	<0.006	<0.012	<0.00006	<0.006	<0.00012	<0.012	<0.012
	MW2-ROX-071414	7/14/2014		43.13	NE	<0.011	<0.0054	<0.00045 U	<0.0054	<0.011	0.00012	0.00014	<0.0054		<0.00011	0.01	0.0215	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.00017 U	<0.0054	0.000096 J	<0.011	<0.011
	MW2-ROX-101014	10/10/2014		42.49	NE	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	0.01	0.0214	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000051	<0.0051	<0.0001	<0.01	<0.01
	MW2-ROX-011615	1/16/2015		44.1	NE	<0.011	<0.0053	<0.00034 U	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.0108	0.0236	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000025 J	<0.0053	<0.00011	<0.011	<0.011
MW-03	MW2-ROX-041315	4/13/2015	49.87 - 59.87	45.56	NE	<0.011	<0.0054	<0.00045 U	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.0124	0.0253	<0.011	0.000066 J	<0.0054	<0.0054	<0.011	0.000023 J	<0.0054	<0.00011	<0.011	<0.011
	MW2-ROX-071315	7/13/2015		44.53	NE	0.0028 J	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	0.000036 J	<0.0054		<0.00011	0.0129	0.0283	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.000027 JB J	<0.0054	<0.00011	<0.011	<0.011
	MW2-ROX-101215	10/12/2015		42.15	NE	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.01	0.017	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01	<0.01
	MW3-ROX-010913	1/9/2013		29.35	NE	<0.01	<0.005	0.0025 J	<0.005	<0.01	0.000047 J	0.000052 J	<0.005		<0.0001	<0.0002	0.000081 J	<0.01	<0.01	<0.005	<0.005	<0.01	0.000068	<0.005 UJ	0.000036 J	<0.01 UJ	<0.01 UJ
	MW3-ROX-040813	4/8/2013		29.74	NE	<0.011	<0.0057	<0.0057	<0.0057	<0.011	<0.00011	<0.00011	<0.0057		<0.00011	<0.00023	<0.00023	<0.011	<0.011	<0.0057	<0.0057	<0.011	<0.000057	<0.0057	<0.00011	<0.011 UJ	<0.011 UJ
	MW3-ROX-071113	7/11/2013		26.32	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.00044 J	0.00038	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000039 U	<0.0054 UJ	<0.000072 U	<0.011 UJ	<0.011 UJ
	MW3-ROX-100813	10/8/2013		27.38	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.00013 J	0.00014 J	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011 UJ	<0.011 UJ
	MW3-ROX-011614	1/16/2014		29.91	NE	<0.011 UJ	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011 UJ	<0.011								

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																					
						2,4-Dimethylphenol	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate	2,6-Dinitrotoluene	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3 & 4-Methylphenol (m & p-Cresol)	Nitrobenzene	N-Nitrosodimethylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	Pyridine	
Screening Values (mg/L)						0.14 ²		0.7 ¹	0.14 ²	0.00031 ²	0.28 ¹	0.28 ¹	0.00006 ²		0.00043 ¹	0.49 ³	0.028 ¹	0.35 ¹	0.35 ³	0.014 ¹	0.0006 ³	0.001 ¹	0.21 ³	0.1 ¹	0.21 ¹	0.007 ³	
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																					
MW-06A	MW6A-ROX-011413	1/14/2013	34.83 - 44.83	31.00	NE	<0.01	<0.0051 UJ	<0.0051	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		0.000072 J	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051 UJ	<0.01	<0.000051	<0.0051 UJ	<0.0001	<0.01 UJ	
	MW6A-ROX-040313	4/3/2013		31.62	NE	<0.011	<0.0053	0.0018 J	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053 UJ	<0.011	0.000084	<0.0053 UJ	0.000053 J	<0.011 UJ	
	MW6A-ROX-070913	7/9/2013		28.25	NE	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011	<0.011	
	MW6A-ROX-070913-DUP	7/9/2013		28.25	NE	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011	<0.011	
	MW6A-ROX-100713	10/7/2013		28.87	NE	<0.011	<0.0056 UJ	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011	
	MW6A-ROX-100713-DUP	10/7/2013		28.87	NE	<0.011	<0.0054 UJ	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011	
	MW6A-ROX-011614	1/16/2014		31.62	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052 UJ	<0.01	<0.000052	<0.0052 UJ	<0.0001	<0.01 UJ	
	MW6A-ROX-011614-DUP	1/16/2014		31.62	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053 UJ	<0.011	<0.000053	<0.0053 UJ	<0.00011	<0.011 UJ	
	MW6A-ROX-040814	4/8/2014		32.16	NE	<0.011	<0.0056	<0.00075 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000054	<0.0056	<0.00011	<0.011 UJ	
	MW6A-ROX-040814-DUP	4/8/2014		32.16	NE	<0.011	<0.0054	<0.00077 U	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000055	<0.0054	<0.00011	<0.011 UJ	
	MW6A-ROX-071014	7/10/2014		30.75	NE	<0.011	<0.0054	<0.00026 U	<0.0054	<0.011	<0.00011	0.00013	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.000046 J	<0.0054	<0.00011	<0.011	
	MW6A-ROX-100814	10/8/2014		29.84	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.0021	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011 UJ	
	MW6A-ROX-011415	1/14/2015		31.54	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000037 J J	0.000076 J	<0.0053		<0.00011	<0.0021	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000046 J	<0.0053	0.000027 J	<0.011	
	MW6A-ROX-040715	4/7/2015		33.08	NE	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	0.000019 J	0.000023 J	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000051	<0.0051	<0.0001	<0.01	
	MW6A-ROX-071515	7/15/2015		31.52	NE	<0.011	<0.0057	<0.0057	<0.0057	<0.011	<0.00011	0.000058 J	<0.0057		<0.00011	0.000056 J	0.000076 J	<0.011	<0.011	<0.0057	<0.0057	<0.011	0.000026 J	<0.0057	<0.00011	<0.011	
MW-06B	MW6A-ROX-100715	10/7/2015	34.83 - 44.83	29.77	NE	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01	
	MW6B-ROX-011713	1/17/2013	64.05 - 69.05	31.11	NE	<0.01	<0.005	0.0026 J	<0.005	<0.01	<0.0001	<0.0001	<0.005		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.005	<0.005	<0.01	<0.00005	<0.005	<0.0001	<0.01	
	MW6B-ROX-040313	4/3/2013		31.68	NE	<0.011	<0.0054	0.0012 J	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	0.0002 J	<0.011	<0.011	<0.0054	<0.0054 UJ	<0.011	<0.000054	<0.0054 UJ	<0.00011	<0.011 UJ	
	MW6B-ROX-070913	7/9/2013		28.25	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011	
	MW6B-ROX-100713	10/7/2013		28.93	NE	<0.011	<0.0054 UJ	<0.0054	<0.0054	0.0224	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011	
	MW6B-ROX-011614	1/16/2014		31.67	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		0.000043 J	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054 UJ	<0.011	<0.000054	<0.0054 UJ	<0.00011	<0.011 UJ	
	MW6B-ROX-040814	4/8/2014		32.21	NE	<0.011	<0.0053	<0.00043 U	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000018 J	<0.0053	<0.00011	<0.011	
	MW6B-ROX-071014	7/10/2014		30.81	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011	
	MW6B-ROX-100814	10/8/2014		29.87	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.0021	<0.0021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011 UJ	
	MW6B-ROX-011415	1/14/2015		31.59	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.0022	0.000017 J	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011	
	MW6B-ROX-040715	4/7/2015		33.10	NE	<0.01	<0.0051	0.00029 J	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.002	<0.002	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000051	<0.0051	<0.0001	<0.01	
	MW6B-ROX-040715-DUP	4/7/2015		33.10	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.0021	<0.0021	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000052	<0.0052	<0.0001	<0.01	
	MW6B-ROX-071415	7/14/2015		31.56	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	0.00013	<0.0053		<0.00011	0.0036	0.0068	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000045 J	<0.0053	<0.00011	<0.011	
	MW6B-ROX-100715	10/7/2015	64.05 - 69.05	29.80	NE	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000059 J	0.000088 J J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01	
MW-06C	MW6C-ROX-011713	1/17/2013	84.95 - 89.95	30.88	NE	<0.01	<0.005	0.0022 J	<0.005	<0.01	<0.0001	<0.0001	<0.005		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.005	<0.005	<0.					

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																							
						2,4-Dimethylphenol	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate	2,6-Dinitrotoluene	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3 & 4-Methylphenol (m & p-Cresol)	Nitrobenzene	N-Nitrosodimethylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	Pyridine			
Screening Values (mg/L)						0.14 ²		0.7 ¹	0.14 ²	0.00031 ²	0.28 ¹	0.28 ¹	0.00006 ²		0.00043 ¹	0.49 ³	0.028 ¹	0.35 ¹	0.35 ³	0.014 ¹	0.0006 ³	0.001 ¹	0.21 ³	0.1 ¹	0.21 ¹	0.007 ³			
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																							
MW-07	MW7-ROX-011513	1/15/2013	42.92 - 52.92	42.21	NE	<0.011	<0.0053 UJ	<0.0053	<0.0053	<0.011	0.00004 J	0.00061	<0.0053		<0.00011	0.0187	0.0224	<0.011	<0.011	<0.0053	<0.0053 UJ	<0.011	0.00086	0.0865 J	0.000089 J	<0.011 UJ			
	MW7-ROX-011513-DUP	1/15/2013		42.21	NE	<0.01	<0.0052 UJ	<0.0052	<0.0052	<0.01	<0.0001	0.00057	<0.0052		<0.0001	0.0173	0.0207	<0.01	<0.01	<0.0052	<0.0052 UJ	<0.01	0.00078	0.0735 J	0.000078 J	<0.01 UJ			
	MW7-ROX-041013	4/10/2013		42.70	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.000039 J	0.00081	<0.0054		<0.00011	0.0271	0.0351	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.0014	0.147	0.00015	<0.011			
	MW7-ROX-041013-DUP	4/10/2013		42.70	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000068 J	0.00087	<0.0053		<0.00011	0.0274	0.0357	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.0015	0.148	0.00016	<0.011			
	MW7-ROX-071713	7/17/2013		39.60	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	0.00019	<0.0054		0.000078 J	0.0043	0.006	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.00024	0.118	0.000039 J	<0.011			
	MW7-ROX-101613	10/16/2013		40.64	NE	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.00011	0.00022	<0.0055		<0.00011	0.0082	0.011	<0.011	<0.011	<0.0055	<0.0055	<0.011	0.00019	0.0849	<0.00011	<0.011			
	MW7-ROX-013014	1/30/2014		42.94	NE	<0.01	<0.005	<0.0007 U	<0.005	<0.01	<0.0001	0.00021	<0.005		<0.0001	0.0059	0.0083	<0.01	<0.01	<0.005	<0.005	<0.01	0.00029	0.0314	<0.0001	<0.01			
	MW7-ROX-041614	4/16/2014		43.79	NE	<0.01	<0.0052	<0.00071 U	<0.0052	<0.01	<0.0001	0.00026	<0.0052		<0.0001	0.0074	0.0103	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.00033 B	0.0988	<0.0001	<0.01			
	MW7-ROX-071614	7/16/2014		42.05	NE	<0.01	<0.0052	<0.00027 U	<0.0052	<0.01	<0.0001	0.00021	<0.0052		<0.0001	0.0052	0.0079	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.00028	0.0618	<0.0001	<0.01			
	MW7-ROX-071614-DUP	7/16/2014		42.05	NE	<0.01	<0.0052	<0.00038 U	<0.0052	<0.01	<0.0001	0.00019	<0.0052		<0.0001	0.0052	0.0077	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.00026	0.0638	<0.0001	<0.01			
	MW7-ROX-101614	10/16/2014		41.31	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	0.0002	<0.0056		<0.00011	0.0049	0.0074	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.00028	0.155	<0.00011	<0.011 UJ			
	MW7-ROX-101614-DUP	10/16/2014		41.31	NE	<0.011	<0.0057	<0.0057	<0.0057	<0.011	<0.00011	0.00019	<0.0057		<0.00011	0.0047	0.007	<0.011	<0.011	<0.0057	<0.0057	<0.011	0.00027	0.133	<0.00011	<0.011 UJ			
	MW7-ROX-012215	1/22/2015		43.45	NE	0.00072 J	<0.0053	0.00035 J	<0.0053	<0.011	<0.000063 U	0.00024	<0.0053		0.00003 J	0.0053	0.0068	<0.011	0.00059 J	<0.0053	<0.0053	<0.011	0.00049	0.145	<0.000099 U	<0.011			
	MW7-ROX-012215-DUP	1/22/2015		43.45	NE	0.00071 J	<0.0052	0.00027 J	<0.0052	<0.01	<0.000021 U	0.00022	<0.0052		<0.0001	0.0052	0.0066	<0.01	0.00056 J	<0.0052	<0.0052	<0.01	0.00045	0.136	<0.000058 U	<0.01			
	MW7-ROX-042115	4/21/2015		44.63	NE	0.0014 J	<0.0051	<0.0051	<0.0051	<0.01	<0.0001	0.00033	<0.0051		<0.0001	0.008	0.01	0.00037 J	0.0011 J	<0.0051	<0.0051	<0.01	0.00066	0.0707	0.000057 J	<0.01			
MW-08	MW7-ROX-042115-DUP	4/21/2015	44.63	NE	0.0012 J	<0.0051	<0.0051	<0.0051	<0.01	0.000026 J	0.0003	<0.0051		<0.0001	0.0074	0.0093	0.00032 J	0.0011 J	<0.0051	<0.0051	<0.01	0.00063	0.0766	0.000066 J	<0.01				
	MW7-ROX-071515	7/15/2015	43.54	NE	<0.01	<0.0051	0.00063 J	<0.0051	<0.01	0.000019 J	0.00021	<0.0051		<0.0001	0.0047	0.0065	<0.01	0.0031 J	<0.0051	<0.0051	<0.01	0.00031	0.104	0.000052 J	<0.01				
	MW7-ROX-071515-DUP	7/15/2015	43.54	NE	<0.01	<0.0052	0.00057 J	<0.0052	<0.01	0.000023 J	0.00018	<0.0052		<0.0001	0.0055	0.0082	<0.01	0.0032 J	<0.0052	<0.0052	<0.01	0.00034	0.117	0.000053 J	<0.01				
	MW7-ROX-101915	10/19/2015	41.43	NE	0.0043 J	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	0.0018 J	<0.0002	0.0029	0.0041	<0.01	0.0018 J	<0.01	<0.01	<0.02	0.00014 J	0.13	<0.0002	<0.01				
	MW7-ROX-101915-DUP	10/19/2015	41.43	NE	0.0044 J	<0.01	<0.01	<0.01	<0.01	<0.0002	0.00011 J	<0.01	0.0018 J	<0.0002	0.0026	0.0037	<0.01	0.0018 J	<0.01	<0.01	<0.02	0.00019 J	0.12	<0.0002	<0.01				
	MW8-ROX-011513	1/15/2013	33.30	NE	0.019	<0.0056 UJ	<0.0056	<0.0056	<0.011	<0.00011	0.00041	<0.0056		<0.00011	0.011	0.0129	0.0332	0.102	<0.0056	<0.0056 UJ	<0.011	0.00016	0.0997 J	<0.00011	<0.011 UJ				
	MW8-ROX-041013	4/10/2013	33.77	NE	0.0358	<0.0053	0.0013 J	<0.0053	<0.011	0.000056 J	0.00032	<0.0053		<0.00011	0.0091	0.0113	0.0388	0.084	<0.0053	<0.0053	<0.011	0.00019	0.253 J	0.000042 J	<0.011				
	MW8-ROX-071713	7/17/2013	30.43	NE	0.009 J	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	0.00033	<0.0052		<0.0001	0.0097 J	0.0113	0.0046 J	0.0106	<0.0052	<0.0052	<0.01	0.00015	0.328	0.000062 J	<0.01				
	MW8-ROX-071713-DUP	7/17/2013	30.43	NE	0.0089 J	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	0.00036	<0.0054		<0.00011	0.0087 J	0.0098	0.0037 J	0.0091 J	<0.0054	<0.0054	<0.011	0.00016	0.303	<0.00011	<0.011				
	MW8-ROX-101613	10/16/2013	31.59	NE	0.0066 J	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	0.00041	<0.0054		<0.00011	0.0117	0.0136	0.0022 J	0.0052 J	<0.0054	<0.0054	<0.011	0.00011	0.0996	<0.00011	<0.011				
	MW8-ROX-101613-DUP	10/16/2013	31.59	NE	0.0062 J	<0.0059	<0.0059	<0.0059	<0.012	<0.00012	0.00037	<0.0059		<0.00012	0.0108	0.0128	0.0019 J	0.0046 J	<0.0059	<0.0059	<0.012	0.000097	0.108	<0.00012	<0.012				
	MW8-ROX-013014	1/30/2014	34.02	NE	0.0124	<0.0051	<0.0011 U	<0.0051	<0.01	<0.0001	0.00054	<0.0051		<0.0001	0.0137	0.0123	0.0128	0.0198	<0.0051	<0.0051	<0.01	0.00018	0.105	<0.0001	<0.01				
	MW8-ROX-013014-DUP	1/30/2014	34.02	NE	0.0121	<0.0054	<0.00092 U	<0.0054	<0.011	<0.00011	0.00052	<0.0054		<0.00011	0.0136	0.0123	0.0129	0.019	<0.0054	<0.0054	<0.011	0.00019	0.135	<0.00011	<0.011				
	MW8-ROX-041614	4/16/2014	34.73	NE	<0.011	<0.0056	<0.00073 U	<0.0056	<0.011	<0.00011	0.00046	<0.0056		<0.00011	0.0142	0.0097	<0.011	0.0062 J	<0.0056	<0.0056	<0.011	0.00015 B J	0.135	<0.00011	<0.011				
	MW8-ROX-041614-DUP	4/16/2014	34.73	NE	<0.01	<0.0051	<0.0006 U	<0.0051	<0.01	<0.0001	0.00043	<0.0051		<0.0001	0.0129	0.0086	<0.01	0.0053 J	<0.0051	<0.0051	<0.01	0.00016 B J	0.118	<0.0001	<0.01				
MW8-ROX-071614	7/16/2014	33.01	NE	<0.01	<0.0052	<0.00045 U	<0.0052	<0.01	<0.0001	0.00038	<0.0052		<0.0001	0.0125	0.0048	0.0037 J	0.0045 J	<0.0052	<0.0052	<0.01	0.0002 B	0.111	<0.0001	<></					

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																							
						2,4-Dimethylphenol	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate	2,6-Dinitrotoluene	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3 & 4-Methylphenol (m & p-Cresol)	Nitrobenzene	N-Nitrosodimethylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	Pyridine			
Screening Values (mg/L)						0.14 ²		0.7 ¹	0.14 ²	0.00031 ²	0.28 ¹	0.28 ¹	0.00006 ²		0.00043 ¹	0.49 ³	0.028 ¹	0.35 ¹	0.35 ³	0.014 ¹	0.0006 ³	0.001 ¹	0.21 ³	0.1 ¹	0.21 ¹	0.007 ³			
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																							
MW-11	MW11-ROX-011013	1/10/2013	41.66 - 51.66	41.43	NE	<0.01 UJ	<0.005 UJ	<0.005 UJ	<0.005 UJ	<0.01 UJ	<0.0001 UJ	<0.0001 UJ	<0.005 UJ		<0.0001 UJ	<0.0002 UJ	<0.0002 UJ	<0.01 UJ	<0.01 UJ	<0.005 UJ	<0.005 UJ	<0.01 UJ	<0.000015 UJ	<0.005 UJ	<0.0001 UJ	<0.01 UJ			
	MW11-ROX-040813	4/8/2013		42.02	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011 UJ			
	MW11-ROX-070813	7/8/2013		39.24	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011			
	MW11-ROX-100713	10/7/2013		39.95	NE	<0.011	<0.0055 UJ	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011	<0.011			
	MW11-ROX-011514	1/15/2014		42.16	NE	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.011	<0.000026 U	<0.0055	<0.00011	<0.011			
	MW11-ROX-040714	4/7/2014		42.70	NE	<0.011	<0.0056	<0.0007 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000023 U	<0.0056	<0.00011	<0.011 UJ			
	MW11-ROX-070914	7/9/2014		41.75	NE	<0.011	<0.0057	<0.00042 U	<0.0057	<0.011	<0.00011	<0.00011	<0.0057		<0.00011	<0.00023	<0.00023	<0.011	<0.011	<0.0057	<0.0057	<0.011	0.00003 J	<0.0057	<0.00011	<0.011			
	MW11-ROX-100714	10/7/2014		40.89	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000052	<0.0052	<0.0001	<0.01			
	MW11-ROX-011315	1/13/2015		41.93	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00002 U	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011 UJ			
	MW11-ROX-040815	4/8/2015		43.19	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	0.000022 JB	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011			
	MW11-ROX-070915	7/9/2015		42.45	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.000029 J	0.000045 J	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.000029 J	<0.0054	<0.00011	<0.011			
	MW11-ROX-100815	10/8/2015		40.15	NE	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000029 J	0.000034 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01			
MW-12	MW12-ROX-011013	1/10/2013	41.92 - 51.92	41.83	NE	<0.01	<0.0051 UJ	<0.0051	<0.0051	<0.01	0.000045 J	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000032 U	<0.0051	<0.0001	<0.01 UJ			
	MW12-ROX-040813	4/8/2013		42.46	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	0.000044 J	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000052	<0.0052	<0.0001	<0.01 UJ			
	MW12-ROX-070913	7/9/2013		39.28	NE	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011	<0.011			
	MW12-ROX-100713	10/7/2013		40.22	NE	<0.011 UJ	<0.0055 UJ	<0.0055	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011 UJ	<0.011 UJ	<0.0055	<0.0055	0.00018 J J	<0.000055	<0.0053 UJ	<0.00011	<0.011			
	MW12-ROX-011514	1/15/2014		42.54	NE	<0.01 UJ	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01 UJ	<0.01 UJ	<0.0052	<0.0052	<0.01 UJ	<0.000022 U	<0.0052 UJ	<0.0001	<0.01			
	MW12-ROX-040814	4/8/2014		43.15	NE	<0.01	<0.0051	<0.0006 U	<0.0051	<0.01	<0.00011	<0.00011	<0.0051		<0.00011	<0.00023	<0.00023	<0.01	<0.01	<0.0051	<0.0051	<0.01	0.000021 J	<0.0051	<0.00011	<0.01 UJ			
	MW12-ROX-070914	7/9/2014		41.97	NE	<0.011	<0.0056	<0.00098 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011			
	MW12-ROX-100614	10/6/2014		40.98	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053 UJ	<0.00011	<0.011			
	MW12-ROX-011215	1/12/2015		42.33	NE	<0.011	<0.0056	0.00023 J	<0.0056	<0.011	0.00002 J	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.000018 J	<0.0056	<0.00011	<0.011 UJ			
	MW12-ROX-040615	4/6/2015		43.75	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000019 J	<0.00011	<0.0053		<0.00011	0.000018 J	0.000031 J	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.00002 U	<0.0053	0.000016 J	<0.011			
	MW12-ROX-070815	7/8/2015		42.86	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	0.000012	0.000035 J	<0.0056		0.000059 J	0.000035 J	0.000079 J	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.000067 J	<0.0056	0.000081 J	<0.011			
	MW12-ROX-100815	10/8/2015		40.54	NE	<0.01	<0.01	<0.01	<0.01	<0.01	0.000039 J	<0.0002	<0.01	<0.01	<0.0002	0.00006 J	0.000081 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	0.000021 J	<0.01			
MW12-ROX-100815-DUP	10/8/2015	40.54	NE	<0.01	<0.01	<0.01	<0.01	<0.01	0.000039 J	<0.0002	<0.01	<0.01	<0.0002	0.000036 J	0.000055 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	0.000021 J	<0.01					
MW-13	MW13-ROX-012313	1/23/2013	25.57 - 35.57	29.26	NE	<0.011	<0.0055 UJ	0.0027 J	<0.0055	<0.01	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011 J	<0.011	<0.011	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011	<0.011 UJ		
	MW13-ROX-041213	4/12/2013		29.44	NE	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	0.00011 J	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000051	<0.0051	<0.0001	<0.01			
	MW13-ROX-071213	7/12/2013		25.67	NE	<0.011	<0.0054 UJ	<0.0054	<0.0054	<0.011	<0.00042	<0.00011	<0.0054		<0.00011	<0.00022	<0.000067 U	<0.011	<0.011	<0.0054	<0.0054 UJ	<0.011	<0.000076	<0.0054 UJ	<0.00004	<0.011 UJ			
	MW13-ROX-100913	10/9/2013		26.94	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000052	<0.0052	<0.0001	<0.01			

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																							
Screening Values (mg/L)						0.14 ²		0.7 ¹	0.14 ²	0.00031 ²	0.28 ¹	0.28 ¹	0.00006 ²		0.00043 ¹	0.49 ³	0.028 ¹	0.35 ¹	0.35 ³	0.014 ¹	0.0006 ³	0.001 ¹	0.21 ³	0.1 ¹	0.21 ¹	0.007 ³			
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																							
MW-22	MW22-ROX-012313	1/23/2013	37.88 - 47.88	41.80	NE	0.0146	<0.0052 UJ	0.0024 J	<0.0052	<0.01	<0.0001	0.00018	<0.0052		<0.0001	0.0276	0.05	0.018	0.0322	<0.0052	<0.0052	<0.01	0.00019	0.0111	<0.0001	<0.01 UJ			
	MW22-ROX-012313-DUP	1/23/2013		41.80	NE	0.0149	<0.0053 UJ	0.0024 J	<0.0053	<0.011	<0.00011	0.00018	<0.0053		<0.00011	0.028	0.0501	0.0187	0.0349	<0.0053	<0.0053	<0.011	0.0002	0.0122	<0.00011	<0.011 UJ			
	MW22-ROX-040513	4/5/2013		42.23	NE	0.0269	<0.0053	0.00057 J	<0.0053	<0.011	<0.00011	0.00018	<0.0053		<0.00011	0.0241	0.0413	0.0236	0.0403	<0.0053	<0.0053 UJ	<0.011	0.00019	0.0123 J	<0.00011	<0.011 UJ			
	MW22-ROX-071113	7/11/2013		39.35	NE	0.104	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	0.00027	<0.0054		<0.00011	0.0232 J	0.0393	0.0159	0.029	<0.0054	<0.0054	<0.011	0.0002 B	0.0094 J	<0.00011	<0.011 UJ			
	MW22-ROX-071113-DUP	7/11/2013		39.35	NE	0.0978	<0.0056	0.00052 J	<0.0056	<0.011	<0.00011	0.00017	<0.0056		<0.00011	0.0216 J	0.037	0.0147	0.0269	<0.0056	<0.0056	<0.011	0.0002 B	0.0088 J	<0.00011	<0.011 UJ			
	MW22-ROX-100913	10/9/2013		40.39	NE	0.0863	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	0.00019	<0.0054		<0.00011	0.0276	0.0468	0.0152	0.0319	<0.0054	<0.0054	<0.011	0.00019	<0.0054	<0.00011	<0.011			
	MW22-ROX-100913-DUP	10/9/2013		40.39	NE	0.0826	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	0.0002	<0.0054		<0.00011	0.0265	0.0451	0.0139	0.0296	<0.0054	<0.0054	<0.011	0.00016	<0.0054	<0.00011	<0.011			
	MW22-ROX-012014	1/20/2014		42.49	NE	0.0399 J	<0.027	<0.027	<0.027	<0.053	<0.00011	0.00017	<0.027		<0.00011	0.0258	0.0459	0.0124 J	0.0313 J	<0.027	<0.027	<0.053	0.0002 B	0.0071 J	<0.00011	<0.053 UJ			
	MW22-ROX-012014-DUP	1/20/2014		42.49	NE	0.0364 J	<0.027	<0.027	<0.027	<0.054	<0.00011	0.00015	<0.027		<0.00011	0.0232	0.0416	0.0118 J	0.0296 J	<0.027	<0.027	<0.054	0.0002 B	0.007 J	<0.00011	<0.054 UJ			
	MW22-ROX-041014	4/10/2014		43.15	NE	0.0316 J	<0.028	<0.0016 U	<0.028	<0.056	<0.00011	<0.00011	<0.028		<0.00011	0.0174	0.0287	0.0156 J	0.035 J	<0.028	<0.028	<0.056	0.0001	<0.028	<0.00011	<0.056			
	MW22-ROX-041014-DUP	4/10/2014		43.15	NE	0.032 J	<0.028	<0.0018 U	<0.028	<0.056	<0.00011	0.00012	<0.028		<0.00011	0.0199	0.0322	0.0159 J	0.038 J	<0.028	<0.028	<0.056	0.0001	<0.028	<0.00011	<0.056			
	MW22-ROX-071414	7/14/2014		41.85	NE	0.0281	<0.0054	<0.00057 U	<0.0054	<0.011	<0.00011	0.00015	<0.0054		<0.00011	0.0198	0.0355	0.0102 J	0.0204	<0.0054	<0.0054	<0.011	<0.00018 U	<0.0054	<0.00011	<0.011			
	MW22-ROX-101014	10/10/2014		41.43	NE	<0.013	<0.0063	<0.0063	<0.0063	<0.013	<0.00013	0.00014	<0.0063		<0.00013	0.0193	0.0339	0.0064 J	0.011 J	<0.0063	<0.0063	<0.013	0.00036	0.0079	<0.00013	<0.013			
	MW22-ROX-011615	1/16/2015		42.19	NE	0.0329	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	0.00051	<0.0053		<0.00011	0.0153	0.0184	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000064	0.0119	<0.00011	<0.011			
	MW22-ROX-041415	4/14/2015		43.71	NE	0.0143	<0.0052	<0.0052	<0.0052	<0.01	0.000016 J	0.00021	<0.0052	0.047 JN	<0.0001	0.024	0.0397	<0.01	0.0201	<0.0052	<0.0052	<0.01	0.000083	0.0108	0.00002 J	<0.01			
MW22-ROX-071515	7/15/2015	42.64	NE	<0.057	<0.029	<0.029	<0.029	<0.057	<0.00011	0.00011	<0.029	0.033 JN	<0.00011	0.0216	0.0374	0.0075 J	<0.057	<0.029	<0.029	<0.057	0.000099	<0.029	<0.00011	<0.057					
MW22-ROX-101415	10/14/2015	40.54	NE	0.015	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	0.021	<0.0002	0.015	0.026	0.0055 J	0.0097 J	<0.01	<0.01	<0.02	<0.0002	0.0082 J	<0.0002	0.0038 J *					
MW-23	MW23-ROX-012615	1/26/2015	29.02 - 39.02	30.90	NE	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	0.00096 J	<0.005 UJ		<0.0002	0.0019	0.00056 J	<0.005	<0.005	<0.005	<0.005	<0.025	0.0037	<0.005	<0.001	<0.01			
	MW23-ROX-040815	4/8/2015		32.24	NE	<0.01	<0.0051	<0.0051	<0.0051	<0.01	0.000029 J	0.000053 J	<0.0051		<0.0001	0.000036 JB	0.000028 JB	<0.01	<0.01	<0.0051	<0.0051	<0.01	0.00057	<0.0051	0.00015	<0.01			
	MW23-ROX-071015-BP	7/10/2015	29.02 - 39.02	30.54	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	0.00002 J	0.000025 J	<0.0056		<0.00011	0.000049 JB	0.000019 JB	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.000052 J	<0.0056	0.000068 J	<0.011			
	MW23-ROX-100515	10/5/2015		28.89	NE	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000072 J	0.00011 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01			
MW-24	MW24-ROX-040513	4/5/2013	38.89 - 48.89	43.39	NE	<0.01	<0.0052	0.00049 J	<0.0052	<0.01	0.000088 J	<0.0001	<0.0052		<0.0001	<0.00021	0.00015 J	<0.01	<0.01	<0.0052	<0.0052 UJ	<0.01	<0.00052	<0.0052 UJ	0.000066 J	<0.01 UJ			
	MW24-ROX-071113	7/11/2013		40.35	NE	<0.011 UJ	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022 UJ	0.000062 J	<0.011 UJ	<0.011 UJ	<0.0054	<0.0054	<0.011 UJ	<0.000038 U	<0.0053 UJ	<0.00011	<0.011 UJ			
	MW24-ROX-100913	10/9/2013		41.27	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011			
	MW24-ROX-011514	1/15/2014		43.47	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011			
	MW24-ROX-040914	4/9/2014		44.13	NE	<0.011	<0.0056	<0.00092 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011			
	MW24-ROX-071114	7/10/2014		42.97	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011 UJ			
	MW24-ROX-100814	10/8/2014		42.16	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011 UJ			
	MW24-ROX-011315	1/13/2015		43.17	NE	<0.011	<0.0053	0.00023 J	<0.0053	<0.011	<0.00011	0.000059 J	<0.0053		<0.00011	0.000036 JB	<0.000099 U	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000037 J	<0.0053	<0.00011	<0.011 UJ			
	MW24-ROX-040915	4/9/2015		44.45	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.00002 JB J	0.000035 JB	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	<0.0053	<0.00011	<0.011			
	MW24-ROX-070915	7/9/2015		44.65	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	0.000049 J	0.000081 J	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.000041 J	<0.0052	<0.0001	<0.01			
	MW24-ROX-100715	10/7/2015		41.45	NE	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01																

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																				
Screening Values (mg/L)						0.14 ²		0.7 ¹	0.14 ²	0.00031 ²	0.28 ¹	0.28 ¹	0.00006 ²		0.00043 ¹	0.49 ³	0.028 ¹	0.35 ¹	0.35 ³	0.014 ¹	0.0006 ³	0.001 ¹	0.21 ³	0.1 ¹	0.21 ¹	0.007 ³
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
P-54	P54-ROX-011113	1/11/2013	38.00 - 63.00	41.56	NE	<0.011	<0.0053 UJ	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000032 J	<0.0053	<0.00011	<0.011 UJ
	P54-ROX-041013	4/10/2013		41.80	NE	<0.011	<0.0057 UJ	<0.0057	<0.0057	<0.011	<0.00011	<0.00011	<0.0057		<0.00011	<0.00023	<0.00023	<0.011	<0.011	<0.0057	<0.0057	<0.011	<0.000057	<0.0057	<0.00011	<0.011
	P54-ROX-050313	5/3/2013		41.80	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011
	P54-ROX-071113	7/11/2013		39.07	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021 UJ	0.000083 J	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000049 U	<0.0052 UJ	<0.0001	<0.01 UJ
	P54-ROX-100813	10/8/2013		39.94	NE	<0.011	<0.0057	<0.0057	<0.0057	<0.011	<0.00011	<0.00011	<0.0057		<0.00011	<0.00023	<0.00023	<0.011	<0.011	<0.0057	<0.0057	<0.011	<0.000057	<0.0057	<0.00011	<0.011 UJ
	P54-ROX-011514	1/15/2014		42.20	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011
	P54-ROX-040914	4/9/2014		42.80	NE	<0.012	<0.006	<0.00062 U	<0.006	<0.012	<0.00012	<0.00012	<0.006		<0.00012	<0.00024	<0.00024	<0.012	<0.012	<0.006	<0.006	<0.012	<0.00006	<0.006	<0.00012	<0.012
	P54-ROX-071114	7/10/2014		41.71	NE	<0.011	<0.0054	<0.00028 U	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.00011 J	0.00013 J	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000051 U	<0.0054	<0.00011	<0.011 UJ
	P54-ROX-100814	10/8/2014		40.88	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011 UJ
	P54-ROX-011415	1/14/2015		41.79	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	0.000021 J J	<0.00011	<0.0056		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.00002 J	<0.0056	0.00003 J	<0.011
P-55	P54-ROX-041015	4/10/2015		43.20	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.00002 J J	<0.00011	<0.0053		<0.00011	0.000024 J	0.000046 J	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.000025 JB	<0.0053	0.000018 J	<0.011
	P54-ROX-070915	7/9/2015		42.25	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	0.000019 J	<0.0052		<0.0001	0.000089 J	0.00015 J	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.000041 J	<0.0052	<0.0001	<0.01
P-55R	P54-ROX-100915	10/9/2015	38.00 - 63.00	40.20	NE	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	0.000037 J	0.000063 J	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01
	P55-ROX-012113	1/21/2013	39.82 - 64.82	45.24	NE	0.004 J	<0.01	<0.01	<0.01	<0.001	<0.0001	0.00133	<0.002		<0.0001		0.042	<0.01	<0.01	<0.004	<0.02	<0.004	0.00211	0.004 J	<0.0001	<0.01 UJ
P55-ROX-012113	1/21/2013	45.24		NE	0.0024 J	<0.0051	0.00069 J	<0.0051	<0.01	<0.0001	0.00093	<0.0051		<0.0001	0.0176	0.0254	<0.01	0.0018 J	<0.0051	<0.0051	<0.01	0.0017	0.0034 J	<0.0001	<0.01	
P-55R	P55-ROX-041513	4/15/2013	40.43 - 50.43	43.63	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	0.0013	<0.0052		<0.0001	0.0268	0.0389	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.0021	<0.0052	<0.0001	<0.01 UJ
	P55-ROX-071613	7/16/2013		40.06	NE	0.0024 J	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	0.0015	<0.0056		<0.00011	0.0244	0.0353	<0.011 UJ	<0.011	<0.0056	<0.0056	<0.011	0.0019	0.0048 J J	<0.00011	<0.011
	P55-ROX-101013	10/10/2013		41.67	NE	0.0014 J	<0.0055	<0.0055	<0.0055	<0.011	<0.00011	0.0014	<0.0055		<0.00011	0.0279	0.0415	<0.011	<0.011	<0.0055	<0.0055	<0.011	0.0017	0.002 J	<0.00011	<0.011
P-56	P56-ROX-011713	1/17/2013	40.82 - 65.82	45.65	NE	<0.01	<0.005	<0.005	<0.005	<0.01	<0.0001	0.00032	<0.005		<0.0001	0.0147	0.0131	<0.01	<0.01	<0.005	<0.005	<0.01	0.0012	0.0014 J	<0.0001	<0.01
	P56-ROX-041213	4/12/2013		46.12	NE	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.00011	0.00032	<0.0055		<0.00011	0.0208	0.0239	<0.011	<0.011	<0.0055	<0.0055	<0.011	0.0012	<0.0055	<0.00011	<0.011
	P56-ROX-071513	7/15/2013		43.25	NE	0.0086 J	<0.0055	<0.0055	<0.0055	<0.011	<0.00011	0.00059	<0.0055		<0.00011	0.0315	0.0431	<0.011 UJ	0.0064 J	<0.0055	<0.0055	<0.011	0.0015	<0.0055 UJ	<0.00011	<0.011
	P56-ROX-101013	10/10/2013		44.48	NE	0.0042 J	<0.0055	<0.0055	<0.0055	<0.011	<0.00011	0.00044	<0.0055		<0.00011	0.0251	0.03	<0.011	<0.011	<0.0055	<0.0055	<0.011	0.0013	<0.0055	<0.00011	<0.011
	P56-ROX-012214	1/22/2014		46.35	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	0.00035	<0.0052		<0.0001	0.0193	0.0228	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.0012	<0.0052	<0.0001	<0.01
	P56-ROX-041414	4/14/2014		47.32	NE	<0.012	<0.0059	0.00051 J	<0.0059	<0.012	<0.00012	0.00038	<0.0059		<0.00012	0.0223	0.0269	<0.012	0.0008 J	<0.0059	<0.0059	<0.012	0.0012	<0.0059	<0.00012	<0.012
	P56-ROX-070814	7/8/2014		45.97	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	0.00036	<0.0056		<0.00011	0.0181	0.0243	<0.011	0.0165	<0.0056	<0.0056	<0.011	0.001	<0.0056	<0.00011	<0.011
	P56-ROX-101314	10/13/2014		45.05	NE	<0.011	<0.0054	<0.00035 U	<0.0054	<0.011	<0.00011	0.00041	<0.0054		<0.00011	0.0235	0.0296	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.0015	<0.0054	<0.00011	<0.011 UJ
	P56-ROX-011915	1/19/2015		46.58	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	0.0003	<0.0054		<0.00011	0.0197	0.0223	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.0011	<0.0054	0.00003 J	<0.011
	P56-ROX-041515	4/15/2015		48.05	NE	0.0026 J	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	0.00041	<0.0054		<0.00011	0.026	0.0293	<0.011	0.0011 J	<0.0054	<0.0054	<0.011	0.0013	<0.0054	0.000027 J J	<0.011
	P56-ROX-071015	7/10/2015		47.34	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	0.00033	<0.0053		<0.00011	0.0262	0.0119	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.0014	<0.0053	0.000029 J	<0.011
	P-57	P56-ROX-101415		10/14/2015	40.82 - 65.82	44.85	NE	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	0.00018 J	<0.01	<0.01	<0.0002	0.013	0.011 J	<0.01	0.29	<0.01	<0.01	<0.02	0.00082	<0.01
P57-ROX-012913		1/29/2013	40.46 - 65.46	45.92	NE	0.0023 J J	<0.0059	<0.0059	<0.0059	<0.012	<0.00012	0.00094	<0.0059		<0.00012	0.0369	0.0447	<0.012	<0.012	<0.0059	<0.0059	<0.012	0.00074	<0.0059 UJ	<0.00012	<0.012 UJ
P57-ROX-041113		4/11/2013		46.2																						

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																				
Screening Values (mg/L)						0.14 ²		0.7 ¹	0.14 ²	0.00031 ²	0.28 ¹	0.28 ¹	0.00006 ²		0.00043 ¹	0.49 ³	0.028 ¹	0.35 ¹	0.35 ³	0.014 ¹	0.0006 ³	0.001 ¹	0.21 ³	0.1 ¹	0.21 ¹	0.007 ³
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
P-59	P59-ROX-013013	1/30/2013	47.91 - 72.91	46.60	NE	0.0581	<0.0052 UJ	0.0022 J	<0.0052	<0.01	<0.000079 U	0.00069	<0.0052		<0.0001	0.0222	0.0305	0.154	0.107	<0.0052	<0.0052 UJ	<0.01	0.001	0.141 J	<0.00011 U	<0.01 UJ
	P59-ROX-041213	4/12/2013		46.95	NE	0.0919	<0.0054	<0.0054	<0.0054	<0.011	0.000077 J	0.00064	<0.0054		<0.00011	0.0247	0.0369	0.174	0.0842	<0.0054	<0.0054	<0.011	0.0012	0.119	0.000098 J	<0.011
	P59-ROX-041213-DUP	4/12/2013		46.95	NE	0.0914	<0.0053	<0.0053	<0.0053	<0.011	0.000078 J	0.00065	<0.0053		<0.00011	0.0265	0.0383	0.154	0.0794	<0.0053	<0.0053	<0.011	0.0012	0.101	0.0001 J	<0.011
	P59-ROX-071613	7/16/2013		44.13	NE	0.0583	<0.0054	<0.0054	<0.0054	<0.011	0.000061 J	0.00063	<0.0054		<0.00011	0.0189	0.0302	0.17	0.042	<0.0054	<0.0054	<0.011	0.00087	0.121 J	<0.000078 U	<0.011
	P59-ROX-101013	10/10/2013		45.50	NE	0.078	<0.0054	<0.0054	0.00091 J	<0.011	0.00015	0.0007	<0.0054		<0.00011	0.0192	0.0305	0.201	0.0528	<0.0054	<0.0054	<0.011	0.0014	0.0524	0.00028	<0.011
	P59-ROX-020314	2/3/2014		47.35	NE	0.147 J	<0.0052	<0.0052	<0.0052	<0.01	0.00012	0.00067	<0.0052		<0.0001	0.0141	0.0214	0.31 J	0.0142	<0.0052	<0.0052	<0.01	0.0014	0.0444 J	0.00019	<0.01 UJ
	P59-ROX-041514	4/15/2014		48.60	NE	<0.011 UJ	<0.0053	<0.0053	<0.0053	<0.011	0.00015	0.00066	<0.0053		<0.00011	0.0233	0.0317	<0.011	0.0186 J	<0.0053	<0.0053 UJ	<0.011	0.0016	0.13 J	0.0003	<0.011 UJ
	P59-ROX-070814	7/8/2014		47.69	NE	0.17	<0.0057	0.00045 J	<0.0057	<0.011	0.000053 J J	0.00046	<0.0057		<0.00011	0.0181	0.0291	0.0793	0.0184	<0.0057	<0.0057	<0.011	0.00088	<0.0057	0.0001 J	<0.011
	P59-ROX-101414	10/14/2014		46.18	NE	0.0492	<0.0054	<0.00042 U	<0.0054	<0.011	<0.00054	0.00087	<0.0054		<0.00054	0.0268	0.0425	0.0387	0.0092 J	<0.0054	<0.0054	<0.011	0.0015	0.0361	<0.0054	<0.011
	P59-ROX-011915	1/19/2015		47.42	NE	0.153	<0.0054	<0.0054	<0.0054	<0.011	0.00014	0.00073	<0.0054		<0.00011	0.0145	0.0216	0.0789	0.0145	<0.0054	<0.0054	<0.011	0.0013	0.0169	0.00027	<0.011
	P59-ROX-041615	4/16/2015		48.83	NE	0.165	<0.0054	<0.0054	<0.0054	<0.011	0.000078 J	0.00028	<0.0054	0.057 JN	<0.00011	0.0136	0.0189	0.0661	0.168	<0.0054	<0.0054	<0.011	0.00081	0.0909	0.00014	<0.011
	P59-ROX-071315	7/13/2015		47.85	NE	0.113	<0.0054	<0.0054	<0.0054	<0.011	0.0002	0.00045	<0.0054		<0.00011	0.0045	0.0049	0.044	0.0123	<0.0054	<0.0054	<0.011	0.00064	0.0062	0.00039	<0.011
	P59-ROX-101515	10/15/2015		45.75	NE	0.077	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.002	<0.01	0.0091 J	<0.0002	0.014	0.014	0.093	0.061	<0.01	<0.01	<0.02	<0.0002	0.072	<0.0002	<0.01 UJ
P-66	P66-ROX-011813	1/18/2013	34.72 - 59.72	35.70	NE	<0.011	<0.0053 UJ	<0.0053	<0.0053	<0.011	0.000076 J	0.0019	<0.0053		<0.00011	0.0655	0.0315	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.00082	0.0019 J	0.00011	<0.011 UJ
	P66-ROX-041113	4/11/2013		36.03	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000072 J	0.0017	<0.0053		<0.00011	0.0681	0.0131	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.00091	<0.0053	0.000087 J	<0.011
	P66-ROX-071213	7/12/2013		33.20	NE	<0.011	<0.0056 UJ	<0.0056	<0.0056	<0.011	<0.00019 U	0.0018	<0.0056		0.00017	0.0688	0.0642	<0.011	<0.011	<0.0056	<0.0056 UJ	<0.011	0.00088	0.0035 J J	<0.0002 U	<0.011 UJ
	P66-ROX-101013	10/10/2013		33.66	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	0.000052 J	0.0013	<0.0056		<0.00011	0.0571	0.0218	<0.011	0.0034 J	<0.0056	<0.0056	<0.011	0.0005	<0.0056	0.00009 J	<0.011
	P66-ROX-110713	11/7/2013		33.66	NE																					
	P66-ROX-012914	1/29/2014		36.39	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000065 J	0.0016	<0.0053		0.000041 J	0.0701	0.0284	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.00077	<0.0053	0.000099 J	<0.011
	P66-ROX-041114	4/11/2014		37.10	NE	<0.012	<0.0058	<0.00088 U	<0.0058	<0.012	<0.00012	0.0013	<0.0058		<0.00012	0.0649	0.023	<0.012	<0.012	<0.0058	<0.0058	<0.012	0.00049	<0.0058	0.000049 J	<0.012
	P66-ROX-070714	7/7/2014		35.60	NE	<0.011	<0.0056	0.0003 J	<0.0056	<0.011	<0.00011	0.00078	<0.0056		<0.00011	0.0445	0.006	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.00041 J	<0.0056	<0.00011	<0.011
	P66-ROX-101414	10/14/2014		34.48	NE	<0.011	<0.0055	<0.00066 U	<0.0055	<0.011	<0.00011	0.0011	<0.0055		<0.00011	0.0595	0.0075	<0.011	<0.011	<0.0055	<0.0055	<0.011	0.00064	<0.0055	0.000043 J	<0.011
	P66-ROX-011615	1/16/2015		36.62	NE	<0.011	<0.0053	<0.00022 U	<0.0053	<0.011	0.000047 J J	0.0014	<0.0053		<0.00011	0.0739	0.0178	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.00072 J	<0.0053	0.000077 J J	<0.011
	P66-ROX-011615-DUP	1/16/2015		36.62	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.001 J	0.0015	<0.0054		0.00014	0.0682	0.0165	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.0016 J	<0.0054	0.000086 J	<0.011
	P66-ROX-041415	4/14/2015		38.27	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.00005 J	0.0013	<0.0054		<0.00011	0.0665	0.02	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.00062	<0.0054	0.000053 J	<0.011
	P66-ROX-041415-DUP	4/14/2015		38.27	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000038 J	0.0013	<0.0053		<0.00011	0.0627	0.0187	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.00059	<0.0053	0.000041 J	<0.011
	P66-ROX-070815	7/8/2015		37.24	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000027 J	0.0011	<0.0053		<0.00011	0.0546	0.0075	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.00053	<0.0053	0.000028 J	<0.011
	P66-ROX-070815-DUP	7/8/2015		37.24	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	0.000024 J	0.0011	<0.0053		<0.00011	0.0574	0.0077	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.00056	<0.0053	0.00004 J	<0.011
	P66-ROX-101315	10/13/2015		34.84	NE	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	0.001 J	<0.0002	0.034	0.0025	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01 UJ
P-74	P74-ROX-011713	1/17/2013	44.43 - 69.43	42.65	NE	0.0021 J	<0.0051	<0.0051	<0.0051	<0.01	0.000038 J	0.00038	<0.0051		<0.0001	0.0156	0.0198	<0.01	0.001 J	<0.0051	<0.0051	<0.01	0.00023	0.0298	0.000048 J	<0.01
	P74-ROX-041113	4/11/2013		42.83	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.00052	<0.0046 U	<0.0001	<0.01
	P74-ROX-071513	7/15/2013		40.11	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.00014	0.00011	<0.0054		<0.00011	0.0019	0.00019 J	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.00008 U	0.008	0.000074 J	<0.011
	P74-ROX-101413	10/14/2013		41.72	NE	0.0019 J	<0.0054	0.00047 J	<0.0054	<0.011	0.00.															

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																				
Screening Values (mg/L)						0.14 ²		0.7 ¹	0.14 ²	0.00031 ²	0.28 ¹	0.28 ¹	0.00006 ²		0.00043 ¹	0.49 ³	0.028 ¹	0.35 ¹	0.35 ³	0.014 ¹	0.0006 ³	0.001 ¹	0.21 ³	0.1 ¹	0.21 ¹	0.007 ³
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																				
P-93B	P93B-ROX-012313	1/23/2013	74.60 - 76.60	45.89	NE	0.0021 J	0.00024 J J	0.003 J	<0.0053	<0.011	0.00013	0.00012	0.00058 J		0.00012	<0.00021	0.00012 J	<0.011	0.0014 J	<0.0053	<0.0053	<0.011	0.00016	0.176	0.00013	<0.011 U
	P93B-ROX-041113	4/11/2013		46.32	NE	<0.01	<0.0051	0.0013 J	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000051	0.122	<0.0001	<0.01
	P93B-ROX-071813	7/18/2013		43.30	NE	<0.011	<0.0056	0.0005 J	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.000034 J	0.151	<0.00011	<0.011
	P93B-ROX-101613	10/16/2013		44.43	NE	<0.01	<0.005	<0.005	<0.005	<0.01	<0.0001	<0.0001	<0.005		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.005	<0.005	<0.01	<0.00005	0.069	<0.0001	<0.01
	P93B-ROX-101613-DUP	10/16/2013		44.43	NE	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000051	0.082	<0.0001	<0.01
	P93B-ROX-012814	1/28/2014		46.58	NE	<0.011	<0.0055	0.00045 J	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.011	<0.000022 U	0.074	<0.00011	<0.011
	P93B-ROX-012814-DUP	1/28/2014		46.58	NE	<0.01	<0.0051	0.00048 J	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000024 U	0.0927	<0.0001	<0.01
	P93B-ROX-041714	4/17/2014		47.46	NE	<0.01	<0.0051	<0.0024 U	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000051	0.0719	<0.0001	<0.01
	P93B-ROX-041714-DUP	4/17/2014		47.46	NE	<0.011	<0.0053	<0.00098 U	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	<0.00021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	0.0861	<0.00011	<0.011
	P93B-ROX-071714	7/17/2014		45.75	NE	<0.01	<0.0052	<0.00046 U	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000023 U	<0.0052 UJ	<0.0001	<0.01
	P93B-ROX-101514	10/15/2014		45.15	NE	<0.011	<0.0056	0.00024 J	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	0.128	<0.00011	<0.011
	P93B-ROX-012315	1/23/2015		47.24	NE	<0.011	<0.0053	0.00025 J	<0.0053	<0.011	<0.00011	<0.000017 U	<0.0053		<0.00011	0.00002 J	0.000021	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	0.0979	<0.00011	<0.011 UJ
	P93B-ROX-012315-DUP	1/23/2015		47.24	NE	<0.011	<0.0053	0.00031 J	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.000023 J	0.000041 J	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000024 U	0.123	<0.00011	<0.011 UJ
	P93B-ROX-021915	2/19/2015		47.24	NE																					
	P93B-ROX-041615	4/16/2015		48.42	NE	0.00099 J	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.000034 JB	0.00008 JB J	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	0.104 J	<0.00011	<0.011
	P93B-ROX-041615-DUP	4/16/2015		48.42	NE	0.00084 J	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	0.00002 J	<0.0053		<0.00011	0.000028 JB	0.000048 JB	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.000053	0.08 J	<0.00011	<0.011
	P93B-ROX-070915	7/9/2015		47.74	NE	0.0009 J	<0.0051	<0.0051	<0.0051	<0.01	0.000035 J	0.000031 J	<0.0051		<0.0001	0.000041 J	0.000059 J	<0.01	<0.01	<0.0051	<0.0051	<0.01	0.000054 J	0.101	0.000025 J	<0.01
	P93B-ROX-070915-DUP	7/9/2015		47.74	NE	0.00082 J	<0.0051	<0.0051	<0.0051	<0.01	0.000029 J	0.000095 J	<0.0051		<0.0001	0.000058 J	0.000077 J	<0.01	<0.01	<0.0051	<0.0051	<0.01	0.00031 J	0.0909	<0.0001	<0.01
	P93B-ROX-101515	10/15/2015		45.18	NE	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	<0.01	<0.0002	<0.0002	<0.0002	<0.01	<0.02	<0.01	<0.01	<0.02	<0.0002	0.18	<0.0002	<0.01 UJ
P-93C	P93C-ROX-012313	1/23/2013	94.26 - 96.26	45.78	NE	<0.011	<0.0055 UJ	0.0025 J	<0.0055	<0.011	<0.00011	<0.00011	<0.0055		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0055	<0.0055	<0.011	<0.000055	<0.0055	<0.00011	<0.011 UJ
	P93C-ROX-041213	4/12/2013		46.21	NE	<0.01	<0.005 UJ	<0.005	<0.005	<0.01	<0.0001	<0.0001	<0.005		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.005	<0.005 UJ	<0.01	<0.00005	<0.005	<0.0001	<0.01 UJ
	P93C-ROX-071813	7/18/2013		43.31	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.00022	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.000026 J	0.0352	<0.00011	<0.011
	P93C-ROX-080813	8/8/2013		43.31	NE																					
	P93C-ROX-101613	10/16/2013		44.31	NE	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000051	0.005 J	<0.0001	<0.01
	P93C-ROX-012414	1/24/2014		46.44	NE	<0.01	<0.0051	0.00051 J	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	<0.0002	<0.0002	<0.01	<0.01	<0.0051	<0.0051	<0.01	<0.000051	<0.0051	<0.0001	<0.01
	P93C-ROX-041714	4/17/2014		47.34	NE	<0.01	<0.0052	<0.00048 U	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000052	<0.0052 UJ	<0.0001	<0.01
	P93C-ROX-071714	7/17/2014		45.61	NE	<0.01	<0.0052	<0.00035 U	<0.0052	<0.01	<0.0001	<0.0001	<0.0052		<0.0001	<0.00021	<0.00021	<0.01	<0.01	<0.0052	<0.0052	<0.01	<0.000024 U	<0.0087 UJ	<0.0001	<0.01
	P93C-ROX-101514	10/15/2014		44.99	NE	<0.011	<0.0056	<0.0056	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.0022	<0.0022	<0.011	<0.011	<0.0056	<0.0056	<0.011	<0.000056	<0.0056	<0.00011	<0.011
	P93C-ROX-011915	1/19/2015		48.22	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	<0.000033 U	<0.000042 U	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000033 U	0.0309	<0.00011	<0.011
	P93C-ROX-021915	2/19/2015	92.47 - 97.47	48.22	NE																					
	P93C-ROX-041615	4/16/2015		48.22	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.00006 JB J	0.000094 JB	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.000024 J	0.0215	<0.00011	<0.011
	P93C-ROX-071315	7/13/2015		47.09	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.000095 JB	0.00016 JB J	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.000054	<0.0054	<0.00011	<0.011
	P93C-ROX-101415	10/14/2015		44.91	NE	<0.01	<0.01	<0.01																		

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL RESULTS AND EXCEEDANCES

						SVOCs																					
Screening Values (mg/L)						0.14 ²		0.7 ¹	0.14 ²	0.00031 ²	0.28 ¹	0.28 ¹	0.00006 ²		0.00043 ¹	0.49 ³	0.028 ¹	0.35 ¹	0.35 ³	0.014 ¹	0.0006 ³	0.001 ¹	0.21 ³	0.1 ¹	0.21 ¹	0.007 ³	
Location	Sample ID	Sample Date	Screened Interval (ft btoc)	Depth to Water (ft btoc)	Product Thickness (ft)	Analytical Results (mg/L)																					
ROST-3-MW	ROST3MW-ROX-012313	1/23/2013	37.81 - 47.81	41.50	NE	<0.01	<0.005 UJ	<0.005	<0.005	<0.01	<0.0001	0.00031	<0.005		<0.0001	0.0061	0.0087	<0.01	<0.01	<0.005	<0.005	<0.01	0.00068	<0.005	<0.0001	<0.01 UJ	
	ROST3MW-ROX-040513	4/5/2013				<0.011	<0.0054	0.00044 J	<0.0054	<0.011	<0.00011	0.00017	<0.0054		<0.00011	0.0029	0.0039	<0.011	<0.011	<0.0054	<0.0054 UJ	<0.011	0.00055	<0.0054 UJ	<0.00011	<0.011 UJ	
	ROST3MW-ROX-071113	7/11/2013		39.50	NE	0.0016 J J	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	0.00043	<0.0054		<0.00011	0.0105 J	0.0142	<0.011 UJ	<0.011 UJ	<0.0054	<0.0054	<0.011 UJ	0.00073	<0.0054 UJ	<0.000044 U	<0.011	
	ROST3-MW-ROX-100913	10/9/2013		40.16	NE	<0.011 UJ	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	0.00012	<0.0054		<0.00011	0.0024	0.0026	<0.011 UJ	<0.011 UJ	<0.0054	<0.0054	<0.011 UJ	0.00014	<0.0054 UJ	0.000044 J	<0.011	
	ROST3MW-ROX-011714	1/17/2014		42.20	NE	<0.011 UJ	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.0011	0.00099	<0.011 UJ	<0.011 UJ	<0.0053	<0.0053	<0.011 UJ	0.0002	<0.0053 UJ	<0.00011	<0.011	
	ROST3MW-ROX-041014	4/10/2014		42.80	NE	<0.012	<0.006	<0.00076 U	<0.006	<0.012	<0.00012	<0.00012	<0.006		<0.00012	0.00075	0.0008	<0.012	<0.012	<0.006	<0.006	<0.012	0.0001	<0.006	<0.00012	<0.012	
	ROST3MW-ROX-071414	7/14/2014		41.88	NE	<0.011	<0.0054	<0.0004 U	<0.0054	<0.011	<0.00011	<0.00011	<0.0054		<0.00011	0.00092	0.00097	<0.011	<0.011	<0.0054	<0.0054	<0.011	<0.00016 U	<0.0054	<0.00011	<0.011	
	ROST3MW-ROX-100914	10/9/2014		41.31	NE	<0.011	<0.0056	<0.00026 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	0.00075 J	0.00057 J	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.00014 B	<0.0056	<0.00011	<0.011	
	ROST3MW-ROX-011515	1/15/2015		41.83	NE	<0.011	<0.0057	0.00045 J J	<0.0057	<0.011	0.000022 J J	0.000035 J J	<0.0057		<0.00011	0.001 J	0.00024 J	<0.011	<0.011	<0.0057	<0.0057	<0.011	0.0001 J	<0.0057	0.000033 J J	<0.011	
	ROST3MW-ROX-041315	4/13/2015		43.43	NE	<0.01	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	0.00003 J	<0.0052		<0.0001	0.001 J	0.0005 J	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.00011	<0.0052	0.000019 J	<0.01	
	ROST3MW-ROX-071315	7/13/2015		42.36	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	0.000048 J	<0.0053		<0.00011	0.0014 J	0.00084 JB	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.00011 B	<0.0053	0.000018 J	<0.011	
	ROST3MW-ROX-101215	10/12/2015		40.29	NE	<0.01	<0.01	<0.01	0.0028 J	<0.01	0.000056 J	0.000086 J	<0.01	<0.01	0.000092 J	0.0025	0.0023	<0.01	<0.02	<0.01	<0.01	<0.02	0.00018 J	<0.01	0.000056 J	<0.01	
ROST-4-PZ(C)	ROST4PZ(C)-ROX-011113	1/11/2013	34.95 - 44.95	41.42	NE	<0.011	<0.0053 UJ	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	<0.00021	0.000064 J	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.00012	<0.0053	<0.00011	<0.011 UJ	
	ROST4PZC-ROX-041013	4/10/2013		42.27	NE	<0.011	<0.0055	<0.0055	<0.0055	<0.011	<0.00011	0.000069 J	<0.0055		<0.00011	0.00062	0.000078 J	<0.011	<0.011	<0.0055	<0.0055	<0.011	0.00018	<0.0055 U	<0.00011	<0.011	
	ROST4PZC-ROX-071113	7/11/2013		40.18	NE	<0.011	<0.0054	<0.0054	<0.0054	<0.011	0.000099 J	0.00027	<0.0054		<0.00011	0.0027 J	0.0021	<0.011	<0.011	<0.0054	<0.0054	<0.011	0.00052	0.00057 J J	<0.00009 U	<0.011 UJ	
	ROST4PZC-ROX-100913	10/9/2013		39.91	NE	<0.011	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	<0.00011	<0.0053		<0.00011	0.002	0.00095	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.0002	<0.0053	<0.00011	<0.011	
	ROST4PZC-ROX-011714	1/17/2014		41.92	NE	<0.01 UJ	<0.0059	<0.0059	<0.0059	<0.012	<0.00012	<0.00012	<0.0059		<0.00012	0.00019 J	<0.00024	<0.01 UJ	<0.01 UJ	<0.0059	<0.0059	<0.01 UJ	0.000077	<0.005 UJ	<0.00012	<0.012	
	ROST4PZC-ROX-041014	4/10/2014		42.05	NE	<0.011	<0.0056	<0.00038 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	0.000065 J	<0.00022	<0.011	<0.011	<0.0056	<0.0056	<0.011	0.000051 J	<0.0056	<0.00011	<0.011 UJ	
	ROST4C-ROX-071114	7/10/2014		42.22	NE	<0.011	<0.0053	<0.00031 U	<0.0053	<0.011	<0.0001	<0.0001	<0.0053		<0.0001	0.00021	<0.0002	<0.011	<0.011	<0.0053	<0.0053	<0.011	<0.00012 U	<0.0053	<0.0001	<0.011 UJ	
	ROST4PZC-ROX-100914	10/9/2014		41.30	NE	<0.011	<0.0056	<0.00032 U	<0.0056	<0.011	<0.00011	<0.00011	<0.0056		<0.00011	<0.0022	<0.0022	<0.011	0.00071 J	<0.0056	<0.0056	<0.011	<0.000088 U	0.00088 J	<0.00011	<0.011	
	ROST4PZC-ROX-011515	1/15/2015		41.65	NE	<0.011	<0.0057	0.0003 J J	<0.0057	<0.011	<0.00011	<0.00011	<0.0057		<0.00011	0.000038 J	0.000018 J J	<0.011	<0.011	<0.0057	<0.0057	<0.011	0.00004 J J	<0.0057	0.000022 J J	<0.011	
	ROST4PZC-ROX-041315	4/13/2015		43.00	NE	0.0013 J	<0.0051	<0.0051	<0.0051	<0.01	<0.0001	<0.0001	<0.0051		<0.0001	0.0012 J	0.00038 JB	<0.01	0.0011 J	<0.0051	<0.0051	<0.01	0.000075	<0.0051	0.000022 J	<0.01	
	ROST4PZ-ROX-071315	7/13/2015		42.59	NE	0.0028 J	<0.0052	<0.0052	<0.0052	<0.01	<0.0001	0.00005 J	<0.0052		<0.0001	0.00095	0.0077	<0.01	<0.01	<0.0052	<0.0052	<0.01	0.00011 B	<0.0052	0.000025 J	<0.01	
	ROST4PZC-ROX-101215	10/12/2015		40.35	NE	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0002	<0.0002	<0.01	0.0012 J	<0.0002	0.013	0.011	<0.01	0.00051 J	<0.01	<0.01	<0.02	<0.0002	<0.01	<0.0002	<0.01	
T-12	T12-ROX-011813	1/18/2013	46.72 - 72.72	44.50	NE	0.0065 J	<0.0053 UJ	<0.0053	<0.0053	<0.011	<0.00011	0.00046	<0.0053		<0.00011	0.0241	0.0322	<0.011	<0.011	<0.0053	<0.0053	<0.011	0.0011	0.0265	0.000067 J	<0.011 UJ	
	T12-ROX-041513	4/15/2013		44.99	NE	<0.01	<0.0051	<0.0051	<0.0051	<0.01	<0.0001	0.00037	<0.0051		<0.0001	0.0289	0.0444	0.0047 J	0.0042 J	<0.0051	<0.0051	<0.01	0.0011	0.0149	0.000063 J	<0.01 UJ	
	T12-ROX-071613	7/16/2013		42.33	NE	0.0096 J	<0.0054	<0.0054	<0.0054	<0.011	0.000044 J	0.00034	<0.0054		<0.00011	0.0236	0.0331	0.0029 J J	<0.011	<0.0054	<0.0054	<0.011	0.0011	0.0514 J	<0.00009 U	<0.011	
	T12-ROX-101513	10/15/2013		43.73	NE	0.0047 J	<0.0054	<0.0054	<0.0054	<0.011	<0.00011	0.00029	<0.0054		<0.00011	0.0199	0.0319	0.0018 J	0.0032 J	<0.0054	<0.0054	<0.011	0.00077	0.0083	0.00009 J	<0.011	
	T12-ROX-012414	1/24/2014		45.26	NE	0.0073 J	<0.0051	0.00044 J	<0.0051	<0.01	<0.0001	0.00035	<0.0051		<0.0001	0.0215	0.0326	0.0022 J	<0.01	<0.0051	<0.0051	<0.01	0.001	0.0498	0.00006 J	<0.01	
	T12-ROX-041514	4/15/2014		46.72	NE	<0.011 UJ	<0.0056	<0.00034 U	<0.0056	<0.011	<0.00011	0.0003	<0.0056		<0.00011	0.0189	0.0283	<0.011	<0.011	<0.0056	<0.0056 UJ	<0.011	0.00078	0.0672 J	0.00005 J	<0.011 UJ	
	T12-ROX-070814	7/8/2014		45.13	NE	<0.011	<0.0054	0.00038 J	<0.0054	<0.011	<0.00011	0.00022	<0.0054		<0.00011	0.015	0.0245	0.0092 J	0.0033 J	<0.0054	<0.0054	<0.011	0.00051	<0.0054	<0.00011	<0.011	
	T12-ROX-101714	10/17/2014		44.40	NE	<0.011	<0.0056	0.00061 J	<0.0056	<0.011	<0.00011	0.00031	<0.0056		<0.00011	0.022	0.0369	0.003 J	0.0059 J	<0.0056	<0.0056	<0.011	0.00079	0.0154	<0.00011	<0.011 UJ	
	T12-ROX-011915	1/19/2015		45.27	NE	0.0069 J	<0.0053	<0.0053	<0.0053	<0.011	<0.00011	0.00032	<0.0053	0.0069 JN	<0.00011	0.021	0.0332	0.0055 J	0.0016 J	<0.0053	<0.0053	<0.011	0.00082	0.0155	0.000055 J	<0.011	
	T12-ROX-041515	4/15/2015		46.83 - 72.83	46.73	NE	0.0044 J	<0.0056	0.00033 J	<0.0056	<0.011	0.000024 J	0.00032	<0.0056		<0.00011	0.021	0.0335 J	0.0021 J	0.0042 J	<0.0056	<0.0056	<0.011	0.00086	0.0099	0.000052 J J	<0.011
T12-ROX-07101																											