



# Illinois Environmental Protection Agency

Bureau of Land • 1021 North Grand Avenue East • P.O. Box 19276 • Springfield • Illinois • 62794-9276

## ILLINOIS EPA RCRA CORRECTIVE ACTION CERTIFICATION

This certification must accompany any document submitted to Illinois EPA in accordance with the corrective action requirements set forth in a facility's RCRA permit. The original and two copies of all documents submitted must be provided.

### 1.0 Facility Identification

Name Equilon Enterprises LLC d/b/a/ Shell County Madison  
Street Address 900 South Central Ave Site No. (IEPA) 1191150002  
City Roxana Site No. (USEPA) ILD080 012 305

### 2.0 Owner Information

Name Not Applicable  
Mail Address \_\_\_\_\_  
City \_\_\_\_\_  
State \_\_\_\_\_ Zip Code \_\_\_\_\_  
Contact Name \_\_\_\_\_  
Contact Title \_\_\_\_\_  
Phone \_\_\_\_\_

### 3.0 Operator Information

Name Equilon Enterprises LLC d/b/a/ Shell  
Mail Address 128 East Center Street  
City Nazareth  
State PA Zip Code 18064  
Contact Name Leroy Bealer  
Contact Title Senior Program Manager  
Phone 484-632-7955

### 4.0 Type of Submission (check applicable item and provide requested information, as applicable)

☐ RFI Phase I Workplan/Report IEPA Permit Log No. B-43R  
☐ RFI Phase II Workplan/Report Date of Last IEPA Letter on Project November 3, 2025  
☒ CMP Report; Log No. of Last IEPA Letter on Project B-43R-CA-123  
☐ Other (describe): \_\_\_\_\_ Does this submittal include groundwater information: ☒ Yes ☐ No  
Former Public Works Yard SEE System Monthly Progress Report #12 - November 2025  
Date of Submittal 1/6/2026

### 5.0 Description of Submittal: (briefly describe what is being submitted and its purpose)

Corrective Measures Program progress report providing SEE system operational data, including items required by IEPA letter dated 8/22/2022.

### 6.0 Documents Submitted (identify all documents in submittal, including cover letter; give dates of all documents)

Cover letter, RCRA Corrective Action Certification, and Report dated 1/6/2026. Copy of submittal also sent directly to D. Austin, G. Ko, T. Halteman, and A. Al-Janabi of IEPA.

For: FPWV SEE Monthly Progress Report November 2025  
Date of Submission: 1/6/2026

## 7.0 Certification Statement

(This statement is part of the overall certification being provided by the owner/operator, professional and laboratory in Items 7.1, 7.2 and 7.3 below). The activities described in the subject submittals have been carried out in accordance with procedures approved by Illinois EPA. I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

## 7.1 Owner/Operator Certification

(Must be completed for all submittals. Certification and signature requirements are set forth in 35 IAC 702.126.) All submittals pertaining to the corrective action requirements set forth in a RCRA Permit must be signed by the person designated below (or by a duly authorized representative of that person):

1. For a Corporation, by a principal executive officer of at least the level of vice president.
2. For a Partnership or Sole Proprietorship, by a general partner or the proprietor, respectively.
3. For a Governmental Entity, by either a principal executive officer or a ranking elected official.

A person is a duly authorized representative only if:

1. the authorization is made in writing by a person described above; and
2. the written authorization is provided with this submittal (a copy of a previously submitted authorization can be used).

Owner Signature: \_\_\_\_\_ Date: \_\_\_\_\_  
Title: \_\_\_\_\_  
Operator Signature: \_\_\_\_\_ Date: 1/3/2026  
Title: Senior Program Manager

## 7.2 Professional Certification (if necessary)

Work carried out in this submittal or the regulations may also be subject to other laws governing professional services, such as the Illinois Professional Land Surveyor Act of 1989, the Professional Engineering Practice Act of 1989, the Professional Geologist Licensing Act, and the Structural Engineering Licensing Act of 1989. No one is relieved from compliance with these laws and the regulations adopted pursuant to these laws. All work that falls within the scope and definitions of these laws must be performed in compliance with them. The Illinois EPA may refer any discovered violation of these laws to the appropriate regulating authority.

Any person who knowingly makes a false, fictitious, or fraudulent material statement, orally or in writing, to the Illinois EPA commits a Class 4 felony. A second or subsequent offense after conviction is a Class 3 felony. (415 ILCS 5/44 (h))

Professional's Signature: Wendy Pennington Date: 12/23/2025  
Professional's Name Wendy Pennington  
Address 100 N. Broadway, 20th Floor Professional's Seal:  
City St. Louis  
State MO Zip Code 63102  
Phone 314-452-8929




For: FPWY SEE Monthly Progress Report November 2025  
Date of Submission: 1/6/2026

**7.3 Laboratory Certification (if necessary)**

The sample collection, handling, preservation, preparation and analysis efforts for which this laboratory was responsible were carried out in accordance with procedures approved by Illinois EPA.

Name of Laboratory Teklab, Inc.



Date: 12/5/25

Signature of Laboratory Responsible Officer

Mailing Address of Laboratory

Address 5445 Horseshoe Lake Road

Aaron Renner, Project Manager

City Collinsville

Name and Title of Laboratory Responsible Officer

State IL Zip Code 62234

For: FPWY SEE Monthly Progress Report November 2025  
Date of Submission: 1/6/2026

**7.3 Laboratory Certification (if necessary)**

The sample collection, handling, preservation, preparation and analysis efforts for which this laboratory was responsible were carried out in accordance with procedures approved by Illinois EPA.

Name of Laboratory Eurofins ET Northern California, LLC

Sepideh Saeed

Date: 12/08/25

Signature of Laboratory Responsible Officer

**Mailing Address of Laboratory**

Address 180 Blue Ravine Road, Suite B

City Folsom

State CA Zip Code 95630

Sepideh Saeed - Business Unit Manager

Name and Title of Laboratory Responsible Officer

# Monthly Progress Report #12 – November 2025

Former Public Works Yard Steam  
Enhanced Extraction System Operation  
Roxana, IL

Prepared for:  
Equilon Enterprises LLC dba Shell Oil Products US

Project number: 60771235

January 2026



AECOM  
100 N. Broadway,  
20<sup>th</sup> Floor  
St. Louis, MO 63102  
www.aecom.com

314 429 0100 tel  
314 429 0462 fax

January 6, 2026

Mr. Joshua Rhoades  
Manager, Permit Section  
Illinois Environmental Protection Agency  
Division of Land Pollution Control  
Bureau of Land  
2520 W. Iles Ave  
Springfield, Illinois 62704

**Former Public Works Yard Steam Enhanced Extraction System Operation  
Corrective Measures Program – Monthly Progress Report #12 – November 2025  
Roxana, Illinois  
1191150002 – Madison County  
Equilon Enterprises LLC d/b/a Shell Oil Products US  
Log No. B-43R-CA-116, CA-117**

Dear Mr. Rhoades:

AECOM Technical Services, Inc. (AECOM), on behalf of Equilon Enterprises LLC d/b/a Shell Oil Products US (Shell), is submitting this enclosed Corrective Measures Program (CMP) Phase IV Progress Report in accordance with Condition 15 of the IEPA letter dated August 22, 2022. This report includes a summary and data for activities during November 2025. SEE vapor and liquid extraction operated continuously throughout November 2025.

On October 17, 2025, AECOM, Shell and IEPA met virtually to discuss various items, including the SEE system shutdown criteria. Following that meeting, in an email dated October 23, 2025, IEPA notified AECOM that after approved shutdown criteria were met, a written notification of intent to shut down should be submitted to IEPA, and that the written notification should be submitted at least two weeks prior to shutdown. On November 11, 2025, AECOM and Shell submitted a letter demonstrating that shutdown criteria had been met, and that a permanent shutdown of the boiler and steam injection was planned for approximately November 25, 2025. The steam boiler requires 48 hours of cooling following a shutdown before technicians can safely begin winterization of the boiler. Weather forecasts predicted freezing temperatures beginning November 26 that would have caused freezing damage to the steam boiler (the boiler can operate safely during freezing temperatures due to its heat, but is susceptible to freezing damage if it is cool and not operating). AECOM communicated with IEPA regarding a stop to steam injection earlier than November 25, to allow adequate time for the boiler to cool down and be winterized prior to the arrival of freezing temperatures. In an email dated November 18, 2025, IEPA approved a shutdown of steam injection earlier than the original proposed date of November 25.

Steam injection was permanently shut down on November 22, 2025. Vapor extraction will continue for at least 30 days after the shutdown of steam injection.

Condition 15 of the 8/22/2022 IEPA letter requires the following information to be included in monthly CMP progress reports (numbering added by AECOM):

1. Temperature data
2. Mass recovery rates
3. Concentrations of organic compounds in the recovered vapor
4. Vapor flow rates

5. Groundwater flow rates
6. Condensate recovery
7. Steam injection rates
8. Electricity (or fuel) consumption
9. Groundwater concentrations
10. Contaminant recovery rates
11. Energy input data
12. Water discharge
13. Air emissions
14. SVP monitoring data

## Discussion of SEE Operations and Activities

A summary of activities performed during this period includes:

- Vapor and liquid extraction operated continuously throughout November 2025.
- Steam injection was permanently shut down on November 22, 2025 after achievement of approved shutdown criteria.
- Average subsurface temperature within the extraction zone reached target temperature of 80.2°C on November 3. Following the end of steam injection on November 22, subsurface temperatures began to drop. Average extraction zone temperature dropped below 80.2°C on November 27.
- Replaced carbon in 2 of the 4 liquid granular activated carbon (LGAC) vessels
- Winterization of steam boiler and associated components was performed in preparation for demobilization of equipment. After the boiler was shut down on November 22, it was allowed to cool for 48 hours before technicians could safely begin working on it. Winterization of the boiler was completed on November 25.
- Maintenance of SEE system components

This report covers the period November 1-30, 2025. Cumulative extraction and discharge statistics in **Table 1** include the shakedown period June 12 – July 17, 2024, prior to preliminary steam injection, but when preliminary vapor & liquid extraction were occurring. **Table 1a** below provides SEE system performance data as of November 30, 2025. **Table 1b** provides SEE system mass removal data as of November 30, 2025. Visualization of SEE system performance and mass removal data is included in **Attachment A**. In this report, the thermal distribution maps depict temperature sensor data.

| Item                                   | Description                | Comments                                                                                                           |
|----------------------------------------|----------------------------|--------------------------------------------------------------------------------------------------------------------|
| Input Energy to Date                   | 11,037.8 MWh               | Energy applied to steam wells. Design target was 8,804 MWh                                                         |
| Input Energy Density to Date           | 414.12 kWh/yd <sup>3</sup> | Based on a heated volume of ~26,000 yd <sup>3</sup> . Design target was 389 kWh/yd <sup>3</sup>                    |
| Power Applied to Steam Wells           | 3,854 kW                   | 45.88 kW / steam well                                                                                              |
| TTZs Average Temperature               | 77.4°C                     | Measured by digiTAM temperature sensors within the treatment zone (extraction zone). Target temperature is 80.2°C. |
| Average Combined Vapor Extraction Rate | 1,137.4                    | MPE wells flow + air stripper flow. Days when extraction did not occur are not factored in.                        |
| Cumulative Water Discharge to Sewer    | 10,256,903 gal             | Condensate and directly extracted groundwater are not differentiated. Includes 2024 discharge total.               |

|                                             |                 |                                                                                                  |
|---------------------------------------------|-----------------|--------------------------------------------------------------------------------------------------|
| 2025 Average Daily Water Discharge to Sewer | 32,925 gal      | Days when extraction did not occur are excluded.                                                 |
| Monthly Average Liquid Extraction Rate      | 31.7 gpm        | For the period covered by this progress report. Days when extraction did not occur are excluded. |
| 2025 Average liquid extraction rate         | 22.9 gpm        | Days when extraction did not occur are excluded.                                                 |
| Cumulative water (steam) injected           | 4,729,482 gal   | Includes 2024 steam injection.                                                                   |
| Monthly Average Steam Injection Rate        | 10,818.1 lbs/hr | For the period covered by this progress report. Days when injection did not occur are excluded.  |

**Table 1a – SEE System Performance Data as of November 30, 2025**

It should be noted that the Input Energy To Date and Input Energy Density to Date reported in **Table 1a** exceed the design target.

| Item                             | Description   | Comments                                                |
|----------------------------------|---------------|---------------------------------------------------------|
| VOC Mass Recovered in 2024       | 35,673 lbs    |                                                         |
| VOC Mass Recovered in 2025       | 88,556 lbs    |                                                         |
| Total VOC Mass Recovered         | 124,229 lbs   |                                                         |
| Monthly VOC Mass Recovered       | 10,220 lbs    | For the period covered by this progress report.         |
| 2025 Average VOC Removal Rate    | 360.0 lbs/day | Days when extraction did not occur are not factored in. |
| Monthly Average VOC Removal Rate | 340.7 lbs/day | For the period covered by this progress report.         |

**Table 1b – SEE System Mass Removal Data as of November 30, 2025**

## **Concentrations of Organic Compounds in Recovered Vapor**

SEE system vapor analytical results are provided in **Attachment B**.

## **Electricity and Natural Gas Consumption**

Monthly electricity and natural gas consumption include both SVE system and SEE system operations. The SEE system was not operated in January or February 2025.

| Month      | Electricity<br>(kWh) | Natural Gas<br>(therms) | Natural Gas<br>(MMscf) |
|------------|----------------------|-------------------------|------------------------|
| March 2025 | 20,354               | 2,195                   | 0.209                  |
| April 2025 | 76,206               | 3,464                   | 0.330                  |

|                |         |        |       |
|----------------|---------|--------|-------|
| May 2025       | 86,839  | 55,572 | 5.293 |
| June 2025      | 86,692  | 21,545 | 2.052 |
| July 2025      | 76,122  | 9,423  | 0.897 |
| August 2025    | 105,170 | 84,452 | 8.043 |
| September 2025 | 103,017 | 68,337 | 6.508 |
| October 2025   | 102,241 | 73,809 | 7.209 |
| November 2025  | 75,820  | 82,733 | 7.879 |

**Table 2 – Electricity and Natural Gas Consumption****Groundwater Concentrations**

The influent water represents the combination of vapor extraction condensate and the direct liquid extraction stream, prior to treatment. Influent water samples were initially scheduled to be collected every two weeks, but currently influent water samples are being collected approximately twice per week in order to provide more data for system optimization. Influent water concentrations for the period covered by this progress report are shown in **Table 3** below.

| Influent Water Date | Benzene<br>(mg/L) |
|---------------------|-------------------|
| 11/4/2025           | 3.11              |
| 11/7/2025           | 4.17              |
| 11/11/2025          | 5.67              |
| 11/14/2025          | 6.37              |
| 11/18/2025          | 4.76              |
| 11/24/2025          | 2.13              |

**Table 3 – Influent Water Concentrations****Air Emissions**

Monthly air emissions are compared to FESOP No. 12040025 (issued May 3, 2022) emissions limits. Emissions calculations below are preliminary and include emissions from SVE system and SEE system operations. The SEE system was not operated in January or February 2025.

| Month         | VOM<br>(tons/month) | HAP<br>(tons/month) | CO<br>(tons/month) | NO <sub>x</sub><br>(tons/month) | PM<br>(tons/month) | SO <sub>2</sub><br>(tons/month) |
|---------------|---------------------|---------------------|--------------------|---------------------------------|--------------------|---------------------------------|
| Monthly Limit | 2.49                | 1.99                | 1.05               | 1.25                            | 0.1                | 0.01                            |
| March 2025    | 0.05429             | 0.01728             | 0.00922            | 0.01098                         | 0.00083            | 0.00007                         |

|                |         |         |         |         |         |         |
|----------------|---------|---------|---------|---------|---------|---------|
| April 2025     | 0.06733 | 0.03950 | 0.01455 | 0.01732 | 0.00132 | 0.00104 |
| May 2025       | 0.22190 | 0.06726 | 0.23340 | 0.27786 | 0.02112 | 0.00166 |
| June 2025      | 0.08860 | 0.03811 | 0.09049 | 0.10772 | 0.00819 | 0.00065 |
| July 2025      | 0.07194 | 0.02524 | 0.03958 | 0.04712 | 0.00358 | 0.00028 |
| August 2025    | 0.08499 | 0.04085 | 0.35470 | 0.42226 | 0.03209 | 0.00253 |
| September 2025 | 0.14765 | 0.09908 | 0.28702 | 0.34169 | 0.02597 | 0.00205 |
| October 2025   | 0.18945 | 0.13244 | 0.30400 | 0.36904 | 0.02805 | 0.00221 |
| November 2025  | 0.12601 | 0.08563 | 0.34748 | 0.41367 | 0.03144 | 0.00248 |

**Table 4** – Preliminary Monthly Air Emissions Calculations

## **Steam Vapor Point (SVP) Monitoring Data**

Tedlar© bag samples were collected three times per week from each SVP based on the average treatment zone temperature in November, in accordance with the approved steam vapor monitoring plan. Results from field-screened Tedlar© bag SVP samples for the period covered by this progress report are provided in **Attachment C**. The average treatment zone temperature reached the target temperature of 80.2°C, and a set of milestone analytical samples were collected from the primary row of SVPs, in accordance with the approved steam vapor monitoring plan. Analytical results from milestone samples are included in **Attachment D**.

Tedlar© bag sample results from primary row SVPs in November 2025 were above the threshold for triggering analytical samples at SVP-01-30, -02-20, -02-30, -04-30 and -07-30. Analytical results from these triggered samples are included in **Attachment D**.

The original proposed locations for the primary row SVPs were all outside of the target treatment footprint. However, the actual locations were installed further south than originally proposed, due to the presence of an overhead power line along Eighth Street. SVP-02, -03, -06 and -07 are each either inside the target treatment boundary or on the boundary line. Therefore, observation of increased concentrations at these four SVPs does not indicate a vapor migration problem, but merely the presence of vapors within the target treatment zone.

Tedlar© bag sample results from secondary row SVPs in November 2025 were above the threshold for triggering analytical samples at SVP-08-30, -10-20 and -10-30. Analytical results from these triggered samples are included in **Attachment D**. Results from the secondary row analytical samples in November 2025 did not exceed residential screening criteria. Locations of SVPs and SEE system wells are depicted in **Attachment E**.

An electronic copy of this submittal is being sent separately directly to Dana Austin, Gary Ko, Takako Halteman, and Ali Al-Janabi with the IEPA.

If you have any questions please contact Buddy Bealer, Shell Senior Program Manager, at [leroy.bealer@shell.com](mailto:leroy.bealer@shell.com) (484-632-7956), or Wendy Pennington at [wendy.pennington@aecom.com](mailto:wendy.pennington@aecom.com) (314-452-8929).



Sincerely,

AECOM, on behalf of Shell Oil Products US

A handwritten signature in blue ink that reads "Samuel Fisher".

Samuel Fisher, CHMM  
Environmental Scientist

A handwritten signature in blue ink that reads "Wendy Pennington".

Wendy Pennington, PE  
Project Manager

Enclosures: RCRA Corrective Action Certification Form  
Attachment A – SEE System Performance Visuals  
Attachment B – SEE System Vapor Analytical Sample Results  
Attachment C – SVP Field-Screened Tedlar Bag® Sample Results  
Attachment D – SVP Soil Vapor Analytical Sample Results  
Attachment E – SEE System Well Field Layout

cc: Buddy Bealer, Shell  
Dana Austin, IEPA, Springfield  
Gary Ko, IEPA, Springfield  
Takako Halteman, IEPA, Springfield  
Ali Al-Janabi, IEPA, Collinsville  
Village of Roxana  
Repositories – Roxana Public Library, website  
Project File

## 1.1 Electrode Performance




Figure 1: Total energy input to the steam spears.




Figure 2: Daily average power input per steam spear.

## 1.2 Temperature Performance

Table 2: Current temperature performance as of November 30, 2025 based on DigiTAM™ data only

| Item                                   | Temperature |
|----------------------------------------|-------------|
| Average Temperature (extraction zone)  | 77.4°C      |
| Average Temperature (413 - 418 ft MSL) | 82.8 °C     |
| Average Temperature (408 - 413 ft MSL) | 88.6 °C     |
| Average Temperature (403 - 408 ft MSL) | 95.8°C      |
| Average Temperature (398 - 403 ft MSL) | 98.9 °C     |
| Average Temperature (393 - 398 ft MSL) | 95.8 °C     |
| Average Temperature (388 - 393 ft MSL) | 75.4°C      |
| Average Temperature (383 - 388 ft MSL) | 49.9 °C     |
| Average Temperature (378 - 383 ft MSL) | 28.8°C      |
| Average Temperature (373 - 378 ft MSL) | 24.6 °C     |




Figure 3: Average temperature profile for individual temperature wells




Figure 4: Calculated average temperatures by zones measured in various depth intervals of the treatment area.




Figure 5: Temperature cross-section (415.5 ft MSL)




Figure 6: Temperature cross-section (410.5 ft MSL)




Figure 7: Temperature cross-section (405.5 ft MSL)




Figure 8: Temperature cross-section (400.5 ft MSL)




Figure 9: Temperature cross-section (395.5 ft MSL)




Figure 10: Temperature cross-section (390.5 ft MSL)




Figure 11: Temperature cross-section (385.5 ft MSL)




Figure 12: Temperature cross-section (380.5 ft MSL)




Figure 13: Temperature cross-section (375.5 ft MSL)




Figure 14: Weekly temperature elevation profile through time

## Mass Removal




Figure 15: Contaminant mass recovery (all sources)

ATTACHMENT B  
SEE SYSTEM VAPOR ANALYTICAL SAMPLE RESULTS

| Location         | Sample ID                      | Sample Date | Benzene                        |           |                | Butane                         |           |                | Dichloromethane<br>(Methylene Chloride) |           |                | Ethanol                        |           |                | Ethylbenzene                   |           |                | 4-Ethyltoluene                 |           |                |
|------------------|--------------------------------|-------------|--------------------------------|-----------|----------------|--------------------------------|-----------|----------------|-----------------------------------------|-----------|----------------|--------------------------------|-----------|----------------|--------------------------------|-----------|----------------|--------------------------------|-----------|----------------|
|                  |                                |             | Result<br>(mg/m <sup>3</sup> ) | Lab Quals | AECOM<br>Quals | Result<br>(mg/m <sup>3</sup> ) | Lab Quals | AECOM<br>Quals | Result<br>(mg/m <sup>3</sup> )          | Lab Quals | AECOM<br>Quals | Result<br>(mg/m <sup>3</sup> ) | Lab Quals | AECOM<br>Quals | Result<br>(mg/m <sup>3</sup> ) | Lab Quals | AECOM<br>Quals | Result<br>(mg/m <sup>3</sup> ) | Lab Quals | AECOM<br>Quals |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-MC2-080624 | 8/6/2024    | 3800                           |           |                | < 9.9                          | U         |                | < 14                                    | U         |                | < 9.8                          | U         |                | 5.4                            |           |                | 2.3                            | J         |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-090524 | 9/5/2024    | 1700                           |           |                | < 5.5                          | U         |                | < 8                                     | U         |                | < 5.4                          | U         |                | 4                              |           |                | 0.81                           | J         |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-092524 | 9/25/2024   | 270                            |           |                | 0.4                            | J         |                | < 1.2                                   | U         |                | < 0.8                          | U         |                | 0.98                           |           |                | 0.18                           | J         |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-100824 | 10/8/2024   | 460                            |           |                | 0.45                           | J         |                | < 2.5                                   | U         |                | < 1.7                          | U         |                | 2.3                            |           |                | 1.4                            |           |                |
| SEE AIR STRIPPER | PWY-SEE-AIRSTRIPPER-MC2-050625 | 5/6/2025    | 13                             |           |                | 0.24                           |           |                | < 0.13                                  | U         |                | < 0.091                        | U         |                | 0.2                            |           |                | 0.12                           |           |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-052025 | 5/20/2025   | 450                            |           |                | < 2                            | U         |                | < 2.9                                   | U         |                | 340                            |           |                | 0.3                            | J         |                | 0.99                           | J         |                |
| SEE AIR STRIPPER | PWYSEE-AIRSTRIPPER-MC2-060325  | 6/3/2025    | 290                            |           |                | 1.1                            |           |                | < 0.95                                  | U         |                | 0.3                            | J         |                | 2.3                            |           |                | 1.8                            |           |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-MC2-061725 | 6/17/2025   | 140                            |           |                | 0.68                           |           |                | < 0.45                                  | U         |                | < 0.3                          | U         |                | 1                              |           |                | 0.78                           |           |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-070125 | 7/1/2025    | 28                             |           |                | 0.48                           |           |                | < 0.18                                  | U         |                | 0.038                          | J         |                | 0.62                           |           |                | 0.53                           |           |                |
| SEE AIR STRIPPER | PWYSEE-AirStripper-Mc2-071725  | 7/17/2025   | 89                             |           |                | < 0.24                         | U         |                | < 0.35                                  | U         |                | 0.16                           | J         |                | 0.29                           |           |                | 0.16                           |           |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-072925 | 7/29/2025   | 550                            |           |                | 92                             |           |                | < 8.5                                   | U         |                | < 5.8                          | U         |                | 16                             |           |                | 5.6                            |           |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-081225 | 8/12/2025   | 900                            |           |                | 1.1                            | J         |                | < 2.9                                   | U         |                | < 2                            | U         |                | 2.8                            |           |                | 0.82                           | J         |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-082825 | 8/28/2025   | 970                            |           |                | 0.97                           | J         |                | < 2.9                                   | U         |                | < 1.9                          | U         |                | 8.2                            |           |                | 5.2                            |           |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-090925 | 9/9/2025    | 260                            |           |                | 0.42                           | J         |                | < 0.94                                  | U         |                | < 0.64                         | U         |                | 2.3                            |           |                | 1.5                            |           |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-092325 | 9/23/2025   | 120                            |           |                | < 0.24                         | U         |                | < 0.35                                  | U         |                | < 0.24                         | U         |                | 6.6                            |           |                | 7.6                            |           |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-100725 | 10/7/2025   | 230                            |           |                | < 2.8                          | U         |                | < 10                                    | U         |                | < 5.6                          | U         |                | 4.4                            |           |                | 13                             | CN        |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-102125 | 10/21/2025  | 230                            |           |                | 0.4                            | J         |                | < 0.96                                  | U         |                | < 0.65                         | U         |                | 7.1                            |           |                | 6.3                            |           |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-110425 | 11/4/2025   | 170                            |           |                | < 0.6                          | U         |                | < 0.88                                  | U         |                | < 0.6                          | U         |                | 6.4                            |           |                | 7.2                            |           |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-111825 | 11/18/2025  | 220                            |           |                | 0.69                           |           |                | < 0.87                                  | U         |                | 0.26                           | J         |                | 12                             |           |                | 11                             |           |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-MC2-080624    | 8/6/2024    | 6200                           |           |                | 140                            |           |                | < 31                                    | U         |                | < 21                           | U         |                | 27                             |           |                | 12                             | CN        |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-090524    | 9/5/2024    | 1500                           |           |                | 100                            |           |                | < 7.8                                   | U         |                | < 5.3                          | U         |                | 80                             |           |                | 22                             |           |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-092524    | 9/25/2024   | 780                            |           |                | 89                             |           |                | < 14                                    | U         |                | < 9.8                          | U         |                | 22                             |           |                | 6.3                            |           |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-100824    | 10/8/2024   | 6800                           |           |                | 130                            |           |                | < 30                                    | U         |                | < 20                           | U         |                | 20                             |           |                | 2.2                            | J         |                |
| SEE MPE WELLS    | PWY-SEE-MPEWELLS-MC2-050625    | 5/6/2025    | 1000                           |           |                | 89                             |           |                | < 6.9                                   | U         |                | < 4.6                          | U         |                | 38                             |           |                | 15                             |           |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-052025    | 5/20/2025   | 1900                           |           |                | 150                            |           |                | < 9                                     | U         |                | 6.3                            |           |                | 51                             |           |                | 21                             |           |                |
| SEE MPE WELLS    | PWYSEE-MPEWELLS-MC2-060325     | 6/3/2025    | 2000                           |           |                | 130                            |           |                | < 8.8                                   | U         |                | < 5.9                          | U         |                | 31                             |           |                | 16                             |           |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-MC2-061725    | 6/17/2025   | 900                            |           |                | 100                            |           |                | < 8.9                                   | U         |                | < 6                            | U         |                | 30                             |           |                | 14                             |           |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-070125    | 7/1/2025    | 430                            |           |                | 110                            |           |                | 1.6                                     | J         |                | 2                              | J         |                | 13                             |           |                | 13                             |           |                |
| SEE MPE WELLS    | PWYSEE-MPEWells-Mc2-071725     | 7/17/2025   | 1300                           |           |                | 99                             |           |                | < 8.5                                   | U         |                | < 5.8                          | U         |                | 23                             |           |                | 8.8                            |           |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-072925    | 7/29/2025   | 1200                           |           |                | 1.3                            | J         |                | < 4.3                                   | U         |                | < 2.9                          | U         |                | 3.2                            |           |                | 0.78                           | J         |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-081225    | 8/12/2025   | 3500                           |           |                | 60                             |           |                | < 8.7                                   | U         |                | < 5.9                          | U         |                | 24                             |           |                | 7.8                            |           |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-082825    | 8/28/2025   | 12000                          |           |                | 140                            |           |                | < 67                                    | U         |                | < 46                           | U         |                | 39                             |           |                | 12                             | J         |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-090925    | 9/9/2025    | 5200                           |           |                | 66                             |           |                | < 17                                    | U         |                | < 12                           | U         |                | 24                             |           |                | 9.8                            |           |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-092325    | 9/23/2025   | 4600                           |           |                | 60                             |           |                | < 17                                    | U         |                | < 12                           | U         |                | 34                             |           |                | 15                             |           |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-100725    | 10/7/2025   | 4300                           |           |                | 52                             |           |                | < 140                                   | U         |                | < 75                           | U         |                | 24                             |           |                | 22                             | CN        |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-102125    | 10/21/2025  | 4800                           |           |                | 81                             |           |                | < 34                                    | U         |                | < 23                           | U         |                | 42                             |           |                | 14                             |           |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-110425    | 11/4/2025   | 3000                           |           |                | 49                             |           |                | < 8.7                                   | U         |                | < 5.9                          | U         |                | 44                             |           |                | 18                             |           |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-111825    | 11/18/2025  | 6500                           |           |                | 110                            |           |                | < 34                                    | U         |                | < 23                           | U         |                | 70                             |           |                | 23                             |           |                |

ATTACHMENT B  
SEE SYSTEM VAPOR ANALYTICAL SAMPLE RESULTS

| Location     | Sample ID                   | Sample Date | Benzene                        |           |                | Butane                         |           |                | Dichloromethane<br>(Methylene Chloride) |           |                | Ethanol                        |           |                | Ethylbenzene                   |           |                | 4-Ethyltoluene                 |           |                |
|--------------|-----------------------------|-------------|--------------------------------|-----------|----------------|--------------------------------|-----------|----------------|-----------------------------------------|-----------|----------------|--------------------------------|-----------|----------------|--------------------------------|-----------|----------------|--------------------------------|-----------|----------------|
|              |                             |             | Result<br>(mg/m <sup>3</sup> ) | Lab Quals | AECOM<br>Quals | Result<br>(mg/m <sup>3</sup> ) | Lab Quals | AECOM<br>Quals | Result<br>(mg/m <sup>3</sup> )          | Lab Quals | AECOM<br>Quals | Result<br>(mg/m <sup>3</sup> ) | Lab Quals | AECOM<br>Quals | Result<br>(mg/m <sup>3</sup> ) | Lab Quals | AECOM<br>Quals | Result<br>(mg/m <sup>3</sup> ) | Lab Quals | AECOM<br>Quals |
| SEE COMBINED | PWY-SEE-Combined-070224     | 7/2/2024    | 1200                           |           |                | 79                             |           |                | < 15                                    | U         |                | < 10                           | U         |                | 7.2                            |           |                | 2.6                            | J         |                |
| SEE COMBINED | PWY-SEE-Combined-080624     | 8/6/2024    | 6900                           |           |                | 150                            |           |                | < 16                                    | U         |                | < 10                           | U         |                | 31                             |           |                | 13                             | CN        | J              |
| SEE COMBINED | PWY-SEE-Combined-MC2-080624 | 8/6/2024    | 7000                           |           |                | 130                            |           |                | < 31                                    | U         |                | < 21                           | U         |                | 25                             |           |                | 11                             | J         |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-090524 | 9/5/2024    | 1600                           |           |                | 99                             |           |                | < 7.8                                   | U         |                | < 5.3                          | U         |                | 72                             |           |                | 22                             |           |                |
| SEE COMBINED | PWY-SEE-Combined-091124     | 9/11/2024   | 780                            |           |                | 68                             |           |                | < 7.6                                   | U         |                | < 5.2                          | U         |                | 33                             |           |                | 6.4                            |           |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-092524 | 9/25/2024   | 630                            |           |                | 73                             |           |                | < 14                                    | U         |                | < 9.8                          | U         |                | 18                             |           |                | 4.8                            | J         |                |
| SEE COMBINED | PWY-SEE-Combined-100224     | 10/2/2024   | 6000                           |           |                | 140                            |           |                | < 28                                    | U         |                | < 19                           | U         |                | 29                             |           |                | 7.1                            | J         |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-100824 | 10/8/2024   | 6000                           |           |                | 130                            |           |                | < 30                                    | U         |                | < 20                           | U         |                | 18                             |           |                | 1.6                            | J         |                |
| SEE COMBINED | PWY-SEE-Combined-040425     | 4/4/2025    | 900                            |           |                | 69                             |           |                | < 13                                    | U         |                | < 9.1                          | U         |                | 20                             |           |                | 4.6                            | J         |                |
| SEE COMBINED | PWY-SEE-Combined-050625     | 5/6/2025    | 650                            |           |                | 66                             |           |                | < 30                                    | U         |                | < 20                           | U         |                | 12                             |           |                | 8.2                            | J         |                |
| SEE COMBINED | PWY-SEE-Combined-MC2-050625 | 5/6/2025    | 860                            |           |                | 80                             |           |                | < 7                                     | U         |                | < 4.8                          | U         |                | 32                             |           |                | 11                             |           |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-052025 | 5/20/2025   | 1500                           |           |                | 110                            |           |                | < 8.9                                   | U         |                | 2.3                            | J         |                | 45                             |           |                | 20                             |           |                |
| SEE COMBINED | PWYSEE-COMBINED-MC2-060325  | 6/3/2025    | 2000                           |           |                | 120                            |           |                | < 8.5                                   | U         |                | < 5.8                          | U         |                | 32                             |           |                | 15                             |           |                |
| SEE COMBINED | PWY-SEE-Combined-061625     | 6/16/2025   | 650                            |           |                | 95                             |           |                | < 8.5                                   | U         |                | 1.7                            | J         |                | 10                             |           |                | 1.8                            | J         |                |
| SEE COMBINED | PWY-SEE-COMBINED-MC2-061725 | 6/17/2025   | 990                            |           |                | 100                            |           |                | < 8.8                                   | U         |                | < 5.9                          | U         |                | 31                             |           |                | 11                             |           |                |
| SEE COMBINED | PWY-SEE-Combined-070125     | 7/1/2025    | 300                            |           |                | 87                             |           |                | 0.88                                    | J         |                | < 7.8                          | U         |                | 9.4                            |           |                | 9.4                            |           |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-070125 | 7/1/2025    | 340                            |           |                | 93                             |           |                | 0.92                                    | J         |                | < 7.8                          | U         |                | 10                             |           |                | 9.4                            |           |                |
| SEE COMBINED | PWYSEE-Combined-Mc2-071725  | 7/17/2025   | 960                            |           |                | 80                             |           |                | < 8.8                                   | U         |                | < 5.9                          | U         |                | 17                             |           |                | 8.2                            |           |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-072925 | 7/29/2025   | 610                            |           |                | 90                             |           |                | < 8.8                                   | U         |                | < 5.9                          | U         |                | 17                             |           |                | 6.2                            |           |                |
| SEE COMBINED | PWY-SEE-Combined-080525     | 8/5/2025    | 1400                           |           |                | 83                             |           |                | < 8.3                                   | U         |                | < 5.6                          | U         |                | 15                             |           |                | 5.7                            |           |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-081225 | 8/12/2025   | 3200                           |           |                | 57                             |           |                | < 8.8                                   | U         |                | < 5.9                          | U         |                | 22                             |           |                | 7.5                            |           |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-082825 | 8/28/2025   | 9900                           |           |                | 120                            |           |                | < 140                                   | U         |                | < 95                           | U         |                | 34                             | J         |                | 9.2                            | J         |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-090925 | 9/9/2025    | 4600                           |           |                | 59                             |           |                | < 17                                    | U         |                | < 12                           | U         |                | 22                             |           |                | 8.2                            |           |                |
| SEE COMBINED | PWY-SEE-Combined-090925     | 9/9/2025    | 4400                           |           |                | 54                             |           |                | < 17                                    | U         |                | < 11                           | U         |                | 19                             |           |                | 8                              |           |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-092325 | 9/23/2025   | 2500                           |           |                | 34                             |           |                | < 18                                    | U         |                | < 12                           | U         |                | 18                             |           |                | 8                              |           |                |
| SEE COMBINED | PWY-SEE-Combined-100725     | 10/7/2025   | 4200                           |           |                | 45                             |           |                | < 140                                   | U         |                | < 78                           | U         |                | 22                             |           |                | 21                             |           |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-100725 | 10/7/2025   | 3700                           |           |                | 43                             |           |                | < 140                                   | U         |                | < 73                           | U         |                | 18                             |           |                | 20                             | CN        |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-102125 | 10/21/2025  | 4200                           |           |                | 74                             |           |                | < 35                                    | U         |                | < 24                           | U         |                | 34                             |           |                | 11                             | J         |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-110425 | 11/4/2025   | 2700                           |           |                | 44                             |           |                | < 8.5                                   | U         |                | < 5.8                          | U         |                | 40                             |           |                | 18                             |           |                |
| SEE COMBINED | PWY-SEE-Combined-111125     | 11/11/2025  | 1400                           |           |                | 22                             |           |                | < 8.5                                   | U         |                | < 5.8                          | U         |                | 9.2                            |           |                | 2.6                            | J         |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-111825 | 11/18/2025  | 5000                           |           |                | 78                             |           |                | < 35                                    | U         |                | < 24                           | U         |                | 48                             |           |                | 18                             |           |                |

ATTACHMENT B  
SEE SYSTEM VAPOR ANALYTICAL SAMPLE RESULTS

| Location         | Sample ID                      | Sample Date | Heptane                        |           |                | Hexane                         |           |                | Isopentane                     |           |                | 2-Propanol                     |           |                | Tetrachloroethene              |           |                | Trichloroethene                |           |                |
|------------------|--------------------------------|-------------|--------------------------------|-----------|----------------|--------------------------------|-----------|----------------|--------------------------------|-----------|----------------|--------------------------------|-----------|----------------|--------------------------------|-----------|----------------|--------------------------------|-----------|----------------|
|                  |                                |             | Result<br>(mg/m <sup>3</sup> ) | Lab Quals | AECOM<br>Quals | Result<br>(mg/m <sup>3</sup> ) | Lab Quals | AECOM<br>Quals | Result<br>(mg/m <sup>3</sup> ) | Lab Quals | AECOM<br>Quals | Result<br>(mg/m <sup>3</sup> ) | Lab Quals | AECOM<br>Quals | Result<br>(mg/m <sup>3</sup> ) | Lab Quals | AECOM<br>Quals | Result<br>(mg/m <sup>3</sup> ) | Lab Quals | AECOM<br>Quals |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-MC2-080624 | 8/6/2024    | < 4.3                          | U         |                | < 3.7                          | U         |                | < 12                           | U         |                | < 13                           | U         |                | < 7.1                          | U         |                | < 5.6                          | U         |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-090524 | 9/5/2024    | < 2.4                          | U         |                | < 2                            | U         |                | < 6.8                          | U         |                | < 7.1                          | U         |                | 1.2                            | J         |                | < 3.1                          | U         |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-092524 | 9/25/2024   | < 0.35                         | U         |                | < 0.3                          | U         |                | 0.24                           | J         |                | < 1                            | U         |                | < 0.58                         | U         |                | < 0.46                         | U         |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-100824 | 10/8/2024   | 0.46                           | J         |                | 0.75                           |           |                | 1.4                            | J         |                | < 2.2                          | U         |                | < 1.2                          | U         |                | < 0.96                         | U         |                |
| SEE AIR STRIPPER | PWY-SEE-AIRSTRIPPER-MC2-050625 | 5/6/2025    | 0.16                           |           |                | 0.32                           |           |                | 0.78                           |           |                | < 0.12                         | U         |                | 0.013                          | J         |                | < 0.052                        | U         |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-052025 | 5/20/2025   | < 0.86                         | U         |                | < 0.74                         | U         |                | < 2.5                          | U         |                | < 2.6                          | U         |                | < 1.4                          | U         |                | < 1.1                          | U         |                |
| SEE AIR STRIPPER | PWYSEE-AIRSTRIPPER-MC2-060325  | 6/3/2025    | 0.4                            |           |                | 0.88                           |           |                | 2.6                            |           |                | < 0.84                         | U         |                | < 0.46                         | U         |                | < 0.37                         | U         |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-MC2-061725 | 6/17/2025   | 0.35                           |           |                | 0.55                           |           |                | 1.7                            |           |                | < 0.4                          | U         |                | < 0.22                         | U         |                | < 0.17                         | U         |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-070125 | 7/1/2025    | 0.29                           |           |                | 0.43                           |           |                | 1.6                            |           |                | < 0.15                         | U         |                | < 0.085                        | U         |                | < 0.068                        | U         |                |
| SEE AIR STRIPPER | PWYSEE-AirStripper-Mc2-071725  | 7/17/2025   | < 0.1                          | U         |                | 0.031                          | J         |                | < 0.3                          | U         |                | < 0.31                         | U         |                | < 0.17                         | U         |                | < 0.14                         | U         |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-072925 | 7/29/2025   | 22                             |           |                | 60                             |           |                | 270                            |           |                | < 7.6                          | U         |                | < 4.2                          | U         |                | < 3.3                          | U         |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-081225 | 8/12/2025   | < 0.85                         | U         |                | 0.67                           | J         |                | 1.8                            | J         |                | < 2.5                          | U         |                | < 1.4                          | U         |                | < 1.1                          | U         |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-082825 | 8/28/2025   | 0.7                            | J         |                | 0.86                           |           |                | 1.8                            | J         |                | < 2.5                          | U         |                | < 1.4                          | U         |                | < 1.1                          | U         |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-090925 | 9/9/2025    | 0.4                            |           |                | 0.51                           |           |                | 1.1                            |           |                | < 0.84                         | U         |                | < 0.46                         | U         |                | 0.15                           | J         |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-092325 | 9/23/2025   | 0.6                            |           |                | 0.46                           |           |                | 0.28                           | J         |                | < 0.31                         | U         |                | < 0.17                         | U         |                | < 0.13                         | U         |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-100725 | 10/7/2025   | < 1.2                          | U         |                | < 1                            | U         |                | < 3.5                          | U         |                | < 2.9                          | U         |                | < 2                            | U         |                | < 1.6                          | U         |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-102125 | 10/21/2025  | 0.75                           |           |                | 0.9                            |           |                | 0.97                           |           |                | 0.76                           | J         |                | < 0.47                         | U         |                | < 0.37                         | U         |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-110425 | 11/4/2025   | 0.25                           | J         |                | 0.18                           | J         |                | < 0.75                         | U         |                | < 0.78                         | U         |                | < 0.43                         | U         |                | < 0.34                         | U         |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-111825 | 11/18/2025  | 1.4                            |           |                | 1.5                            |           |                | 1.5                            |           |                | < 0.77                         | U         |                | < 0.42                         | U         |                | < 0.34                         | U         |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-MC2-080624    | 8/6/2024    | 61                             |           |                | 140                            |           |                | 330                            |           |                | < 27                           | U         |                | < 15                           | U         |                | < 12                           | U         |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-090524    | 9/5/2024    | 110                            |           |                | 170                            |           |                | 330                            |           |                | < 6.9                          | U         |                | < 3.8                          | U         |                | < 3                            | U         |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-092524    | 9/25/2024   | 31                             |           |                | 90                             |           |                | 280                            |           |                | < 13                           | U         |                | < 7                            | U         |                | < 5.6                          | U         |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-100824    | 10/8/2024   | 48                             |           |                | 120                            |           |                | 320                            |           |                | < 26                           | U         |                | < 15                           | U         |                | < 12                           | U         |                |
| SEE MPE WELLS    | PWY-SEE-MPEWELLS-MC2-050625    | 5/6/2025    | 42                             |           |                | 83                             |           |                | 290                            |           |                | < 6.1                          | U         |                | < 3.4                          | U         |                | < 2.6                          | U         |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-052025    | 5/20/2025   | 49                             |           |                | 95                             |           |                | 400                            |           |                | < 7.9                          | U         |                | < 4.4                          | U         |                | < 3.5                          | U         |                |
| SEE MPE WELLS    | PWYSEE-MPEWELLS-MC2-060325     | 6/3/2025    | 32                             |           |                | 74                             |           |                | 310                            |           |                | < 7.7                          | U         |                | < 4.3                          | U         |                | < 3.4                          | U         |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-MC2-061725    | 6/17/2025   | 29                             |           |                | 65                             |           |                | 280                            |           |                | < 7.9                          | U         |                | < 4.3                          | U         |                | < 3.4                          | U         |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-070125    | 7/1/2025    | 23                             |           |                | 53                             |           |                | 270                            |           |                | 3                              | J         |                | < 3.2                          | U         |                | < 2.6                          | U         |                |
| SEE MPE WELLS    | PWYSEE-MPEWells-Mc2-071725     | 7/17/2025   | 28                             |           |                | 65                             |           |                | 270                            |           |                | < 7.6                          | U         |                | < 4.2                          | U         |                | < 3.3                          | U         |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-072925    | 7/29/2025   | < 1.3                          | U         |                | 0.51                           | J         |                | 2.1                            | J         |                | < 3.8                          | U         |                | < 2.1                          | U         |                | < 1.6                          | U         |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-081225    | 8/12/2025   | 18                             |           |                | 39                             |           |                | 160                            |           |                | < 7.7                          | U         |                | < 4.2                          | U         |                | < 3.4                          | U         |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-082825    | 8/28/2025   | 51                             |           |                | 93                             |           |                | 280                            |           |                | < 59                           | U         |                | < 33                           | U         |                | < 26                           | U         |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-090925    | 9/9/2025    | 25                             |           |                | 56                             |           |                | 180                            |           |                | < 15                           | U         |                | < 8.4                          | U         |                | < 6.6                          | U         |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-092325    | 9/23/2025   | 30                             |           |                | 61                             |           |                | 160                            |           |                | < 15                           | U         |                | < 8.4                          | U         |                | < 6.7                          | U         |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-100725    | 10/7/2025   | 26                             |           |                | 44                             |           |                | 130                            |           |                | < 39                           | U         |                | < 27                           | U         |                | < 21                           | U         |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-102125    | 10/21/2025  | 48                             |           |                | 96                             |           |                | 170                            |           |                | < 30                           | U         |                | < 17                           | U         |                | < 13                           | U         |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-110425    | 11/4/2025   | 32                             |           |                | 54                             |           |                | 110                            |           |                | < 7.7                          | U         |                | < 4.2                          | U         |                | < 3.4                          | U         |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-111825    | 11/18/2025  | 100                            |           |                | 170                            |           |                | 260                            |           |                | < 30                           | U         |                | < 17                           | U         |                | < 13                           | U         |                |

ATTACHMENT B  
SEE SYSTEM VAPOR ANALYTICAL SAMPLE RESULTS

| Location     | Sample ID                   | Sample Date | Heptane           |           |                | Hexane            |           |                | Isopentane        |           |                | 2-Propanol        |           |                | Tetrachloroethene |           |                | Trichloroethene   |           |                |
|--------------|-----------------------------|-------------|-------------------|-----------|----------------|-------------------|-----------|----------------|-------------------|-----------|----------------|-------------------|-----------|----------------|-------------------|-----------|----------------|-------------------|-----------|----------------|
|              |                             |             | Result<br>(mg/m³) | Lab Quals | AECOM<br>Quals | Result<br>(mg/m³) | Lab Quals | AECOM<br>Quals | Result<br>(mg/m³) | Lab Quals | AECOM<br>Quals | Result<br>(mg/m³) | Lab Quals | AECOM<br>Quals | Result<br>(mg/m³) | Lab Quals | AECOM<br>Quals | Result<br>(mg/m³) | Lab Quals | AECOM<br>Quals |
| SEE COMBINED | PWY-SEE-Combined-070224     | 7/2/2024    | 51                |           |                | 170               |           |                | 320               |           |                | < 13              | U         |                | < 7.2             | U         |                | < 5.7             | U         |                |
| SEE COMBINED | PWY-SEE-Combined-080624     | 8/6/2024    | 67                |           |                | 150               |           |                | 350               |           |                | < 14              | U         |                | < 7.6             | U         |                | < 6               | U         |                |
| SEE COMBINED | PWY-SEE-Combined-MC2-080624 | 8/6/2024    | 53                |           |                | 120               |           |                | 290               |           |                | < 28              | U         |                | < 15              | U         |                | < 12              | U         |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-090524 | 9/5/2024    | 100               |           |                | 160               |           |                | 300               |           |                | < 6.9             | U         |                | < 3.8             | U         |                | < 3               | U         |                |
| SEE COMBINED | PWY-SEE-Combined-091124     | 9/11/2024   | 48                |           |                | 89                |           |                | 200               |           |                | < 6.8             | U         |                | < 3.7             | U         |                | < 3               | U         |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-092524 | 9/25/2024   | 25                |           |                | 72                |           |                | 220               |           |                | < 13              | U         |                | < 7               | U         |                | < 5.6             | U         |                |
| SEE COMBINED | PWY-SEE-Combined-100224     | 10/2/2024   | 41                |           |                | 110               |           |                | 300               |           |                | 5.3               | J         |                | < 14              | U         |                | < 11              | U         |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-100824 | 10/8/2024   | 44                |           |                | 100               |           |                | 290               |           |                | < 26              | U         |                | < 14              | U         |                | < 11              | U         |                |
| SEE COMBINED | PWY-SEE-Combined-040425     | 4/4/2025    | 45                |           |                | 100               |           |                | 250               |           |                | < 12              | U         |                | < 6.6             | U         |                | < 5.2             | U         |                |
| SEE COMBINED | PWY-SEE-Combined-050625     | 5/6/2025    | 22                |           |                | 51                |           |                | 190               |           |                | < 26              | U         |                | < 14              | U         |                | < 11              | U         |                |
| SEE COMBINED | PWY-SEE-Combined-MC2-050625 | 5/6/2025    | 34                |           |                | 69                |           |                | 230               |           |                | < 6.2             | U         |                | < 3.4             | U         |                | < 2.7             | U         |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-052025 | 5/20/2025   | 38                |           |                | 76                |           |                | 310               |           |                | < 7.9             | U         |                | < 4.3             | U         |                | < 3.4             | U         |                |
| SEE COMBINED | PWYSEE-COMBINED-MC2-060325  | 6/3/2025    | 32                |           |                | 73                |           |                | 290               |           |                | < 7.6             | U         |                | < 4.2             | U         |                | < 3.3             | U         |                |
| SEE COMBINED | PWY-SEE-Combined-061625     | 6/16/2025   | 20                |           |                | 50                |           |                | 260               |           |                | < 7.6             | U         |                | < 4.2             | U         |                | < 3.3             | U         |                |
| SEE COMBINED | PWY-SEE-COMBINED-MC2-061725 | 6/17/2025   | 30                |           |                | 62                |           |                | 270               |           |                | < 7.7             | U         |                | < 4.3             | U         |                | < 3.4             | U         |                |
| SEE COMBINED | PWY-SEE-Combined-070125     | 7/1/2025    | 15                |           |                | 41                |           |                | 210               |           |                | 1.6               | J         |                | < 2.8             | U         |                | < 2.2             | U         |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-070125 | 7/1/2025    | 18                |           |                | 43                |           |                | 220               |           |                | 1.3               | J         |                | < 2.8             | U         |                | < 2.2             | U         |                |
| SEE COMBINED | PWYSEE-Combined-Mc2-071725  | 7/17/2025   | 17                |           |                | 54                |           |                | 230               |           |                | < 7.7             | U         |                | < 4.3             | U         |                | < 3.4             | U         |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-072925 | 7/29/2025   | 20                |           |                | 53                |           |                | 240               |           |                | < 7.7             | U         |                | < 4.3             | U         |                | < 3.4             | U         |                |
| SEE COMBINED | PWY-SEE-Combined-080525     | 8/5/2025    | 18                |           |                | 42                |           |                | 220               |           |                | < 7.4             | U         |                | < 4.1             | U         |                | < 3.2             | U         |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-081225 | 8/12/2025   | 17                |           |                | 35                |           |                | 140               |           |                | < 7.7             | U         |                | < 4.3             | U         |                | < 3.4             | U         |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-082825 | 8/28/2025   | 43                |           |                | 78                |           |                | 240               |           |                | < 120             | U         |                | < 68              | U         |                | < 54              | U         |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-090925 | 9/9/2025    | 24                |           |                | 50                |           |                | 160               |           |                | < 15              | U         |                | < 8.4             | U         |                | < 6.7             | U         |                |
| SEE COMBINED | PWY-SEE-Combined-090925     | 9/9/2025    | 22                |           |                | 49                |           |                | 160               |           |                | < 15              | U         |                | < 8.1             | U         |                | < 6.4             | U         |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-092325 | 9/23/2025   | 14                |           |                | 33                |           |                | 89                |           |                | < 15              | U         |                | < 8.5             | U         |                | < 6.8             | U         |                |
| SEE COMBINED | PWY-SEE-Combined-100725     | 10/7/2025   | 25                |           |                | 44                |           |                | 120               |           |                | < 41              | U         |                | < 28              | U         |                | < 22              | U         |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-100725 | 10/7/2025   | 21                |           |                | 37                |           |                | 110               |           |                | < 38              | U         |                | < 26              | U         |                | < 21              | U         |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-102125 | 10/21/2025  | 39                |           |                | 85                |           |                | 160               |           |                | < 31              | U         |                | < 17              | U         |                | < 13              | U         |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-110425 | 11/4/2025   | 30                |           |                | 49                |           |                | 100               |           |                | < 7.6             | U         |                | < 4.2             | U         |                | < 3.3             | U         |                |
| SEE COMBINED | PWY-SEE-Combined-111125     | 11/11/2025  | 16                |           |                | 30                |           |                | 50                |           |                | < 7.6             | U         |                | < 4.2             | U         |                | < 3.3             | U         |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-111825 | 11/18/2025  | 75                |           |                | 130               |           |                | 200               |           |                | < 31              | U         |                | < 17              | U         |                | < 14              | U         |                |

ATTACHMENT B  
SEE SYSTEM VAPOR ANALYTICAL SAMPLE RESULTS

| Location         | Sample ID                      | Sample Date | 1,2,4-Trimethylbenzene         |           |                | 1,3,5-Trimethylbenzene         |           |                | 2,2,4-Trimethylpentane         |           |                | m,p-Xylene                     |           |                | o-Xylene                       |           |                | TPH<br>(C2-C10)                |           |                |
|------------------|--------------------------------|-------------|--------------------------------|-----------|----------------|--------------------------------|-----------|----------------|--------------------------------|-----------|----------------|--------------------------------|-----------|----------------|--------------------------------|-----------|----------------|--------------------------------|-----------|----------------|
|                  |                                |             | Result<br>(mg/m <sup>3</sup> ) | Lab Quals | AECOM<br>Quals | Result<br>(mg/m <sup>3</sup> ) | Lab Quals | AECOM<br>Quals | Result<br>(mg/m <sup>3</sup> ) | Lab Quals | AECOM<br>Quals | Result<br>(mg/m <sup>3</sup> ) | Lab Quals | AECOM<br>Quals | Result<br>(mg/m <sup>3</sup> ) | Lab Quals | AECOM<br>Quals | Result<br>(mg/m <sup>3</sup> ) | Lab Quals | AECOM<br>Quals |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-MC2-080624 | 8/6/2024    | 3.9                            | J         |                | 1.2                            | J         |                | 2                              | J         |                | 16                             |           |                | 2.8                            | J         |                | --                             |           |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-090524 | 9/5/2024    | 2.5                            | J         |                | 0.87                           | J         |                | 0.32                           | J         |                | 10                             |           |                | 2                              | J         |                | --                             |           |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-092524 | 9/25/2024   | 0.85                           |           |                | 0.23                           | J         |                | 0.21                           | J         |                | 2.6                            |           |                | 0.58                           |           |                | --                             |           |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-100824 | 10/8/2024   | 6.4                            |           |                | 1.8                            |           |                | 1.3                            |           |                | 7.1                            |           |                | 0.99                           |           |                | --                             |           |                |
| SEE AIR STRIPPER | PWY-SEE-AIRSTRIPPER-MC2-050625 | 5/6/2025    | 0.4                            |           |                | 0.12                           |           |                | 0.93                           |           |                | 0.54                           |           |                | 0.092                          |           |                | --                             |           |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-052025 | 5/20/2025   | 2.1                            |           |                | 0.92                           | J         |                | < 0.98                         | U         |                | 5.3                            |           |                | 2                              |           |                | --                             |           |                |
| SEE AIR STRIPPER | PWYSEE-AIRSTRIPPER-MC2-060325  | 6/3/2025    | 8                              |           |                | 2                              |           |                | 2.9                            |           |                | 6.2                            |           |                | 1.3                            |           |                | --                             |           |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-MC2-061725 | 6/17/2025   | 3.2                            |           |                | 0.85                           |           |                | 2.1                            |           |                | 3.3                            |           |                | 0.61                           |           |                | --                             |           |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-070125 | 7/1/2025    | 2                              |           |                | 0.55                           |           |                | 1.6                            |           |                | 1.6                            |           |                | 0.25                           |           |                | --                             |           |                |
| SEE AIR STRIPPER | PWYSEE-AirStripper-Mc2-071725  | 7/17/2025   | 0.58                           |           |                | 0.17                           |           |                | 0.13                           |           |                | 0.92                           |           |                | 0.29                           |           |                | --                             |           |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-072925 | 7/29/2025   | 16                             |           |                | 4.9                            |           |                | 190                            |           |                | 28                             |           |                | 2.7                            |           |                | --                             |           |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-081225 | 8/12/2025   | 3.4                            |           |                | 0.79                           | J         |                | 1.9                            |           |                | 6.2                            |           |                | 1.9                            |           |                | --                             |           |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-082825 | 8/28/2025   | 29                             |           |                | 5.8                            |           |                | 2.2                            |           |                | 16                             |           |                | 4.5                            |           |                | --                             |           |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-090925 | 9/9/2025    | 8.5                            |           |                | 1.8                            |           |                | 1.4                            |           |                | 4.9                            |           |                | 1.1                            |           |                | --                             |           |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-092325 | 9/23/2025   | 50                             |           |                | 11                             |           |                | 1.8                            |           |                | 17                             |           |                | 4.2                            |           |                | --                             |           |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-100725 | 10/7/2025   | 39                             |           |                | 7.7                            |           |                | 1                              | J         |                | 10                             |           |                | 2.9                            |           |                | --                             |           |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-102125 | 10/21/2025  | 45                             |           |                | 9.4                            |           |                | 1.3                            |           |                | 18                             |           |                | 5.4                            |           |                | --                             |           |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-110425 | 11/4/2025   | 43                             |           |                | 9.2                            |           |                | 0.5                            |           |                | 16                             |           |                | 5.3                            |           |                | --                             |           |                |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-111825 | 11/18/2025  | 74                             |           |                | 16                             |           |                | 1.8                            |           |                | 30                             |           |                | 10                             |           |                | --                             |           |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-MC2-080624    | 8/6/2024    | 14                             |           |                | 5.2                            | J         |                | 310                            |           |                | 69                             |           |                | 6.6                            | J         |                | --                             |           |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-090524    | 9/5/2024    | 73                             |           |                | 26                             |           |                | 450                            |           |                | 250                            |           |                | 15                             |           |                | --                             |           |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-092524    | 9/25/2024   | 15                             |           |                | 5.8                            |           |                | 200                            |           |                | 66                             |           |                | 3.2                            | J         |                | --                             |           |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-100824    | 10/8/2024   | 3.3                            | J         |                | 2.3                            | J         |                | 220                            |           |                | 43                             |           |                | 4.4                            | J         |                | --                             |           |                |
| SEE MPE WELLS    | PWY-SEE-MPEWELLS-MC2-050625    | 5/6/2025    | 36                             |           |                | 11                             |           |                | 240                            |           |                | 96                             |           |                | 9.9                            |           |                | --                             |           |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-052025    | 5/20/2025   | 55                             |           |                | 17                             |           |                | 300                            |           |                | 120                            |           |                | 11                             |           |                | --                             |           |                |
| SEE MPE WELLS    | PWYSEE-MPEWELLS-MC2-060325     | 6/3/2025    | 47                             |           |                | 14                             |           |                | 210                            |           |                | 75                             |           |                | 9.8                            |           |                | --                             |           |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-MC2-061725    | 6/17/2025   | 37                             |           |                | 12                             |           |                | 210                            |           |                | 77                             |           |                | 8.1                            |           |                | --                             |           |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-070125    | 7/1/2025    | 17                             |           |                | 5.9                            |           |                | 170                            |           |                | 28                             |           |                | 2.9                            |           |                | --                             |           |                |
| SEE MPE WELLS    | PWYSEE-MPEWells-Mc2-071725     | 7/17/2025   | 22                             |           |                | 7.1                            |           |                | 210                            |           |                | 42                             |           |                | 4.3                            |           |                | --                             |           |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-072925    | 7/29/2025   | 2.4                            |           |                | 0.7                            | J         |                | 1.7                            |           |                | 6.5                            |           |                | 2                              |           |                | --                             |           |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-081225    | 8/12/2025   | 23                             |           |                | 6                              |           |                | 120                            |           |                | 38                             |           |                | 6.3                            |           |                | --                             |           |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-082825    | 8/28/2025   | 35                             |           |                | 11                             | J         |                | 160                            |           |                | 61                             |           |                | 11                             | J         |                | --                             |           |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-090925    | 9/9/2025    | 30                             |           |                | 8.7                            |           |                | 110                            |           |                | 47                             |           |                | 7.6                            |           |                | --                             |           |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-092325    | 9/23/2025   | 47                             |           |                | 14                             |           |                | 110                            |           |                | 68                             |           |                | 14                             |           |                | --                             |           |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-100725    | 10/7/2025   | 31                             |           |                | 11                             | J         |                | 85                             |           |                | 44                             |           |                | 9.4                            | J         |                | --                             |           |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-102125    | 10/21/2025  | 50                             |           |                | 15                             |           |                | 86                             |           |                | 84                             |           |                | 17                             |           |                | --                             |           |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-110425    | 11/4/2025   | 68                             |           |                | 18                             |           |                | 83                             |           |                | 96                             |           |                | 20                             |           |                | --                             |           |                |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-111825    | 11/18/2025  | 76                             |           |                | 21                             |           |                | 160                            |           |                | 140                            |           |                | 33                             |           |                | --                             |           |                |

ATTACHMENT B  
SEE SYSTEM VAPOR ANALYTICAL SAMPLE RESULTS

| Location     | Sample ID                   | Sample Date | 1,2,4-Trimethylbenzene |           |                | 1,3,5-Trimethylbenzene |           |                | 2,2,4-Trimethylpentane |           |                | m,p-Xylene        |           |                | o-Xylene          |           |                | TPH<br>(C2-C10)   |           |                |
|--------------|-----------------------------|-------------|------------------------|-----------|----------------|------------------------|-----------|----------------|------------------------|-----------|----------------|-------------------|-----------|----------------|-------------------|-----------|----------------|-------------------|-----------|----------------|
|              |                             |             | Result<br>(mg/m³)      | Lab Quals | AECOM<br>Quals | Result<br>(mg/m³)      | Lab Quals | AECOM<br>Quals | Result<br>(mg/m³)      | Lab Quals | AECOM<br>Quals | Result<br>(mg/m³) | Lab Quals | AECOM<br>Quals | Result<br>(mg/m³) | Lab Quals | AECOM<br>Quals | Result<br>(mg/m³) | Lab Quals | AECOM<br>Quals |
| SEE COMBINED | PWY-SEE-Combined-070224     | 7/2/2024    | 2.5                    | J         |                | 1.2                    | J         |                | 230                    |           |                | 17                |           |                | 2                 | J         |                | 7600              |           |                |
| SEE COMBINED | PWY-SEE-Combined-080624     | 8/6/2024    | 17                     |           |                | 6.1                    |           |                | 320                    |           |                | 74                |           |                | 5.9               |           |                | 23000             |           |                |
| SEE COMBINED | PWY-SEE-Combined-MC2-080624 | 8/6/2024    | 12                     |           |                | 5                      | J         |                | 270                    |           |                | 56                |           |                | 5.7               | J         |                | --                |           |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-090524 | 9/5/2024    | 71                     |           |                | 25                     |           |                | 410                    |           |                | 220               |           |                | 14                |           |                | --                |           |                |
| SEE COMBINED | PWY-SEE-Combined-091124     | 9/11/2024   | 14                     |           |                | 5.1                    |           |                | 210                    |           |                | 88                |           |                | 4                 |           |                | 5200              |           |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-092524 | 9/25/2024   | 10                     |           |                | 4.4                    | J         |                | 160                    |           |                | 50                |           |                | 2.3               | J         |                | --                |           |                |
| SEE COMBINED | PWY-SEE-Combined-100224     | 10/2/2024   | 25                     |           |                | 10                     |           |                | 200                    |           |                | 74                |           |                | 5.6               | J         |                | 16000             |           |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-100824 | 10/8/2024   | 2.8                    | J         |                | < 10                   | U         |                | 200                    |           |                | 35                |           |                | 3.1               | J         |                | --                |           |                |
| SEE COMBINED | PWY-SEE-Combined-040425     | 4/4/2025    | 8.4                    |           |                | 3.7                    | J         |                | 230                    |           |                | 58                |           |                | 3.8               | J         |                | 5000              |           |                |
| SEE COMBINED | PWY-SEE-Combined-050625     | 5/6/2025    | 7.1                    | J         |                | < 10                   | U         |                | 150                    |           |                | 28                |           |                | < 9.3             | U         |                | 3200              |           |                |
| SEE COMBINED | PWY-SEE-Combined-MC2-050625 | 5/6/2025    | 26                     |           |                | 8.2                    |           |                | 200                    |           |                | 75                |           |                | 7.5               |           |                | --                |           |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-052025 | 5/20/2025   | 56                     |           |                | 17                     |           |                | 240                    |           |                | 100               |           |                | 11                |           |                | --                |           |                |
| SEE COMBINED | PWYSEE-COMBINED-MC2-060325  | 6/3/2025    | 56                     |           |                | 16                     |           |                | 200                    |           |                | 79                |           |                | 10                |           |                | --                |           |                |
| SEE COMBINED | PWY-SEE-Combined-061625     | 6/16/2025   | 2.9                    | J         |                | 1.6                    | J         |                | 150                    |           |                | 22                |           |                | 2.9               |           |                | 3400              |           |                |
| SEE COMBINED | PWY-SEE-COMBINED-MC2-061725 | 6/17/2025   | 37                     |           |                | 12                     |           |                | 200                    |           |                | 72                |           |                | 8.4               |           |                | --                |           |                |
| SEE COMBINED | PWY-SEE-Combined-070125     | 7/1/2025    | 11                     |           |                | 3.8                    |           |                | 130                    |           |                | 20                |           |                | 2                 |           |                | 2600              |           |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-070125 | 7/1/2025    | 12                     |           |                | 4.3                    |           |                | 140                    |           |                | 21                |           |                | 2.2               |           |                | --                |           |                |
| SEE COMBINED | PWYSEE-Combined-Mc2-071725  | 7/17/2025   | 21                     |           |                | 7.1                    |           |                | 180                    |           |                | 35                |           |                | 3.2               |           |                | --                |           |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-072925 | 7/29/2025   | 20                     |           |                | 5.7                    |           |                | 170                    |           |                | 28                |           |                | 2.6               | J         |                | --                |           |                |
| SEE COMBINED | PWY-SEE-Combined-080525     | 8/5/2025    | 18                     |           |                | 4.6                    |           |                | 150                    |           |                | 26                |           |                | 2.7               |           |                | 3600              |           |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-081225 | 8/12/2025   | 25                     |           |                | 6.7                    |           |                | 110                    |           |                | 37                |           |                | 6                 |           |                | --                |           |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-082825 | 8/28/2025   | 34                     | J         |                | 11                     | J         |                | 130                    |           |                | 63                |           |                | < 44              | U         |                | --                |           |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-090925 | 9/9/2025    | 26                     |           |                | 7.7                    |           |                | 98                     |           |                | 42                |           |                | 6.4               |           |                | --                |           |                |
| SEE COMBINED | PWY-SEE-Combined-090925     | 9/9/2025    | 25                     |           |                | 7.4                    |           |                | 94                     |           |                | 41                |           |                | 7.3               |           |                | 8300              |           |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-092325 | 9/23/2025   | 28                     |           |                | 8.4                    |           |                | 60                     |           |                | 35                |           |                | 8                 |           |                | --                |           |                |
| SEE COMBINED | PWY-SEE-Combined-100725     | 10/7/2025   | 29                     |           |                | 9                      | J         |                | 78                     |           |                | 41                |           |                | 8.8               | J         |                | 7500              |           |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-100725 | 10/7/2025   | 28                     |           |                | 9.8                    | J         |                | 73                     |           |                | 37                |           |                | 7.6               | J         |                | --                |           |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-102125 | 10/21/2025  | 39                     |           |                | 12                     | J         |                | 81                     |           |                | 67                |           |                | 14                |           |                | --                |           |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-110425 | 11/4/2025   | 67                     |           |                | 17                     |           |                | 77                     |           |                | 84                |           |                | 19                |           |                | --                |           |                |
| SEE COMBINED | PWY-SEE-Combined-111125     | 11/11/2025  | 6.6                    |           |                | 2.2                    | J         |                | 27                     |           |                | 18                |           |                | 3.9               |           |                | 7500              |           |                |
| SEE COMBINED | PWY-SEE-Combined-Mc2-111825 | 11/18/2025  | 59                     |           |                | 19                     |           |                | 120                    |           |                | 100               |           |                | 23                |           |                | --                |           |                |

ATTACHMENT B  
SEE SYSTEM VAPOR ANALYTICAL SAMPLE RESULTS

| Location         | Sample ID                      | Sample Date | Butane     |           |             | Isopentane |           |             | C6+        |           |             | Carbon Dioxide |           |             | Ethane     |           |             | Isobutane  |           |             |
|------------------|--------------------------------|-------------|------------|-----------|-------------|------------|-----------|-------------|------------|-----------|-------------|----------------|-----------|-------------|------------|-----------|-------------|------------|-----------|-------------|
|                  |                                |             | Result (%) | Lab Quals | AECOM Quals | Result (%) | Lab Quals | AECOM Quals | Result (%) | Lab Quals | AECOM Quals | Result (%)     | Lab Quals | AECOM Quals | Result (%) | Lab Quals | AECOM Quals | Result (%) | Lab Quals | AECOM Quals |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-MC2-080624 | 8/6/2024    | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-090524 | 9/5/2024    | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-092524 | 9/25/2024   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-100824 | 10/8/2024   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AIRSTRIPPER-MC2-050625 | 5/6/2025    | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-052025 | 5/20/2025   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWYSEE-AIRSTRIPPER-MC2-060325  | 6/3/2025    | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-MC2-061725 | 6/17/2025   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-070125 | 7/1/2025    | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWYSEE-AirStripper-Mc2-071725  | 7/17/2025   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-072925 | 7/29/2025   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-081225 | 8/12/2025   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-082825 | 8/28/2025   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-090925 | 9/9/2025    | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-092325 | 9/23/2025   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-100725 | 10/7/2025   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-102125 | 10/21/2025  | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-110425 | 11/4/2025   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-111825 | 11/18/2025  | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-MC2-080624    | 8/6/2024    | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-090524    | 9/5/2024    | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-092524    | 9/25/2024   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-100824    | 10/8/2024   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWELLS-MC2-050625    | 5/6/2025    | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-052025    | 5/20/2025   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWYSEE-MPEWELLS-MC2-060325     | 6/3/2025    | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-MC2-061725    | 6/17/2025   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-070125    | 7/1/2025    | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWYSEE-MPEWells-Mc2-071725     | 7/17/2025   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-072925    | 7/29/2025   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-081225    | 8/12/2025   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-082825    | 8/28/2025   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-090925    | 9/9/2025    | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-092325    | 9/23/2025   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-100725    | 10/7/2025   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-102125    | 10/21/2025  | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-110425    | 11/4/2025   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-111825    | 11/18/2025  | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |

ATTACHMENT B  
SEE SYSTEM VAPOR ANALYTICAL SAMPLE RESULTS

| Location     | Sample ID                   | Sample Date | Butane     |           |             | Isopentane |           |             | C6+        |           |             | Carbon Dioxide |           |             | Ethane     |           |             | Isobutane  |           |             |
|--------------|-----------------------------|-------------|------------|-----------|-------------|------------|-----------|-------------|------------|-----------|-------------|----------------|-----------|-------------|------------|-----------|-------------|------------|-----------|-------------|
|              |                             |             | Result (%) | Lab Quals | AECOM Quals | Result (%) | Lab Quals | AECOM Quals | Result (%) | Lab Quals | AECOM Quals | Result (%)     | Lab Quals | AECOM Quals | Result (%) | Lab Quals | AECOM Quals | Result (%) | Lab Quals | AECOM Quals |
| SEE COMBINED | PWY-SEE-Combined-070224     | 7/2/2024    | 0.0045     |           |             | 0.012      |           |             | 0.071      |           |             | 2.1            |           |             | 0.00012    | J         |             | 0.00038    | J         |             |
| SEE COMBINED | PWY-SEE-Combined-080624     | 8/6/2024    | 0.0078     |           |             | 0.014      |           |             | 0.11       |           |             | 2.8            |           |             | 0.00015    | J         |             | 0.00070    | J         |             |
| SEE COMBINED | PWY-SEE-Combined-MC2-080624 | 8/6/2024    | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-Mc2-090524 | 9/5/2024    | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-091124     | 9/11/2024   | 0.0037     |           |             | 0.0095     |           |             | 0.084      |           |             | 2.0            |           |             | 0.000063   | J         |             | 0.00038    | J         |             |
| SEE COMBINED | PWY-SEE-Combined-Mc2-092524 | 9/25/2024   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-100224     | 10/2/2024   | 0.0078     |           |             | 0.013      |           |             | 0.10       |           |             | 2.3            |           |             | 0.000092   | J         |             | 0.00070    | J         |             |
| SEE COMBINED | PWY-SEE-Combined-Mc2-100824 | 10/8/2024   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-040425     | 4/4/2025    | 0.0042     |           |             | 0.010      |           |             | 0.089      |           |             | 2.0            |           |             | 0.000098   | J         |             | 0.00039    | J         |             |
| SEE COMBINED | PWY-SEE-Combined-050625     | 5/6/2025    | 0.0038     |           |             | 0.0082     |           |             | 0.055      |           |             | 1.6            |           |             | 0.00014    | J         |             | 0.00039    | J         |             |
| SEE COMBINED | PWY-SEE-Combined-MC2-050625 | 5/6/2025    | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-Mc2-052025 | 5/20/2025   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWYSEE-COMBINED-MC2-060325  | 6/3/2025    | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-061625     | 6/16/2025   | 0.0038     |           |             | 0.0081     |           |             | 0.069      |           |             | 1.7            |           |             | 0.00013    | J         |             | 0.00043    | J         |             |
| SEE COMBINED | PWY-SEE-COMBINED-MC2-061725 | 6/17/2025   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-070125     | 7/1/2025    | 0.0035     |           |             | 0.0073     |           |             | 0.066      |           |             | 1.7            |           |             | 0.00012    | J         |             | 0.00040    | J         |             |
| SEE COMBINED | PWY-SEE-Combined-Mc2-070125 | 7/1/2025    | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWYSEE-Combined-Mc2-071725  | 7/17/2025   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-Mc2-072925 | 7/29/2025   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-080525     | 8/5/2025    | 0.0041     |           |             | 0.0082     |           |             | 0.038      |           |             | 1.9            |           |             | < 0.0024   | U         |             | < 0.0024   | U         |             |
| SEE COMBINED | PWY-SEE-Combined-Mc2-081225 | 8/12/2025   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-Mc2-082825 | 8/28/2025   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-Mc2-090925 | 9/9/2025    | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-090925     | 9/9/2025    | 0.0033     |           |             | 0.0062     |           |             | 0.066      |           |             | 1.8            |           |             | < 0.0024   | U         |             | < 0.0024   | U         |             |
| SEE COMBINED | PWY-SEE-Combined-Mc2-092325 | 9/23/2025   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-100725     | 10/7/2025   | 0.0023     | J         |             | 0.0043     |           |             | 0.13       |           |             | 1.5            |           |             | < 0.0025   | U         |             | < 0.0025   | U         |             |
| SEE COMBINED | PWY-SEE-Combined-Mc2-100725 | 10/7/2025   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-Mc2-102125 | 10/21/2025  | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-Mc2-110425 | 11/4/2025   | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-111125     | 11/11/2025  | 0.0034     |           |             | 0.0055     |           |             | 0.060      |           |             | 1.6            |           |             | < 0.0024   | U         |             | < 0.0024   | U         |             |
| SEE COMBINED | PWY-SEE-Combined-Mc2-111825 | 11/18/2025  | --         |           |             | --         |           |             | --         |           |             | --             |           |             | --         |           |             | --         |           |             |

ATTACHMENT B  
SEE SYSTEM VAPOR ANALYTICAL SAMPLE RESULTS

| Location         | Sample ID                      | Sample Date | Methane    |           |             | Neopentane |           |             | Nitrogen   |           |             | Oxygen     |           |             | Pentane    |           |             |
|------------------|--------------------------------|-------------|------------|-----------|-------------|------------|-----------|-------------|------------|-----------|-------------|------------|-----------|-------------|------------|-----------|-------------|
|                  |                                |             | Result (%) | Lab Quals | AECOM Quals | Result (%) | Lab Quals | AECOM Quals | Result (%) | Lab Quals | AECOM Quals | Result (%) | Lab Quals | AECOM Quals | Result (%) | Lab Quals | AECOM Quals |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-MC2-080624 | 8/6/2024    | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-090524 | 9/5/2024    | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-092524 | 9/25/2024   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-100824 | 10/8/2024   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AIRSTRIPPER-MC2-050625 | 5/6/2025    | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-052025 | 5/20/2025   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWYSEE-AIRSTRIPPER-MC2-060325  | 6/3/2025    | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-MC2-061725 | 6/17/2025   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-070125 | 7/1/2025    | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWYSEE-AirStripper-Mc2-071725  | 7/17/2025   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-072925 | 7/29/2025   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-081225 | 8/12/2025   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-082825 | 8/28/2025   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-090925 | 9/9/2025    | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-092325 | 9/23/2025   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-100725 | 10/7/2025   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-102125 | 10/21/2025  | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-110425 | 11/4/2025   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE AIR STRIPPER | PWY-SEE-AirStripper-Mc2-111825 | 11/18/2025  | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-MC2-080624    | 8/6/2024    | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-090524    | 9/5/2024    | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-092524    | 9/25/2024   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-100824    | 10/8/2024   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWELLS-MC2-050625    | 5/6/2025    | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-052025    | 5/20/2025   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWYSEE-MPEWELLS-MC2-060325     | 6/3/2025    | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-MC2-061725    | 6/17/2025   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-070125    | 7/1/2025    | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWYSEE-MPEWells-Mc2-071725     | 7/17/2025   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-072925    | 7/29/2025   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-081225    | 8/12/2025   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-082825    | 8/28/2025   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-090925    | 9/9/2025    | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-092325    | 9/23/2025   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-100725    | 10/7/2025   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-102125    | 10/21/2025  | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-110425    | 11/4/2025   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE MPE WELLS    | PWY-SEE-MPEWells-Mc2-111825    | 11/18/2025  | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |

ATTACHMENT B  
SEE SYSTEM VAPOR ANALYTICAL SAMPLE RESULTS

| Location     | Sample ID                   | Sample Date | Methane    |           |             | Neopentane |           |             | Nitrogen   |           |             | Oxygen     |           |             | Pentane    |           |             |
|--------------|-----------------------------|-------------|------------|-----------|-------------|------------|-----------|-------------|------------|-----------|-------------|------------|-----------|-------------|------------|-----------|-------------|
|              |                             |             | Result (%) | Lab Quals | AECOM Quals | Result (%) | Lab Quals | AECOM Quals | Result (%) | Lab Quals | AECOM Quals | Result (%) | Lab Quals | AECOM Quals | Result (%) | Lab Quals | AECOM Quals |
| SEE COMBINED | PWY-SEE-Combined-070224     | 7/2/2024    | 0.94       |           |             | < 0.0021   | U         |             | 78         |           |             | 19         |           |             | 0.0091     |           |             |
| SEE COMBINED | PWY-SEE-Combined-080624     | 8/6/2024    | 0.99       |           |             | < 0.0022   | U         |             | 78         |           |             | 18         |           |             | 0.0090     |           |             |
| SEE COMBINED | PWY-SEE-Combined-Mc2-080624 | 8/6/2024    | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-Mc2-090524 | 9/5/2024    | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-091124     | 9/11/2024   | 0.78       |           |             | < 0.0022   | U         |             | 78         |           |             | 19         |           |             | 0.0058     |           |             |
| SEE COMBINED | PWY-SEE-Combined-Mc2-092524 | 9/25/2024   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-100224     | 10/2/2024   | 0.96       |           |             | 0.000046   | J         |             | 78         |           |             | 19         |           |             | 0.0077     |           |             |
| SEE COMBINED | PWY-SEE-Combined-Mc2-100824 | 10/8/2024   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-040425     | 4/4/2025    | 1.1        |           |             | < 0.0019   | U         |             | 78         |           |             | 19         |           |             | 0.0055     |           |             |
| SEE COMBINED | PWY-SEE-Combined-050625     | 5/6/2025    | 0.80       |           |             | < 0.0021   | U         |             | 78         |           |             | 19         |           |             | 0.0040     |           |             |
| SEE COMBINED | PWY-SEE-Combined-Mc2-050625 | 5/6/2025    | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-Mc2-052025 | 5/20/2025   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWYSEE-COMBINED-Mc2-060325  | 6/3/2025    | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-061625     | 6/16/2025   | 0.84       |           |             | < 0.0024   | U         |             | 78         |           |             | 19         |           |             | 0.0033     |           |             |
| SEE COMBINED | PWY-SEE-COMBINED-Mc2-061725 | 6/17/2025   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-070125     | 7/1/2025    | 0.76       |           |             | < 0.0025   | U         |             | 78         |           |             | 19         |           |             | 0.0029     |           |             |
| SEE COMBINED | PWY-SEE-Combined-Mc2-070125 | 7/1/2025    | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWYSEE-Combined-Mc2-071725  | 7/17/2025   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-Mc2-072925 | 7/29/2025   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-080525     | 8/5/2025    | 0.85       |           |             | < 0.0024   | U         |             | 78         |           |             | 19         |           |             | 0.0030     |           |             |
| SEE COMBINED | PWY-SEE-Combined-Mc2-081225 | 8/12/2025   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-Mc2-082825 | 8/28/2025   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-Mc2-090925 | 9/9/2025    | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-090925     | 9/9/2025    | 0.53       |           |             | < 0.0024   | U         |             | 78         |           |             | 19         |           |             | 0.0027     |           |             |
| SEE COMBINED | PWY-SEE-Combined-Mc2-092325 | 9/23/2025   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-100725     | 10/7/2025   | 0.36       |           |             | < 0.0025   | U         |             | 78         |           |             | 20         |           |             | 0.0021     | J         |             |
| SEE COMBINED | PWY-SEE-Combined-Mc2-100725 | 10/7/2025   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-Mc2-102125 | 10/21/2025  | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-Mc2-110425 | 11/4/2025   | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |
| SEE COMBINED | PWY-SEE-Combined-111125     | 11/11/2025  | 0.37       |           |             | < 0.0024   | U         |             | 77         |           |             | 21         |           |             | 0.0033     |           |             |
| SEE COMBINED | PWY-SEE-Combined-Mc2-111825 | 11/18/2025  | --         |           |             | --         |           |             | --         |           |             | --         |           |             | --         |           |             |

**Notes:**  
Analytes shown were detected in at least one SEE system vapor sample since operation began in 2024.  
**Bold** results are detections above the reporting limit (RL), or estimated detections between the method detection limit (MDL) and RL.  
< #.## Gray text indicates the analyte was not detected above the given reporting limit.  

|    |
|----|
| -- |
|----|

 Empty cell without a value indicates chemical was not analyzed.  
Samples collected by AECOM were analyzed using analyte lists and methods TO-15, ASTM D-1945, and TO-3. Samples collected by McMillan-McGee (Mc2) were analyzed for TO-15.  
Analytical results for samples collected by Mc2 are not validated by an AECOM chemist.  
**Analytical results for samples collected by AECOM during the reporting period of this progress report are PRELIMINARY and have not yet been validated by a chemist at the time of submittal.**

The SEE system was shut down from October 21, 2024 to March 28, 2025.

**Lab Qualifiers**  
J = Estimated value; results between the MDL and RL  
U = Compound analyzed for but not detected above the RL  
CN = Indicates potential high bias due to use of a Tedlar® bag for off-line dilution

**AECOM Qualifiers**  
J = Estimated detection  
UJ = Estimated non-detect  
U = Non-detect due to blank contamination

SEE LAST PAGE OF TABLE FOR NOTES

**ATTACHMENT C**  
**SVP FIELD-SCREENED TEDLAR® BAG RESULTS**

| Location  | Sample Date | Sample Time<br>(24-Hour) | Vacuum/<br>Pressure<br>Reading<br>(Inches of H <sub>2</sub> O) | Fixed Gases            |            |                        |                       | Soil Vapor Concentrations |               |                           |               | Comments                                              |
|-----------|-------------|--------------------------|----------------------------------------------------------------|------------------------|------------|------------------------|-----------------------|---------------------------|---------------|---------------------------|---------------|-------------------------------------------------------|
|           |             |                          |                                                                | CH <sub>4</sub><br>(%) | LEL<br>(%) | CO <sub>2</sub><br>(%) | O <sub>2</sub><br>(%) | PID<br>(ppmv)             | THC<br>(ppmv) | CH <sub>4</sub><br>(ppmv) | PHC<br>(ppmv) |                                                       |
| SVP-01-10 | 11/3/2025   | 1039                     | 0.35                                                           | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-01-10 | 11/6/2025   | 1100                     | -0.20                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-01-10 | 11/10/2025  | 0955                     | -0.13                                                          | 0.0                    | 0          | 0.2                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-01-10 | 11/10/2025  | 0955                     | NM                                                             | 0.0                    | 0          | 0.2                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             | Duplicate sample.                                     |
| SVP-01-10 | 11/12/2025  | 1058                     | -0.28                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-01-10 | 11/13/2025  | 1305                     | 0.00                                                           | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-01-10 | 11/17/2025  | 1028                     | -0.37                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-01-10 | 11/19/2025  | 0957                     | -0.27                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-01-10 | 11/21/2025  | 1040                     | -0.09                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-01-10 | 11/24/2025  | 0921                     | -0.87                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-01-10 | 11/25/2025  | 1020                     | -0.18                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-01-10 | 11/25/2025  | 1020                     | NM                                                             | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             | Duplicate sample.                                     |
| SVP-01-10 | 11/26/2025  | 0823                     | -1.77                                                          | 0.0                    | 0          | 0.2                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-01-20 | 11/3/2025   | 1040                     | -0.52                                                          | 0.0                    | 0          | 0.2                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-01-20 | 11/6/2025   | 1101                     | 0.00                                                           | 0.0                    | 0          | 0.2                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-01-20 | 11/10/2025  | 0956                     | -0.45                                                          | 0.0                    | 0          | 0.2                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-01-20 | 11/12/2025  | 1059                     | -0.10                                                          | 0.0                    | 0          | 0.2                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-01-20 | 11/13/2025  | 1306                     | -1.56                                                          | 0.0                    | 0          | 0.2                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-01-20 | 11/17/2025  | 1029                     | -0.33                                                          | 0.0                    | 0          | 0.2                    | 20.9                  | 0.0                       | 3.8           | 3.6                       | 0.2           |                                                       |
| SVP-01-20 | 11/19/2025  | 0958                     | -0.27                                                          | 0.0                    | 0          | 0.2                    | 20.8                  | 1.0                       | 11.8          | 9.8                       | 2             |                                                       |
| SVP-01-20 | 11/21/2025  | 1041                     | -0.30                                                          | 0.0                    | 0          | 0.2                    | 20.7                  | 0.0                       | 22.8          | 21.4                      | 1.4           |                                                       |
| SVP-01-20 | 11/24/2025  | 0922                     | -0.43                                                          | 0.0                    | 0          | 0.2                    | 20.9                  | 0.0                       | 5.4           | 5.2                       | 0.2           |                                                       |
| SVP-01-20 | 11/25/2025  | 1021                     | -0.16                                                          | 0.0                    | 0          | 0.2                    | 20.8                  | 0.0                       | 6.3           | 6.3                       | 0             |                                                       |
| SVP-01-20 | 11/26/2025  | 0824                     | -2.46                                                          | 0.0                    | 0          | 0.2                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-01-30 | 11/3/2025   | 1041                     | -0.36                                                          | 0.2                    | 4          | 1.3                    | 19.9                  | 24.5                      | 481           | 251                       | 230           |                                                       |
| SVP-01-30 | 11/3/2025   | 1230                     | NM                                                             | 0.3                    | 6          | 1.3                    | 19.2                  | 47.8                      | 715           | 288                       | 427           | Confirmation sample. Analytical sample was triggered. |
| SVP-01-30 | 11/6/2025   | 1102                     | -0.78                                                          | 0.2                    | 4          | 1.7                    | 19.0                  | 32.9                      | 641           | 322                       | 319           | Analytical sample was triggered.                      |
| SVP-01-30 | 11/10/2025  | 0957                     | -0.50                                                          | 0.7                    | 14         | 2.3                    | 18.5                  | 128                       | 1662          | 670                       | 992           | Analytical sample was triggered.                      |
| SVP-01-30 | 11/12/2025  | 1100                     | -0.44                                                          | 0.7                    | 14         | 2.7                    | 17.9                  | 121                       | 1732          | 755                       | 977           |                                                       |
| SVP-01-30 | 11/13/2025  | 1307                     | -4.25                                                          | 0.8                    | 16         | 2.8                    | 18.0                  | 183                       | 2120          | 865                       | 1255          | Analytical sample collected on 11/13/2025.            |
| SVP-01-30 | 11/17/2025  | 1030                     | -0.52                                                          | 1.2                    | 24         | 1.5                    | 19.6                  | 229                       | 2274          | 367                       | 1907          |                                                       |
| SVP-01-30 | 11/18/2025  | 1330                     | NM                                                             | 3.6                    | 72         | 4.4                    | 15.9                  | 582                       | 6525          | 1695                      | 4830          | Confirmation sample. Analytical sample was triggered. |
| SVP-01-30 | 11/19/2025  | 0959                     | -0.21                                                          | 1.3                    | 26         | 4.1                    | 16.4                  | 279                       | 3381          | 1452                      | 1929          | Analytical sample collected on 11/19/2025.            |
| SVP-01-30 | 11/21/2025  | 1042                     | -0.61                                                          | 1.8                    | 36         | 4.9                    | 15.3                  | 333                       | 4232          | 1884                      | 2348          | Analytical sample collected on 11/19/2025.            |
| SVP-01-30 | 11/24/2025  | 0923                     | -0.94                                                          | 0.8                    | 16         | 4.0                    | 16.7                  | 163                       | 2289          | 1257                      | 1032          |                                                       |
| SVP-01-30 | 11/25/2025  | 1022                     | -0.34                                                          | 0.3                    | 6          | 4.2                    | 16.5                  | 53.8                      | 1367          | 1028                      | 339           |                                                       |

SEE LAST PAGE OF TABLE FOR NOTES

**ATTACHMENT C**  
**SVP FIELD-SCREENED TEDLAR® BAG RESULTS**

| Location  | Sample Date | Sample Time<br>(24-Hour) | Vacuum/<br>Pressure<br>Reading<br>(Inches of H <sub>2</sub> O) | Fixed Gases            |            |                        |                       | Soil Vapor Concentrations |               |                           |               | Comments                                              |
|-----------|-------------|--------------------------|----------------------------------------------------------------|------------------------|------------|------------------------|-----------------------|---------------------------|---------------|---------------------------|---------------|-------------------------------------------------------|
|           |             |                          |                                                                | CH <sub>4</sub><br>(%) | LEL<br>(%) | CO <sub>2</sub><br>(%) | O <sub>2</sub><br>(%) | PID<br>(ppmv)             | THC<br>(ppmv) | CH <sub>4</sub><br>(ppmv) | PHC<br>(ppmv) |                                                       |
| SVP-01-30 | 11/25/2025  | 1022                     | NM                                                             | 0.3                    | 6          | 4.3                    | 16.4                  | 49.8                      | 1385          | 1023                      | 362           | Duplicate sample.                                     |
| SVP-01-30 | 11/26/2025  | 0825                     | -8.33                                                          | 0.1                    | 2          | 3.0                    | 18.2                  | 3.6                       | 517           | 471                       | 46            |                                                       |
| SVP-02-10 | 11/3/2025   | 1029                     | -0.33                                                          | 0.0                    | 0          | 0.2                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-02-10 | 11/6/2025   | 1042                     | -0.36                                                          | 0.0                    | 0          | 0.2                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-02-10 | 11/10/2025  | 0914                     | -0.17                                                          | 0.0                    | 0          | 0.3                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-02-10 | 11/12/2025  | 1036                     | -0.28                                                          | 0.0                    | 0          | 0.2                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-02-10 | 11/12/2025  | 1036                     | NM                                                             | 0.0                    | 0          | 0.2                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             | Duplicate sample.                                     |
| SVP-02-10 | 11/13/2025  | 1347                     | -1.47                                                          | 0.0                    | 0          | 0.2                    | 20.7                  | 1.1                       | 3.9           | 1.2                       | 2.7           |                                                       |
| SVP-02-10 | 11/17/2025  | 1024                     | -0.21                                                          | 0.0                    | 0          | 0.2                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-02-10 | 11/19/2025  | 1004                     | -0.42                                                          | 0.0                    | 0          | 0.2                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-02-10 | 11/21/2025  | 1045                     | -0.19                                                          | 0.0                    | 0          | 0.2                    | 20.7                  | 0.0                       | 5.6           | 3.3                       | 2.3           |                                                       |
| SVP-02-10 | 11/24/2025  | 0926                     | -0.32                                                          | 0.0                    | 0          | 0.2                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-02-10 | 11/25/2025  | 1026                     | 0.00                                                           | 0.0                    | 0          | 0.2                    | 20.7                  | 0.2                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-02-10 | 11/26/2025  | 0838                     | -0.64                                                          | 0.0                    | 0          | 0.2                    | 20.9                  | 0.2                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-02-20 | 11/3/2025   | 1030                     | -0.49                                                          | 0.0                    | 0          | 0.3                    | 20.7                  | 0.0                       | 35.6          | 34.2                      | 1.4           |                                                       |
| SVP-02-20 | 11/6/2025   | 1043                     | -0.60                                                          | 0.0                    | 0          | 0.3                    | 20.7                  | 0.0                       | 20.4          | 19.9                      | 0.5           |                                                       |
| SVP-02-20 | 11/10/2025  | 0915                     | -0.55                                                          | 0.0                    | 0          | 0.4                    | 20.7                  | 0.0                       | 58.8          | 58.8                      | 0             |                                                       |
| SVP-02-20 | 11/12/2025  | 1037                     | -0.29                                                          | 0.0                    | 0          | 0.4                    | 20.5                  | 0.0                       | 155           | 147                       | 8             |                                                       |
| SVP-02-20 | 11/13/2025  | 1348                     | -0.40                                                          | 0.0                    | 0          | 0.3                    | 20.6                  | 2.6                       | 14.4          | 12.6                      | 1.8           |                                                       |
| SVP-02-20 | 11/17/2025  | 1025                     | -0.29                                                          | 0.1                    | 2          | 1.1                    | 20.0                  | 19.8                      | 447           | 388                       | 59            |                                                       |
| SVP-02-20 | 11/18/2025  | 1335                     | NM                                                             | 0.1                    | 2          | 1.6                    | 19.5                  | 48.3                      | 707           | 558                       | 149           | Confirmation sample. Analytical sample was triggered. |
| SVP-02-20 | 11/19/2025  | 1005                     | -0.27                                                          | 0.1                    | 2          | 2.0                    | 19.4                  | 87.7                      | 865           | 611                       | 254           | Analytical sample collected on 11/19/2025.            |
| SVP-02-20 | 11/21/2025  | 1046                     | -0.17                                                          | 0.3                    | 6          | 3.9                    | 18.5                  | 468                       | 1967          | 928                       | 1039          | Analytical sample was taken on 11/19/2025.            |
| SVP-02-20 | 11/21/2025  | 1046                     | NM                                                             | 0.3                    | 6          | 3.9                    | 18.5                  | 465                       | 1949          | 904                       | 1045          | Duplicate sample.                                     |
| SVP-02-20 | 11/24/2025  | 0927                     | -0.10                                                          | 0.1                    | 2          | 1.8                    | 19.7                  | 23.8                      | 543           | 449                       | 94            |                                                       |
| SVP-02-20 | 11/25/2025  | 1027                     | -0.72                                                          | 0.1                    | 2          | 1.3                    | 19.8                  | 5.7                       | 421           | 380                       | 41            |                                                       |
| SVP-02-20 | 11/25/2025  | 1027                     | NM                                                             | 0.1                    | 2          | 1.3                    | 19.8                  | 5.3                       | 417           | 376                       | 41            | Duplicate sample.                                     |
| SVP-02-20 | 11/26/2025  | 0839                     | -2.61                                                          | 0.0                    | 0          | 0.9                    | 20.6                  | 1.2                       | 215           | 202                       | 13            |                                                       |
| SVP-02-20 | 11/26/2025  | 0839                     | NM                                                             | 0.0                    | 0          | 0.9                    | 20.5                  | 1.3                       | 219           | 200                       | 19            | Duplicate sample.                                     |
| SVP-02-30 | 11/3/2025   | 1031                     | -2.00                                                          | 2.1                    | 42         | 6.9                    | 16.3                  | 3621                      | 18775         | 3206                      | 15569         |                                                       |
| SVP-02-30 | 11/3/2025   | 1235                     | NM                                                             | 2.7                    | 54         | 6.7                    | 16.9                  | 2975                      | 18667         | 3154                      | 15513         | Confirmation sample. Analytical sample was triggered. |
| SVP-02-30 | 11/6/2025   | 1044                     | -0.66                                                          | 4.1                    | 82         | 9.6                    | 14.6                  | 2088                      | 11694         | 2417                      | 9277          | Analytical sample was triggered.                      |
| SVP-02-30 | 11/10/2025  | 0916                     | -0.68                                                          | 2.2                    | 44         | 12.6                   | 13.6                  | 1522                      | 7938          | 3295                      | 4643          |                                                       |
| SVP-02-30 | 11/12/2025  | 1038                     | -0.34                                                          | 20.0                   | OVR        | 17.9                   | 12.1                  | 3207                      | 38910         | 8840                      | 30070         |                                                       |
| SVP-02-30 | 11/13/2025  | 1349                     | NM                                                             | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged.                                     |
| SVP-02-30 | 11/17/2025  | 1026                     | NM                                                             | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged.                                     |
| SVP-02-30 | 11/19/2025  | 1006                     | NM                                                             | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged.                                     |
| SVP-02-30 | 11/21/2025  | 1047                     | NM                                                             | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged.                                     |

SEE LAST PAGE OF TABLE FOR NOTES

**ATTACHMENT C**  
**SVP FIELD-SCREENED TEDLAR® BAG RESULTS**

| Location  | Sample Date | Sample Time<br>(24-Hour) | Vacuum/<br>Pressure<br>Reading<br>(Inches of H <sub>2</sub> O) | Fixed Gases            |            |                        |                       | Soil Vapor Concentrations |               |                           |               | Comments          |
|-----------|-------------|--------------------------|----------------------------------------------------------------|------------------------|------------|------------------------|-----------------------|---------------------------|---------------|---------------------------|---------------|-------------------|
|           |             |                          |                                                                | CH <sub>4</sub><br>(%) | LEL<br>(%) | CO <sub>2</sub><br>(%) | O <sub>2</sub><br>(%) | PID<br>(ppmv)             | THC<br>(ppmv) | CH <sub>4</sub><br>(ppmv) | PHC<br>(ppmv) |                   |
| SVP-02-30 | 11/24/2025  | 0928                     | NM                                                             | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged. |
| SVP-02-30 | 11/25/2025  | 1029                     | NM                                                             | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged. |
| SVP-03-10 | 11/3/2025   | 1022                     | -0.32                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-03-10 | 11/6/2025   | 1034                     | -0.62                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-03-10 | 11/10/2025  | 0903                     | -0.51                                                          | 0.0                    | 0          | 0.2                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-03-10 | 11/12/2025  | 1027                     | -0.58                                                          | 0.0                    | 0          | 0.1                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-03-10 | 11/17/2025  | 1019                     | -0.87                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-03-10 | 11/19/2025  | 1008                     | -0.61                                                          | 0.0                    | 0          | 0.1                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-03-10 | 11/21/2025  | 1050                     | -0.36                                                          | 0.0                    | 0          | 0.1                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-03-10 | 11/24/2025  | 0930                     | -0.52                                                          | 0.0                    | 0          | 0.2                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-03-10 | 11/25/2025  | 1100                     | -0.21                                                          | 0.0                    | 0          | 0.2                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-03-10 | 11/26/2025  | 0848                     | -2.40                                                          | 0.0                    | 0          | 0.2                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-03-10 | 11/26/2025  | 0848                     | NM                                                             | 0.0                    | 0          | 0.2                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             | Duplicate sample. |
| SVP-03-20 | 11/3/2025   | 1023                     | -1.63                                                          | 0.0                    | 0          | 0.6                    | 20.4                  | 2.1                       | 116           | 109                       | 7             |                   |
| SVP-03-20 | 11/6/2025   | 1035                     | -0.86                                                          | 0.1                    | 2          | 1.6                    | 19.9                  | 238                       | 779           | 770                       | 9             |                   |
| SVP-03-20 | 11/10/2025  | 0904                     | -1.41                                                          | 0.1                    | 2          | 4.4                    | 19.3                  | 350                       | 1056          | 310                       | 746           |                   |
| SVP-03-20 | 11/12/2025  | 1028                     | -0.31                                                          | 0.1                    | 2          | 4.6                    | 19.6                  | 127                       | 472           | 168                       | 304           |                   |
| SVP-03-20 | 11/17/2025  | 1020                     | -0.56                                                          | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged. |
| SVP-03-20 | 11/19/2025  | 1009                     | -2.00                                                          | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged. |
| SVP-03-20 | 11/21/2025  | 1051                     | NM                                                             | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged. |
| SVP-03-20 | 11/24/2025  | 0931                     | -0.57                                                          | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged. |
| SVP-03-20 | 11/25/2025  | 1101                     | NM                                                             | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged. |
| SVP-03-20 | 11/26/2025  | 0849                     | NM                                                             | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged. |
| SVP-03-30 | 11/3/2025   | 1024                     | 0.14                                                           | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged. |
| SVP-03-30 | 11/6/2025   | 1036                     | -0.45                                                          | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged. |
| SVP-03-30 | 11/10/2025  | 0905                     | NM                                                             | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged. |
| SVP-03-30 | 11/12/2025  | 1029                     | NM                                                             | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged. |
| SVP-03-30 | 11/17/2025  | 1021                     | NM                                                             | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged. |
| SVP-03-30 | 11/19/2025  | 1010                     | NM                                                             | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged. |
| SVP-03-30 | 11/21/2025  | 1052                     | NM                                                             | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged. |
| SVP-03-30 | 11/24/2025  | 0932                     | NM                                                             | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged. |
| SVP-03-30 | 11/25/2025  | 1102                     | NM                                                             | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged. |
| SVP-03-30 | 11/26/2025  | 0850                     | NM                                                             | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged. |
| SVP-04-10 | 11/3/2025   | 1015                     | -0.21                                                          | 0.0                    | 0          | 0.7                    | 20.4                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-04-10 | 11/6/2025   | 1024                     | -0.44                                                          | 0.0                    | 0          | 0.7                    | 20.5                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-04-10 | 11/10/2025  | 0923                     | -0.33                                                          | 0.0                    | 0          | 0.7                    | 20.5                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-04-10 | 11/12/2025  | 1018                     | -0.29                                                          | 0.0                    | 0          | 0.6                    | 20.6                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-04-10 | 11/14/2025  | 0813                     | 0.00                                                           | 0.0                    | 0          | 0.7                    | 20.5                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-04-10 | 11/17/2025  | 1008                     | -0.88                                                          | 0.0                    | 0          | 0.6                    | 20.6                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-04-10 | 11/19/2025  | 1013                     | -0.15                                                          | 0.0                    | 0          | 0.6                    | 20.5                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-04-10 | 11/21/2025  | 1056                     | -0.25                                                          | 0.0                    | 0          | 0.6                    | 20.5                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-04-10 | 11/24/2025  | 0933                     | -0.57                                                          | 0.0                    | 0          | 0.6                    | 20.4                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-04-10 | 11/25/2025  | 1030                     | -0.38                                                          | 0.0                    | 0          | 0.6                    | 20.3                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |

SEE LAST PAGE OF TABLE FOR NOTES

**ATTACHMENT C**  
**SVP FIELD-SCREENED TEDLAR® BAG RESULTS**

| Location  | Sample Date | Sample Time<br>(24-Hour) | Vacuum/<br>Pressure<br>Reading<br>(Inches of H <sub>2</sub> O) | Fixed Gases            |            |                        |                       | Soil Vapor Concentrations |               |                           |               | Comments                                              |
|-----------|-------------|--------------------------|----------------------------------------------------------------|------------------------|------------|------------------------|-----------------------|---------------------------|---------------|---------------------------|---------------|-------------------------------------------------------|
|           |             |                          |                                                                | CH <sub>4</sub><br>(%) | LEL<br>(%) | CO <sub>2</sub><br>(%) | O <sub>2</sub><br>(%) | PID<br>(ppmv)             | THC<br>(ppmv) | CH <sub>4</sub><br>(ppmv) | PHC<br>(ppmv) |                                                       |
| SVP-04-10 | 11/26/2025  | 0908                     | -1.45                                                          | 0.0                    | 0          | 0.6                    | 20.5                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-04-20 | 11/3/2025   | 1016                     | -2.85                                                          | 0.0                    | 0          | 0.7                    | 20.4                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-04-20 | 11/6/2025   | 1025                     | -2.17                                                          | 0.0                    | 0          | 0.7                    | 20.4                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-04-20 | 11/10/2025  | 0924                     | -2.12                                                          | 0.0                    | 0          | 0.8                    | 20.4                  | 0.0                       | 2.5           | 2.0                       | 0.5           |                                                       |
| SVP-04-20 | 11/12/2025  | 1019                     | -0.14                                                          | 0.0                    | 0          | 0.7                    | 20.4                  | 0.0                       | 10.6          | 7.3                       | 3.3           |                                                       |
| SVP-04-20 | 11/14/2025  | 0814                     | -2.37                                                          | 0.0                    | 0          | 0.7                    | 20.3                  | 0.0                       | 10.5          | 10.0                      | 0.5           |                                                       |
| SVP-04-20 | 11/17/2025  | 1009                     | -1.35                                                          | 0.0                    | 0          | 0.7                    | 20.3                  | 0.0                       | 24.0          | 23.5                      | 0.5           |                                                       |
| SVP-04-20 | 11/19/2025  | 1014                     | -1.16                                                          | 0.0                    | 0          | 0.8                    | 20.2                  | 0.0                       | 48.1          | 45.7                      | 2.4           |                                                       |
| SVP-04-20 | 11/21/2025  | 1057                     | -1.10                                                          | 0.0                    | 0          | 0.8                    | 20.0                  | 5.6                       | 88.1          | 82.8                      | 5.3           |                                                       |
| SVP-04-20 | 11/24/2025  | 0934                     | -2.43                                                          | 0.0                    | 0          | 0.9                    | 20.1                  | 0.0                       | 36.4          | 36.4                      | 0             |                                                       |
| SVP-04-20 | 11/25/2025  | 1031                     | -1.67                                                          | 0.0                    | 0          | 0.9                    | 19.9                  | 0.0                       | 29.9          | 29.9                      | 0             |                                                       |
| SVP-04-20 | 11/26/2025  | 0909                     | -2.56                                                          | 0.0                    | 0          | 0.9                    | 20.2                  | 0.2                       | 18.8          | 18.3                      | 0.5           |                                                       |
| SVP-04-20 | 11/26/2025  | 0909                     | NM                                                             | 0.0                    | 0          | 0.9                    | 20.2                  | 0.2                       | 19.3          | 18.8                      | 0.5           | Duplicate sample.                                     |
| SVP-04-30 | 11/3/2025   | 1017                     | -6.38                                                          | 0.0                    | 0          | 1.1                    | 20.0                  | 0.0                       | 18.6          | 18.6                      | 0             |                                                       |
| SVP-04-30 | 11/6/2025   | 1026                     | -1.97                                                          | 0.0                    | 0          | 1.2                    | 19.8                  | 1.4                       | 33.2          | 31.0                      | 2.2           |                                                       |
| SVP-04-30 | 11/10/2025  | 0925                     | -2.03                                                          | 0.0                    | 0          | 1.7                    | 19.5                  | 0.7                       | 111           | 106                       | 5             |                                                       |
| SVP-04-30 | 11/12/2025  | 1020                     | -0.34                                                          | 0.0                    | 0          | 1.9                    | 19.3                  | 25.1                      | 376           | 289                       | 87            |                                                       |
| SVP-04-30 | 11/12/2025  | 1020                     | NM                                                             | 0.0                    | 0          | 1.9                    | 19.2                  | 37.8                      | 392           | 296                       | 96            | Duplicate sample.                                     |
| SVP-04-30 | 11/14/2025  | 0815                     | -4.41                                                          | 0.1                    | 2          | 2.5                    | 19.0                  | 39.4                      | 430           | 332                       | 98            |                                                       |
| SVP-04-30 | 11/17/2025  | 1010                     | -1.33                                                          | 0.1                    | 2          | 3.8                    | 18.4                  | 203                       | 1019          | 571                       | 448           |                                                       |
| SVP-04-30 | 11/17/2025  | 1345                     | NM                                                             | 0.2                    | 4          | 4.8                    | 17.9                  | 397                       | 1732          | 733                       | 999           | Confirmation sample. Analytical sample was triggered. |
| SVP-04-30 | 11/19/2025  | 1015                     | -1.87                                                          | 0.3                    | 6          | 5.7                    | 17.7                  | 581                       | 2097          | 840                       | 1257          | Analytical sample collected on 11/19/2025.            |
| SVP-04-30 | 11/21/2025  | 1058                     | -1.37                                                          | 0.4                    | 8          | 8.2                    | 16.9                  | 982                       | 2996          | 1033                      | 1963          | Analytical sample collected on 11/19/2025.            |
| SVP-04-30 | 11/21/2025  | 1058                     | NM                                                             | 0.4                    | 8          | 8.2                    | 16.9                  | 965                       | 2992          | 1022                      | 1970          | Duplicate sample.                                     |
| SVP-04-30 | 11/24/2025  | 0935                     | -2.03                                                          | 0.0                    | 0          | 3.0                    | 18.7                  | 9.3                       | 353           | 333                       | 20            |                                                       |
| SVP-04-30 | 11/25/2025  | 1032                     | -1.52                                                          | 0.0                    | 0          | 2.1                    | 19.1                  | 1.8                       | 225           | 225                       | 0             |                                                       |
| SVP-04-30 | 11/26/2025  | 0910                     | -7.25                                                          | 0.0                    | 0          | 2.0                    | 20.1                  | 0.8                       | 167           | 153                       | 14            |                                                       |
| SVP-05-10 | 11/3/2025   | 1008                     | -0.54                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-05-10 | 11/6/2025   | 1018                     | -0.54                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-05-10 | 11/10/2025  | 0936                     | -0.50                                                          | 0.0                    | 0          | 0.2                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-05-10 | 11/12/2025  | 1010                     | -0.09                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-05-10 | 11/14/2025  | 0825                     | -0.45                                                          | 0.0                    | 0          | 0.2                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-05-10 | 11/17/2025  | 0944                     | -0.23                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-05-10 | 11/19/2025  | 1021                     | -0.26                                                          | 0.0                    | 0          | 0.1                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-05-10 | 11/21/2025  | 1103                     | -0.47                                                          | 0.0                    | 0          | 0.1                    | 20.8                  | 0.3                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-05-10 | 11/24/2025  | 0940                     | -0.55                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.2                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-05-10 | 11/25/2025  | 1040                     | -0.63                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-05-10 | 11/26/2025  | 0931                     | -0.58                                                          | 0.0                    | 0          | 0.0                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |
| SVP-05-20 | 11/3/2025   | 1009                     | -2.81                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                       |

SEE LAST PAGE OF TABLE FOR NOTES

**ATTACHMENT C**  
**SVP FIELD-SCREENED TEDLAR® BAG RESULTS**

| Location  | Sample Date | Sample Time<br>(24-Hour) | Vacuum/<br>Pressure<br>Reading<br>(Inches of H <sub>2</sub> O) | Fixed Gases            |            |                        |                       | Soil Vapor Concentrations |               |                           |               | Comments          |
|-----------|-------------|--------------------------|----------------------------------------------------------------|------------------------|------------|------------------------|-----------------------|---------------------------|---------------|---------------------------|---------------|-------------------|
|           |             |                          |                                                                | CH <sub>4</sub><br>(%) | LEL<br>(%) | CO <sub>2</sub><br>(%) | O <sub>2</sub><br>(%) | PID<br>(ppmv)             | THC<br>(ppmv) | CH <sub>4</sub><br>(ppmv) | PHC<br>(ppmv) |                   |
| SVP-05-20 | 11/6/2025   | 1019                     | -2.91                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-05-20 | 11/10/2025  | 0937                     | -2.35                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-05-20 | 11/12/2025  | 1011                     | -0.36                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-05-20 | 11/14/2025  | 0826                     | -2.21                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-05-20 | 11/14/2025  | 0826                     | NM                                                             | 0.0                    | 0          | 0.5                    | 20.4                  | 3.5                       | 0.0           | 0.0                       | 0             | Duplicate sample. |
| SVP-05-20 | 11/17/2025  | 0945                     | -1.80                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 1.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-05-20 | 11/19/2025  | 1022                     | -1.53                                                          | 0.0                    | 0          | 0.1                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-05-20 | 11/21/2025  | 1104                     | -1.82                                                          | 0.0                    | 0          | 0.1                    | 20.8                  | 0.7                       | 0.0           | 0.0                       | 0             |                   |
| SVP-05-20 | 11/24/2025  | 0941                     | -2.35                                                          | 0.0                    | 0          | 0.1                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-05-20 | 11/25/2025  | 1041                     | -2.04                                                          | 0.0                    | 0          | 0.1                    | 20.8                  | 0.2                       | 0.0           | 0.0                       | 0             |                   |
| SVP-05-20 | 11/26/2025  | 0932                     | -2.22                                                          | 0.0                    | 0          | 0.0                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-05-30 | 11/3/2025   | 1010                     | -2.36                                                          | 0.0                    | 0          | 0.5                    | 20.5                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-05-30 | 11/6/2025   | 1020                     | -2.84                                                          | 0.0                    | 0          | 0.5                    | 20.5                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-05-30 | 11/10/2025  | 0938                     | -2.25                                                          | 0.0                    | 0          | 0.7                    | 20.4                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-05-30 | 11/12/2025  | 1012                     | -0.48                                                          | 0.0                    | 0          | 0.7                    | 20.3                  | 0.0                       | 5.7           | 3.8                       | 1.9           |                   |
| SVP-05-30 | 11/14/2025  | 0827                     | -2.64                                                          | 0.0                    | 0          | 0.8                    | 20.3                  | 0.0                       | 7.1           | 6.5                       | 0.6           |                   |
| SVP-05-30 | 11/17/2025  | 0946                     | -1.63                                                          | 0.0                    | 0          | 0.8                    | 20.2                  | 0.0                       | 12.1          | 11.6                      | 0.5           |                   |
| SVP-05-30 | 11/19/2025  | 1023                     | -1.51                                                          | 0.0                    | 0          | 1.0                    | 20.0                  | 0.0                       | 19.9          | 19.4                      | 0.5           |                   |
| SVP-05-30 | 11/21/2025  | 1105                     | -1.45                                                          | 0.0                    | 0          | 1.0                    | 19.9                  | 1.8                       | 26.0          | 25.5                      | 0.5           |                   |
| SVP-05-30 | 11/24/2025  | 0942                     | -2.56                                                          | 0.0                    | 0          | 0.9                    | 20.0                  | 0.9                       | 15.2          | 14.7                      | 0.5           |                   |
| SVP-05-30 | 11/25/2025  | 1042                     | -1.77                                                          | 0.0                    | 0          | 0.8                    | 20.1                  | 0.4                       | 12.4          | 12.4                      | 0             |                   |
| SVP-05-30 | 11/26/2025  | 0933                     | -4.48                                                          | 0.0                    | 0          | 0.7                    | 20.5                  | 0.2                       | 10.1          | 9.2                       | 0.9           |                   |
| SVP-06-10 | 11/3/2025   | 0959                     | -0.53                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-06-10 | 11/6/2025   | 1128                     | -0.20                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-06-10 | 11/10/2025  | 0931                     | -0.34                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-06-10 | 11/12/2025  | 0952                     | -0.12                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-06-10 | 11/14/2025  | 0834                     | -0.39                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.2                       | 0.0           | 0.0                       | 0             |                   |
| SVP-06-10 | 11/17/2025  | 0930                     | -0.51                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-06-10 | 11/19/2025  | 1029                     | -0.63                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-06-10 | 11/21/2025  | 1111                     | -0.43                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.3                       | 0.0           | 0.0                       | 0             |                   |
| SVP-06-10 | 11/21/2025  | 1111                     | NM                                                             | 0.0                    | 0          | 0.1                    | 20.8                  | 0.3                       | 0.0           | 0.0                       | 0             | Duplicate sample. |
| SVP-06-10 | 11/24/2025  | 1018                     | -0.53                                                          | 0.0                    | 0          | 0.2                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-06-10 | 11/25/2025  | 1048                     | -0.43                                                          | 0.0                    | 0          | 0.1                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-06-10 | 11/26/2025  | 0945                     | -1.66                                                          | 0.0                    | 0          | 0.0                    | 20.9                  | 0.1                       | 0.0           | 0.0                       | 0             |                   |
| SVP-06-20 | 11/3/2025   | 1000                     | -3.20                                                          | 0.0                    | 0          | 0.2                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-06-20 | 11/6/2025   | 1129                     | -2.78                                                          | 0.0                    | 0          | 0.2                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-06-20 | 11/10/2025  | 0932                     | -2.84                                                          | 0.0                    | 0          | 0.3                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-06-20 | 11/12/2025  | 0953                     | -0.58                                                          | 0.0                    | 0          | 0.2                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-06-20 | 11/14/2025  | 0835                     | -3.12                                                          | 0.0                    | 0          | 0.3                    | 20.7                  | 1.4                       | 0.0           | 0.0                       | 0             |                   |

SEE LAST PAGE OF TABLE FOR NOTES

**ATTACHMENT C**  
**SVP FIELD-SCREENED TEDLAR® BAG RESULTS**

| Location  | Sample Date | Sample Time<br>(24-Hour) | Vacuum/<br>Pressure<br>Reading<br>(Inches of H <sub>2</sub> O) | Fixed Gases            |            |                        |                       | Soil Vapor Concentrations |               |                           |               | Comments                                   |
|-----------|-------------|--------------------------|----------------------------------------------------------------|------------------------|------------|------------------------|-----------------------|---------------------------|---------------|---------------------------|---------------|--------------------------------------------|
|           |             |                          |                                                                | CH <sub>4</sub><br>(%) | LEL<br>(%) | CO <sub>2</sub><br>(%) | O <sub>2</sub><br>(%) | PID<br>(ppmv)             | THC<br>(ppmv) | CH <sub>4</sub><br>(ppmv) | PHC<br>(ppmv) |                                            |
| SVP-06-20 | 11/17/2025  | 0931                     | -2.59                                                          | 0.0                    | 0          | 0.2                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                                            |
| SVP-06-20 | 11/19/2025  | 1030                     | -2.03                                                          | 0.0                    | 0          | 0.3                    | 20.7                  | 0.0                       | 2.8           | 2.2                       | 0.6           |                                            |
| SVP-06-20 | 11/21/2025  | 1112                     | -2.19                                                          | 0.0                    | 0          | 0.3                    | 20.7                  | 0.4                       | 2.4           | 1.9                       | 0.5           |                                            |
| SVP-06-20 | 11/24/2025  | 1019                     | -2.90                                                          | 0.0                    | 0          | 0.3                    | 20.6                  | 0.4                       | 0.0           | 0.0                       | 0             |                                            |
| SVP-06-20 | 11/25/2025  | 1049                     | -1.61                                                          | 0.0                    | 0          | 0.3                    | 20.6                  | 0.0                       | 0.0           | 0.0                       | 0             |                                            |
| SVP-06-20 | 11/26/2025  | 0946                     | -3.93                                                          | 0.0                    | 0          | 0.3                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                                            |
| SVP-06-30 | 11/3/2025   | 1001                     | -3.60                                                          | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged.                          |
| SVP-06-30 | 11/6/2025   | 1130                     | -2.63                                                          | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged.                          |
| SVP-06-30 | 11/10/2025  | 0933                     | -2.39                                                          | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged.                          |
| SVP-06-30 | 11/12/2025  | 0954                     | NM                                                             | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged.                          |
| SVP-06-30 | 11/14/2025  | 0836                     | -3.82                                                          | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged.                          |
| SVP-06-30 | 11/17/2025  | 0932                     | NM                                                             | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged.                          |
| SVP-06-30 | 11/19/2025  | 1031                     | NM                                                             | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged.                          |
| SVP-06-30 | 11/21/2025  | 1113                     | NM                                                             | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged.                          |
| SVP-06-30 | 11/24/2025  | 1020                     | NM                                                             | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged.                          |
| SVP-06-30 | 11/25/2025  | 1050                     | NM                                                             | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged.                          |
| SVP-06-30 | 11/26/2025  | 0947                     | NM                                                             | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged.                          |
| SVP-07-10 | 11/3/2025   | 0951                     | -1.36                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                            |
| SVP-07-10 | 11/6/2025   | 1136                     | -1.11                                                          | 0.0                    | 0          | 0.2                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                                            |
| SVP-07-10 | 11/10/2025  | 0943                     | -0.19                                                          | 0.0                    | 0          | 0.2                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                                            |
| SVP-07-10 | 11/12/2025  | 0943                     | -0.43                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                            |
| SVP-07-10 | 11/14/2025  | 0853                     | -1.25                                                          | 0.0                    | 0          | 0.2                    | 20.7                  | 1.4                       | 0.0           | 0.0                       | 0             |                                            |
| SVP-07-10 | 11/17/2025  | 0936                     | -0.92                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                            |
| SVP-07-10 | 11/18/2025  | 1034                     | -0.69                                                          | 0.0                    | 0          | 0.2                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                                            |
| SVP-07-10 | 11/21/2025  | 1116                     | -0.97                                                          | 0.0                    | 0          | 0.2                    | 20.7                  | 0.4                       | 0.0           | 0.0                       | 0             |                                            |
| SVP-07-10 | 11/24/2025  | 1023                     | -1.30                                                          | 0.0                    | 0          | 0.2                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                                            |
| SVP-07-10 | 11/25/2025  | 1052                     | -0.28                                                          | 0.0                    | 0          | 0.1                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                                            |
| SVP-07-10 | 11/26/2025  | 1008                     | -2.51                                                          | 0.0                    | 0          | 0.2                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                                            |
| SVP-07-20 | 11/3/2025   | 0952                     | -1.22                                                          | 0.0                    | 0          | 0.2                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                            |
| SVP-07-20 | 11/6/2025   | 1137                     | -1.30                                                          | 0.0                    | 0          | 0.2                    | 20.6                  | 0.0                       | 0.0           | 0.0                       | 0             |                                            |
| SVP-07-20 | 11/10/2025  | 0944                     | -0.26                                                          | 0.0                    | 0          | 0.3                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                                            |
| SVP-07-20 | 11/12/2025  | 0944                     | -0.56                                                          | 0.0                    | 0          | 0.2                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                            |
| SVP-07-20 | 11/14/2025  | 0854                     | -2.15                                                          | 0.0                    | 0          | 0.2                    | 20.7                  | 2.3                       | 0.0           | 0.0                       | 0             |                                            |
| SVP-07-20 | 11/17/2025  | 0937                     | -1.34                                                          | 0.0                    | 0          | 0.2                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                            |
| SVP-07-20 | 11/18/2025  | 1035                     | -0.83                                                          | 0.0                    | 0          | 0.2                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                                            |
| SVP-07-20 | 11/21/2025  | 1117                     | -1.17                                                          | 0.0                    | 0          | 0.2                    | 20.7                  | 1.6                       | 0.0           | 0.0                       | 0             |                                            |
| SVP-07-20 | 11/24/2025  | 1024                     | -1.51                                                          | 0.0                    | 0          | 0.2                    | 20.7                  | 0.6                       | 0.0           | 0.0                       | 0             |                                            |
| SVP-07-20 | 11/25/2025  | 1053                     | -1.68                                                          | 0.0                    | 0          | 0.2                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                                            |
| SVP-07-20 | 11/26/2025  | 1009                     | -4.40                                                          | 0.0                    | 0          | 0.2                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                                            |
| SVP-07-30 | 11/3/2025   | 0953                     | -4.29                                                          | 0.0                    | 0          | 4.3                    | 16.4                  | 2.4                       | 88.3          | 79.3                      | 9             |                                            |
| SVP-07-30 | 11/6/2025   | 1138                     | -3.03                                                          | 0.1                    | 2          | 4.7                    | 16.1                  | 4.9                       | 415           | 410                       | 5             |                                            |
| SVP-07-30 | 11/10/2025  | 0945                     | -3.31                                                          | 0.1                    | 2          | 4.6                    | 17.2                  | 11.8                      | 632           | 595                       | 37            |                                            |
| SVP-07-30 | 11/10/2025  | 0945                     | NM                                                             | 0.1                    | 2          | 4.6                    | 17.1                  | 17.2                      | 648           | 605                       | 43            | Duplicate sample.                          |
| SVP-07-30 | 11/12/2025  | 0945                     | -0.54                                                          | 0.2                    | 4          | 4.0                    | 17.5                  | 74.5                      | 1243          | 989                       | 254           |                                            |
| SVP-07-30 | 11/13/2025  | 0855                     | -3.35                                                          | 0.2                    | 4          | 5.0                    | 17.0                  | 153                       | 1379          | 1125                      | 254           | Analytical sample collected on 11/14/2025. |

SEE LAST PAGE OF TABLE FOR NOTES

**ATTACHMENT C**  
**SVP FIELD-SCREENED TEDLAR® BAG RESULTS**

| Location  | Sample Date | Sample Time<br>(24-Hour) | Vacuum/<br>Pressure<br>Reading<br>(Inches of H <sub>2</sub> O) | Fixed Gases            |            |                        |                       | Soil Vapor Concentrations |               |                           |               | Comments                                                  |
|-----------|-------------|--------------------------|----------------------------------------------------------------|------------------------|------------|------------------------|-----------------------|---------------------------|---------------|---------------------------|---------------|-----------------------------------------------------------|
|           |             |                          |                                                                | CH <sub>4</sub><br>(%) | LEL<br>(%) | CO <sub>2</sub><br>(%) | O <sub>2</sub><br>(%) | PID<br>(ppmv)             | THC<br>(ppmv) | CH <sub>4</sub><br>(ppmv) | PHC<br>(ppmv) |                                                           |
| SVP-07-30 | 11/17/2025  | 0938                     | -2.53                                                          | 0.3                    | 6          | 5.6                    | 17.5                  | 867                       | 3264          | 1571                      | 1693          |                                                           |
| SVP-07-30 | 11/18/2025  | 1350                     | NM                                                             | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Confirmation sample. Screen submerged.                    |
| SVP-07-30 | 11/19/2025  | 1036                     | -4.63                                                          | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged.                                         |
| SVP-07-30 | 11/21/2025  | 1118                     | -4.38                                                          | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged.                                         |
| SVP-07-30 | 11/24/2025  | 1025                     | -3.67                                                          | 0.0                    | 0          | 2.4                    | 18.7                  | 5.6                       | 209           | 200                       | 9             |                                                           |
| SVP-07-30 | 11/25/2025  | 1054                     | -0.95                                                          | 0.0                    | 0          | 1.7                    | 19.1                  | 2.3                       | 82.7          | 82.7                      | 0             |                                                           |
| SVP-07-30 | 11/26/2025  | 1010                     | -9.63                                                          | 0.0                    | 0          | 1.6                    | 20.1                  | 1.1                       | 18.6          | 16.9                      | 1.7           |                                                           |
| SVP-08-10 | 11/3/2025   | 0919                     | -0.42                                                          | 0.0                    | 0          | 0.4                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                           |
| SVP-08-10 | 11/6/2025   | 1245                     | -0.51                                                          | 0.0                    | 0          | 0.3                    | 20.6                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                           |
| SVP-08-10 | 11/10/2025  | 0855                     | -0.18                                                          | 0.0                    | 0          | 0.3                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                           |
| SVP-08-10 | 11/12/2025  | 0852                     | 0.00                                                           | 0.0                    | 0          | 0.3                    | 20.6                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                           |
| SVP-08-10 | 11/14/2025  | 1038                     | 0.00                                                           | 0.0                    | 0          | 0.3                    | 20.5                  | 1.2                       | 4.1           | 3.6                       | 0.5           |                                                           |
| SVP-08-10 | 11/17/2025  | 0835                     | -0.50                                                          | 0.0                    | 0          | 0.3                    | 20.6                  | 0.0                       | 6.7           | 5.8                       | 0.9           |                                                           |
| SVP-08-10 | 11/19/2025  | 0927                     | -0.14                                                          | 0.0                    | 0          | 0.4                    | 20.4                  | 0.0                       | 9.7           | 9.2                       | 0.5           |                                                           |
| SVP-08-10 | 11/21/2025  | 0900                     | -0.25                                                          | 0.0                    | 0          | 0.3                    | 20.5                  | 0.0                       | 15.6          | 15.1                      | 0.5           |                                                           |
| SVP-08-10 | 11/24/2025  | 0854                     | -0.57                                                          | 0.0                    | 0          | 0.3                    | 20.5                  | 0.0                       | 14.6          | 14.1                      | 0.5           |                                                           |
| SVP-08-10 | 11/25/2025  | 0842                     | -0.20                                                          | 0.0                    | 0          | 0.3                    | 20.5                  | 0.0                       | 13.3          | 13.3                      | 0             |                                                           |
| SVP-08-10 | 11/26/2025  | 0828                     | -0.28                                                          | 0.0                    | 0          | 0.3                    | 20.8                  | 0.0                       | 9.2           | 7.6                       | 1.6           |                                                           |
| SVP-08-10 | 11/26/2025  | 1244                     | NM                                                             | 0.0                    | 0          | 0.3                    | 20.6                  | 0.0                       | 7.4           | 7.4                       | 0             | Confirmation sample. Analytical sample was not triggered. |
| SVP-08-20 | 11/3/2025   | 0920                     | 0.12                                                           | 0.0                    | 0          | 0.8                    | 20.2                  | 0.0                       | 12.6          | 12.6                      | 0             |                                                           |
| SVP-08-20 | 11/6/2025   | 1246                     | -0.19                                                          | 0.0                    | 0          | 0.7                    | 20.1                  | 0.0                       | 11.5          | 10.9                      | 0.6           |                                                           |
| SVP-08-20 | 11/10/2025  | 0856                     | -0.21                                                          | 0.0                    | 0          | 0.8                    | 20.1                  | 0.0                       | 24.8          | 24.3                      | 0.5           |                                                           |
| SVP-08-20 | 11/12/2025  | 0853                     | 0.00                                                           | 0.0                    | 0          | 0.8                    | 20.1                  | 0.0                       | 32.6          | 32.6                      | 0             |                                                           |
| SVP-08-20 | 11/14/2025  | 1039                     | -0.18                                                          | 0.0                    | 0          | 0.8                    | 19.9                  | 1.8                       | 38.1          | 37.6                      | 0.5           |                                                           |
| SVP-08-20 | 11/17/2025  | 0836                     | -0.54                                                          | 0.0                    | 0          | 0.8                    | 19.9                  | 0.0                       | 56.7          | 56.2                      | 0.5           |                                                           |
| SVP-08-20 | 11/19/2025  | 0928                     | -0.14                                                          | 0.0                    | 0          | 1.0                    | 19.6                  | 0.0                       | 79.7          | 79.2                      | 0.5           |                                                           |
| SVP-08-20 | 11/21/2025  | 0901                     | -0.10                                                          | 0.0                    | 0          | 0.9                    | 19.6                  | 0.0                       | 102           | 102                       | 0             |                                                           |
| SVP-08-20 | 11/24/2025  | 0855                     | -0.19                                                          | 0.0                    | 0          | 1.0                    | 19.6                  | 0.0                       | 56.1          | 55.6                      | 0.5           |                                                           |
| SVP-08-20 | 11/24/2025  | 0855                     | NM                                                             | 0.0                    | 0          | 1.0                    | 19.7                  | 0.0                       | 55.7          | 55.2                      | 0.5           | Duplicate sample.                                         |
| SVP-08-20 | 11/25/2025  | 0843                     | -0.25                                                          | 0.0                    | 0          | 1.0                    | 19.6                  | 0.0                       | 59.4          | 59.4                      | 0             |                                                           |
| SVP-08-20 | 11/26/2025  | 0829                     | -0.30                                                          | 0.0                    | 0          | 1.0                    | 19.9                  | 0.0                       | 36.8          | 33.5                      | 3.3           |                                                           |
| SVP-08-20 | 11/26/2025  | 1245                     | NM                                                             | 0.0                    | 0          | 1.0                    | 20.0                  | 0.0                       | 33.3          | 33.3                      | 0             | Confirmation sample. Analytical sample was not triggered. |
| SVP-08-30 | 11/3/2025   | 0921                     | -0.61                                                          | 0.1                    | 2          | 2.4                    | 18.5                  | 7.2                       | 557           | 485                       | 72            |                                                           |
| SVP-08-30 | 11/3/2025   | 1225                     | NM                                                             | 0.0                    | 0          | 0.4                    | 20.4                  | 2.8                       | 72.6          | 61.0                      | 11.6          | Confirmation sample. Analytical sample was triggered.     |
| SVP-08-30 | 11/6/2025   | 1247                     | -0.26                                                          | 0.1                    | 2          | 2.3                    | 18.2                  | 6.2                       | 768           | 719                       | 49            | Analytical sample was triggered.                          |
| SVP-08-30 | 11/10/2025  | 0857                     | -0.31                                                          | 0.1                    | 2          | 2.0                    | 18.8                  | 9.2                       | 1030          | 936                       | 94            |                                                           |
| SVP-08-30 | 11/10/2025  | 1415                     | NM                                                             | 0.0                    | 0          | 0.2                    | 20.7                  | 0.8                       | 45.9          | 45.4                      | 0.5           | Confirmation sample. Analytical sample was not triggered. |
| SVP-08-30 | 11/12/2025  | 0854                     | 0.00                                                           | 0.2                    | 4          | 2.8                    | 17.8                  | 17.3                      | 1283          | 1283                      | 0             |                                                           |
| SVP-08-30 | 11/14/2025  | 1040                     | -0.28                                                          | 0.2                    | 4          | 2.5                    | 17.9                  | 19.1                      | 1308          | 1308                      | 0             |                                                           |
| SVP-08-30 | 11/17/2025  | 0837                     | 0.00                                                           | 0.3                    | 6          | 3.3                    | 17.1                  | 21.2                      | 2738          | 2661                      | 77            |                                                           |
| SVP-08-30 | 11/17/2025  | 0837                     | NM                                                             | 0.3                    | 6          | 3.2                    | 17.1                  | 22.8                      | 2862          | 2799                      | 63            | Duplicate sample.                                         |
| SVP-08-30 | 11/18/2025  | 1320                     | NM                                                             | 0.4                    | 8          | 3.5                    | 16.6                  | 29.2                      | 2844          | 2844                      | 0             | Confirmation sample. Analytical sample was not triggered. |
| SVP-08-30 | 11/19/2025  | 0929                     | -0.33                                                          | 0.4                    | 8          | 3.9                    | 16.6                  | 24.3                      | 3140          | 3140                      | 0             |                                                           |
| SVP-08-30 | 11/21/2025  | 0902                     | -0.41                                                          | 0.4                    | 8          | 3.9                    | 16.4                  | 21.8                      | 3124          | 3124                      | 0             |                                                           |
| SVP-08-30 | 11/24/2025  | 0856                     | -0.59                                                          | 0.4                    | 8          | 3.8                    | 16.4                  | 31.8                      | 2654          | 2654                      | 0             |                                                           |

SEE LAST PAGE OF TABLE FOR NOTES

**ATTACHMENT C**  
**SVP FIELD-SCREENED TEDLAR® BAG RESULTS**

| Location  | Sample Date | Sample Time<br>(24-Hour) | Vacuum/<br>Pressure<br>Reading<br>(Inches of H <sub>2</sub> O) | Fixed Gases            |            |                        |                       | Soil Vapor Concentrations |               |                           |               | Comments                                                  |
|-----------|-------------|--------------------------|----------------------------------------------------------------|------------------------|------------|------------------------|-----------------------|---------------------------|---------------|---------------------------|---------------|-----------------------------------------------------------|
|           |             |                          |                                                                | CH <sub>4</sub><br>(%) | LEL<br>(%) | CO <sub>2</sub><br>(%) | O <sub>2</sub><br>(%) | PID<br>(ppmv)             | THC<br>(ppmv) | CH <sub>4</sub><br>(ppmv) | PHC<br>(ppmv) |                                                           |
| SVP-08-30 | 11/25/2025  | 0844                     | -0.24                                                          | 0.3                    | 6          | 3.9                    | 16.2                  | 28.2                      | 2653          | 2583                      | 70            | Analytical sample was triggered.                          |
| SVP-08-30 | 11/26/2025  | 0830                     | -0.17                                                          | 0.3                    | 6          | 3.8                    | 17.0                  | 18.6                      | 1821          | 1732                      | 89            |                                                           |
| SVP-09-10 | 11/3/2025   | 0830                     | -0.15                                                          | 0.0                    | 0          | 0.5                    | 20.6                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                           |
| SVP-09-10 | 11/3/2025   | 0830                     | NM                                                             | 0.0                    | 0          | 0.4                    | 20.6                  | 0.0                       | 0.0           | 0.0                       | 0             | Duplicate sample.                                         |
| SVP-09-10 | 11/6/2025   | 1237                     | -0.48                                                          | 0.0                    | 0          | 0.4                    | 20.5                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                           |
| SVP-09-10 | 11/6/2025   | 1237                     | NM                                                             | 0.0                    | 0          | 0.4                    | 20.5                  | 0.0                       | 0.0           | 0.0                       | 0             | Duplicate sample.                                         |
| SVP-09-10 | 11/10/2025  | 0851                     | -0.22                                                          | 0.0                    | 0          | 0.5                    | 20.5                  | 0.0                       | 4.2           | 3.4                       | 0.8           |                                                           |
| SVP-09-10 | 11/12/2025  | 0844                     | 0.00                                                           | 0.0                    | 0          | 0.5                    | 20.5                  | 0.0                       | 8.5           | 8.5                       | 0             |                                                           |
| SVP-09-10 | 11/14/2025  | 1026                     | 0.00                                                           | 0.0                    | 0          | 0.5                    | 20.4                  | 0.7                       | 17.8          | 17.8                      | 0             |                                                           |
| SVP-09-10 | 11/17/2025  | 0847                     | -0.17                                                          | 0.0                    | 0          | 0.4                    | 20.4                  | 0.0                       | 34.6          | 34.6                      | 0             |                                                           |
| SVP-09-10 | 11/17/2025  | 0847                     | NM                                                             | 0.0                    | 0          | 0.4                    | 20.4                  | 0.0                       | 34.2          | 33.7                      | 0.5           | Duplicate sample.                                         |
| SVP-09-10 | 11/19/2025  | 0908                     | -0.16                                                          | 0.0                    | 0          | 0.6                    | 20.3                  | 0.0                       | 54.1          | 53.6                      | 0.5           |                                                           |
| SVP-09-10 | 11/21/2025  | 0908                     | -0.43                                                          | 0.0                    | 0          | 0.5                    | 20.3                  | 0.0                       | 92.8          | 92.3                      | 0.5           |                                                           |
| SVP-09-10 | 11/24/2025  | 0848                     | -0.39                                                          | 0.0                    | 0          | 0.5                    | 20.3                  | 0.0                       | 86.5          | 86.0                      | 0.5           |                                                           |
| SVP-09-10 | 11/25/2025  | 0939                     | -0.16                                                          | 0.0                    | 0          | 0.5                    | 20.3                  | 0.0                       | 90.3          | 90.3                      | 0             |                                                           |
| SVP-09-10 | 11/26/2025  | 0856                     | -0.65                                                          | 0.0                    | 0          | 0.5                    | 20.7                  | 0.3                       | 52.0          | 51.5                      | 0.5           |                                                           |
| SVP-09-20 | 11/3/2025   | 0831                     | -1.06                                                          | 0.0                    | 0          | 1.0                    | 20.0                  | 0.0                       | 45.3          | 45.3                      | 0             |                                                           |
| SVP-09-20 | 11/6/2025   | 1238                     | -0.43                                                          | 0.0                    | 0          | 1.0                    | 19.9                  | 0.0                       | 40.4          | 39.9                      | 0.5           |                                                           |
| SVP-09-20 | 11/10/2025  | 0852                     | -0.52                                                          | 0.0                    | 0          | 1.0                    | 20.0                  | 0.0                       | 126           | 126                       | 0             |                                                           |
| SVP-09-20 | 11/12/2025  | 0845                     | 0.00                                                           | 0.0                    | 0          | 1.1                    | 19.8                  | 0.0                       | 183           | 183                       | 0             |                                                           |
| SVP-09-20 | 11/14/2025  | 1027                     | -0.25                                                          | 0.0                    | 0          | 1.1                    | 19.6                  | 0.0                       | 233           | 233                       | 0             |                                                           |
| SVP-09-20 | 11/17/2025  | 0848                     | -0.49                                                          | 0.0                    | 0          | 1.2                    | 19.5                  | 0.0                       | 367           | 367                       | 0             |                                                           |
| SVP-09-20 | 11/19/2025  | 0909                     | -0.27                                                          | 0.0                    | 0          | 1.4                    | 19.3                  | 0.0                       | 537           | 537                       | 0             |                                                           |
| SVP-09-20 | 11/21/2025  | 0909                     | 0.00                                                           | 0.1                    | 2          | 1.4                    | 19.2                  | 1.1                       | 756           | 756                       | 0             |                                                           |
| SVP-09-20 | 11/24/2025  | 0849                     | -0.29                                                          | 0.1                    | 2          | 1.5                    | 19.1                  | 0.0                       | 725           | 725                       | 0             |                                                           |
| SVP-09-20 | 11/25/2025  | 0940                     | -0.22                                                          | 0.1                    | 2          | 1.5                    | 19.1                  | 0.0                       | 767           | 767                       | 0             |                                                           |
| SVP-09-20 | 11/26/2025  | 0857                     | 0.00                                                           | 0.0                    | 0          | 1.5                    | 19.4                  | 0.2                       | 537           | 537                       | 0             |                                                           |
| SVP-09-30 | 11/3/2025   | 0832                     | -1.89                                                          | 0.0                    | 0          | 2.4                    | 18.6                  | 2.3                       | 562           | 562                       | 0             |                                                           |
| SVP-09-30 | 11/6/2025   | 1239                     | -0.24                                                          | 0.1                    | 2          | 2.5                    | 18.3                  | 2.4                       | 599           | 599                       | 0             |                                                           |
| SVP-09-30 | 11/10/2025  | 0853                     | -0.51                                                          | 0.1                    | 2          | 2.7                    | 18.2                  | 3.2                       | 1308          | 1283                      | 25            |                                                           |
| SVP-09-30 | 11/10/2025  | 1405                     | NM                                                             | 0.1                    | 2          | 2.7                    | 18.0                  | 4.3                       | 1395          | 1395                      | 0             | Confirmation sample. Analytical sample was not triggered. |
| SVP-09-30 | 11/12/2025  | 0846                     | -0.40                                                          | 0.2                    | 4          | 2.9                    | 17.9                  | 5.2                       | 1505          | 1505                      | 0             |                                                           |
| SVP-09-30 | 11/14/2025  | 1028                     | -0.42                                                          | 0.2                    | 4          | 3.1                    | 17.4                  | 8.3                       | 1652          | 1652                      | 0             |                                                           |
| SVP-09-30 | 11/17/2025  | 0849                     | -0.33                                                          | 0.3                    | 6          | 3.3                    | 17.2                  | 10.5                      | 2334          | 2334                      | 0             |                                                           |
| SVP-09-30 | 11/19/2025  | 0910                     | -0.50                                                          | 0.4                    | 8          | 3.9                    | 16.8                  | 11.6                      | 3057          | 3057                      | 0             |                                                           |
| SVP-09-30 | 11/21/2025  | 0910                     | -0.45                                                          | 0.4                    | 8          | 4.1                    | 16.2                  | 13.2                      | 3448          | 3448                      | 0             |                                                           |
| SVP-09-30 | 11/24/2025  | 0850                     | -0.81                                                          | 0.4                    | 8          | 4.5                    | 15.9                  | 11.2                      | 3545          | 3545                      | 0             |                                                           |
| SVP-09-30 | 11/25/2025  | 0941                     | -0.27                                                          | 0.4                    | 8          | 4.6                    | 15.8                  | 9.8                       | 3698          | 3698                      | 0             |                                                           |
| SVP-09-30 | 11/26/2025  | 0859                     | -0.64                                                          | 0.2                    | 4          | 1.8                    | 19.5                  | 1.7                       | 1214          | 1214                      | 0             |                                                           |
| SVP-10-10 | 11/3/2025   | 0840                     | -0.44                                                          | 0.0                    | 0          | 0.3                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                           |
| SVP-10-10 | 11/6/2025   | 1231                     | -0.39                                                          | 0.0                    | 0          | 0.2                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                           |
| SVP-10-10 | 11/10/2025  | 0844                     | -0.37                                                          | 0.0                    | 0          | 0.3                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                           |
| SVP-10-10 | 11/12/2025  | 0835                     | -0.31                                                          | 0.0                    | 0          | 0.3                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                           |
| SVP-10-10 | 11/12/2025  | 0835                     | NM                                                             | 0.0                    | 0          | 0.3                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             | Duplicate sample.                                         |
| SVP-10-10 | 11/14/2025  | 1016                     | -0.13                                                          | 0.0                    | 0          | 0.2                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                           |

SEE LAST PAGE OF TABLE FOR NOTES

**ATTACHMENT C**  
**SVP FIELD-SCREENED TEDLAR® BAG RESULTS**

| Location  | Sample Date | Sample Time<br>(24-Hour) | Vacuum/<br>Pressure<br>Reading<br>(Inches of H <sub>2</sub> O) | Fixed Gases            |            |                        |                       | Soil Vapor Concentrations |               |                           |               | Comments                         |
|-----------|-------------|--------------------------|----------------------------------------------------------------|------------------------|------------|------------------------|-----------------------|---------------------------|---------------|---------------------------|---------------|----------------------------------|
|           |             |                          |                                                                | CH <sub>4</sub><br>(%) | LEL<br>(%) | CO <sub>2</sub><br>(%) | O <sub>2</sub><br>(%) | PID<br>(ppmv)             | THC<br>(ppmv) | CH <sub>4</sub><br>(ppmv) | PHC<br>(ppmv) |                                  |
| SVP-10-10 | 11/14/2025  | 1016                     | NM                                                             | 0.0                    | 0          | 0.2                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             | Duplicate sample.                |
| SVP-10-10 | 11/17/2025  | 0854                     | -0.17                                                          | 0.0                    | 0          | 0.2                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                                  |
| SVP-10-10 | 11/19/2025  | 0859                     | -0.61                                                          | 0.0                    | 0          | 0.3                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                                  |
| SVP-10-10 | 11/21/2025  | 0915                     | -0.15                                                          | 0.0                    | 0          | 0.2                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                                  |
| SVP-10-10 | 11/24/2025  | 0840                     | -0.55                                                          | 0.0                    | 0          | 0.3                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                                  |
| SVP-10-10 | 11/25/2025  | 0945                     | -0.39                                                          | 0.0                    | 0          | 0.3                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                                  |
| SVP-10-10 | 11/26/2025  | 0918                     | -1.34                                                          | 0.0                    | 0          | 0.2                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                                  |
| SVP-10-20 | 11/3/2025   | 0841                     | -0.61                                                          | 0.0                    | 0          | 1.2                    | 19.9                  | 0.0                       | 30.3          | 30.3                      | 0             |                                  |
| SVP-10-20 | 11/6/2025   | 1232                     | -0.30                                                          | 0.0                    | 0          | 1.2                    | 19.7                  | 0.0                       | 29.9          | 29.4                      | 0.5           |                                  |
| SVP-10-20 | 11/10/2025  | 0845                     | -0.43                                                          | 0.0                    | 0          | 1.3                    | 19.7                  | 0.0                       | 45.4          | 44.9                      | 0.5           |                                  |
| SVP-10-20 | 11/12/2025  | 0836                     | -0.10                                                          | 0.0                    | 0          | 1.3                    | 19.7                  | 0.0                       | 68.5          | 68.0                      | 0.5           |                                  |
| SVP-10-20 | 11/14/2025  | 1017                     | -0.19                                                          | 0.0                    | 0          | 1.3                    | 19.5                  | 0.0                       | 112           | 112                       | 0             |                                  |
| SVP-10-20 | 11/17/2025  | 0855                     | -0.25                                                          | 0.0                    | 0          | 1.3                    | 19.5                  | 0.0                       | 195           | 195                       | 0             |                                  |
| SVP-10-20 | 11/17/2025  | 0855                     | NM                                                             | 0.0                    | 0          | 1.3                    | 19.5                  | 0.0                       | 203           | 203                       | 0             | Duplicate sample.                |
| SVP-10-20 | 11/19/2025  | 0900                     | -0.31                                                          | 0.0                    | 0          | 1.6                    | 19.3                  | 0.0                       | 286           | 286                       | 0             |                                  |
| SVP-10-20 | 11/21/2025  | 0916                     | -0.20                                                          | 0.0                    | 0          | 1.6                    | 19.0                  | 0.0                       | 371           | 371                       | 0             |                                  |
| SVP-10-20 | 11/24/2025  | 0841                     | -0.47                                                          | 0.0                    | 0          | 1.7                    | 19.1                  | 0.2                       | 408           | 383                       | 25            | Analytical sample was triggered. |
| SVP-10-20 | 11/25/2025  | 0946                     | -0.47                                                          | 0.0                    | 0          | 1.8                    | 19.1                  | 0.0                       | 423           | 423                       | 0             |                                  |
| SVP-10-20 | 11/26/2025  | 0919                     | -0.57                                                          | 0.0                    | 0          | 1.8                    | 19.3                  | 0.0                       | 351           | 351                       | 0             |                                  |
| SVP-10-30 | 11/3/2025   | 0842                     | -2.02                                                          | 0.0                    | 0          | 1.4                    | 19.6                  | 0.8                       | 142           | 142                       | 0             |                                  |
| SVP-10-30 | 11/6/2025   | 1233                     | -1.63                                                          | 0.0                    | 0          | 1.3                    | 19.4                  | 3.1                       | 126           | 126                       | 0             |                                  |
| SVP-10-30 | 11/10/2025  | 0846                     | -0.93                                                          | 0.0                    | 0          | 1.4                    | 19.7                  | 1.6                       | 214           | 214                       | 0             |                                  |
| SVP-10-30 | 11/10/2025  | 0846                     | NM                                                             | 0.0                    | 0          | 1.4                    | 19.7                  | 1.5                       | 220           | 220                       | 0             | Duplicate sample.                |
| SVP-10-30 | 11/12/2025  | 0837                     | 0.00                                                           | 0.0                    | 0          | 1.3                    | 19.7                  | 1.6                       | 248           | 248                       | 0             |                                  |
| SVP-10-30 | 11/14/2025  | 1018                     | -0.15                                                          | 0.0                    | 0          | 1.4                    | 19.4                  | 3.2                       | 361           | 361                       | 0             |                                  |
| SVP-10-30 | 11/17/2025  | 0856                     | -0.44                                                          | 0.0                    | 0          | 1.4                    | 19.6                  | 3.8                       | 321           | 321                       | 0             |                                  |
| SVP-10-30 | 11/19/2025  | 0901                     | -0.22                                                          | 0.1                    | 2          | 2.7                    | 18.9                  | 10.2                      | 668           | 668                       | 0             |                                  |

SEE LAST PAGE OF TABLE FOR NOTES

**ATTACHMENT C**  
**SVP FIELD-SCREENED TEDLAR® BAG RESULTS**

| Location  | Sample Date | Sample Time<br>(24-Hour) | Vacuum/<br>Pressure<br>Reading<br>(Inches of H <sub>2</sub> O) | Fixed Gases            |            |                        |                       | Soil Vapor Concentrations |               |                           |               | Comments                         |
|-----------|-------------|--------------------------|----------------------------------------------------------------|------------------------|------------|------------------------|-----------------------|---------------------------|---------------|---------------------------|---------------|----------------------------------|
|           |             |                          |                                                                | CH <sub>4</sub><br>(%) | LEL<br>(%) | CO <sub>2</sub><br>(%) | O <sub>2</sub><br>(%) | PID<br>(ppmv)             | THC<br>(ppmv) | CH <sub>4</sub><br>(ppmv) | PHC<br>(ppmv) |                                  |
| SVP-10-30 | 11/21/2025  | 0917                     | -0.15                                                          | 0.1                    | 2          | 2.1                    | 19.5                  | 6.8                       | 532           | 532                       | 0             |                                  |
| SVP-10-30 | 11/24/2025  | 0842                     | -0.27                                                          | 0.1                    | 2          | 2.9                    | 18.9                  | 9.5                       | 751           | 706                       | 45            | Analytical sample was triggered. |
| SVP-10-30 | 11/25/2025  | 0947                     | NM                                                             | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged.                |
| SVP-10-30 | 11/26/2025  | 0920                     | -7.33                                                          | 0.1                    | 2          | 2.8                    | 18.8                  | 4.9                       | 814           | 775                       | 39            |                                  |
| SVP-11-10 | 11/3/2025   | 0850                     | -1.35                                                          | 0.0                    | 0          | 0.7                    | 20.5                  | 0.0                       | 0.0           | 0.0                       | 0             |                                  |
| SVP-11-10 | 11/6/2025   | 1222                     | -0.27                                                          | 0.0                    | 0          | 0.6                    | 20.4                  | 0.0                       | 0.0           | 0.0                       | 0             |                                  |
| SVP-11-10 | 11/10/2025  | 0840                     | -0.29                                                          | 0.0                    | 0          | 0.6                    | 20.4                  | 0.0                       | 0.0           | 0.0                       | 0             |                                  |
| SVP-11-10 | 11/12/2025  | 0828                     | -0.16                                                          | 0.0                    | 0          | 0.6                    | 20.5                  | 0.0                       | 0.0           | 0.0                       | 0             |                                  |
| SVP-11-10 | 11/14/2025  | 1005                     | -0.15                                                          | 0.0                    | 0          | 0.6                    | 20.5                  | 0.0                       | 0.0           | 0.0                       | 0             |                                  |
| SVP-11-10 | 11/17/2025  | 0902                     | -0.31                                                          | 0.0                    | 0          | 0.5                    | 20.5                  | 0.0                       | 0.0           | 0.0                       | 0             |                                  |
| SVP-11-10 | 11/19/2025  | 0843                     | -0.46                                                          | 0.0                    | 0          | 0.6                    | 20.4                  | 0.0                       | 0.0           | 0.0                       | 0             |                                  |
| SVP-11-10 | 11/21/2025  | 0920                     | -0.21                                                          | 0.0                    | 0          | 0.6                    | 20.3                  | 0.0                       | 0.0           | 0.0                       | 0             |                                  |
| SVP-11-10 | 11/24/2025  | 0832                     | -0.69                                                          | 0.0                    | 0          | 0.6                    | 20.4                  | 0.0                       | 0.0           | 0.0                       | 0             |                                  |
| SVP-11-10 | 11/24/2025  | 0832                     | NM                                                             | 0.0                    | 0          | 0.6                    | 20.4                  | 0.0                       | 0.0           | 0.0                       | 0             | Duplicate sample.                |
| SVP-11-10 | 11/25/2025  | 0950                     | -0.17                                                          | 0.0                    | 0          | 0.6                    | 20.4                  | 0.0                       | 0.0           | 0.0                       | 0             |                                  |
| SVP-11-10 | 11/26/2025  | 1013                     | -1.43                                                          | 0.0                    | 0          | 0.6                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                                  |
| SVP-11-20 | 11/3/2025   | 0851                     | -0.70                                                          | 0.0                    | 0          | 1.2                    | 20.1                  | 0.0                       | 0.0           | 0.0                       | 0             |                                  |
| SVP-11-20 | 11/6/2025   | 1223                     | -0.69                                                          | 0.0                    | 0          | 1.1                    | 20.1                  | 0.0                       | 0.0           | 0.0                       | 0             |                                  |
| SVP-11-20 | 11/10/2025  | 0841                     | -0.12                                                          | 0.0                    | 0          | 1.1                    | 20.1                  | 0.0                       | 1.2           | 0.5                       | 0.7           |                                  |
| SVP-11-20 | 11/12/2025  | 0829                     | -0.11                                                          | 0.0                    | 0          | 1.1                    | 20.1                  | 0.0                       | 2.5           | 2.3                       | 0.2           |                                  |
| SVP-11-20 | 11/14/2025  | 1006                     | -0.66                                                          | 0.0                    | 0          | 1.1                    | 20.0                  | 0.0                       | 5.2           | 4.9                       | 0.3           |                                  |
| SVP-11-20 | 11/17/2025  | 0903                     | 0.00                                                           | 0.0                    | 0          | 1.0                    | 20.1                  | 0.0                       | 8.9           | 8.4                       | 0.5           |                                  |
| SVP-11-20 | 11/19/2025  | 0844                     | -0.73                                                          | 0.0                    | 0          | 1.2                    | 20.0                  | 0.0                       | 11.1          | 11.1                      | 0             |                                  |
| SVP-11-20 | 11/21/2025  | 0921                     | -0.67                                                          | 0.0                    | 0          | 1.1                    | 20.0                  | 0.0                       | 13.9          | 13.4                      | 0.5           |                                  |
| SVP-11-20 | 11/24/2025  | 0833                     | -0.79                                                          | 0.0                    | 0          | 1.1                    | 20.1                  | 0.0                       | 12.0          | 11.5                      | 0.5           |                                  |
| SVP-11-20 | 11/25/2025  | 0951                     | -0.87                                                          | 0.0                    | 0          | 1.1                    | 20.0                  | 0.0                       | 11.1          | 11.1                      | 0             |                                  |
| SVP-11-20 | 11/26/2025  | 1014                     | -1.06                                                          | 0.0                    | 0          | 1.1                    | 20.2                  | 0.0                       | 8.1           | 8.1                       | 0             |                                  |

SEE LAST PAGE OF TABLE FOR NOTES

**ATTACHMENT C**  
**SVP FIELD-SCREENED TEDLAR® BAG RESULTS**

| Location  | Sample Date | Sample Time<br>(24-Hour) | Vacuum/<br>Pressure<br>Reading<br>(Inches of H <sub>2</sub> O) | Fixed Gases            |            |                        |                       | Soil Vapor Concentrations |               |                           |               | Comments          |
|-----------|-------------|--------------------------|----------------------------------------------------------------|------------------------|------------|------------------------|-----------------------|---------------------------|---------------|---------------------------|---------------|-------------------|
|           |             |                          |                                                                | CH <sub>4</sub><br>(%) | LEL<br>(%) | CO <sub>2</sub><br>(%) | O <sub>2</sub><br>(%) | PID<br>(ppmv)             | THC<br>(ppmv) | CH <sub>4</sub><br>(ppmv) | PHC<br>(ppmv) |                   |
| SVP-11-30 | 11/3/2025   | 0852                     | -1.51                                                          | 0.0                    | 0          | 1.8                    | 19.5                  | 0.0                       | 27.8          | 27.8                      | 0             |                   |
| SVP-11-30 | 11/6/2025   | 1224                     | -0.75                                                          | 0.0                    | 0          | 1.7                    | 19.4                  | 0.0                       | 29.7          | 29.2                      | 0.5           |                   |
| SVP-11-30 | 11/10/2025  | 0842                     | -0.63                                                          | 0.0                    | 0          | 1.8                    | 19.5                  | 0.0                       | 47.8          | 47.3                      | 0.5           |                   |
| SVP-11-30 | 11/12/2025  | 0830                     | -0.10                                                          | 0.0                    | 0          | 1.8                    | 19.4                  | 0.0                       | 63.3          | 62.8                      | 0.5           |                   |
| SVP-11-30 | 11/14/2025  | 1007                     | -0.65                                                          | 0.0                    | 0          | 1.8                    | 19.4                  | 0.0                       | 94.8          | 94.3                      | 0.5           |                   |
| SVP-11-30 | 11/17/2025  | 0904                     | -0.99                                                          | 0.0                    | 0          | 1.8                    | 19.3                  | 0.0                       | 105           | 105                       | 0             |                   |
| SVP-11-30 | 11/19/2025  | 0845                     | -0.31                                                          | 0.0                    | 0          | 2.0                    | 19.3                  | 0.0                       | 111           | 111                       | 0             |                   |
| SVP-11-30 | 11/21/2025  | 0922                     | -0.48                                                          | 0.0                    | 0          | 2.0                    | 19.1                  | 0.0                       | 122           | 122                       | 0             |                   |
| SVP-11-30 | 11/24/2025  | 0834                     | -0.82                                                          | 0.0                    | 0          | 1.9                    | 19.2                  | 0.6                       | 130           | 130                       | 0             |                   |
| SVP-11-30 | 11/24/2025  | 0834                     | NM                                                             | 0.0                    | 0          | 1.9                    | 19.2                  | 0.4                       | 131           | 131                       | 0             | Duplicate sample. |
| SVP-11-30 | 11/25/2025  | 0952                     | -0.94                                                          | 0.0                    | 0          | 2.0                    | 19.2                  | 0.2                       | 141           | 141                       | 0             |                   |
| SVP-11-30 | 11/26/2025  | 1015                     | -1.07                                                          | 0.0                    | 0          | 1.9                    | 19.8                  | 0.2                       | 120           | 120                       | 0             |                   |
| SVP-12-10 | 11/3/2025   | 0900                     | -1.06                                                          | 0.0                    | 0          | 0.2                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-12-10 | 11/6/2025   | 1213                     | -0.25                                                          | 0.0                    | 0          | 0.1                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-12-10 | 11/10/2025  | 0829                     | -0.58                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-12-10 | 11/12/2025  | 0821                     | -0.12                                                          | 0.0                    | 0          | 0.2                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-12-10 | 11/14/2025  | 0957                     | 0.00                                                           | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-12-10 | 11/17/2025  | 0908                     | -0.14                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-12-10 | 11/19/2025  | 0835                     | -0.48                                                          | 0.0                    | 0          | 0.2                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-12-10 | 11/21/2025  | 0928                     | -0.24                                                          | 0.0                    | 0          | 0.1                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-12-10 | 11/24/2025  | 0826                     | -0.24                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-12-10 | 11/25/2025  | 0956                     | -0.36                                                          | 0.0                    | 0          | 0.2                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-12-10 | 11/26/2025  | 1028                     | -1.16                                                          | 0.0                    | 0          | 0.0                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-12-20 | 11/3/2025   | 0901                     | -1.17                                                          | 0.0                    | 0          | 0.5                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-12-20 | 11/6/2025   | 1214                     | -0.79                                                          | 0.0                    | 0          | 0.4                    | 20.6                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-12-20 | 11/10/2025  | 0830                     | -0.61                                                          | 0.0                    | 0          | 0.4                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-12-20 | 11/12/2025  | 0822                     | -0.14                                                          | 0.0                    | 0          | 0.4                    | 20.6                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-12-20 | 11/14/2025  | 0958                     | -0.81                                                          | 0.0                    | 0          | 0.5                    | 20.6                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-12-20 | 11/17/2025  | 0909                     | -0.34                                                          | 0.0                    | 0          | 0.3                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-12-20 | 11/19/2025  | 0836                     | -0.37                                                          | 0.0                    | 0          | 0.5                    | 20.6                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-12-20 | 11/21/2025  | 0929                     | -0.56                                                          | 0.0                    | 0          | 0.3                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-12-20 | 11/24/2025  | 0827                     | -0.97                                                          | 0.0                    | 0          | 0.4                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-12-20 | 11/25/2025  | 0957                     | -0.87                                                          | 0.0                    | 0          | 0.5                    | 20.5                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-12-20 | 11/26/2025  | 1029                     | -1.33                                                          | 0.0                    | 0          | 0.5                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-12-30 | 11/3/2025   | 0902                     | -1.36                                                          | 0.0                    | 0          | 1.1                    | 20.1                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-12-30 | 11/3/2025   | 0902                     | NM                                                             | 0.0                    | 0          | 0.9                    | 20.2                  | 0.0                       | 0.0           | 0.0                       | 0             | Duplicate sample. |
| SVP-12-30 | 11/6/2025   | 1215                     | -0.76                                                          | 0.0                    | 0          | 1.0                    | 20.1                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-12-30 | 11/6/2025   | 1215                     | NM                                                             | 0.0                    | 0          | 0.8                    | 20.3                  | 0.0                       | 0.0           | 0.0                       | 0             | Duplicate sample. |
| SVP-12-30 | 11/10/2025  | 0831                     | -1.19                                                          | 0.0                    | 0          | 1.1                    | 20.1                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-12-30 | 11/12/2025  | 0823                     | -0.23                                                          | 0.0                    | 0          | 1.0                    | 20.2                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-12-30 | 11/14/2025  | 0959                     | -0.32                                                          | 0.0                    | 0          | 1.0                    | 20.1                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-12-30 | 11/17/2025  | 0910                     | -0.81                                                          | 0.0                    | 0          | 0.5                    | 20.6                  | 0.0                       | 2.5           | 1.9                       | 0.6           |                   |
| SVP-12-30 | 11/19/2025  | 0837                     | -0.64                                                          | 0.0                    | 0          | 1.3                    | 19.9                  | 0.0                       | 5.3           | 4.7                       | 0.6           |                   |
| SVP-12-30 | 11/19/2025  | 0837                     | NM                                                             | 0.0                    | 0          | 1.3                    | 19.9                  | 0.0                       | 5.3           | 4.7                       | 0.6           | Duplicate sample. |
| SVP-12-30 | 11/21/2025  | 0930                     | -0.68                                                          | 0.0                    | 0          | 1.2                    | 19.8                  | 0.0                       | 7.2           | 6.5                       | 0.7           |                   |

SEE LAST PAGE OF TABLE FOR NOTES

**ATTACHMENT C**  
**SVP FIELD-SCREENED TEDLAR® BAG RESULTS**

| Location  | Sample Date | Sample Time<br>(24-Hour) | Vacuum/<br>Pressure<br>Reading<br>(Inches of H <sub>2</sub> O) | Fixed Gases            |            |                        |                       | Soil Vapor Concentrations |               |                           |               | Comments                                        |
|-----------|-------------|--------------------------|----------------------------------------------------------------|------------------------|------------|------------------------|-----------------------|---------------------------|---------------|---------------------------|---------------|-------------------------------------------------|
|           |             |                          |                                                                | CH <sub>4</sub><br>(%) | LEL<br>(%) | CO <sub>2</sub><br>(%) | O <sub>2</sub><br>(%) | PID<br>(ppmv)             | THC<br>(ppmv) | CH <sub>4</sub><br>(ppmv) | PHC<br>(ppmv) |                                                 |
| SVP-12-30 | 11/24/2025  | 0828                     | -1.12                                                          | 0.0                    | 0          | 1.2                    | 20.0                  | 0.0                       | 3.5           | 3.3                       | 0.2           |                                                 |
| SVP-12-30 | 11/25/2025  | 0958                     | -0.85                                                          | 0.0                    | 0          | 1.2                    | 19.9                  | 0.0                       | 2.8           | 2.8                       | 0             |                                                 |
| SVP-12-30 | 11/26/2025  | 1030                     | -1.33                                                          | 0.0                    | 0          | 1.1                    | 20.3                  | 0.2                       | 0.4           | 0.4                       | 0             |                                                 |
| SVP-13-10 | 11/3/2025   | 0910                     | -0.38                                                          | 0.0                    | 0          | 0.2                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                 |
| SVP-13-10 | 11/6/2025   | 1206                     | -0.23                                                          | 0.0                    | 0          | 0.1                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                 |
| SVP-13-10 | 11/10/2025  | 0824                     | -0.25                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                 |
| SVP-13-10 | 11/12/2025  | 0814                     | 0.00                                                           | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                 |
| SVP-13-10 | 11/14/2025  | 0945                     | -0.11                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                 |
| SVP-13-10 | 11/17/2025  | 0914                     | -0.23                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                 |
| SVP-13-10 | 11/19/2025  | 0826                     | -0.13                                                          | 0.0                    | 0          | 0.1                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                 |
| SVP-13-10 | 11/21/2025  | 0931                     | NM                                                             | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Vehicle parked on well vault. Could not access. |
| SVP-13-10 | 11/24/2025  | 0819                     | -0.33                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                 |
| SVP-13-10 | 11/25/2025  | 1004                     | -0.20                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                 |
| SVP-13-10 | 11/26/2025  | 1046                     | -0.88                                                          | 0.0                    | 0          | 0.0                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                 |
| SVP-13-20 | 11/3/2025   | 0911                     | -1.99                                                          | 0.0                    | 0          | 0.5                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                 |
| SVP-13-20 | 11/6/2025   | 1207                     | -0.90                                                          | 0.0                    | 0          | 0.4                    | 20.6                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                 |
| SVP-13-20 | 11/10/2025  | 0825                     | -1.02                                                          | 0.0                    | 0          | 0.4                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                 |
| SVP-13-20 | 11/12/2025  | 0815                     | -0.36                                                          | 0.0                    | 0          | 0.4                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                 |
| SVP-13-20 | 11/14/2025  | 0946                     | -1.90                                                          | 0.0                    | 0          | 0.4                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                 |
| SVP-13-20 | 11/17/2025  | 0915                     | -0.83                                                          | 0.0                    | 0          | 0.3                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                 |
| SVP-13-20 | 11/19/2025  | 0827                     | -0.58                                                          | 0.0                    | 0          | 0.4                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                 |
| SVP-13-20 | 11/19/2025  | 0827                     | NM                                                             | 0.0                    | 0          | 0.4                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             | Duplicate sample.                               |
| SVP-13-20 | 11/21/2025  | 0932                     | NM                                                             | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Vehicle parked on well vault. Could not access. |
| SVP-13-20 | 11/24/2025  | 0820                     | -1.01                                                          | 0.0                    | 0          | 0.3                    | 20.6                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                 |
| SVP-13-20 | 11/25/2025  | 1005                     | -0.50                                                          | 0.0                    | 0          | 0.4                    | 20.6                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                 |
| SVP-13-20 | 11/26/2025  | 1047                     | -1.36                                                          | 0.0                    | 0          | 0.2                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                 |
| SVP-13-30 | 11/3/2025   | 0912                     | -2.48                                                          | 0.0                    | 0          | 0.7                    | 20.5                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                 |
| SVP-13-30 | 11/6/2025   | 1208                     | -0.25                                                          | 0.0                    | 0          | 0.6                    | 20.4                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                 |
| SVP-13-30 | 11/10/2025  | 0826                     | -0.51                                                          | 0.0                    | 0          | 0.7                    | 20.6                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                 |
| SVP-13-30 | 11/12/2025  | 0816                     | -0.23                                                          | 0.0                    | 0          | 0.6                    | 20.6                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                 |
| SVP-13-30 | 11/14/2025  | 0947                     | -0.72                                                          | 0.0                    | 0          | 0.6                    | 20.5                  | 0.0                       | 3.2           | 3.0                       | 0.2           |                                                 |
| SVP-13-30 | 11/17/2025  | 0916                     | -0.75                                                          | 0.0                    | 0          | 0.6                    | 20.5                  | 0.0                       | 7.8           | 7.3                       | 0.5           |                                                 |
| SVP-13-30 | 11/19/2025  | 0828                     | -1.06                                                          | 0.0                    | 0          | 0.7                    | 20.4                  | 0.0                       | 12.7          | 12.2                      | 0.5           |                                                 |
| SVP-13-30 | 11/21/2025  | 0933                     | NM                                                             | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Vehicle parked on well vault. Could not access. |
| SVP-13-30 | 11/24/2025  | 0821                     | -0.48                                                          | 0.0                    | 0          | 0.7                    | 20.5                  | 0.0                       | 3.4           | 3.4                       | 0             |                                                 |
| SVP-13-30 | 11/25/2025  | 1006                     | -0.18                                                          | 0.0                    | 0          | 0.7                    | 20.4                  | 0.2                       | 3.7           | 3.7                       | 0             |                                                 |
| SVP-13-30 | 11/26/2025  | 1048                     | -6.34                                                          | NM                     | NM         | NM                     | NM                    | NM                        | NM            | NM                        | NM            | Screen submerged.                               |
| SVP-14-10 | 11/3/2025   | 0915                     | -0.37                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                 |
| SVP-14-10 | 11/6/2025   | 1151                     | -0.27                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                 |
| SVP-14-10 | 11/10/2025  | 0819                     | -0.26                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                 |
| SVP-14-10 | 11/12/2025  | 0808                     | -0.15                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                 |
| SVP-14-10 | 11/14/2025  | 0934                     | -0.25                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                 |
| SVP-14-10 | 11/17/2025  | 0921                     | -0.25                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                 |
| SVP-14-10 | 11/19/2025  | 0805                     | -0.29                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                                                 |
| SVP-14-10 | 11/19/2025  | 0805                     | NM                                                             | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             | Duplicate sample.                               |

SEE LAST PAGE OF TABLE FOR NOTES

**ATTACHMENT C**  
**SVP FIELD-SCREENED TEDLAR® BAG RESULTS**

| Location  | Sample Date | Sample Time<br>(24-Hour) | Vacuum/<br>Pressure<br>Reading<br>(Inches of H <sub>2</sub> O) | Fixed Gases            |            |                        |                       | Soil Vapor Concentrations |               |                           |               | Comments          |
|-----------|-------------|--------------------------|----------------------------------------------------------------|------------------------|------------|------------------------|-----------------------|---------------------------|---------------|---------------------------|---------------|-------------------|
|           |             |                          |                                                                | CH <sub>4</sub><br>(%) | LEL<br>(%) | CO <sub>2</sub><br>(%) | O <sub>2</sub><br>(%) | PID<br>(ppmv)             | THC<br>(ppmv) | CH <sub>4</sub><br>(ppmv) | PHC<br>(ppmv) |                   |
| SVP-14-10 | 11/21/2025  | 0934                     | -0.28                                                          | 0.0                    | 0          | 0.1                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-14-10 | 11/24/2025  | 0800                     | -0.38                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-14-10 | 11/25/2025  | 1010                     | -0.19                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-14-10 | 11/26/2025  | 1055                     | -0.41                                                          | 0.0                    | 0          | 0.1                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-14-20 | 11/3/2025   | 0916                     | -1.25                                                          | 0.0                    | 0          | 0.2                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-14-20 | 11/3/2025   | 0916                     | NM                                                             | 0.0                    | 0          | 0.2                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             | Duplicate sample. |
| SVP-14-20 | 11/6/2025   | 1152                     | -0.62                                                          | 0.0                    | 0          | 0.2                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-14-20 | 11/6/2025   | 1152                     | NM                                                             | 0.0                    | 0          | 0.2                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             | Duplicate sample. |
| SVP-14-20 | 11/10/2025  | 0820                     | -0.77                                                          | 0.0                    | 0          | 0.2                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-14-20 | 11/12/2025  | 0809                     | -0.11                                                          | 0.0                    | 0          | 0.2                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-14-20 | 11/14/2025  | 0935                     | -0.81                                                          | 0.0                    | 0          | 0.2                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-14-20 | 11/17/2025  | 0922                     | -0.45                                                          | 0.0                    | 0          | 0.2                    | 20.9                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-14-20 | 11/19/2025  | 0806                     | -0.54                                                          | 0.0                    | 0          | 0.2                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-14-20 | 11/21/2025  | 0935                     | -0.58                                                          | 0.0                    | 0          | 0.2                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-14-20 | 11/24/2025  | 0801                     | -0.99                                                          | 0.0                    | 0          | 0.2                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-14-20 | 11/25/2025  | 1011                     | -0.24                                                          | 0.0                    | 0          | 0.2                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-14-20 | 11/26/2025  | 1056                     | -1.10                                                          | 0.0                    | 0          | 0.2                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-14-30 | 11/3/2025   | 0917                     | -0.30                                                          | 0.0                    | 0          | 0.5                    | 20.8                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-14-30 | 11/6/2025   | 1153                     | -0.88                                                          | 0.0                    | 0          | 0.4                    | 20.6                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-14-30 | 11/10/2025  | 0821                     | -3.13                                                          | 0.0                    | 0          | 0.4                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-14-30 | 11/12/2025  | 0810                     | -1.72                                                          | 0.0                    | 0          | 0.4                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-14-30 | 11/14/2025  | 0936                     | -1.05                                                          | 0.0                    | 0          | 0.4                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-14-30 | 11/14/2025  | 0936                     | NM                                                             | 0.0                    | 0          | 0.4                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             | Duplicate sample. |
| SVP-14-30 | 11/17/2025  | 0923                     | -2.88                                                          | 0.0                    | 0          | 0.4                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-14-30 | 11/19/2025  | 0807                     | -0.36                                                          | 0.0                    | 0          | 0.4                    | 20.6                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-14-30 | 11/21/2025  | 0936                     | -3.84                                                          | 0.0                    | 0          | 0.4                    | 20.6                  | 0.2                       | 0.0           | 0.0                       | 0             |                   |
| SVP-14-30 | 11/24/2025  | 0802                     | -0.28                                                          | 0.0                    | 0          | 0.4                    | 20.7                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-14-30 | 11/25/2025  | 1012                     | -3.72                                                          | 0.0                    | 0          | 0.4                    | 20.5                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |
| SVP-14-30 | 11/26/2025  | 1057                     | -0.58                                                          | 0.0                    | 0          | 0.4                    | 20.4                  | 0.0                       | 0.0           | 0.0                       | 0             |                   |

**Notes:**

- 1) PID = Photo Ionization Detector; THC = Total Hydrocarbon Concentration; PHC = Petroleum Hydrocarbon Concentration; ppmv = Parts Per Million By Volume.
- 2) NM = Not Measured.
- 3) Results included for the period covered by this progress report. Previous results are retained in project files.

SEE LAST PAGE OF TABLE FOR NOTES

ATTACHMENT D  
SVP SOIL VAPOR ANALYTICAL SAMPLE RESULTS

|                                        |                      |             | Benzene        |           |             | Bromodichloromethane |           |             | Bromomethane   |           |             | Butane         |           |             | Carbon Tetrachloride |           |             |
|----------------------------------------|----------------------|-------------|----------------|-----------|-------------|----------------------|-----------|-------------|----------------|-----------|-------------|----------------|-----------|-------------|----------------------|-----------|-------------|
| Residential Screening Criteria (mg/m³) |                      |             | 0.37           |           |             | 450000               |           |             | 6.9            |           |             |                |           |             | 0.21                 |           |             |
| Location                               | Sample ID            | Sample Date | Result (mg/m³) | Lab Quals | AECOM Quals | Result (mg/m³)       | Lab Quals | AECOM Quals | Result (mg/m³) | Lab Quals | AECOM Quals | Result (mg/m³) | Lab Quals | AECOM Quals | Result (mg/m³)       | Lab Quals | AECOM Quals |
| SVP-01-10                              | SVP-01-10-111325     | 11/13/2025  | < 0.0037       | U         |             | < 0.0077             | U         |             | < 0.045        | U         |             | < 0.011        | U         |             | < 0.0072             | U         |             |
| SVP-01-10                              | SVP-01-10-111325-DUP | 11/13/2025  | < 0.0035       | U         |             | < 0.0074             | U         |             | < 0.043        | U         |             | < 0.01         | U         |             | < 0.0070             | U         |             |
| SVP-01-20                              | SVP-01-20-111325     | 11/13/2025  | < 0.0037       | U         |             | < 0.0078             | U         |             | < 0.045        | U         |             | < 0.011        | U         |             | < 0.0074             | U         |             |
| SVP-01-30                              | SVP-01-30-111325     | 11/13/2025  | < 0.96         | U         |             | < 2                  | U         |             | < 4.7          | U         |             | < 2.9          | U         |             | < 1.9                | U         |             |
| SVP-01-30                              | SVP-01-30-111925     | 11/19/2025  | 1.3            | J         |             | < 3.6                | U         |             | < 8.3          | U         |             | 1.9            | J         |             | < 3.4                | U         |             |
| SVP-02-10                              | SVP-02-10-111325     | 11/13/2025  | 0.17           |           |             | < 0.0076             | U         |             | < 0.044        | U         |             | < 0.011        | U         |             | < 0.0071             | U         |             |
| SVP-02-20                              | SVP-02-20-111325     | 11/13/2025  | < 0.0036       | U         |             | < 0.0077             | U         |             | < 0.044        | U         |             | 0.047          |           |             | < 0.0072             | U         |             |
| SVP-02-20                              | SVP-02-20-111925     | 11/19/2025  | 130            |           |             | < 0.35               | U         |             | < 0.81         | U         |             | 9.2            |           |             | < 0.33               | U         |             |
| SVP-03-10                              | SVP-03-10-111425     | 11/14/2025  | 0.013          |           |             | < 0.0081             | U         |             | < 0.047        | U         |             | < 0.012        | U         |             | < 0.0076             | U         |             |
| SVP-03-10                              | SVP-03-10-111425-DUP | 11/14/2025  | 0.021          |           |             | < 0.0074             | U         |             | < 0.043        | U         |             | < 0.01         | U         |             | < 0.0069             | U         |             |
| SVP-03-20                              | SVP-03-20-111425     | 11/14/2025  | 410            |           |             | < 3                  | U         |             | < 18           | U         |             | 24             |           |             | < 2.8                | U         |             |
| SVP-04-10                              | SVP-04-10-111425     | 11/14/2025  | 0.48           |           |             | < 0.0071             | U         |             | < 0.041        | U         |             | 0.016          |           |             | < 0.0067             | U         |             |
| SVP-04-20                              | SVP-04-20-111425     | 11/14/2025  | 0.042          |           |             | < 0.0073             | U         |             | < 0.042        | U         |             | < 0.01         | U         |             | < 0.0069             | U         |             |
| SVP-04-30                              | SVP-04-30-111425     | 11/14/2025  | 77             |           |             | < 0.61               | U         |             | < 3.6          | U         |             | 2.7            |           |             | < 0.58               | U         |             |
| SVP-04-30                              | SVP-04-30-111925     | 11/19/2025  | 1200           |           |             | < 3.4                | U         |             | < 7.8          | U         |             | 16             |           |             | < 3.2                | U         |             |
| SVP-05-10                              | SVP-05-10-111425     | 11/14/2025  | 0.36           |           |             | < 0.0078             | U         |             | < 0.045        | U         |             | 0.011          | J         |             | < 0.0074             | U         |             |
| SVP-05-20                              | SVP-05-20-111425     | 11/14/2025  | 0.029          |           |             | < 0.0072             | U         |             | < 0.042        | U         |             | < 0.01         | U         |             | < 0.0067             | U         |             |
| SVP-05-30                              | SVP-05-30-111425     | 11/14/2025  | 0.031          |           |             | < 0.0075             | U         |             | < 0.043        | U         |             | < 0.011        | U         |             | < 0.0070             | U         |             |
| SVP-06-10                              | SVP-06-10-111425     | 11/14/2025  | 0.0031         | J         |             | < 0.0076             | U         |             | < 0.044        | U         |             | < 0.011        | U         |             | < 0.0071             | U         |             |
| SVP-06-10                              | SVP-06-10-111425-DUP | 11/14/2025  | 0.0036         | J         |             | < 0.0076             | U         |             | < 0.044        | U         |             | < 0.011        | U         |             | < 0.0072             | U         |             |
| SVP-06-20                              | SVP-06-20-111425     | 11/14/2025  | 0.025          |           |             | < 0.0077             | U         |             | < 0.044        | U         |             | < 0.011        | U         |             | < 0.0072             | U         |             |
| SVP-07-10                              | SVP-07-10-111425     | 11/14/2025  | 0.0056         |           |             | < 0.0076             | U         |             | < 0.044        | U         |             | < 0.011        | U         |             | < 0.0071             | U         |             |
| SVP-07-20                              | SVP-07-20-111425     | 11/14/2025  | 0.0058         |           |             | < 0.0078             | U         |             | < 0.045        | U         |             | < 0.011        | U         |             | < 0.0074             | U         |             |
| SVP-07-30                              | SVP-07-30-111425     | 11/14/2025  | 200            |           |             | < 1.6                | U         |             | < 9.5          | U         |             | 2.8            |           |             | < 1.5                | U         |             |
| SVP-08-30                              | SVP-08-30-110725     | 11/7/2025   | < 0.074        | U         |             | < 0.16               | U         |             | < 0.9          | U         |             | 1.7            |           |             | < 0.15               | U         |             |
| SVP-08-30                              | SVP-08-30-112625     | 11/26/2025  | 0.013          |           |             | < 0.0070             | U         |             | < 0.0081       | U         |             | 1.7            |           |             | < 0.0066             | U         |             |
| SVP-10-20                              | SVP-10-20-112625     | 11/26/2025  | 0.0061         |           |             | < 0.0071             | U         |             | < 0.0083       | U         |             | 0.016          |           |             | < 0.0067             | U         |             |
| SVP-10-30                              | SVP-10-30-112625     | 11/26/2025  | 0.026          |           |             | < 0.014              | U         |             | < 0.016        | U         |             | < 0.02         | U         |             | < 0.013              | U         |             |

ATTACHMENT D  
SVP SOIL VAPOR ANALYTICAL SAMPLE RESULTS

|                                        |                      |             | Chloroform        |           |                | Chloromethane     |           |                | 1,4-Dichlorobenzene |           |                | Dichlorodifluoromethane |           |                | Dichloromethane<br>(Methylene Chloride) |           |                |
|----------------------------------------|----------------------|-------------|-------------------|-----------|----------------|-------------------|-----------|----------------|---------------------|-----------|----------------|-------------------------|-----------|----------------|-----------------------------------------|-----------|----------------|
| Residential Screening Criteria (mg/m³) |                      |             | 0.11              |           |                |                   |           |                | 1200                |           |                | 270                     |           |                | 5.6                                     |           |                |
| Location                               | Sample ID            | Sample Date | Result<br>(mg/m³) | Lab Quals | AECOM<br>Quals | Result<br>(mg/m³) | Lab Quals | AECOM<br>Quals | Result<br>(mg/m³)   | Lab Quals | AECOM<br>Quals | Result<br>(mg/m³)       | Lab Quals | AECOM<br>Quals | Result<br>(mg/m³)                       | Lab Quals | AECOM<br>Quals |
| SVP-01-10                              | SVP-01-10-111325     | 11/13/2025  | < 0.0056          | U         |                | < 0.024           | U         |                | < 0.0069            | U         |                | 0.0025                  | J         |                | < 0.04                                  | U         |                |
| SVP-01-10                              | SVP-01-10-111325-DUP | 11/13/2025  | < 0.0054          | U         |                | < 0.023           | U         |                | < 0.0067            | U         |                | 0.0022                  | J         |                | < 0.038                                 | U         |                |
| SVP-01-20                              | SVP-01-20-111325     | 11/13/2025  | < 0.0057          | U         |                | < 0.024           | U         |                | < 0.0070            | U         |                | 0.0025                  | J         |                | < 0.041                                 | U         |                |
| SVP-01-30                              | SVP-01-30-111325     | 11/13/2025  | < 1.5             | U         |                | < 2.5             | U         |                | < 1.8               | U         |                | < 1.5                   | U         |                | < 4.2                                   | U         |                |
| SVP-01-30                              | SVP-01-30-111925     | 11/19/2025  | < 2.6             | U         |                | < 4.4             | U         |                | < 3.2               | U         |                | < 2.6                   | U         |                | < 7.4                                   | U         |                |
| SVP-02-10                              | SVP-02-10-111325     | 11/13/2025  | < 0.0055          | U         |                | < 0.023           | U         |                | < 0.0068            | U         |                | 0.0020                  | J         |                | < 0.039                                 | U         |                |
| SVP-02-20                              | SVP-02-20-111325     | 11/13/2025  | < 0.0056          | U         |                | < 0.024           | U         |                | < 0.0069            | U         |                | 0.0025                  | J         |                | < 0.04                                  | U         |                |
| SVP-02-20                              | SVP-02-20-111925     | 11/19/2025  | < 0.25            | U         |                | < 0.43            | U         |                | < 0.31              | U         |                | < 0.26                  | U         |                | < 0.72                                  | U         |                |
| SVP-03-10                              | SVP-03-10-111425     | 11/14/2025  | < 0.0059          | U         |                | < 0.025           | U         |                | < 0.0073            | U         |                | 0.0024                  | J         |                | < 0.042                                 | U         |                |
| SVP-03-10                              | SVP-03-10-111425-DUP | 11/14/2025  | < 0.0054          | U         |                | < 0.023           | U         |                | < 0.0066            | U         |                | 0.0025                  | J         |                | < 0.038                                 | U         |                |
| SVP-03-20                              | SVP-03-20-111425     | 11/14/2025  | < 2.2             | U         |                | < 9.3             | U         |                | < 2.7               | U         |                | < 2.2                   | U         |                | < 16                                    | U         |                |
| SVP-04-10                              | SVP-04-10-111425     | 11/14/2025  | < 0.0052          | U         |                | < 0.022           | U         |                | < 0.0064            | U         |                | 0.0026                  | J         |                | < 0.037                                 | U         |                |
| SVP-04-20                              | SVP-04-20-111425     | 11/14/2025  | < 0.0053          | U         |                | < 0.023           | U         |                | < 0.0066            | U         |                | 0.0020                  | J         |                | < 0.038                                 | U         |                |
| SVP-04-30                              | SVP-04-30-111425     | 11/14/2025  | < 0.45            | U         |                | < 1.9             | U         |                | < 0.55              | U         |                | < 0.45                  | U         |                | < 3.2                                   | U         |                |
| SVP-04-30                              | SVP-04-30-111925     | 11/19/2025  | < 2.5             | U         |                | < 4.2             | U         |                | < 3                 | U         |                | < 2.5                   | U         |                | < 7                                     | U         |                |
| SVP-05-10                              | SVP-05-10-111425     | 11/14/2025  | < 0.0057          | U         |                | < 0.024           | U         |                | < 0.0070            | U         |                | 0.0025                  | J         |                | < 0.041                                 | U         |                |
| SVP-05-20                              | SVP-05-20-111425     | 11/14/2025  | < 0.0052          | U         |                | < 0.022           | U         |                | < 0.0064            | U         |                | 0.0024                  | J         |                | < 0.037                                 | U         |                |
| SVP-05-30                              | SVP-05-30-111425     | 11/14/2025  | < 0.0054          | U         |                | < 0.023           | U         |                | < 0.0067            | U         |                | 0.0023                  | J         |                | < 0.039                                 | U         |                |
| SVP-06-10                              | SVP-06-10-111425     | 11/14/2025  | < 0.0055          | U         |                | < 0.023           | U         |                | < 0.0068            | U         |                | 0.0022                  | J         |                | < 0.039                                 | U         |                |
| SVP-06-10                              | SVP-06-10-111425-DUP | 11/14/2025  | < 0.0056          | U         |                | < 0.024           | U         |                | < 0.0068            | U         |                | 0.0020                  | J         |                | < 0.04                                  | U         |                |
| SVP-06-20                              | SVP-06-20-111425     | 11/14/2025  | < 0.0056          | U         |                | < 0.024           | U         |                | < 0.0069            | U         |                | 0.0025                  | J         |                | < 0.04                                  | U         |                |
| SVP-07-10                              | SVP-07-10-111425     | 11/14/2025  | < 0.0055          | U         |                | < 0.023           | U         |                | < 0.0068            | U         |                | 0.0023                  | J         |                | < 0.039                                 | U         |                |
| SVP-07-20                              | SVP-07-20-111425     | 11/14/2025  | < 0.0057          | U         |                | < 0.024           | U         |                | < 0.0070            | U         |                | 0.0023                  | J         |                | < 0.041                                 | U         |                |
| SVP-07-30                              | SVP-07-30-111425     | 11/14/2025  | < 1.2             | U         |                | < 5               | U         |                | < 1.5               | U         |                | < 1.2                   | U         |                | < 8.5                                   | U         |                |
| SVP-08-30                              | SVP-08-30-110725     | 11/7/2025   | < 0.11            | U         |                | < 0.48            | U         |                | < 0.14              | U         |                | < 0.11                  | U         |                | < 0.81                                  | U         |                |
| SVP-08-30                              | SVP-08-30-112625     | 11/26/2025  | < 0.0051          | U         |                | < 0.022           | U*+       |                | < 0.0063            | U         |                | 0.0026                  | J         |                | < 0.0072                                | U         |                |
| SVP-10-20                              | SVP-10-20-112625     | 11/26/2025  | < 0.0052          | U         |                | < 0.022           | U*+       |                | < 0.0064            | U         |                | 0.0027                  | J         |                | < 0.0074                                | U         |                |
| SVP-10-30                              | SVP-10-30-112625     | 11/26/2025  | < 0.01            | U         |                | < 0.043           | U*+       |                | < 0.012             | U         |                | < 0.01                  | U         |                | < 0.014                                 | U         |                |

SEE LAST PAGE OF TABLE FOR NOTES

ATTACHMENT D  
SVP SOIL VAPOR ANALYTICAL SAMPLE RESULTS

|                                        |                      |             | 1,2-Dichloropropane |           |             | 1,4-Dioxane    |           |             | Ethanol        |           |             | Ethylbenzene   |           |             | 4-Ethyltoluene |           |             |
|----------------------------------------|----------------------|-------------|---------------------|-----------|-------------|----------------|-----------|-------------|----------------|-----------|-------------|----------------|-----------|-------------|----------------|-----------|-------------|
| Residential Screening Criteria (mg/m³) |                      |             | 0.31                |           |             | 0.22           |           |             |                |           |             | 1.3            |           |             |                |           |             |
| Location                               | Sample ID            | Sample Date | Result (mg/m³)      | Lab Quals | AECOM Quals | Result (mg/m³) | Lab Quals | AECOM Quals | Result (mg/m³) | Lab Quals | AECOM Quals | Result (mg/m³) | Lab Quals | AECOM Quals | Result (mg/m³) | Lab Quals | AECOM Quals |
| SVP-01-10                              | SVP-01-10-111325     | 11/13/2025  | < 0.0053            | U         |             | < 0.016        | U         |             | < 0.022        | U         |             | < 0.0050       | U         |             | < 0.0056       | U         |             |
| SVP-01-10                              | SVP-01-10-111325-DUP | 11/13/2025  | < 0.0051            | U         |             | < 0.016        | U         |             | < 0.021        | U         |             | < 0.0048       | U         |             | < 0.0054       | U         |             |
| SVP-01-20                              | SVP-01-20-111325     | 11/13/2025  | < 0.0054            | U         |             | < 0.017        | U         |             | < 0.022        | U         |             | < 0.0051       | U         |             | < 0.0058       | U         |             |
| SVP-01-30                              | SVP-01-30-111325     | 11/13/2025  | < 1.4               | U         |             | < 4.3          | U         |             | < 2.8          | U         |             | < 1.3          | U         |             | < 1.5          | U         |             |
| SVP-01-30                              | SVP-01-30-111925     | 11/19/2025  | < 2.5               | U         |             | < 7.7          | U         |             | < 5            | U         |             | < 2.3          | U         |             | < 2.6          | U         |             |
| SVP-02-10                              | SVP-02-10-111325     | 11/13/2025  | < 0.0052            | U         |             | < 0.016        | U         |             | < 0.021        | U         |             | 0.0017         | J         |             | 0.0019         | J         |             |
| SVP-02-20                              | SVP-02-20-111325     | 11/13/2025  | < 0.0053            | U         |             | < 0.016        | U         |             | < 0.022        | U         |             | < 0.0050       | U         |             | < 0.0056       | U         |             |
| SVP-02-20                              | SVP-02-20-111925     | 11/19/2025  | < 0.24              | U         |             | < 0.75         | U         |             | < 0.49         | U         |             | 2.4            |           |             | 0.24           | J         |             |
| SVP-03-10                              | SVP-03-10-111425     | 11/14/2025  | < 0.0056            | U         |             | < 0.017        | U         |             | < 0.023        | U         |             | < 0.0052       | U         |             | < 0.0059       | U         |             |
| SVP-03-10                              | SVP-03-10-111425-DUP | 11/14/2025  | < 0.0051            | U         |             | < 0.016        | U         |             | < 0.021        | U         |             | < 0.0048       | U         |             | < 0.0054       | U         |             |
| SVP-03-20                              | SVP-03-20-111425     | 11/14/2025  | < 2.1               | U         |             | < 6.5          | U         |             | < 8.5          | U         |             | 10             |           |             | 1.6            | J         |             |
| SVP-04-10                              | SVP-04-10-111425     | 11/14/2025  | < 0.0049            | U         |             | < 0.015        | U         |             | < 0.02         | U         |             | 0.056          |           |             | 0.068          |           |             |
| SVP-04-20                              | SVP-04-20-111425     | 11/14/2025  | < 0.0051            | U         |             | < 0.016        | U         |             | 0.057          |           |             | 0.0045         | J         |             | 0.032          |           |             |
| SVP-04-30                              | SVP-04-30-111425     | 11/14/2025  | < 0.42              | U         |             | < 1.3          | U         |             | < 1.7          | U         |             | 1.7            |           |             | 0.2            | J         |             |
| SVP-04-30                              | SVP-04-30-111925     | 11/19/2025  | < 2.3               | U         |             | < 7.3          | U         |             | < 4.8          | U         |             | 50             |           |             | 8.9            |           |             |
| SVP-05-10                              | SVP-05-10-111425     | 11/14/2025  | < 0.0054            | U         |             | < 0.017        | U         |             | < 0.022        | U         |             | 0.015          |           |             | 0.0083         |           |             |
| SVP-05-20                              | SVP-05-20-111425     | 11/14/2025  | < 0.0049            | U         |             | 0.0035         | J         |             | 0.024          |           |             | 0.0036         | J         |             | 0.016          |           |             |
| SVP-05-30                              | SVP-05-30-111425     | 11/14/2025  | < 0.0052            | U         |             | < 0.016        | U         |             | < 0.021        | U         |             | 0.0036         | J         |             | 0.012          |           |             |
| SVP-06-10                              | SVP-06-10-111425     | 11/14/2025  | < 0.0052            | U         |             | < 0.016        | U         |             | < 0.021        | U         |             | < 0.0049       | U         |             | < 0.0056       | U         |             |
| SVP-06-10                              | SVP-06-10-111425-DUP | 11/14/2025  | < 0.0053            | U         |             | < 0.016        | U         |             | < 0.021        | U         |             | < 0.0049       | U         |             | < 0.0056       | U         |             |
| SVP-06-20                              | SVP-06-20-111425     | 11/14/2025  | < 0.0053            | U         |             | < 0.016        | U         |             | < 0.022        | U         |             | < 0.0050       | U         |             | < 0.0056       | U         |             |
| SVP-07-10                              | SVP-07-10-111425     | 11/14/2025  | < 0.0052            | U         |             | < 0.016        | U         |             | < 0.021        | U         |             | < 0.0049       | U         |             | < 0.0056       | U         |             |
| SVP-07-20                              | SVP-07-20-111425     | 11/14/2025  | < 0.0054            | U         |             | < 0.017        | U         |             | < 0.022        | U         |             | < 0.0051       | U         |             | < 0.0058       | U         |             |
| SVP-07-30                              | SVP-07-30-111425     | 11/14/2025  | < 1.1               | U         |             | < 3.5          | U         |             | 2.1            | J         |             | 1.2            |           |             | < 1.2          | U         |             |
| SVP-08-30                              | SVP-08-30-110725     | 11/7/2025   | < 0.11              | U         |             | < 0.34         | U         |             | < 0.44         | U         |             | < 0.1          | U         |             | < 0.11         | U         |             |
| SVP-08-30                              | SVP-08-30-112625     | 11/26/2025  | < 0.0048            | U         |             | < 0.0075       | U         |             | < 0.02         | U         |             | 0.0039         | J         |             | 0.012          |           |             |
| SVP-10-20                              | SVP-10-20-112625     | 11/26/2025  | < 0.0049            | U         |             | < 0.0077       | U         |             | 0.014          | J         |             | < 0.0046       | U         |             | < 0.0052       | U         |             |
| SVP-10-30                              | SVP-10-30-112625     | 11/26/2025  | < 0.0095            | U         |             | < 0.015        | U         |             | 0.16           |           |             | 0.076          |           |             | 0.17           |           |             |

ATTACHMENT D  
SVP SOIL VAPOR ANALYTICAL SAMPLE RESULTS

|                                                     |                      |             | Heptane                        |           |                | Hexane                         |           |                | 2-Hexanone<br>(Methyl N-Butyl Ketone) |           |                | Isopentane                     |           |                | 2-Propanol                     |           |                |
|-----------------------------------------------------|----------------------|-------------|--------------------------------|-----------|----------------|--------------------------------|-----------|----------------|---------------------------------------|-----------|----------------|--------------------------------|-----------|----------------|--------------------------------|-----------|----------------|
| Residential Screening Criteria (mg/m <sup>3</sup> ) |                      |             |                                |           |                |                                |           |                |                                       |           |                |                                |           |                |                                |           |                |
| Location                                            | Sample ID            | Sample Date | Result<br>(mg/m <sup>3</sup> ) | Lab Quals | AECOM<br>Quals | Result<br>(mg/m <sup>3</sup> ) | Lab Quals | AECOM<br>Quals | Result<br>(mg/m <sup>3</sup> )        | Lab Quals | AECOM<br>Quals | Result<br>(mg/m <sup>3</sup> ) | Lab Quals | AECOM<br>Quals | Result<br>(mg/m <sup>3</sup> ) | Lab Quals | AECOM<br>Quals |
| SVP-01-10                                           | SVP-01-10-111325     | 11/13/2025  | < 0.0047                       | U         |                | < 0.0040                       | U         |                | < 0.019                               | U         |                | < 0.014                        | U         |                | < 0.011                        | U         |                |
| SVP-01-10                                           | SVP-01-10-111325-DUP | 11/13/2025  | < 0.0045                       | U         |                | < 0.0039                       | U         |                | < 0.018                               | U         |                | < 0.013                        | U         |                | < 0.011                        | U         |                |
| SVP-01-20                                           | SVP-01-20-111325     | 11/13/2025  | < 0.0048                       | U         |                | < 0.0041                       | U         |                | < 0.019                               | U         |                | < 0.014                        | U         |                | < 0.012                        | U         |                |
| SVP-01-30                                           | SVP-01-30-111325     | 11/13/2025  | 0.95                           | J         |                | 1.9                            |           |                | < 4.9                                 | U         |                | 100                            |           |                | < 3.7                          | U         |                |
| SVP-01-30                                           | SVP-01-30-111925     | 11/19/2025  | < 2.2                          | U         |                | < 1.9                          | U         |                | < 8.8                                 | U         |                | 210                            |           |                | < 6.6                          | U         |                |
| SVP-02-10                                           | SVP-02-10-111325     | 11/13/2025  | 0.0082                         |           |                | 0.0032                         | J         |                | < 0.018                               | U         |                | 0.21                           |           |                | < 0.011                        | U         |                |
| SVP-02-20                                           | SVP-02-20-111325     | 11/13/2025  | < 0.0047                       | U         |                | < 0.0040                       | U         |                | < 0.019                               | U         |                | 0.16                           |           |                | < 0.011                        | U         |                |
| SVP-02-20                                           | SVP-02-20-111925     | 11/19/2025  | 1.1                            |           |                | 3.3                            |           |                | < 0.85                                | U         |                | 21                             |           |                | < 0.64                         | U         |                |
| SVP-03-10                                           | SVP-03-10-111425     | 11/14/2025  | < 0.0050                       | U         |                | < 0.0043                       | U         |                | < 0.02                                | U         |                | < 0.014                        | U         |                | < 0.012                        | U         |                |
| SVP-03-10                                           | SVP-03-10-111425-DUP | 11/14/2025  | < 0.0045                       | U         |                | 0.0030                         | J         |                | < 0.018                               | U         |                | < 0.013                        | U         |                | 0.0038                         | J         |                |
| SVP-03-20                                           | SVP-03-20-111425     | 11/14/2025  | 4.2                            |           |                | 11                             |           |                | < 7.4                                 | U         |                | 23                             |           |                | 2.3                            | J         |                |
| SVP-04-10                                           | SVP-04-10-111425     | 11/14/2025  | 0.0071                         |           |                | 0.01                           |           |                | 0.0085                                | J         |                | 0.018                          |           |                | 0.0063                         | J         |                |
| SVP-04-20                                           | SVP-04-20-111425     | 11/14/2025  | < 0.0045                       | U         |                | < 0.0038                       | U         |                | < 0.018                               | U         |                | < 0.013                        | U         |                | 0.037                          |           |                |
| SVP-04-30                                           | SVP-04-30-111425     | 11/14/2025  | 0.24                           | J         |                | 0.98                           |           |                | < 1.5                                 | U         |                | 6.8                            |           |                | < 0.9                          | U         |                |
| SVP-04-30                                           | SVP-04-30-111925     | 11/19/2025  | 3.8                            |           |                | 12                             |           |                | < 8.3                                 | U         |                | 48                             |           |                | < 6.2                          | U         |                |
| SVP-05-10                                           | SVP-05-10-111425     | 11/14/2025  | 0.0024                         | J         |                | 0.0052                         |           |                | < 0.019                               | U         |                | 0.028                          |           |                | 0.0044                         | J         |                |
| SVP-05-20                                           | SVP-05-20-111425     | 11/14/2025  | 0.0016                         | J         |                | < 0.0038                       | U         |                | < 0.018                               | U         |                | < 0.013                        | U         |                | 0.012                          |           |                |
| SVP-05-30                                           | SVP-05-30-111425     | 11/14/2025  | 0.0017                         | J         |                | 0.0019                         | J         |                | < 0.018                               | U         |                | < 0.013                        | U         |                | < 0.011                        | U         |                |
| SVP-06-10                                           | SVP-06-10-111425     | 11/14/2025  | < 0.0046                       | U         |                | < 0.0040                       | U         |                | < 0.018                               | U         |                | < 0.013                        | U         |                | 0.0072                         | J         |                |
| SVP-06-10                                           | SVP-06-10-111425-DUP | 11/14/2025  | < 0.0047                       | U         |                | < 0.0040                       | U         |                | < 0.019                               | U         |                | < 0.013                        | U         |                | < 0.011                        | U         |                |
| SVP-06-20                                           | SVP-06-20-111425     | 11/14/2025  | < 0.0047                       | U         |                | < 0.0040                       | U         |                | < 0.019                               | U         |                | < 0.014                        | U         |                | < 0.011                        | U         |                |
| SVP-07-10                                           | SVP-07-10-111425     | 11/14/2025  | < 0.0046                       | U         |                | < 0.0040                       | U         |                | < 0.018                               | U         |                | < 0.013                        | U         |                | < 0.011                        | U         |                |
| SVP-07-20                                           | SVP-07-20-111425     | 11/14/2025  | < 0.0048                       | U         |                | < 0.0041                       | U         |                | < 0.019                               | U         |                | < 0.014                        | U         |                | < 0.012                        | U         |                |
| SVP-07-30                                           | SVP-07-30-111425     | 11/14/2025  | 8.6                            |           |                | 5.9                            |           |                | < 4                                   | U         |                | 9.7                            |           |                | 0.91                           | J         |                |
| SVP-08-30                                           | SVP-08-30-110725     | 11/7/2025   | 0.21                           |           |                | 0.59                           |           |                | < 0.38                                | U         |                | 20                             |           |                | < 0.23                         | U         |                |
| SVP-08-30                                           | SVP-08-30-112625     | 11/26/2025  | 0.064                          |           |                | 0.16                           |           |                | < 0.017                               | U         |                | 13                             |           |                | 0.0064                         | J         |                |
| SVP-10-20                                           | SVP-10-20-112625     | 11/26/2025  | < 0.0044                       | U         |                | < 0.0038                       | U         |                | < 0.017                               | U         |                | 0.12                           |           |                | 0.0036                         | J         |                |
| SVP-10-30                                           | SVP-10-30-112625     | 11/26/2025  | 0.08                           |           |                | 0.14                           |           |                | < 0.034                               | U         |                | 48                             |           |                | 0.012                          | J         |                |

ATTACHMENT D  
SVP SOIL VAPOR ANALYTICAL SAMPLE RESULTS

|                                                     |                      |             | Tetrachloroethene           |           |             | Trichloroethene             |           |             | 1,2,4-Trimethylbenzene      |           |             | 1,3,5-Trimethylbenzene      |           |             | 2,2,4-Trimethylpentane      |           |             |
|-----------------------------------------------------|----------------------|-------------|-----------------------------|-----------|-------------|-----------------------------|-----------|-------------|-----------------------------|-----------|-------------|-----------------------------|-----------|-------------|-----------------------------|-----------|-------------|
| Residential Screening Criteria (mg/m <sup>3</sup> ) |                      |             | 0.55                        |           |             | 1.5                         |           |             |                             |           |             |                             |           |             |                             |           |             |
| Location                                            | Sample ID            | Sample Date | Result (mg/m <sup>3</sup> ) | Lab Quals | AECOM Quals | Result (mg/m <sup>3</sup> ) | Lab Quals | AECOM Quals | Result (mg/m <sup>3</sup> ) | Lab Quals | AECOM Quals | Result (mg/m <sup>3</sup> ) | Lab Quals | AECOM Quals | Result (mg/m <sup>3</sup> ) | Lab Quals | AECOM Quals |
| SVP-01-10                                           | SVP-01-10-111325     | 11/13/2025  | < 0.0078                    | U         |             | < 0.0062                    | U         |             | < 0.0056                    | U         |             | < 0.0056                    | U         |             | < 0.0054                    | U         |             |
| SVP-01-10                                           | SVP-01-10-111325-DUP | 11/13/2025  | 0.0070                      | J         |             | < 0.0060                    | U         |             | < 0.0054                    | U         |             | < 0.0054                    | U         |             | 0.0020                      | J         |             |
| SVP-01-20                                           | SVP-01-20-111325     | 11/13/2025  | < 0.0079                    | U         |             | < 0.0063                    | U         |             | < 0.0058                    | U         |             | < 0.0058                    | U         |             | < 0.0055                    | U         |             |
| SVP-01-30                                           | SVP-01-30-111325     | 11/13/2025  | < 2                         | U         |             | < 1.6                       | U         |             | < 1.5                       | U         |             | < 1.5                       | U         |             | 13                          |           |             |
| SVP-01-30                                           | SVP-01-30-111925     | 11/19/2025  | < 3.6                       | U         |             | < 2.9                       | U         |             | < 2.6                       | U         |             | 2.2                         | J         |             | 63                          |           |             |
| SVP-02-10                                           | SVP-02-10-111325     | 11/13/2025  | < 0.0077                    | U         |             | < 0.0061                    | U         |             | < 0.0056                    | U         |             | 0.0045                      | J         |             | < 0.0053                    | U         |             |
| SVP-02-20                                           | SVP-02-20-111325     | 11/13/2025  | < 0.0078                    | U         |             | < 0.0062                    | U         |             | < 0.0056                    | U         |             | < 0.0056                    | U         |             | < 0.0053                    | U         |             |
| SVP-02-20                                           | SVP-02-20-111925     | 11/19/2025  | < 0.35                      | U         |             | < 0.28                      | U         |             | 0.84                        |           |             | 0.42                        |           |             | 1.1                         |           |             |
| SVP-03-10                                           | SVP-03-10-111425     | 11/14/2025  | < 0.0082                    | U         |             | < 0.0065                    | U         |             | < 0.0059                    | U         |             | < 0.0059                    | U         |             | < 0.0056                    | U         |             |
| SVP-03-10                                           | SVP-03-10-111425-DUP | 11/14/2025  | < 0.0075                    | U         |             | < 0.0059                    | U         |             | < 0.0054                    | U         |             | < 0.0054                    | U         |             | < 0.0051                    | U         |             |
| SVP-03-20                                           | SVP-03-20-111425     | 11/14/2025  | < 3.1                       | U         |             | < 2.4                       | U         |             | 3.2                         |           |             | 1.2                         | J         |             | < 2.1                       | U         |             |
| SVP-04-10                                           | SVP-04-10-111425     | 11/14/2025  | < 0.0072                    | U         |             | < 0.0057                    | U         |             | 0.11                        |           |             | 0.028                       |           |             | < 0.0050                    | U         |             |
| SVP-04-20                                           | SVP-04-20-111425     | 11/14/2025  | < 0.0074                    | U         |             | < 0.0059                    | U         |             | 0.1                         |           |             | 0.02                        |           |             | < 0.0051                    | U         |             |
| SVP-04-30                                           | SVP-04-30-111425     | 11/14/2025  | < 0.62                      | U         |             | < 0.49                      | U         |             | 0.44                        | J         |             | 0.18                        | J         |             | < 0.43                      | U         |             |
| SVP-04-30                                           | SVP-04-30-111925     | 11/19/2025  | < 3.4                       | U         |             | < 2.7                       | U         |             | 26                          |           |             | 9.7                         |           |             | 8.6                         |           |             |
| SVP-05-10                                           | SVP-05-10-111425     | 11/14/2025  | < 0.0079                    | U         |             | < 0.0063                    | U         |             | 0.017                       |           |             | 0.0048                      | J         |             | < 0.0055                    | U         |             |
| SVP-05-20                                           | SVP-05-20-111425     | 11/14/2025  | < 0.0072                    | U         |             | < 0.0058                    | U         |             | 0.051                       |           |             | 0.01                        |           |             | < 0.0050                    | U         |             |
| SVP-05-30                                           | SVP-05-30-111425     | 11/14/2025  | < 0.0076                    | U         |             | < 0.0060                    | U         |             | 0.024                       |           |             | 0.0055                      |           |             | < 0.0052                    | U         |             |
| SVP-06-10                                           | SVP-06-10-111425     | 11/14/2025  | < 0.0077                    | U         |             | < 0.0061                    | U         |             | < 0.0056                    | U         |             | < 0.0056                    | U         |             | < 0.0053                    | U         |             |
| SVP-06-10                                           | SVP-06-10-111425-DUP | 11/14/2025  | < 0.0077                    | U         |             | < 0.0061                    | U         |             | < 0.0056                    | U         |             | < 0.0056                    | U         |             | < 0.0053                    | U         |             |
| SVP-06-20                                           | SVP-06-20-111425     | 11/14/2025  | < 0.0078                    | U         |             | < 0.0062                    | U         |             | < 0.0056                    | U         |             | < 0.0056                    | U         |             | < 0.0053                    | U         |             |
| SVP-07-10                                           | SVP-07-10-111425     | 11/14/2025  | < 0.0077                    | U         |             | < 0.0061                    | U         |             | < 0.0056                    | U         |             | < 0.0056                    | U         |             | < 0.0053                    | U         |             |
| SVP-07-20                                           | SVP-07-20-111425     | 11/14/2025  | < 0.0079                    | U         |             | < 0.0063                    | U         |             | 0.0033                      | J         |             | < 0.0058                    | U         |             | < 0.0055                    | U         |             |
| SVP-07-30                                           | SVP-07-30-111425     | 11/14/2025  | < 1.7                       | U         |             | < 1.3                       | U         |             | 1.1                         | J         |             | < 1.2                       | U         |             | < 1.1                       | U         |             |
| SVP-08-30                                           | SVP-08-30-110725     | 11/7/2025   | < 0.16                      | U         |             | < 0.12                      | U         |             | < 0.11                      | U         |             | 0.22                        |           |             | 5.6                         |           |             |
| SVP-08-30                                           | SVP-08-30-112625     | 11/26/2025  | < 0.0071                    | U         |             | < 0.0056                    | U         |             | 0.024                       |           |             | 0.29                        |           |             | 11                          |           |             |
| SVP-10-20                                           | SVP-10-20-112625     | 11/26/2025  | 0.027                       |           |             | < 0.0057                    | U         |             | < 0.0052                    | U         |             | < 0.0052                    | U         |             | < 0.0050                    | U         |             |
| SVP-10-30                                           | SVP-10-30-112625     | 11/26/2025  | 0.011                       | J         |             | < 0.011                     | U         |             | 0.33                        |           |             | 0.87                        |           |             | 60                          |           |             |

ATTACHMENT D  
SVP SOIL VAPOR ANALYTICAL SAMPLE RESULTS

|                                                     |                      |             | Vinyl Chloride              |           |             | m,p-Xylene                  |           |             | o-Xylene                    |           |             | Carbon Dioxide |           |             | Ethane     |           |             |
|-----------------------------------------------------|----------------------|-------------|-----------------------------|-----------|-------------|-----------------------------|-----------|-------------|-----------------------------|-----------|-------------|----------------|-----------|-------------|------------|-----------|-------------|
| Residential Screening Criteria (mg/m <sup>3</sup> ) |                      |             | 0.29                        |           |             | 130                         |           |             | 120                         |           |             | 124-38-9       |           |             | 74-84-0    |           |             |
| Location                                            | Sample ID            | Sample Date | Result (mg/m <sup>3</sup> ) | Lab Quals | AECOM Quals | Result (mg/m <sup>3</sup> ) | Lab Quals | AECOM Quals | Result (mg/m <sup>3</sup> ) | Lab Quals | AECOM Quals | Result (%)     | Lab Quals | AECOM Quals | Result (%) | Lab Quals | AECOM Quals |
| SVP-01-10                                           | SVP-01-10-111325     | 11/13/2025  | < 0.0029                    | U         |             | < 0.01                      | U         |             | < 0.0050                    | U         |             | 0.085          |           |             | < 0.0023   | U         |             |
| SVP-01-10                                           | SVP-01-10-111325-DUP | 11/13/2025  | < 0.0028                    | U         |             | < 0.0096                    | U         |             | < 0.0048                    | U         |             | 0.086          |           |             | < 0.0022   | U         |             |
| SVP-01-20                                           | SVP-01-20-111325     | 11/13/2025  | < 0.0030                    | U         |             | < 0.01                      | U         |             | < 0.0051                    | U         |             | 0.15           |           |             | < 0.0023   | U         |             |
| SVP-01-30                                           | SVP-01-30-111325     | 11/13/2025  | < 0.77                      | U         |             | < 1.3                       | U         |             | < 1.3                       | U         |             | 2.2            |           |             | < 0.0024   | U         |             |
| SVP-01-30                                           | SVP-01-30-111925     | 11/19/2025  | < 1.4                       | U         |             | < 2.3                       | U         |             | < 2.3                       | U         |             | 4.0            |           |             | < 0.0021   | U         |             |
| SVP-02-10                                           | SVP-02-10-111325     | 11/13/2025  | < 0.0029                    | U         |             | 0.0046                      | J         |             | 0.0028                      | J         |             | 0.18           |           |             | < 0.0023   | U         |             |
| SVP-02-20                                           | SVP-02-20-111325     | 11/13/2025  | < 0.0029                    | U         |             | < 0.0099                    | U         |             | < 0.0050                    | U         |             | 0.32           |           |             | < 0.0023   | U         |             |
| SVP-02-20                                           | SVP-02-20-111925     | 11/19/2025  | < 0.13                      | U         |             | 6                           |           |             | 1.7                         |           |             | 2.0            |           |             | < 0.0021   | U         |             |
| SVP-03-10                                           | SVP-03-10-111425     | 11/14/2025  | < 0.0031                    | U         |             | < 0.01                      | U         |             | < 0.0052                    | U         |             | 0.10           |           |             | < 0.0024   | U         |             |
| SVP-03-10                                           | SVP-03-10-111425-DUP | 11/14/2025  | < 0.0028                    | U         |             | < 0.0096                    | U         |             | < 0.0048                    | U         |             | 0.097          |           |             | < 0.0022   | U         |             |
| SVP-03-20                                           | SVP-03-20-111425     | 11/14/2025  | < 1.2                       | U         |             | 23                          |           |             | 4.7                         |           |             | 13             |           |             | < 0.0022   | U         |             |
| SVP-04-10                                           | SVP-04-10-111425     | 11/14/2025  | < 0.0027                    | U         |             | 0.14                        |           |             | 0.038                       |           |             | 0.62           |           |             | < 0.0021   | U         |             |
| SVP-04-20                                           | SVP-04-20-111425     | 11/14/2025  | < 0.0028                    | U         |             | 0.016                       |           |             | 0.0068                      |           |             | 0.70           |           |             | < 0.0022   | U         |             |
| SVP-04-30                                           | SVP-04-30-111425     | 11/14/2025  | < 0.23                      | U         |             | 2.7                         |           |             | 0.17                        | J         |             | 2.5            |           |             | < 0.0023   | U         |             |
| SVP-04-30                                           | SVP-04-30-111925     | 11/19/2025  | < 1.3                       | U         |             | 110                         |           |             | 4.6                         |           |             | 5.8            |           |             | < 0.0020   | U         |             |
| SVP-05-10                                           | SVP-05-10-111425     | 11/14/2025  | < 0.0030                    | U         |             | 0.028                       |           |             | 0.0020                      | J         |             | 0.12           |           |             | < 0.0023   | U         |             |
| SVP-05-20                                           | SVP-05-20-111425     | 11/14/2025  | < 0.0027                    | U         |             | 0.0092                      | J         |             | 0.0039                      | J         |             | 0.085          |           |             | < 0.0021   | U         |             |
| SVP-05-30                                           | SVP-05-30-111425     | 11/14/2025  | < 0.0028                    | U         |             | 0.011                       |           |             | 0.0036                      | J         |             | 0.70           |           |             | < 0.0022   | U         |             |
| SVP-06-10                                           | SVP-06-10-111425     | 11/14/2025  | < 0.0029                    | U         |             | < 0.0098                    | U         |             | < 0.0049                    | U         |             | 0.078          |           |             | < 0.0023   | U         |             |
| SVP-06-10                                           | SVP-06-10-111425-DUP | 11/14/2025  | < 0.0029                    | U         |             | < 0.0099                    | U         |             | < 0.0050                    | U         |             | 0.077          |           |             | < 0.0023   | U         |             |
| SVP-06-20                                           | SVP-06-20-111425     | 11/14/2025  | < 0.0029                    | U         |             | < 0.0099                    | U         |             | < 0.0050                    | U         |             | 0.21           |           |             | < 0.0023   | U         |             |
| SVP-07-10                                           | SVP-07-10-111425     | 11/14/2025  | < 0.0029                    | U         |             | < 0.0098                    | U         |             | < 0.0049                    | U         |             | 0.20           |           |             | < 0.0023   | U         |             |
| SVP-07-20                                           | SVP-07-20-111425     | 11/14/2025  | < 0.0030                    | U         |             | < 0.01                      | U         |             | < 0.0051                    | U         |             | 0.12           |           |             | < 0.0023   | U         |             |
| SVP-07-30                                           | SVP-07-30-111425     | 11/14/2025  | < 0.63                      | U         |             | 1.1                         | J         |             | < 1.1                       | U         |             | 4.8            |           |             | < 0.0024   | U         |             |
| SVP-08-30                                           | SVP-08-30-110725     | 11/7/2025   | < 0.059                     | U         |             | < 0.2                       | U         |             | < 0.1                       | U         |             | 2.5            |           |             | < 0.0023   | U         |             |
| SVP-08-30                                           | SVP-08-30-112625     | 11/26/2025  | 0.0031                      |           |             | 0.027                       |           |             | 0.011                       |           |             | 2.5            |           |             | < 0.0021   | U         |             |
| SVP-10-20                                           | SVP-10-20-112625     | 11/26/2025  | < 0.0027                    | U         |             | < 0.0092                    | U         |             | < 0.0046                    | U         |             | 1.3            |           |             | < 0.0021   | U         |             |
| SVP-10-30                                           | SVP-10-30-112625     | 11/26/2025  | < 0.0053                    | U         |             | 0.49                        |           |             | 0.056                       |           |             | 2.5            |           |             | < 0.0021   | U         |             |

SEE LAST PAGE OF TABLE FOR NOTES

ATTACHMENT D  
SVP SOIL VAPOR ANALYTICAL SAMPLE RESULTS

|                                        |                      |             | Ethene     |           |             | Helium     |           |             | Methane    |           |             | Nitrogen   |           |             | Oxygen     |           |             |
|----------------------------------------|----------------------|-------------|------------|-----------|-------------|------------|-----------|-------------|------------|-----------|-------------|------------|-----------|-------------|------------|-----------|-------------|
| Residential Screening Criteria (mg/m³) |                      |             | 74-85-1    |           |             | 7440-59-7  |           |             | 74-82-8    |           |             | 7727-37-9  |           |             | 7782-44-7  |           |             |
| Location                               | Sample ID            | Sample Date | Result (%) | Lab Quals | AECOM Quals | Result (%) | Lab Quals | AECOM Quals | Result (%) | Lab Quals | AECOM Quals | Result (%) | Lab Quals | AECOM Quals | Result (%) | Lab Quals | AECOM Quals |
| SVP-01-10                              | SVP-01-10-111325     | 11/13/2025  | < 0.0023   | U         |             | < 0.12     | U         |             | 0.00011    | J         |             | 78         |           |             | 22         |           |             |
| SVP-01-10                              | SVP-01-10-111325-DUP | 11/13/2025  | < 0.0022   | U         |             | < 0.11     | U         |             | 0.00011    | J         |             | 78         |           |             | 22         |           |             |
| SVP-01-20                              | SVP-01-20-111325     | 11/13/2025  | < 0.0023   | U         |             | < 0.12     | U         |             | 0.00020    | J         |             | 78         |           |             | 22         |           |             |
| SVP-01-30                              | SVP-01-30-111325     | 11/13/2025  | < 0.0024   | U         |             | < 0.12     | U         |             | 0.063      |           |             | 79         |           |             | 19         |           |             |
| SVP-01-30                              | SVP-01-30-111925     | 11/19/2025  | < 0.0021   | U         |             | < 0.11     | U         |             | 0.11       |           |             | 78         |           |             | 18         |           |             |
| SVP-02-10                              | SVP-02-10-111325     | 11/13/2025  | < 0.0023   | U         |             | < 0.11     | U         |             | 0.00025    |           |             | 78         |           |             | 22         |           |             |
| SVP-02-20                              | SVP-02-20-111325     | 11/13/2025  | < 0.0023   | U         |             | 1.7        |           |             | 0.013      |           |             | 77         |           |             | 21         |           |             |
| SVP-02-20                              | SVP-02-20-111925     | 11/19/2025  | < 0.0021   | U         |             | < 0.10     | U         |             | 0.051      |           |             | 77         |           |             | 21         |           |             |
| SVP-03-10                              | SVP-03-10-111425     | 11/14/2025  | < 0.0024   | U         |             | < 0.12     | U         |             | 0.00013    | J         |             | 78         |           |             | 22         |           |             |
| SVP-03-10                              | SVP-03-10-111425-DUP | 11/14/2025  | < 0.0022   | U         |             | < 0.11     | U         |             | 0.00013    | J         |             | 78         |           |             | 22         |           |             |
| SVP-03-20                              | SVP-03-20-111425     | 11/14/2025  | < 0.0022   | U         |             | < 0.11     | U         |             | 0.022      |           |             | 68         |           |             | 19         |           |             |
| SVP-04-10                              | SVP-04-10-111425     | 11/14/2025  | < 0.0021   | U         |             | < 0.11     | U         |             | < 0.00021  | U         |             | 77         |           |             | 22         |           |             |
| SVP-04-20                              | SVP-04-20-111425     | 11/14/2025  | < 0.0022   | U         |             | < 0.11     | U         |             | 0.0012     |           |             | 78         |           |             | 21         |           |             |
| SVP-04-30                              | SVP-04-30-111425     | 11/14/2025  | < 0.0023   | U         |             | 0.16       |           |             | 0.030      |           |             | 77         |           |             | 20         |           |             |
| SVP-04-30                              | SVP-04-30-111925     | 11/19/2025  | < 0.0020   | U         |             | < 0.10     | U         |             | 0.070      |           |             | 75         |           |             | 19         |           |             |
| SVP-05-10                              | SVP-05-10-111425     | 11/14/2025  | < 0.0023   | U         |             | < 0.12     | U         |             | 0.00017    | J         |             | 78         |           |             | 22         |           |             |
| SVP-05-20                              | SVP-05-20-111425     | 11/14/2025  | < 0.0021   | U         |             | < 0.11     | U         |             | < 0.00021  | U         |             | 78         |           |             | 22         |           |             |
| SVP-05-30                              | SVP-05-30-111425     | 11/14/2025  | < 0.0022   | U         |             | < 0.11     | U         |             | 0.00070    |           |             | 78         |           |             | 21         |           |             |
| SVP-06-10                              | SVP-06-10-111425     | 11/14/2025  | < 0.0023   | U         |             | < 0.11     | U         |             | 0.00012    | J         |             | 78         |           |             | 22         |           |             |
| SVP-06-10                              | SVP-06-10-111425-DUP | 11/14/2025  | < 0.0023   | U         |             | < 0.11     | U         |             | 0.00013    | J         |             | 78         |           |             | 22         |           |             |
| SVP-06-20                              | SVP-06-20-111425     | 11/14/2025  | < 0.0023   | U         |             | < 0.11     | U         |             | < 0.00023  | U         |             | 78         |           |             | 22         |           |             |
| SVP-07-10                              | SVP-07-10-111425     | 11/14/2025  | < 0.0023   | U         |             | < 0.11     | U         |             | 0.00015    | J         |             | 78         |           |             | 22         |           |             |
| SVP-07-20                              | SVP-07-20-111425     | 11/14/2025  | < 0.0023   | U         |             | < 0.12     | U         |             | 0.00013    | J         |             | 78         |           |             | 22         |           |             |
| SVP-07-30                              | SVP-07-30-111425     | 11/14/2025  | < 0.0024   | U         |             | < 0.12     | U         |             | 0.11       |           |             | 77         |           |             | 18         |           |             |
| SVP-08-30                              | SVP-08-30-110725     | 11/7/2025   | < 0.0023   | U         |             | < 0.12     | U         |             | 0.074      |           |             | 78         |           |             | 19         |           |             |
| SVP-08-30                              | SVP-08-30-112625     | 11/26/2025  | < 0.0021   | U         |             | < 0.10     | U         |             | 0.097      |           |             | 79         |           |             | 19         |           |             |
| SVP-10-20                              | SVP-10-20-112625     | 11/26/2025  | < 0.0021   | U         |             | < 0.11     | U         |             | 0.023      |           |             | 78         |           |             | 20         |           |             |
| SVP-10-30                              | SVP-10-30-112625     | 11/26/2025  | < 0.0021   | U         |             | < 0.10     | U         |             | 0.061      |           |             | 78         |           |             | 20         |           |             |

**Notes:**

Samples were analyzed using analyte lists and methods TO-15 and ASTM D-1946. Analytes shown were detected in at least one SVP sample since Baseline SVP analytical sampling was performed in 2023. Screening criteria are from 35 I.A.C 742 (TACO) Appendix B, Table H - Tier 1 Soil Gas and Groundwater Remediation Objectives for the Indoor Inhalation Exposure Route (Residential). Blank screening criteria cell indicates analyte does not have a screening criterion.

**Bold** results are detections above the reporting limit (RL), or estimated detections between the method detection limit (MDL) and RL.

< #.## Gray text indicates the analyte was not detected above the given reporting limit.

Yellow highlighted cells indicate detections that exceed residential screening criteria.

--


Empty cell without a value indicates analyte was not analyzed.

**SVP analytical results above are PRELIMINARY and have not yet been validated by an AECOM chemist at the time of this submittal.**

Primary Row SVPs (SVP-01 through SVP-07) are located on industrial property, inside the fence of the Former Public Works Yard. Results from those SVPs are compared to residential screening criteria here for informational purposes. SVP-03, SVP-06 and SVP-07 are located inside the thermal influence boundary, and SVP-02 is located adjacent to the thermal influence boundary. Secondary Row SVPs (SVP-08 through SVP-14) are located on Eighth Street.

**Lab Qualifiers**  
J = Estimated value; results between the MDL and RL  
U = Compound analyzed for but not detected above the RL

**AECOM Qualifiers**  
J = Estimated detection  
UJ = Estimated non-detect  
U = Non-detect due to blank contamination



LEGEND

**AREA A**

- Steam Injection Well [39]
- Angled Steam Injection Well [9]
- Multiphase Extraction Well [17]
- Angled MPE Well [1]
- Temperature Sensor Well [10]
- Thermal Influence (28,271 sq. ft)

**AREA B**

- Steam Injection Well [22]
- Angled Steam Injection Well [4]
- Multiphase Extraction Well [12]
- Angled MPE Well [6]
- Temperature Sensor Well [3]
- Angled Temp. Sensor Well [2]
- Thermal Influence (15,745 sq. ft)

**AREA C**

- Steam Injection Well [7]
- Shallow Steam Injection Well [3]
- Multiphase Extraction Well [3]
- Angled MPE Well [1]
- Temperature Sensor Well [1]
- Thermal Influence (2,571 sq. ft)

**General**

- Vapor Monitoring Well [14]
- July 2023 Benzene TTZ
- Buckeye Pipeline
- Gas
- Water
- Sewer
- Electrical
- Unknown Buried Line
- Existing Fence

**NOTES:**

- STEAM WELLS REQUIRE MIN. 4" BORING.
- EXTRACTION WELLS REQUIRE MIN. 8" BORING.
- SENSOR WELLS REQUIRE MIN. 4" BORING.
- PIPELINE LOCATION PROVIDED BY AECOM.
- VAPOR MONITORING POINTS TO BE INSTALLED BY OTHERS.

N

0 25 50

SCALE IN FEET

