



Illinois Environmental Protection Agency

Bureau of Land • 1021 North Grand Avenue East • P.O. Box 19276 • Springfield • Illinois • 62794-9276

ILLINOIS EPA RCRA CORRECTIVE ACTION CERTIFICATION

This certification must accompany any document submitted to Illinois EPA in accordance with the corrective action requirements set forth in a facility's RCRA permit. The original and two copies of all documents submitted must be provided.

1.0 Facility Identification

Name Equilon Enterprises LLC d/b/a/ SOPUS County Madison
Street Address 900 South Central Ave. Site No. (IEPA) 1191150002
City Roxana Site No. (USEPA) ILD080 012 305

2.0 Owner Information

Name Not Applicable
Mail Address _____
City _____
State _____ Zip Code _____
Contact Name _____
Contact Title _____
Phone _____

3.0 Operator Information

Name Equilon Enterprises LLC d/b/a/ SOPUS
Mail Address 17 Junction Drive PMB #399
City Glen Carbon
State IL Zip Code 62034
Contact Name Kevin Dyer
Contact Title Senior Principal Program Manager
Phone 618-288-7237

4.0 Type of Submission (check applicable item and provide requested information, as applicable)

☐ RFI Phase I Workplan/Report IEPA Permit Log No. B-43R Date _____
☐ RFI Phase II Workplan/Report of Last IEPA Letter on Project October 10, 2017
☐ CMP Report; Log No. of Last IEPA Letter on Project B-43R-CA-82,88,94 & 97
☒ Other (describe): Does this submittal include groundwater information: ☒ Yes ☐ No
Soil Vapor Sampling & SVE Monitoring Report - 1st Quarter 2018
Date of Submittal April 26, 2018

5.0 Description of Submittal: (briefly describe what is being submitted and its purpose)

Soil Vapor Sampling and SVE Monitoring Report for the 1st Quarter 2018 in the project area located in the Village of Roxana, Illinois.

6.0 Documents Submitted (Identify all documents in submittal, including cover letter; give dates of all documents)

Cover letter, RCRA Corrective Action Certification and Soil Vapor Sampling and SVE Monitoring Report - 1st Quarter 2018 dated April 26, 2018. Copies of submittal also sent directly to G. Search and J. Moore of IEPA.

7.0 Certification Statement

(This statement is part of the overall certification being provided by the owner/operator, professional and laboratory in items 7.1, 7.2 and 7.3 below). The activities described in the subject submittals have been carried out in accordance with procedures approved by Illinois EPA. I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Roxana, Illinois 1Q18 SV-SVE Rpt

Date of Submission: April 26, 2018**7.1 Owner/Operator Certification**

(Must be completed for all submittals. Certification and signature requirements are set forth in 35 IAC 702.126.) All submittals pertaining to the corrective action requirements set forth in a RCRA Permit must be signed by the person designated below (or by a duly authorized representative of that person):

1. For a Corporation, by a principal executive officer of at least the level of vice president.
2. For a Partnership or Sole Proprietorship, by a general partner or the proprietor, respectively.
3. For a Governmental Entity, by either a principal executive officer or a ranking elected official.

A person is a duly authorized representative only if:

1. the authorization is made in writing by a person described above; and
2. the written authorization is provided with this submittal (a copy of a previously submitted authorization can be used).

Owner Signature: _____

Date: _____

Title: _____

Operator Signature: Karin E. RyanDate: 4/14/18Title: SR. Principal Program Manager**7.2 Professional Certification (if necessary)**

Work carried out in this submittal or the regulations may also be subject to other laws governing professional services, such as the Illinois Professional Land Surveyor Act of 1989, the Professional Engineering Practice Act of 1989, the Professional Geologist Licensing Act, and the Structural Engineering Licensing Act of 1989. No one is relieved from compliance with these laws and the regulations adopted pursuant to these laws. All work that falls within the scope and definitions of these laws must be performed in compliance with them. The Illinois EPA may refer any discovered violation of these laws to the appropriate regulating authority.

Any person who knowingly makes a false, fictitious, or fraudulent material statement, orally or in writing, to the Illinois EPA commits a Class 4 felony. A second or subsequent offense after conviction is a Class 3 felony. (415 ILCS 5/44 (h))

Professional's Signature: Robert BillmanDate: 4/20/18Professional's Name: Robert BillmanAddress: 100 N. Broadway, 20th FloorCity: St LouisState: MO Zip Code: 63102Phone: 314-429-0100**7.3 Laboratory Certification (if necessary)**

The sample collection, handling, preservation, preparation and analysis efforts for which this laboratory was responsible were carried out in accordance with procedures approved by Illinois EPA.

Name of Laboratory: Eurofins Air TOXICS LLC

Signature of Laboratory Responsible Officer: _____

Date: 3-19-18

Mailing Address of Laboratory

Address: 180-B Blue Ravine Rd.City: TolsonState: CA Zip Code: 951030

Sepideh Saeed-Laboratory Director
Name and Title of Laboratory Responsible Officer

April 26, 2018

Mr. Theodore J. Dragovich, PE
Acting Manager, Permit Section
Illinois Environmental Protection Agency
Bureau of Land
1021 North Grand Avenue East
Springfield, Illinois 62794

Soil Vapor Sampling and SVE Monitoring Report –1st Quarter 2018
Roxana, Illinois
1191150002 – Madison County
Equilon Enterprises LLC d/b/a Shell Oil Products US
Log No. B-43R

Dear Mr. Dragovich:

On behalf of Equilon Enterprises LLC d/b/a Shell Oil Products US (SOPUS), AECOM is submitting the enclosed report for your review. This report includes information required by Condition 11 of the Illinois Environmental Protection Agency's (IEPA) letter dated May 28, 2015.

Copies of this submittal are being sent separately directly to Jim Moore and Gina Search with the IEPA.

If you have any questions during your review, please contact Kevin Dyer, SOPUS Senior Principal Program Manager, at kevin.dyer@shell.com (618/288-7237), or Robert Mooshegian at robert.mooshegian@aecom.com (314/802-1185).

Sincerely,

AECOM, on behalf of Shell Oil Products US



Samuel Fisher
Environmental Scientist



Robert E. Mooshegian, STS
Senior Program Manager

Enclosures: RCRA Corrective Action Certification Form and Report (original plus 1 copy)

cc: Kevin Dyer, SOPUS
Eric Petersen, Phillips 66
Jim Moore, IEPA, Springfield
Gina Search, IEPA, Collinsville
Yuping Ding, Illinois Department of Public Health
Shannon Haney, Greensfelder, Hemker & Gale P.C.
Repositories – Roxana Public Library, website

1st Quarter 2018 Report

Soil Vapor Sampling and SVE Monitoring Report Roxana, Illinois

Prepared for:
Equilon Enterprises LLC dba Shell Oil Products US
Roxana, Illinois

Project Number: 60527968
April 2018

Table of Contents

1	Introduction	1
2	Description of Subsurface Conditions	3
2.1	Geology	3
2.2	Hydrogeology	3
3	Soil Vapor Sampling and Analytical Procedures	5
3.1	Vapor Monitoring Port Sampling	5
3.2	Health & Safety, Decontamination, and Investigation Derived Waste	6
3.3	Sample Handling and Laboratory Testing	7
3.4	Data Quality Review and Data Management	8
4	Soil Vapor Sampling Results	9
4.1	Data Quality Review Results	9
4.2	Soil Vapor Analytical Results	9
4.3	Conceptual Site Model	10
5	Soil Vapor Extraction System Monitoring	12
5.1	SVE System Operations	12
5.2	SVE Maintenance Activities and Modifications	12
5.3	SVE System Monitoring Results	13
5.4	SVE System Operation Evaluation	14
5.5	SVE System Modification Recommendations	18
6	Conclusions	19
7	References	20

Tables

Table 1	Historical Groundwater Monitoring Well Gauging Results
Table 2	Soil VMP Depths
Table 3	Soil Vapor Sampling – Tedlar® Sampling Data
Table 4	Soil Vapor Screening Criteria
Table 5	Historical Summary of Soil Vapor Analytical Detections and Screening Results: Village – VOCs
Table 6	Historical Summary of Soil Vapor Analytical Detections and Screening Results: Public Works Yard and WRR – VOCs
Table 7	Historical Summary of Soil Vapor Analytical Results – Natural Gases
Table 8	SVE System Monthly Monitoring – SVE Sampling Data
Table 9	SVE System Monthly Monitoring – VMP Sampling Data
Table 10	SVE System Header and Exhaust Analytical Data

Figures

Figure 1	Investigation Area Location Map
Figure 2	Vapor Monitoring Point Sampling Locations
Figure 3	1Q18 Groundwater Contours
Figure 4	1Q18 Vapor Port Screen Comparison to Groundwater Elevations
Figure 5	1Q18 Summary of Benzene Soil Vapor Analytical Results – Village of Roxana
Figure 6	1Q18 Summary of Benzene Soil Vapor Analytical Results – Roxana Public Works Yard Area
Figure 7	1Q18 Summary of Benzene Soil Vapor Analytical Results – WRR
Figure 8	1Q18 Cross-Section with Benzene Soil Vapor Analytical Results – Chaffer Avenue
Figure 9	1Q18 Benzene Soil Vapor Distribution – 5 ft bgs
Figure 10	1Q18 Benzene Soil Vapor Distribution – 10 ft bgs
Figure 11	1Q18 Benzene Soil Vapor Distribution – 25 ft bgs
Figure 12	1Q18 Dissolved Phase Benzene Concentrations in Groundwater
Figure 13	1Q18 Thickness of LNAPL – West Fenceline
Figure 14	SVE System Layout

Appendices

Appendix A	Benzene and Methane Charts
Appendix B	SVE System Leg Flow Rates
Appendix C	SVE System Operating Efficiency and Maintenance Chronology
Appendix D	Total Header Hydrocarbon Concentrations
Appendix E	SVE System Flow Rates

1 Introduction

AECOM Technical Services, Inc. (AECOM) is submitting this 1st Quarter 2018 Soil Vapor Sampling and SVE Monitoring Report on behalf of Equilon Enterprises LLC dba Shell Oil Products US (SOPUS). SOPUS has been conducting a subsurface investigation in the Village of Roxana in the area generally bounded by the alley north of East 1st Street, the Roxana Public Works Yard, Illinois Route 111, and the property boundary (a/k/a West Fenceline [WFL]) of the WRB Refining, LP (WRB) Wood River Refinery (WRR) (**Figure 1**). Additional investigation has been conducted inside the WRR; this work was conducted in cooperation with WRB/Phillips 66 (P66). For the purposes of presentation in this report only, the combined area is collectively referred to as the “Investigation Area.” The Investigation Area includes a portion of a residential area in the Village of Roxana, Roxana Public Works Yard, and the adjoining portions of the WRR. For the purposes of this report, the term “Village” is used to denote the residential area generally bounded by the alley north of East 1st Street (north), 8th Street (south), Chaffer Avenue (east), and Illinois Route 111 (South Central Avenue) (west).

SOPUS has been investigating and delineating soil vapor in the Investigation Area through the installation, development, and sampling of vapor monitoring ports (VMPs). Vapor monitoring locations (VMP-1 through VMP-16) were installed based on a work plan submitted to the Illinois Environmental Protection Agency (IEPA) on behalf of SOPUS on January 21, 2009. IEPA approved the work plan with conditions on May 12, 2009 (IEPA, 2009). The results of the vapor investigation and delineation efforts were presented in the Dissolved Phase Groundwater Investigation and P-60 Free Phase Product Delineation Report, dated February 18, 2010 (URS, 2010a). Based on recommendations contained in that report, an additional four vapor monitoring ports were installed, developed, and sampled at one existing (VMP-3) and three new vapor monitoring locations (VMP-17 through VMP-19) in the Spring/Summer 2010, with results presented in the Addendum to February 2010 Report – Supplemental Investigation Activities, dated September 20, 2010 (URS, 2010b).

IEPA provided comments to the February 18, 2010 report in a letter to SOPUS dated August 5, 2010 (IEPA, 2010). In particular, Comment Number 3 required quarterly soil vapor sampling and reporting, and Comment Number 2 described the need to further delineate the extent of soil vapors beneath the area. Six VMPs (VMP-20 through VMP-25) were installed and added to the quarterly sampling program beginning with 1st Quarter 2011 (1Q11).

IEPA provided further comments in a March 16, 2011 letter (IEPA, 2011) to SOPUS approving the Soil Vapor Extraction (SVE) Pilot Test Work Plan. In particular, Comment Number 2 of the March 16, 2011 letter required that quarterly soil vapor sampling continue at the 25 VMP locations, and Comment Number 9 requested an updated report, including a discussion of the geology, extent of groundwater impact, and distribution of impacted soil vapor. These items/comments were included in the 1Q11 Soil Vapor Report (URS, 2011a) and have been updated for this report.

As a result of a meeting between SOPUS and the IEPA on February 8, 2012, the quarterly soil vapor sampling program was expanded to include six additional soil VMPs (VMP-31, VMP-32, and VMP-42 through VMP-45). VMP-31 and VMP-32 were installed in 2nd Quarter 2011 (2Q11) to monitor soil vapor during operation of the Internal Combustion Engines (ICE) located near 4th Street and Chaffer Avenue. VMP-42 through VMP-45 were installed during the 3rd Quarter 2011 (3Q11) and 4th Quarter 2011 (4Q11) in conjunction with the SVE System installation to monitor soil vapor concentrations. Monitoring of these VMPs commenced with the 2nd Quarter 2012 (2Q12) sampling event.

Based on a September 13, 2012 letter from the IEPA (IEPA, 2012), VMP-29, VMP-30, and VMP-41, located within the Roxana Public Works Yard, were added to the quarterly sampling program during 3rd Quarter 2012 (3Q12). Additional VMPs (VMP-47 through VMP-55) were installed during the 4th Quarter 2012 (4Q12) in the Village. Monitoring of these VMPs commenced in the 1st Quarter 2013 (1Q13) sampling event.

In 2012, the IEPA additionally requested development of a quarterly report documenting the results of monitoring and remedial efforts associated with operating the SVE system. These results have been added to the subject report.

VMP-62 through VMP-64 were installed during the 4th Quarter 2013 (4Q13) in the Village. Monitoring of these VMPs commenced in the 4Q13 sampling event; however, the results were not obtained in time for inclusion in the 4Q13 report, so those data were included in the 1st Quarter 2014 (1Q14) report. The locations of VMPs in the soil vapor sampling network are presented on **Figure 2**.

Based on email correspondence with the IEPA (J. Moore, personal communication to B. Billman, August 2, 2013), the subject reports no longer include copies of the laboratory analytical reports (previously included in appendices). The laboratory reports will continue to be retained in the project files.

The IEPA issued a draft letter on December 26, 2013, finalized on April 9, 2014 (IEPA, 2014), approving certain modifications requested by URS to the subject reports, including the modifications below.

- Tabular data included from the previous year (current quarter and the previous three quarters).
- Charts showing the analytical concentrations of benzene and methane over time.
- Reduction of VMP canister sampling duration from approximately 30 minutes to approximately 5 minutes.

These changes were initiated with the 1Q14 sampling event and have been updated in subsequent reports.

The IEPA issued a letter on May 28, 2015 (IEPA, 2015), approving the corrective action modification requests of two submittals related to the SVE system. This letter is further discussed in **Section 5** of this report.

2 Description of Subsurface Conditions

This section summarizes the current understanding of the Investigation Area geology and hydrogeology.

2.1 Geology

The Investigation Area is located approximately 1.5 miles east of the Mississippi River within the American Bottoms floodplain. The surface topography is generally flat; however, it slopes downward to the west-southwest in the southwestern portion of the Village, with a total drop in elevation of approximately 15 feet across the area.

The ground surface in the Village within the Investigation Area, where not developed with structures, is primarily grass covered with paved (i.e., chip and seal, asphalt, etc.) alleys and streets. Beneath any man-made fill material, the subsurface conditions generally consist of silty clay underlain by sands to the depths investigated.

Subsurface stratigraphy within the Investigation Area generally consists of the following materials, from the ground surface down.

- Fill – (mainly clay, some gravel and cinders, etc.) Extends from the surface to approximately six feet below ground surface (bgs).
- Clay/Silt – (primarily silty clay) Where present, the clay generally extends from the base of the fill to approximately 12 feet bgs.
- Sand – (consisting primarily of fine to medium grained (which coarsens with depth) sand with some silt and clay, especially at the shallower depths). The sand begins at the base of the clay (or base of the fill if the clay is not present) and extends to the total depth of the borings.

Discontinuous lower permeability lenses of clay with some silt and sand are occasionally present. These lenses vary in thickness from 1 inch to a few feet and do not appear to be laterally (or vertically) extensive.

Cross-sections depicting the underlying geology were previously presented in the Dissolved Phase Groundwater Investigation and P-60 Free Phase Product Delineation Report (URS, 2010a). These cross-sections were developed based on information provided on cone penetration test (CPT) logs and soil boring logs. A modified cross-section presenting analytical data is discussed in **Section 4.3** of this report.

2.2 Hydrogeology

Groundwater in the sand underlying the Investigation Area is the primary source for large volume water production in the area (e.g., industrial and municipal supply). Prior to development in the area, the natural movement of groundwater was toward the west (toward the Mississippi River). Since development in the area, groundwater pumping has altered the groundwater flow in the area to flow toward nearby pumping wells (e.g., WRR, BP, etc.).

The water table encountered during the 1st Quarter 2018 (1Q18) was at a depth of approximately 27 to 45 feet bgs (approximate elevation of 402.5 to 405.5 feet above sea level). The variation in depth of groundwater from the ground surface is partially due to a change in surface elevation across the Investigation Area. As a result, there is generally a 15 to 30 foot thick vadose (unsaturated) zone in the sand. Groundwater levels in most wells in the vicinity of the WFL have fallen approximately 1.5 to 2.5 feet since 4th Quarter 2017 (4Q17). Water level measurements collected during the 1Q18 groundwater gauging event and historical water level measurements collected over the past three years are provided in **Table 1**. Depth to product (if present) and depth to water were noted in electronic format using Panasonic Toughpad[®] technology (Toughpad[®]) and on groundwater field gauging sheets.

There are discontinuous low permeability silt and clay lenses above the water table (approximately 20 to 30 feet bgs) mixed with silt and sand. These lenses are isolated and limited in occurrence. There are additional discontinuous clay lenses at a depth of approximately 35 to 45 feet bgs localized in the area between East 2nd and 4th Street and Chaffer Avenue. These may be above or below the water table depending on groundwater conditions. As a result, the groundwater contours displayed on **Figures 3** and **4** show a slight mounding in this area.

The potentiometric surface observed during the 1Q18 comprehensive groundwater monitoring well gauging¹ (**Figure 3**) illustrates groundwater flow within the Village and WRR. **Figure 4** provides the groundwater potentiometric surface for the Investigation Area in 1Q18.

¹ 1Q18 comprehensive groundwater monitoring well gauging performed January 2-4, 2018.

3 Soil Vapor Sampling and Analytical Procedures

The 1Q18 soil vapor sampling event was performed in accordance with applicable site-specific Standard Operating Procedures (SOPs) that incorporate previous IEPA comments, conditions, and/or modifications. The 1Q18 soil vapor sampling event was conducted January 22 through January 31, 2018.

3.1 Vapor Monitoring Port Sampling

The soil vapor sampling network currently consists of 63 VMP locations (**Figure 2**), of which 46 locations are currently being utilized for quarterly sampling. VMPs in the quarterly sampling program are generally screened at four depths² at each location. The individual VMPs are labeled and color-coded in the field from shallow to deep by using the color scheme of yellow (1st interval), blue (2nd interval), green (3rd interval), and red (4th interval). Additional VMPs installed as part of a supplemental sampling event in 2nd Quarter 2010 (2Q10) are color-coded white (10-foot depth). Vapor ports installed during 3Q11 and 4Q11 do not have the shallow (5-foot depth) port included and begin with the blue interval port. Soil VMP depths are provided in **Table 2**.

VMP Sampling

VMP sampling activities were attempted at each designated location within the Investigation Area. The sampling was performed in accordance with SOP No. 44R – Soil Vapor Purging and Sampling and ASTM D-7663-12.

Prior to VMP sampling, an initial stainless-steel canister vacuum check was performed. In addition, each sample train was subjected to an isolated vacuum check to ensure that connectors did not leak.

The following steps were used to collect each VMP sample.

- Upon arrival at a sampling location, the sampling crew would open the vapor port vault to visually check integrity of each individual VMP.
- Three well volumes were purged from each VMP prior to sampling using a 60 mL syringe³. If the syringe would not retract or produced water when purged, the VMP was presumed to be saturated with water and no sample was collected.
- The sample train was set up and connected directly to the monitoring port using compression ferrule connections. Each flow controller is pre-set by the laboratory to collect the sample over a five minute period. The 1-Liter stainless-steel canisters collect samples at a rate of approximately 167mL/min, which is lower than the maximum sample collection rate identified in the IEPA Tiered Approach to Corrective Action Objectives (approximately 200 mL/min). Once the sample train was assembled, a vacuum leak check was performed.
- An enclosure was then placed over the VMP and assembled sample train. The enclosure was sealed to the ground at each location with a hydrated bentonite seal.
- Helium gas was introduced into the enclosure until the atmosphere reached a concentration of approximately 50% helium.
- After introducing helium into shroud, a Tedlar[®] bag sample was collected using a peristaltic pump. A Dielectric Technologies MGD-2002 (MGD-2002) field analyzer was then used to detect possible helium within the Tedlar[®] bag sample.

² With the exception of single shallow ports at VMP-17, 18, 19, three ports at VMP-41 through VMP-45, VMP-56 and VMP-57, and five ports at VMP-3.

³ The purge volume was calculated using the following assumptions: vapor port tubing (1/8-in diameter): 2.41 mL/foot (single volume) and sample train assembly (1/4-in diameter): 9.65 mL/foot (single volume).

- Once the initial helium leak check was completed, the stainless-steel canister valve was opened to collect a sample for approximately five minutes or until a vacuum gauge reading of 5 inches Hg was observed. After sample completion, the stainless-steel canister valve was closed.
- A second Tedlar® bag was filled following the completion of the stainless-steel canister sampling. Soil vapor readings were taken from the Tedlar® bag sample for total volatile organics with either a Thermo Scientific TVA 1000 Vapor Analyzer or a RAE® Systems MiniRae 3000 - Photoionization Detector (PID) and a Thermo Scientific TVA 1000 Vapor Analyzer - Flame Ionization Detector (FID); and for carbon dioxide (CO₂), methane (CH₄), lower explosive limit (LEL), and oxygen (O₂) with a Landtec GEM™ 2000 landfill gas meter. Readings were also obtained and recorded for helium with a MGD-2002 field analyzer. This check was used to verify the sample train integrity during and at the completion of sampling.
- At the completion of sampling, the stainless-steel canister and flow controller were removed and separated from the sample train and a final vacuum reading was recorded.
- Field duplicates were collected by including an additional T-connection in the sample train and attaching a second stainless-steel canister with a separate flow controller. Both the original and duplicate samples were started and ended at the same time.

Field measurements from this event and the previous three consecutive quarterly events are presented on **Table 3**.

Additional Notes on VMP Sampling

Saturated VMP Screens – The groundwater monitoring well gauging results suggested that 14 of the VMP screens were submerged beneath the water table (or a temporary water condition) during 1Q18; details are provided below.

- Two 2nd interval VMPs, VMP-25-9.5 and VMP-55-10, held vacuum during the attempted purge and were most likely submerged. The screens for both of these VMPs are within fill material, and it is not unusual for shallow water to be trapped in the fill.
- Eleven 4th interval VMPs, VMP-1-38.5, VMP-2-42, VMP-3-31.5, VMP-4-39, VMP-8-35.5, VMP-20-39.5, VMP-29-40, VMP-30-40, VMP-55-30, VMP-56-38.5, and VMP-64-28 held vacuum during the attempted purge and were most likely submerged.
- The 5th interval VMP, VMP-3-39, held vacuum during the attempted purge and was most likely submerged.

VMPs that were submerged and could not be sampled during 1Q18 are identified on **Figures 4** through **6**.

Re-samples – One re-sample was collected during 1Q18; details are provided below:

- VMP-6-31.5 was re-sampled on January 31, 2018. Analysis of the initial sample was canceled based on review of the canister's final vacuum.

The field data from the samples are provided on **Table 3**.

3.2 Health & Safety, Decontamination, and Investigation Derived Waste

Health & Safety

The quarterly sampling activities were performed in accordance with the project-specific Health and Safety Plan (HASP), dated September 27, 2017 (AECOM, 2017).

Prior to beginning site work and at the start of work each day, a daily safety meeting was held. The purpose of this meeting was to discuss the day's planned activities and to address any potential health and safety concerns. As a part of the daily safety meeting, job safety analyses (now known as Task Hazard Assessments [THAs]) were prepared to address task specific safety concerns.

Field personnel primarily wore U.S. Environmental Protection Agency (USEPA) modified Level D personal protective equipment (PPE), which included hard hat, steel-toed boots, safety glasses, etc. In addition, work within the WRR was performed wearing flame retardant clothing (FRCs) per WRR requirements (in areas where required).

A PID with a 10.6 electron volt (eV) probe, combustible gas indicator (CGI), UltraRAE 3000 with benzene specific measuring tubes, and individual hydrogen sulfide gas detectors (for locations inside WRR) were used as needed during the field activities to monitor air quality. Field instruments were calibrated prior to use each day in accordance with the manufacturer's specifications.

Decontamination

Field personnel and equipment underwent decontamination procedures to ensure the health and safety of those present, to maintain sample integrity, and to minimize cross-contamination. Non-disposable/reusable sampling equipment (e.g., compression fittings) was decontaminated prior to the collection of each analytical sample by spraying with Liquinox® and distilled water. For stainless steel vapor sampling equipment, a 60mL syringe was attached to the sampling apparatus and ambient air was pumped into the sampling apparatus to remove any internal dust particles or moisture. Personnel and small equipment decontamination was performed at the sample locations.

Investigation Derived Waste

Investigation derived waste (IDW) for this sampling event included PPE and expendable materials (e.g., gloves and tubing), which have a low probability of impact. The expendable materials were collected in trash bags and disposed with municipal waste.

3.3 Sample Handling and Laboratory Testing

Sample Handling

Stainless-steel canisters were labeled with a sample ID, site name, sampler initials, sample date and time, the parameters that were to be analyzed, and pre- and post- vacuum readings. After collection, the samples were logged on a chain-of-custody (COC) form and packaged in an UN-certified box to prevent damage during shipment. The samples were then delivered under the proper COC documentation to the laboratory. Due to the potential flammable nature of the vapor in the stainless-steel canisters, some soil vapor samples were shipped as hazardous materials according to applicable regulations.

Laboratory Testing

Eurofins Air Toxics, Inc. (Eurofins) of Folsom, California conducted the laboratory testing and the following test methods were utilized during this scope of work.

- Volatile Organic Compounds (VOCs) via Modified USEPA Total Organic-15 (TO-15) (including butane and isopentane) for soil vapor, and
- Natural gases (defined for purposes of this report as oxygen, nitrogen, carbon monoxide, methane, carbon dioxide, ethane, and ethene) via Modified ASTM D-1946 + Helium for soil vapor.

AECOM worked with the laboratory to attain reporting limits for compounds that have screening criteria so that, to the extent possible, the reporting limits were less than the screening criteria. In some cases, this necessitated reporting results between the method detection limit (MDL) and reporting limit (RL). Although results reported in this range are "J"-flagged as estimated, these data may be beneficial in cases where analytes would otherwise be reported as non-detect at RLs above screening levels. The laboratory provided AECOM with a list of their "base" RL capability for target analytes. Sample RLs are a product of base RL, pressurization dilution factor, and analytical dilution factor. Thus the sample RL will increase with increases in the dilution factor. Results that were reported below the RLs but above the MDL were "J"-flagged as estimated concentrations by the laboratory.

3.4 Data Quality Review and Data Management

Laboratory data were provided in electronic form, and analytical data were independently reviewed and qualified by AECOM. One hundred percent of the data were subjected to a data quality review. Evaluation of the data followed procedures outlined in the USEPA National Functional Guidelines for Superfund Organic Methods Data Review (USEPA, 2017). Specific criteria reviewed included sample receipt condition and holding times, method blanks, surrogate spike recoveries, laboratory control samples, results reported from dilutions, and field duplicate results. The laboratory assigned data qualifiers on the basis of their quality control or to indicate sample analysis information (e.g., dilutions). Data qualifiers were also added by AECOM, as appropriate, and are included on the data tables and laboratory result pages. Laboratory reports are included in the project files.

The screening values used were presented in the IEPA's Tiered Approach to Corrective Action Objectives (TACO) Title 35 – Part 742; Appendix B, Table H: Tier 1 Soil Gas and Groundwater Remediation Objectives for the Indoor Inhalation Exposure Route – Diffusion and Advection for soil vapor effective July 15, 2013 (IEPA, 2013) and are shown on **Table 4**. Not all TO-15 Method constituents have TACO Tier 1 screening criteria.

Field data and documentation collected as part of this scope of work became part of the project file. AECOM maintains the files for the site and the database management system.

The following documentation was completed and supplements the COC records, excluding SVE system data which are described in **Section 5**:

- Field logbooks.
- Groundwater field gauging sheets.
- Soil vapor sample collection sheets.
- Field sample collection data via electronic Toughpad®.
- Safety documentation.

4 Soil Vapor Sampling Results

4.1 Data Quality Review Results

A total of 156 investigative and 16 field duplicate samples were initially collected from VMPs for analysis of VOCs (TO-15 analytes) and natural gases. Results qualified by AECOM due to method blank contamination, field duplicate results, and quality control sample recoveries are specified in the data reviews, which are retained in the project file. Based on method blanks, laboratory control sample recoveries, results reported from dilutions, and field duplicate results, soil vapor results reported for the analyses performed were accepted for their intended use.

4.2 Soil Vapor Analytical Results

The following TO-15 analytes were detected at concentrations at or above the reporting limit in soil vapor during the 1Q18 sampling event:

TO-15 Detections	
Acetone	Isopentane
Benzene	Isopropylbenzene (Cumene)
Bromodichloromethane	n-Propylbenzene
Butane	2-Propanol
2-Butanone	Tetrachloroethene
Carbon disulfide	Tetrahydrofuran
<i>Carbon tetrachloride</i>	Toluene
Chloroform	Trichloroethene
Cyclohexane	Trichlorofluoromethane
1,4-Dichlorobenzene	1,2,4-Trimethylbenzene
Ethanol	1,3,5-Trimethylbenzene
Ethylbenzene	2,2,4-Trimethylpentane
4-Ethyltoluene	m,p-Xylene
Heptane	o-Xylene
Hexane	

Italics indicate the analyte was detected at or above the reporting limit for the first time at any VMP. In addition to this list, several analytes were detected at estimated concentrations below the reporting limit. A cumulative tabular summary of the analytical results for the Village is presented in **Table 5**. A tabular summary of data for the Roxana Public Works Yard and WRR is presented in **Table 6**. Analytical results were compared to the previously mentioned screening values. Sample results from VMP-1 through VMP-9, VMP-18 through VMP-24, VMP-32, VMP-42 through VMP-45, VMP-47 through VMP-54, VMP-56, and VMP-62 through VMP-64 (located near residences in the Village) were compared against the residential screening criteria. Samples from VMP-10 through VMP-17, VMP-25, VMP-29, VMP-30, VMP-41, and VMP-55 (located at or near the Roxana Public Works Yard or WRR) were compared against the industrial/commercial screening criteria. A cumulative tabular summary of the results for natural gases is presented in **Table 7**.

Benzene was selected as the key analyte to characterize soil vapor in the paragraphs below.

Village

Detected concentrations of benzene from locations within the Village ranged from an estimated 0.00032 mg/m³ (VMP-24-5) to an estimated 0.014 mg/m³ (VMP-50-20 duplicate sample). The results for samples collected in the Village compared against the residential screening criterion indicate that no samples had a benzene concentration above the residential screening criterion (0.37 mg/m³) during this sampling event. The historical results for benzene in soil vapor for samples collected in the Village are depicted on **Figure 5**.

Roxana Public Works Yard Area

Benzene concentrations from locations within the Roxana Public Works Yard and the area along Illinois Route 111 and Rand Avenue ranged from an estimated 0.00032 mg/m³ (VMP-13-5 and VMP-13-29.5) to 9.8 mg/m³ (VMP-25-31 initial and duplicate samples). Samples from one port at VMP-25 (31 feet bgs) exceeded the commercial/industrial screening criterion (2.8 mg/m³) for benzene. The historical results for benzene in soil vapor for samples collected in the Roxana Public Works Yard are depicted on **Figure 6**.

WRR

Benzene concentrations from locations within the WRR ranged from an estimated 0.00035 mg/m³ (VMP-12-5) to 200 mg/m³ (VMP-12-39). Samples from one port at VMP-12 (39 feet bgs) exceeded the commercial/industrial screening criterion (2.8 mg/m³) for benzene. The historical results for benzene in soil vapor for samples collected in the WRR are depicted on **Figure 7**.

Benzene and Methane Charts

Charts of historical analytical benzene and methane concentrations for each VMP are depicted in **Appendix A**.

Natural Gas Data

Natural gas data indicate that, where petroleum impacts are present, the concentration of methane increases from shallow to deep sample depths, while oxygen concentrations decrease from shallow to deep sample depths (methane and oxygen are generally inversely correlated in soil vapor). Over time, the trend in oxygen levels in most VMPs has been generally increasing since the SVE system has been operating. Higher oxygen levels (>5%) with lower methane levels indicate an environment capable of supporting aerobic biodegradation (Ririe et al., 1998). Oxygen levels appear to be increasing in VMPs closer to the SVE system (e.g., along Chaffer Avenue) in the Village. A summary of the natural gas results is presented in **Table 7**.

4.3 Conceptual Site Model

Vapor Intrusion

The primary concern for shallow soil gas is the potential for intrusion through basement and/or building slabs. In September 2011, SOPUS began installation of a full scale SVE system to address the source of these vapors. The system became operational on January 31, 2012, following the completion of the 1st Quarter 2012 (1Q12) sampling effort. The objective of the SVE system is to mitigate vapors along the WFL of the WRR and in the vicinity of the Roxana Public Works Yard. Construction of the Roxana Public Works Yard portion of the SVE system was completed during 4Q12, and this portion became operational on December 3, 2012. Construction of the red line extension portion of the SVE system was completed during 4Q13, and this portion became operational on October 23, 2013. Construction of the blue line extension portion of the SVE system was completed during 4Q14, and this portion became operational on November 5, 2014. Refer to **Section 5.1** for further discussion on SVE system operation. **Figure 8** presents a cross-section along Chaffer Avenue with a vertical distribution of the benzene concentrations superimposed.

At most locations, oxygen is present in the shallow depths and little or no aromatic hydrocarbons (e.g., BTEX) are present. Carbon dioxide levels are relatively high throughout the soil column at many locations, which supports that degradation of petroleum hydrocarbons is occurring via aerobic biodegradation. Depending on groundwater

fluctuations there can be up to 30 feet of open vadose zone which allows for biodegradation of constituents in soil vapor as they slowly diffuse upwards.

C Tech Development Corporation's Environmental Visualization System PRO, Version 9.52 (EVS-PRO) was used to model the estimated distribution of benzene in the soil vapor above IEPA TACO screening criteria for 1Q18. **Figure 9**, **Figure 10**, and **Figure 11** present a horizontal distribution of benzene at 5, 10, and 25 feet bgs, respectively. Contour lines are not depicted on Figures 9 and 10 as sample concentrations at the 5 ft. and 10 ft. depths across the study area were below the screening criterion (0.37 mg/m^3).

Groundwater Monitoring Well Gauging and Sampling

The results for groundwater monitoring well gauging and sampling are presented in the Interim Groundwater Monitoring Program – 1st Quarter 2018 report (AECOM, 2018a). **Figure 12** presents the estimated distribution of dissolved phase benzene in the groundwater. Light non-aqueous phase liquid (LNAPL) thicknesses observed during the 1Q18 comprehensive monitoring well gauging are presented in **Table 1** and shown on **Figure 13**.

5 Soil Vapor Extraction System Monitoring

As requested in IEPA's September 13, 2012 letter (IEPA, 2012), this section addresses operation of the SVE system. As such, the discussion in this section will address operation of the SVE system during 1Q18.

As presented in the June 2011 Conceptual/Final Design Report (URS, 2011b), the May 2012 SVE System Construction Completion Report (URS, 2012), and the February 2013 SVE System Construction Completion Report Addendum (URS, 2013), URS designed and constructed a SVE system along the WFL and within the Roxana Public Works Yard.

The SVE system consists of 45 SVE wells, 30 of which are located along the WFL, nine are located in the Village along East 4th Street west of Chaffer Avenue, and six are located in the Roxana Public Works Yard. The SVE wells are connected via 4-inch piping to vapor/liquid separators (VLS) and a rotary lobe positive displacement blower housed within a customized intermodal freight container ("conex"). Piping from the SVE wells feeds into the conex, where vapor moves through the VLS, before traveling through the blower and a baffle connected to a Regenerative Thermal Oxidizer (RTO). A system fan located on the RTO side of the baffle pushes the vapor into the RTO and adds fresh air to dilute the vapor stream as necessary.

During 3Q13, URS designed an extension to the northernmost extent of the WFL portion of the SVE system. Five additional SVE wells (SVE wells 37 through 41) and six additional VMPs (VMPs 56 through 61) were installed in August 2013 for extension of the red header line, which was completed in October 2013. All newly installed SVE wells were open and on-line by November 2013. Details associated with this system extension were documented in the SVE System Construction Completion Report Addendum No. 2, dated January 2014 (URS, 2014). During 3Q14 and 4Q14, AECOM designed and constructed an extension to the WFL portion of the SVE system on Shell-owned properties adjacent to 4th Street and Chaffer Avenue in Roxana, IL. Six additional SVE wells (SVE wells 42 through 47) were brought on-line in November 2014.

The IEPA issued a letter on May 28, 2015 (IEPA, 2015) approving the corrective action modification requests of August 16, 2013, which included activities to study potential enhancement of the existing SVE system near the corner of 4th Street and Chaffer Avenue. The IEPA, 2015 letter also approved the March 4, 2015 SVE System Construction Completion Report Addendum No. 3.

5.1 SVE System Operations

Approximately 2,984 gallons of condensate from the Public Works aboveground storage tank (AST) was removed in 1Q18, as compared to 2,241 gallons in 4Q17. Condensate from the Public Works AST was transported to the Heritage Environmental Services facility in Indianapolis, Indiana for treatment. Approximately 5,032 gallons of condensate from the WFL AST was removed in 1Q18, as compared to 6,721 gallons in 4Q17. Condensate from the WFL AST was transported to Site 9 within the WRR for treatment and discharge through the National Pollutant Discharge Elimination System (NPDES) permitted wastewater treatment plant. No solids were collected from SVE system activities during 1Q18.

5.2 SVE Maintenance Activities and Modifications

Scheduled system maintenance was performed as outlined in the manufacturers' suggested operations and maintenance (O&M) documents in the SVE Operations and Maintenance Plan – WRB Refining LP, Wood River Refinery & Roxana Public Works Site (AECOM, 2016; AECOM, 2018b). The scheduled maintenance includes routine lubrication, inspection of belts, oil levels, and emergency cutoffs, along with water levels and associated switches with the VLS units. The SVE system is shut down during periods of maintenance as a safety precaution. Timing and

frequency of maintenance activities is dependent on the specific item. Checking and cleaning of filters and components exposed to dirt and/or the elements were performed as part of a routine weekly inspection. System SVE wells and associated vault inspections were also conducted on a monthly basis. The filters associated with the different system components are changed, as needed. A chronology of maintenance and operation activities associated with the system during 1Q18 can be found in **Appendix C**.

Activities associated with system maintenance, modifications, and testing were appropriately documented both in the field maintenance log maintained on-site and in the office central (electronic) file.

5.3 SVE System Monitoring Results

The results of field screening samples collected during monthly effectiveness monitoring of the SVE wells and VMPs can be found in **Tables 8** and **9**, respectively. The results of the header and RTO exhaust analytical data can be found in **Table 10**. The data required pursuant to Condition Number 11 of the September 13, 2012 letter are contained in those tables.

SVE Well & VMP Tedlar® Sampling Details:

SVE and VMP well locations sampled during 1Q18 (listed below) are shown on **Figure 14**.

- SVE wells operating during the 1Q18 effectiveness monitoring events were:
 - SVE-3R, SVE-42, SVE-43, and SVE-45 are located in the Village.
 - SVE-11, SVE-12, SVE-16 through SVE-19⁴, SVE-20, SVE-30 through SVE-33, and SVE-38 through SVE-40 are located on WRR North Property.
 - SVE-24 and SVE-27 are located in the Roxana Public Works Yard.
 - Samples were collected from all operating SVE wells except for SVE-39 in January 2018, and SVE-40 in March 2018 because a vehicle was parked on the well vault.
- Fifty-one VMP locations were sampled monthly during 1Q18 with one duplicate sample taken per twenty samples.
 - VMP-1 through VMP-7, VMP-9, VMP-18, VMP-19, VMP-32, VMP-42 through VMP-45, VMP-47 through VMP-54, VMP-56, and VMP-62 through VMP-64 are located in the Village.
 - VMP-33 through VMP-40, VMP-46, and VMP-57 through VMP-61 are located on WRR North Property.
 - VMP-10, VMP-11, VMP-13, VMP-14, VMP-17, VMP-29, VMP-30, and VMP-41 are located in the Roxana Public Works Yard.
 - VMP-55 is located on an IDOT right-of-way west of the Roxana Public Works Yard.

With the exception of VMP-3, VMP-17, VMP-18, and VMP-19, VMP locations contain either 3 or 4 screen depths between 5 feet and 42 feet bgs. Location VMP-3 contains 5 screen depths, and locations VMP-17, VMP-18, and VMP-19 contain only one. VMP depths are provided in **Table 2**.

SVE System Monitoring Results:

- The removal of hydrocarbons at the Investigation Area has continued due to daily operation and adjustments of the SVE system. Natural gas is used as supplemental fuel for the RTO. See hydrocarbon mass removal calculation discussion details in **Section 5.4**.
- On March 6, 2018, extraction well SVE-3R was adjusted from 50% open to 75% open, and extraction well SVE-45 was adjusted from 25% open to 50% open. These adjustments were based on water level measurements indicating an increase in open screen in both wells.

⁴ SVE-18 and SVE-19 are currently being utilized to provide dilution air to the system. SVE-16 and SVE-17 were closed prior to the March 2018 effectiveness monitoring event.

- Extraction wells SVE-16 and SVE-17 were closed on March 12, and March 13, 2018, respectively. SVE-16 and SVE-17 were previously opened to increase the amount of dilution air to the SVE system.
- Compared to historical screening data, no rebound in hydrocarbon concentration has been observed at VMP locations associated with SVE wells previously closed during system optimization.
- Vacuum measurements are collected monthly at the operating SVE wells and selected VMPs within the Village and WRR. Vacuum influence from the SVE system has been observed at VMP locations along the WFL and in the Roxana Public Works Yard. Vacuum readings have generally remained consistent at VMP locations during 1Q18. Vacuum data can be found in **Tables 8 and 9**.
- Air flow data collected from each SVE leg located at the RTO were obtained and can be found in **Appendix B**.
- Public Works and WFL Header concentrations and hydrocarbon mass removal increased in 1Q18. Increased concentrations and mass removal at the Public Works and WFL Headers appear to coincide with a lowering of groundwater elevation across the Investigation Area, exposing additional vadose zone to the effects of the SVE system. See hydrocarbon mass removal calculation discussion details in **Section 5.4**.
- During 1Q18, LNAPL was observed in SVE-3R, SVE-12 and SVE-45. The screened interval for these locations was installed in the vadose zone above the groundwater table. SVE-12 is screened from 10 to 20 feet bgs, more than 10 feet above the historical groundwater table. Groundwater monitoring wells in the vicinity of SVE-3R, SVE-12 and SVE-45 did not contain LNAPL in 1Q18; therefore the LNAPL observed originates in the vadose zone and not the groundwater. During 1Q18, a total of 1.1 gallons of LNAPL was removed.

Trends related to hydrocarbon concentrations monitored in the field are expected to continue, and these numbers are expected to improve as the system is operated and/or optimized.

5.4 SVE System Operation Evaluation

For the months of January, February, and March 2018, the system uptime was 61.90%, 99.67%, and 99.81%, respectively.

January			February			March		
Total Time	Total Uptime	Percentage Uptime	Total Time	Total Uptime	Percentage Uptime	Total Time	Total Uptime	Percentage Uptime
744 hours	460.54 hours	61.90%	672 hours	669.75 hours	99.67%	744 hours	742.62 hours	99.81%

During 1Q18 the SVE system experienced six unplanned periods of downtime.

- On December 27, 2017 the system was shut down at 2:35 p.m. due to freezing conditions which prevented the transfer of condensate from the WFL VLS unit to the WFL AST. The system was brought back online at 11:35 am on January 8, 2018. The system was shut down for a total of 284 hours and 50 minutes. Notifications of SVE system shutdown and restart were provided to the IEPA on December 29, 2017 and January 8, 2018, respectively.
- On January 12, 2018 the system was shut down at 1:01 pm due to freezing conditions which prevented the transfer of condensate from the WFL VLS unit to the WFL AST. The system was brought back online at 10:00 a.m. on January 15, 2018. The system was shut down for approximately 68 hours and 59 minutes.
- On January 15, 2018, the system experienced a shutdown alarm associated with an interruption in power. The system shut down at approximately 2:00 pm and was brought back online at 3:07 pm on January 15, 2018. The system was down for approximately 1 hour and 7 minutes.
- On January 15, 2018, the system was shut down at 3:30 p.m. due to anticipated freezing conditions which would have prevented the transfer of condensate from the WFL VLS unit to the WFL AST. The system was

brought back online at 9:23 a.m. on January 16, 2018. The system was shut down for a total of 17 hours and 53 minutes.

- On January 16, 2018, the system was shut down at 3:25 p.m. due to anticipated freezing conditions which would have prevented the transfer of condensate from the WFL VLS unit to the WFL AST. The system was brought back online at 6:49 a.m. on January 17, 2018. The system was shut down for a total of 15 hours and 24 minutes.
- On February 14, 2018, the system experienced an overbraking alarm associated with the system fan variable frequency drive (VFD). The system shut down at 11:21 am and was brought back online at 12:07 pm. The system was shut down for 36 minutes.

The remainder of downtime in 1Q18 was associated with routine (planned) maintenance activities. A summary table of system downtime by date for 1Q18 and the maintenance log can be found in **Appendix C**.

Due to changing system and environmental conditions, the amount of water introduced into the system varies and can accumulate in the piping which can inhibit air flow. Because water accumulates in the system piping, a periodic “sweeping” of the lines is required to purge the piping of accumulated water. By opening the well cap at the extraction well, ambient air is introduced to the piping at a high rate of flow forcing the water through the piping and sweeping it into the VLS units. Line sweeping was performed eleven times in 1Q18.

The three supplementary dilution lines associated with the system intake are typically closed. The manual dilution valve is also typically adjusted in small increments (usually <5%) and the system is closely monitored following system adjustments. A summary table describing supplemental dilution utilization can be found in **Appendix C**.

Hydrocarbon Mass Removal

The total hydrocarbon mass of soil vapor removed by the SVE system was estimated by measuring the total hydrocarbon concentrations of the extracted soil vapors and the soil vapor flow rates into the SVE system. The results of the header and RTO exhaust analytical data can be found in **Table 10**. A FID calibrated with methane gas was used to measure total hydrocarbon concentrations in samples collected from the WFL Header and the Public Works Header. Total header hydrocarbon concentrations are included in **Appendix D**.

Total soil vapor flow rates were determined by calculating flow rates for the individual SVE legs that carry vapors from the SVE wells to the treatment system. Pressure, differential pressure, and temperature were measured in each leg. This data and Equation 2.7 and Equation 2.8 from USEPA Test Method 2 “Determination of Stack Gas Velocity and Volumetric Flow Rate (Type S Pitot Tube)” (Method 2) were used to calculate flow rates for each leg⁵. The flow rates for the appropriate legs were summed to determine flow rates in the WFL Header and the Public Works Header. Flow rates are included in **Appendix E**. Only flow rates and concentrations samples taken on the same day were used to calculate mass removal.

Hydrocarbon mass removed for the period between each concentration sample was calculated using the following equation:

$$M_{THC} = Q \times 60 \times \varphi \times \frac{M_c}{385.1 \times 10^6} \times h \div 2000$$

Where:

⁵ USEPA Method 2 “Determination of Stack Gas Velocity and Volumetric Flow Rate (Type S Pitot Tube)” specifies that a default pitot tube coefficient of 0.99 shall be used to calculate flow if the coefficient is unknown and the tube is designed according to the criteria of Sections 6.7.1 to 6.7.5 of this method. During the 2nd Quarter 2013 (2Q13), a review of the calculation was performed and it was noted that a 0.67 coefficient should be used for the specific pitot tubes used to collect data at the site. AECOM has corrected the previously calculated mass removal to reflect the 0.67 pitot tube coefficient.

M_{THC} = Hydrocarbon mass removed for the period (tons)

Q = Total header flowrate (SCFM)

φ = Total hydrocarbon concentration (ppmv)

M_c = Molecular weight of total hydrocarbons (lb/lb-mole)

h = Period SVE operating hours (hours)

Unit conversions:

60 minutes per hour

$\frac{M_c}{385.1 \times 10^6}$ converts (ppmv) to (lb/SCF)

2000 pounds per tons

Header analytical results from **Table 10** were used to estimate vapor molecular weights in the WFL and Public Works headers. Based on the soil vapor analytical results of the WFL and Public Works header samples, the calculated molecular weights for this reporting period, 27.2 lb/lb-mole and 18.7 lb/lb-mole for the WFL and Public Works headers, respectively, were used to convert header hydrocarbon volume concentrations (ppmv) to mass concentrations (lb/SCF) in 1Q18.

The molecular weights, which are recalculated every quarter, are the average weight of all samples taken during a given quarter. The conversion from volume concentration (ppmv) to mass concentrations (lb/SCF) was taken from the USEPA document AP-42 Compilation of Air Pollutant Emission Factors, Volume 1: Stationary Point and Area Sources, Fifth Edition, Appendix A (USEPA, 1995). The total hydrocarbon mass removed during each period was summed to determine the quarterly total hydrocarbon mass removed. The mass removed is summarized in the table below.

Quarterly Total Hydrocarbon Mass Removed				
Quarter	West Fenceline Mass (tons)	Public Works Mass (tons)	Quarterly Mass (tons)	Cumulative Mass Removed (tons)
2Q12	124	36	160	160
3Q12	96	23	119	279
4Q12	53	22	75	354
1Q13	39	12	51	405
2Q13	60	17	77	482
3Q13	68	26	94	576
4Q13	89	37	126	702
1Q14	72	22	94	796
2Q14	83	36	119	915
3Q14	94	34	128	1,043
4Q14	106	33	139	1,182
1Q15	167	42	209	1,391
2Q15	174	52	226	1,617
3Q15	137	48	185	1,802

4Q15	111	35	146	1,948
1Q16	91	23	114	2,062
2Q16	78	24	102	2,164
3Q16	57	24	81	2,245
4Q16	32	7	39	2,284
1Q17	38	6	44	2,328
2Q17	51	4	55	2,383
3Q17	33	6	39	2,422
4Q17	33	12	45	2,467
1Q18	36	25	61	2,528

5.5 SVE System Modification Recommendations

A key focus of the system operators is public and worker safety. Operation of the SVE system will continue with maintenance and system optimization activities. Future monitoring and sampling results from data points associated with the SVE system will be the primary driver of optimization efforts. Optimization efforts could include reduction in dilution air, valve adjustment of individual SVE wells and legs of the SVE system to direct more vacuum to areas with higher hydrocarbon concentrations.

6 Conclusions

AECOM conducted the 1Q18 soil vapor sampling and SVE monitoring efforts on behalf of SOPUS in the Village, Roxana Public Works Yard, and adjoining portions of the WRR. The following conclusions are based on the data collected during 1Q18:

- Soil vapor samples were collected from 46 locations and 155 ports during 1Q18.
- Benzene concentrations within the Village range from less than one part per billion (ppb) in the shallow samples to parts per billion in the deeper samples. The residential screening criterion was not exceeded at any VMPs within the Village.
- Benzene concentrations within Roxana Public Works Yard and WRR range from less than one ppb in the shallow samples to tens of parts per million (ppm) in one deep sample. The commercial/industrial screening criterion was exceeded at VMP-25-31, near the Roxana Public Works Yard, and at VMP-12-39 within the WRR.
- As presented in detail above, the SVE system continues to operate efficiently and effectively.

Limitations:

SOPUS shall have the right to make and retain copies and use all Work Product provided. However, such use shall be limited to the particular Site and project for which the Work Product is provided. SOPUS and its agents may release the Work Product to third parties at its sole risk and discretion. This report is based on data, site conditions, and other information that is generally applicable as of the date of this report, and the conclusions and recommendations herein are therefore applicable only to that time frame and to the report in its entirety.

Data may have been provided to AECOM by SOPUS or a third party and used in preparing this report. AECOM has relied on this information as furnished, and is neither responsible for, nor has confirmed the accuracy of this information.

7 References

AECOM, 2016; (AECOM, 2016); SVE Operations and Maintenance Plan – WRB Refining LP, Wood River Refinery & Roxana Public Works Site; Prepared for Shell Oil Products US (SOPUS); dated August 2016.

AECOM, 2017 (AECOM, 2017); Shell Project HAZWOPER Health and Safety Plan - Rand Avenue, Roxana/Route 111, and WRR Investigation and Remediation; Prepared for Shell Oil Products US (SOPUS); dated September 27, 2017.

AECOM, 2018; (AECOM, 2018a); Interim Groundwater Monitoring Program – 1st Quarter 2018 – Roxana, Illinois; Prepared for Shell Oil Products US (SOPUS); dated April 2018.

AECOM, 2018; (AECOM, 2018b); SVE Operations and Maintenance Plan – WRB Refining LP, Wood River Refinery & Roxana Public Works Site; Prepared for Shell Oil Products US (SOPUS); dated February 2018.

Illinois Environmental Protection Agency (IEPA), 2009; (IEPA, 2009); Letter providing approval with comments and modifications of the SOPUS, 2009B work plan. Issued to Shell Oil Products US (SOPUS), dated May 12, 2009.

Illinois Environmental Protection Agency (IEPA), 2010; (IEPA, 2010); Letter providing approval with comments the SOPUS 2010 Delineation Report. Issued to Shell Oil Products US (SOPUS), dated August 5, 2010.

Illinois Environmental Protection Agency (IEPA), 2011; (IEPA, 2011); Response to December 31, 2010 submittal. Issued to Shell Oil Products US (SOPUS), dated March 16, 2011.

Illinois Environmental Protection Agency (IEPA), 2012; (IEPA, 2012); Response to June 13, 2011; July 20, 2011; September 28, 2011, and May 31, 2012 submittals. Issued to Shell Oil Products US (SOPUS), dated September 13, 2012.

Illinois Environmental Protection Agency (IEPA), 2013; (IEPA, 2013); Tiered Approach to Corrective Action Objectives Title 35 – Part 742; Appendix B, Table H: Tier 1 Soil Gas and Groundwater Remediation Objectives for the Indoor Inhalation Exposure Route – Diffusion and Advection. Effective July 15, 2013 from www.ipcb.state.il.us/documents/dsweb/Get/Document-38408.

Illinois Environmental Protection Agency (IEPA), 2014; (IEPA, 2014); Response to August 21, 2013; September 13, 2013, and September 19, 2013 submittals. Issued to Shell Oil Products US (SOPUS), dated April 9, 2014.

Illinois Environmental Protection Agency (IEPA), 2015; (IEPA, 2015); Response to August 16, 2013 and March 4, 2015 submittals. Issued to Shell Oil Products US (SOPUS), dated May 28, 2015.

Ririe, G. T., R. Sweeney, S. Daugherty, and P. Peuron. 1998. A Vapor Transport Model That is Consistent with Field and Laboratory Data. In: Proceedings of the Petroleum Hydrocarbons and Organic Chemicals in Ground Water Conference, American Petroleum Institute and the National Ground Water Association, Houston, TX.

URS Corporation (URS), 2010; (URS, 2010a); Dissolved Phase Groundwater Investigation and P-60 Free Phase Product Delineation Report - Roxana, Illinois; Prepared for Shell Oil Products US (SOPUS); dated February 18, 2010.

URS Corporation (URS), 2010; (URS, 2010b); Addendum to February 2010 Report - Supplemental Investigation Activities - Roxana, Illinois; Prepared for Shell Oil Products US (SOPUS); dated September 20, 2010.

URS Corporation (URS), 2011; (URS, 2011a); Soil Vapor Sampling – 1st Quarter 2011 – Roxana, Illinois; Prepared for Shell Oil Products US (SOPUS); dated June 2011.

URS Corporation (URS), 2011; (URS, 2011b); Conceptual/Final Design Report – Roxana, Illinois; Prepared for Shell Oil Products US (SOPUS); dated June 2011.

URS Corporation (URS), 2012; (URS, 2012); SVE System Construction Completion Report – Roxana, Illinois; Prepared for Shell Oil Products US (SOPUS); dated May 2012.

URS Corporation (URS), 2013; (URS, 2013); SVE System Construction Completion Report Addendum – Roxana, Illinois; Prepared for Shell Oil Products US (SOPUS); dated February 2013.

URS Corporation (URS), 2014; (URS, 2014); SVE System Construction Completion Report Addendum No. 2 – Roxana, Illinois; Prepared for Shell Oil Products US (SOPUS); dated January 2014.

US Environmental Protection Agency (USEPA), January 1995; (USEPA, 1995); AP-42 Compilation of Air Pollutant Emission Factors, Volume 1: Stationary Point and Area Sources, Fifth Edition, Appendix A.

US Environmental Protection Agency (USEPA), January 2017; (USEPA, 2017); Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review.

Tables

TABLE 1
HISTORICAL GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID & EVENT	TOP OF CASING (elev. ¹)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER- PRODUCT INTERFACE (elev. ¹)	PRODUCT (elev. ¹)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL ² (elev. ¹)	SCREENED INTERVAL (elev. ¹) (ft btoc)	WELL HEAD PID ³ (ppm)	COMMENTS
MW-01											
2Q15	442.65	4/2/2015	NE	44.11	NA	NA	NA	398.54	393.85 - 383.85 (48.80 - 58.80)	0.0	*
3Q15		7/6/2015	NE	43.39	NA	NA	NA	399.26		0.0	*
4Q15		10/1/2015	NE	40.92	NA	NA	NA	401.73		0.1	*
1Q16		1/4/2016	NE	41.31	NA	NA	NA	401.34		0.0	*
2Q16		4/4/2016	NE	40.24	NA	NA	NA	402.41		0.0	*
3Q16		7/5/2016	NE	39.32	NA	NA	NA	403.33		0.8	*
4Q16		10/3/2016	NE	38.74	NA	NA	NA	403.91		0.6	*
1Q17		1/16/2017	NE	38.35	NA	NA	NA	404.30		2.7	*
2Q17		4/3/2017	NE	38.72	NA	NA	NA	403.93		0.0	*
3Q17		7/5/2017	NE	37.24	NA	NA	NA	405.41		11.3	*
4Q17		10/2/2017	NE	37.62	NA	NA	NA	405.03		0.1	*
1Q18		1/2/2018	NE	39.42	NA	NA	NA	403.23		2.6	*
MW-02											
2Q15	443.77	4/2/2015	NE	45.45	NA	NA	NA	398.32	393.90 - 383.90 (49.87 - 59.87)	147.3	*
3Q15		7/6/2015	NE	44.85	NA	NA	NA	398.92		124	*
4Q15		10/1/2015	NE	42.31	NA	NA	NA	401.46		12.3	*
1Q16		1/4/2016	NE	42.62	NA	NA	NA	401.15		160.7	*
2Q16		4/4/2016	NE	41.55	NA	NA	NA	402.22		199.1	*
3Q16		7/5/2016	NE	40.64	NA	NA	NA	403.13		123.0	*
4Q16		10/3/2016	NE	40.11	NA	NA	NA	403.66		177	*
1Q17		1/16/2017	NE	39.58	NA	NA	NA	404.19		117.9	*
2Q17		4/3/2017	NE	39.97	NA	NA	NA	403.80		181.4	*
3Q17		7/5/2017	NE	38.69	NA	NA	NA	405.08		365.2	*
4Q17		10/2/2017	NE	38.87	NA	NA	NA	404.90		15000	*
1Q18		1/2/2018	NE	41.27	NA	NA	NA	402.50		105.8	*
MW-03											
2Q15	430.08	4/2/2015	NE	31.16	NA	NA	NA	398.92	395.41 - 385.41 (34.67 - 44.67)	0.2	*
3Q15		7/6/2015	NE	30.15	NA	NA	NA	399.93		0.0	*
4Q15		10/1/2015	NE	27.88	NA	NA	NA	402.20		0.2	*
1Q16		1/5/2016	NE	28.13	NA	NA	NA	401.95		0.2	*
2Q16		4/4/2016	NE	27.31	NA	NA	NA	402.77		0.0	*
3Q16		7/5/2016	NE	26.46	NA	NA	NA	403.62		0.0	*
4Q16		10/3/2016	NE	25.71	NA	NA	NA	404.37		0.3	*
1Q17		1/16/2017	NE	25.65	NA	NA	NA	404.43		0.2	*
2Q17		4/3/2017	NE	26.10	NA	NA	NA	403.98		0.0	*
3Q17		7/5/2017	NE	24.17	NA	NA	NA	405.91		3.1	*
4Q17		10/2/2017	NE	24.98	NA	NA	NA	405.10		0.0	*
1Q18		1/2/2018	NE	27.17	NA	NA	NA	402.91		0.4	*
MW-04											
2Q15	441.14	4/2/2015	NE	42.58	NA	NA	NA	398.56	396.08 - 386.08 (45.06 - 55.06)	12.5	*
3Q15		7/6/2015	NE	41.25	NA	NA	NA	399.89		56.1	*
4Q15		10/1/2015	NE	39.28	NA	NA	NA	401.86		11.5	*
1Q16		1/5/2016	NE	39.53	NA	NA	NA	401.61		67.3	*
2Q16		4/4/2016	NE	38.61	NA	NA	NA	402.53		0.0	*
3Q16		7/5/2016	NE	37.87	NA	NA	NA	403.27		48.1	*
4Q16		10/3/2016	NE	37.13	NA	NA	NA	404.01		48.6	*
1Q17		1/16/2017	NE	36.84	NA	NA	NA	404.30		24.2	*
2Q17		4/3/2017	NE	37.17	NA	NA	NA	403.97		24.8	*
3Q17		7/5/2017	NE	35.65	NA	NA	NA	405.49		10.6	*
4Q17		10/2/2017	NE	36.20	NA	NA	NA	404.94		0.2	*
1Q18		1/2/2018	NE	38.46	NA	NA	NA	402.68		1.9	*
MW-05											
2Q15	429.80	4/2/2015	NE	30.91	NA	NA	NA	398.89	395.83 - 385.83 (33.97 - 43.97)	0.0	*
3Q15		7/6/2015	NE	28.88	NA	NA	NA	400.92		0.3	*
4Q15		10/1/2015	NE	27.61	NA	NA	NA	402.19		0.4	*
1Q16		1/4/2016	NE	27.89	NA	NA	NA	401.91		0.5	*
2Q16		4/4/2016	NE	27.02	NA	NA	NA	402.78		0.0	*
3Q16		7/5/2016	NE	26.25	NA	NA	NA	403.55		3.3	*
4Q16		10/3/2016	NE	25.41	NA	NA	NA	404.39		0.4	*
1Q17		1/16/2017	NE	25.33	NA	NA	NA	404.47		2.0	*
2Q17		4/3/2017	NE	25.75	NA	NA	NA	404.05		3.5	*
3Q17		7/5/2017	NE	23.96	NA	NA	NA	405.84		0.3	*
4Q17		10/2/2017	NE	24.78	NA	NA	NA	405.02		0.0	*
1Q18		1/2/2018	NE	27.01	NA	NA	NA	402.79		0.1	*
MW-06A											
2Q15	432.14	4/2/2015	NE	33.05	NA	NA	NA	399.09	397.31 - 387.31 (34.83 - 44.83)	0.0	*
3Q15		7/6/2015	NE	31.98	NA	NA	NA	400.16		0.1	*
4Q15		10/1/2015	NE	29.72	NA	NA	NA	402.42		0.1	*
1Q16		1/4/2016	NE	29.94	NA	NA	NA	402.20		0.0	*
2Q16		4/4/2016	NE	29.17	NA	NA	NA	402.97		0.0	*
3Q16		7/7/2016	NE	28.40	NA	NA	NA	403.74		0.0	*
4Q16		10/3/2016	NE	27.51	NA	NA	NA	404.63		0.7	*
1Q17		1/16/2017	NE	27.43	NA	NA	NA	404.71		0.4	*
2Q17		4/3/2017	NE	27.78	NA	NA	NA	404.36		1.4	*
3Q17		7/5/2017	NE	26.11	NA	NA	NA	406.03		0.2	*
4Q17		10/2/2017	NE	26.98	NA	NA	NA	405.16		0.0	*
1Q18		1/2/2018	NE	29.18	NA	NA	NA	402.96		0.0	*

TABLE 1
HISTORICAL GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID & EVENT	TOP OF CASING (elev. ¹)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev. ¹)	PRODUCT (elev. ¹)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL ² (elev. ¹)	SCREENED INTERVAL (elev. ¹) (ft btoc)	WELL HEAD PID ³ (ppm)	COMMENTS
MW-06B											
2Q15	432.29	4/2/2015	NE	33.10	NA	NA	NA	399.19	368.24 - 363.24 (64.05 - 69.05)	29.1	*
3Q15		7/6/2015	NE	32.01	NA	NA	NA	400.28		0.2	*
4Q15		10/1/2015	NE	29.76	NA	NA	NA	402.53		0.4	*
1Q16		1/4/2016	NE	29.96	NA	NA	NA	402.33		0.0	*
2Q16		4/4/2016	NE	29.39	NA	NA	NA	402.90		82.8	*
3Q16		7/7/2016	NE	28.42	NA	NA	NA	403.87		0.0	*
4Q16		10/3/2016	NE	27.52	NA	NA	NA	404.77		0.6	*
1Q17		1/16/2017	NE	27.49	NA	NA	NA	404.80		0.4	*
2Q17		4/3/2017	NE	27.89	NA	NA	NA	404.40		0.0	*
3Q17		7/5/2017	NE	26.16	NA	NA	NA	406.13		37.6	*
4Q17		10/2/2017	NE	27.02	NA	NA	NA	405.27		0.0	*
1Q18		1/2/2018	NE	29.22	NA	NA	NA	403.07		0.0	*
MW-06C											
2Q15	432.11	4/2/2015	NE	32.89	NA	NA	NA	399.22	347.16 - 342.16 (84.95 - 89.95)	0.0	*
3Q15		7/6/2015	NE	31.79	NA	NA	NA	400.32		0.0	*
4Q15		10/1/2015	NE	29.55	NA	NA	NA	402.56		2.3	*
1Q16		1/4/2016	NE	29.75	NA	NA	NA	402.36		0.3	*
2Q16		4/4/2016	NE	28.99	NA	NA	NA	403.12		24.9	*
3Q16		7/7/2016	NE	28.24	NA	NA	NA	403.87		0.0	*
4Q16		10/3/2016	NE	27.33	NA	NA	NA	404.78		0.6	*
1Q17		1/16/2017	NE	27.26	NA	NA	NA	404.85		21.1	*
2Q17		4/3/2017	NE	27.61	NA	NA	NA	404.50		4.9	*
3Q17		7/5/2017	NE	25.96	NA	NA	NA	406.15		15.4	*
4Q17		10/2/2017	NE	26.81	NA	NA	NA	405.30		0.0	*
1Q18		1/2/2018	NE	29.01	NA	NA	NA	403.10		0.0	*
MW-06D											
2Q15	431.99	4/2/2015	NE	32.74	NA	NA	NA	399.25	327.27 - 322.27 (104.72 - 109.72)	43.0	*
3Q15		7/6/2015	NE	31.83	NA	NA	NA	400.16		0.1	*
4Q15		10/1/2015	NE	29.40	NA	NA	NA	402.59		0.7	*
1Q16		1/4/2016	NE	29.59	NA	NA	NA	402.40		0.2	*
2Q16		4/4/2016	NE	28.84	NA	NA	NA	403.15		22.4	*
3Q16		7/7/2016	NE	28.09	NA	NA	NA	403.90		0.0	*
4Q16		10/3/2016	NE	27.16	NA	NA	NA	404.83		0.5	*
1Q17		1/16/2017	NE	27.14	NA	NA	NA	404.85		0.2	*
2Q17		4/3/2017	NE	27.47	NA	NA	NA	404.52		0.0	*
3Q17		7/5/2017	NE	25.83	NA	NA	NA	406.16		0.4	*
4Q17		10/2/2017	NE	26.68	NA	NA	NA	405.31		0.0	*
1Q18		1/2/2018	NE	28.87	NA	NA	NA	403.12		0.0	*
MW-07											
2Q15	443.10	4/2/2015	NE	44.68	NA	NA	NA	398.42	400.18 - 390.18 (42.92 - 52.92)	0.0	
3Q15		7/6/2015	NE	43.90	NA	NA	NA	399.20		0.0	
4Q15		10/1/2015	NE	41.35	NA	NA	NA	401.75		384.0	*
1Q16		1/4/2016	NE	41.62	NA	NA	NA	401.48		6007	*
2Q16		4/4/2016	NE	40.71	NA	NA	NA	402.39		4292	*
3Q16		7/5/2016	NE	40.10	NA	NA	NA	403.00		885.6	*
4Q16		10/3/2016	NE	39.21	NA	NA	NA	403.89		3222	*
1Q17		1/16/2017	NE	38.90	NA	NA	NA	404.20		819.9	*
2Q17		4/3/2017	NE	39.09	NA	NA	NA	404.01		15000	*
3Q17		7/5/2017	NE	37.82	NA	NA	NA	405.28		138.5	*
4Q17		10/2/2017	NE	38.37	NA	NA	NA	404.73		15000	*
1Q18		1/4/2018	NE	40.57	NA	NA	NA	402.53		NM	*
MW-08											
2Q15	434.11	4/2/2015	NE	35.46	NA	NA	NA	398.65	400.51 - 390.51 (33.60 - 43.60)	0.0	
3Q15		7/7/2015	NE	34.51	NA	NA	NA	399.60		0.0	
4Q15		10/1/2015	NE	32.15	NA	NA	NA	401.96		663	*
1Q16		1/4/2016	NE	32.41	NA	NA	NA	401.70		13.0	*
2Q16		4/4/2016	NE	31.56	NA	NA	NA	402.55		247.6	*
3Q16		7/5/2016	NE	30.89	NA	NA	NA	403.22		296.0	*
4Q16		10/4/2016	NE	30.01	NA	NA	NA	404.10		6793	*
1Q17		1/16/2017	NE	29.79	NA	NA	NA	404.32		106.0	*
2Q17		4/3/2017	NE	30.15	NA	NA	NA	403.96		15000	*
3Q17		7/5/2017	NE	28.55	NA	NA	NA	405.56		369.8	*
4Q17		10/2/2017	NE	29.28	NA	NA	NA	404.83		15000	*
1Q18		1/2/2018	NE	31.53	NA	NA	NA	402.58		87.6	*
MW-09											
2Q15	445.20	4/2/2015	NE	45.45	NA	NA	NA	399.75	398.75 - 388.75 (46.45 - 56.45)	0.0	*
3Q15		7/6/2015	NE	44.83	NA	NA	NA	400.37		0.0	*
4Q15		10/1/2015	NE	42.75	NA	NA	NA	402.45		0.6	*
1Q16		1/4/2016	NE	43.03	NA	NA	NA	402.17		0.0	*
2Q16		4/4/2016	NE	41.87	NA	NA	NA	403.33		0.0	*
3Q16		7/6/2016	NE	40.96	NA	NA	NA	404.24		0.0	*
4Q16		10/3/2016	NE	40.44	NA	NA	NA	404.76		0.2	*
1Q17		1/16/2017	NE	40.06	NA	NA	NA	405.14		11.1	*
2Q17		4/3/2017	NE	40.56	NA	NA	NA	404.64		0.0	*
3Q17		7/5/2017	NE	38.89	NA	NA	NA	406.31		0.0	*
4Q17		10/2/2017	NE	39.22	NA	NA	NA	405.98		0.2	*
1Q18		1/2/2018	NE	41.08	NA	NA	NA	404.12		2.9	*

TABLE 1
HISTORICAL GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID & EVENT	TOP OF CASING (elev. ¹)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev. ¹)	PRODUCT (elev. ¹)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL ² (elev. ¹)	SCREENED INTERVAL (elev. ¹) (ft btoc)	WELL HEAD PID ³ (ppm)	COMMENTS
MW-10											
2Q15	445.03	4/2/2015	NE	45.38	NA	NA	NA	399.65	400.60 - 390.60 (44.43 - 54.43)	0.0	
3Q15		7/6/2015	NE	44.92	NA	NA	NA	400.11		169.6	
4Q15		10/1/2015	NE	42.85	NA	NA	NA	402.18		0.6	*
1Q16		1/4/2016	NE	43.07	NA	NA	NA	401.96		0.0	*
2Q16		4/4/2016	NE	41.98	NA	NA	NA	403.05		0.0	*
3Q16		7/5/2016	NE	41.00	NA	NA	NA	404.03		0.0	*
4Q16		10/3/2016	NE	40.42	NA	NA	NA	404.61		0.2	*
1Q17		1/16/2017	NE	39.88	NA	NA	NA	405.15		0.0	*
2Q17		4/3/2017	NE	40.32	NA	NA	NA	404.71		0.0	*
3Q17		7/5/2017	NE	38.95	NA	NA	NA	406.08		0.0	*
4Q17		10/2/2017	NE	39.06	NA	NA	NA	405.97		0.3	*
1Q18		1/2/2018	NE	40.94	NA	NA	NA	404.09		6.9	*
MW-11											
2Q15	442.33	4/2/2015	NE	43.16	NA	NA	NA	399.17	400.67 - 390.67 (41.66 - 51.66)	0.0	
3Q15		7/6/2015	NE	42.52	NA	NA	NA	399.81		0.0	
4Q15		10/1/2015	NE	40.26	NA	NA	NA	402.07		0.2	*
1Q16		1/4/2016	NE	40.69	NA	NA	NA	401.64		0.0	*
2Q16		4/4/2016	NE	39.53	NA	NA	NA	402.80		0.0	*
3Q16		7/6/2016	NE	38.39	NA	NA	NA	403.94		0.0	*
4Q16		10/3/2016	NE	37.99	NA	NA	NA	404.34		0.5	*
1Q17		1/16/2017	NE	37.63	NA	NA	NA	404.70		0.0	*
2Q17		4/3/2017	NE	38.10	NA	NA	NA	404.23		0.0	*
3Q17		7/5/2017	NE	36.46	NA	NA	NA	405.87		0.0	*
4Q17		10/2/2017	NE	36.69	NA	NA	NA	405.64		0.0	*
1Q18		1/2/2018	NE	38.93	NA	NA	NA	403.40		0.6	*
MW-12											
2Q15	442.60	4/2/2015	NE	43.71	NA	NA	NA	398.89	400.68 - 390.68 (41.92 - 51.92)	0.2	
3Q15		7/6/2015	NE	42.92	NA	NA	NA	399.68		0.0	
4Q15		10/1/2015	NE	40.60	NA	NA	NA	402.00		0.1	*
1Q16		1/5/2016	NE	40.98	NA	NA	NA	401.62		0.2	*
2Q16		4/4/2016	NE	39.88	NA	NA	NA	402.72		0.0	*
3Q16		7/6/2016	NE	38.87	NA	NA	NA	403.73		0.0	*
4Q16		10/3/2016	NE	38.43	NA	NA	NA	404.17		0.5	*
1Q17		1/16/2017	NE	38.11	NA	NA	NA	404.49		1.2	*
2Q17		4/3/2017	NE	38.56	NA	NA	NA	404.04		0.0	*
3Q17		7/5/2017	NE	36.84	NA	NA	NA	405.76		8.1	*
4Q17		10/2/2017	NE	37.24	NA	NA	NA	405.36		0.0	*
1Q18		1/2/2018	NE	39.55	NA	NA	NA	403.05		0.8	*
MW-13											
2Q15	430.27	4/3/2015	NE	30.83	NA	NA	NA	399.44	404.70 - 394.70 (25.57 - 35.57)	1.7	
3Q15		7/8/2015	NE	29.16	NA	NA	NA	401.11		254.3	
4Q15		10/2/2015	NE	27.36	NA	NA	NA	402.91		90.2	
1Q16		1/5/2016	NE	27.33	NA	NA	NA	402.94		143.8	
2Q16		4/5/2016	NE	26.75	NA	NA	NA	403.52		71.4	
3Q16		7/8/2016	NE	26.16	NA	NA	NA	404.11		3.2	
4Q16		10/4/2016	NE	24.99	NA	NA	NA	405.28		86.6	*
1Q17		1/17/2017	NE	25.54	NA	NA	NA	404.73		20.6	*
2Q17		4/5/2017	NE	25.90	NA	NA	NA	404.37		98.7	
3Q17		7/6/2017	NE	23.67	NA	NA	NA	406.60		161.9	*
4Q17		10/2/2017	NE	24.95	NA	NA	NA	405.32		69.1	*
1Q18		1/3/2018	NE	26.97	NA	NA	NA	403.30		65.2	
MW-14											
2Q15	434.44	4/3/2015	NE	35.20	NA	NA	NA	399.24	401.02 - 391.02 (33.42 - 43.42)	78.2	
3Q15		7/7/2015	NE	34.11	NA	NA	NA	400.33		207.7	
4Q15		10/2/2015	NE	31.88	NA	NA	NA	402.56		42.40	*
1Q16		1/6/2016	NE	31.75	NA	NA	NA	402.69		35.2	*
2Q16		4/5/2016	NE	31.35	NA	NA	NA	403.09		64.1	*
3Q16		7/8/2016	NE	30.72	NA	NA	NA	403.72		48.3	*
4Q16		10/4/2016	NE	29.60	NA	NA	NA	404.84		54.2	*
1Q17		1/17/2017	NE	29.61	NA	NA	NA	404.83		71	*
2Q17		4/4/2017	NE	29.91	NA	NA	NA	404.53		84.4	*
3Q17		7/6/2017	NE	28.34	NA	NA	NA	406.10		35.3	*
4Q17		10/3/2017	NE	29.24	NA	NA	NA	405.20		159.9	*
1Q18		1/4/2018	NE	31.23	NA	NA	NA	403.21		45.2	*
MW-16											
2Q15	443.39	4/2/2015	NE	44.93	NA	NA	NA	398.46	406.33 - 396.33 (37.06 - 47.06)	0.0	
3Q15		7/6/2015	NE	44.31	NA	NA	NA	399.08		0.0	
4Q15		10/1/2015	NE	41.89	NA	NA	NA	401.50		0.1	
1Q16		1/5/2016	NE	42.32	NA	NA	NA	401.07		0.0	
2Q16		4/4/2016	NE	41.19	NA	NA	NA	402.20		0.0	
3Q16		7/6/2016	NE	39.94	NA	NA	NA	403.45		0.0	
4Q16		10/4/2016	NE	39.72	NA	NA	NA	403.67		0.0	
1Q17		1/16/2017	NE	39.15	NA	NA	NA	404.24		0.1	
2Q17		4/3/2017	NE	39.51	NA	NA	NA	403.88		0.0	
3Q17		7/5/2017	NE	38.18	NA	NA	NA	405.21		4.6	
4Q17		10/2/2017	NE	38.15	NA	NA	NA	405.24		0.0	
1Q18		1/2/2018	NE	40.68	NA	NA	NA	402.71		0.8	

TABLE 1
HISTORICAL GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID & EVENT	TOP OF CASING (elev. ¹)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev. ¹)	PRODUCT (elev. ¹)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL ² (elev. ¹)	SCREENED INTERVAL (elev. ¹) (ft btoc)	WELL HEAD PID ³ (ppm)	COMMENTS
MW-17											
2Q15	441.57	4/2/2015	NE	43.20	NA	NA	NA	398.37	407.28 - 392.28 (34.29 - 49.29)	0.0	
3Q15		7/6/2015	NE	42.73	NA	NA	NA	398.84		0.0	
4Q15		10/1/2015	NE	40.33	NA	NA	NA	401.24		0.1	
1Q16		1/4/2016	NE	41.00	NA	NA	NA	400.57		0.1	
2Q16		4/4/2016	NE	39.67	NA	NA	NA	401.90		0.0	
3Q16		7/5/2016	NE	38.12	NA	NA	NA	403.45		0.0	
4Q16		10/3/2016	NE	38.22	NA	NA	NA	403.35		0.4	
1Q17		1/16/2017	NE	37.42	NA	NA	NA	404.15		143.6	
2Q17		4/3/2017	NE	37.62	NA	NA	NA	403.95		0.0	
3Q17		7/5/2017	NE	36.74	NA	NA	NA	404.83		0.0	
4Q17		10/2/2017	NE	36.03	NA	NA	NA	405.54		0.0	
1Q18		1/3/2018	NE	38.79	NA	NA	NA	402.78		NM	
MW-18											
2Q15	442.04	4/2/2015	NE	44.53	NA	NA	NA	397.51	407.12 - 392.12 (34.92 - 49.92)	0.0	
3Q15		7/6/2015	NE	43.44	NA	NA	NA	398.60		0.0	
4Q15		10/1/2015	NE	40.97	NA	NA	NA	401.07		0.1	
1Q16		1/4/2016	NE	41.75	NA	NA	NA	400.29		0.0	
2Q16		4/4/2016	NE	40.45	NA	NA	NA	401.59		0.0	
3Q16		7/5/2016	NE	38.65	NA	NA	NA	403.39		0.0	
4Q16		10/3/2016	NE	38.91	NA	NA	NA	403.13		9.0	
1Q17		1/16/2017	NE	38.08	NA	NA	NA	403.96		2.5	
2Q17		4/3/2017	NE	38.19	NA	NA	NA	403.85		0.0	
3Q17		7/5/2017	NE	37.38	NA	NA	NA	404.66		0.0	
4Q17		10/2/2017	NE	36.62	NA	NA	NA	405.42		0.0	
1Q18		1/2/2018	NE	39.73	NA	NA	NA	402.31		3.2	
MW-19											
2Q15	442.77	4/2/2015	NE	43.94	NA	NA	NA	398.83	406.43 - 391.43 (36.34 - 51.34)	0.0	
3Q15		7/6/2015	NE	43.99	NA	NA	NA	398.78		0.0	
4Q15		10/1/2015	NE	41.48	NA	NA	NA	401.29		0.2	
1Q16		1/4/2016	NE	42.14	NA	NA	NA	400.63		0.4	
2Q16		4/4/2016	NE	40.43	NA	NA	NA	402.34		0.0	
3Q16		7/5/2016	NE	39.42	NA	NA	NA	403.35		0.0	
4Q16		10/3/2016	NE	39.44	NA	NA	NA	403.33		0.5	
1Q17		1/16/2017	NE	38.72	NA	NA	NA	404.05		5.6	
2Q17		4/3/2017	NE	38.93	NA	NA	NA	403.84		0.0	
3Q17		7/5/2017	NE	37.93	NA	NA	NA	404.84		0.0	
4Q17		10/2/2017	NE	37.51	NA	NA	NA	405.26		0.0	
1Q18		1/4/2018	NE	40.32	NA	NA	NA	402.45		NM	
MW-20											
2Q15	443.67	4/2/2015	NE	45.39	NA	NA	NA	398.28	407.79 - 392.79 (35.88 - 50.88)	0.0	
3Q15		7/6/2015	NE	44.83	NA	NA	NA	398.84		0.0	
4Q15		10/1/2015	NE	42.33	NA	NA	NA	401.34		0.2	
1Q16		1/4/2016	NE	42.76	NA	NA	NA	400.91		0.5	
2Q16		4/4/2016	NE	41.64	NA	NA	NA	402.03		0.0	
3Q16		7/5/2016	NE	40.46	NA	NA	NA	403.21		0.0	
4Q16		10/3/2016	NE	40.19	NA	NA	NA	403.48		0.4	
1Q17		1/16/2017	NE	39.54	NA	NA	NA	404.13		0.1	
2Q17		4/3/2017	NE	39.93	NA	NA	NA	403.74		0.0	
3Q17		7/5/2017	NE	38.69	NA	NA	NA	404.98		38.69	
4Q17		10/2/2017	NE	38.64	NA	NA	NA	405.03		0.0	
1Q18		1/3/2018	NE	41.03	NA	NA	NA	402.64		NM	
MW-21											
2Q15	443.81	4/2/2015	NE	45.58	NA	NA	NA	398.23	408.80 - 393.80 (35.01 - 50.01)	0.0	
3Q15		7/6/2015	NE	44.96	NA	NA	NA	398.85		0.0	
4Q15		10/1/2015	NE	42.33	NA	NA	NA	401.48		0.1	
1Q16		1/4/2016	NE	42.53	NA	NA	NA	401.28		0.2	
2Q16		4/4/2016	NE	41.61	NA	NA	NA	402.20		0.0	
3Q16		7/5/2016	NE	40.89	NA	NA	NA	402.92		0.0	
4Q16		10/3/2016	NE	40.55	NA	NA	NA	403.26		0.3	
1Q17		1/16/2017	NE	39.68	NA	NA	NA	404.13		0.2	
2Q17		4/3/2017	NE	39.95	NA	NA	NA	403.86		0.0	
3Q17		7/5/2017	NE	38.74	NA	NA	NA	405.07		0.0	
4Q17		10/2/2017	NE	39.12	NA	NA	NA	404.69		0.0	
1Q18		1/2/2018	NE	41.44	NA	NA	NA	402.37		2.0	
MW-22											
2Q15	442.16	4/2/2015	NE	43.53	NA	NA	NA	398.63	404.28 - 394.28 (37.88 - 47.88)	0.2	
3Q15		7/6/2015	NE	42.94	NA	NA	NA	399.22		0.0	
4Q15		10/1/2015	NE	40.56	NA	NA	NA	401.60		0.1	
1Q16		1/4/2016	NE	41.12	NA	NA	NA	401.04		0.0	
2Q16		4/4/2016	NE	39.88	NA	NA	NA	402.28		0.0	
3Q16		7/6/2016	NE	38.56	NA	NA	NA	403.60		0.0	
4Q16		10/3/2016	NE	38.44	NA	NA	NA	403.72		1.2	
1Q17		1/16/2017	NE	37.80	NA	NA	NA	404.36		84.4	*
2Q17		4/3/2017	NE	38.20	NA	NA	NA	403.96		4.7	
3Q17		7/5/2017	NE	36.89	NA	NA	NA	405.27		16.5	*
4Q17		10/2/2017	NE	36.74	NA	NA	NA	405.42		8.1	*
1Q18		1/3/2018	NE	39.14	NA	NA	NA	403.02		NM	

TABLE 1
HISTORICAL GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID & EVENT	TOP OF CASING (elev. ¹)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev. ¹)	PRODUCT (elev. ¹)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL ² (elev. ¹)	SCREENED INTERVAL (elev. ¹) (ft btoc)	WELL HEAD PID ³ (ppm)	COMMENTS
MW-23											
2Q15	431.41	4/2/2015	NE	32.21	NA	NA	NA	399.20	402.39 - 392.39 (29.02 - 39.02)	0.0	Installed during 1Q15
3Q15		7/7/2015	NE	30.74	NA	NA	NA	400.67		8.3	
4Q15		10/1/2015	NE	28.80	NA	NA	NA	402.61		0.5	*
1Q16		1/5/2016	NE	29.05	NA	NA	NA	402.36		0.1	
2Q16		4/4/2016	NE	28.30	NA	NA	NA	403.11		0.0	*
3Q16		7/7/2016	NE	27.21	NA	NA	NA	404.20		0.7	*
4Q16		10/3/2016	NE	26.53	NA	NA	NA	404.88		1.0	*
1Q17		1/16/2017	NE	26.83	NA	NA	NA	404.58		0.7	*
2Q17		4/3/2017	NE	27.40	NA	NA	NA	404.01		0.2	*
3Q17		7/5/2017	NE	25.08	NA	NA	NA	406.33		0.5	*
4Q17		10/2/2017	NE	26.35	NA	NA	NA	405.06		0.0	*
1Q18		1/2/2018	NE	28.34	NA	NA	NA	403.07		0.6	*
MW-24											
2Q15	443.42	4/2/2015	NE	44.50	NA	NA	NA	398.92	404.53 - 394.53 (38.89 - 48.89)	0.3	
3Q15		7/6/2015	NE	43.76	NA	NA	NA	399.66		1.2	
4Q15		10/1/2015	NE	41.52	NA	NA	NA	401.90		0.1	
1Q16		1/4/2016	NE	41.94	NA	NA	NA	401.48		0.0	
2Q16		4/4/2016	NE	40.74	NA	NA	NA	402.68		0.0	
3Q16		7/6/2016	NE	39.68	NA	NA	NA	403.74		0.0	
4Q16		10/3/2016	NE	39.28	NA	NA	NA	404.14		117	
1Q17		1/16/2017	NE	38.97	NA	NA	NA	404.45		11.2	
2Q17		4/3/2017	NE	39.45	NA	NA	NA	403.97		0.8	
3Q17		7/5/2017	NE	37.75	NA	NA	NA	405.67		3.6	*
4Q17		10/2/2017	NE	38.03	NA	NA	NA	405.39		0.0	*
1Q18		1/3/2018	NE	40.22	NA	NA	NA	403.20		NM	
MW-25											
2Q15	438.35	4/2/2015	NE	39.69	NA	NA	NA	398.66	402.76 - 392.76 (35.59 - 45.59)	1.2	
3Q15		7/6/2015	NE	38.84	NA	NA	NA	399.51		0.1	
4Q15		10/1/2015	NE	36.39	NA	NA	NA	401.96		0.5	
1Q16		1/4/2016	NE	36.68	NA	NA	NA	401.67		132	
2Q16		4/4/2016	NE	35.78	NA	NA	NA	402.57		0.0	
3Q16		7/6/2016	NE	35.02	NA	NA	NA	403.33		32.5	*
4Q16		10/3/2016	NE	34.23	NA	NA	NA	404.12		52.00	*
1Q17		1/16/2017	NE	34.00	NA	NA	NA	404.35		42.6	*
2Q17		4/3/2017	NE	34.33	NA	NA	NA	404.02		83.6	*
3Q17		7/5/2017	NE	32.77	NA	NA	NA	405.58		61.9	*
4Q17		10/2/2017	NE	33.40	NA	NA	NA	404.95		1999	*
1Q18		1/3/2018	NE	35.51	NA	NA	NA	402.84		69.2	*
MW-26											
2Q15	441.02	4/2/2015	NE	42.48	NA	NA	NA	398.54	402.87 - 392.87 (38.15 - 48.15)	22.9	
3Q15		7/6/2015	NE	41.77	NA	NA	NA	399.25		0.8	
4Q15		10/1/2015	NE	39.25	NA	NA	NA	401.77		0.6	
1Q16		1/5/2016	NE	39.55	NA	NA	NA	401.47		0.7	
2Q16		4/4/2016	NE	38.56	NA	NA	NA	402.46		0.0	
3Q16		7/5/2016	NE	37.76	NA	NA	NA	403.26		0.4	*
4Q16		10/3/2016	NE	37.10	NA	NA	NA	403.92		0.2	*
1Q17		1/16/2017	NE	36.74	NA	NA	NA	404.28		0.2	*
2Q17		4/3/2017	NE	37.09	NA	NA	NA	403.93		0.0	*
3Q17		7/5/2017	NE	35.60	NA	NA	NA	405.42		0.0	*
4Q17		10/2/2017	NE	36.05	NA	NA	NA	404.97		0.0	*
1Q18		1/2/2018	NE	38.33	NA	NA	NA	402.69		5.0	
MW-27											
2Q15	443.40	4/2/2015	NE	43.28	NA	NA	NA	400.12	403.61 - 393.61 (39.79 - 49.79)	10.9	
3Q15		7/6/2015	NE	43.07	NA	NA	NA	400.33		0.0	
4Q15		10/1/2015	NE	40.50	NA	NA	NA	402.90		0.6	
1Q16		1/4/2016	NE	41.02	NA	NA	NA	402.38		0.0	
2Q16		4/4/2016	NE	39.67	NA	NA	NA	403.73		0.0	*
3Q16		7/6/2016	NE	38.95	NA	NA	NA	404.45		9.2	*
4Q16		10/3/2016	NE	38.60	NA	NA	NA	404.80		0.4	*
1Q17		1/16/2017	NE	38.05	NA	NA	NA	405.35		0.4	*
2Q17		4/3/2017	NE	38.58	NA	NA	NA	404.82		0.0	*
3Q17		7/5/2017	NE	37.35	NA	NA	NA	406.05		0.0	*
4Q17		10/3/2017	NE	37.25	NA	NA	NA	406.15		0.0	*
1Q18		1/2/2018	NE	38.78	NA	NA	NA	404.62		1.7	*
MW-28											
2Q15	443.34	4/2/2015	NE	42.12	NA	NA	NA	401.22	409.73 - 399.73 (33.61 - 43.61)	0.0	
3Q15		7/7/2015	NE	42.39	NA	NA	NA	400.95		0.0	
4Q15		10/1/2015	NE	40.23	NA	NA	NA	403.11		0.6	
1Q16		1/4/2016	NE	40.34	NA	NA	NA	403.00		0.0	
2Q16		4/4/2016	NE	39.18	NA	NA	NA	404.16		0.0	
3Q16		7/6/2016	NE	38.42	NA	NA	NA	404.92		0.0	
4Q16		10/3/2016	NE	37.81	NA	NA	NA	405.53		0.5	
1Q17		1/16/2017	NE	37.14	NA	NA	NA	406.20		7.2	
2Q17		4/3/2017	NE	37.78	NA	NA	NA	405.56		0.0	
3Q17		7/5/2017	NE	36.63	NA	NA	NA	406.71		0.0	
4Q17		10/2/2017	NE	36.61	NA	NA	NA	406.73		0.1	
1Q18		1/2/2018	NE	37.96	NA	NA	NA	405.38		0.9	

TABLE 1
HISTORICAL GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID & EVENT	TOP OF CASING (elev. ¹)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev. ¹)	PRODUCT (elev. ¹)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL ² (elev. ¹)	SCREENED INTERVAL (elev. ¹) (ft btoc)	WELL HEAD PID ³ (ppm)	COMMENTS
P-01											
2Q15	442.73	4/6/2015	NE	34.46	NA	NA	NA	408.27	380.78 - 375.78 (61.95 - 66.95)	0.2	*
3Q15		7/6/2015	NE	31.98	NA	NA	NA	410.75		0.1	*
4Q15		10/1/2015	NE	32.22	NA	NA	NA	410.51		0.0	*
1Q16		1/5/2016	NE	31.14	NA	NA	NA	411.59		0.0	*
2Q16		4/4/2016	NE	30.93	NA	NA	NA	411.80		0.0	*
3Q16		7/7/2016	NM	NM	NA	NA	NA	NA		NM	Unsafe condition at well - Unable to access
4Q16		10/5/2016	NE	27.94	NA	NA	NA	414.79		0.2	*
1Q17		1/17/2017	NE	29.46	NA	NA	NA	413.27		0.0	*
2Q17		4/4/2017	NE	30.25	NA	NA	NA	412.48		0.0	*
3Q17		7/5/2017	NE	26.73	NA	NA	NA	416.00		0.0	*
4Q17		10/3/2017	NE	28.94	NA	NA	NA	413.79		0.0	*
1Q18		1/4/2018	NE	30.05	NA	NA	NA	412.68		0.0	*
P-4U											
2Q15	442.54	4/6/2015	NE	35.88	NA	NA	NA	406.66	361.39 - 359.39 (81.15 - 83.15)	0.4	*
3Q15		7/6/2015	NE	34.58	NA	NA	NA	407.96		0.2	*
4Q15		10/1/2015	NE	33.65	NA	NA	NA	408.89		0.0	*
1Q16		1/4/2016	NE	33.33	NA	NA	NA	409.21		0.0	*
2Q16		4/6/2016	NM	NM	NA	NA	NA	NA		NM	
3Q16		7/5/2016	NE	32.12	NA	NA	NA	410.42		0.1	*
4Q16		10/5/2016	NE	29.49	NA	NA	NA	413.05		NM	*
1Q17		1/17/2017	NE	30.53	NA	NA	NA	412.01		0.0	*
2Q17		4/4/2017	NE	31.39	NA	NA	NA	411.15		0.0	*
3Q17		7/5/2017	NE	28.12	NA	NA	NA	414.42		5.3	*
4Q17		10/3/2017	NE	30.04	NA	NA	NA	412.50		0.0	*
1Q18		1/4/2018	NE	31.25	NA	NA	NA	411.29		0.0	*
P-5L											
2Q15	443.84	4/6/2015	NE	36.21	NA	NA	NA	407.63	303.44 - 301.44 (140.40 - 142.40)	0.1	*
3Q15		7/7/2015	NE	34.32	NA	NA	NA	409.52		0.0	*
4Q15		10/1/2015	NE	33.87	NA	NA	NA	409.97		0.0	*
1Q16		1/4/2016	NE	32.95	NA	NA	NA	410.89		0.2	*
2Q16		4/4/2016	NE	32.34	NA	NA	NA	411.50		0.0	*
3Q16		7/5/2016	NE	33.37	NA	NA	NA	410.47		0.8	*
4Q16		10/5/2016	NE	28.83	NA	NA	NA	415.01		0.0	*
1Q17		1/17/2017	NE	30.59	NA	NA	NA	413.25		0.0	*
2Q17		4/4/2017	NE	31.52	NA	NA	NA	412.32		0.0	*
3Q17		7/5/2017	NE	27.33	NA	NA	NA	416.51		2.1	*
4Q17		10/3/2017	NE	30.23	NA	NA	NA	413.61		0.0	*
1Q18		1/3/2018	NE	31.43	NA	NA	NA	412.41		0.0	*
P-5U											
2Q15	444.24	4/6/2015	NE	37.23	NA	NA	NA	407.01	313.61 - 311.61 (130.63 - 132.63)	0.1	*
3Q15		7/7/2015	NE	35.71	NA	NA	NA	408.53		0.0	*
4Q15		10/1/2015	NE	35.03	NA	NA	NA	409.21		0.0	*
1Q16		1/4/2016	NE	34.53	NA	NA	NA	409.71		0.0	*
2Q16		4/4/2016	NE	33.78	NA	NA	NA	410.46		0.0	*
3Q16		7/5/2016	NE	32.08	NA	NA	NA	412.16		0.8	*
4Q16		10/5/2016	NE	30.46	NA	NA	NA	413.78		0.1	*
1Q17		1/17/2017	NE	31.81	NA	NA	NA	412.43		0.0	*
2Q17		4/4/2017	NE	32.69	NA	NA	NA	411.55		0.0	*
3Q17		7/5/2017	NE	29.11	NA	NA	NA	415.13		0.0	*
4Q17		10/3/2017	NE	31.40	NA	NA	NA	412.84		0.0	*
1Q18		1/3/2018	NE	32.44	NA	NA	NA	411.80		0.1	*
P-6U											
2Q15	443.45	4/6/2015	NE	36.85	NA	NA	NA	406.60	362.95 - 360.95 (80.50 - 82.50)	0.1	*
3Q15		7/7/2015	NE	35.43	NA	NA	NA	408.02		0.0	*
4Q15		10/1/2015	NE	34.54	NA	NA	NA	408.91		0.0	*
1Q16		1/4/2016	NE	34.19	NA	NA	NA	409.26		0.0	*
2Q16		4/4/2016	NE	33.17	NA	NA	NA	410.28		0.0	*
3Q16		7/5/2016	NE	31.58	NA	NA	NA	411.87		0.1	*
4Q16		10/5/2016	NE	29.93	NA	NA	NA	413.52		0.0	*
1Q17		1/17/2017	NE	31.19	NA	NA	NA	412.26		0.0	*
2Q17		4/4/2017	NE	32.11	NA	NA	NA	411.34		0.0	*
3Q17		7/5/2017	NE	28.50	NA	NA	NA	414.95		0.6	*
4Q17		10/3/2017	NE	31.82	NA	NA	NA	411.63		0.0	*
1Q18		1/4/2018	NE	32.14	NA	NA	NA	411.31		0.0	*
P-7U											
2Q15	443.91	4/6/2015	NE	37.22	NA	NA	NA	406.69	382.83 - 380.83 (61.08 - 63.08)	0.5	*
3Q15		7/6/2015	NE	35.66	NA	NA	NA	408.25		0.1	*
4Q15		10/1/2015	NE	34.86	NA	NA	NA	409.05		0.0	*
1Q16		1/4/2016	NE	34.35	NA	NA	NA	409.56		0.0	*
2Q16		4/4/2016	NE	33.38	NA	NA	NA	410.53		0.0	*
3Q16		7/7/2016	NE	32.86	NA	NA	NA	411.05		0.9	*
4Q16		10/5/2016	NE	29.98	NA	NA	NA	413.93		0.0	*
1Q17		1/17/2017	NE	31.43	NA	NA	NA	412.48		0.0	*
2Q17		4/4/2017	NE	32.37	NA	NA	NA	411.54		0.1	*
3Q17		7/5/2017	NE	28.52	NA	NA	NA	415.39		5.3	*
4Q17		10/3/2017	NE	31.10	NA	NA	NA	412.81		0.0	*
1Q18		1/3/2018	NE	32.38	NA	NA	NA	411.53		0.0	*

TABLE 1
HISTORICAL GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID & EVENT	TOP OF CASING (elev. ¹)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev. ¹)	PRODUCT (elev. ¹)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL ² (elev. ¹)	SCREENED INTERVAL (elev. ¹) (ft btoc)	WELL HEAD PID ³ (ppm)	COMMENTS
P-8U											
2Q15	441.85	4/6/2015	NE	37.06	NA	NA	NA	404.79	382.33 - 380.33 (59.52 - 61.52)	0.1	*
3Q15		7/6/2015	NE	36.24	NA	NA	NA	405.61		0.1	*
4Q15		10/1/2015	NE	34.97	NA	NA	NA	406.88		0.0	*
1Q16		1/4/2016	NE	34.99	NA	NA	NA	406.86		0.1	*
2Q16		4/5/2016	NE	33.41	NA	NA	NA	408.44		0.4	*
3Q16		7/5/2016	NE	33.18	NA	NA	NA	408.67		0.2	*
4Q16		10/4/2016	NE	30.74	NA	NA	NA	411.11		0.0	*
1Q17		1/17/2017	NE	31.42	NA	NA	NA	410.43		0.0	*
2Q17		4/3/2017	NE	31.88	NA	NA	NA	409.97		0.0	*
3Q17		7/6/2017	NE	29.86	NA	NA	NA	411.99		0.0	*
4Q17		10/3/2017	NE	30.85	NA	NA	NA	411.00		1.6	*
1Q18		1/4/2018	NE	32.20	NA	NA	NA	409.65		83.5	*
P-9U											
2Q15	445.04	4/6/2015	NE	41.60	NA	NA	NA	403.44	344.45 - 342.45 (100.59 - 102.59)	0.1	*
3Q15		7/6/2015	NE	40.70	NA	NA	NA	404.34		0.1	*
4Q15		10/1/2015	NE	39.69	NA	NA	NA	405.35		0.0	*
1Q16		1/5/2016	NE	39.77	NA	NA	NA	405.27		0.0	*
2Q16		4/4/2016	NE	37.84	NA	NA	NA	407.20		0.0	*
3Q16		7/5/2016	NE	37.92	NA	NA	NA	407.12		0.2	*
4Q16		10/4/2016	NE	35.83	NA	NA	NA	409.21		0.8	*
1Q17		1/17/2017	NE	35.97	NA	NA	NA	409.07		0.0	*
2Q17		4/3/2017	NE	36.30	NA	NA	NA	408.74		0.0	*
3Q17		7/6/2017	NE	34.22	NA	NA	NA	410.82		0.0	*
4Q17		10/3/2017	NE	35.39	NA	NA	NA	409.65		0.0	*
1Q18		1/4/2018	NE	36.60	NA	NA	NA	408.44		40.5	*
P-11L											
2Q15	442.55	4/6/2015	NE	37.51	NA	NA	NA	405.04	332.34 - 330.34 (110.21 - 112.21)	0.2	*
3Q15		7/7/2015	NE	36.88	NA	NA	NA	405.67		0.0	*
4Q15		10/1/2015	NE	35.54	NA	NA	NA	407.01		0.0	*
1Q16		1/4/2016	NE	35.47	NA	NA	NA	407.08		0.0	*
2Q16		4/5/2016	NE	34.70	NA	NA	NA	407.85		0.6	*
3Q16		7/5/2016	NE	34.03	NA	NA	NA	408.52		0.2	*
4Q16		10/5/2016	NE	31.89	NA	NA	NA	410.66		0.2	*
1Q17		1/17/2017	NE	32.26	NA	NA	NA	410.29		0.0	*
2Q17		4/4/2017	NE	33.01	NA	NA	NA	409.54		0.0	*
3Q17		7/6/2017	NE	31.05	NA	NA	NA	411.50		0.0	*
4Q17		10/3/2017	NE	31.66	NA	NA	NA	410.89		0.0	*
1Q18		1/4/2018	NE	32.83	NA	NA	NA	409.72		0.0	*
P-11U											
2Q15	443.17	4/6/2015	NE	38.13	NA	NA	NA	405.04	343.25 - 341.25 (99.92 - 101.92)	0.2	*
3Q15		7/7/2015	NE	37.51	NA	NA	NA	405.66		0.1	*
4Q15		10/1/2015	NE	36.14	NA	NA	NA	407.03		0.0	*
1Q16		1/4/2016	NE	36.09	NA	NA	NA	407.08		0.0	*
2Q16		4/5/2016	NE	34.88	NA	NA	NA	408.29		1.9	*
3Q16		7/5/2016	NE	34.66	NA	NA	NA	408.51		0.2	*
4Q16		10/5/2016	NE	32.53	NA	NA	NA	410.64		0.2	*
1Q17		1/17/2017	NE	32.90	NA	NA	NA	410.27		0.0	*
2Q17		4/4/2017	NE	33.61	NA	NA	NA	409.56		0.7	*
3Q17		7/6/2017	NE	31.65	NA	NA	NA	411.52		0.0	*
4Q17		10/3/2017	NE	32.27	NA	NA	NA	410.90		0.0	*
1Q18		1/4/2018	NE	33.45	NA	NA	NA	409.72		3.8	*
P-14											
2Q15	442.74	4/6/2015	NE	34.49	NA	NA	NA	408.25	395.41 - 385.41 (47.33 - 57.33)	0.7	*
3Q15		7/6/2015	NE	32.06	NA	NA	NA	410.68		0.2	*
4Q15		10/1/2015	NE	32.24	NA	NA	NA	410.50		0.0	*
1Q16		1/5/2016	NE	31.21	NA	NA	NA	411.53		0.0	*
2Q16		4/4/2016	NE	30.98	NA	NA	NA	411.76		0.0	*
3Q16		7/7/2016	NM	NM	NA	NA	NA	NA		NM	Unsafe condition at well - Unable to access
4Q16		10/5/2016	NE	28.03	NA	NA	NA	414.71		0.0	*
1Q17		1/17/2017	NE	29.55	NA	NA	NA	413.19		0.0	*
2Q17		4/4/2017	NE	30.33	NA	NA	NA	412.41		0.0	*
3Q17		7/5/2017	NE	26.80	NA	NA	NA	415.94		0.0	*
4Q17		10/3/2017	NE	29.00	NA	NA	NA	413.74		0.0	*
1Q18		1/4/2018	NE	30.12	NA	NA	NA	412.62		0.0	*
P-15											
2Q15	443.69	4/6/2015	NE	36.56	NA	NA	NA	407.13	398.24 - 388.24 (45.45 - 55.45)	1.4	*
3Q15		7/6/2015	NE	35.09	NA	NA	NA	408.60		1.8	*
4Q15		10/1/2015	NE	34.29	NA	NA	NA	409.40		0.0	*
1Q16		1/4/2016	NE	34.22	NA	NA	NA	409.47		0.0	*
2Q16		4/5/2016	NE	32.98	NA	NA	NA	410.71		0.0	*
3Q16		7/5/2016	NE	32.77	NA	NA	NA	410.92		0.1	*
4Q16		10/5/2016	NE	30.13	NA	NA	NA	413.56		0.0	*
1Q17		1/17/2017	NE	31.20	NA	NA	NA	412.49		0.0	*
2Q17		4/4/2017	NE	32.12	NA	NA	NA	411.57		0.0	*
3Q17		7/5/2017	NE	28.75	NA	NA	NA	414.94		1.6	*
4Q17		10/3/2017	NE	30.70	NA	NA	NA	412.99		0.0	*
1Q18		1/4/2018	NE	31.93	NA	NA	NA	411.76		0.0	*

TABLE 1
HISTORICAL GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID & EVENT	TOP OF CASING (elev. ¹)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev. ¹)	PRODUCT (elev. ¹)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL ² (elev. ¹)	SCREENED INTERVAL (elev. ¹) (ft btoc)	WELL HEAD PID ³ (ppm)	COMMENTS
P-16											
2Q15	442.68	4/6/2015	NE	35.78	NA	NA	NA	406.90	396.94 - 386.94 (45.74 - 55.74)	0.3	*
3Q15		7/7/2015	NE	33.98	NA	NA	NA	408.70		0.0	*
4Q15		10/1/2015	NE	33.54	NA	NA	NA	409.14		0.0	*
1Q16		1/4/2016	NE	33.11	NA	NA	NA	409.57		1.1	*
2Q16		4/4/2016	NE	31.78	NA	NA	NA	410.90		0.0	*
3Q16		7/5/2016	NE	32.71	NA	NA	NA	409.97		0.2	*
4Q16		10/5/2016	NE	28.75	NA	NA	NA	413.93		0.0	*
1Q17		1/17/2017	NE	30.08	NA	NA	NA	412.60		0.0	*
2Q17		4/4/2017	NE	30.99	NA	NA	NA	411.69		0.0	*
3Q17		7/5/2017	NE	27.40	NA	NA	NA	415.28		4.2	*
4Q17		10/3/2017	NE	29.75	NA	NA	NA	412.93		0.0	*
1Q18		1/4/2018	NE	31.07	NA	NA	NA	411.61		0.0	*
P-43											
2Q15	444.44	4/6/2015	NE	39.01	NA	NA	NA	405.43	380.88 - 370.88 (63.56 - 73.56)	0.3	*
3Q15		7/7/2015	NE	38.03	NA	NA	NA	406.41		0.1	*
4Q15		10/1/2015	NE	37.03	NA	NA	NA	407.41		1.0	*
1Q16		1/4/2016	NE	36.96	NA	NA	NA	407.48		0.0	*
2Q16		4/5/2016	NE	35.73	NA	NA	NA	408.71		0.0	*
3Q16		7/5/2016	NE	35.52	NA	NA	NA	408.92		0.7	*
4Q16		10/5/2016	NE	33.34	NA	NA	NA	411.10		0.2	*
1Q17		1/17/2017	NE	33.71	NA	NA	NA	410.73		0.0	*
2Q17		4/4/2017	NE	34.52	NA	NA	NA	409.92		0.0	*
3Q17		7/6/2017	NE	31.87	NA	NA	NA	412.57		0.0	*
4Q17		10/3/2017	NE	33.15	NA	NA	NA	411.29		0.0	*
1Q18		1/4/2018	NE	34.34	NA	NA	NA	410.10		0.0	*
P-53											
2Q15	446.41	4/2/2015	NE	44.65	NA	NA	NA	401.76	407.91 - 382.91 (38.50 - 63.50)	0.0	
3Q15		7/7/2015	NE	44.16	NA	NA	NA	402.25		0.0	
4Q15		10/1/2015	NE	42.69	NA	NA	NA	403.72		0.1	
1Q16		1/6/2016	NE	42.55	NA	NA	NA	403.86		0.1	
2Q16		4/6/2016	NE	41.41	NA	NA	NA	405.00		0.0	
3Q16		7/5/2016	NE	40.94	NA	NA	NA	405.47		0.0	
4Q16		10/4/2016	NE	40.12	NA	NA	NA	406.29		0.0	
1Q17		1/16/2017	NE	39.63	NA	NA	NA	406.78		5.8	
2Q17		4/3/2017	NE	40.04	NA	NA	NA	406.37		0.0	
3Q17		7/5/2017	NE	38.70	NA	NA	NA	407.71		0.0	
4Q17		10/3/2017	NE	38.92	NA	NA	NA	407.49		0.0	
1Q18		1/2/2018	NE	40.11	NA	NA	NA	406.30		0.5	
P-54											
2Q15	442.32	4/2/2015	NE	43.20	NA	NA	NA	399.12	404.32 - 379.32 (38.00 - 63.00)	0.0	
3Q15		7/6/2015	NE	42.40	NA	NA	NA	399.92		0.0	
4Q15		10/1/2015	NE	40.21	NA	NA	NA	402.11		0.1	
1Q16		1/4/2016	NE	40.60	NA	NA	NA	401.72		1.6	
2Q16		4/4/2016	NE	39.43	NA	NA	NA	402.89		0.0	
3Q16		7/6/2016	NE	38.47	NA	NA	NA	403.85		0.0	
4Q16		10/3/2016	NE	37.96	NA	NA	NA	404.36		0.4	*
1Q17		1/16/2017	NE	37.80	NA	NA	NA	404.52		0.2	*
2Q17		4/3/2017	NE	38.28	NA	NA	NA	404.04		0.0	
3Q17		7/5/2017	NE	36.41	NA	NA	NA	405.91		0.0	*
4Q17		10/2/2017	NE	36.88	NA	NA	NA	405.44		0.0	*
1Q18		1/2/2018	NE	39.02	NA	NA	NA	403.30		0.4	
P-55R											
2Q15	443.79	4/1/2015		44.63	44.76	399.03	399.16	0.13	403.36 - 393.36 (40.43 - 50.43)	51.6	
3Q15		7/9/2015		44.16	44.27	399.52	399.63	0.11		0.3	
4Q15		10/1/2015		42.04	42.05	401.74	401.75	0.01		379	
1Q16		1/4/2016		42.26	42.36	401.43	401.53	0.10		38.4	
2Q16		4/4/2016		40.09	40.15	403.64	403.70	0.06		147.9	*
3Q16		7/5/2016		39.93	40.13	403.66	403.86	0.20		78.0	*
4Q16		10/3/2016		39.28	39.45	404.34	404.51	0.17		393.8	*
1Q17		1/16/2017		38.82	39.30	404.49	404.97	0.48		132.8	*
2Q17		4/3/2017		39.06	39.34	404.45	404.73	0.28		154.7	*
3Q17		7/5/2017		37.88	37.97	405.82	405.91	0.09		162.1	*
4Q17		10/2/2017		37.81	37.98	405.81	405.98	0.17		103.6	*
1Q18		1/2/2018		40.30	40.38	403.41	403.49	0.08		259.9	*
P-56											
2Q15	446.14	4/1/2015	NE	48.02	NA	NA	NA	398.12	405.32 - 380.32 (40.82 - 65.82)	0.0	
3Q15		7/9/2015	NE	47.46	NA	NA	NA	398.68		0.0	
4Q15		10/1/2015	NE	44.89	NA	NA	NA	401.25		0.0	
1Q16		1/4/2016	NE	45.32	NA	NA	NA	400.82		0.0	
2Q16		4/4/2016	NE	44.15	NA	NA	NA	401.99		0.0	
3Q16		7/5/2016	NE	43.03	NA	NA	NA	403.11		0.2	
4Q16		10/3/2016	NE	42.72	NA	NA	NA	403.42		0.0	
1Q17		1/16/2017	NE	42.01	NA	NA	NA	404.13		180.0	
2Q17		4/3/2017	NE	42.43	NA	NA	NA	403.71		0.0	
3Q17		7/5/2017	NE	41.18	NA	NA	NA	404.96		0.2	
4Q17		10/2/2017	NE	41.05	NA	NA	NA	405.09		91.2	
1Q18		1/3/2018	NE	43.51	NA	NA	NA	402.63		208.8	

TABLE 1
HISTORICAL GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID & EVENT	TOP OF CASING (elev. ¹)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev. ¹)	PRODUCT (elev. ¹)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL ² (elev. ¹)	SCREENED INTERVAL (elev. ¹) (ft btoc)	WELL HEAD PID ³ (ppm)	COMMENTS
P-57											
2Q15	446.96	4/1/2015	NE	45.87	NA	NA	NA	401.09	402.77 - 392.77 (44.19 - 54.19)	0.0	
3Q15		7/9/2015	NE	48.22	NA	NA	NA	398.74		0.0	
4Q15		10/1/2015	NE	45.50	NA	NA	NA	401.46		0.1	
1Q16		1/4/2016	NE	45.75	NA	NA	NA	401.21		0.0	
2Q16		4/4/2016	NE	44.80	NA	NA	NA	402.16		0.4	
3Q16		7/5/2016	NE	44.20	NA	NA	NA	402.76		118.5	
4Q16		10/3/2016	NE	43.40	NA	NA	NA	403.56		140.5	*
1Q17		1/16/2017	NE	42.89	NA	NA	NA	404.07		135.3	*
2Q17		4/3/2017	NE	43.21	NA	NA	NA	403.75		140.1	*
3Q17		7/5/2017	NE	41.92	NA	NA	NA	405.04		131.9	*
4Q17		10/2/2017	NE	42.35	NA	NA	NA	404.61		47.2	*
1Q18		1/2/2018	NE	44.59	NA	NA	NA	402.37		190.2	
P-58											
2Q15	444.94	4/1/2015	NE	46.79	NA	NA	NA	398.15	404.73 - 379.73 (40.21 - 65.21)	0.0	
3Q15		7/9/2015	NE	46.01	NA	NA	NA	398.93		0.0	
4Q15		10/1/2015	NE	43.27	NA	NA	NA	401.67		1.3	
1Q16		1/4/2016	NE	43.50	NA	NA	NA	401.44		0.0	
2Q16		4/4/2016	NE	42.75	NA	NA	NA	402.19		0.1	
3Q16		7/5/2016	NE	42.21	NA	NA	NA	402.73		0.1	
4Q16		10/3/2016	NE	41.25	NA	NA	NA	403.69		0.0	
1Q17		1/16/2017	NE	40.78	NA	NA	NA	404.16		135.1	
2Q17		4/3/2017	NE	40.91	NA	NA	NA	404.03		0.0	
3Q17		7/5/2017	NE	39.81	NA	NA	NA	405.13		11.4	*
4Q17		10/2/2017	40.32	40.35	404.59	404.62	0.03	404.61		5.1	
1Q18		1/2/2018	42.53	42.55	402.39	402.41	0.02	402.41		179.6	
P-59											
2Q15	446.86	4/1/2015	NE	48.86	NA	NA	NA	398.00	398.95 - 373.95 (47.91 - 72.91)	0.0	
3Q15		7/9/2015	NE	46.50	NA	NA	NA	400.36		0.0	*Gauging results anomalous
4Q15		10/1/2015	NE	45.81	NA	NA	NA	401.05		349	*
1Q16		1/4/2016	NE	46.43	NA	NA	NA	400.43		135	*
2Q16		4/4/2016	NE	45.22	NA	NA	NA	401.64		249.4	*
3Q16		7/5/2016	NE	43.67	NA	NA	NA	403.19		239.0	*
4Q16		10/3/2016	NE	43.65	NA	NA	NA	403.21		423.6	*
1Q17		1/16/2017	NE	42.83	NA	NA	NA	404.03		220.9	*
2Q17		4/3/2017	NE	43.06	NA	NA	NA	403.80		358.9	*
3Q17		7/5/2017	NE	42.08	NA	NA	NA	404.78		321.7	*
4Q17		10/2/2017	NE	41.57	NA	NA	NA	405.29		189.2	*
1Q18		1/4/2018	NE	44.44	NA	NA	NA	402.42		3119	*
P-60											
2Q15	446.69	4/1/2015	48.04	48.07	398.62	398.65	0.03	398.64	403.24 - 383.24 (43.45 - 63.45)	20.0	
3Q15		7/9/2015	47.61	47.75	398.94	399.08	0.14	399.05		0.0	
4Q15		10/1/2015	45.28	45.35	401.34	401.41	0.07	401.40		362	
1Q16		1/4/2016	45.73	45.79	400.90	400.96	0.06	400.95		7.0	
2Q16		4/4/2016	44.45	44.50	402.19	402.24	0.05	402.23		6.8	
3Q16		7/5/2016	43.13	43.22	403.47	403.56	0.09	403.54		107.9	*
4Q16		10/3/2016	43.00	43.05	403.64	403.69	0.05	403.68		144.8	*
1Q17		1/16/2017	42.25	42.31	404.38	404.44	0.06	404.43		59.7	*
2Q17		4/3/2017	42.49	42.52	404.17	404.20	0.03	404.19		43.2	*
3Q17		7/5/2017	41.49	41.51	405.18	405.20	0.02	405.20		15.0	*
4Q17		10/2/2017	41.12	41.15	405.54	405.57	0.03	405.56		34.9	*
1Q18		1/2/2018	43.54	43.56	403.13	403.15	0.02	403.15		117.9	
P-60-11											
2Q15	446.26	4/1/2015	NE	46.22	NA	NA	NA	400.04	413.11 - 383.11 (33.15 - 63.15)	0.0	
3Q15		7/8/2015	NE	46.16	NA	NA	NA	400.10		0.7	
4Q15		10/1/2015	NE	44.01	NA	NA	NA	402.25		0.0	
1Q16		1/4/2016	NE	44.51	NA	NA	NA	401.75		0.4	
2Q16		4/4/2016	NE	43.08	NA	NA	NA	403.18		0.0	
3Q16		7/5/2016	NE	42.21	NA	NA	NA	404.05		1.4	
4Q16		10/3/2016	NE	41.90	NA	NA	NA	404.36		27.9	
1Q17		1/16/2017	NE	41.22	NA	NA	NA	405.04		0.0	
2Q17		4/3/2017	NE	41.62	NA	NA	NA	404.64		0.0	
3Q17		7/5/2017	NE	41.75	NA	NA	NA	404.51		0.5	
4Q17		10/2/2017	NE	40.30	NA	NA	NA	405.96		0.0	
1Q18		1/2/2018	NE	42.22	NA	NA	NA	404.04		0.7	
P-60-12											
2Q15	443.43	4/1/2015	NE	44.83	NA	NA	NA	398.60	383.43 - 373.43 (60.00 - 70.00)	86.9	*
3Q15		7/9/2015	NE	45.42	NA	NA	NA	398.01		0.0	*
4Q15		10/1/2015	NE	42.10	NA	NA	NA	401.33		0.0	*
1Q16		1/4/2016	NE	42.58	NA	NA	NA	400.85		0.3	*
2Q16		4/4/2016	NE	41.31	NA	NA	NA	402.12		9.9	*
3Q16		7/5/2016	NE	39.94	NA	NA	NA	403.49		36.2	*
4Q16		10/3/2016	NE	39.77	NA	NA	NA	403.66		11.3	*
1Q17		1/16/2017	NE	39.00	NA	NA	NA	404.43		23.4	*
2Q17		4/3/2017	NE	39.21	NA	NA	NA	404.22		23.5	*
3Q17		7/5/2017	NE	38.26	NA	NA	NA	405.17		2.1	*
4Q17		10/2/2017	NE	37.80	NA	NA	NA	405.63		10.6	*
1Q18		1/2/2018	NE	40.40	NA	NA	NA	403.03		26.6	*

TABLE 1
HISTORICAL GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID & EVENT	TOP OF CASING (elev. ¹)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev. ¹)	PRODUCT (elev. ¹)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL ² (elev. ¹)	SCREENED INTERVAL (elev. ¹) (ft btoc)	WELL HEAD PID ³ (ppm)	COMMENTS
P-60-13											
2Q15	442.92	4/1/2015	NE	41.22	NA	NA	NA	401.70	402.92 - 382.92 (40.00 - 60.00)	0.0	
3Q15		7/9/2015	NE	41.20	NA	NA	NA	401.72		0.0	
4Q15		10/1/2015	NE	40.19	NA	NA	NA	402.73		8.5	
1Q16		1/4/2016	NE	40.65	NA	NA	NA	402.27		2.7	
2Q16		4/4/2016	NE	39.72	NA	NA	NA	403.20		0.2	*
3Q16		7/5/2016	NE	39.06	NA	NA	NA	403.86		0.2	*
4Q16		10/3/2016	NE	38.78	NA	NA	NA	404.14		0.0	*
1Q17		1/16/2017	NE	38.18	NA	NA	NA	404.74		101.8	*
2Q17		4/3/2017	NE	38.62	NA	NA	NA	404.30		0.0	*
3Q17		7/5/2017	NE	37.70	NA	NA	NA	405.22		0.0	*
4Q17		10/2/2017	NE	37.31	NA	NA	NA	405.61		0.0	*
1Q18		1/2/2018	NE	39.04	NA	NA	NA	403.88		48.3	*
P-60-S											
2Q15	446.84	4/1/2015	46.62	47.07	399.77	400.22	0.45	400.13	410.36 - 395.36 (36.48 - 51.48)	0.1	
3Q15		7/9/2015	46.84	46.90	399.94	400.00	0.06	399.99		0.0	
4Q15		10/1/2015	NE	44.76	NA	NA	NA	402.08		0.0	
1Q16		1/4/2016	NE	45.25	NA	NA	NA	401.59		0.1	
2Q16		4/4/2016	NE	43.78	NA	NA	NA	403.06		0.0	
3Q16		7/5/2016	NE	42.84	NA	NA	NA	404.00		0.1	
4Q16		10/3/2016	NE	42.82	NA	NA	NA	404.02		0.3	
1Q17		1/16/2017	NE	41.91	NA	NA	NA	404.93		38.7	
2Q17		4/3/2017	NE	42.50	NA	NA	NA	404.34		0.0	
3Q17		7/5/2017	NE	41.47	NA	NA	NA	405.37		0.1	
4Q17		10/2/2017	NE	41.07	NA	NA	NA	405.77		0.7	
1Q18		1/2/2018	NE	42.82	NA	NA	NA	404.02		1.5	
P-61											
2Q15	444.47	4/1/2015	46.06	48.03	396.44	398.41	1.97	398.02	398.80 - 373.80 (45.68 - 70.68)	0.0	
3Q15		7/9/2015	45.99	47.05	397.42	398.48	1.06	398.27		0.1	
4Q15		10/1/2015	43.27	43.93	400.54	401.20	0.66	401.07		20.7	*
1Q16		1/5/2016	43.91	43.95	400.52	400.56	0.04	400.55		1.3	*
2Q16		4/4/2016	42.77	42.82	401.65	401.70	0.05	401.69		40.4	*
3Q16		7/6/2016	NE	41.63	NA	NA	NA	402.84		27.3	*
4Q16		10/4/2016	NE	41.11	NA	NA	NA	403.36		17.7	*
1Q17		1/16/2017	NE	40.19	NA	NA	NA	404.28		113.1	*
2Q17		4/3/2017	40.50	40.61	403.86	403.97	0.11	403.95		8.2	*
3Q17		7/6/2017	39.60	39.71	404.76	404.87	0.11	404.85		935.1	*
4Q17		10/2/2017	39.43	39.61	404.86	405.04	0.18	405.00		20.1	*
1Q18		1/2/2018	41.78	41.84	402.63	402.69	0.06	402.68		312.6	*
P-62											
2Q15	442.43	4/1/2015	43.65	45.18	397.25	398.78	1.53	398.47	400.96 - 375.96 (41.47 - 66.47)	0.0	
3Q15		7/8/2015	43.49	44.42	398.01	398.94	0.93	398.75		0.3	
4Q15		10/2/2015	41.17	42.06	400.37	401.26	0.89	401.08		0.2	*
1Q16		1/5/2016	41.40	42.20	400.23	401.03	0.80	400.87		0.0	
2Q16		4/6/2016	NM	NM	NA	NA	NA	NA		NM	Unsafe condition at well - Unable to access
3Q16		7/6/2016	39.34	40.09	402.34	403.09	0.75	402.94		0.1	*
4Q16		10/4/2016	38.63	38.70	403.73	403.80	0.07	403.79		268.2	*
1Q17		1/16/2017	NE	37.81	NA	NA	NA	404.62		118.6	*
2Q17		4/3/2017	38.04	38.13	404.30	404.39	0.09	404.37		187.9	*
3Q17		7/5/2017	37.28	37.33	405.10	405.15	0.05	405.14		32.0	*
4Q17		10/3/2017	37.49	37.52	404.91	404.94	0.03	404.93		200.7	*
1Q18		1/3/2018	39.05	39.09	403.34	403.38	0.04	403.37		344.7	*
P-63											
2Q15	445.85	4/1/2015	47.30	47.70	398.15	398.55	0.40	398.47	398.56 - 373.56 (47.29 - 72.29)	12.8	
3Q15		7/7/2015	47.18	47.54	398.31	398.67	0.36	398.60		13.8	*
4Q15		10/2/2015	45.26	45.31	400.54	400.59	0.05	400.58		52.8	*
1Q16		1/5/2016	45.06	45.09	400.76	400.79	0.03	400.78		261.3	*
2Q16		4/4/2016	43.83	43.86	401.99	402.02	0.03	402.01		12.1	*
3Q16		7/6/2016	NE	43.46	NA	NA	NA	402.39		5.3	*
4Q16		10/4/2016	42.14	42.17	403.68	403.71	0.03	403.70		6.0	*
1Q17		1/17/2017	41.58	41.62	404.23	404.27	0.04	404.26		52.7	*
2Q17		4/3/2017	41.66	41.69	404.16	404.19	0.03	404.18		105.7	*
3Q17		7/6/2017	40.97	41.01	404.84	404.88	0.04	404.87		207.5	*
4Q17		10/3/2017	41.32	41.35	404.50	404.53	0.03	404.52		113.3	*
1Q18		1/3/2018	42.27	42.29	403.56	403.58	0.02	403.58		33.8	*
P-64											
2Q15	446.89	4/1/2015	48.44	49.20	397.69	398.45	0.76	398.30	399.66 - 374.66 (47.23 - 72.23)	79.7	
3Q15		7/7/2015	48.38	48.62	398.27	398.51	0.24	398.46		171.4	
4Q15		10/2/2015	46.50	46.85	400.04	400.39	0.35	400.32		59.2	*
1Q16		1/5/2016	46.39	46.43	400.46	400.50	0.04	400.49		204.5	*
2Q16		4/4/2016	44.96	45.00	401.89	401.93	0.04	401.92		55.5	*
3Q16		7/6/2016	44.78	44.86	402.03	402.11	0.08	402.09		13.4	*
4Q16		10/4/2016	43.21	43.29	403.60	403.68	0.08	403.66		16.0	*
1Q17		1/17/2017	NE	42.64	NA	NA	NA	404.25		398.5	*
2Q17		4/4/2017	43.10	43.18	403.71	403.79	0.08	403.77		71.8	*
3Q17		7/6/2017	42.09	42.16	404.73	404.80	0.07	404.79		331.6	*
4Q17		10/3/2017	NE	42.60	NA	NA	NA	404.29		214.7	*
1Q18		1/3/2018	43.20	43.23	403.66	403.69	0.03	403.68		278.0	*

TABLE 1
HISTORICAL GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID & EVENT	TOP OF CASING (elev. ¹)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev. ¹)	PRODUCT (elev. ¹)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL ² (elev. ¹)	SCREENED INTERVAL (elev. ¹) (ft btoc)	WELL HEAD PID ³ (ppm)	COMMENTS
P-65											
2Q15	444.60	4/3/2015	NE	46.27	NA	NA	NA	398.33	397.58 - 372.58 (47.02 - 72.02)	7.6	*
3Q15		7/7/2015	NE	46.08	NA	NA	NA	398.52		2.9	*
4Q15		10/1/2015	43.83	43.84	400.76	400.77	0.01	400.77		35.8	*
1Q16		1/5/2016	NE	43.78	NA	NA	NA	400.82		4.0	*
2Q16		4/4/2016	NE	42.26	NA	NA	NA	402.34		0.3	*
3Q16		7/7/2016	NE	42.05	NA	NA	NA	402.55		NM	*
4Q16		10/4/2016	40.75	40.78	403.82	403.85	0.03	403.84		17.1	*
1Q17		1/16/2017	NE	40.08	NA	NA	NA	404.52		7.6	*
2Q17		4/3/2017	NE	40.08	NA	NA	NA	404.52		70.7	*
3Q17		7/6/2017	NE	39.89	NA	NA	NA	404.71		65.6	*
4Q17		10/3/2017	NE	40.14	NA	NA	NA	404.46		83.2	*
1Q18		1/3/2018	NE	41.10	NA	NA	NA	403.50		5.0	*
P-66											
2Q15	436.81	4/3/2015	NE	38.26	NA	NA	NA	398.55	402.09 - 377.09 (34.72 - 59.72)	0.0	
3Q15		7/7/2015	NE	37.34	NA	NA	NA	399.47		0.2	
4Q15		10/2/2015	NE	34.83	NA	NA	NA	401.98		425	
1Q16		1/6/2016	NE	34.68	NA	NA	NA	402.13		320.9	*
2Q16		4/5/2016	NE	34.34	NA	NA	NA	402.47		10.3	*
3Q16		7/8/2016	NE	33.74	NA	NA	NA	403.07		76.2	*
4Q16		10/4/2016	NE	32.67	NA	NA	NA	404.14		68.1	*
1Q17		1/17/2017	NE	32.41	NA	NA	NA	404.40		88.1	*
2Q17		4/4/2017	NE	32.55	NA	NA	NA	404.26		112.3	*
3Q17		7/6/2017	NE	31.32	NA	NA	NA	405.49		29.9	*
4Q17		10/2/2017	NE	31.96	NA	NA	NA	404.85		869.9	*
1Q18		1/4/2018	NE	34.06	NA	NA	NA	402.75		68.7	*
P-67											
2Q15	444.10	4/3/2015	NE	44.16	NA	NA	NA	399.94	402.12 - 377.12 (41.98 - 66.98)	0.1	
3Q15		7/7/2015	NE	43.27	NA	NA	NA	400.83		0.0	
4Q15		10/2/2015	NE	41.09	NA	NA	NA	403.01		30.1	*
1Q16		1/5/2016	NE	41.06	NA	NA	NA	403.04		0.4	*
2Q16		4/5/2016	NE	40.41	NA	NA	NA	403.69		42.1	*
3Q16		7/8/2016	NE	39.83	NA	NA	NA	404.27		9.9	*
4Q16		10/4/2016	NE	38.63	NA	NA	NA	405.47		13.1	*
1Q17		1/17/2017	NE	38.50	NA	NA	NA	405.60		35.6	*
2Q17		4/4/2017	NE	38.85	NA	NA	NA	405.25		4.3	*
3Q17		7/6/2017	NE	37.52	NA	NA	NA	406.58		4.9	*
4Q17		10/2/2017	NE	38.10	NA	NA	NA	406.00		365.7	*
1Q18		1/4/2018	39.98	39.99	404.11	404.12	0.01	404.12		36.7	*
P-68											
2Q15	445.18	4/1/2015	46.52	46.63	398.55	398.66	0.11	398.64	399.92 - 374.92 (45.26 - 70.26)	206.4	
3Q15		7/9/2015	46.33	46.41	398.77	398.85	0.08	398.83		6.9	
4Q15		10/1/2015	43.89	43.96	401.22	401.29	0.07	401.28		246	*
1Q16		1/5/2016	44.35	44.40	400.78	400.83	0.05	400.82		70.0	*
2Q16		4/4/2016	43.15	43.23	401.95	402.03	0.08	402.01		196.7	*
3Q16		7/5/2016	40.80	41.86	403.32	404.38	1.06	404.17		196.9	*
4Q16		10/4/2016	42.52	42.59	402.59	402.66	0.07	402.65		182.6	*
1Q17		1/16/2017	40.70	40.71	404.47	404.48	0.01	404.48		100.9	*
2Q17		4/3/2017	41.02	41.07	404.11	404.16	0.05	404.15		77.8	*
3Q17		7/5/2017	40.10	40.12	405.06	405.08	0.02	405.08		180.8	*
4Q17		10/2/2017	39.54	39.56	405.62	405.64	0.02	405.64		125.0	*
1Q18		1/3/2018	42.05	42.07	403.11	403.13	0.02	403.13		137.4	*
P-69											
2Q15	443.40	4/3/2015	NE	45.51	NA	NA	NA	397.89	402.58 - 377.58 (40.82 - 65.82)	0.0	
3Q15		7/9/2015	NE	45.08	NA	NA	NA	398.32		0.1	
4Q15		10/1/2015	NE	42.51	NA	NA	NA	400.89		2.2	
1Q16		1/6/2016	NM	NM	NA	NA	NA	NA		NM	Unsafe condition at well - Unable to access
2Q16		4/4/2016	NE	41.84	NA	NA	NA	401.56		0.8	
3Q16		7/6/2016	NE	40.31	NA	NA	NA	403.09		237.9	*
4Q16		10/4/2016	NE	40.22	NA	NA	NA	403.18		121.7	*
1Q17		1/16/2017	NE	39.31	NA	NA	NA	404.09		337.3	*
2Q17		4/3/2017	NE	39.55	NA	NA	NA	403.85		66.6	*
3Q17		7/5/2017	NE	38.76	NA	NA	NA	404.64		142.0	*
4Q17		10/2/2017	NE	38.04	NA	NA	NA	405.36		210.1	*
1Q18		1/3/2018	NE	40.76	NA	NA	NA	402.64		119.9	*
P-70											
2Q15	442.95	4/1/2015	44.42	45.77	397.18	398.53	1.35	398.26	398.28 - 373.28 (44.67 - 69.67)	180.4	
3Q15		7/7/2015	44.34	44.95	398.00	398.61	0.61	398.49		270.4	*
4Q15		10/1/2015	41.70	42.35	400.60	401.25	0.65	401.12		315.2	*
1Q16		1/5/2016	42.22	42.47	400.48	400.73	0.25	400.68		170.0	*
2Q16		4/4/2016	41.07	41.11	401.84	401.88	0.04	401.87		212.8	*
3Q16		7/6/2016	NE	39.92	NA	NA	NA	403.03		388.8	*
4Q16		10/4/2016	39.40	39.45	403.50	403.55	0.05	403.54		345.3	*
1Q17		1/16/2017	38.52	38.57	404.38	404.43	0.05	404.42		289.1	*
2Q17		4/3/2017	38.81	38.84	404.11	404.14	0.03	404.13		131.7	*
3Q17		7/6/2017	38.00	38.03	404.92	404.95	0.03	404.94		2525	*
4Q17		10/2/2017	37.73	37.76	405.19	405.22	0.03	405.21		186.5	*
1Q18		1/2/2018	40.03	40.06	402.89	402.92	0.03	402.91		282.1	*

TABLE 1
HISTORICAL GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID & EVENT	TOP OF CASING (elev. ¹)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev. ¹)	PRODUCT (elev. ¹)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL ² (elev. ¹)	SCREENED INTERVAL (elev. ¹) (ft btoc)	WELL HEAD PID ³ (ppm)	COMMENTS	
P-71												
2Q15	444.94	4/1/2015	NE	45.83	NA	NA	NA	399.11	402.33 - 377.33 (42.61 - 67.61)	0.4	Gauging result anomalous	
3Q15		7/7/2015	NE	45.02	NA	NA	NA	399.92		0.0		
4Q15		10/1/2015	NE	43.59	NA	NA	NA	401.35		2.5		
1Q16		1/6/2016	NE	43.06	NA	NA	NA	401.88		68.2		
2Q16		4/4/2016	NE	42.27	NA	NA	NA	402.67		19.4	*	
3Q16		7/7/2016	NE	41.75	NA	NA	NA	403.19		74.9	*	
4Q16		10/4/2016	NE	40.76	NA	NA	NA	404.18		78.0	*	
1Q17		1/16/2017	NE	40.05	NA	NA	NA	404.89		0.0	*	
2Q17		4/3/2017	NE	40.43	NA	NA	NA	404.51		32.3	*	
3Q17		7/6/2017	NE	39.66	NA	NA	NA	405.28		555.1	*	
4Q17		10/3/2017	NE	40.01	NA	NA	NA	404.93		82.3	*	
1Q18		1/3/2018	NE	41.42	NA	NA	NA	403.52		6.0	*	
P-72												
2Q15	444.49	4/1/2015	NE	45.72	NA	NA	NA	398.77	398.72 - 373.72 (45.77 - 70.77)	12.8	*	
3Q15		7/7/2015	NE	45.56	NA	NA	NA	398.93		1.6	*	
4Q15		10/1/2015	43.11	43.12	401.37	401.38	0.01	401.38		3.8	*	
1Q16		1/6/2016	NE	42.67	NA	NA	NA	401.82		16.5	*	
2Q16		4/4/2016	NE	41.82	NA	NA	NA	402.67		1.8	*	
3Q16		7/6/2016	NE	41.55	NA	NA	NA	402.94		0.4	*	
4Q16		10/4/2016	NE	40.53	NA	NA	NA	403.96		0.6	*	
1Q17		1/16/2017	NE	39.55	NA	NA	NA	404.94		14.4	*	
2Q17		4/3/2017	NE	39.66	NA	NA	NA	404.83		11.3	*	
3Q17		7/6/2017	NE	39.27	NA	NA	NA	405.22		32.9	*	
4Q17		10/3/2017	NE	39.69	NA	NA	NA	404.80		6.9	*	
1Q18		1/3/2018	NE	40.84	NA	NA	NA	403.65		40.0	*	
P-73												
2Q15	443.86	4/3/2015	NE	46.59	NA	NA	NA	397.27	402.27 - 377.27 (41.59 - 66.59)	0.0		
3Q15		7/9/2015	NE	46.16	NA	NA	NA	397.70		0.1		
4Q15		10/1/2015	NE	43.05	NA	NA	NA	400.81		0.4		
1Q16		1/6/2016	NE	42.55	NA	NA	NA	401.31		0.0		
2Q16		4/4/2016	NE	42.44	NA	NA	NA	401.42		0.0		
3Q16		7/7/2016	NE	41.83	NA	NA	NA	402.03		NM		
4Q16		10/4/2016	NE	40.81	NA	NA	NA	403.05		20.0	*	
1Q17		1/16/2017	NE	40.00	NA	NA	NA	403.86		111.5	*	
2Q17		4/3/2017	NE	39.55	NA	NA	NA	404.31		81.4	*	
3Q17		7/6/2017	NE	39.59	NA	NA	NA	404.27		848.2	*	
4Q17		10/3/2017	NE	40.25	NA	NA	NA	403.61		127.0	*	
1Q18		1/3/2018	NE	41.93	NA	NA	NA	401.93		67.8		
P-74												
2Q15	442.72	4/3/2015	NE	44.85	NA	NA	NA	397.87	398.29 - 373.29 (44.43 - 69.43)	0.0		
3Q15		7/9/2015	NE	48.03	NA	NA	NA	394.69		0.1	Gauging result anomalous	
4Q15		10/1/2015	NE	41.79	NA	NA	NA	400.93		0.0	*	
1Q16		1/6/2016	NE	40.80	NA	NA	NA	401.92		0.4	*	
2Q16		4/4/2016	NE	41.16	NA	NA	NA	401.56		0.3	*	
3Q16		7/6/2016	NE	39.63	NA	NA	NA	403.09		0.0	*	
4Q16		10/4/2016	NE	39.51	NA	NA	NA	403.21		9.7	*	
1Q17		1/16/2017	NE	38.64	NA	NA	NA	404.08		0.0	*	
2Q17		4/3/2017	NE	38.88	NA	NA	NA	403.84		0.0	*	
3Q17		7/5/2017	NE	38.04	NA	NA	NA	404.68		0.0	*	
4Q17		10/2/2017	NE	37.43	NA	NA	NA	405.29		0.0	*	
1Q18		1/3/2018	NE	40.21	NA	NA	NA	402.51		1.6	*	
P-75												
2Q15	446.42	4/3/2015		48.23	48.25	398.17	398.19	0.02	403.29 - 378.29 (43.13 - 68.13)	0.0		
3Q15		7/7/2015	NE		47.44	NA	NA	NA		398.98	0.0	
4Q15		10/2/2015	NE		44.74	NA	NA	NA		401.68	0.0	
1Q16		1/5/2016	NE		44.70	NA	NA	NA		401.72	1.0	
2Q16		4/5/2016	NE		44.33	NA	NA	NA		402.09	0.2	
3Q16		7/8/2016	NE		43.81	NA	NA	NA		402.61	0.0	
4Q16		10/4/2016	NE		42.64	NA	NA	NA		403.78	9.9	*
1Q17		1/17/2017	NE		42.25	NA	NA	NA		404.17	33.6	*
2Q17		4/4/2017	NE		42.19	NA	NA	NA		404.23	30.9	*
3Q17		7/6/2017	NE		42.45	NA	NA	NA		403.97	12.4	*
4Q17		10/2/2017	NE		41.90	NA	NA	NA		404.52	57.8	*
1Q18		1/4/2018	NE		44.01	NA	NA	NA		402.41	3.0	
P-82A												
2Q15	435.02	4/3/2015	NE	30.99	NA	NA	NA	404.03	401.81 - 386.81 (33.21 - 48.21)	0.0	*	
3Q15		7/6/2015	NE	29.31	NA	NA	NA	405.71		0.3	*	
4Q15		10/2/2015	NE	28.65	NA	NA	NA	406.37		0.2	*	
1Q16		1/5/2016	NE	27.72	NA	NA	NA	407.30		0.0	*	
2Q16		4/5/2016	NE	27.66	NA	NA	NA	407.36		0.0	*	
3Q16		7/7/2016	NE	26.72	NA	NA	NA	408.30		0.0	*	
4Q16		10/5/2016	NE	25.73	NA	NA	NA	409.29		0.0	*	
1Q17		1/16/2017	NE	26.17	NA	NA	NA	408.85		0.0	*	
2Q17		4/4/2017	NE	26.88	NA	NA	NA	408.14		0.0	*	
3Q17		7/6/2017	NE	24.70	NA	NA	NA	410.32		0.0	*	
4Q17		10/3/2017	NE	25.97	NA	NA	NA	409.05		0.0	*	
1Q18		1/3/2018	NE	27.54	NA	NA	NA	407.48		0.0	*	

TABLE 1
HISTORICAL GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID & EVENT	TOP OF CASING (elev. ¹)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev. ¹)	PRODUCT (elev. ¹)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL ² (elev. ¹)	SCREENED INTERVAL (elev. ¹) (ft btoc)	WELL HEAD PID ³ (ppm)	COMMENTS
P-82B											
2Q15	434.48	4/3/2015	NE	30.73	NA	NA	NA	403.75	370.88 - 368.88 (63.60 - 65.60)	0.0	*
3Q15		7/6/2015	NE	29.60	NA	NA	NA	404.88		0.2	*
4Q15		10/2/2015	NE	28.40	NA	NA	NA	406.08		0.3	*
1Q16		1/5/2016	NE	27.41	NA	NA	NA	407.07		0.0	*
2Q16		4/5/2016	NE	27.39	NA	NA	NA	407.09		0.2	*
3Q16		7/7/2016	NE	26.49	NA	NA	NA	407.99		0.0	*
4Q16		10/5/2016	NE	25.46	NA	NA	NA	409.02		0.0	*
1Q17		1/16/2017	NE	25.88	NA	NA	NA	408.60		0.0	*
2Q17		4/4/2017	NE	26.61	NA	NA	NA	407.87		0.0	*
3Q17		7/6/2017	NE	24.42	NA	NA	NA	410.06		0.0	*
4Q17		10/3/2017	NE	25.70	NA	NA	NA	408.78		0.0	*
1Q18		1/3/2018	NE	27.26	NA	NA	NA	407.22		0.0	*
P-82C											
2Q15	434.21	4/3/2015	NE	30.44	NA	NA	NA	403.77	351.44 - 349.44 (82.77 - 84.77)	0.4	*
3Q15		7/6/2015	NE	29.32	NA	NA	NA	404.89		0.2	*
4Q15		10/2/2015	NE	27.93	NA	NA	NA	406.28		0.1	*
1Q16		1/5/2016	NE	27.42	NA	NA	NA	406.79		0.0	*
2Q16		4/5/2016	NE	27.47	NA	NA	NA	406.74		0.0	*
3Q16		7/7/2016	NE	26.26	NA	NA	NA	407.95		0.0	*
4Q16		10/5/2016	NE	25.20	NA	NA	NA	409.01		0.0	*
1Q17		1/16/2017	NE	25.60	NA	NA	NA	408.61		0.0	*
2Q17		4/4/2017	NE	26.30	NA	NA	NA	407.91		0.0	*
3Q17		7/6/2017	NE	24.12	NA	NA	NA	410.09		0.0	*
4Q17		10/3/2017	NE	25.41	NA	NA	NA	408.80		0.0	*
1Q18		1/3/2018	NE	26.98	NA	NA	NA	407.23		0.0	*
P-82D											
2Q15	434.89	4/3/2015	NE	31.24	NA	NA	NA	403.65	323.47 - 321.47 (111.42 - 113.42)	0.4	*
3Q15		7/6/2015	NE	30.02	NA	NA	NA	404.87		0.2	*
4Q15		10/2/2015	NE	28.69	NA	NA	NA	406.20		0.3	*
1Q16		1/5/2016	NE	28.14	NA	NA	NA	406.75		0.0	*
2Q16		4/5/2016	NE	27.72	NA	NA	NA	407.17		0.0	*
3Q16		7/7/2016	NE	26.98	NA	NA	NA	407.91		0.0	*
4Q16		10/5/2016	NE	25.95	NA	NA	NA	408.94		0.0	*
1Q17		1/16/2017	NE	26.40	NA	NA	NA	408.49		0.0	*
2Q17		4/4/2017	NE	27.09	NA	NA	NA	407.80		0.0	*
3Q17		7/6/2017	NE	24.90	NA	NA	NA	409.99		0.0	*
4Q17		10/3/2017	NE	26.20	NA	NA	NA	408.69		0.0	*
1Q18		1/3/2018	NE	27.78	NA	NA	NA	407.11		0.0	*
P-83A											
2Q15	445.36	4/6/2015	NE	45.02	NA	NA	NA	400.34	398.71 - 383.71 (46.65 - 61.65)	0.1	*
3Q15		7/6/2015	NE	44.22	NA	NA	NA	401.14		0.7	*
4Q15		10/1/2015	NE	43.33	NA	NA	NA	402.03		0.1	*
1Q16		1/5/2016	NE	42.50	NA	NA	NA	402.86		0.1	*
2Q16		4/4/2016	NE	41.74	NA	NA	NA	403.62		0.0	*
3Q16		7/7/2016	NE	41.34	NA	NA	NA	404.02		1.3	*
4Q16		10/3/2016	NE	39.79	NA	NA	NA	405.57		0.0	*
1Q17		1/16/2017	NE	39.25	NA	NA	NA	406.11		0.0	*
2Q17		4/3/2017	NE	39.56	NA	NA	NA	405.80		0.0	*
3Q17		7/6/2017	NE	38.15	NA	NA	NA	407.21		0.0	*
4Q17		10/3/2017	NE	38.88	NA	NA	NA	406.48		0.0	*
1Q18		1/3/2018	NE	39.76	NA	NA	NA	405.60		0.0	*
P-83B											
2Q15	445.55	4/6/2015	NE	45.43	NA	NA	NA	400.12	375.90 - 373.90 (69.65 - 71.65)	0.1	*
3Q15		7/6/2015	NE	44.48	NA	NA	NA	401.07		2.7	*
4Q15		10/1/2015	NE	43.58	NA	NA	NA	401.97		0.0	*
1Q16		1/5/2016	NE	42.81	NA	NA	NA	402.74		0.0	*
2Q16		4/4/2016	NE	42.03	NA	NA	NA	403.52		0.0	*
3Q16		7/7/2016	NE	41.76	NA	NA	NA	403.79		0.0	*
4Q16		10/3/2016	NE	40.23	NA	NA	NA	405.32		1.4	*
1Q17		1/16/2017	NE	39.48	NA	NA	NA	406.07		0.4	*
2Q17		4/3/2017	NE	39.83	NA	NA	NA	405.72		11.00	*
3Q17		7/6/2017	NE	38.71	NA	NA	NA	406.84		0.0	*
4Q17		10/3/2017	NE	39.13	NA	NA	NA	406.42		0.0	*
1Q18		1/3/2018	NE	40.01	NA	NA	NA	405.54		0.6	*
P-83C											
2Q15	445.78	4/6/2015	NE	45.42	NA	NA	NA	400.36	353.39 - 351.39 (92.39 - 94.39)	0.1	*
3Q15		7/6/2015	NE	44.93	NA	NA	NA	400.85		0.6	*
4Q15		10/1/2015	NE	43.70	NA	NA	NA	402.08		0.5	*
1Q16		1/5/2016	NE	42.93	NA	NA	NA	402.85		0.1	*
2Q16		4/4/2016	NE	42.50	NA	NA	NA	403.28		0.2	*
3Q16		7/7/2016	NE	47.76	NA	NA	NA	398.02		0.0	*
4Q16		10/3/2016	NE	40.19	NA	NA	NA	405.59		0.0	*
1Q17		1/16/2017	NE	39.63	NA	NA	NA	406.15		0.6	*
2Q17		4/3/2017	NE	39.96	NA	NA	NA	405.82		1.4	*
3Q17		7/6/2017	NE	38.56	NA	NA	NA	407.22		0.0	*
4Q17		10/3/2017	NE	39.27	NA	NA	NA	406.51		0.0	*
1Q18		1/3/2018	NE	40.16	NA	NA	NA	405.62		0.0	*

TABLE 1
HISTORICAL GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID & EVENT	TOP OF CASING (elev. ¹)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev. ¹)	PRODUCT (elev. ¹)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL ² (elev. ¹)	SCREENED INTERVAL (elev. ¹) (ft btoc)	WELL HEAD PID ³ (ppm)	COMMENTS		
P-83D													
2Q15	445.70	4/6/2015	NE	45.38	NA	NA	NA	400.32	311.99 - 309.99 (133.71 - 135.71)	0.1	*		
3Q15		7/6/2015	NE	44.88	NA	NA	NA	400.82		4.0	*		
4Q15		10/1/2015	NE	43.66	NA	NA	NA	402.04		0.1	*		
1Q16		1/5/2016	NE	42.91	NA	NA	NA	402.79		0.0	*		
2Q16		4/4/2016	NE	42.43	NA	NA	NA	403.27		0.0	*		
3Q16		7/7/2016	NE	41.72	NA	NA	NA	403.98		0.0	*		
4Q16		10/3/2016	NE	40.15	NA	NA	NA	405.55		0.0	*		
1Q17		1/16/2017	NE	39.59	NA	NA	NA	406.11		1.2	*		
2Q17		4/3/2017	NE	39.94	NA	NA	NA	405.76		0.0	*		
3Q17		7/6/2017	NE	38.51	NA	NA	NA	407.19		0.0	*		
4Q17		10/3/2017	NE	39.25	NA	NA	NA	406.45		0.0	*		
1Q18		1/3/2018	NE	40.11	NA	NA	NA	405.59		0.0	*		
P-84A													
2Q15	446.49	4/6/2015	NE	45.65	NA	NA	NA	400.84	397.99 - 382.99 (48.50 - 63.50)	0.2	*		
3Q15		7/7/2015	NE	45.11	NA	NA	NA	401.38		0.0	*		
4Q15		10/1/2015	NE	43.91	NA	NA	NA	402.58		0.0	*		
1Q16		1/5/2016	NE	43.45	NA	NA	NA	403.04		0.0	*		
2Q16		4/5/2016	NE	42.37	NA	NA	NA	404.12		0.0	*		
3Q16		7/6/2016	NE	41.86	NA	NA	NA	404.63		0.0	*		
4Q16		10/5/2016	NE	40.91	NA	NA	NA	405.58		0.6	*		
1Q17		1/17/2017	NE	40.34	NA	NA	NA	406.15		0.0	*		
2Q17		4/4/2017	NE	40.80	NA	NA	NA	405.69		0.0	*		
3Q17		7/5/2017	NM	NM	NA	NA	NA	NA		NM	Inaccess ble due to construction		
4Q17		10/3/2017	NE	39.69	NA	NA	NA	406.80		0.0	*		
1Q18		1/3/2018	NE	40.84	NA	NA	NA	405.65		0.1	*		
P-84B													
2Q15		446.21	4/6/2015	NE	45.38	NA	NA	NA		400.83	372.71 - 370.71 (73.50 - 75.50)	0.5	*
3Q15	7/7/2015		NE	44.90	NA	NA	NA	401.31	0.0	*			
4Q15	10/1/2015		NE	43.66	NA	NA	NA	402.55	0.0	*			
1Q16	1/5/2016		NE	43.18	NA	NA	NA	403.03	0.6	*			
2Q16	4/5/2016		NE	42.33	NA	NA	NA	403.88	0.0	*			
3Q16	7/6/2016		NE	41.62	NA	NA	NA	404.59	0.0	*			
4Q16	10/5/2016		NE	40.63	NA	NA	NA	405.58	0.0	*			
1Q17	1/17/2017		NE	40.08	NA	NA	NA	406.13	0.0	*			
2Q17	4/4/2017		NE	40.54	NA	NA	NA	405.67	0.0	*			
3Q17	7/5/2017		NM	NM	NA	NA	NA	NA	NM	Inaccess ble due to construction			
4Q17	10/3/2017		NE	39.43	NA	NA	NA	406.78	0.0	*			
1Q18	1/3/2018		NE	40.56	NA	NA	NA	405.65	0.1	*			
P-84C													
2Q15	446.22		4/6/2015	NE	45.38	NA	NA	NA	400.84	352.17 - 350.17 (94.05 - 96.05)		0.2	*
3Q15		7/7/2015	NE	44.93	NA	NA	NA	401.29	0.0		*		
4Q15		10/1/2015	NE	43.99	NA	NA	NA	402.23	0.0		*		
1Q16		1/5/2016	NE	43.49	NA	NA	NA	402.73	0.0		*		
2Q16		4/5/2016	NE	42.28	NA	NA	NA	403.94	0.0		*		
3Q16		7/6/2016	NE	41.61	NA	NA	NA	404.61	0.0		*		
4Q16		10/5/2016	NE	40.66	NA	NA	NA	405.56	7.5		*		
1Q17		1/17/2017	NE	40.08	NA	NA	NA	406.14	0.0		*		
2Q17		4/4/2017	NE	40.54	NA	NA	NA	405.68	0.0		*		
3Q17		7/5/2017	NM	NM	NA	NA	NA	NA	NM		Inaccess ble due to construction		
4Q17		10/3/2017	NE	39.42	NA	NA	NA	406.80	0.0		*		
1Q18		1/3/2018	NE	40.57	NA	NA	NA	405.65	0.0		*		
P-84D													
2Q15		446.24	4/6/2015	NE	45.38	NA	NA	NA	400.86		325.09 - 323.09 (121.15 - 123.15)	0.2	*
3Q15	7/7/2015		NE	44.92	NA	NA	NA	401.32	0.0	*			
4Q15	10/1/2015		NE	43.97	NA	NA	NA	402.27	0.0	*			
1Q16	1/5/2016		NE	43.51	NA	NA	NA	402.73	0.6	*			
2Q16	4/5/2016		NE	42.26	NA	NA	NA	403.98	0.0	*			
3Q16	7/6/2016		NE	41.63	NA	NA	NA	404.61	0.0	*			
4Q16	10/5/2016		NE	40.65	NA	NA	NA	405.59	6.0	*			
1Q17	1/17/2017		NM	NM	NA	NA	NA	NA	0.0				
2Q17	4/4/2017		NE	40.55	NA	NA	NA	405.69	0.0	*			
3Q17	7/5/2017		NM	NM	NA	NA	NA	NA	NM	Inaccess ble due to construction			
4Q17	10/3/2017		NE	39.45	NA	NA	NA	406.79	0.0	*			
1Q18	1/3/2018		NE	40.58	NA	NA	NA	405.66	0.1	*			
P-88A													
2Q15	443.09		4/3/2015	NE	36.41	NA	NA	NA	406.68	404.69 - 389.69 (38.40 - 53.40)		0.0	*
3Q15		7/7/2015	NE	35.93	NA	NA	NA	407.16	0.0		*		
4Q15		10/2/2015	NE	34.26	NA	NA	NA	408.83	0.2		*		
1Q16		1/5/2016	NE	34.35	NA	NA	NA	408.74	0.0		*		
2Q16		4/5/2016	NE	33.21	NA	NA	NA	409.88	0.2		*		
3Q16		7/7/2016	NE	32.80	NA	NA	NA	410.29	0.0		*		
4Q16		10/5/2016	NE	31.75	NA	NA	NA	411.34	0.0		*		
1Q17		1/17/2017	NE	31.75	NA	NA	NA	411.34	0.0		*		
2Q17		4/4/2017	NE	32.36	NA	NA	NA	410.73	0.0		*		
3Q17		7/6/2017	NE	30.57	NA	NA	NA	412.52	0.0		*		
4Q17		10/2/2017	NE	31.10	NA	NA	NA	411.99	0.0		*		
1Q18		1/4/2018	NE	32.60	NA	NA	NA	410.49	0.0		*		

TABLE 1
HISTORICAL GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID & EVENT	TOP OF CASING (elev. ¹)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev. ¹)	PRODUCT (elev. ¹)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL ² (elev. ¹)	SCREENED INTERVAL (elev. ¹) (ft btoc)	WELL HEAD PID ³ (ppm)	COMMENTS
P-88B											
2Q15	443.16	4/3/2015	NE	36.48	NA	NA	NA	406.68	371.16 - 369.16 (72.00 - 74.00)	0.0	*
3Q15		7/7/2015	NE	35.94	NA	NA	NA	407.22		0.0	*
4Q15		10/2/2015	NE	34.50	NA	NA	NA	408.66		0.4	*
1Q16		1/5/2016	NE	34.41	NA	NA	NA	408.75		0.0	*
2Q16		4/5/2016	NE	33.43	NA	NA	NA	409.73		0.3	*
3Q16		7/7/2016	NE	32.92	NA	NA	NA	410.24		0.0	*
4Q16		10/5/2016	NE	31.82	NA	NA	NA	411.34		0.0	*
1Q17		1/17/2017	NE	31.81	NA	NA	NA	411.35		3.5	*
2Q17		4/4/2017	NE	32.43	NA	NA	NA	410.73		0.0	*
3Q17		7/6/2017	NE	30.64	NA	NA	NA	412.52		0.0	*
4Q17		10/2/2017	NE	31.15	NA	NA	NA	412.01		0.0	*
1Q18		1/4/2018	NE	32.67	NA	NA	NA	410.49		0.0	*
P-88C											
2Q15	443.13	4/3/2015	NE	36.42	NA	NA	NA	406.71	350.83 - 348.83 (92.30 - 94.30)	3.2	*
3Q15		7/7/2015	NE	36.21	NA	NA	NA	406.92		0.0	*
4Q15		10/2/2015	NE	34.28	NA	NA	NA	408.85		2.7	*
1Q16		1/5/2016	NE	34.39	NA	NA	NA	408.74		0.0	*
2Q16		4/5/2016	NE	33.20	NA	NA	NA	409.93		0.2	*
3Q16		7/7/2016	NE	32.87	NA	NA	NA	410.26		0.0	*
4Q16		10/5/2016	NE	31.75	NA	NA	NA	411.38		0.0	*
1Q17		1/17/2017	NE	31.77	NA	NA	NA	411.36		0.0	*
2Q17		4/4/2017	NE	32.38	NA	NA	NA	410.75		0.0	*
3Q17		7/6/2017	NE	30.60	NA	NA	NA	412.53		0.0	*
4Q17		10/2/2017	NE	31.10	NA	NA	NA	412.03		0.0	*
1Q18		1/4/2018	NE	32.62	NA	NA	NA	410.51		0.0	*
P-88D											
2Q15	443.20	4/3/2015	NE	36.57	NA	NA	NA	406.63	329.50 - 327.50 (113.70 - 115.70)	0.0	*
3Q15		7/7/2015	NE	36.30	NA	NA	NA	406.90		0.0	*
4Q15		10/2/2015	NE	34.85	NA	NA	NA	408.35		1.4	*
1Q16		1/5/2016	NE	34.61	NA	NA	NA	408.59		0.2	*
2Q16		4/5/2016	NE	33.82	NA	NA	NA	409.38		0.0	*
3Q16		7/7/2016	NE	32.98	NA	NA	NA	410.22		0.0	*
4Q16		10/5/2016	NE	31.97	NA	NA	NA	411.23		0.0	*
1Q17		1/17/2017	NE	31.91	NA	NA	NA	411.29		0.0	*
2Q17		4/4/2017	NE	32.54	NA	NA	NA	410.66		0.0	*
3Q17		7/6/2017	NE	30.69	NA	NA	NA	412.51		0.0	*
4Q17		10/2/2017	NE	31.29	NA	NA	NA	411.91		0.0	*
1Q18		1/4/2018	NE	32.82	NA	NA	NA	410.38		0.0	*
P-89B											
2Q15	447.44	4/3/2015	NE	44.10	NA	NA	NA	403.34	370.08 - 368.08 (77.36 - 79.36)	0.0	*
3Q15		7/7/2015	NE	43.36	NA	NA	NA	404.08		0.0	*
4Q15		10/1/2015	NE	42.17	NA	NA	NA	405.27		0.0	*
1Q16		1/5/2016	NE	42.16	NA	NA	NA	405.28		0.0	*
2Q16		4/4/2016	NE	40.69	NA	NA	NA	406.75		0.0	*
3Q16		7/5/2016	NE	40.72	NA	NA	NA	406.72		0.1	*
4Q16		10/5/2016	NE	38.84	NA	NA	NA	408.60		0.2	*
1Q17		1/17/2017	NE	38.76	NA	NA	NA	408.68		0.0	*
2Q17		4/4/2017	NE	39.32	NA	NA	NA	408.12		0.0	*
3Q17		7/6/2017	NE	37.49	NA	NA	NA	409.95		0.0	*
4Q17		10/3/2017	NE	38.17	NA	NA	NA	409.27		0.0	*
1Q18		1/4/2018	NE	39.23	NA	NA	NA	408.21		0.0	*
P-89C											
2Q15	447.76	4/3/2015	NE	44.45	NA	NA	NA	403.31	350.13 - 348.13 (97.63 - 99.63)	0.0	*
3Q15		7/7/2015	NE	43.73	NA	NA	NA	404.03		0.0	*
4Q15		10/1/2015	NE	42.54	NA	NA	NA	405.22		0.1	*
1Q16		1/5/2016	NE	42.52	NA	NA	NA	405.24		0.0	*
2Q16		4/4/2016	NE	41.04	NA	NA	NA	406.72		0.0	*
3Q16		7/5/2016	NE	41.05	NA	NA	NA	406.71		0.1	*
4Q16		10/5/2016	NE	39.63	NA	NA	NA	408.13		0.2	*
1Q17		1/17/2017	NE	39.11	NA	NA	NA	408.65		0.0	*
2Q17		4/4/2017	NE	39.66	NA	NA	NA	408.10		0.0	*
3Q17		7/6/2017	NE	37.85	NA	NA	NA	409.91		0.0	*
4Q17		10/3/2017	NE	38.53	NA	NA	NA	409.23		0.0	*
1Q18		1/4/2018	NE	39.65	NA	NA	NA	408.11		0.0	*
P-89D											
2Q15	447.63	4/3/2015	NE	44.32	NA	NA	NA	403.31	307.29 - 305.29 (140.34 - 142.34)	0.0	*
3Q15		7/7/2015	NE	43.73	NA	NA	NA	403.90		0.0	*
4Q15		10/1/2015	NE	42.56	NA	NA	NA	405.07		0.1	*
1Q16		1/5/2016	NE	42.56	NA	NA	NA	405.07		0.0	*
2Q16		4/4/2016	NE	40.94	NA	NA	NA	406.69		0.1	*
3Q16		7/5/2016	NE	41.08	NA	NA	NA	406.55		0.1	*
4Q16		10/5/2016	NE	39.18	NA	NA	NA	408.45		0.2	*
1Q17		1/17/2017	NE	39.03	NA	NA	NA	408.60		0.0	*
2Q17		4/4/2017	NE	39.51	NA	NA	NA	408.12		0.0	*
3Q17		7/6/2017	NE	37.84	NA	NA	NA	409.79		0.0	*
4Q17		10/3/2017	NE	38.48	NA	NA	NA	409.15		0.0	*
1Q18		1/4/2018	NE	39.48	NA	NA	NA	408.15		2.0	*

TABLE 1
HISTORICAL GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID & EVENT	TOP OF CASING (elev. ¹)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev. ¹)	PRODUCT (elev. ¹)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL ² (elev. ¹)	SCREENED INTERVAL (elev. ¹) (ft btoc)	WELL HEAD PID ³ (ppm)	COMMENTS
P-91A											
2Q15	447.24	4/3/2015	50.02	50.12	397.12	397.22	0.10	397.20	395.72 - 380.72 (51.51 - 66.51)	45.5	*
3Q15		7/7/2015	49.55	49.59	397.65	397.69	0.04	397.68		17.6	*
4Q15		10/2/2015	47.95	47.97	399.27	399.29	0.02	399.29		28.2	*
1Q16		1/5/2016	47.78	47.82	399.42	399.46	0.04	399.45		42.3	*
2Q16		4/4/2016	46.49	46.53	400.71	400.75	0.04	400.74		4.1	*
3Q16		7/7/2016	NE	44.12	NA	NA	NA	403.12		13.1	*
4Q16		10/4/2016	44.59	44.61	402.63	402.65	0.02	402.65		4.7	*
1Q17		1/16/2017	NE	43.81	NA	NA	NA	403.43		139.4	*
2Q17		4/4/2017	44.61	44.64	402.60	402.63	0.03	402.62		43.8	*
3Q17		7/6/2017	43.18	43.21	404.03	404.06	0.03	404.05		303.5	*
4Q17		10/3/2017	43.79	43.80	403.44	403.45	0.01	403.45		105.7	*
1Q18		1/2/2018	44.43	44.45	402.79	402.81	0.02	402.81		25.8	*
P-91B											
2Q15	447.28	4/3/2015	NE	50.08	NA	NA	NA	397.20	372.59 - 370.59 (74.69 - 76.69)	2.1	*
3Q15		7/7/2015	NE	49.62	NA	NA	NA	397.66		2.2	*
4Q15		10/2/2015	NE	48.03	NA	NA	NA	399.25		10.1	*
1Q16		1/5/2016	NE	47.88	NA	NA	NA	399.40		21.9	*
2Q16		4/4/2016	NE	46.67	NA	NA	NA	400.61		1.2	*
3Q16		7/7/2016	NE	46.56	NA	NA	NA	400.72		0.2	*
4Q16		10/4/2016	NE	44.72	NA	NA	NA	402.56		0.7	*
1Q17		1/16/2017	NE	43.93	NA	NA	NA	403.35		2.0	*
2Q17		4/4/2017	NE	44.74	NA	NA	NA	402.54		6.7	*
3Q17		7/6/2017	NE	43.26	NA	NA	NA	404.02		28.7	*
4Q17		10/3/2017	NE	43.88	NA	NA	NA	403.40		8.4	*
1Q18		1/2/2018	NE	44.23	NA	NA	NA	403.05		102.1	*
P-91C											
2Q15	447.07	4/3/2015	NE	49.88	NA	NA	NA	397.19	352.34 - 350.34 (94.73 - 96.73)	0.0	*
3Q15		7/7/2015	NE	49.39	NA	NA	NA	397.68		0.0	*
4Q15		10/2/2015	NE	47.79	NA	NA	NA	399.28		0.2	*
1Q16		1/5/2016	NE	47.63	NA	NA	NA	399.44		0.4	*
2Q16		4/4/2016	NE	46.39	NA	NA	NA	400.68		0.7	*
3Q16		7/7/2016	NE	46.32	NA	NA	NA	400.75		0.0	*
4Q16		10/4/2016	NE	44.47	NA	NA	NA	402.60		0.4	*
1Q17		1/16/2017	NE	43.62	NA	NA	NA	403.45		0.2	*
2Q17		4/4/2017	NE	44.51	NA	NA	NA	402.56		0.0	*
3Q17		7/6/2017	NE	43.03	NA	NA	NA	404.04		0.0	*
4Q17		10/3/2017	NE	43.66	NA	NA	NA	403.41		0.4	*
1Q18		1/2/2018	NE	44.00	NA	NA	NA	403.07		9.5	*
P-91D											
2Q15	447.06	4/3/2015	NE	49.87	NA	NA	NA	397.19	278.74 - 276.74 (168.32 - 170.32)	1.0	*
3Q15		7/7/2015	NE	49.39	NA	NA	NA	397.67		0.0	*
4Q15		10/2/2015	NE	47.78	NA	NA	NA	399.28		0.5	*
1Q16		1/5/2016	NE	47.64	NA	NA	NA	399.42		0.6	*
2Q16		4/4/2016	NE	44.01	NA	NA	NA	403.05		2.0	*
3Q16		7/7/2016	NE	46.31	NA	NA	NA	400.75		0.0	*
4Q16		10/4/2016	NE	44.46	NA	NA	NA	402.60		0.3	*
1Q17		1/16/2017	NE	43.67	NA	NA	NA	403.39		1.2	*
2Q17		4/4/2017	NE	44.50	NA	NA	NA	402.56		0.1	*
3Q17		7/6/2017	NE	43.02	NA	NA	NA	404.04		0.0	*
4Q17		10/3/2017	NE	43.64	NA	NA	NA	403.42		0.0	*
1Q18		1/2/2018	NE	43.98	NA	NA	NA	403.08		3.4	*
P-92A											
2Q15	446.24	4/1/2015	48.06	48.08	398.16	398.18	0.02	398.18	398.67 - 383.67 (47.57 - 62.57)	12.8	
3Q15		7/7/2015	NE	48.05	NA	NA	NA	398.19		72.5	
4Q15		10/1/2015	45.90	45.91	400.33	400.34	0.01	400.34		63.4	*
1Q16		1/5/2016	45.91	45.93	400.31	400.33	0.02	400.33		77.1	*
2Q16		4/4/2016	44.17	44.21	402.03	402.07	0.04	402.06		72.9	*
3Q16		7/6/2016	NE	44.12	NA	NA	NA	402.12		16.0	*
4Q16		10/4/2016	42.63	42.71	403.53	403.61	0.08	403.59		11.5	*
1Q17		1/17/2017	42.19	42.22	404.02	404.05	0.03	404.04		42.0	*
2Q17		4/4/2017	42.38	42.40	403.84	403.86	0.02	403.86		55.5	*
3Q17		7/6/2017	41.87	41.89	404.35	404.37	0.02	404.37		215.3	*
4Q17		10/3/2017	42.12	42.15	404.09	404.12	0.03	404.11		83.7	*
1Q18		1/3/2018	42.91	42.94	403.30	403.33	0.03	403.32		118.8	*
P-92B											
2Q15	446.18	4/1/2015	NE	48.03	NA	NA	NA	398.15	372.53 - 370.53 (73.65 - 75.65)	0.0	*
3Q15		7/7/2015	NE	48.02	NA	NA	NA	398.16		0.5	*
4Q15		10/1/2015	NE	45.89	NA	NA	NA	400.29		0.6	*
1Q16		1/5/2016	NE	45.88	NA	NA	NA	400.30		0.0	*
2Q16		4/4/2016	NE	44.17	NA	NA	NA	402.01		0.3	*
3Q16		7/6/2016	NE	44.10	NA	NA	NA	402.08		0.1	*
4Q16		10/4/2016	NE	42.53	NA	NA	NA	403.65		0.0	*
1Q17		1/17/2017	NE	42.18	NA	NA	NA	404.00		0.0	*
2Q17		4/4/2017	NE	42.36	NA	NA	NA	403.82		0.0	*
3Q17		7/6/2017	NE	41.85	NA	NA	NA	404.33		1.3	*
4Q17		10/3/2017	NE	42.10	NA	NA	NA	404.08		0.0	*
1Q18		1/3/2018	NE	42.89	NA	NA	NA	403.29		0.2	*

TABLE 1
HISTORICAL GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID & EVENT	TOP OF CASING (elev. ¹)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev. ¹)	PRODUCT (elev. ¹)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL ² (elev. ¹)	SCREENED INTERVAL (elev. ¹) (ft btoc)	WELL HEAD PID ³ (ppm)	COMMENTS
P-92C											
2Q15	446.17	4/1/2015	NE	48.02	NA	NA	NA	398.15	353.21 - 348.21 (92.96 - 97.96)	2.9	*
3Q15		7/7/2015	NE	48.02	NA	NA	NA	398.15		0.7	*
4Q15		10/1/2015	NE	45.90	NA	NA	NA	400.27		44	*
1Q16		1/5/2016	NE	45.88	NA	NA	NA	400.29		9.1	*
2Q16		4/4/2016	NE	44.15	NA	NA	NA	402.02		2.1	*
3Q16		7/6/2016	NE	44.10	NA	NA	NA	402.07		11.3	*
4Q16		10/4/2016	NE	42.52	NA	NA	NA	403.65		0.0	*
1Q17		1/17/2017	NE	42.16	NA	NA	NA	404.01		1.8	*
2Q17		4/4/2017	NE	42.35	NA	NA	NA	403.82		1.5	*
3Q17		7/6/2017	NE	41.85	NA	NA	NA	404.32		0.6	*
4Q17		10/3/2017	NE	42.10	NA	NA	NA	404.07		0.1	*
1Q18		1/3/2018	NE	42.88	NA	NA	NA	403.29		1.2	*
P-92D											
2Q15	446.00	4/1/2015	NE	47.91	NA	NA	NA	398.09	305.00 - 303.00 (141.00 - 143.00)	0.0	*
3Q15		7/7/2015	NE	47.88	NA	NA	NA	398.12		2.2	*
4Q15		10/1/2015	NE	45.78	NA	NA	NA	400.22		0.0	*
1Q16		1/5/2016	NE	45.77	NA	NA	NA	400.23		0.0	*
2Q16		4/4/2016	NE	44.01	NA	NA	NA	401.99		0.3	*
3Q16		7/6/2016	NE	43.99	NA	NA	NA	402.01		0.3	*
4Q16		10/4/2016	NE	42.38	NA	NA	NA	403.62		0.0	*
1Q17		1/17/2017	NE	42.04	NA	NA	NA	403.96		0.0	*
2Q17		4/4/2017	NE	42.19	NA	NA	NA	403.81		0.6	*
3Q17		7/6/2017	NE	41.73	NA	NA	NA	404.27		0.0	*
4Q17		10/3/2017	NE	41.97	NA	NA	NA	404.03		0.0	*
1Q18		1/3/2018	NE	42.70	NA	NA	NA	403.30		0.2	*
P-93A											
2Q15	445.12	4/1/2015	NE	47.05	NA	NA	NA	398.07	402.05 - 392.05 (43.07 - 53.07)	0.0	
3Q15		7/9/2015	NE	46.39	NA	NA	NA	398.73		0.0	
4Q15		10/1/2015	NE	43.64	NA	NA	NA	401.48		0.0	
1Q16		1/4/2016	NE	43.94	NA	NA	NA	401.18		0.0	
2Q16		4/4/2016	NE	43.08	NA	NA	NA	402.04		1.0	
3Q16		7/5/2016	NE	42.42	NA	NA	NA	402.70		3.7	*
4Q16		10/3/2016	NE	41.58	NA	NA	NA	403.54		1.9	*
1Q17		1/16/2017	NE	41.04	NA	NA	NA	404.08		7.6	*
2Q17		4/3/2017	NE	41.16	NA	NA	NA	403.96		51.2	*
3Q17		7/5/2017	NE	40.10	NA	NA	NA	405.02		0.0	*
4Q17		10/2/2017	NE	40.53	NA	NA	NA	404.59		151.9	*
1Q18		1/4/2018	NE	42.79	NA	NA	NA	402.33		12.8	*
P-93B											
2Q15	446.52	4/1/2015	NE	48.44	NA	NA	NA	398.08	371.92 - 369.92 (74.60 - 76.60)	51.9	*
3Q15		7/9/2015	NE	47.76	NA	NA	NA	398.76		0.1	*
4Q15		10/1/2015	NE	45.18	NA	NA	NA	401.34		0.1	*
1Q16		1/4/2016	NE	45.30	NA	NA	NA	401.22		18.9	*
2Q16		4/4/2016	NE	44.54	NA	NA	NA	401.98		2.3	*
3Q16		7/5/2016	NE	43.75	NA	NA	NA	402.77		0.5	*
4Q16		10/3/2016	NE	42.93	NA	NA	NA	403.59		0.0	*
1Q17		1/16/2017	NE	42.41	NA	NA	NA	404.11		0.1	*
2Q17		4/3/2017	NE	42.51	NA	NA	NA	404.01		0.0	*
3Q17		7/5/2017	NE	41.45	NA	NA	NA	405.07		0.0	*
4Q17		10/2/2017	NE	41.88	NA	NA	NA	404.64		0.0	*
1Q18		1/3/2018	NE	44.25	NA	NA	NA	402.27		0.0	*
P-93C											
2Q15	446.28	4/1/2015	NE	48.24	NA	NA	NA	398.04	353.81 - 348.81 (92.47 - 97.47)	12.8	*
3Q15		7/9/2015	NE	47.55	NA	NA	NA	398.73		0.1	*
4Q15		10/1/2015	NE	44.83	NA	NA	NA	401.45		64.3	*
1Q16		1/4/2016	NE	45.04	NA	NA	NA	401.24		0.1	*
2Q16		4/4/2016	NE	44.20	NA	NA	NA	402.08		0.2	*
3Q16		7/5/2016	NE	43.57	NA	NA	NA	402.71		0.6	*
4Q16		10/3/2016	NE	41.73	NA	NA	NA	404.55		0.0	*
1Q17		1/16/2017	NE	42.20	NA	NA	NA	404.08		12.6	*
2Q17		4/3/2017	NE	42.31	NA	NA	NA	403.97		0.0	*
3Q17		7/5/2017	NE	41.26	NA	NA	NA	405.02		0.0	*
4Q17		10/2/2017	NE	41.68	NA	NA	NA	404.60		0.0	*
1Q18		1/3/2018	NE	43.77	NA	NA	NA	402.51		0.3	*
P-93D											
2Q15	446.73	4/1/2015	NE	48.64	NA	NA	NA	398.09	320.98 - 318.98 (125.75 - 127.75)	13.7	*
3Q15		7/9/2015	NE	47.96	NA	NA	NA	398.77		0.0	*
4Q15		10/1/2015	NE	45.27	NA	NA	NA	401.46		0.1	*
1Q16		1/4/2016	NE	45.45	NA	NA	NA	401.28		0.0	*
2Q16		4/4/2016	NE	44.61	NA	NA	NA	402.12		0.0	*
3Q16		7/5/2016	NE	43.97	NA	NA	NA	402.76		1.1	*
4Q16		10/3/2016	NE	43.12	NA	NA	NA	403.61		0.0	*
1Q17		1/16/2017	NE	42.59	NA	NA	NA	404.14		0.0	*
2Q17		4/3/2017	NE	42.72	NA	NA	NA	404.01		0.0	*
3Q17		7/5/2017	NE	41.65	NA	NA	NA	405.08		0.0	*
4Q17		10/2/2017	NE	42.10	NA	NA	NA	404.63		0.0	*
1Q18		1/3/2018	NE	44.19	NA	NA	NA	402.54		0.0	*

TABLE 1
HISTORICAL GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID & EVENT	TOP OF CASING (elev. ¹)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev. ¹)	PRODUCT (elev. ¹)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL ² (elev. ¹)	SCREENED INTERVAL (elev. ¹) (ft btoc)	WELL HEAD PID ³ (ppm)	COMMENTS
P-94											
2Q15	445.14	4/6/2015	NE	41.00	NA	NA	NA	404.14	399.29 - 384.29 (45.85 - 60.85)	0.1	*
3Q15		7/6/2015	NE	39.97	NA	NA	NA	405.17		0.2	*
4Q15		10/1/2015	NE	39.08	NA	NA	NA	406.06		0.0	*
1Q16		1/5/2016	NE	38.98	NA	NA	NA	406.16		0.0	*
2Q16		4/4/2016	NE	37.14	NA	NA	NA	408.00		0.0	*
3Q16		7/6/2016	NE	37.06	NA	NA	NA	408.08		1.1	*
4Q16		10/3/2016	NE	34.80	NA	NA	NA	410.34		0.0	*
1Q17		1/16/2017	NE	35.04	NA	NA	NA	410.10		0.0	*
2Q17		4/3/2017	NE	35.64	NA	NA	NA	409.50		0.0	*
3Q17		7/6/2017	NE	33.00	NA	NA	NA	412.14		0.0	*
4Q17		10/3/2017	NE	34.60	NA	NA	NA	410.54		0.0	*
1Q18		1/3/2018	NE	35.80	NA	NA	NA	409.34		0.0	*
P-95											
2Q15	443.42	4/3/2015	NE	34.52	NA	NA	NA	408.90	406.90 - 391.90 (36.52 - 51.52)	0.0	*
3Q15		7/7/2015	NE	33.83	NA	NA	NA	409.59		0.0	*
4Q15		10/2/2015	NE	32.55	NA	NA	NA	410.87		0.3	*
1Q16		1/5/2016	NE	32.50	NA	NA	NA	410.92		0.2	*
2Q16		4/5/2016	NE	31.37	NA	NA	NA	412.05		0.0	*
3Q16		7/7/2016	NE	30.95	NA	NA	NA	412.47		0.0	*
4Q16		10/5/2016	NE	29.72	NA	NA	NA	413.70		0.1	*
1Q17		1/17/2017	NE	29.71	NA	NA	NA	413.71		6.8	*
2Q17		4/4/2017	NE	30.40	NA	NA	NA	413.02		0.0	*
3Q17		7/6/2017	NE	28.61	NA	NA	NA	414.81		0.0	*
4Q17		10/2/2017	NE	29.02	NA	NA	NA	414.40		0.0	*
1Q18		1/4/2018	NE	30.53	NA	NA	NA	412.89		0.0	*
P-102											
2Q15	444.97	4/3/2015	NE	37.85	NA	NA	NA	407.12	402.22 - 382.22 (42.75 - 62.75)	0.1	*
3Q15		7/7/2015	NE	37.02	NA	NA	NA	407.95		0.2	*
4Q15		10/2/2015	NE	35.85	NA	NA	NA	409.12		16.6	*
1Q16		1/5/2016	NE	35.79	NA	NA	NA	409.18		0.0	*
2Q16		4/5/2016	NE	34.74	NA	NA	NA	410.23		3.6	*
3Q16		7/8/2016	NE	34.54	NA	NA	NA	410.43		17.8	*
4Q16		10/5/2016	NE	33.01	NA	NA	NA	411.96		105.2	*
1Q17		1/17/2017	NE	33.00	NA	NA	NA	411.97		22.3	*
2Q17		4/4/2017	NE	33.68	NA	NA	NA	411.29		106.9	*
3Q17		7/6/2017	NE	31.80	NA	NA	NA	413.17		15.6	*
4Q17		10/2/2017	NE	32.19	NA	NA	NA	412.78		631.1	*
1Q18		1/4/2018	NE	33.41	NA	NA	NA	411.56		363.2	*
P-114R (P-114)											
2Q15	432.45	4/3/2015	NM	NM	NA	NA	NA	NA	399.78 - 379.78 (32.67 - 52.67)	NM	Well damaged
3Q15		7/8/2015	NM	NM	NA	NA	NA	NA		NM	Well damaged
4Q15	429.26	10/2/2015	NE	28.15	NA	NA	NA	401.11	406.25 - 396.25 (23.01 - 33.01)	71.9	Replaced during 3Q15
1Q16		1/6/2016	NE	25.73	NA	NA	NA	403.53		41.7	
2Q16		4/5/2016	NE	25.64	NA	NA	NA	403.62		28.1	
3Q16		7/8/2016	NE	24.95	NA	NA	NA	404.31		0.0	
4Q16		10/4/2016	NE	23.74	NA	NA	NA	405.52		51	
1Q17		1/17/2017	NE	24.81	NA	NA	NA	404.45		1.9	
2Q17		4/5/2017	NE	24.93	NA	NA	NA	404.33		0.7	
3Q17		7/6/2017	NE	22.38	NA	NA	NA	406.88		43.7	*
4Q17		10/2/2017	NE	24.21	NA	NA	NA	405.05		0.0	
1Q18		1/3/2018	NE	26.16	NA	NA	NA	403.10		9.0	
P-115											
2Q15	433.36	4/3/2015	NE	33.81	NA	NA	NA	399.55	401.06 - 381.06 (32.30 - 52.30)	0.3	
3Q15		7/8/2015	NE	30.94	NA	NA	NA	402.42		4.8	*
4Q15		10/2/2015	NE	30.13	NA	NA	NA	403.23		0.6	*
1Q16		1/5/2016	NE	29.61	NA	NA	NA	403.75		0.0	*
2Q16		4/5/2016	NE	29.64	NA	NA	NA	403.72		0.0	*
3Q16		7/8/2016	NE	28.87	NA	NA	NA	404.49		0.0	*
4Q16		10/4/2016	NE	27.61	NA	NA	NA	405.75		0.2	*
1Q17		1/17/2017	NE	28.88	NA	NA	NA	404.48		1.9	*
2Q17		4/5/2017	NE	29.20	NA	NA	NA	404.16		0.0	*
3Q17		7/6/2017	NE	26.28	NA	NA	NA	407.08		0.0	*
4Q17		10/2/2017	NE	28.33	NA	NA	NA	405.03		0.0	*
1Q18		1/3/2018	NE	30.22	NA	NA	NA	403.14		0.0	*
P-116											
2Q15	436.63	4/3/2015	NE	37.15	NA	NA	NA	399.48	399.19 - 379.19 (37.44 - 57.44)	2.3	*
3Q15		7/8/2015	NE	34.11	NA	NA	NA	402.52		1.6	*
4Q15		10/2/2015	NE	33.45	NA	NA	NA	403.18		1.3	*
1Q16		1/5/2016	NE	32.85	NA	NA	NA	403.78		0.0	*
2Q16		4/5/2016	NE	33.01	NA	NA	NA	403.62		0.0	*
3Q16		7/8/2016	NE	32.23	NA	NA	NA	404.40		0.0	*
4Q16		10/4/2016	NE	30.96	NA	NA	NA	405.67		0.1	*
1Q17		1/17/2017	NE	32.37	NA	NA	NA	404.26		0.1	*
2Q17		4/5/2017	NE	32.66	NA	NA	NA	403.97		0.0	*
3Q17		7/6/2017	NE	29.61	NA	NA	NA	407.02		2.9	*
4Q17		10/2/2017	NE	32.17	NA	NA	NA	404.46		0.0	*
1Q18		1/3/2018	NE	33.69	NA	NA	NA	402.94		0.0	*

TABLE 1
HISTORICAL GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID & EVENT	TOP OF CASING (elev. ¹)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev. ¹)	PRODUCT (elev. ¹)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL ² (elev. ¹)	SCREENED INTERVAL (elev. ¹) (ft btoc)	WELL HEAD PID ³ (ppm)	COMMENTS
P-117											
2Q15	432.71	4/3/2015	NE	33.39	NA	NA	NA	399.32	399.78 - 379.78 (32.93 - 52.93)	2.8	
3Q15		7/8/2015	NE	30.16	NA	NA	NA	402.55		1.6	*
4Q15		10/2/2015	NE	29.64	NA	NA	NA	403.07		4.7	*
1Q16		1/6/2016	NE	28.77	NA	NA	NA	403.94		0.0	*
2Q16		4/5/2016	NE	29.18	NA	NA	NA	403.53		0.0	*
3Q16		7/8/2016	NE	28.39	NA	NA	NA	404.32		0.0	*
4Q16		10/4/2016	NE	27.13	NA	NA	NA	405.58		0.1	*
1Q17		1/17/2017	NE	28.55	NA	NA	NA	404.16		0.0	*
2Q17		4/5/2017	NE	28.93	NA	NA	NA	403.78		0.0	*
3Q17		7/6/2017	NE	25.78	NA	NA	NA	406.93		0.0	*
4Q17		10/2/2017	NE	28.08	NA	NA	NA	404.63		0.0	*
1Q18		1/3/2018	NE	29.90	NA	NA	NA	402.81		0.0	*
P-118											
2Q15	431.31	4/3/2015	NE	32.22	NA	NA	NA	399.09	400.19 - 384.26 (31.12 - 47.05)	0.0	
3Q15		7/8/2015	NE	28.19	NA	NA	NA	403.12		1.5	*
4Q15		10/2/2015	NE	28.59	NA	NA	NA	402.72		0.3	*
1Q16		1/5/2016	NE	27.15	NA	NA	NA	404.16		0.0	*
2Q16		4/5/2016	NE	28.17	NA	NA	NA	403.14		0.0	*
3Q16		7/8/2016	NE	27.12	NA	NA	NA	404.19		0.7	*
4Q16		10/4/2016	NE	25.78	NA	NA	NA	405.53		0.1	*
1Q17		1/17/2017	NE	27.61	NA	NA	NA	403.70		0.6	*
2Q17		4/5/2017	NE	27.92	NA	NA	NA	403.39		0.0	*
3Q17		7/6/2017	NE	24.45	NA	NA	NA	406.86		0.0	*
4Q17		10/2/2017	NE	27.19	NA	NA	NA	404.12		0.0	*
1Q18		1/3/2018	NE	28.99	NA	NA	NA	402.32		0.0	*
P-119											
2Q15	431.90	4/3/2015	NE	32.15	NA	NA	NA	399.75	401.23 - 385.30 (30.67 - 46.60)	0.0	
3Q15		7/8/2015	NE	30.41	NA	NA	NA	401.49		0.2	*
4Q15		10/2/2015	NE	28.77	NA	NA	NA	403.13		0.0	*
1Q16		1/5/2016	NE	28.52	NA	NA	NA	403.38		0.0	*
2Q16		4/5/2016	NE	28.28	NA	NA	NA	403.62		0.0	*
3Q16		7/8/2016	NE	27.61	NA	NA	NA	404.29		0.0	*
4Q16		10/4/2016	NE	26.32	NA	NA	NA	405.58		0.1	*
1Q17		1/17/2017	NE	26.92	NA	NA	NA	404.98		0.0	*
2Q17		4/5/2017	NE	27.14	NA	NA	NA	404.76		0.0	*
3Q17		7/6/2017	NE	25.06	NA	NA	NA	406.84		1.5	*
4Q17		10/2/2017	NE	26.38	NA	NA	NA	405.52		0.0	*
1Q18		1/3/2018	NE	28.27	NA	NA	NA	403.63		0.0	*
P-120											
2Q15	432.82	4/3/2015	NE	32.26	NA	NA	NA	400.56	401.44 - 385.51 (31.38 - 47.31)	0.0	
3Q15		7/8/2015	NE	29.79	NA	NA	NA	403.03		0.2	*
4Q15		10/2/2015	NE	28.85	NA	NA	NA	403.97		0.0	*
1Q16		1/5/2016	NE	28.19	NA	NA	NA	404.63		0.0	*
2Q16		4/5/2016	NE	28.30	NA	NA	NA	404.52		0.0	*
3Q16		7/8/2016	NE	27.59	NA	NA	NA	405.23		0.0	*
4Q16		10/4/2016	NE	26.24	NA	NA	NA	406.58		0.0	*
1Q17		1/17/2017	NE	27.37	NA	NA	NA	405.45		0.0	*
2Q17		4/5/2017	NE	27.55	NA	NA	NA	405.27		0.0	*
3Q17		7/6/2017	NE	25.10	NA	NA	NA	407.72		0.4	*
4Q17		10/2/2017	NE	26.84	NA	NA	NA	405.98		0.0	*
1Q18		1/3/2018	NE	28.69	NA	NA	NA	404.13		0.0	*
P-129											
2Q15	432.43	4/3/2015	NE	34.38	NA	NA	NA	398.05	400.46 - 384.53 (31.97 - 47.90)	0.0	
3Q15		7/8/2015	NE	27.81	NA	NA	NA	404.62		0.0	*
4Q15		10/2/2015	NE	30.38	NA	NA	NA	402.05		0.0	*
1Q16		1/6/2016	NE	26.90	NA	NA	NA	405.53		0.0	*
2Q16		4/5/2016	NE	30.18	NA	NA	NA	402.25		0.0	*
3Q16		7/8/2016	NE	28.77	NA	NA	NA	403.66		0.0	*
4Q16		10/4/2016	NE	27.31	NA	NA	NA	405.12		0.4	*
1Q17		1/17/2017	NE	30.09	NA	NA	NA	402.34		0.0	*
2Q17		4/5/2017	NE	30.17	NA	NA	NA	402.26		0.0	*
3Q17		7/6/2017	NE	26.09	NA	NA	NA	406.34		0.0	*
4Q17		10/2/2017	NE	29.86	NA	NA	NA	402.57		0.0	*
1Q18		1/3/2018	NE	31.67	NA	NA	NA	400.76		0.0	*
ROST-3-MW											
2Q15	442.29	4/2/2015	NE	43.23	NA	NA	NA	399.06	404.48 - 394.48 (37.81 - 47.81)	0.0	
3Q15		7/6/2015	NE	42.69	NA	NA	NA	399.60		5.7	
4Q15		10/1/2015	NE	40.45	NA	NA	NA	401.84		0.1	
1Q16		1/4/2016	NE	40.84	NA	NA	NA	401.45		1.2	
2Q16		4/4/2016	NE	39.64	NA	NA	NA	402.65		0.0	
3Q16		7/6/2016	NE	38.51	NA	NA	NA	403.78		191.0	
4Q16		10/3/2016	NE	38.20	NA	NA	NA	404.09		320	
1Q17		1/11/2017	NE	37.67	NA	NA	NA	404.62		181.7	*
2Q17		4/3/2017	NE	38.13	NA	NA	NA	404.16		247.7	
3Q17		7/5/2017	NE	36.64	NA	NA	NA	405.65		211.8	*
4Q17		10/2/2017	NE	36.72	NA	NA	NA	405.57		1045	*
1Q18		1/3/2018	NE	38.80	NA	NA	NA	403.49		296.1	

TABLE 1
HISTORICAL GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID & EVENT	TOP OF CASING (elev. ¹)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER- PRODUCT INTERFACE (elev. ¹)	PRODUCT (elev. ¹)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL ² (elev. ¹)	SCREENED INTERVAL (elev. ¹) (ft btoc)	WELL HEAD PID ³ (ppm)	COMMENTS	
ROST-4-PZ												
2Q15	442.13	4/2/2015	NE	41.75	NA	NA	NA	400.38	407.20 - 397.20 (34.93 - 44.93)	0.0		
3Q15		7/6/2015	NE	41.86	NA	NA	NA	400.27		0.0		
4Q15		10/1/2015	NE	39.70	NA	NA	NA	402.43		0.6		
1Q16		1/4/2016	NE	40.10	NA	NA	NA	402.03		0.0		
2Q16		4/4/2016	NE	38.75	NA	NA	NA	403.38		0.0		
3Q16		7/5/2016	NE	37.98	NA	NA	NA	404.15		0.1		
4Q16		10/3/2016	NE	37.67	NA	NA	NA	404.46		0.5		
1Q17		1/16/2017	NE	36.96	NA	NA	NA	405.17		8.2		
2Q17		4/3/2017	NE	37.35	NA	NA	NA	404.78		0.0		
3Q17		7/5/2017	NE	36.55	NA	NA	NA	405.58		0.0		
4Q17		10/2/2017	NE	36.12	NA	NA	NA	406.01		0.3		
1Q18		1/2/2018	NE	37.88	NA	NA	NA	404.25		60.7		
ROST-4-PZ(A)												
2Q15	442.11	4/2/2015	NE	42.45	NA	NA	NA	399.66	407.34 - 397.34 (34.77 - 44.77)	0.0		
3Q15		7/6/2015	NE	42.07	NA	NA	NA	400.04		0.0		
4Q15		10/1/2015	NE	39.82	NA	NA	NA	402.29		0.6		
1Q16		1/4/2016	NE	39.78	NA	NA	NA	402.33		0.0		
2Q16		4/4/2016	NE	38.18	NA	NA	NA	403.93		8.6		
3Q16		7/5/2016	NE	36.89	NA	NA	NA	405.22		0.0		
4Q16		10/3/2016	NE	36.52	NA	NA	NA	405.59		0.3		
1Q17		1/16/2017	NE	36.23	NA	NA	NA	405.88		0.3		
2Q17		4/3/2017	NE	36.80	NA	NA	NA	405.31		0.0		
3Q17		7/5/2017	NE	35.80	NA	NA	NA	406.31		0.0		
4Q17		10/2/2017	NE	35.42	NA	NA	NA	406.69		2.3		
1Q18		1/2/2018	NE	37.16	NA	NA	NA	404.95		1.3		
ROST-4-PZ(B)												
2Q15	442.38	4/2/2015	NE	42.22	NA	NA	NA	400.16	407.33 - 397.33 (35.05 - 45.05)	6.1		
3Q15		7/6/2015	NE	41.84	NA	NA	NA	400.54		0.0		
4Q15		10/1/2015	NE	39.36	NA	NA	NA	403.02		0.6		
1Q16		1/4/2016	NE	40.06	NA	NA	NA	402.32		0.0		
2Q16		4/4/2016	NE	38.54	NA	NA	NA	403.84		0.7		
3Q16		7/5/2016	NE	37.89	NA	NA	NA	404.49		0.0		
4Q16		10/3/2016	NE	37.54	NA	NA	NA	404.84		0.5		
1Q17		1/16/2017	NE	36.96	NA	NA	NA	405.42		12.0		
2Q17		4/3/2017	NE	37.43	NA	NA	NA	404.95		0.0		
3Q17		7/5/2017	NE	36.53	NA	NA	NA	405.85		0.0		
4Q17		10/2/2017	NE	36.09	NA	NA	NA	406.29		0.7		
1Q18		1/2/2018	NE	37.85	NA	NA	NA	404.53		0.9		
ROST-4-PZ(C)												
2Q15	442.66	4/2/2015	NE	42.80	NA	NA	NA	399.86	407.71 - 397.71 (34.95 - 44.95)	0.0		
3Q15		7/6/2015	NE	42.78	NA	NA	NA	399.88		1.1		
4Q15		10/1/2015	NE	40.63	NA	NA	NA	402.03		0.6		
1Q16		1/4/2016	NE	41.11	NA	NA	NA	401.55		0.0		
2Q16		4/4/2016	NE	39.73	NA	NA	NA	402.93		0.0		
3Q16		7/6/2016	NE	38.77	NA	NA	NA	403.89		0.0		
4Q16		10/3/2016	NE	38.55	NA	NA	NA	404.11		2.8		
1Q17		1/16/2017	NE	37.88	NA	NA	NA	404.78		9.8		
2Q17		4/3/2017	NE	38.24	NA	NA	NA	404.42		0.0		
3Q17		7/5/2017	NE	37.23	NA	NA	NA	405.43		0.0		
4Q17		10/2/2017	NE	36.99	NA	NA	NA	405.67		0.2		
1Q18		1/2/2018	NE	38.75	NA	NA	NA	403.91		30.9		
ROST-4-PZ(D)												
2Q15	442.98	4/2/2015	NE	42.59	42.65	400.33	400.39	0.06	400.38	408.01 - 398.01 (34.97 - 44.97)	0.0	
3Q15		7/6/2015	NE	42.65	NA	NA	NA	400.33	0.3			
4Q15		10/1/2015	NE	40.48	NA	NA	NA	402.50	0.6			
1Q16		1/4/2016	NE	40.95	NA	NA	NA	402.03	0.0			
2Q16		4/4/2016	NE	39.60	NA	NA	NA	403.38	0.0			
3Q16		7/6/2016	NE	38.67	NA	NA	NA	404.31	0.0			
4Q16		10/3/2016	NE	38.41	NA	NA	NA	404.57	14.1			
1Q17		1/16/2017	NE	37.68	NA	NA	NA	405.30	71.9			
2Q17		4/3/2017	NE	38.09	NA	NA	NA	404.89	0.0			
3Q17		7/5/2017	NE	37.17	NA	NA	NA	405.81	0.0			
4Q17		10/2/2017	NE	36.85	NA	NA	NA	406.13	0.1			
1Q18		1/2/2018	NE	38.63	NA	NA	NA	404.35	0.0			
ROST-4-PZ(E)												
2Q15	441.96	4/2/2015	NE	41.22	NA	NA	NA	400.74	407.21 - 397.21 (34.75 - 44.75)	0.0		
3Q15		7/6/2015	NE	41.41	400.52	400.55	0.03	400.54		0.0		
4Q15		10/1/2015	NE	39.41	NA	NA	NA	402.55		0.6		
1Q16		1/4/2016	NE	39.68	NA	NA	NA	402.28		4.4		
2Q16		4/4/2016	NE	38.63	NA	NA	NA	403.33		0.0		
3Q16		7/5/2016	NE	37.86	NA	NA	NA	404.10		0.1		
4Q16		10/3/2016	NE	37.61	NA	NA	NA	404.35		0.8		
1Q17		1/16/2017	NE	36.94	NA	NA	NA	405.02		0.0		
2Q17		4/3/2017	NE	37.28	NA	NA	NA	404.68		0.0		
3Q17		7/5/2017	NE	36.48	NA	NA	NA	405.48		0.0		
4Q17		10/2/2017	NE	36.10	NA	NA	NA	405.86		0.3		
1Q18		1/2/2018	NE	37.85	NA	NA	NA	404.11		11.1		

TABLE 1
HISTORICAL GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID & EVENT	TOP OF CASING (elev. ¹)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev. ¹)	PRODUCT (elev. ¹)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL ² (elev. ¹)	SCREENED INTERVAL (elev. ¹) (ft btoc)	WELL HEAD PID ³ (ppm)	COMMENTS
ROST-4-PZ(F)											
2Q15	442.12	4/2/2015	NE	40.54	NA	NA	NA	401.58	407.59 - 397.59 (34.53 - 44.53)	0.0	
3Q15		7/6/2015	NE	40.81	NA	NA	NA	401.31		0.0	
4Q15		10/1/2015	NE	39.46	NA	NA	NA	402.66		0.5	
1Q16		1/4/2016	NE	39.77	NA	NA	NA	402.35		0.0	
2Q16		4/4/2016	NE	38.75	NA	NA	NA	403.37		0.0	
3Q16		7/5/2016	NE	38.10	NA	NA	NA	404.02		0.0	
4Q16		10/3/2016	NE	37.85	NA	NA	NA	404.27		1.6	
1Q17		1/16/2017	NE	37.20	NA	NA	NA	404.92		0.0	
2Q17		4/3/2017	NE	37.63	NA	NA	NA	404.49		0.0	
3Q17		7/5/2017	NE	36.67	NA	NA	NA	405.45		0.0	
4Q17		10/2/2017	NE	36.25	NA	NA	NA	405.87		0.0	
1Q18		1/2/2018	NE	38.07	NA	NA	NA	404.05		0.7	
ROST-4-PZ(G)											
2Q15	442.13	4/2/2015	NE	43.29	NA	NA	NA	398.84	407.85 - 397.85 (34.28 - 44.28)	0.0	
3Q15		7/6/2015	NE	42.80	NA	NA	NA	399.33		0.0	
4Q15		10/1/2015	NE	40.55	NA	NA	NA	401.58		0.1	
1Q16		1/4/2016	NE	41.02	NA	NA	NA	401.11		0.7	
2Q16		4/4/2016	NE	39.81	NA	NA	NA	402.32		0.0	
3Q16		7/6/2016	NE	38.34	NA	NA	NA	403.79		0.0	
4Q16		10/3/2016	NE	38.29	NA	NA	NA	403.84		0.4	
1Q17		1/16/2017	NE	37.57	NA	NA	NA	404.56		52.7	
2Q17		4/3/2017	NE	37.93	NA	NA	NA	404.20		0.4	
3Q17		7/5/2017	NE	36.77	NA	NA	NA	405.36		9.2	
4Q17		10/2/2017	NE	36.43	NA	NA	NA	405.70		271.8	
1Q18		1/2/2018	NE	38.97	NA	NA	NA	403.16		77.4	
S-1											
2Q15	443.90	4/1/2015	45.40	46.07	397.83	398.50	0.67	398.37	Unknown	201.5	
3Q15		7/7/2015	45.37	45.68	398.22	398.53	0.31	398.47		30.5	
4Q15		10/1/2015	42.82	42.90	401.00	401.08	0.08	401.06		138	
1Q16		1/5/2016	42.59	42.62	401.28	401.31	0.03	401.30		241.6	
2Q16		4/4/2016	41.66	41.98	401.92	402.24	0.32	402.18		156.2	
3Q16		7/6/2016	NE	39.12	NA	NA	NA	404.78		61.6	
4Q16		10/4/2016	40.22	40.26	403.64	403.68	0.04	403.67		97.1	
1Q17		1/16/2017	39.30	39.37	404.53	404.60	0.07	404.59		419.5	
2Q17		4/3/2017	39.35	39.41	404.49	404.55	0.06	404.54		356.0	
3Q17		7/6/2017	39.02	39.08	404.82	404.88	0.06	404.87		602.2	
4Q17		10/3/2017	39.45	39.61	404.29	404.45	0.16	404.42		163.2	
1Q18		1/3/2018	40.78	40.85	403.05	403.12	0.07	403.11		184.6	
T-1											
2Q15	445.40	4/3/2015	NE	45.35	NA	NA	NA	400.05	398.40 - 388.40 (47.00 - 57.00)	0.0	*
3Q15		7/7/2015	NE	44.86	NA	NA	NA	400.54		0.0	*
4Q15		10/1/2015	NE	42.89	NA	NA	NA	402.51		0.0	*
1Q16		1/4/2016	NE	43.11	NA	NA	NA	402.29		0.0	*
2Q16		4/4/2016	NE	42.04	NA	NA	NA	403.36		0.0	*
3Q16		7/7/2016	NM	NM	NA	NA	NA	NA		NM	Unsafe condition at well - Unable to access
4Q16		10/3/2016	NE	40.52	NA	NA	NA	404.88		4.2	*
1Q17		1/16/2017	NE	40.05	NA	NA	NA	405.35		0.0	*
2Q17		4/3/2017	NE	40.51	NA	NA	NA	404.89		0.0	*
3Q17		7/5/2017	NE	39.11	NA	NA	NA	406.29		0.0	*
4Q17		10/2/2017	NE	39.30	NA	NA	NA	406.10		2.3	*
1Q18		1/2/2018	NE	41.16	NA	NA	NA	404.24		8.0	*
T-2											
2Q15	443.21	4/3/2015	NE	43.78	NA	NA	NA	399.43	392.72 - 372.56 (50.49 - 70.64)	0.0	*
3Q15		7/7/2015	NE	43.32	NA	NA	NA	399.89		0.0	*
4Q15		10/1/2015	NE	41.55	NA	NA	NA	401.66		0.0	*
1Q16		1/5/2016	NE	41.40	NA	NA	NA	401.81		0.0	*
2Q16		4/4/2016	NE	40.28	NA	NA	NA	402.93		3.5	*
3Q16		7/5/2016	NE	39.67	NA	NA	NA	403.54		0.1	*
4Q16		10/3/2016	NE	38.69	NA	NA	NA	404.52		0.0	*
1Q17		1/16/2017	NE	37.95	NA	NA	NA	405.26		0.0	*
2Q17		4/3/2017	NE	38.30	NA	NA	NA	404.91		0.0	*
3Q17		7/5/2017	NE	37.21	NA	NA	NA	406.00		0.0	*
4Q17		10/3/2017	NE	37.54	NA	NA	NA	405.67		0.0	*
1Q18		1/2/2018	NE	38.82	NA	NA	NA	404.39		0.0	*
T-3											
2Q15	449.03	4/3/2015	NE	50.57	NA	NA	NA	398.46	403.81 - 388.81 (45.22 - 60.22)	0.1	Well casing trimmed to make well more accessible
3Q15		7/7/2015	NE	50.18	NA	NA	NA	398.85		0.0	
4Q15		10/2/2015	NE	48.64	NA	NA	NA	400.39		0.2	
1Q16		1/5/2016	NE	48.55	NA	NA	NA	400.48		0.1	
2Q16		4/4/2016	NE	47.07	NA	NA	NA	401.96		0.8	
3Q16		7/5/2016	NE	46.89	NA	NA	NA	402.14		0.2	
4Q16		10/4/2016	NE	45.41	NA	NA	NA	403.62		0.0	
1Q17		1/17/2017	NE	44.71	NA	NA	NA	404.32		0.0	*
2Q17		4/3/2017	NE	45.05	NA	NA	NA	403.98		0.0	*
3Q17		7/6/2017	NE	44.04	NA	NA	NA	404.99		0.0	*
4Q17		10/3/2017	NE	44.42	NA	NA	NA	404.61		0.0	*
1Q18		1/2/2018	45.43	45.44	403.59	403.60	0.01	403.60		7.6	

TABLE 1
HISTORICAL GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID & EVENT	TOP OF CASING (elev. ¹)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER- PRODUCT INTERFACE (elev. ¹)	PRODUCT (elev. ¹)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL ² (elev. ¹)	SCREENED INTERVAL (elev. ¹) (ft btoc)	WELL HEAD PID ³ (ppm)	COMMENTS
T-4											
2Q15	446.63	4/6/2015	NE	49.83	NA	NA	NA	396.80	398.32 - 383.32 (48.31 - 63.31)	0.3	Well casing trimmed to make well more accessible
3Q15		7/7/2015	NE	48.26	NA	NA	NA	398.37		0.0	*
4Q15		10/2/2015	NE	46.91	NA	NA	NA	399.72		0.0	*
1Q16		1/5/2016	NE	46.73	NA	NA	NA	399.90		0.2	*
2Q16		4/4/2016	NE	44.77	NA	NA	NA	401.86		0.1	*
3Q16		7/7/2016	NE	45.04	NA	NA	NA	401.59		0.0	*
4Q16		10/4/2016	NE	42.80	NA	NA	NA	403.83		0.0	*
1Q17		1/17/2017	NE	42.50	NA	NA	NA	404.13		0.0	*
2Q17		4/4/2017	NE	42.98	NA	NA	NA	403.65		12.4	*
3Q17		7/6/2017	NE	41.92	NA	NA	NA	404.71		0.0	*
4Q17		10/3/2017	NE	42.65	NA	NA	NA	403.98		0.0	*
1Q18		1/4/2018	NE	43.21	NA	NA	NA	403.42		10.4	*
T-5											
2Q15	443.47	4/1/2015	NE	44.23	NA	NA	NA	399.24	395.14 - 378.59 (48.33 - 64.88)	0.8	*
3Q15		7/7/2015	NE	44.19	NA	NA	NA	399.28		20.0	*
4Q15		10/1/2015	NE	41.89	NA	NA	NA	401.58		5.9	*
1Q16		1/6/2016	NE	41.74	NA	NA	NA	401.73		6.9	*
2Q16		4/4/2016	NE	40.47	NA	NA	NA	403.00		0.3	*
3Q16		7/6/2016	NE	40.30	NA	NA	NA	403.17		4.3	*
4Q16		10/5/2016	NE	38.99	NA	NA	NA	404.48		28.5	*
1Q17		1/16/2017	NE	38.38	NA	NA	NA	405.09		2.6	*
2Q17		4/3/2017	NE	38.36	NA	NA	NA	405.11		0.0	*
3Q17		7/6/2017	NE	38.07	NA	NA	NA	405.40		9.4	*
4Q17		10/3/2017	NE	38.38	NA	NA	NA	405.09		40.9	*
1Q18		1/3/2018	NE	39.45	NA	NA	NA	404.02		3.0	*
T-6											
2Q15	446.61	4/1/2015	NE	48.56	NA	NA	NA	398.05	394.85 - 380.60 (51.76 - 66.01)	0.0	*
3Q15		7/9/2015	NE	47.97	NA	NA	NA	398.64		0.3	*
4Q15		10/1/2015	NE	45.20	NA	NA	NA	401.41		0.2	*
1Q16		1/4/2016	NE	45.40	NA	NA	NA	401.21		0.3	*
2Q16		4/4/2016	NE	44.43	NA	NA	NA	402.18		0.3	*
3Q16		7/5/2016	NE	43.81	NA	NA	NA	402.80		0.3	*
4Q16		10/3/2016	NE	43.09	NA	NA	NA	403.52		4.0	*
1Q17		1/16/2017	NE	42.50	NA	NA	NA	404.11		5.6	*
2Q17		4/3/2017	NE	42.71	NA	NA	NA	403.90		2.3	*
3Q17		7/5/2017	NE	41.60	NA	NA	NA	405.01		0.1	*
4Q17		10/2/2017	NE	41.92	NA	NA	NA	404.69		0.2	*
1Q18		1/2/2018	NE	44.30	NA	NA	NA	402.31		2.0	*
T-7											
2Q15	444.04	4/3/2015	NE	44.17	NA	NA	NA	399.87	395.32 - 380.32 (48.72 - 63.72)	5.7	*
3Q15		7/7/2015	NE	43.24	NA	NA	NA	400.80		3.8	*
4Q15		10/2/2015	NE	41.09	NA	NA	NA	402.95		15.6	*
1Q16		1/5/2016	NE	41.02	NA	NA	NA	403.02		4.3	*
2Q16		4/5/2016	NE	40.38	NA	NA	NA	403.66		3.4	*
3Q16		7/8/2016	NE	39.84	NA	NA	NA	404.20		1.1	*
4Q16		10/4/2016	NE	38.65	NA	NA	NA	405.39		0.5	*
1Q17		1/17/2017	NE	38.52	NA	NA	NA	405.52		2.5	*
2Q17		4/4/2017	NE	38.84	NA	NA	NA	405.20		0.8	*
3Q17		7/6/2017	NE	37.53	NA	NA	NA	406.51		0.0	*
4Q17		10/2/2017	NE	38.09	NA	NA	NA	405.95		0.0	*
1Q18		1/4/2018	39.98	39.99	404.05	404.06	0.01	404.06		2.5	*
T-12											
2Q15	444.80	4/1/2015	NE	46.73	NA	NA	NA	398.07	397.97 - 371.97 (46.83 - 72.83)	0.5	*
3Q15		7/9/2015	NE	46.20	NA	NA	NA	398.60		4.4	*
4Q15		10/1/2015	NE	43.79	NA	NA	NA	401.01		3.1	*
1Q16		1/4/2016	NE	44.43	NA	NA	NA	400.37		0.2	*
2Q16		4/4/2016	NE	43.10	NA	NA	NA	401.70		0.7	*
3Q16		7/5/2016	NE	41.39	NA	NA	NA	403.41		16.1	*
4Q16		10/3/2016	NE	41.61	NA	NA	NA	403.19		7.8	*
1Q17		1/16/2017	NE	40.70	NA	NA	NA	404.10		1.7	*
2Q17		4/3/2017	NE	40.86	NA	NA	NA	403.94		0.9	*
3Q17		7/5/2017	NE	40.06	NA	NA	NA	404.74		0.7	*
4Q17		10/2/2017	NE	39.15	NA	NA	NA	405.65		0.3	*
1Q18		1/3/2018	NE	42.06	NA	NA	NA	402.74		6.1	*
T-13											
2Q15	443.96	4/2/2015	NE	43.45	NA	NA	NA	400.51	396.46 - 370.46 (47.50 - 73.50)	0.0	*
3Q15		7/8/2015	NE	42.90	NA	NA	NA	401.06		0.1	*
4Q15		10/1/2015	NE	41.15	NA	NA	NA	402.81		0.0	*
1Q16		1/4/2016	NE	41.04	NA	NA	NA	402.92		0.0	*
2Q16		4/4/2016	NE	40.04	NA	NA	NA	403.92		0.0	*
3Q16		7/5/2016	NE	39.25	NA	NA	NA	404.71		0.2	*
4Q16		10/3/2016	NE	38.56	NA	NA	NA	405.40		0.5	*
1Q17		1/16/2017	NE	38.06	NA	NA	NA	405.90		0.4	*
2Q17		4/3/2017	NE	38.50	NA	NA	NA	405.46		0.0	*
3Q17		7/5/2017	NE	37.10	NA	NA	NA	406.86		0.0	*
4Q17		10/3/2017	NE	37.38	NA	NA	NA	406.58		0.0	*
1Q18		1/2/2018	NE	38.96	NA	NA	NA	405.00		3.7	*

TABLE 1
HISTORICAL GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID & EVENT	TOP OF CASING (elev. ¹)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev. ¹)	PRODUCT (elev. ¹)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL ² (elev. ¹)	SCREENED INTERVAL (elev. ¹) (ft btoc)	WELL HEAD PID ³ (ppm)	COMMENTS
T-15											
2Q15	445.14	4/3/2015	NE	45.58	NA	NA	NA	399.56	397.10 - 371.10 (48.04 - 74.04)	0.0	*
3Q15		7/7/2015	NE	44.93	NA	NA	NA	400.21		0.0	*
4Q15		10/2/2015	NE	43.54	NA	NA	NA	401.60		0.0	*
1Q16		1/5/2016	NE	43.20	NA	NA	NA	401.94		0.0	*
2Q16		4/4/2016	NE	42.13	NA	NA	NA	403.01		0.7	*
3Q16		7/5/2016	NE	41.64	NA	NA	NA	403.50		2.1	*
4Q16		10/3/2016	NE	40.44	NA	NA	NA	404.70		5.2	*
1Q17		1/16/2017	NE	39.71	NA	NA	NA	405.43		0.0	*
2Q17		4/3/2017	NE	40.08	NA	NA	NA	405.06		0.0	*
3Q17		7/6/2017	NE	38.98	NA	NA	NA	406.16		0.0	*
4Q17		10/3/2017	NE	39.39	NA	NA	NA	405.75		0.0	*
1Q18		1/3/2018	NE	40.36	NA	NA	NA	404.78		0.0	*
T-17											
2Q15	446.01	4/3/2015	NE	44.17	NA	NA	NA	401.84	401.91 - 375.91 (44.10 - 70.10)	0.6	
3Q15		7/7/2015	NE	43.22	NA	NA	NA	402.79		0.0	*
4Q15		10/2/2015	NE	42.29	NA	NA	NA	403.72		0.1	*
1Q16		1/5/2016	NE	42.21	NA	NA	NA	403.80		0.1	*
2Q16		4/4/2016	NE	40.37	NA	NA	NA	405.64		0.0	*
3Q16		7/5/2016	NE	40.41	NA	NA	NA	405.60		0.2	*
4Q16		10/3/2016	NE	38.45	NA	NA	NA	407.56		0.0	*
1Q17		1/16/2017	NE	38.11	NA	NA	NA	407.90		0.0	*
2Q17		4/3/2017	NE	38.42	NA	NA	NA	407.59		0.0	*
3Q17		7/6/2017	NE	36.63	NA	NA	NA	409.38		2.6	*
4Q17		10/3/2017	NE	37.78	NA	NA	NA	408.23		0.0	*
1Q18		1/3/2018	NE	38.74	NA	NA	NA	407.27		0.8	*
T-19											
2Q15	446.79	4/6/2015	NE	48.84	NA	NA	NA	397.95	396.02 - 370.02 (50.77 - 76.77)	51.2	*
3Q15		7/7/2015	NE	48.40	NA	NA	NA	398.39		21.6	*
4Q15		10/2/2015	NE	46.97	NA	NA	NA	399.82		8.1	*
1Q16		1/5/2016	NE	46.83	NA	NA	NA	399.96		8.5	*
2Q16		4/4/2016	NE	44.80	NA	NA	NA	401.99		3.1	*
3Q16		7/7/2016	NE	45.11	NA	NA	NA	401.68		16.3	*
4Q16		10/4/2016	NE	42.40	NA	NA	NA	404.39		0.6	*
1Q17		1/17/2017	NE	42.63	NA	NA	NA	404.16		3.1	*
2Q17		4/4/2017	NE	43.04	NA	NA	NA	403.75		18.5	*
3Q17		7/6/2017	NE	42.15	NA	NA	NA	404.64		92.6	*
4Q17		10/3/2017	NE	42.74	NA	NA	NA	404.05		4.9	*
1Q18		1/4/2018	NE	43.34	NA	NA	NA	403.45		235.6	*
T-21											
2Q15	443.99	4/3/2015	NE	34.80	NA	NA	NA	409.19	412.03 - 386.03 (31.96 - 57.96)	0.0	
3Q15		7/7/2015	NE	33.88	NA	NA	NA	410.11		0.0	
4Q15		10/2/2015	NE	32.70	NA	NA	NA	411.29		0.9	
1Q16		1/5/2016	NE	32.70	NA	NA	NA	411.29		0.0	
2Q16		4/5/2016	NE	31.70	NA	NA	NA	412.29		0.0	*
3Q16		7/7/2016	NE	31.08	NA	NA	NA	412.91		0.0	*
4Q16		10/5/2016	NE	29.87	NA	NA	NA	414.12		0.0	*
1Q17		1/17/2017	NE	29.97	NA	NA	NA	414.02		0.0	*
2Q17		4/4/2017	NE	30.65	NA	NA	NA	413.34		0.0	*
3Q17		7/6/2017	NE	28.80	NA	NA	NA	415.19		0.0	*
4Q17		10/2/2017	NE	29.28	NA	NA	NA	414.71		0.0	*
1Q18		1/4/2018	NE	30.74	NA	NA	NA	413.25		0.0	*
T-22											
2Q15	442.19	4/3/2015	NE	36.38	NA	NA	NA	405.81	410.64 - 384.94 (31.55 - 57.25)	0.2	
3Q15		7/7/2015	NE	35.51	NA	NA	NA	406.68		10.7	
4Q15		10/2/2015	NE	34.08	NA	NA	NA	408.11		0.0	
1Q16		1/5/2016	NE	33.86	NA	NA	NA	408.33		0.0	
2Q16		4/5/2016	NE	33.11	NA	NA	NA	409.08		0.0	
3Q16		7/7/2016	NE	32.47	NA	NA	NA	409.72		0.0	
4Q16		10/4/2016	NE	31.49	NA	NA	NA	410.70		0.1	*
1Q17		1/17/2017	NE	31.82	NA	NA	NA	410.37		0.0	
2Q17		4/4/2017	NE	32.43	NA	NA	NA	409.76		0.0	
3Q17		7/6/2017	NE	30.35	NA	NA	NA	411.84		0.0	*
4Q17		10/2/2017	NE	31.25	NA	NA	NA	410.94		0.0	*
1Q18		1/4/2018	NE	32.91	NA	NA	NA	409.28		1.0	
T-23											
2Q15	432.69	4/6/2015	NM	NM	NA	NA	NA	NA	405.46 - 379.46 (27.23 - 53.23)	NM	Unable to locate well due to landscaping
3Q15		7/6/2015	NE	27.93	NA	NA	NA	404.76		0.3	
4Q15		10/2/2015	NE	26.97	NA	NA	NA	405.72		1.0	*
1Q16		1/5/2016	NE	25.98	NA	NA	NA	406.71		0.0	*
2Q16		4/5/2016	NE	26.00	NA	NA	NA	406.69		0.0	*
3Q16		7/7/2016	NE	25.07	NA	NA	NA	407.62		0.0	*
4Q16		10/5/2016	NE	24.18	NA	NA	NA	408.51		0.0	*
1Q17		1/16/2017	NE	24.61	NA	NA	NA	408.08		0.0	*
2Q17		4/4/2017	NE	NM	NA	NA	NA	NA		NM	Unable to locate well due to landscaping
3Q17		7/6/2017	NE	23.15	NA	NA	NA	409.54		0.0	*
4Q17		10/3/2017	NE	24.50	NA	NA	NA	408.19		0.0	*
1Q18		1/3/2018	NE	26.07	NA	NA	NA	406.62		0.0	*

TABLE 1
HISTORICAL GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID & EVENT	TOP OF CASING (elev. ¹)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev. ¹)	PRODUCT (elev. ¹)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL ² (elev. ¹)	SCREENED INTERVAL (elev. ¹) (ft btoc)	WELL HEAD PID ³ (ppm)	COMMENTS
T-24											
2Q15	443.81	4/1/2015	45.02	46.10	397.71	398.79	1.08	398.57	402.31 - 376.66 (41.50 - 67.15)	0.0	
3Q15		7/8/2015	NM	NM	NA	NA	NA	NA		NM	Unsafe condition at well - Unable to access
4Q15		10/1/2015	42.51	42.63	401.18	401.30	0.12	401.28		1.4	
1Q16		1/5/2016	42.70	43.50	400.31	401.11	0.80	400.95		0.0	
2Q16		4/5/2016	41.61	42.16	401.65	402.20	0.55	402.09		2.6	
3Q16		7/6/2016	NE	40.54	NA	NA	NA	403.27		0.1	*
4Q16		10/4/2016	NE	39.88	NA	NA	NA	403.93		6.0	*
1Q17		1/16/2017	NE	39.11	NA	NA	NA	404.70		9.0	*
2Q17		4/3/2017	39.41	39.97	403.84	404.40	0.56	404.29		0.0	*
3Q17		7/5/2017	38.53	38.65	405.16	405.28	0.12	405.26		1.6	*
4Q17		10/2/2017	38.40	38.49	405.32	405.41	0.09	405.39		0.0	*
1Q18		1/2/2018	40.49	40.57	403.24	403.32	0.08	403.30		7.2	*
T-28											
2Q15	444.43	4/6/2015	NE	43.93	NA	NA	NA	400.50	Unknown	1.1	
3Q15		7/8/2015	NM	NM	NA	NA	NA	NA		NM	Unsafe condition at well - Unable to access
4Q15		10/1/2015	NE	42.23	NA	NA	NA	402.20		0.3	
1Q16		1/5/2016	NE	41.60	NA	NA	NA	402.83		0.0	
2Q16		4/4/2016	NE	40.39	NA	NA	NA	404.04		0.0	
3Q16		7/7/2016	NE	40.35	NA	NA	NA	404.08		0.0	
4Q16		10/3/2016	NE	38.60	NA	NA	NA	405.83		0.0	
1Q17		1/16/2017	NE	38.05	NA	NA	NA	406.38		0.0	
2Q17		4/3/2017	NE	38.42	NA	NA	NA	406.01		0.0	
3Q17		7/6/2017	NE	36.85	NA	NA	NA	407.58		0.0	
4Q17		10/3/2017	NE	37.73	NA	NA	NA	406.70		0.0	
1Q18		1/3/2018	NE	38.57	NA	NA	NA	405.86		0.0	
T-37											
2Q15	447.25	4/3/2015	NE	43.93	NA	NA	NA	403.32	398.40 - 378.40 (48.85 - 68.85)	0.0	*
3Q15		7/7/2015	NE	43.21	NA	NA	NA	404.04		0.0	*
4Q15		10/1/2015	NE	42.03	NA	NA	NA	405.22		0.0	*
1Q16		1/5/2016	NE	42.01	NA	NA	NA	405.24		0.1	*
2Q16		4/4/2016	NE	40.54	NA	NA	NA	406.71		0.1	*
3Q16		7/5/2016	NE	40.55	NA	NA	NA	406.70		0.1	*
4Q16		10/5/2016	NE	38.67	NA	NA	NA	408.58		0.2	*
1Q17		1/17/2017	NE	38.58	NA	NA	NA	408.67		0.0	*
2Q17		4/4/2017	NE	39.15	NA	NA	NA	408.10		0.5	*
3Q17		7/6/2017	NE	37.34	NA	NA	NA	409.91		0.0	*
4Q17		10/3/2017	NE	38.02	NA	NA	NA	409.23		0.0	*
1Q18		1/4/2018	NE	39.08	NA	NA	NA	408.17		0.1	*
T-38											
2Q15	445.67	4/3/2015	NE	40.64	NA	NA	NA	405.03	396.53 - 376.53 (49.14 - 69.14)	0.0	*
3Q15		7/7/2015	NE	39.66	NA	NA	NA	406.01		0.0	*
4Q15		10/1/2015	NE	38.67	NA	NA	NA	407.00		0.0	*
1Q16		1/5/2016	NE	38.52	NA	NA	NA	407.15		0.0	*
2Q16		4/4/2016	NE	37.67	NA	NA	NA	408.00		0.0	*
3Q16		7/5/2016	NE	37.57	NA	NA	NA	408.10		0.1	*
4Q16		10/5/2016	NE	35.60	NA	NA	NA	410.07		0.2	*
1Q17		1/17/2017	NE	35.86	NA	NA	NA	409.81		0.0	*
2Q17		4/4/2017	NE	36.49	NA	NA	NA	409.18		0.0	*
3Q17		7/6/2017	NE	34.15	NA	NA	NA	411.52		0.0	*
4Q17		10/3/2017	NE	35.02	NA	NA	NA	410.65		0.0	*
1Q18		1/4/2018	NE	36.13	NA	NA	NA	409.54		22.5	*
T-62											
2Q15	431.99	4/3/2015	NE	31.72	NA	NA	NA	400.27	412.28 - 382.28 (19.71 - 49.71)	0.0	
3Q15		7/8/2015	NE	29.43	NA	NA	NA	402.56		35.4	
4Q15		10/2/2015	NE	28.22	NA	NA	NA	403.77		0.0	
1Q16		1/5/2016	NE	27.87	NA	NA	NA	404.12		61.2	
2Q16		4/5/2016	NE	27.74	NA	NA	NA	404.25		0.1	
3Q16		7/8/2016	NE	27.04	NA	NA	NA	404.95		0.0	
4Q16		10/4/2016	NE	25.75	NA	NA	NA	406.24		0.3	
1Q17		1/17/2017	NE	26.70	NA	NA	NA	405.29		0.0	
2Q17		4/5/2017	NE	27.25	NA	NA	NA	404.74		0.0	
3Q17		7/6/2017	NE	24.51	NA	NA	NA	407.48		0.5	
4Q17		10/2/2017	NE	26.21	NA	NA	NA	405.78		0.0	
1Q18		1/3/2018	NE	28.34	NA	NA	NA	403.65		0.0	
T-63											
2Q15	431.43	4/3/2015	NE	31.52	NA	NA	NA	399.91	411.45 - 381.45 (19.98 - 49.98)	0.5	
3Q15		7/8/2015	NM	NM	NA	NA	NA	NA		NM	Unsafe condition at well - Unable to access
4Q15		10/2/2015	NE	27.78	NA	NA	NA	403.65		0.8	
1Q16		1/5/2016	NE	27.22	NA	NA	NA	404.21		0.3	
2Q16		4/5/2016	NE	27.33	NA	NA	NA	404.10		0.0	
3Q16		7/8/2016	NE	26.55	NA	NA	NA	404.88		0.0	
4Q16		10/4/2016	NE	25.42	NA	NA	NA	406.01		0.1	
1Q17		1/17/2017	NE	26.49	NA	NA	NA	404.94		0.0	
2Q17		4/5/2017	NE	27.02	NA	NA	NA	404.41		0.0	
3Q17		7/6/2017	NE	23.88	NA	NA	NA	407.55		0.0	
4Q17		10/2/2017	NE	25.98	NA	NA	NA	405.45		0.0	
1Q18		1/3/2018	NE	27.82	NA	NA	NA	403.61		0.0	

TABLE 1
HISTORICAL GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID & EVENT	TOP OF CASING (elev. ¹)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER- PRODUCT INTERFACE (elev. ¹)	PRODUCT (elev. ¹)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL ² (elev. ¹)	SCREENED INTERVAL (elev. ¹) (ft btoc)	WELL HEAD PID ³ (ppm)	COMMENTS
T-64											
2Q15	428.93	4/3/2015	NE	29.46	NA	NA	NA	399.47	409.12 - 379.12 (19.81 - 49.81)	1.6	
3Q15		7/8/2015	NE	25.37	NA	NA	NA	403.56		172.1	
4Q15		10/2/2015	NE	25.61	NA	NA	NA	403.32		1.2	
1Q16		1/5/2016	NM	NM	NA	NA	NA	NA		0.0	Unsafe condition at well - Unable to access
2Q16		4/5/2016	NE	25.26	NA	NA	NA	403.67		0.0	
3Q16		7/8/2016	NE	24.24	NA	NA	NA	404.69		0.0	
4Q16		10/4/2016	NE	23.11	NA	NA	NA	405.82		153.3	
1Q17		1/17/2017	NE	24.91	NA	NA	NA	404.02		0.0	
2Q17		4/5/2017	NE	25.13	NA	NA	NA	403.80		0.0	
3Q17		7/6/2017	NE	21.57	NA	NA	NA	407.36		0.0	
4Q17		10/2/2017	NE	24.24	NA	NA	NA	404.69		0.0	
1Q18		1/3/2018	NE	26.04	NA	NA	NA	402.89		0.0	

NOTES:

- 1) Elevations presented in this table are relative to the 1988 NAVD datum.
- 2) The corrected water level elevations presented in this table were corrected by a specific gravity of 0.80 for the wells in which LNAPL was identified.
- 3) PID values measured with a 10.6 electron volt (eV) lamp photoionization detector.
- 4) btoc = Below Top of Casing; ppm = parts per million; NA = Not Applicable; NE = Not Encountered; NM = Not Measured
- 5) * Indicates that the LNAPL and/or water level is above the top of the screened zone of the well.
- 6) Table includes comprehensive groundwater monitoring well gauging data from the combined Village of Roxana Interim Groundwater Monitoring Program and the WRB Refining LP Wood River Refinery Program.

TABLE 2
SOIL VMP DEPTHS

Location	Yellow 1st Interval	White 10 foot Depth	Blue 2nd Interval	Green 3rd Interval	Red 4th Interval	Notes:
VMP-1	5		8.5	23.5	38.5	Village of Roxana - 1st Street
VMP-2	5		8.5	22	42	Village of Roxana - Alley Between 3rd and 4th Street
VMP-3	5	10	22	31.5	39	Village of Roxana - Alley Between 2nd and 3rd Street
VMP-4	5		12	23.5	39	Village of Roxana - Alley Between 4th and 5th Street
VMP-5	5		12.5	31	40	Village of Roxana - Alley Between 5th and 6th Street
VMP-6	5		10	31.5	39	Village of Roxana - Alley Between 6th and 7th Street
VMP-7	5		13.5	29.5	38	Village of Roxana - 7th Street
VMP-8	5		9.5	23.5	35.5	Village of Roxana - Alley Between 7th and 8th Street
VMP-9	5		11.5	25.5	38.5	Village of Roxana - Alley Between 7th and 8th Street
VMP-10	5		10	20	30	Public Works Yard
VMP-11	5		8	29	38	Public Works Yard
VMP-12	5		11.5	25	39	WRR- North Property
VMP-13	5		10.5	21.5	29.5	Public Works Yard
VMP-14	5		11.5	20	29	Public Works Yard
VMP-15	5		21.5	25.5	29	Village of Roxana - SE of Route 111 and Rand Avenue
VMP-16	5		13.5	19	31	WRR- Main Property
VMP-17	5					Public Works Yard
VMP-18	8.5					Village of Roxana - 8th Street
VMP-19	5					Village of Roxana - 8th Street
VMP-20	5		10	25	39.5	Village of Roxana - Alley Between 2nd and 3rd Street
VMP-21	5		10	25	33	Village of Roxana - Alley Between 3rd and 4th Street
VMP-22	5		10	18	38	Village of Roxana - Alley Between 4th and 5th Street
VMP-23	5		10	25	40	Village of Roxana - Alley Between 5th and 6th Street
VMP-24	5		10	22	34	Village of Roxana - 7th Street
VMP-25	5		9.5	21	31	Village of Roxana - Corner of Rand Avenue and Route 111
VMP-26	10		20	30	40	WRR - North Property
VMP-27	10		20	30	40	WRR - North Property
VMP-28	10		20	30	40	WRR - North Property
VMP-29	10		18	26	40	Public Works Yard
VMP-30	10		18	26	40	Public Works Yard
VMP-31	5		10	20	30	Village of Roxana - Chaffer Avenue (Abandoned in June 2014)
VMP-32	5		10	20	30	Village of Roxana - 4th Street
VMP-33			10	20	30	WRR - North Property
VMP-34			10	20	30	WRR - North Property
VMP-35			10	20	30	WRR - North Property
VMP-36			10	20	30	WRR - North Property
VMP-37			10	20	30	WRR - North Property
VMP-38			10	20	27	WRR - North Property
VMP-39			10	20	30	WRR - North Property
VMP-40			10	20	30	WRR - North Property
VMP-41			10	20	26	Public Works Yard
VMP-42			10	20	30	Village of Roxana - Corner of Chaffer Avenue and 3rd Street
VMP-43			10	20	30	Village of Roxana - Corner of Chaffer Avenue and 4th Street
VMP-44			10	20	30	Village of Roxana - Corner of Chaffer Avenue and 5th Street
VMP-45			10	20	30	Village of Roxana - Corner of Chaffer Avenue and 6th Street
VMP-46			10	20	30	WRR - North Property
VMP-47	5		10	20	30	Village of Roxana - Corner of Chaffer Avenue and Alley Between 1st and 2nd Street
VMP-48	5		10	20	30	Village of Roxana - Alley Between 2nd and 3rd Street
VMP-49	5		10	20	30	Village of Roxana - Alley Between 3rd and 4th Street
VMP-50	5		10	20	30	Village of Roxana - Alley Between 4th and 5th Street
VMP-51	5		10	20	30	Village of Roxana - Alley Between 5th and 6th Street
VMP-52	5		10	20	30	Village of Roxana - Alley Between 6th and 7th Street
VMP-53	5		10	20	30	Village of Roxana - Alley Between 7th and 8th Street
VMP-54	5		10	20	30	Village of Roxana - Alley Between 7th and 8th Street
VMP-55	5		10	20	30	Public Works Yard Area; Route 111 Right-of-Way
VMP-56			10	25	38.5	Village of Roxana - Corner of Chaffer Avenue and 4th Street
VMP-57	5		10	20		WRR - North Property
VMP-58	5		10	20	30	WRR - North Property
VMP-59	5		10	20	30	WRR - North Property
VMP-60	5		10	20	33.5	WRR - North Property
VMP-61	5		10	20	30	WRR - North Property
VMP-62	5		10	20	30	Village of Roxana - Alley Between 1st and 2nd Street
VMP-63	5		10	20	30	Village of Roxana - Corner of Chaffer Avenue and 1st Street
VMP-64	5		10	20	28	Village of Roxana - Corner of Chaffer Avenue and Alley Between 1st and Tydeman

TABLE 3
SOIL VAPOR SAMPLING - TEDLAR® SAMPLING DATA

Reading Location			Shroud	Tedlar® Bag 1		Shroud	Tedlar® Bag 2						
Instrument			Dielectric		Landtec	Dielectric		FID	PID	Landtec			
Location	Depth	Date	Helium in Shroud Before (%)	Helium Before (%)	CH ₄ (%)	Helium in Shroud After (%)	Helium After (%)	FID (ppmv)	PID (ppmv)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)
VMP-1	5	4/28/17	54.1	0.0	N/A	51.0	0.0	0.0	0.8	0.0	0	0.2	20.7
		7/24/17	74.5	0.0	N/A	50.7	0.0	0.0	0.3	0.0	0	1.2	19.1
		10/26/17	50.7	4.3	N/A	55.0	0.1	0.0	0.4	0.0	0	0.5	20.3
		1/26/18	56.5	0.0	N/A	63.9	0.0	0.0	0.3	0.0	0	0.1	20.7
	8.5	4/28/17	53.7	0.0	N/A	53.4	0.0	0.0	0.6	0.0	0	0.3	20.1
		7/24/17	71.2	0.0	N/A	52.4	0.0	0.0	0.3	0.0	0	0.8	19.7
		10/26/17	53.9	0.0	N/A	53.1	0.0	0.0	0.3	0.0	0	0.5	20.4
		1/24/18	50.2	0.0	N/A	51.8	0.0	0.0	0.2	0.0	0	0.2	19.5
	23.5	4/28/17	56.4	0.0	N/A	57.4	0.0	0.0	0.6	0.0	0	0.7	20.0
		7/24/17	56.6	0.0	N/A	53.9	0.0	0.0	0.3	0.0	0	0.8	19.8
		10/26/17	52.3	0.0	N/A	65.8	0.0	0.0	0.8	0.0	0	0.8	20.2
		1/26/18	80.7	0.0	N/A	54.8	0.5	0.0	0.2	0.0	0	0.2	20.8
	38.5	4/28/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		7/24/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		10/26/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		1/26/18 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-2	5	5/3/17	54.8	0.0	N/A	52.9	0.1	0.0	0.3	0.0	0	2.1	18.9
		7/24/17	56.4	0.0	N/A	55.5	0.0	0.0	0.2	0.0	0	8.2	11.8
		10/26/17	53.3	0.0	N/A	52.7	0.0	0.0	0.3	0.0	0	4.2	17.3
		1/29/18	59.3	0.0	N/A	55.1	0.0	0.0	0.4	0.0	0	1.5	19.8
	8.5	5/3/17	53.9	0.0	N/A	50.8	0.0	0.0	0.1	0.0	0	2.0	19.0
		7/24/17	55.5	0.0	N/A	54.3	0.0	0.0	0.3	0.0	0	4.0	15.5
		10/26/17	51.9	0.0	N/A	53.4	0.0	0.0	0.4	0.0	0	4.7	17.0
		1/29/18	55.7	0.0	N/A	54.4	0.0	0.0	0.5	0.0	0	2.5	19.6
	22	5/3/17	53.9	0.0	N/A	50.2	0.0	0.0	0.5	0.0	0	2.0	19.2
		7/24/17	74.6	0.0	N/A	50.7	0.0	0.0	0.3	0.0	0	2.4	17.6
		10/26/17	51.1	0.0	N/A	52.6	0.0	0.0	0.3	0.0	0	3.9	17.4
		1/29/18	54.8	0.0	N/A	53.9	0.0	0.0	0.9	0.0	0	1.9	19.8
	42	5/3/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		7/24/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		10/26/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		1/29/18 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-3	5	4/27/17	61.0	0.1	N/A	51.6	2.1	0.0	0.2	0.0	0	0.0	18.7
		7/20/17	54.2	0.2	N/A	53.0	0.0	0.0	0.4	0.0	0	1.0	19.4
		10/26/17	61.3	0.2	N/A	50.4	4.7	0.0	0.2	0.0	0	0.0	19.8
		1/23/18	52.8	0.0	N/A	50.2	0.0	0.0	0.2	0.0	0	0.2	20.9
	10	4/27/17	52.8	0.1	N/A	53.6	2.0	0.0	0.2	0.0	0	0.1	20.2
		7/20/17	51.6	0.0	N/A	50.9	0.0	0.0	0.7	0.0	0	1.0	18.8
		10/26/17	53.0	0.1	N/A	62.7	0.5	0.0	0.3	0.0	0	0.1	20.4
		1/23/18	55.9	0.1	N/A	50.6	0.5	0.0	0.1	0.0	0	0.0	20.7
	22	4/27/17	52.0	0.0	N/A	51.4	0.0	0.0	0.2	0.0	0	0.5	20.1
		7/20/17	55.1	0.0	N/A	52.3	0.0	0.0	0.6	0.0	0	0.9	19.4
		10/26/17	52.9	0.0	N/A	52.6	0.0	0.0	0.4	0.0	0	0.9	19.9
		1/23/18	53.7	0.0	N/A	51.3	0.0	0.0	0.2	0.0	0	0.7	20.6
	31.5	4/27/17	51.3	0.0	N/A	51.3	0.1	2.4	0.1	0.0	0	3.6	17.8
		7/20/17	54.9	0.0	N/A	51.9	0.0	11.7	2.4	0.0	0	2.7	16.9
		10/26/17	51.6	0.0	N/A	50.7	0.0	239	0.3	0.0	0	3.9	17.2
		1/23/18 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	39	4/27/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		7/20/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		10/26/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		1/23/18 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-4	5	5/3/17	58.2	0.0	N/A	50.5	0.2	0.0	0.5	0.0	0	0.6	20.6
		7/25/17	50.4	0.0	N/A	51.9	0.0	0.0	0.7	0.0	0	0.5	20.9
		11/1/17	53.7	0.0	N/A	50.2	0.0	0.0	0.4	0.0	0	0.1	20.9
		1/23/18	68.1	0.0	N/A	57.1	0.0	0.0	0.1	0.0	0	0.0	20.9
	12	5/3/17	53.3	0.0	N/A	50.3	0.0	0.0	0.7	0.0	0	1.1	20.2
		7/25/17	50.5	0.0	N/A	50.4	0.1	0.0	0.6	0.0	0	1.6	20.0
		11/1/17	51.1	0.0	N/A	52.4	0.0	0.0	0.4	0.0	0	1.3	20.2
		1/23/18	68.5	0.0	N/A	53.2	0.0	0.0	0.1	0.0	0	0.5	20.6
	23.5	5/3/17	53.9	0.1	N/A	56.7	0.0	162	10.6	0.0	0	1.5	19.4
		7/25/17	52.0	0.1	N/A	50.6	0.2	42.6	2.7	0.0	0	1.5	19.1
		11/1/17	50.1	0.0	N/A	55.1	0.0	33.6	0.5	0.0	0	2.8	19.5
		1/23/18	64.1	0.0	N/A	52.5	0.0	1.3	0.5	0.0	0	2.8	18.1
	39	5/3/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		7/25/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		11/1/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		1/23/18 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

Reading Location			Shroud	Tedlar® Bag 1		Shroud	Tedlar® Bag 2						
Instrument			Dielectric		Landtec	Dielectric		FID	PID	Landtec			
Location	Depth	Date	Helium in Shroud Before (%)	Helium Before (%)	CH ₄ (%)	Helium in Shroud After (%)	Helium After (%)	FID (ppmv)	PID (ppmv)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)
VMP-5	5	4/26/17	77.2	0.0	N/A	75.0	0.6	0.0	0.3	0.0	0	0.0	20.5
		7/20/17	57.2	0.0	N/A	52.6	0.0	0.0	0.3	0.0	0	0.1	20.8
		10/30/17	55.6	0.0	N/A	53.5	0.0	0.0	0.2	0.0	0	0.2	20.8
		1/25/18	51.4	0.0	N/A	51.6	0.0	0.0	0.3	0.0	0	0.1	20.3
	12.5	4/26/17	56.0	0.0	N/A	50.5	0.1	0.0	0.4	0.0	0	0.2	20.4
		7/20/17	62.1	0.0	N/A	61.6	0.0	0.0	0.3	0.0	0	0.4	20.5
		10/30/17	53.9	0.0	N/A	51.4	0.0	0.0	0.2	0.0	0	0.5	20.8
		1/25/18	52.1	0.0	N/A	51.2	0.0	0.0	0.2	0.0	0	0.3	20.5
	31	4/26/17	52.6	0.0	N/A	50.5	0.1	0.0	0.3	0.0	0	0.5	20.2
		7/20/17	55.3	0.0	N/A	57.0	0.0	0.0	0.3	0.0	0	0.6	20.2
		10/30/17	52.3	0.0	N/A	54.6	0.0	0.0	0.3	0.0	0	0.7	20.7
		1/25/18	52.6	0.0	N/A	50.7	0.0	0.6	0.2	0.0	0	0.7	20.2
	40	4/26/17	53.2	0.0	N/A	50.3	0.1	0.0	0.3	0.0	0	0.8	19.9
		7/20/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		10/30/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		1/25/18	53.0	0.0	N/A	51.1	0.0	1.3	0.2	0.0	0	0.8	20.3
VMP-6	5	4/24/17	75.4	0.0	N/A	56.3	0.8	0.0	0.3	0.0	0	0.0	16.2
		5/22/17 ¹³	55.5	0.0	N/A	52.2	0.4	0.0	0.3	0.0	0	0.0	16.8
		7/21/17	52.6	0.0	N/A	52.0	4.4	0.0	0.2	0.0	0	0.0	19.8
		10/31/17 ⁷	73.4	0.0	N/A	56.0	0.8	0.0	0.4	0.0	0	0.0	20.7
		1/24/18	53.4	0.0	N/A	51.1	1.9	0.0	0.1	0.0	0	0.0	20.0
	10	4/24/17	51.5	1.6	N/A	51.3	1.3	0.0	0.6	0.0	0	0.3	20.3
		7/21/17	56.4	1.4	N/A	56.6	0.4	0.0	0.3	0.0	0	0.5	20.3
		10/31/17	55.0	0.2	N/A	50.1	0.2	0.0	0.3	0.0	0	0.2	20.8
		1/24/18	54.3	0.3	N/A	51.7	0.2	0.0	0.3	0.0	0	0.1	20.6
	31.5	4/24/17	59.7	0.0	N/A	55.1	0.0	0.0	0.4	0.0	0	1.1	19.3
		7/21/17	53.4	0.0	N/A	60.7	0.0	0.0	0.3	0.0	0	1.2	19.8
		10/31/17	50.1	0.0	N/A	52.9	0.0	0.0	0.3	0.0	0	1.2	20.3
		1/31/18 ⁹	56.5	0.0	N/A	53.8	0.0	0.0	0.4	0.0	0	1.4	19.7
	39	4/24/17	52.4	0.0	N/A	50.2	0.2	0.0	0.3	0.0	0	1.4	19.5
		7/21/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		10/31/17	54.3	0.0	N/A	55.7	0.0	0.0	0.3	0.0	0	1.2	20.2
		1/24/18	55.6	0.8	N/A	50.8	1.3	365	2.3	0.0	0	0.1	20.3
VMP-7	5	4/24/17	54.0	0.0	N/A	50.1	0.1	0.4	0.5	0.0	0	0.0	20.4
		7/21/17	56.3	0.0	N/A	65.3	0.0	0.0	0.2	0.0	0	0.1	20.6
		10/25/17	50.7	0.0	N/A	51.0	0.0	0.0	0.3	0.0	0	0.1	20.7
		1/25/18	56.3	0.0	N/A	52.4	0.0	0.0	0.3	0.0	0	0.0	20.7
	13.5	4/24/17	52.3	0.0	N/A	59.2	0.3	0.0	0.4	0.0	0	0.1	20.7
		7/21/17	55.6	0.0	N/A	65.0	0.0	0.0	0.2	0.0	0	0.3	20.6
		10/25/17	51.9	0.0	N/A	52.0	0.0	0.0	0.3	0.0	0	0.1	20.6
		1/25/18	53.4	0.0	N/A	51.9	0.0	0.0	0.2	0.0	0	0.0	20.9
	29.5	5/22/17 ⁹	55.0	0.0	N/A	50.6	0.0	0.0	0.7	0.0	0	1.4	19.1
		7/21/17	56.1	0.0	N/A	66.2	0.0	0.0	0.4	0.0	0	1.6	19.2
		10/25/17	50.7	0.0	N/A	51.4	0.0	0.0	0.4	0.0	0	1.4	19.8
		1/25/18	53.1	0.0	N/A	51.4	0.0	0.0	0.2	0.0	0	0.8	20.4
	38	4/24/17	57.7	0.0	N/A	55.0	0.3	0.0	0.7	0.0	0	1.7	19.2
		7/21/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		10/25/17	51.6	0.0	N/A	50.7	0.0	0.0	0.3	0.0	0	1.7	19.6
		1/25/18	53.7	0.0	N/A	51.3	0.0	0.0	0.2	0.0	0	1.6	19.7
VMP-8	5	4/20/17	50.3	0.0	N/A	50.2	0.0	0.0	0.0	0.0	0	1.5	19.3
		7/19/17	53.8	0.0	N/A	51.7	0.0	0.0	0.7	0.0	0	1.4	19.5
		10/30/17	50.5	0.0	N/A	52.5	0.0	0.0	0.3	0.0	0	0.9	20.5
		1/22/18	52.5	0.0	N/A	57.8	0.0	0.0	0.1	0.0	0	0.4	20.4
	9.5	4/21/17	50.8	0.0	N/A	55.4	0.0	0.0	0.3	0.0	0	1.9	18.8
		7/19/17	64.1	0.0	N/A	59.1	0.0	0.0	0.6	0.0	0	2.5	18.6
		10/30/17	50.0	0.0	N/A	50.7	0.0	0.0	0.3	0.0	0	2.6	19.4
		1/22/18	53.6	0.0	N/A	56.6	0.0	0.0	0.2	0.0	0	1.9	19.5
	23.5	4/21/17	52.1	0.0	N/A	55.0	0.0	0.0	0.3	0.0	0	2.7	17.9
		7/19/17	64.4	0.0	N/A	59.6	0.0	0.0	0.6	0.0	0	2.7	18.2
		10/30/17	53.1	0.0	N/A	52.8	0.0	0.0	0.2	0.0	0	3.4	19.1
		1/22/18	54.5	0.0	N/A	50.4	0.0	0.0	0.2	0.0	0	1.0	20.3
	35.5	4/21/17	51.0	0.0	N/A	53.0	0.7	0.0	0.4	0.0	0	1.6	19.1
		7/19/17	53.6	0.4	N/A	54.4	0.6	0.0	1.2	0.0	0	2.0	18.7
		10/30/17	50.8	0.0	N/A	56.4	0.0	0.0	0.3	0.0	0	2.5	19.8
		1/22/18 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

TABLE 3
SOIL VAPOR SAMPLING - TEDLAR® SAMPLING DATA

Reading Location			Shroud	Tedlar® Bag 1		Shroud	Tedlar® Bag 2						
Instrument			Dielectric		Landtec	Dielectric		FID	PID	Landtec			
Location	Depth	Date	Helium in Shroud Before (%)	Helium Before (%)	CH ₄ (%)	Helium in Shroud After (%)	Helium After (%)	FID (ppmv)	PID (ppmv)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)
VMP-9	5	4/20/17	62.5	0.0	N/A	53.7	0.3	0.0	0.3	0.0	0	0.1	20.8
		7/19/17	70.5	0.0	N/A	53.9	0.4	0.0	0.2	0.0	0	0.2	20.4
		11/1/17	83.1	0.0	N/A	62.8	0.0	0.0	0.3	0.0	0	0.1	20.7
		1/22/18	63.7	0.0	N/A	54.0	0.0	0.0	0.1	0.0	0	0.0	20.9
	11.5	4/20/17	65.2	0.4	N/A	53.0	0.7	0.0	0.4	0.0	0	0.2	20.8
		7/19/17	68.0	0.2	N/A	50.7	1.1	0.0	0.2	0.0	0	0.6	20.1
		11/1/17	56.6	0.0	N/A	53.3	0.1	0.0	0.2	0.0	0	0.2	20.8
		1/22/18	62.2	0.0	N/A	71.6	0.0	0.0	0.2	0.0	0	0.0	20.9
	25.5	4/20/17	50.1	0.0	N/A	50.5	0.0	0.0	0.4	0.0	0	0.3	20.5
		7/19/17	72.0	0.0	N/A	38.2	0.0	0.0	0.2	0.0	0	1.1	19.8
		11/1/17	59.6	0.0	N/A	57.8	0.0	0.0	0.3	0.0	0	0.7	20.4
		1/22/18	60.5	0.0	N/A	71.6	0.0	0.0	0.1	0.0	0	0.3	20.7
	38.5	4/20/17	54.7	0.0	N/A	50.9	0.1	0.0	0.4	0.0	0	1.5	19.5
		7/19/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		11/1/17	54.9	0.0	N/A	53.1	0.0	0.0	0.4	0.0	0	2.2	19.5
		1/22/18	71.6	0.0	N/A	59.6	0.0	0.0	0.2	0.0	0	1.4	19.9
VMP-10	5	4/27/17	58.1	0.0	N/A	52.0	0.0	0.0	0.2	0.0	0	0.5	20.3
		7/27/17	60.8	0.0	N/A	52.8	0.0	0.0	0.4	0.0	0	1.2	19.7
		10/30/17	83.1	0.0	N/A	62.3	0.0	0.0	0.2	0.0	0	0.4	20.6
		1/31/18	60.0	0.0	N/A	56.3	0.0	0.0	0.2	0.0	0	0.1	20.7
	10	4/27/17	53.1	0.0	N/A	51.8	0.0	0.0	0.2	0.0	0	0.6	20.4
		7/27/17	55.2	0.0	N/A	53.9	0.0	0.0	0.9	0.0	0	1.3	19.9
		10/30/17	61.8	0.0	N/A	52.3	0.0	0.0	0.3	0.0	0	0.6	20.4
		1/31/18	54.5	0.0	N/A	53.3	0.0	0.0	0.3	0.0	0	0.2	20.6
	20	4/27/17	57.3	0.0	N/A	55.0	0.2	0.0	0.1	0.0	0	0.5	20.5
		7/27/17	53.5	0.0	N/A	74.3	0.0	0.0	0.7	0.0	0	1.4	19.9
		10/30/17	70.5	0.0	N/A	62.9	0.0	0.0	0.3	0.0	0	1.1	20.0
		1/31/18	54.3	0.0	N/A	51.2	0.0	0.0	0.3	0.0	0	0.4	20.7
	30	4/27/17	54.3	0.0	N/A	50.1	0.1	0.0	0.2	0.0	0	0.8	20.2
		7/27/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		10/30/17	69.6	0.0	N/A	51.2	0.0	0.0	0.2	0.0	0	1.6	19.6
		1/31/18	54.7	0.6	N/A	52.9	0.5	0.0	0.3	0.0	0	0.1	20.5
VMP-11	5	5/22/17	51.7	0.0	N/A	66.7	0.1	0.0	0.4	0.0	0	0.6	20.8
		7/26/17	71.5	0.0	N/A	85.9	0.0	0.0	0.6	0.0	0	1.3	19.8
		11/3/17	81.2	0.0	N/A	53.8	0.0	0.0	0.2	0.0	0	0.3	20.6
		1/29/18	53.4	0.0	N/A	51.2	0.0	0.0	0.4	0.0	0	0.2	20.8
	8	5/22/17	55.5	0.0	N/A	52.5	0.0	0.0	0.4	0.0	0	1.2	19.6
		7/26/17	84.7	0.0	N/A	87.8	0.0	0.0	0.5	0.0	0	1.8	19.4
		11/3/17	53.8	0.0	N/A	56.3	0.0	0.0	0.2	0.0	0	1.0	20.3
		1/29/18	55.2	0.0	N/A	54.2	0.0	0.0	0.5	0.0	0	0.6	20.4
	29	5/22/17	55.8	0.0	N/A	50.0	0.1	0.0	0.9	0.0	0	1.4	19.0
		7/26/17	50.1	0.0	N/A	52.1	0.0	0.0	1.6	0.0	0	2.1	18.5
		11/3/17	56.9	0.0	N/A	54.8	0.0	0.0	0.3	0.0	0	2.4	19.1
		1/29/18	82.7	0.0	N/A	60.1	0.0	0.0	0.6	0.0	0	1.6	19.7
	38	5/22/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		7/26/17	50.9	0.0	N/A	50.0	0.0	0.0	1.3	0.0	0	1.5	19.3
		11/3/17	65.2	0.0	N/A	50.0	0.0	0.0	0.2	0.0	0	1.4	19.6
		1/29/18	60.8	0.0	N/A	54.0	0.0	0.0	0.6	0.0	0	1.2	19.9
VMP-12	5	5/2/17	52.4	0.0	N/A	54.6	0.3	0.0	0.8	0.0	0	0.0	20.2
		7/28/17	51.2	0.0	N/A	50.7	0.0	0.0	0.3	0.0	0	0.1	20.5
		11/2/17	83.3	0.0	N/A	75.5	0.0	0.0	0.3	0.0	0	0.0	20.8
		1/30/18	53.5	0.0	N/A	53.1	0.0	0.0	0.4	0.0	0	0.0	20.8
	11.5	5/2/17	51.4	0.0	N/A	50.2	0.0	0.0	1.2	0.0	0	0.4	19.9
		7/28/17	52.1	0.0	N/A	50.9	0.0	0.0	0.2	0.0	0	0.3	20.0
		11/2/17	57.9	0.0	N/A	53.3	2.8	0.0	0.8	0.0	0	0.0	19.3
		1/30/18	55.4	0.0	N/A	54.4	0.2	0.0	0.6	0.0	0	0.0	20.7
	25	5/2/17	61.7	0.0	N/A	57.2	0.0	0.0	0.9	0.0	0	1.1	18.8
		7/28/17	55.1	0.0	N/A	51.5	0.0	0.6	0.5	0.0	0	1.4	19.0
		11/2/17	67.6	0.0	N/A	58.5	0.0	0.0	0.6	0.0	0	0.7	20.2
		1/30/18	56.3	0.0	N/A	55.1	0.0	0.0	0.4	0.0	0	0.5	20.5
	39	5/2/17	52.1	1.2	90.8	64.9	2.1	439000	164	99.9	OVR	14.2	1.0
		7/28/17	54.7	0.0	N/A	50.7	0.0	361000	87.1	55.1	OVR	12.6	0.8
		11/2/17	55.8	4.3	N/A	50.6	1.7	424000	89.7	OVR	OVR	14.1	0.8
		1/30/18	54.8	0.3	N/A	53.3	0.3	64820	184	12.4	OVR	15.6	4.1

TABLE 3
SOIL VAPOR SAMPLING - TEDLAR® SAMPLING DATA

Reading Location			Shroud	Tedlar® Bag 1		Shroud	Tedlar® Bag 2						
Instrument			Dielectric		Landtec	Dielectric		FID	PID	Landtec			
Location	Depth	Date	Helium in Shroud Before (%)	Helium Before (%)	CH ₄ (%)	Helium in Shroud After (%)	Helium After (%)	FID (ppmv)	PID (ppmv)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)
VMP-13	5	4/28/17	52.8	0.0	N/A	58.6	0.0	0.0	0.2	0.0	0	0.2	20.6
		7/27/17	50.6	0.0	N/A	50.5	0.0	0.0	0.5	0.0	0	0.7	19.9
		10/30/17	51.5	0.1	N/A	85.0	0.0	0.0	0.6	0.0	0	0.4	20.6
		1/29/18	53.1	0.0	N/A	56.9	0.0	0.0	0.7	0.0	0	0.1	20.8
	10.5	4/28/17	52.7	0.0	N/A	68.1	0.0	0.0	0.2	0.0	0	0.1	20.7
		7/27/17	50.3	0.0	N/A	53.3	0.0	0.0	0.4	0.0	0	0.5	20.2
		10/30/17	52.8	0.0	N/A	51.1	0.0	0.0	0.4	0.0	0	0.4	20.6
		1/29/18	63.7	0.0	N/A	65.6	0.0	0.0	0.4	0.0	0	0.1	20.8
	21.5	4/28/17	53.6	0.0	N/A	51.3	0.0	0.0	0.2	0.0	0	0.1	20.7
		7/27/17	50.4	0.0	N/A	50.8	0.0	0.0	0.6	0.0	0	0.2	20.6
		10/30/17	54.4	0.0	N/A	51.1	0.0	0.0	0.6	0.0	0	0.3	20.6
		1/29/18	57.9	0.0	N/A	52.5	0.0	0.0	0.3	0.0	0	0.2	20.7
	29.5	4/28/17	52.6	0.0	N/A	53.8	0.0	0.0	0.2	0.0	0	0.4	20.2
		7/27/17	50.3	0.0	N/A	50.3	0.0	0.0	0.5	0.0	0	0.4	20.2
		10/30/17	57.0	0.0	N/A	52.9	0.0	18.4	0.3	0.0	0	1.2	19.8
		1/29/18	68.4	0.0	N/A	57.4	0.3	11.2	1.3	0.0	0	0.7	20.2
VMP-14	5	5/1/17	51.7	0.0	N/A	55.3	0.1	0.0	0.2	0.0	0	0.8	20.3
		7/19/17	50.3	0.0	N/A	52.4	0.2	0.0	0.5	0.0	0	0.3	20.1
		10/30/17	79.9	0.0	N/A	52.8	0.0	0.0	0.6	0.0	0	0.2	20.6
		1/25/18	69.8	0.0	N/A	54.9	0.3	0.0	0.0	0.0	0	0.1	20.8
	11.5	5/1/17	54.8	0.2	N/A	51.2	0.3	0.0	0.2	0.0	0	0.8	20.1
		7/19/17	53.8	0.5	N/A	51.7	0.3	0.0	0.4	0.0	0	0.3	20.0
		10/30/17	57.1	0.0	N/A	88.6	0.0	0.0	0.6	0.0	0	0.1	20.8
		1/25/18	64.4	0.9	N/A	50.3	0.7	0.0	0.1	0.0	0	0.1	20.7
	20	5/1/17	52.0	0.0	N/A	50.8	0.0	118	50.2	0.0	0	15.0	1.8
		7/19/17	50.7	0.1	N/A	50.2	0.0	88.4	42.6	0.1	0	15.1	0.0
		10/30/17	54.3	0.0	N/A	52.8	0.0	56.2	28.6	0.1	0	14.8	1.0
		1/25/18	66.0	0.0	N/A	56.5	0.0	64.5	9.6	0.0	0	13.4	1.7
	29	5/1/17	55.2	0.0	N/A	52.4	0.0	30.2	0.9	0.0	0	5.5	13.1
		7/19/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		10/30/17	54.9	0.0	N/A	50.1	0.0	1.1	0.4	0.0	0	4.7	15.3
		1/25/18	67.9	0.3	N/A	58.3	1.9	0.9	0.2	0.0	0	4.7	14.3
VMP-15	5	5/1/17	51.7	0.0	N/A	50.1	0.0	0.0	0.2	0.0	0	0.9	15.6
		7/26/17	51.1	0.0	N/A	53.2	0.0	0.0	1.2	0.0	0	5.5	12.8
		11/2/17	50.1	0.0	N/A	56.0	0.0	0.0	0.2	0.0	0	3.7	16.3
		1/30/18	75.4	0.0	N/A	56.7	0.0	0.0	0.8	0.0	0	1.9	18.9
	21.5	5/1/17	54.3	0.0	N/A	52.6	0.0	20510	0.6	1.4	27	14.4	1.6
		7/26/17	50.3	1.5	N/A	50.3	0.8	118000	3.5	7.8	OVR	15.2	0.0
		11/2/17	51.4	0.0	N/A	51.8	0.0	0.0	0.2	0.0	0	3.0	15.8
		1/30/18	53.1	0.0	N/A	71.9	0.0	0.0	0.6	0.0	0	12.4	5.6
	25.5	5/1/17	55.3	0.0	N/A	51.4	0.4	53860	10.4	25.0	OVR	16.4	1.4
		7/26/17	52.4	1.6	N/A	50.2	0.6	111000	6.7	7.7	OVR	16.4	0.0
		11/2/17	50.6	0.0	N/A	53.6	0.0	0.0	0.1	0.0	0	10.2	8.8
		1/30/18	64.1	0.0	N/A	52.2	0.0	0.0	1.7	0.0	0	12.0	7.1
	29	5/1/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		7/26/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		11/2/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		1/30/18	52.1	0.0	0.0	72.7	0.0	2.3	0.2	0.0	0	11.4	7.8
VMP-16	5	5/2/17	51.1	0.0	N/A	50.5	0.0	0.0	0.4	0.0	0	1.2	19.6
		7/28/17	54.1	0.0	N/A	50.2	0.2	0.0	0.5	0.0	0	4.8	14.6
		11/2/17	64.0	0.0	N/A	55.2	0.0	0.0	0.9	0.0	0	3.8	14.7
		1/30/18	54.2	0.0	N/A	52.8	0.0	0.0	0.3	0.0	0	1.0	19.6
	13.5	5/2/17	52.5	0.0	N/A	50.7	0.0	7430	681	3.2	64	16.5	0.5
		7/28/17	60.9	0.0	N/A	50.6	0.0	21870	458	11.8	OVR	16.8	0.0
		11/2/17	64.4	0.0	N/A	57.1	0.0	25850	341	18.8	OVR	15.1	1.0
		1/30/18	54.0	0.0	N/A	52.3	0.0	6740	569	4.4	89	13.5	1.2
	19	5/2/17	56.9	0.0	N/A	52.9	0.3	61510	338	20.9	OVR	15.2	0.3
		7/28/17	51.9	0.6	N/A	50.4	0.4	88560	291	34.3	OVR	16.2	0.0
		11/2/17	58.3	0.3	N/A	57.0	0.3	75040	255	55.3	OVR	15.8	1.0
		1/30/18	53.7	0.1	N/A	51.2	0.1	62780	354	32.7	OVR	15.2	2.6
	31	5/2/17	52.3	1.3	24.0	51.7	0.8	134000	231	28.1	OVR	14.8	1.5
		7/28/17	50.1	1.4	N/A	50.1	0.9	141000	195	42.2	OVR	16.1	0.0
		11/2/17	59.9	1.1	N/A	59.4	1.4	126000	171	63.1	OVR	15.7	1.4
		1/30/18	55.2	1.0	N/A	52.3	1.0	142000	234	36.3	OVR	14.3	5.3

TABLE 3
SOIL VAPOR SAMPLING - TEDLAR® SAMPLING DATA

Reading Location			Shroud	Tedlar® Bag 1		Shroud	Tedlar® Bag 2						
Instrument			Dielectric		Landtec	Dielectric		FID	PID	Landtec			
Location	Depth	Date	Helium in Shroud Before (%)	Helium Before (%)	CH ₄ (%)	Helium in Shroud After (%)	Helium After (%)	FID (ppmv)	PID (ppmv)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)
VMP-17	5	5/2/17	54.6	0.0	N/A	53.9	0.0	0.0	0.3	0.0	0	0.4	20.3
		7/19/17	57.3	0.0	N/A	65.7	0.0	0.0	0.3	0.0	0	1.1	19.9
		11/2/17	54.1	0.0	N/A	52.3	0.0	0.0	0.3	0.0	0	0.1	20.8
		1/24/18	59.3	0.0	N/A	56.2	0.0	0.0	0.2	0.0	0	0.1	20.8
VMP-18	8.5	5/3/17	52.9	0.0	N/A	64.2	0.0	0.0	0.3	0.0	0	2.1	19.0
		7/27/17	51.8	0.0	N/A	50.2	0.0	0.0	0.8	0.0	0	3.0	18.3
		11/3/17	78.5	0.0	N/A	52.3	0.0	0.0	0.3	0.0	0	1.5	20.2
		1/24/18	52.5	0.0	N/A	50.5	0.0	0.0	0.2	0.0	0	0.5	19.6
VMP-19	5	4/20/17	53.4	0.0	N/A	51.5	0.9	0.0	0.3	0.0	0	0.0	20.9
		7/27/17	50.2	0.5	N/A	50.1	0.0	0.0	0.7	0.0	0	0.5	19.9
		10/25/17	52.3	0.1	N/A	54.7	2.5	0.0	0.3	0.0	0	0.1	20.2
		1/25/18	57.4	0.0	N/A	58.2	2.1	5.4	0.2	0.0	0	0.0	20.4
VMP-20	5	4/26/17	53.7	0.0	N/A	52.5	0.0	0.0	0.5	0.0	0	5.3	16.2
		7/24/17	67.3	0.0	N/A	50.1	0.0	0.0	0.5	0.0	0	10.1	11.0
		10/31/17	64.5	0.0	N/A	59.0	0.0	0.0	0.2	0.0	0	5.1	16.8
		1/22/18	50.4	0.0	N/A	50.7	0.0	0.0	0.1	0.0	0	0.8	20.7
	10	4/26/17	53.6	0.1	N/A	65.7	0.0	0.0	0.5	0.0	0	6.0	14.7
		7/24/17	60.3	0.0	N/A	90.4	0.0	0.0	0.8	0.0	0	12.1	8.6
		10/31/17	61.7	0.0	N/A	54.4	0.0	0.0	0.1	0.0	0	7.7	14.6
		1/22/18	54.2	0.0	N/A	51.5	0.0	0.0	0.2	0.0	0	4.5	18.0
	25	4/26/17	51.5	0.0	N/A	61.7	0.0	0.0	0.5	0.0	0	4.5	16.8
		7/24/17	54.0	0.0	N/A	56.6	0.0	0.0	0.5	0.0	0	4.3	15.8
		10/31/17	61.2	0.0	N/A	50.1	0.0	0.0	0.2	0.0	0	6.2	15.2
		1/22/18	52.9	0.0	N/A	50.0	0.0	0.0	0.2	0.0	0	5.2	17.2
	39.5	4/26/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		7/24/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		10/31/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		1/22/18 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-21	5	4/24/17	51.7	0.0	N/A	50.4	0.0	0.0	0.4	0.0	0	2.0	19.3
		7/20/17	59.1	0.0	N/A	51.1	0.0	0.0	0.3	0.0	0	2.9	17.6
		10/31/17	83.0	0.0	N/A	63.3	0.0	0.0	0.3	0.0	0	1.7	20.1
		1/23/18	50.5	0.0	N/A	50.5	0.0	0.0	0.2	0.0	0.0	0.6	20.4
	10	4/24/17	53.8	0.0	N/A	50.7	0.0	0.0	0.4	0.0	0	2.1	18.6
		7/20/17	53.8	0.0	N/A	51.2	0.0	0.0	0.7	0.0	0	3.8	16.2
		10/31/17	55.6	0.0	N/A	55.4	0.0	0.0	0.2	0.0	0	3.7	18.0
		1/23/18	53.3	0.0	N/A	50.6	0.0	0.0	0.4	0.0	0.0	1.9	20.0
	25	4/24/17	52.9	0.0	N/A	58.0	0.0	0.0	0.4	0.0	0	1.8	19.0
		7/20/17	60.6	0.0	N/A	51.4	0.0	0.0	0.6	0.0	0	2.6	17.7
		10/31/17	64.7	0.0	N/A	54.7	0.0	0.0	0.4	0.0	0	3.7	18.0
		1/23/18	53.7	0.0	N/A	50.9	0.0	0.0	0.3	0.0	0.0	2.6	20.0
	33	4/24/17	54.6	0.0	N/A	50.7	0.0	0.0	0.3	0.0	0	2.4	18.6
		7/20/17	63.9	0.0	N/A	52.0	0.0	0.0	0.4	0.0	0	2.5	17.2
		10/31/17	52.8	0.0	N/A	65.7	0.0	0.0	0.3	0.0	0	4.1	17.5
		1/23/18	54.0	0.0	N/A	51.0	0.0	0.0	0.3	0.0	0	3.1	20.0
VMP-22	5	4/26/17	52.4	0.0	N/A	53.5	0.0	0.0	0.4	0.0	0	0.4	20.4
		7/26/17	52.1	0.0	N/A	51.4	0.0	0.0	1.1	0.0	0	1.3	19.5
		10/26/17	51.5	0.0	N/A	51.5	0.0	0.0	0.3	0.0	0	0.6	20.5
		1/30/18	53.7	0.0	N/A	52.7	0.0	0.0	0.7	0.0	0	0.2	19.8
	10	4/26/17	54.3	0.0	N/A	70.8	0.0	0.0	0.4	0.0	0	0.4	20.5
		7/26/17	50.8	0.2	N/A	50.1	0.3	0.0	0.8	0.0	0	1.3	19.3
		10/26/17	58.6	0.0	N/A	55.0	0.0	0.0	0.3	0.0	0	0.6	20.4
		1/30/18	59.4	0.0	N/A	58.2	0.0	0.0	0.6	0.0	0	0.1	19.6
	18	4/26/17	55.0	0.0	N/A	65.0	0.0	0.0	0.9	0.0	0	0.6	20.3
		7/26/17	50.6	0.1	N/A	52.8	0.1	0.0	0.6	0.0	0	1.1	19.6
		10/26/17	50.3	0.0	N/A	52.6	0.0	0.0	0.5	0.0	0	0.6	20.3
		1/30/18	55.5	0.0	N/A	55.5	0.0	0.0	0.8	0.0	0	0.2	20.5
	38	4/26/17	56.3	0.1	N/A	50.5	0.1	0.0	0.4	0.0	0	1.2	19.8
		7/26/17	52.8	0.3	N/A	50.1	0.3	0.0	0.9	0.0	0	1.3	19.2
		10/26/17	55.9	0.0	N/A	51.0	0.0	0.0	0.4	0.0	0	0.5	20.4
		1/30/18	55.7	0.1	N/A	53.8	0.0	0.0	0.9	0.0	0	0.2	20.3

TABLE 3
SOIL VAPOR SAMPLING - TEDLAR® SAMPLING DATA

Reading Location			Shroud	Tedlar® Bag 1		Shroud	Tedlar® Bag 2						
Instrument			Dielectric		Landtec	Dielectric		FID	PID	Landtec			
Location	Depth	Date	Helium in Shroud Before (%)	Helium Before (%)	CH ₄ (%)	Helium in Shroud After (%)	Helium After (%)	FID (ppmv)	PID (ppmv)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)
VMP-23	5	4/25/17	58.9	0.0	N/A	52.5	0.0	0.0	0.4	0.0	0	1.0	20.2
		7/20/17	53.4	0.0	N/A	68.0	0.0	0.0	0.3	0.0	0	1.7	19.3
		10/25/17	54.3	0.0	N/A	50.3	0.0	0.0	0.3	0.0	0	0.6	20.4
		1/23/18	57.1	0.0	N/A	51.3	0.0	0.0	0.1	0.0	0	0.1	20.8
	10	4/25/17	52.4	0.0	N/A	50.8	0.0	0.0	0.4	0.0	0	0.6	20.4
		7/20/17	60.0	0.0	N/A	55.6	0.0	0.0	0.3	0.0	0	0.9	20.1
		10/25/17	54.8	0.0	N/A	50.4	0.0	0.0	0.2	0.0	0	0.5	20.6
		1/23/18	59.7	0.0	N/A	58.1	0.0	0.0	0.3	0.0	0	0.1	20.8
	25	4/25/17	52.3	0.0	N/A	50.6	0.1	0.0	0.4	0.0	0	0.8	19.8
		7/20/17	58.4	0.0	N/A	60.0	0.0	0.0	0.3	0.0	0	1.3	19.4
		10/25/17	54.6	0.0	N/A	50.0	0.0	0.0	0.3	0.0	0	1.8	19.6
		1/23/18	64.6	0.0	N/A	65.0	0.0	0.0	0.2	0.0	0	1.3	19.9
	40	4/25/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		7/20/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		10/25/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		1/23/18	58.5	0.0	N/A	50.0	0.0	0.0	0.2	0.0	0	2.2	19.6
VMP-24	5	4/21/17	56.0	0.0	N/A	62.0	0.2	0.0	0.2	0.0	0	0.2	20.8
		7/21/17	69.0	0.0	N/A	50.6	0.0	2.3	0.0	0.0	0	0.4	20.3
		10/25/17	51.6	0.0	N/A	50.7	0.0	0.0	0.6	0.0	0	1.8	19.2
		1/24/18	54.5	0.0	N/A	57.5	0.0	0.8	0.2	0.0	0	0.3	20.6
	10	4/21/17	58.6	0.0	N/A	50.6	0.1	0.0	0.4	0.0	0	0.9	20.0
		7/21/17	60.0	0.1	N/A	51.3	0.1	0.0	0.0	0.0	0	2.0	18.7
		10/25/17	51.9	0.0	N/A	51.2	0.0	0.0	0.3	0.0	0	3.8	17.7
		1/24/18	69.7	0.0	N/A	50.9	0.0	0.7	0.1	0.0	0	1.5	19.6
	22	4/21/17	50.5	0.4	N/A	52.0	1.6	0.0	0.3	0.0	0	0.2	20.1
		7/21/17	52.4	0.6	N/A	51.3	0.8	0.0	0.0	0.0	0	0.2	20.2
		10/25/17	53.1	0.0	N/A	51.4	0.0	0.0	0.3	0.0	0	1.4	19.3
		1/24/18	77.0	1.2	N/A	75.0	8.5	0.0	0.1	0.0	0	0.7	20.3
	34	4/21/17	52.3	0.0	N/A	51.4	0.2	0.0	0.4	0.0	0	0.5	20.4
		7/21/17	53.1	0.0	N/A	52.1	0.0	0.0	0.0	0.0	0	1.6	19.2
		10/25/17	51.4	0.0	N/A	71.2	0.0	0.0	0.3	0.0	0	3.8	17.6
		1/24/18	63.6	0.0	N/A	54.7	0.0	0.8	0.2	0.0	0	1.6	19.5
VMP-25	5	5/2/17	51.7	0.0	N/A	55.2	0.0	0.0	0.3	0.0	0	1.0	17.7
		8/1/17	52.4	0.0	N/A	50.7	0.0	10.2	0.4	0.0	0	12.2	0.7
		11/2/17	51.5	0.0	N/A	54.3	0.0	0.0	0.3	0.0	0	6.4	12.0
		1/30/18	60.3	0.0	N/A	52.5	0.0	0.0	1.3	0.0	0	4.1	10.1
	9.5	5/2/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		8/1/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		11/2/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		1/30/18 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	21	5/2/17	52.0	0.5	N/A	51.9	1.9	0.0	0.3	0.0	0	0.1	20.6
		8/1/17	54.3	1.3	N/A	50.2	3.0	0.0	0.7	0.0	0	0.4	18.8
		11/2/17	52.4	1.2	N/A	53.9	0.9	0.0	0.2	0.0	0	0.9	19.6
		1/30/18	62.6	0.0	N/A	83.3	3.3	0.0	0.4	0.0	0	0.1	20.4
	31	5/2/17 ¹¹	51.8	3.2	N/A	51.8	1.5	91180	88.1	24.1	OVR	12.2	2.0
		8/1/17 ¹¹	51.8	2.0	N/A	50.4	2.0	205000	61.3	40.4	OVR	13.3	0.0
		11/2/17 ¹¹	55.8	1.1	N/A	51.0	0.2	169000	86.1	42.0	OVR	12.2	5.2
		1/30/18	59.7	0.2	48.7	61.9	1.4	174000	91.4	46.9	OVR	14.3	1.9
VMP-29	10	5/2/17	72.6	0.1	N/A	56.5	0.1	0.0	0.6	0.0	0	0.1	20.8
		7/27/17	53.4	0.0	N/A	85.0	0.0	0.0	0.8	0.0	0	1.0	20.1
		10/27/17	73.8	0.0	N/A	57.7	0.0	0.0	0.3	0.0	0	0.2	20.6
		1/25/18	53.6	0.0	N/A	60.5	0.0	0.0	0.2	0.0	0	0.2	20.7
	18	5/2/17	51.5	0.3	N/A	50.4	3.2	0.0	0.4	0.0	0	0.1	19.7
		7/27/17	56.4	0.0	N/A	58.9	0.0	1.5	3.2	0.0	0	0.9	20.4
		10/27/17	53.6	0.1	N/A	53.6	0.8	0.0	0.6	0.0	0	0.2	20.7
		1/25/18	66.3	0.0	N/A	51.6	0.0	0.0	0.2	0.0	0	0.3	20.7
	26	5/2/17	53.9	0.0	N/A	56.7	0.0	0.0	0.2	0.0	0	0.4	20.4
		7/27/17	67.9	0.0	N/A	54.2	0.0	5.4	3.3	0.0	0	0.8	20.1
		10/27/17	58.4	0.0	N/A	51.5	2.9	0.0	0.4	0.0	0	0.2	20.3
		1/25/18	64.9	0.0	N/A	56.8	0.0	0.0	0.3	0.0	0	0.4	20.5
	40	5/2/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		7/27/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		10/27/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		1/25/18 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

TABLE 3
SOIL VAPOR SAMPLING - TEDLAR® SAMPLING DATA

Reading Location			Shroud	Tedlar® Bag 1		Shroud	Tedlar® Bag 2						
Instrument			Dielectric		Landtec	Dielectric		FID	PID	Landtec			
Location	Depth	Date	Helium in Shroud Before (%)	Helium Before (%)	CH ₄ (%)	Helium in Shroud After (%)	Helium After (%)	FID (ppmv)	PID (ppmv)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)
VMP-30	10	5/2/17	61.7	0.0	N/A	51.3	0.0	0.0	0.6	0.0	0	0.0	20.9
		7/27/17	85.6	0.0	N/A	63.0	0.0	0.6	2.1	0.0	0	0.1	20.7
		10/27/17	53.6	0.0	N/A	53.9	0.0	0.0	0.3	0.0	0	0.0	20.8
		1/25/18	63.4	0.0	N/A	56.8	0.0	0.0	0.3	0.0	0	0.0	20.9
	18	5/2/17	53.6	0.0	N/A	59.1	1.3	0.0	0.5	0.0	0	0.1	20.8
		7/27/17	54.3	0.0	N/A	55.1	0.0	1.1	2.5	0.0	0	0.3	20.5
		10/27/17	53.0	0.0	N/A	87.0	0.0	0.0	0.5	0.0	0	0.2	20.7
		1/25/18	59.8	0.0	N/A	57.9	0.0	0.0	0.2	0.0	0	0.1	20.8
	26	5/2/17	51.3	0.0	N/A	51.8	0.8	0.0	0.4	0.0	0	0.0	20.9
		7/27/17	82.5	0.0	N/A	64.6	0.0	0.0	1.0	0.0	0	0.4	20.5
		10/27/17	55.4	0.0	N/A	51.3	0.0	0.0	0.3	0.0	0	0.1	20.8
		1/25/18	63.3	0.0	N/A	52.6	0.0	0.0	0.3	0.0	0	0.2	20.8
	40	5/2/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		7/27/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		10/27/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		1/25/18 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-32	5	5/22/17 ⁹	53.0	0.0	N/A	50.5	0.0	0.0	1.0	0.0	0	0.4	19.7
		7/24/17	64.6	0.0	N/A	52.9	0.0	0.0	0.3	0.0	0	2.1	18.4
		10/31/17	52.3	0.0	N/A	52.4	0.0	0.0	0.3	0.0	0	1.5	19.7
		1/29/18	55.2	0.0	N/A	52.6	0.0	0.0	0.3	0.0	0	0.8	20.3
	10	4/25/17	50.7	0.0	N/A	50.1	0.0	0.0	0.4	0.0	0	1.0	19.6
		7/24/17	52.8	0.0	N/A	50.3	0.0	0.0	0.4	0.0	0	2.0	18.3
		10/31/17	55.6	0.0	N/A	53.4	0.0	0.0	0.2	0.0	0	2.1	19.6
		1/29/18	54.5	0.0	N/A	52.8	0.0	0.0	0.5	0.0	0	1.2	19.8
	20	4/25/17	52.2	0.1	N/A	57.2	0.8	0.0	0.6	0.0	0	0.2	20.1
		7/24/17	56.2	0.2	N/A	54.3	0.9	0.0	0.3	0.0	0	0.3	19.9
		10/31/17	56.7	0.0	N/A	53.2	0.0	0.0	0.3	0.0	0	0.6	20.6
		1/29/18	54.0	0.1	N/A	53.0	0.2	0.0	0.4	0.0	0	0.1	20.8
	30	4/25/17	60.2	2.1	N/A	52.0	1.9	0.0	0.5	0.0	0	0.5	19.7
		7/24/17	54.9	2.6	N/A	54.3	2.9	0.0	0.6	0.0	0	0.8	18.8
		10/31/17	50.2	1.9	N/A	53.8	0.4	0.0	0.5	0.0	0	0.1	20.8
		1/29/18	56.9	0.3	N/A	56.1	0.4	0.0	0.5	0.0	0	0.5	20.5
VMP-41	10	5/2/17	57.9	0.0	N/A	53.6	0.2	0.0	0.2	0.0	0	0.8	20.1
		7/27/17	55.9	0.0	N/A	53.4	0.0	0.0	0.9	0.0	0	1.1	19.9
		10/27/17	56.2	0.0	N/A	52.0	0.0	0.0	0.2	0.0	0	0.5	20.5
		1/24/18	56.0	0.0	N/A	53.5	0.0	0.0	0.2	0.0	0	0.2	20.7
	20	5/2/17	51.6	0.0	N/A	50.6	0.0	0.0	0.2	0.0	0	0.6	20.3
		7/27/17	51.9	0.0	N/A	50.1	0.0	0.0	0.3	0.0	0	1.2	19.9
		10/27/17	51.7	0.0	N/A	50.5	0.0	0.0	1.0	0.0	0	0.9	20.3
		1/24/18	64.6	0.0	N/A	58.2	0.0	0.0	0.2	0.0	0	0.5	20.4
	26	5/2/17	53.2	0.0	N/A	52.3	0.0	0.0	0.8	0.0	0	0.6	20.2
		7/27/17	55.9	0.0	N/A	50.4	0.0	0.0	0.7	0.0	0	1.2	19.6
		10/27/17	51.7	0.0	N/A	52.6	0.0	0.0	0.3	0.0	0	1.3	20.1
		1/24/18	70.5	0.0	N/A	50.2	0.0	0.0	0.3	0.0	0	0.9	20.1
VMP-42	10	5/3/17	53.0	0.0	N/A	58.0	0.6	0.0	0.1	0.0	0	0.6	20.3
		7/20/17	53.8	0.0	N/A	51.1	0.0	0.0	0.6	0.0	0	1.2	19.1
		11/1/17	79.3	0.0	N/A	59.0	0.0	0.0	0.2	0.0	0	1.4	20.0
		1/23/18	51.8	0.0	N/A	50.2	0.0	0.0	0.1	0.0	0	0.4	20.1
	20	5/3/17	54.7	0.0	N/A	53.0	0.0	0.0	0.1	0.0	0	1.0	19.6
		7/20/17	51.9	0.0	N/A	50.0	0.0	0.0	0.7	0.0	0	2.0	18.1
		11/1/17	66.8	0.0	N/A	54.8	0.0	0.0	0.3	0.0	0	3.1	18.7
		1/23/18	53.6	0.0	N/A	50.5	0.0	0.0	0.0	0.0	0	1.5	20.1
	30	5/3/17	52.3	0.0	N/A	51.7	0.1	0.0	0.1	0.0	0	1.1	19.6
		7/20/17	51.6	0.0	N/A	52.3	0.0	0.0	0.8	0.0	0	1.4	18.4
		11/1/17	62.2	0.0	N/A	52.2	0.0	0.0	0.4	0.0	0	3.3	18.8
		1/23/18	53.2	0.0	N/A	50.4	0.0	0.0	0.1	0.0	0	2.1	19.8

Reading Location			Shroud	Tedlar® Bag 1		Shroud	Tedlar® Bag 2						
Instrument			Dielectric		Landtec	Dielectric		FID	PID	Landtec			
Location	Depth	Date	Helium in Shroud Before (%)	Helium Before (%)	CH ₄ (%)	Helium in Shroud After (%)	Helium After (%)	FID (ppmv)	PID (ppmv)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)
VMP-43	10	4/27/17	54.3	0.0	N/A	56.0	0.2	0.0	0.3	0.0	0	0.2	20.8
		7/24/17	54.4	0.0	N/A	52.0	0.0	0.0	0.2	0.0	0	0.1	20.3
		10/27/17	55.7	0.0	N/A	53.4	0.0	0.0	0.3	0.0	0	0.2	20.6
		1/26/18	53.5	0.0	N/A	51.5	0.0	0.0	0.3	0.0	0	0.1	20.5
	20	4/27/17	56.7	0.0	N/A	50.3	0.0	0.0	0.4	0.0	0	0.2	20.7
		7/24/17	55.1	0.0	N/A	52.7	2.1	0.0	0.3	0.0	0	0.0	19.7
		10/27/17	56.2	0.0	N/A	56.0	0.0	0.0	0.3	0.0	0	0.1	20.8
		1/26/18	52.5	0.0	N/A	50.2	0.0	0.0	0.2	0.0	0	0.1	20.6
	30	4/27/17	65.2	0.0	N/A	51.1	0.0	0.0	0.8	0.0	0	0.2	20.5
		7/24/17	60.6	0.0	N/A	54.0	0.3	0.0	0.6	0.0	0	0.2	20.0
		10/27/17	52.9	0.0	N/A	51.1	0.0	0.0	0.4	0.0	0	0.2	20.6
		1/26/18	52.7	0.0	N/A	51.1	0.0	0.0	0.2	0.0	0	0.2	20.5
VMP-44	10	4/25/17	50.9	0.0	N/A	54.2	0.0	0.0	0.6	0.0	0	0.4	19.9
		7/25/17	51.2	0.0	N/A	51.3	0.0	3.2	1.7	0.0	0	2.3	17.6
		10/25/17	72.4	0.0	N/A	55.4	0.0	0.0	0.3	0.0	0	1.6	19.2
		1/25/18	51.5	0.0	N/A	50.3	0.0	0.2	0.2	0.0	0	0.3	20.6
	20	4/25/17	55.8	0.2	N/A	58.6	0.0	0.5	0.7	0.0	0	0.3	20.0
		7/25/17	50.8	0.0	N/A	50.2	0.0	5.3	2.5	0.0	0	2.2	17.7
		10/25/17	53.3	0.1	N/A	51.0	0.0	0.0	0.4	0.0	0	1.3	19.3
		1/25/18	52.5	0.1	N/A	50.8	0.2	0.5	0.4	0.0	0	0.1	20.6
	30	4/25/17	50.4	0.1	N/A	50.1	0.2	0.0	0.7	0.0	0	0.4	20.0
		7/25/17	53.8	0.0	N/A	50.1	0.0	7.1	3.4	0.0	0	2.2	17.9
		10/25/17	54.5	0.0	N/A	51.5	0.0	0.0	0.4	0.0	0	1.3	19.4
		1/25/18	51.1	0.1	N/A	50.6	0.1	0.5	0.3	0.0	0	0.0	20.7
VMP-45	10	4/26/17	51.7	0.0	N/A	50.2	0.1	0.0	0.5	0.0	0	0.1	20.7
		7/25/17	51.6	0.0	N/A	50.1	0.1	0.0	0.7	0.0	0	0.2	20.4
		10/31/17	50.5	0.0	N/A	56.4	0.0	0.0	0.3	0.0	0	0.1	20.8
		1/24/18	53.3	0.0	N/A	50.5	0.0	0.0	0.2	0.0	0	0.1	20.7
	20	4/26/17	52.3	0.0	N/A	53.2	0.4	0.2	0.7	0.0	0	0.1	20.6
		7/25/17	51.8	0.1	N/A	50.2	3.0	0.0	0.5	0.0	0	0.0	19.7
		10/31/17	52.7	0.0	N/A	53.8	0.0	0.0	0.3	0.0	0	0.1	20.7
		1/24/18	52.6	0.0	N/A	50.2	0.0	0.0	0.1	0.0	0	0.2	20.4
	30	4/26/17	50.1	0.7	N/A	53.5	0.8	0.0	0.6	0.0	0	0.4	20.3
		7/25/17	50.8	0.3	N/A	50.7	0.1	0.0	0.6	0.0	0	0.7	19.6
		10/31/17	51.9	0.1	N/A	50.7	0.0	0.0	0.3	0.0	0	0.6	20.6
		1/24/18	52.8	0.0	N/A	50.1	0.0	0.0	0.2	0.0	0	1.0	19.5
VMP-47	5	4/26/17	51.9	0.0	N/A	64.2	0.0	0.0	0.3	0.0	0	0.9	20.3
		7/24/17	60.3	0.0	N/A	53.8	0.0	0.0	0.4	0.0	0	0.8	19.7
		10/26/17	51.6	0.0	N/A	57.0	0.0	0.0	0.3	0.0	0	0.1	20.4
		1/26/18	61.0	0.0	N/A	56.3	0.0	0.0	0.2	0.0	0	0.1	20.8
	10	4/26/17	57.2	0.0	N/A	54.0	1.6	0.0	0.2	0.0	0	0.7	20.2
		7/24/17	55.1	0.1	N/A	55.4	0.0	0.0	0.3	0.0	0	0.8	19.6
		10/26/17	55.0	0.0	N/A	53.7	0.0	0.0	0.3	0.0	0	0.6	20.2
		1/26/18	60.2	0.0	N/A	50.4	0.0	0.0	0.3	0.0	0	0.4	20.6
	20	4/26/17	52.7	0.0	N/A	60.4	0.0	0.0	0.2	0.0	0	0.6	20.3
		7/24/17	57.1	0.0	N/A	54.1	0.0	0.0	0.4	0.0	0	0.7	19.9
		10/26/17	55.2	0.0	N/A	75.1	0.0	0.0	0.2	0.0	0	0.6	20.2
		1/26/18	54.8	0.0	N/A	50.1	0.0	0.0	0.2	0.0	0	0.2	20.6
	30	4/26/17	52.8	0.0	N/A	51.1	0.3	0.0	0.3	0.0	0	0.8	19.9
		7/24/17	52.6	0.4	N/A	53.0	0.1	0.0	0.6	0.0	0	0.9	19.3
		10/26/17	72.3	0.0	N/A	55.1	0.0	0.0	0.2	0.0	0	1.2	19.5
		1/26/18	61.4	0.0	N/A	51.4	0.0	0.0	1.4	0.0	0	0.7	20.1
VMP-48	5	4/26/17	52.4	0.0	N/A	56.3	0.0	0.0	0.4	0.0	0	1.3	19.5
		7/21/17	57.9	0.0	N/A	57.9	0.0	0.0	0.5	0.0	0	5.5	14.7
		10/31/17	75.2	0.0	N/A	56.6	0.0	0.0	0.3	0.0	0	2.1	19.5
		1/26/18	60.9	0.0	N/A	55.9	0.0	0.0	0.3	0.0	0	0.5	19.9
	10	4/26/17	51.5	0.0	N/A	55.1	0.0	0.0	0.3	0.0	0	2.3	18.6
		7/21/17	53.8	0.0	N/A	64.5	0.0	0.0	0.0	0.0	0	3.7	16.3
		10/31/17	62.0	0.0	N/A	61.6	0.0	0.0	0.2	0.0	0	5.3	16.4
		1/26/18	72.6	0.0	N/A	50.9	0.0	0.0	0.2	0.0	0	3.8	18.0
	20	4/26/17	52.2	0.0	N/A	73.5	0.1	0.0	0.4	0.0	0	3.0	18.0
		7/21/17	55.6	0.0	N/A	63.0	0.0	0.0	2.2	0.0	0	3.1	16.7
		10/31/17	59.8	0.0	N/A	53.8	0.0	0.0	0.1	0.0	0	5.8	15.8
		1/26/18	75.5	0.0	N/A	52.1	0.0	0.0	0.3	0.0	0	4.0	17.9
	30	4/26/17	52.5	0.0	N/A	51.3	0.0	0.0	0.8	0.0	0	7.0	14.3
		7/21/17	61.3	0.0	N/A	62.8	0.0	0.0	5.3	0.0	0	6.4	16.0
		10/31/17	56.5	0.0	N/A	52.9	0.0	0.0	0.2	0.0	0	7.6	14.8
		1/26/18	67.4	0.0	N/A	50.7	0.0	0.0	0.2	0.0	0	7.7	14.8

TABLE 3
SOIL VAPOR SAMPLING - TEDLAR® SAMPLING DATA

Reading Location			Shroud	Tedlar® Bag 1		Shroud	Tedlar® Bag 2						
Instrument			Dielectric		Landtec	Dielectric		FID	PID	Landtec			
Location	Depth	Date	Helium in Shroud Before (%)	Helium Before (%)	CH ₄ (%)	Helium in Shroud After (%)	Helium After (%)	FID (ppmv)	PID (ppmv)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)
VMP-49	5	4/24/17	53.6	0.0	N/A	51.7	0.0	0.0	0.3	0.0	0	0.4	20.3
		7/26/17	55.7	0.0	N/A	90.1	0.0	0.0	0.4	0.0	0	0.9	20.4
		10/27/17	55.4	0.0	N/A	51.0	0.0	0.0	0.2	0.0	0	0.5	20.6
		1/26/18	53.6	0.0	N/A	52.5	0.0	0.0	0.2	0.0	0	0.2	20.5
	10	4/24/17	50.4	0.0	N/A	57.0	0.0	0.0	0.6	0.0	0	0.7	19.9
		7/26/17	60.2	0.0	N/A	93.5	0.0	0.0	0.2	0.0	0	1.9	19.6
		10/27/17	53.3	0.0	N/A	52.5	0.0	0.0	0.2	0.0	0	0.6	20.6
		1/26/18	54.2	0.0	N/A	53.2	0.0	0.0	0.2	0.0	0	0.1	20.7
	20	4/24/17	55.7	0.4	N/A	52.5	0.4	0.0	0.5	0.0	0	0.5	19.6
		7/26/17	56.7	2.6	N/A	79.7	2.8	0.0	0.2	0.0	0	1.6	19.0
		10/27/17	50.7	0.2	N/A	53.7	0.0	0.0	0.2	0.0	0	0.2	20.7
		1/26/18	57.3	0.0	N/A	54.4	0.0	0.0	0.3	0.0	0	0.0	20.9
	30	4/24/17	62.8	0.0	N/A	56.7	0.0	0.0	0.5	0.0	0	9.3	11.8
		7/26/17	59.8	0.0	N/A	52.5	0.0	0.0	0.2	0.0	0	10.9	11.1
		10/27/17	50.3	0.0	N/A	50.2	0.0	0.0	0.6	0.0	0	11.8	10.8
		1/26/18	56.0	0.0	N/A	53.1	0.0	0.0	0.3	0.0	0	10.0	12.0
VMP-50	5	5/3/17	67.7	0.0	N/A	66.2	0.0	0.0	0.3	0.0	0	1.9	18.9
		7/26/17	54.1	0.0	N/A	52.9	0.0	0.0	0.6	0.0	0	8.0	11.4
		11/1/17	53.1	0.0	N/A	54.0	0.0	0.0	0.2	0.0	0	4.0	17.3
		1/31/18	55.6	0.0	N/A	68.2	0.0	92.9	0.2	0.0	0	1.2	19.9
	10	5/3/17	53.0	0.0	N/A	51.2	0.0	0.0	0.3	0.0	0	2.6	18.2
		7/26/17	52.3	0.0	N/A	58.0	0.0	0.0	0.5	0.0	0	5.6	13.0
		11/1/17	52.8	0.0	N/A	53.6	0.0	0.0	0.4	0.0	0	6.1	16.1
		1/31/18	62.9	0.0	N/A	65.7	0.0	2.3	0.3	0.0	0	3.0	18.5
	20	5/3/17	54.3	0.0	N/A	52.6	0.0	0.0	0.3	0.0	0	3.1	18.1
		7/26/17	54.7	0.0	N/A	54.0	0.0	0.0	0.4	0.0	0	4.1	15.6
		11/1/17	54.9	0.0	N/A	57.8	0.0	0.0	0.3	0.0	0	4.4	17.2
		1/31/18	63.0	0.0	N/A	67.4	0.0	711	167	0.8	16	6.0	14.8
	30	5/3/17	54.8	0.0	N/A	51.8	0.0	205	43.7	0.0	0	1.4	19.4
		7/26/17	53.9	0.0	N/A	51.6	0.0	211	44.5	0.0	0	2.0	18.6
		11/1/17	52.2	0.0	N/A	50.3	0.0	163	30.3	0.0	0	2.5	18.8
		1/31/18	59.9	0.0	N/A	62.2	0.0	308	43.6	0.2	5	2.3	18.9
VMP-51	5	4/25/17	52.2	0.2	N/A	65.3	0.3	0.0	0.4	0.0	0	0.2	20.6
		7/20/17	66.8	0.0	N/A	54.9	0.0	0.0	0.4	0.0	0	0.6	20.3
		10/30/17	50.2	0.0	N/A	50.2	0.0	0.0	0.4	0.0	0	0.4	20.7
		1/23/18	67.2	0.0	N/A	61.5	0.0	0.0	0.2	0.0	0	0.2	20.7
	10	4/25/17	51.9	0.0	N/A	53.2	0.0	0.0	0.5	0.0	0	0.5	20.3
		7/20/17	57.4	0.0	N/A	78.2	0.0	0.0	0.3	0.0	0	0.9	20.0
		10/30/17	51.5	0.0	N/A	51.5	0.0	0.0	0.3	0.0	0	0.7	20.6
		1/23/18	59.7	0.0	N/A	54.4	0.0	0.0	0.2	0.0	0	0.2	20.7
	20	4/25/17	51.6	0.0	N/A	50.5	0.0	0.0	0.5	0.0	0	0.5	20.0
		7/20/17	60.0	0.0	N/A	63.7	0.0	0.0	0.4	0.0	0	1.4	19.5
		10/30/17	54.7	0.0	N/A	54.7	0.0	0.0	0.2	0.0	0	0.6	20.6
		1/23/18	58.1	0.0	N/A	50.8	0.0	0.0	0.2	0.0	0	0.9	20.2
	30	4/25/17	55.3	0.0	N/A	50.5	0.0	0.0	0.4	0.0	0	0.8	19.7
		7/20/17	54.3	0.0	N/A	65.9	0.0	0.5	0.9	0.0	0	1.6	19.4
		10/30/17	54.1	0.0	N/A	54.1	0.0	0.0	0.0	0.0	0	1.6	20.1
		1/23/18	57.0	0.0	N/A	54.0	0.0	0.0	0.1	0.0	0	1.3	20.1
VMP-52	5	4/24/17	51.9	0.0	N/A	52.4	0.0	2.1	1.8	0.0	0	1.5	19.0
		7/21/17	52.5	0.0	N/A	52.0	0.0	0.0	0.0	0.0	0	4.2	16.3
		10/25/17	54.2	0.0	N/A	51.5	0.0	0.0	0.3	0.0	0	1.6	20.1
		1/24/18	59.8	0.0	N/A	59.8	0.0	0.0	0.1	0.0	0	0.3	20.7
	10	4/24/17	54.4	0.0	N/A	51.7	0.0	0.0	0.9	0.0	0	2.2	17.1
		7/21/17	50.4	0.0	N/A	50.6	0.0	0.0	0.0	0.0	0	4.0	15.9
		10/25/17	52.1	0.0	N/A	50.1	0.0	0.0	0.2	0.0	0	2.9	19.6
		1/24/18	58.2	0.0	N/A	51.1	0.0	0.0	0.2	0.0	0	1.0	20.2
	20	4/24/17	53.4	0.0	N/A	51.7	0.0	1.9	2.1	0.0	0	0.6	17.8
		7/21/17	56.0	0.0	N/A	50.1	0.0	0.0	0.0	0.0	0	1.5	19.2
		10/25/17	57.9	0.0	N/A	51.6	0.0	0.0	0.8	0.0	0	2.4	19.3
		1/24/18	68.7	0.0	N/A	59.7	0.0	0.0	0.2	0.0	0	1.4	19.7
	30	4/24/17	51.9	0.0	N/A	50.4	0.0	0.0	0.7	0.0	0	1.1	19.8
		7/21/17	52.2	0.0	N/A	51.5	0.0	0.0	0.0	0.0	0	1.5	19.1
		10/25/17	50.5	0.0	N/A	52.5	0.0	0.0	0.3	0.0	0	2.1	19.5
		1/24/18	60.2	0.0	N/A	52.3	0.0	0.0	0.2	0.0	0	1.8	19.4

TABLE 3
SOIL VAPOR SAMPLING - TEDLAR® SAMPLING DATA

Reading Location			Shroud	Tedlar® Bag 1		Shroud	Tedlar® Bag 2						
Instrument			Dielectric		Landtec	Dielectric		FID	PID	Landtec			
Location	Depth	Date	Helium in Shroud Before (%)	Helium Before (%)	CH ₄ (%)	Helium in Shroud After (%)	Helium After (%)	FID (ppmv)	PID (ppmv)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)
VMP-53	5	4/20/17	54.1	0.0	N/A	52.0	0.0	0.0	0.3	0.0	0	0.7	20.0
		7/19/17	69.2	0.0	N/A	50.2	0.0	0.0	0.4	0.0	0	1.6	19.3
		11/1/17	87.4	0.0	N/A	66.5	0.0	0.0	0.3	0.0	0	0.6	20.6
		1/22/18	56.6	0.0	N/A	65.2	0.0	0.0	0.2	0.0	0	0.1	20.9
	10	4/20/17	54.9	0.0	N/A	50.4	0.0	0.0	0.4	0.0	0	0.5	20.2
		7/19/17	51.7	0.0	N/A	51.4	0.0	0.0	0.3	0.0	0	1.1	20.1
		11/1/17	63.3	0.0	N/A	53.5	0.0	0.0	0.3	0.0	0	0.7	20.4
		1/22/18	57.7	0.0	N/A	55.4	0.0	0.0	0.2	0.0	0	0.2	20.9
	20	4/20/17	51.2	0.0	N/A	54.1	0.1	0.0	0.3	0.0	0	0.6	19.9
		7/19/17	53.2	0.0	N/A	57.0	0.0	0.0	0.6	0.0	0	1.2	19.8
		11/1/17	55.7	0.0	N/A	50.4	0.0	0.0	0.2	0.0	0	1.5	20.1
		1/22/18	59.4	0.0	N/A	55.9	0.0	0.0	0.3	0.0	0	0.8	20.4
	30	4/20/17	52.0	0.0	N/A	50.5	0.1	0.0	0.3	0.0	0	1.7	19.1
		7/19/17	51.6	0.0	N/A	50.7	0.0	0.0	0.4	0.0	0	1.6	19.0
		11/1/17	56.9	0.0	N/A	58.0	0.0	0.0	0.3	0.0	0	3.1	18.9
		1/22/18	61.1	0.0	N/A	57.0	0.0	0.0	0.2	0.0	0	1.8	19.7
VMP-54	5	4/20/17	55.6	0.0	N/A	57.7	0.0	0.0	0.2	0.0	0	2.1	18.1
		7/19/17	53.4	0.0	N/A	50.5	0.0	0.0	0.4	0.0	0	3.5	16.8
		10/26/17	52.6	0.0	N/A	50.5	0.0	0.0	0.3	0.0	0	3.0	18.6
		1/22/18	52.6	0.0	N/A	50.2	0.0	0.0	0.3	0.0	0	0.6	20.3
	10	4/20/17	57.4	0.0	N/A	51.5	0.1	0.0	0.3	0.0	0	2.0	18.2
		7/19/17	52.1	0.0	N/A	51.9	0.0	0.0	0.3	0.0	0	2.8	17.8
		10/26/17	54.8	0.0	N/A	52.3	0.0	0.0	0.3	0.0	0	2.9	18.6
		1/22/18	54.2	0.0	N/A	52.3	0.0	0.0	0.3	0.0	0	2.0	18.9
	20	4/20/17	52.6	0.0	N/A	51.2	0.0	0.0	0.4	0.0	0	2.3	17.6
		7/19/17	51.3	0.0	N/A	57.7	0.0	0.0	1.1	0.0	0	2.0	17.2
		10/26/17	56.2	0.0	N/A	50.5	0.0	0.0	1.2	0.0	0	3.0	18.0
		1/22/18	52.3	0.0	N/A	50.8	0.0	0.0	0.3	0.0	0	2.9	17.9
	30	4/20/17	53.0	0.4	N/A	58.6	1.4	0.0	0.2	0.0	0	1.7	18.9
		7/19/17	50.2	0.1	N/A	55.1	0.6	0.0	1.0	0.0	0	2.7	17.4
		10/26/17	53.7	1.0	N/A	52.6	0.5	0.0	0.5	0.0	0	1.1	19.8
		1/22/18	56.0	0.3	N/A	51.7	0.6	0.0	0.2	0.0	0	0.7	20.3
VMP-55	5	5/1/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		7/26/17	50.5	0.0	N/A	50.8	0.0	9.5	2.6	0.0	0	17.6	2.1
		11/2/17	51.3	0.0	N/A	50.7	0.0	0.0	2.2	0.0	0	14.1	6.9
		1/30/18	55.5	0.0	N/A	51.6	0.0	0.0	1.1	0.0	0	14.3	3.8
	10	5/1/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		7/26/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		11/2/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		1/30/18 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	20	5/1/17	66.5	0.6	N/A	56.5	0.9	104000	163	58.4	OVR	17.5	1.8
		7/26/17	50.7	0.4	N/A	51.9	0.1	97620	147	42.5	OVR	17.6	0.0
		11/2/17	51.2	0.6	N/A	50.8	0.6	102000	197	24.0	OVR	10.1	8.8
		1/30/18	66.4	0.0	N/A	52.9	0.0	46480	221	13.5	OVR	17.1	1.6
	30	5/1/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		7/26/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		11/2/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		1/30/18 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-56	10	5/1/17	70.1	0.0	N/A	50.2	0.2	0.0	0.2	0.0	0	0.8	19.7
		7/21/17	66.2	0.0	N/A	54.6	0.0	2.0	12.1	0.0	0	0.2	20.2
		10/27/17	52.8	0.0	N/A	51.9	0.0	0.0	0.1	0.0	0	0.4	20.7
		1/29/18	77.7	0.0	N/A	54.7	0.0	0.0	0.7	0.0	0	0.0	20.9
	25	5/1/17	70.4	0.0	N/A	50.2	0.0	0.0	0.3	0.0	0	0.7	19.9
		7/21/17	54.7	0.0	N/A	51.8	0.0	0.0	12.5	0.0	0	0.6	19.8
		10/27/17	50.4	0.0	N/A	52.4	0.0	0.0	0.2	0.0	0	0.3	20.7
		1/29/18	71.4	0.0	N/A	57.2	0.3	0.0	0.6	0.0	0	0.1	20.8
	38.5	5/1/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		7/21/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		10/27/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		1/29/18 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

TABLE 3
SOIL VAPOR SAMPLING - TEDLAR® SAMPLING DATA

Reading Location			Shroud	Tedlar® Bag 1		Shroud	Tedlar® Bag 2						
Instrument			Dielectric		Landtec	Dielectric		FID	PID	Landtec			
Location	Depth	Date	Helium in Shroud Before (%)	Helium Before (%)	CH ₄ (%)	Helium in Shroud After (%)	Helium After (%)	FID (ppmv)	PID (ppmv)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)
VMP-62	5	4/25/17	62.2	0.0	N/A	50.7	0.0	0.0	0.4	0.0	0	2.1	18.4
		7/25/17	70.9	0.0	N/A	52.3	0.0	0.0	0.5	0.0	0	5.2	15.8
		8/30/17 ¹²	52.1	0.0	N/A	56.1	0.0	0.0	0.6	0.0	0	4.1	17.3
		11/3/17	52.9	0.0	N/A	56.2	0.0	0.0	0.4	0.0	0	1.7	20.2
		1/29/18	51.8	0.0	N/A	52.6	0.0	0.0	0.2	0.0	0	0.7	20.3
	10	4/25/17	51.6	0.0	N/A	50.0	0.2	0.0	0.3	0.0	0	1.5	19.0
		7/25/17	56.6	0.0	N/A	50.3	0.0	0.0	0.2	0.0	0	4.1	17.0
		11/3/17	51.6	0.0	N/A	54.3	0.0	0.0	0.4	0.0	0	1.9	19.9
		1/29/18	52.9	0.0	N/A	51.6	0.0	0.0	1.2	0.0	0	1.0	20.0
	20	4/25/17	52.9	0.0	N/A	55.2	0.2	0.0	0.4	0.0	0	1.1	19.2
		7/25/17	58.3	0.0	N/A	58.1	0.0	0.0	0.3	0.0	0	3.0	18.0
		11/3/17	54.2	0.0	N/A	52.7	0.0	0.0	0.3	0.0	0	1.8	19.9
		1/29/18	52.8	0.0	N/A	50.9	0.0	2.8	1.4	0.0	0	1.1	20.1
	30	4/25/17	56.0	0.0	N/A	55.5	0.1	0.0	0.5	0.0	0	0.7	19.8
		7/25/17	57.2	0.0	N/A	52.7	0.0	0.0	0.4	0.0	0	1.6	19.1
		11/3/17	50.8	0.0	N/A	52.3	0.0	0.0	0.3	0.0	0	1.7	20.0
		1/29/18	52.7	0.0	N/A	51.3	0.0	2.3	1.4	0.0	0	0.1	20.5
VMP-63	5	4/25/17	52.2	0.0	N/A	52.2	0.0	0.0	0.5	0.0	0	0.2	20.6
		7/25/17	54.0	0.0	N/A	53.6	0.0	0.0	0.5	0.0	0	0.2	20.3
		11/1/17	51.1	0.0	N/A	52.9	0.0	0.0	0.2	0.0	0	0.1	19.9
		1/26/18	56.1	0.0	N/A	53.5	0.0	0.0	0.5	0.0	0	0.1	20.7
	10	4/25/17	52.8	0.0	N/A	51.1	0.1	0.0	0.3	0.0	0	0.3	20.5
		7/25/17	55.9	0.0	N/A	62.2	0.0	0.0	0.4	0.0	0	0.4	20.1
		11/1/17	53.5	0.0	N/A	52.9	0.0	0.0	0.3	0.0	0	0.1	20.9
		1/26/18	52.8	0.0	N/A	50.7	0.0	0.0	0.2	0.0	0	0.1	20.7
	20	4/25/17	54.0	0.0	N/A	51.4	0.1	0.0	0.1	0.0	0	0.3	20.4
		7/25/17	62.7	0.0	N/A	87.1	0.0	0.0	0.5	0.0	0	0.8	19.8
		11/1/17	51.7	0.0	N/A	51.9	0.0	0.0	0.2	0.0	0	0.5	20.7
		1/26/18	53.3	0.0	N/A	50.9	0.0	0.0	0.3	0.0	0	0.2	20.9
	30	4/25/17	51.0	0.0	N/A	51.2	0.0	0.0	0.2	0.0	0	0.3	20.1
		7/25/17	63.6	0.0	N/A	52.8	0.0	0.0	0.3	0.0	0	0.9	20.1
		11/1/17	52.5	0.0	N/A	52.3	0.0	0.0	0.3	0.0	0	0.8	20.6
		1/26/18	55.5	0.0	N/A	53.5	0.0	0.0	0.2	0.0	0	0.0	20.9
VMP-64	5	4/27/17	52.4	0.0	N/A	50.1	0.0	0.0	0.2	0.0	0	0.2	20.6
		7/25/17	51.1	0.0	N/A	63.5	0.0	0.0	0.6	0.0	0	1.4	19.4
		11/3/17	50.5	0.0	N/A	56.1	0.0	0.0	0.3	0.0	0	0.3	20.6
		1/22/18	58.8	0.0	N/A	53.0	0.0	0.0	0.2	0.0	0	0.1	20.7
	10	4/27/17	53.0	0.0	N/A	50.1	0.0	0.0	0.2	0.0	0	1.8	19.0
		7/25/17	61.2	0.0	N/A	56.0	0.0	0.0	0.2	0.0	0	3.6	16.2
		11/3/17	54.5	0.0	N/A	50.2	0.0	0.0	0.2	0.0	0	2.4	19.6
		1/22/18	66.3	0.0	N/A	91.6	0.0	0.0	0.0	0.0	0	1.8	19.5
	20	4/27/17	60.9	0.0	N/A	52.3	0.0	0.0	0.2	0.0	0	2.1	19.0
		7/25/17	52.2	0.0	N/A	50.1	0.0	0.0	0.2	0.0	0	3.1	16.4
		11/3/17	52.8	0.0	N/A	50.2	0.0	0.0	0.3	0.0	0	3.3	18.7
		1/22/18	60.5	0.0	N/A	55.0	0.0	0.0	0.1	0.0	0	3.0	18.6
	28	4/27/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		7/25/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		11/3/17 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		1/22/18 ¹¹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

- Notes:
1. OVR is used to indicate a reading over range for the FID or MultiRAE.
 2. The Landtec landfill gas analyzer displays "OVR" for any results calculated higher than 99.9% for an individual reading.
 3. N/A is used to indicate that a reading was not collected because it was unnecessary (i.e., a direct port for helium if the helium leak check was successful). NM is used to indicate that a reading was not measured.
 4. NS is used to indicate that a reading was not collected because the port could not be sampled.
 5. FID readings were taken with a TVA-1000. Due to oxygen concentrations less than 16% a dilution tip was used when analyzing samples. The dilution tip introduced ambient air in a 10:1 ration with the sample, which required the sample readings to be multiplied by 10 to get the actual reading. The FID readings in this spreadsheet illustrate the actual FID values that were represented in each sample.
 6. Negative readings on the FID are recorded as zero.
 7. VMP successfully resampled after helium leak check failure.
 8. VMP unsuccessfully sampled after three attempts due to helium leak check failures.
 9. VMP resampled due to issues with the canister after arriving at the laboratory.
 10. VMP not sampled due to pending re-installation.
 11. VMP not sampled because screen submerged below water table.
 12. VMP resampled to verify results from the laboratory.
 13. VMP resampled due to elevated helium readings (>10% of shroud) in canister at the laboratory.

TABLE 4
SOIL VAPOR SCREENING CRITERIA

Chemical	Residential (mg/m ³)	Industrial/ Commercial (mg/m ³)
TO-15 Analytes		
Acetone	750,000	750,000
Benzene	0.37	2.8
Bromodichloromethane	450,000	450,000
Bromoform	11.0	52.0
Bromomethane	6.9	42.0
1,3-Butadiene		
2-Butanone	6,400	40,000
Carbon disulfide	780	5,300
Carbon tetrachloride	0.21	1.5
Chlorobenzene	69.0	420
Chlorodibromomethane	57,000	57,000
Chloroethane		
Chloroform	0.11	0.92
Chloromethane		
Allyl chloride (3-Chloropropene)		
alpha-Chlorotoluene		
Cyclohexane		
1,2-Dibromo-3-chloropropane (DBCP)	0.0012	0.0062
1,2-Dibromoethane	0.0078	0.048
1,2-Dichlorobenzene	290	1,700
1,3-Dichlorobenzene		
1,4-Dichlorobenzene	1,200	6,800
1,1-Dichloroethane	690	4,200
1,2-Dichloroethane	0.099	0.81
1,1-Dichloroethene	240	1,600
cis-1,2-Dichloroethene	1,100,000	1,100,000
trans-1,2-Dichloroethene	85.0	510
Dichloromethane (Methylene chloride)	5.6	45.0
1,2-Dichloropropane	0.31	2.3
cis-1,3-Dichloropropene	0.9	6.2
trans-1,3-Dichloropropene	0.9	6.2
1,4-Dioxane	0.22	2.3
Ethanol		
Ethylbenzene	1.3	9.3
4-Ethyltoluene		
Freon 11		
Freon 12		
Freon 113		
Freon 114		
Heptane		
Hexachlorobutadiene		
Hexane		
2-Hexanone (Methyl N-Butyl Ketone)		
Isopropylbenzene (Cumene)	600	3,500
4-Methyl-2-pentanone (Methyl Isobutyl Ketone)		
Methyl tert-Butyl Ether (MTBE)	3,700	24,000
n-Propylbenzene		
2-Propanol		
Styrene	1,400	8,500
Tetrachloroethene	0.55	4.0
1,1,2,2-Tetrachloroethane		
Tetrahydrofuran		
Toluene	6,200	40,000
1,2,4-Trichlorobenzene	5.4	25.0
Trichloroethene	1.5	12.0
1,1,1-Trichloroethane (Methyl chloroform)	6,600	41,000
1,1,2-Trichloroethane	170,000	170,000
Trichlorofluoromethane	860	5,600
1,2,4-Trimethylbenzene		
1,3,5-Trimethylbenzene		
2,2,4-Trimethylpentane		
Vinyl chloride	0.29	4.8
Xylenes (total)	140	840
m,p-Xylene	130	820
o-Xylenes	120	790

Note:

- Screening criteria source: Illinois Pollution Control Board, Tiered Approach to Corrective Action (TACO) Title 35 - Part 742; Appendix B, Table H: Tier 1 Indoor Inhalation Remediation Objectives for Residential and Industrial/Commercial Properties for the Diffusion and Advection Exposure Route, July 15, 2013.
- Blank cells indicate that chemical does not have screening criteria.

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Acetone			Benzene			Bromodichloromethane			Bromoform			Bromomethane			1,3-Butadiene			Butane			2-Butanone		
				750000			0.37			450000			11			6.9									6400		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-1	5 ft	VMP-1-5-042817	4/28/2017	<0.03	J	U	<0.0041	U		<0.0086	U		<0.013	U		<0.05	U		<0.0028	U		<0.012	U		0.0058	J	
		VMP-1-5-072417	7/24/2017	0.033			0.0021	J		<0.0083	U		<0.013	U		<0.048	U		<0.0027	U		<0.012	U		0.0091	J	
		VMP-1-5-102617	10/26/2017	0.021	J		0.00066	J		<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		0.0062	J	
		VMP-1-5-012618	1/26/2018	0.014	J		<0.0035	U		<0.0073	U		<0.011	U		<0.042	U		<0.0024	U		<0.01	U		0.0037	J	
	8.5 ft	VMP-1-8.5-042817	4/28/2017	<0.027	J	U	<0.0036	U		<0.0076	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.013	U	
		VMP-1-8.5-072417	7/24/2017	0.03			<0.004	U		<0.0083	U		<0.013	U		<0.048	U		<0.0028	U		<0.012	U		0.01	J	
		VMP-1-8.5-102617	10/26/2017	0.018	J		<0.0036	U		<0.0075	U		<0.012	U		<0.044	U		<0.0025	U		0.0058	J		0.0033	J	
		VMP-1-8.5-012418	1/24/2018	<0.027	J	U	<0.0036	U		<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		<0.011	U		<0.013	U	
	23.5 ft	VMP-1-23.5-042817	4/28/2017	<0.027	J	U	<0.0037	U		<0.0077	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-1-23.5-042817-DUP	4/28/2017	<0.027	J	U	<0.0036	U		<0.0076	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.013	U	
		VMP-1-23.5-072417	7/24/2017	0.027	J		0.00086	J		<0.008	U		<0.012	U		<0.046	U		<0.0026	U		0.017			0.0034	J	
		VMP-1-23.5-102617	10/26/2017	0.019	J		<0.0038	U		<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		0.0033	J	
VMP-1-23.5-012618	1/26/2018	0.029			<0.0035	U		<0.0073	U		<0.011	U		<0.042	U		<0.0024	U		0.0046	J		0.0079	J			
VMP-2	5 ft	VMP-2-5-050317	5/3/2017	0.028			<0.0037	U		<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		0.0031	J		<0.014	U	
		VMP-2-5-072417	7/24/2017	0.079			<0.004	U		<0.0083	U		<0.013	U		<0.048	U		<0.0027	U		0.0074	J		0.014	J	
		VMP-2-5-102617	10/26/2017	<0.028	J	U	<0.0038	U		<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-2-5-012918	1/29/2018	<0.026	J	U	<0.0035	U		<0.0073	U		<0.011	U		<0.042	U		<0.0024	U		<0.01	U		<0.013	U	
	8.5 ft	VMP-2-8.5-050317	5/3/2017	<0.027	J	U	<0.0036	U		<0.0076	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.013	U	
		VMP-2-8.5-072417	7/24/2017	0.039			<0.0044	U		<0.0092	U		<0.014	U		<0.053	U		<0.003	U		<0.013	U		<0.016	U	
		VMP-2-8.5-102617	10/26/2017	<0.029	J	U	<0.0039	J	U	<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		<0.012	U		<0.014	U	
		VMP-2-8.5-012918	1/29/2018	<0.027	J	U	0.0063			<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		<0.011	U		<0.013	U	
	22 ft	VMP-2-22-050317	5/3/2017	<0.027	J	U	0.002	J		<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		0.0058	J		<0.013	U	
		VMP-2-22-072417	7/24/2017	0.029	J		0.00085	J		<0.0088	U		<0.014	U		<0.051	U		<0.0029	U		<0.012	U		0.0042	J	
		VMP-2-22-072417-DUP	7/24/2017	0.045			<0.004	U		<0.0084	U		<0.013	U		<0.049	U		<0.0028	U		<0.012	U		0.0068	J	
		VMP-2-22-102617	10/26/2017	<0.026	J	U	<0.0035	U		<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		<0.01	U		<0.013	U	
VMP-2-22-012918	1/29/2018	<0.026	U		<0.0034	U		<0.0072	U		<0.011	U		<0.042	U		<0.0024	U		<0.01	U		<0.013	U			
VMP-3	5 ft	VMP-3-5-042717	4/27/2017	<0.028	J	U	<0.0038	U		<0.008	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-3-5-072017	7/20/2017	0.0082	J		<0.004	U		<0.0084	U		<0.013	U		<0.049	U		<0.0028	U		<0.012	U		<0.015	U	
		VMP-3-5-102617	10/26/2017	0.012	J		<0.004	U		<0.0083	U		<0.013	U		<0.048	U		<0.0027	U		<0.012	U		<0.015	U	
		VMP-3-5-012318	1/23/2018	0.015	J		0.0014	J		<0.0073	U		<0.011	U		<0.042	U		<0.0024	U		<0.01	U		0.0028	J	
	10 ft	VMP-3-10-042717	4/27/2017	<0.028	J	U	0.0025	J		<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		0.0085	J	
		VMP-3-10-072017	7/20/2017	0.029	J		0.00053	J		<0.0088	U		<0.014	U		<0.051	U		<0.0029	U		<0.012	U		0.0056	J	
		VMP-3-10-102617	10/26/2017	0.018	J		<0.004	U		<0.0083	U		<0.013	U		<0.048	U		<0.0028	U		<0.012	U		0.0043	J	
		VMP-3-10-012318	1/23/2018	<0.026	J	U	<0.0035	U		<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		<0.01	U		<0.013	U	
	22 ft	VMP-3-22-042717	4/27/2017	<0.028	J	U	<0.0038	U		<0.008	U		<0.012	U		<0.047	U		<0.0026	U		<0.011	U		0.0037	J	
		VMP-3-22-072017	7/20/2017	0.013	J		<0.004	U		<0.0085	U		<0.013	U		<0.049	U		<0.0028	U		<0.012	U		0.0018	J	
		VMP-3-22-102617	10/26/2017	0.014	J		<0.0038	U		<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-3-22-012318	1/23/2018	0.011	J		<0.0036	U		<0.0075	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		0.0035	J	
31.5 ft	VMP-3-31.5-042717	4/27/2017	0.027	J		<0.004	U		<0.0083	U		<0.013	U		<0.048	U		<0.0028	U		0.014			0.0074	J		
	VMP-3-31.5-072017	7/20/2017	0.036			0.0011	J		<0.0084	U		<0.013	U		<0.048	U		<0.0028	U		0.014			0.0066	J		
	VMP-3-31.5-102617	10/26/2017	0.012	J		0.0044			<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		0.039			<0.014	U		
	VMP-3-31.5-102617-DUP	10/26/2017	0.014	J		0.0044			<0.008	U		<0.012	U		<0.046	U		<0.0026	U		0.046			0.0038	J		
VMP-4	5 ft	VMP-4-5-050317	5/3/2017	<0.026	J	U	<0.0035	U		<0.0074	U		&														

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Acetone			Benzene			Bromodichloromethane			Bromoform			Bromomethane			1,3-Butadiene			Butane			2-Butanone		
				750000			0.37			450000			11			6.9									6400		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-5	5 ft	VMP-5-5-042617	4/26/2017	<0.08	J	U	<0.011	U		<0.022	U		<0.035	U		<0.13	U		<0.0074	U		<0.032	U		<0.04	U	
		VMP-5-5-072017	7/20/2017	0.059			0.00075	J		0.0018	J		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		0.004	J	
		VMP-5-5-103017	10/30/2017	<0.027	J	U	<0.0036	J	U	<0.0075	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.013	U	
		VMP-5-5-012518	1/25/2018	0.012	J		<0.0034	J	U	<0.0072	U		<0.011	U		<0.042	U		<0.0024	U		<0.01	U		0.0036	J	
	12.5 ft	VMP-5-12.5-042617	4/26/2017	<0.028	J	U	<0.0038	U		<0.008	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		0.0046	J	
		VMP-5-12.5-072017	7/20/2017	0.017	J		0.00049	J		0.0094			<0.013	U		<0.049	U		<0.0028	U		<0.012	U		0.0032	J	
		VMP-5-12.5-102017	10/30/2017	<0.025	J	U	<0.0034	J	U	0.0036	J		<0.011	U		<0.041	U		<0.0023	U		<0.01	U		0.0035	J	
		VMP-5-12.5-012518	1/25/2018	<0.027	J	U	<0.0036	U		<0.0076	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.013	U	
	31 ft	VMP-5-31-042617	4/26/2017	<0.028	J	U	0.0011	J		<0.008	U		<0.012	U		<0.047	U		<0.0026	U		<0.011	U		0.0062	J	
		VMP-5-31-072017	7/20/2017	0.015	J		<0.004	U		0.0022	J		<0.013	U		<0.048	U		<0.0028	U		<0.012	U		0.0028	J	
		VMP-5-31-072017-DUP	7/20/2017	0.011	J		<0.0038	U		0.002	J		<0.012	U		<0.047	U		<0.0026	U		<0.011	U		0.0028	J	
		VMP-5-31-103017	10/30/2017	<0.026	J	U	<0.0035	J	U	<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		<0.01	U		<0.013	U	
	40 ft	VMP-5-31-012518	1/25/2018	<0.027	J	U	<0.0036	U		<0.0076	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.013	U	
		VMP-5-40-042617	4/26/2017	<0.028	J	U	0.0009	J		<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		0.0044	J		0.0051	J	
		VMP-5-40-042617-DUP	4/26/2017	<0.028	J	U	0.00093	J		<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		0.0065	J	
		VMP-5-40-012518	1/25/2018	<0.025	J	U	<0.0034	J	U	<0.007	U		<0.011	U		<0.041	U		<0.0023	U		<0.01	U		<0.012	U	
VMP-6	5 ft	VMP-6-5-042417	4/24/2017	<0.027	J	U	0.00086	J		<0.0077	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		0.0033	J	
		VMP-6-5-052217	5/22/2017	<0.028	J	U	<0.0038	U		<0.008	U		<0.012	U		<0.047	U		<0.0026	U		<0.011	U		0.0036	J	
		VMP-6-5-072117	7/21/2017	0.021	J		<0.0038	U		<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		0.0042	J	
		VMP-6-5-103117	10/31/2017	<0.025	J	U	<0.0034	U		<0.0072	U		<0.011	U		<0.042	U		<0.0024	U		<0.01	U		0.0028	J	
	10 ft	VMP-6-5-012418	1/24/2018	<0.026	J	U	<0.0035	U		<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		0.0067	J		<0.013	U	
		VMP-6-10-042417	4/24/2017	<0.028	J	U	<0.0038	U		0.0017	J		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-6-10-072117	7/21/2017	0.014	J		<0.0037	U		<0.0077	U		<0.012	U		<0.045	U		<0.0025	U		<0.011	U		0.0044	J	
		VMP-6-10-103117	10/31/2017	0.023	J		<0.0034	J	U	<0.0071	U		<0.011	U		<0.041	U		<0.0023	U		0.004	J		<0.012	U	
	31.5 ft	VMP-6-10-012418	1/24/2018	<0.026	J	U	0.00069	J		0.0025	J		<0.011	U		<0.042	U		<0.0024	U		0.004	J		<0.013	U	
		VMP-6-31.5-042417	4/24/2017	<0.029	J	U	0.00094	J		0.0013	J		<0.013	U		<0.047	U		<0.0027	U		0.0048	J		0.004	J	
		VMP-6-31.5-072117	7/21/2017	0.011	J		<0.0038	U		<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-6-31.5-072117-DUP	7/21/2017	0.028	J		<0.0038	U		<0.008	U		<0.012	U		<0.046	U		<0.0026	U		0.0085	J		0.0049	J	
	39 ft	VMP-6-31.5-103117	10/31/2017	<0.026	J	U	<0.0034	J	U	<0.0072	U		<0.011	U		<0.042	U		<0.0024	U		<0.01	U		0.0027	J	
		VMP-6-31.5-013118	1/31/2018	<0.028	J	U	0.00041	J		<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		0.0038	J		<0.014	U	
		VMP-6-39-042417	4/24/2017	0.019	J		<0.0038	U		<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		0.0061	J	
		VMP-6-39-042417-DUP	4/24/2017	0.019	J		0.0008	J		<0.008	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		0.0048	J	
		VMP-6-39-103117	10/31/2017	<0.026	J	U	<0.0035	J	U	<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		<0.01	U		<0.013	U	
		VMP-6-39-103117-DUP	10/31/2017	<0.026	J	U	<0.0036	J	U	<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		<0.011	U		0.0038	J	
		VMP-6-39-012418	1/24/2018	0.01	J		0.0052			<0.0072	U		<0.011	U		<0.042	U		<0.0024	U		0.013			<0.013	U	
		VMP-6-39-012418-DUP	1/24/2018	<0.028	J	U	0.0054			<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		0.0087	J		<0.014	U	
VMP-7	5 ft	VMP-7-5-042417	4/24/2017	0.038			0.0018	J		<0.0082	U		<0.013	U		<0.047	U		<0.0027	U		0.0041	J		0.011	J	
		VMP-7-5-072117	7/21/2017	0.028	J		0.00079	J		<0.0082	U		<0.013	U		<0.048	U		<0.0027	U		<0.012	U		0.007	J	
		VMP-7-5-102517	10/25/2017	0.022	J		<0.0036	J	U	<0.0077	U		<0.012	U		<0.044	U		<0.0025	U		0.0026	J		0.004	J	
		VMP-7-5-012518	1/25/2018	<0.027	J	U	<0.0036	J	U	<0.0076	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.013	U	
	13.5 ft	VMP-7-13.5-042417	4/24/2017	<0.03	J	U	<0.004	U		<0.0084	U		<0.013	U		<0.048	U		<0.0028	U		<0.012	U		<0.015	U	
		VMP-7-13.5-072117	7/21/2017	0.018	J		<0.0038	U		<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		<0.011	U		<0.014	U	
		VMP-7-13.5-102517	10/25/2017	0.027	J		<0.0037	U		<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-7-13.5-012518	1/25/2018	<0.028	J	U	<0.0037	U		<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		<0.014	U	

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Acetone			Benzene			Bromodichloromethane			Bromoform			Bromomethane			1,3-Butadiene			Butane			2-Butanone		
				750000			0.37			450000			11			6.9									6400		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-8	5 ft	VMP-8-5-042017	4/20/2017	0.018	J		<0.0043	U		<0.009	U		<0.014	U		<0.052	U		<0.003	U		<0.013	U		0.0084	J	
		VMP-8-5-071917	7/19/2017	0.011	J		0.00058	J		<0.008	U		<0.012	U		<0.047	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-8-5-103017	10/30/2017	<0.027	J	U	<0.0037	J	U	<0.0077	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-8-5-012218	1/22/2018	<0.027	J	U	<0.0036	J	U	<0.0076	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.013	U	
	9.5 ft	VMP-8-9.5-042117	4/21/2017	<0.028	J	U	<0.0038	U		<0.008	U		<0.012	U		<0.047	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-8-9.5-071917	7/19/2017	0.01	J		<0.0039	U		<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		<0.012	U		<0.014	U	
		VMP-8-9.5-103017	10/30/2017	<0.027	J	U	<0.0036	U		<0.0075	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.013	U	
		VMP-8-9.5-012218	1/22/2018	<0.028	U		<0.0037	J	U	<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		<0.014	U	
	23.5 ft	VMP-8-23.5-042117	4/21/2017	<0.028	J	U	<0.0037	U		<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-8-23.5-071917	7/19/2017	0.011	J		<0.0039	U		<0.0082	U		<0.013	U		<0.048	U		<0.0027	U		<0.012	U		<0.014	U	
		VMP-8-23.5-103017	10/30/2017	<0.026	J	U	<0.0036	J	U	<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		<0.011	U		0.0035	J	
		VMP-8-23.5-012218	1/22/2018	<0.028	J	U	<0.0037	J	U	<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		<0.014	U	
	35.5 ft	VMP-8-23.5-012218-DUP	1/22/2018	<0.028	J	U	<0.0038	J	U	<0.008	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-8-35.5-042117	4/21/2017	<0.028	J	U	<0.0038	U		<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		0.0045	J	
		VMP-8-35.5-071917	7/19/2017	0.042	J		<0.007	U		<0.015	U		<0.023	U		<0.085	U		<0.0048	U		<0.021	U		0.02	J	
		VMP-8-35.5-071917-DUP	7/19/2017	0.028	J		<0.0078	U		<0.016	U		<0.025	U		<0.095	U		<0.0054	U		<0.023	U		<0.029	U	
		VMP-8-35.5-103017	10/30/2017	<0.027	J	U	<0.0036	J	U	<0.0076	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.013	U	
VMP-9	5 ft	VMP-9-5-042017	4/20/2017	0.016	J		<0.004	U		<0.0084	U		<0.013	U		<0.049	U		<0.0028	U		<0.012	U		0.0021	J	
		VMP-9-5-071917	7/19/2017	0.012	J		0.00042	J		<0.0082	U		<0.013	U		<0.048	U		<0.0027	U		<0.012	U		<0.014	U	
		VMP-9-5-110117	11/1/2017	0.0091	J		<0.0035	J	U	<0.0073	U		<0.011	U		<0.042	U		<0.0024	U		<0.01	U		<0.013	U	
		VMP-9-5-012218	1/22/2018	0.0064	J		<0.004	J	U	<0.0084	U		<0.013	U		<0.049	U		<0.0028	U		<0.012	U		<0.015	U	
	11.5 ft	VMP-9-11.5-042017	4/20/2017	<0.03	J	U	0.00058	J		<0.0085	U		<0.013	U		<0.049	U		<0.0028	U		<0.012	U		<0.015	U	
		VMP-9-11.5-071917	7/19/2017	0.012	J		<0.0038	U		0.0022	J		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-9-11.5-110117	11/1/2017	0.011	J		<0.0038	J	U	<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-9-11.5-012218	1/22/2018	0.0058	J		<0.0038	J	U	<0.008	U		<0.012	U		<0.047	U		<0.0026	U		<0.011	U		<0.014	U	
	25.5 ft	VMP-9-25.5-042017	4/20/2017	<0.033	J	U	<0.0044	U		<0.0093	U		<0.014	U		<0.054	U		<0.0031	U		<0.013	U		<0.016	U	
		VMP-9-25.5-071917	7/19/2017	0.011	J		0.00076	J		<0.0082	U		<0.013	U		<0.048	U		<0.0027	U		<0.012	U		<0.014	U	
		VMP-9-25.5-110117	11/1/2017	<0.027	J	U	<0.0036	J	U	<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		<0.011	U		<0.013	U	
		VMP-9-25.5-012218	1/22/2018	0.0047	J		<0.0038	J	U	<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		0.0026	J		<0.014	U	
	38.5 ft	VMP-9-38.5-042017	4/20/2017	0.016	J		0.0011	J		<0.0082	U		<0.013	U		<0.047	U		<0.0027	U		<0.012	U		0.0048	J	
		VMP-9-38.5-042017-DUP	4/20/2017	<0.029	J	U	0.0013	J		<0.0083	U		<0.013	U		<0.048	U		<0.0027	U		0.0029	J		0.0028	J	
		VMP-9-38.5-110117	11/1/2017	0.01	J		<0.0036	J	U	<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		<0.011	U		<0.013	U	
		VMP-9-38.5-012218	1/22/2018	<0.029	U		<0.0038	J	U	<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		<0.011	U		<0.014	U	
VMP-18	8.5 ft	VMP-18-8.5-050317	5/3/2017	<0.026	J	U	<0.0035	U		<0.0073	U		<0.011	U		<0.042	U		<0.0024	U		<0.01	U		<0.013	U	
		VMP-18-8.5-072717	7/27/2017	0.021	J		0.00084	J		<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		<0.012	U		<0.014	U	
		VMP-18-8.5-110317	11/3/2017	0.0097	J		0.0012	J		<0.0077	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.014	U	
		VMP-18-8.5-110317-DUP	11/3/2017	<0.025	J	U	0.0011	J		<0.007	U		<0.011	U		<0.04	U		<0.0023	U		<0.0099	U		<0.012	U	
		VMP-18-8.5-012418	1/24/2018	0.0095	J		<0.0037	U		<0.0077	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		<0.014	U	
VMP-19	5 ft	VMP-19-5-042017	4/20/2017	<0.032	J	U	0.00045	J		<0.0092	U		<0.014	U		<0.053	U		<0.003	U		0.017			<0.016	U	
		VMP-19-5-072717	7/27/2017	0.024	J		0.0032	J		<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		0.01	J		0.0062	J	
		VMP-19-5-102517	10/25/2017	<0.027	J	U	0.00074	J		<0.0076	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.013	U	
		VMP-19-5-012518	1/25/2018	0.012	J		<0.0036	J	U	<0.0076	U		<0.012	U		<0.044	U		<0.0025	U		0.0099	J		0.0039	J	
VMP-20	5 ft	VMP-20-5-042617	4/26/2017	0.017	J		<0.0038	U		<0.008	U		<0.012	U		<0.046											

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Acetone			Benzene			Bromodichloromethane			Bromoform			Bromomethane			1,3-Butadiene			Butane			2-Butanone		
				750000			0.37			450000			11			6.9									6400		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-21	5 ft	VMP-21-5-042417	4/24/2017	<0.028	J	U	0.00086	J		<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-21-5-072017	7/20/2017	0.031			<0.0037	U		<0.0077	U		<0.012	U		<0.045	U		<0.0025	U		<0.011	U		0.0028	J	
		VMP-21-5-103117	10/31/2017	<0.027	J	U	<0.0036	J	U	<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		<0.011	U		<0.013	U	
		VMP-21-5-012318	1/23/2018	0.012	J		<0.0034	J	U	<0.0072	U		<0.011	U		<0.042	U		<0.0024	U		<0.01	U		0.0031	J	
	10 ft	VMP-21-10-042417	4/24/2017	<0.028	J	U	<0.0038	U		<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-21-10-072017	7/20/2017	0.0082	J		<0.0039	U		<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		<0.012	U		0.0017	J	
		VMP-21-10-103117	10/31/2017	0.018	J		<0.0035	J	U	<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		<0.01	U		<0.013	U	
		VMP-21-10-012318	1/23/2018	<0.026	J	U	<0.0035	U		<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		<0.01	U		<0.013	U	
	25 ft	VMP-21-25-042417	4/24/2017	<0.028	J	U	<0.0038	U		<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-21-25-072017	7/20/2017	0.011	J		<0.0038	U		<0.008	U		<0.012	U		<0.047	U		<0.0026	U		<0.011	U		0.0023	J	
		VMP-21-25-103117	10/31/2017	<0.027	J	U	<0.0037	J	U	<0.0077	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-21-25-012318	1/23/2018	<0.027	J	U	<0.0036	U		<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		<0.011	U		<0.013	U	
	33 ft	VMP-21-33-042417	4/24/2017	<0.027	J	U	<0.0037	U		<0.0077	U		<0.012	U		<0.045	U		<0.0025	U		0.0041	J		<0.014	U	
		VMP-21-33-042417-DUP	4/24/2017	<0.028	J	U	<0.0037	U		<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		0.0045	J		<0.014	U	
		VMP-21-33-072017	7/20/2017	0.017	J		0.00084	J		<0.0076	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		0.0028	J	
		VMP-21-33-072017-DUP	7/20/2017	0.012	J		0.00071	J		<0.0082	U		<0.013	U		<0.047	U		<0.0027	U		<0.012	U		0.0019	J	
		VMP-21-33-103117	10/31/2017	<0.027	J	U	<0.0036	J	U	<0.0075	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.013	U	
		VMP-21-33-012318	1/23/2018	<0.026	J	U	<0.0034	J	U	<0.0072	U		<0.011	U		<0.042	U		<0.0024	U		<0.01	U		<0.013	U	
VMP-22	5 ft	VMP-22-5-042617	4/26/2017	<0.028	J	U	<0.0038	U		<0.008	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-22-5-072617	7/26/2017	0.036			<0.0039	U		<0.0082	U		<0.013	U		<0.048	U		<0.0027	U		<0.012	U		0.0047	J	
		VMP-22-5-102617	10/26/2017	0.012	J		<0.0035	U		<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		<0.01	U		0.0022	J	
		VMP-22-5-013018	1/30/2018	<0.027	J	U	<0.0036	J	U	<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		0.0034	J		<0.013	U	
	10 ft	VMP-22-10-042717	4/27/2017	<0.026	J	U	<0.0035	U		<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		<0.01	U		<0.013	U	
		VMP-22-10-072617	7/26/2017	0.031			<0.0039	U		<0.0082	U		<0.013	U		<0.047	U		<0.0027	U		0.013			0.0047	J	
		VMP-22-10-102617	10/26/2017	0.017	J		<0.0038	U		<0.008	U		<0.012	U		<0.047	U		<0.0026	U		0.0036	J		0.0046	J	
		VMP-22-10-013018	1/30/2018	<0.025	J	U	0.0012	J		<0.0072	U		<0.011	U		<0.042	U		<0.0024	U		0.011			<0.013	U	
	18 ft	VMP-22-18-042717	4/27/2017	<0.03	J	U	<0.0041	U		0.0041	J		<0.013	U		<0.05	U		<0.0028	U		<0.012	U		<0.015	U	
		VMP-22-18-072617	7/26/2017	0.016	J		<0.0044	U		0.0058	J		<0.014	U		<0.053	U		<0.003	U		<0.013	U		0.0048	J	
		VMP-22-18-102617	10/26/2017	0.012	J		<0.0037	U		<0.0077	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		0.0021	J	
		VMP-22-18-013018	1/30/2018	<0.025	J	U	0.0052			<0.0071	U		<0.011	U		<0.041	U		<0.0023	U		0.0084	J		<0.012	U	
	38 ft	VMP-22-38-042717	4/27/2017	<0.028	J	U	<0.0038	U		<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-22-38-042717-DUP	4/27/2017	<0.028	J	U	<0.0038	U		<0.008	U		<0.012	U		<0.046	U		<0.0026	U		0.0045	J		<0.014	U	
		VMP-22-38-072617	7/26/2017	0.03			<0.0038	U		<0.008	U		<0.012	U		<0.046	U		<0.0026	U		0.0049	J		0.0057	J	
		VMP-22-38-072617-DUP	7/26/2017	0.027	J		<0.0038	U		<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		0.006	J	
		VMP-22-38-102617	10/26/2017	0.014	J		0.00047	J		<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		0.0025	J	
		VMP-22-38-013018	1/30/2018	<0.027	J	U	0.001	J		<0.0076	U		<0.012	U		<0.044	U		<0.0025	U		0.01	J		<0.013	U	
VMP-23	5 ft	VMP-23-5-042517	4/25/2017	<0.03	J	U	<0.004	U		0.0016	J		<0.013	U		<0.049	U		<0.0028	U		<0.012	U		0.0022	J	
		VMP-23-5-072017	7/20/2017	0.022	J		<0.0038	U		0.00072	J		<0.012	U		<0.047	U		<0.0026	U		<0.011	U		0.005	J	
		VMP-23-5-102517	10/25/2017	0.011	J		<0.0038	U		<0.008	U		<0.012	U		<0.047	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-23-5-012318	1/23/2018	0.011	J		<0.0041	J	U	<0.0086	U		<0.013	U		<0.05	U		<0.0028	U		0.0066	J		<0.015	U	
	10 ft	VMP-23-10-042517	4/25/2017	<0.03	J	U	<0.0041	U		0.0046	J		<0.013	U		<0.05	U		<0.0028	U		<0.012	U		0.0024	J	
		VMP-23-10-072017	7/20/2017	0.014	J		<0.0038	U		0.0016	J		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-23-10-102517	10/25/2017	<0.028	J	U	0.0011	J		<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		0.0056	J		<0.014	U	
		VMP-23-10-012318	1/23/2018	0.012	J		<0.0036	J	U	<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		<0.011	U		0.0036	J	
	25 ft	VMP-23-25-042517	4/25/2017	<0.029																							

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Acetone			Benzene			Bromodichloromethane			Bromoform			Bromomethane			1,3-Butadiene			Butane			2-Butanone		
				750000			0.37			450000			11			6.9									6400		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-24	5 ft	VMP-24-5-042117	4/21/2017	<0.032	J	U	<0.0043	U		<0.009	U		<0.014	U		<0.052	U		<0.003	U		<0.013	U		<0.016	U	
		VMP-24-5-072117	7/21/2017	0.14			<0.004	U		<0.0083	U		<0.013	U		<0.048	U		<0.0028	U		<0.012	U		0.026		
		VMP-24-5-102517	10/25/2017	0.012	J		<0.0038	U		<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-24-5-012418	1/24/2018	0.017	J		0.00032	J		<0.0076	U		<0.012	U		<0.044	U		<0.0025	U		0.014			<0.013	U	
	10 ft	VMP-24-10-042117	4/21/2017	<0.027	J	U	0.0019	J		<0.0077	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-24-10-072117	7/21/2017	0.025	J		<0.0039	U		<0.0082	U		<0.013	U		<0.047	U		<0.0027	U		<0.012	U		0.0038	J	
		VMP-24-10-102517	10/25/2017	<0.026	J	U	<0.0035	U		<0.0073	U		<0.011	U		<0.042	U		<0.0024	U		<0.01	U		<0.013	U	
		VMP-24-10-012418	1/24/2018	<0.026	J	U	0.00053	J		<0.0073	U		<0.011	U		<0.042	U		<0.0024	U		<0.01	U		<0.013	U	
	22 ft	VMP-24-22-042117	4/21/2017	0.019	J		0.0013	J		<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		0.0033	J	
		VMP-24-22-072117	7/21/2017	0.014	J		<0.0038	U		<0.008	U		<0.012	U		<0.047	U		<0.0026	U		<0.011	U		0.0059	J	
		VMP-24-22-102517	10/25/2017	0.011	J		<0.0035	U		<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		<0.01	U		<0.013	U	
		VMP-24-22-013118	1/31/2018	<0.027	J	U	0.00038	J		<0.0076	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.013	U	
	34 ft	VMP-24-34-042117	4/21/2017	0.026	J		0.00091	J		<0.0077	U		<0.012	U		<0.045	U		<0.0026	U		0.006	J		0.0059	J	
		VMP-24-34-042117-DUP	4/21/2017	<0.028	J	U	0.00092	J		<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		0.0044	J		0.0046	J	
		VMP-24-34-072117	7/21/2017	0.02	J		<0.0038	U		<0.008	U		<0.012	U		<0.047	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-24-34-072117-DUP	7/21/2017	0.018	J		<0.0039	U		<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		<0.012	U		0.005	J	
VMP-24-34-102517		10/25/2017	0.013	J		<0.0037	J	U	<0.0077	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		<0.014	U		
VMP-24-34-012418		1/24/2018	<0.025	J	U	0.00038	J		<0.0071	U		<0.011	U		<0.041	U		<0.0023	U		0.0056	J		<0.012	U		
VMP-32	5 ft	VMP-32-5-052217	5/22/2017	<0.029	J	U	0.002	J		<0.0082	U		<0.013	U		<0.048	U		<0.0027	U		<0.012	U		0.0053	J	
		VMP-32-5-072417	7/24/2017	0.047			0.00078	J		<0.008	U		<0.012	U		<0.046	U		<0.0026	U		0.0074	J		0.0079	J	
		VMP-32-5-103117	10/31/2017	0.018	J		<0.0036	J	U	<0.0075	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		0.0032	J	
		VMP-32-5-012918	1/29/2018	0.0076	J		<0.0034	U		<0.0072	U		<0.011	U		<0.042	U		<0.0024	U		<0.01	U		<0.013	U	
	10 ft	VMP-32-10-042517	4/25/2017	<0.029	J	U	0.00082	J		<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		<0.011	U		0.004	J	
		VMP-32-10-072417	7/24/2017	0.034			0.0013	J		<0.0082	U		<0.013	U		<0.047	U		<0.0027	U		<0.012	U		0.0087	J	
		VMP-32-10-103117	10/31/2017	<0.028	J	U	<0.0038	U		<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-32-10-012918	1/29/2018	<0.026	J	U	<0.0035	U		<0.0073	U		<0.011	U		<0.042	U		<0.0024	U		<0.01	U		<0.013	U	
	20 ft	VMP-32-20-042517	4/25/2017	<0.029	J	U	<0.0039	U		<0.0082	U		<0.013	U		<0.048	U		<0.0027	U		<0.012	U		0.0056	J	
		VMP-32-20-072417	7/24/2017	0.02	J		<0.004	U		<0.0083	U		<0.013	U		<0.048	U		<0.0027	U		<0.012	U		0.0037	J	
		VMP-32-20-103117	10/31/2017	0.009	J		<0.0037	U		<0.0077	U		<0.012	U		<0.045	U		<0.0025	U		<0.011	U		<0.014	U	
		VMP-32-20-012918	1/29/2018	<0.024	J	U	<0.0032	U		<0.0068	U		<0.01	U		<0.039	U		<0.0022	U		0.0032	J		<0.012	U	
	30 ft	VMP-32-30-042517	4/25/2017	<0.029	J	U	<0.004	U		<0.0083	U		<0.013	U		<0.048	U		<0.0027	U		<0.012	U		<0.015	U	
		VMP-32-30-042517-DUP	4/25/2017	<0.029	J	U	<0.0039	U		<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		<0.012	U		0.0038	J	
		VMP-32-30-072417	7/24/2017	0.032			0.00087	J		<0.0083	U		<0.013	U		<0.048	U		<0.0027	U		0.0053	J		0.0048	J	
		VMP-32-30-072417-DUP	7/24/2017	0.029			<0.0039	U		<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		<0.012	U		0.0052	J	
VMP-32-30-103117		10/31/2017	0.039	J		0.0055	J		<0.015	U		<0.023	U		<0.087	U		<0.005	U		<0.021	U		0.0062	J		
VMP-32-30-012918		1/29/2018	<0.027	J	U	0.00044	J		<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		<0.011	U		<0.013	U		
VMP-42	10 ft	VMP-42-10-050317	5/3/2017	<0.027	J	U	<0.0036	U		<0.0077	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		0.0032	J	
		VMP-42-10-072017	7/20/2017	0.014	J		<0.0038	U		<0.008	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		0.0023	J	
		VMP-42-10-110117	11/1/2017	0.014	J		<0.0033	J	U	<0.0069	U		<0.01	U		<0.04	U		<0.0023	U		<0.0097	U		<0.012	U	
		VMP-42-10-012318	1/23/2018	<0.026	J	U	<0.0035	U		<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		<0.01	U		<0.013	U	
	20 ft	VMP-42-20-050317	5/3/2017	<0.026	J	U	<0.0035	U		<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		<0.01	U		0.0032	J	

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Acetone			Benzene			Bromodichloromethane			Bromoform			Bromomethane			1,3-Butadiene			Butane			2-Butanone		
				750000			0.37			450000			11			6.9									6400		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-44	10 ft	VMP-44-10-042517	4/25/2017	<0.029	J	U	<0.0039	U		<0.0083	U		<0.013	U		<0.048	U		<0.0027	U		<0.012	U		<0.014	U	
		VMP-44-10-072517	7/25/2017	0.014	J		0.0004	J		<0.0085	U		<0.013	U		<0.049	U		<0.0028	U		<0.012	U		0.003	J	
		VMP-44-10-102517	10/25/2017	0.018	J		<0.0039	J	U	<0.0082	U		<0.013	U		<0.047	U		<0.0027	U		<0.012	U		0.0039	J	
		VMP-44-10-012518	1/25/2018	<0.027	J	U	<0.0037	J	U	<0.0077	U		<0.012	U		<0.045	U		<0.0026	U		0.012			<0.014	U	
	20 ft	VMP-44-20-042517	4/25/2017	0.034			<0.0042	U		<0.0088	U		<0.014	U		<0.051	U		<0.0029	U		<0.012	U		0.0052	J	
		VMP-44-20-072517	7/25/2017	0.02	J		<0.0041	U		<0.0087	U		<0.013	U		<0.05	U		<0.0029	U		<0.012	U		0.0046	J	
		VMP-44-20-102517	10/25/2017	0.019	J		<0.0038	U		<0.008	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-44-20-012518	1/25/2018	<0.027	J	U	<0.0036	J	U	<0.0076	U		<0.012	U		<0.044	U		<0.0025	U		0.009	J		<0.013	U	
	30 ft	VMP-44-30-042517	4/25/2017	<0.032	J	U	<0.0043	U		<0.009	U		<0.014	U		<0.052	U		<0.003	U		<0.013	U		0.0041	J	
		VMP-44-30-072517	7/25/2017	0.0078	J		<0.004	U		<0.0084	U		<0.013	U		<0.049	U		<0.0028	U		<0.012	U		<0.015	U	
		VMP-44-30-102517	10/25/2017	0.019	J		0.00085	J		<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		0.0035	J	
		VMP-44-30-102517-DUP	10/25/2017	0.015	J		<0.0037	J	U	<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		0.0038	J		<0.014	U	
VMP-44-30-012518	1/25/2018	<0.027	J	U	0.00094	J		<0.0077	U		<0.012	U		<0.044	U		<0.0025	U		0.01	J		<0.014	U			
VMP-44-30-012518-DUP	1/25/2018	<0.027	J	U	0.00087	J		<0.0076	U		<0.012	U		<0.044	U		<0.0025	U		0.013			<0.013	U			
VMP-45	10 ft	VMP-45-10-042617	4/26/2017	<0.029	J	U	<0.0038	U		<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		<0.011	U		<0.014	U	
		VMP-45-10-072517	7/25/2017	0.014	J		<0.004	U		<0.0084	U		<0.013	U		<0.049	U		<0.0028	U		<0.012	U		0.0037	J	
		VMP-45-10-103117	10/31/2017	<0.026	J	U	<0.0035	J	U	<0.0073	U		<0.011	U		<0.042	U		<0.0024	U		<0.01	U		<0.013	U	
		VMP-45-10-012418	1/24/2018	0.011	J		<0.0034	U		<0.0072	U		<0.011	U		<0.042	U		<0.0024	U		<0.01	U		<0.013	U	
	20 ft	VMP-45-20-042617	4/26/2017	0.018	J		<0.0043	U		<0.009	U		<0.014	U		<0.052	U		<0.003	U		<0.013	U		<0.016	U	
		VMP-45-20-072517	7/25/2017	0.012	J		<0.004	U		<0.0084	U		<0.013	U		<0.048	U		<0.0028	U		<0.012	U		<0.015	U	
		VMP-45-20-103117	10/31/2017	<0.026	J	U	<0.0035	J	U	<0.0073	U		<0.011	U		<0.042	U		<0.0024	U		<0.01	U		<0.013	U	
		VMP-45-20-012418	1/24/2018	<0.026	J	U	0.00034	J		<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		<0.01	U		<0.013	U	
	30 ft	VMP-45-30-042617	4/26/2017	0.015	J		<0.0039	U		<0.0082	U		<0.013	U		<0.048	U		<0.0027	U		<0.012	U		<0.014	U	
		VMP-45-30-042617-DUP	4/26/2017	0.019	J		0.0046			<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		0.0038	J	
		VMP-45-30-072517	7/25/2017	0.0063	J		<0.004	U		<0.0084	U		<0.013	U		<0.049	U		<0.0028	U		<0.012	U		<0.015	U	
		VMP-45-30-103117	10/31/2017	0.019	J		<0.0036	J	U	<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		<0.011	U		0.0054	J	
VMP-45-30-012418	1/24/2018	<0.027	J	U	0.00037	J		<0.0077	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.014	U			
VMP-47	5 ft	VMP-47-5-042717	4/27/2017	<0.026	J	U	<0.0034	U		0.0022	J		<0.011	U		<0.042	U		<0.0024	U		<0.01	U		0.0034	J	
		VMP-47-5-072417	7/24/2017	0.017	J		<0.0039	U		0.001	J		<0.012	U		<0.047	U		<0.0027	U		<0.012	U		0.0042	J	
		VMP-47-5-102617	10/26/2017	0.02	J		0.015			<0.008	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		0.0044	J	
		VMP-47-5-012618	1/26/2018	<0.027	J	U	<0.0036	U		<0.0076	U		<0.012	U		<0.044	U		<0.0025	U		0.0042	J		<0.013	U	
	10 ft	VMP-47-10-042717	4/27/2017	<0.028	J	U	<0.0037	U		0.016			<0.012	U		<0.045	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-47-10-072417	7/24/2017	0.018	J		0.00078	J		0.033			<0.012	U		<0.046	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-47-10-102617	10/26/2017	0.013	J		<0.0038	U		0.011			<0.012	U		<0.046	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-47-10-012618	1/26/2018	0.0097	J		<0.0036	U		0.007	J		<0.012	U		<0.043	U		<0.0025	U		0.0052	J		<0.013	U	
	20 ft	VMP-47-20-042717	4/27/2017	<0.027	J	U	<0.0036	U		0.0032	J		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.013	U	
		VMP-47-20-072417	7/24/2017	0.067			<0.0038	U		0.0042	J		<0.012	U		<0.047	U		<0.0026	U		0.015			0.0092	J	
		VMP-47-20-102617	10/26/2017	0.014	J		<0.0038	U		0.0026	J		<0.012	U		<0.046	U		<0.0026	U		0.003	J		<0.014	U	
		VMP-47-20-012618	1/26/2018	<0.028	J	U	<0.0038	U		0.0016	J		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		<0.014	U	
30 ft	VMP-47-20-012618-DUP	1/26/2018	<0.027	J	U	<0.0036	U		0.0017	J		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.014	U		
	VMP-47-30-042717	4/27/2017	0.045			<0.0036	U		0.0079			<0.012	U		<0.044	U		<0.0025	U		<0.011	U					

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Acetone			Benzene			Bromodichloromethane			Bromoform			Bromomethane			1,3-Butadiene			Butane			2-Butanone			
				750000			0.37			450000			11			6.9									6400			
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	
VMP-49	5 ft	VMP-49-5-042417	4/24/2017	<0.034	J	U	<0.0046	U		<0.0097	U		<0.015	U		<0.056	U		<0.0032	U		<0.014	U		<0.017	U		
		VMP-49-5-072617	7/26/2017	0.023	J		<0.0039	U		<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		<0.012	U		0.007	J		
		VMP-49-5-102717	10/27/2017	0.0099	J		<0.0036	U		<0.0076	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		0.0041	J		
		VMP-49-5-012618	1/26/2018	<0.027	J	U	<0.0036	J	U	<0.0077	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.014	U		
	10 ft	VMP-49-10-042417	4/24/2017	<0.034	J	U	<0.0046	U		<0.0096	U		<0.015	U		<0.056	U		<0.0032	U		<0.014	U		<0.017	U		
		VMP-49-10-072617	7/26/2017	0.016	J		<0.004	U		<0.0084	U		<0.013	U		<0.049	U		<0.0028	U		<0.012	U		<0.015	U		
		VMP-49-10-102717	10/27/2017	<0.027	J	U	<0.0037	U		<0.0077	U		<0.012	U		<0.045	U		<0.0025	U		<0.011	U		<0.014	U		
		VMP-49-10-012618	1/26/2018	<0.027	J	U	<0.0036	J	U	<0.0077	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.014	U		
	20 ft	VMP-49-20-042417	4/24/2017	<0.033	J	U	<0.0045	U		<0.0094	U		<0.014	U		<0.055	U		<0.0031	U		<0.013	U		<0.017	U		
		VMP-49-20-072617	7/26/2017	0.014	J		<0.0039	U		<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		<0.012	U		<0.014	U		
		VMP-49-20-102717	10/27/2017	0.0085	J		<0.0035	U		<0.0073	U		<0.011	U		<0.042	U		<0.0024	U		<0.01	U		<0.013	U		
		VMP-49-20-012618	1/26/2018	<0.028	J	U	<0.0037	U		<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		<0.014	U		
	30 ft	VMP-49-30-042417	4/24/2017	<0.033	J	U	0.0017	J		<0.0092	U		<0.014	U		<0.053	U		<0.003	U		<0.013	U		<0.016	U		
		VMP-49-30-072617	7/26/2017	0.018	J		<0.004	U		<0.0084	U		<0.013	U		<0.048	U		<0.0028	U		<0.012	U		<0.015	U		
		VMP-49-30-072617-DUP	7/26/2017	0.014	J		<0.004	U		<0.0083	U		<0.013	U		<0.048	U		<0.0028	U		<0.012	U		0.0048	J		
		VMP-49-30-102717	10/27/2017	0.0099	J		<0.0036	U		<0.0077	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		0.0036	J		
		VMP-49-30-012618	1/26/2018	<0.028	J	U	<0.0038	J	U	<0.008	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		<0.014	U		
VMP-50	5 ft	VMP-50-5-050317	5/3/2017	<0.026	J	U	<0.0034	U		<0.0072	U		<0.011	U		<0.042	U		<0.0024	U		<0.01	U		<0.013	U		
		VMP-50-5-072617	7/26/2017	0.019	J		<0.004	U		<0.0085	U		<0.013	U		<0.049	U		<0.0028	U		<0.012	U		0.0041	J		
		VMP-50-5-110117	11/1/2017	0.011	J		<0.0035	J	U	<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		<0.01	U		<0.013	U		
		VMP-50-5-013118	1/31/2018	<0.028	J	U	<0.0038	U		<0.008	U		<0.012	U		<0.047	U		<0.0026	U		0.005	J		<0.014	U		
	10 ft	VMP-50-10-050317	5/3/2017	<0.026	J	U	<0.0035	U		0.0066	J		<0.011	U		<0.043	U		<0.0024	U		<0.01	U		<0.013	U		
		VMP-50-10-072617	7/26/2017	0.014	J		<0.004	U		0.0067	J		<0.013	U		<0.049	U		<0.0028	U		<0.012	U		0.0027	J		
		VMP-50-10-110117	11/1/2017	<0.026	J	U	<0.0035	U		0.0095			<0.011	U		<0.043	U		<0.0024	U		<0.01	U		<0.013	U		
		VMP-50-10-013118	1/31/2018	<0.027	J	U	<0.0036	U		0.006	J		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.013	U		
	20 ft	VMP-50-20-050317	5/3/2017	<0.025	J	U	<0.0034	U		0.0071	J		<0.011	U		<0.041	U		<0.0024	U		0.005	J		0.0073	J		
		VMP-50-20-072617	7/26/2017	0.0075	J		<0.0039	U		0.0092			<0.013	U		<0.048	U		<0.0027	U		0.0037	J		<0.014	U		
		VMP-50-20-110117	11/1/2017	0.012	J		<0.0034	J	U	0.007	J		<0.011	U		<0.041	U		<0.0024	U		0.0065	J		<0.012	U		
		VMP-50-20-013118	1/31/2018	0.014	J		0.011	J		<0.031	U		<0.048	U		<0.18	U		<0.01	U		0.63			<0.055	U		
			VMP-50-20-013118-DUP	1/31/2018	0.0083	J		0.014	J		<0.031	U		<0.048	U		<0.18	U		<0.01	U		0.72			<0.055	U	
	30 ft	VMP-50-30-050317	5/3/2017	<0.33	U		0.11			<0.093	U		<0.14	U		<0.54	U		<0.031	U		9.8			<0.16	U		
		VMP-50-30-050317-DUP	5/3/2017	0.032	J		0.099			<0.096	U		<0.15	U		<0.56	U		<0.032	U		9.5			<0.17	U		
		VMP-50-30-072617	7/26/2017	<0.39	U		0.095			<0.11	U		<0.17	U		<0.64	U		<0.036	U		9.6			<0.19	U		
VMP-50-30-110117		11/1/2017	0.029	J		0.14			<0.074	U		<0.11	U		<0.17	U		<0.024	U		13			<0.13	U			
		VMP-50-30-110117-DUP	11/1/2017	<0.1	U		0.15		<0.073	U		<0.11	U		<0.17	U		<0.024	U		14			<0.13	U			
		VMP-50-30-013118	1/31/2018	<0.11	U		<0.036	U		<0.076	U		<0.12	U		<0.18	U	UJ	<0.025	U		22			<0.13	U		
VMP-51	5 ft	VMP-51-5-042517	4/25/2017	<0.03	J	U	<0.004	U		<0.0085	U		<0.013	U		<0.049	U		<0.0028	U		<0.012	U		0.0022	J		
		VMP-51-5-072017	7/20/2017	0.0072	J		<0.004	U		<0.0085	U		<0.013	U		<0.049	U		<0.0028	U		<0.012	U		<0.015	U		
		VMP-51-5-103017	10/30/2017	<0.027	J	U	<0.0036	J	U	<0.0075	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.013	U		
		VMP-51-5-012318	1/23/2018	0.015	J		<0.0036	U		<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		<0.011	U		<0.013	U		
	10 ft	VMP-51-10-042517	4/25/2017	0.057			<0.0038	U		<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		0.015			
		VMP-51-10-072017	7/20/2017	0.015	J		<0.0036	U		<0.0077	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		0.0028	J		
		VMP-51-10-103017	10/30/2017	<0.027	J	U	<0.0036	J	U	<0.0076	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.013	U		
		VMP-51-10-012318	1/23/2018	<0.027	J	U	<0.0036	U		<0.0077	U																	

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Acetone			Benzene			Bromodichloromethane			Bromoform			Bromomethane			1,3-Butadiene			Butane			2-Butanone		
				750000			0.37			450000			11			6.9									6400		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-52	5 ft	VMP-52-5-042417	4/24/2017	<0.028	J	U	<0.0038	U		<0.008	U		<0.012	U		<0.047	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-52-5-072117	7/21/2017	0.02	J		<0.004	U		<0.0084	U		<0.013	U		<0.049	U		<0.0028	U		<0.012	U		0.0062	J	
		VMP-52-5-102517	10/25/2017	0.0055	J		<0.0036	U		<0.0075	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.013	U	
		VMP-52-5-012418	1/24/2018	<0.026	J	U	0.00038	J		<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		<0.01	U		<0.013	U	
	10 ft	VMP-52-10-042417	4/24/2017	<0.029	J	U	<0.0039	U		<0.0082	U		<0.013	U		<0.047	U		<0.0027	U		<0.012	U		<0.014	U	
		VMP-52-10-072117	7/21/2017	0.016	J		<0.004	U		<0.0085	U		<0.013	U		<0.049	U		<0.0028	U		<0.012	U		0.0053	J	
		VMP-52-10-102517	10/25/2017	0.014	J		0.0014	J		<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		<0.011	U		0.0036	J	
		VMP-52-10-012418	1/24/2018	0.0099	J		0.00048	J		<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		<0.014	U	
	20 ft	VMP-52-20-042417	4/24/2017	0.022	J		<0.0042	U		<0.0087	U		<0.013	U		<0.051	U		<0.0029	U		<0.012	U		<0.015	U	
		VMP-52-20-072117	7/21/2017	0.014	J		<0.004	U		0.0015	J		<0.013	U		<0.048	U		<0.0028	U		<0.012	U		<0.015	U	
		VMP-52-20-102517	10/25/2017	<0.026	J	U	<0.0036	U		<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		<0.011	U		<0.013	U	
		VMP-52-20-012418	1/24/2018	<0.026	J	U	0.00042	J		0.0016	J		<0.012	U		<0.043	U		<0.0025	U		0.0034	J		<0.013	U	
	30 ft	VMP-52-20-012418-DUP	1/24/2018	0.0082	J		0.00049	J		0.0024	J		<0.011	U		<0.042	U		<0.0024	U		0.0034	J		<0.013	U	
		VMP-52-30-042417	4/24/2017	<0.029	J	U	0.00084	J		<0.0082	U		<0.013	U		<0.047	U		<0.0027	U		<0.012	U		0.0032	J	
		VMP-52-30-072117	7/21/2017	0.018	J		<0.0041	U		<0.0086	U		<0.013	U		<0.05	U		<0.0028	U		<0.012	U		0.0041	J	
		VMP-52-30-102517	10/25/2017	<0.028	J	U	<0.0037	J	U	<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-52-30-102517-DUP	10/25/2017	<0.028	J	U	<0.0038	U		<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-52-30-012418	1/24/2018	0.009	J		0.00068	J		<0.007	U		<0.011	U		<0.04	U		<0.0023	U		<0.0099	U		<0.012	U	
VMP-53	5 ft	VMP-53-5-042017	4/20/2017	0.014	J		<0.0038	U		<0.008	U		<0.012	U		<0.047	U		<0.0026	U		<0.011	U		0.0026	J	
		VMP-53-5-071917	7/19/2017	0.016	J		<0.0039	U		<0.0082	U		<0.013	U		<0.048	U		<0.0027	U		<0.012	U		0.0044	J	
		VMP-53-5-110117	11/1/2017	<0.025	J	U	<0.0034	J	U	<0.0071	U		<0.011	U		<0.041	U		<0.0024	U		<0.01	U		<0.012	U	
		VMP-53-5-012218	1/22/2018	0.0042	J		<0.0039	J	U	<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		<0.012	U		<0.014	U	
	10 ft	VMP-53-10-042017	4/20/2017	<0.028	J	U	<0.0038	U		<0.008	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-53-10-071917	7/19/2017	0.014	J		<0.0039	U		0.0041	J		<0.012	U		<0.047	U		<0.0027	U		<0.012	U		0.0026	J	
		VMP-53-10-110117	11/1/2017	0.0086	J		<0.0036	U		<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		<0.011	U		<0.013	U	
		VMP-53-10-012218	1/22/2018	0.0074	J		<0.0039	J	U	<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		<0.012	U		<0.014	U	
	20 ft	VMP-53-20-042017	4/20/2017	<0.028	J	U	0.005			<0.008	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		0.0026	J	
		VMP-53-20-071917	7/19/2017	0.013	J		<0.0039	U		<0.0082	U		<0.013	U		<0.048	U		<0.0027	U		<0.012	U		<0.014	U	
		VMP-53-20-110117	11/1/2017	0.014	J		<0.0036	U		<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		<0.011	U		0.0036	J	
		VMP-53-20-012218	1/22/2018	<0.028	J	U	<0.0038	J	U	<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		<0.014	U	
	30 ft	VMP-53-20-012218-DUP	1/22/2018	<0.029	J	U	<0.0038	J	U	<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		0.0026	J		<0.014	U	
		VMP-53-30-042017	4/20/2017	0.019	J		<0.0036	U		<0.0076	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		0.0043	J	
		VMP-53-30-042017-DUP	4/20/2017	<0.026	J	U	<0.0035	U		<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		<0.01	U		0.002	J	
		VMP-53-30-071917	7/19/2017	0.0094	J		<0.0039	U		<0.0082	U		<0.013	U		<0.048	U		<0.0027	U		<0.012	U		<0.014	U	
		VMP-53-30-071917-DUP	7/19/2017	0.0099	J		<0.0039	U		<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		<0.012	U		<0.014	U	
		VMP-53-30-110117	11/1/2017	0.016	J		<0.0035	J	U	<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		<0.01	U		<0.013	U	
	VMP-53-30-012218	1/22/2018	<0.029	U		<0.0039	J	U	<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		<0.012	U		<0.014	U		
VMP-54	5 ft	VMP-54-5-042017	4/20/2017	<0.03	J	U	<0.004	U		<0.0084	U		<0.013	U		<0.049	U		<0.0028	U		<0.012	U		<0.015	U	
		VMP-54-5-071917	7/19/2017	0.0076	J		<0.0039	U		<0.0082	U		<0.013	U		<0.047	U		<0.0027	U		<0.012	U		<0.014	U	
		VMP-54-5-102617	10/26/2017	0.018	J		<0.0035	J	U	<0.0073	U		<0.011	U		<0.042	U		<0.0024	U		0.015			<0.013	U	
		VMP-54-5-012218	1/22/2018	<0.028	J	U	<0.0037	J	U	<0.0078	U		<0.012	U		<0.045											

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Acetone			Benzene			Bromodichloromethane			Bromoform			Bromomethane			1,3-Butadiene			Butane			2-Butanone		
				750000			0.37			450000			11			6.9									6400		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-62	5 ft	VMP-62-5-042517	4/25/2017	<0.031	J	U	0.00045	J		<0.0086	U		<0.013	U		<0.05	U		<0.0028	U		<0.012	U		0.0027	J	
		VMP-62-5-072517	7/25/2017	0.033			<0.0034	U		<0.0071	U		<0.011	U		<0.041	U		<0.0024	U		<0.01	U		0.0076	J	
		VMP-62-5-083017	8/30/2017	0.028	J		<0.0039	U		<0.0083	U		<0.013	U		<0.048	U		<0.0027	U		<0.012	U		0.007	J	
		VMP-62-5-110317	11/3/2017	0.011	J		<0.0036	U		<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		0.0044	J		<0.013	U	
		VMP-62-5-012918	1/29/2018	<0.026	J	U	<0.0034	U		<0.0072	U		<0.011	U		<0.042	U		<0.0024	U		<0.01	U		<0.013	U	
	10 ft	VMP-62-10-042517	4/25/2017	<0.031	J	U	<0.0042	U		0.0073	J		<0.014	U		<0.051	U		<0.0029	U		<0.012	U		0.0036	J	
		VMP-62-10-072517	7/25/2017	0.014	J		<0.0038	U		0.0072	J		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-62-10-110317	11/3/2017	<0.026	J	U	<0.0035	U		<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		<0.01	U		<0.013	U	
		VMP-62-10-012918	1/29/2018	<0.025	J	U	<0.0034	U		0.00091	J		<0.011	U		<0.041	U		<0.0024	U		<0.01	U		<0.012	U	
	20 ft	VMP-62-20-042517	4/25/2017	<0.029	J	U	<0.0039	U		0.015			<0.013	U		<0.048	U		<0.0027	U		<0.012	U		0.0034	J	
		VMP-62-20-072517	7/25/2017	0.015	J		<0.0039	U		0.035			<0.012	U		<0.047	U		<0.0027	U		<0.012	U		<0.014	U	
		VMP-62-20-110317	11/3/2017	0.014	J		<0.0036	J	U	0.0045	J		<0.012	U		<0.043	U		<0.0025	U		<0.011	U		<0.013	U	
		VMP-62-20-012918	1/29/2018	0.012	J		<0.0033	U		0.0036	J		<0.011	U		<0.04	U		<0.0023	U		<0.0099	U		0.0029	J	
	30 ft	VMP-62-30-042517	4/25/2017	<0.03	J	U	<0.004	U		<0.0085	U		<0.013	U		<0.049	U		<0.0028	U		<0.012	U		0.0061	J	
		VMP-62-30-072517	7/25/2017	0.008	J		<0.0039	U		0.0053	J		<0.012	U		<0.047	U		<0.0027	U		<0.012	U		<0.014	U	
		VMP-62-30-072517-DUP	7/25/2017	0.013	J		<0.0038	U		0.0048	J		<0.012	U		<0.046	U		<0.0026	U		0.0041	J		0.0046	J	
		VMP-62-30-110317	11/3/2017	<0.027	J	U	<0.0036	U		<0.0077	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.014	U	
		VMP-62-30-110317-DUP	11/3/2017	0.026	J		<0.0036	J	U	<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		<0.011	U		0.0042	J	
		VMP-62-30-012918	1/29/2018	<0.025	J	U	0.0012	J		<0.007	U		<0.011	U		<0.04	U		<0.0023	U		0.0035	J		<0.012	U	
		VMP-62-30-012918-DUP	1/29/2018	0.0082	J		0.0012	J		<0.0072	U		<0.011	U		<0.042	U		<0.0024	U		<0.01	U		<0.013	U	
VMP-63	5 ft	VMP-63-5-042517	4/25/2017	<0.028	J	U	<0.0038	U		<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		0.0026	J	
		VMP-63-5-072517	7/25/2017	0.026	J		0.00041	J		<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		0.0068	J	
		VMP-63-5-110117	11/1/2017	<0.026	J	U	0.00051	J		<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		<0.01	U		<0.013	U	
		VMP-63-5-012618	1/26/2018	<0.027	J	U	<0.0036	U		<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		<0.011	U		<0.013	U	
	10 ft	VMP-63-10-042517	4/25/2017	<0.03	J	U	<0.004	U		<0.0085	U		<0.013	U		<0.049	U		<0.0028	U		<0.012	U		0.0024	J	
		VMP-63-10-072517	7/25/2017	0.012	J		<0.0039	U		<0.0082	U		<0.013	U		<0.047	U		<0.0027	U		<0.012	U		<0.014	U	
		VMP-63-10-110117	11/1/2017	0.011	J		<0.0035	U		<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		<0.01	U		<0.013	U	
		VMP-63-10-012618	1/26/2018	<0.027	J	U	<0.0036	U		<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		<0.011	U		<0.013	U	
	20 ft	VMP-63-20-042517	4/25/2017	<0.028	J	U	<0.0037	U		<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-63-20-072517	7/25/2017	0.017	J		0.00045	J		<0.0083	U		<0.013	U		<0.048	U		<0.0027	U		<0.012	U		0.0046	J	
		VMP-63-20-110117	11/1/2017	0.017	J		<0.0035	U		<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		<0.01	U		<0.013	U	
		VMP-63-20-012618	1/26/2018	<0.027	J	U	0.0014	J		<0.0077	U		<0.012	U		<0.044	U		<0.0025	U		0.016			<0.014	U	
	30 ft	VMP-63-30-042517	4/25/2017	<0.029	J	U	<0.0039	U		<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		0.0026	J		0.0038	J	
		VMP-63-30-072517	7/25/2017	0.0093	J		<0.0037	U		<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		0.0023	J		0.0025	J	
		VMP-63-30-110117	11/1/2017	<0.026	J	U	0.00059	J		<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		<0.01	U		<0.013	U	
		VMP-63-30-012618	1/26/2018	0.01	J		0.0011	J		<0.0077	U		<0.012	U		<0.044	U		<0.0025	U		0.0094	J		<0.014	U	
		VMP-63-30-012618-DUP	1/26/2018	0.0095	J		0.0013	J		<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		0.011			<0.013	U	
VMP-64	5 ft	VMP-64-5-042717	4/27/2017	<0.025	J	U	<0.0033	U		<0.007	U		<0.011	U		<0.04	U		<0.0023	U		<0.0099	U		<0.012	U	
		VMP-64-5-072517	7/25/2017	0.02	J		<0.0074	U		<0.016	U		<0.024	U		<0.09	U		<0.0051	U		<0.022	U		0.0038	J	
		VMP-64-5-110317	11/3/2017	0.012	J		<0.0036	U		<0.0077	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.014	U	
		VMP-64-5-012218	1/22/2018	0.0031	J		<0.0036	J	U	<0.0077	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.014	U	
	10 ft	VMP-64-10-042717	4/27/2017	<0.027	J	U	<0.0037	U		<0.0077	U		<0.012	U		<0.045	U		<0.0025	U		<0.011	U		<0.014	U	
		VMP-64-10-072517	7/25/2017	0.011	J		<0.004	U		<0.0085	U		<0.013	U		<0.049	U		<0.0028	U		<0.012	U		<0.015	U	
		VMP-64-10-110317	11/3/2017	0.019	J		<0.0034	J	U	<0.0071	U		<0.011	U		<0.041	U		<0.0024	U		0.0057	J		0.0045	J	
		VMP-64-10-012218	1/22/2018	<0.028	J	U	<0.0038	J	U	<0.008	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		<0.014	U	
	20 ft	VMP-64-20-042717	4/27/2017	<0.028	J	U	<0.0037	U		<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-64-20-072517	7/25/2017	0.012	J		<0.004	U		<0.0084	U		<0.013	U		<0.049	U		<0.0028	U		<0.012	U		0.004	J	
		VMP-64-20-110317	11/3/2017	0.011	J		<0.0034	J	U	<0.0071	U		<0.011	U		<0.041	U		<0.0024	U		<0.01	U		<0.012	U	
		VMP-64-20-012218	1/22/2018	<0.029	U		<0.0038	J	U	<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		<0.011	U		<0.014	U	

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Carbon disulfide			Carbon tetrachloride			Chlorobenzene			Chlorodibromomethane			Chloroethane			Chloroform			Chloromethane			alpha-Chlorotoluene		
				780			0.21			69			57000						0.11								
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-1	5 ft	VMP-1-5-042817	4/28/2017	<0.016	J	U	<0.0081	U		<0.0059	U		<0.011	U		<0.014	U		<0.0063	U		<0.026	U		<0.0066	U	
		VMP-1-5-072417	7/24/2017	<0.015	U		<0.0078	U		<0.0057	U		<0.01	U		<0.013	U		0.004	J		<0.026	U		<0.0064	U	
		VMP-1-5-102617	10/26/2017	<0.014	J	U	<0.0073	U		<0.0054	U		<0.0099	U		<0.012	U		0.0034	J		<0.024	U		<0.006	U	
		VMP-1-5-012618	1/26/2018	0.0022	J		<0.0069	U		<0.005	U		<0.0093	U		<0.012	U		0.00079	J		<0.023	U		<0.0057	U	
	8.5 ft	VMP-1-8.5-042817	4/28/2017	<0.014	J	U	<0.0071	U		<0.0052	U		<0.0097	U		<0.012	U		<0.0055	U		<0.023	U		<0.0059	U	
		VMP-1-8.5-072417	7/24/2017	0.0067	J		<0.0078	U		<0.0057	U		<0.011	U		<0.013	U		0.0019	J		<0.026	U		<0.0064	U	
		VMP-1-8.5-102617	10/26/2017	<0.014	J	U	<0.0071	U		<0.0052	U		<0.0096	U		<0.012	U		0.0014	J		<0.023	U		<0.0058	U	
		VMP-1-8.5-012418	1/24/2018	<0.014	U		<0.007	U		<0.0052	U		<0.0095	U		<0.012	U		0.00082	J		<0.023	U		<0.0058	U	
	23.5 ft	VMP-1-23.5-042817	4/28/2017	<0.014	J	U	<0.0073	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.006	U	
		VMP-1-23.5-042817-DUP	4/28/2017	<0.014	J	U	<0.0071	U		<0.0052	U		<0.0097	U		<0.012	U		<0.0055	U		<0.023	U		<0.0059	U	
		VMP-1-23.5-072417	7/24/2017	<0.015	U		<0.0075	U		<0.0055	U		<0.01	U		<0.012	U		0.0013	J		<0.024	U		<0.0062	U	
		VMP-1-23.5-102617	10/26/2017	<0.015	J	U	<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		0.0029	J		<0.024	U		<0.0061	U	
VMP-1-23.5-012618	1/26/2018	0.0082	J		<0.0068	U		<0.005	U		<0.0092	U		<0.011	U		<0.0053	U		<0.022	U		<0.0056	U			
VMP-2	5 ft	VMP-2-5-050317	5/3/2017	<0.014	J	U	<0.0073	U		<0.0053	U		<0.0099	U		<0.012	U		<0.0057	U		<0.024	U		<0.006	U	
		VMP-2-5-072417	7/24/2017	0.0026	J		<0.0078	U		<0.0057	U		<0.01	U		<0.013	U		<0.006	U		<0.026	U		<0.0064	U	
		VMP-2-5-102617	10/26/2017	<0.015	U		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		<0.0057	U		<0.024	U		<0.0061	U	
		VMP-2-5-012918	1/29/2018	<0.014	U		<0.0068	U		<0.005	U		<0.0093	U		<0.012	U		<0.0053	U		<0.022	U		<0.0056	U	
	8.5 ft	VMP-2-8.5-050317	5/3/2017	<0.014	J	U	<0.0071	U		<0.0052	U		<0.0096	U		<0.012	U		<0.0055	U		<0.023	U		<0.0058	U	
		VMP-2-8.5-072417	7/24/2017	<0.017	U		<0.0086	U		<0.0063	U		<0.012	U		<0.014	U		<0.0067	U		<0.028	U		<0.0071	U	
		VMP-2-8.5-102617	10/26/2017	<0.015	U		<0.0076	U		<0.0056	U		<0.01	U		<0.013	U		<0.0059	U		<0.025	U		<0.0063	U	
		VMP-2-8.5-012918	1/29/2018	<0.014	U		<0.007	U		<0.0052	U		<0.0095	U		<0.012	U		<0.0055	U		<0.023	U		<0.0058	U	
	22 ft	VMP-2-22-050317	5/3/2017	<0.014	J	U	<0.007	U		<0.0052	U		<0.0095	U		<0.012	U		0.0017	J		<0.023	U		<0.0058	U	
		VMP-2-22-072417	7/24/2017	0.0038	J		<0.0082	U		<0.006	U		<0.011	U		<0.014	U		0.0051	J		<0.027	U		<0.0068	U	
		VMP-2-22-072417-DUP	7/24/2017	<0.016	U		<0.0079	U		<0.0058	U		<0.011	U		<0.013	U		0.003	J		<0.026	U		<0.0065	U	
		VMP-2-22-102617	10/26/2017	<0.014	U		<0.007	U		<0.0051	U		<0.0094	U		<0.012	U		0.0039	J		<0.023	U		<0.0057	U	
VMP-2-22-012918	1/29/2018	<0.013	U		<0.0068	U		<0.0049	U		<0.0092	U		<0.011	U		0.00096	J		<0.022	U		<0.0056	U			
VMP-3	5 ft	VMP-3-5-042717	4/27/2017	<0.015	U		<0.0075	U		<0.0055	U		<0.01	U		<0.012	U		<0.0058	U		<0.024	U		<0.0062	U	
		VMP-3-5-072017	7/20/2017	<0.016	U		<0.0079	U		<0.0058	U		<0.011	U		<0.013	U		0.0052	J		<0.026	U		<0.0065	U	
		VMP-3-5-102617	10/26/2017	<0.015	U		<0.0078	U		<0.0057	U		<0.01	U		<0.013	U		<0.006	U		<0.026	U		<0.0064	U	
		VMP-3-5-012318	1/23/2018	<0.014	U		<0.0068	U		<0.005	U		<0.0093	U		<0.012	U		<0.0053	U		<0.022	U		<0.0056	U	
	10 ft	VMP-3-10-042717	4/27/2017	<0.014	U		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		<0.0057	U		<0.024	U		<0.006	U	
		VMP-3-10-072017	7/20/2017	<0.016	J	U	<0.0082	U		<0.006	U		<0.011	U		<0.014	U		0.0061	J		<0.027	U		<0.0068	U	
		VMP-3-10-102617	10/26/2017	<0.016	U		<0.0078	U		<0.0057	U		<0.011	U		<0.013	U		0.0014	J		<0.026	U		<0.0064	U	
		VMP-3-10-012318	1/23/2018	<0.014	U		<0.0069	U		<0.0051	U		<0.0094	U		<0.012	U		<0.0054	U		<0.023	U		<0.0057	U	
	22 ft	VMP-3-22-042717	4/27/2017	<0.015	U		<0.0076	U		<0.0055	U		<0.01	U		<0.013	U		0.0076			<0.025	U		<0.0062	U	
		VMP-3-22-072017	7/20/2017	<0.016	J	U	<0.008	U		<0.0058	U		<0.011	U		<0.013	U		0.01			<0.026	U		<0.0066	U	
		VMP-3-22-102617	10/26/2017	<0.015	U		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		0.012			<0.024	U		<0.0061	U	
		VMP-3-22-012318	1/23/2018	<0.014	U		0.027			<0.0052	U		<0.0096	U		<0.012	U		0.029			<0.023	U		<0.0058	U	
31.5 ft	VMP-3-31.5-042717	4/27/2017	<0.016	U		<0.0078	U		<0.0057	U		<0.011	U		<0.013	U		0.0078			<0.026	U		<0.0064	U		
	VMP-3-31.5-072017	7/20/2017	<0.016	J	U	<0.0079	U		<0.0058	U		<0.011	U		<0.013	U		0.0045	J		<0.026	U		<0.0065	U		
	VMP-3-31.5-102617	10/26/2017	<0.015	U		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		0.005	J		<0.024	U		<0.0061	U		
	VMP-3-31.5-102617-DUP	10/26/2017	<0.015	U		<0.0075	U		<0.0055	U		<0.01	U		<0.012	U		0.006			<0.024	U		<0.0062	U		

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Carbon disulfide			Carbon tetrachloride			Chlorobenzene			Chlorodibromomethane			Chloroethane			Chloroform			Chloromethane			alpha-Chlorotoluene		
				780			0.21			69			57000						0.11								
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-5	5 ft	VMP-5-5-042617	4/26/2017	<0.042	U		<0.021	U		<0.015	U		<0.028	U		<0.035	U		<0.016	U		<0.069	U		<0.017	U	
		VMP-5-5-072017	7/20/2017	<0.014	J	U	<0.0073	U		<0.0054	U		<0.0099	U		<0.012	U		0.0052	J		<0.024	U		<0.006	U	
		VMP-5-5-103017	10/30/2017	<0.014	U		<0.0071	U		<0.0052	U		<0.0096	U		<0.012	U		0.0017	J		<0.023	U		<0.0058	U	
		VMP-5-5-012518	1/25/2018	0.01	J		<0.0068	U		<0.005	U		<0.0092	U		<0.011	U		<0.0053	U		<0.022	U		<0.0056	U	
	12.5 ft	VMP-5-12.5-042617	4/26/2017	<0.015	U		<0.0075	U		<0.0055	U		<0.01	U		<0.012	U		0.0016	J		<0.024	U		<0.0062	U	
		VMP-5-12.5-072017	7/20/2017	<0.016	J	U	<0.0079	U		<0.0058	U		<0.011	U		<0.013	U		0.018			<0.026	U		<0.0065	U	
		VMP-5-12.5-102017	10/30/2017	<0.013	U		<0.0067	U		<0.0049	U		<0.009	U		<0.011	U		0.0087			<0.022	U		<0.0055	U	
		VMP-5-12.5-012518	1/25/2018	<0.014	U		<0.0071	U		<0.0052	U		<0.0096	U		<0.012	U		0.0013	J		<0.023	U		<0.0058	U	
	31 ft	VMP-5-31-042617	4/26/2017	<0.015	U		<0.0076	U		<0.0055	U		<0.01	U		<0.013	U		0.0021	J		<0.025	U		<0.0062	U	
		VMP-5-31-072017	7/20/2017	<0.016	J	U	<0.0078	U		<0.0057	U		<0.011	U		<0.013	U		0.01			<0.026	U		<0.0064	U	
		VMP-5-31-072017-DUP	7/20/2017	<0.015	J	U	<0.0076	U		<0.0055	U		<0.01	U		<0.013	U		0.0097			<0.025	U		<0.0062	U	
		VMP-5-31-103017	10/30/2017	<0.014	U		<0.0069	U		<0.0051	U		<0.0094	U		<0.012	U		0.0035	J		<0.023	U		<0.0057	U	
	40 ft	VMP-5-31-012518	1/25/2018	<0.014	U		<0.0071	U		<0.0052	U		<0.0097	U		<0.012	U		0.0017	J		<0.023	U		<0.0059	U	
		VMP-5-40-042617	4/26/2017	<0.015	U		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		0.0033	J		<0.024	U		<0.0061	U	
		VMP-5-40-042617-DUP	4/26/2017	<0.015	U		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		0.0035	J		<0.024	U		<0.0061	U	
		VMP-5-40-012518	1/25/2018	<0.013	U		<0.0066	U		<0.0048	U		<0.0089	U		<0.011	U		0.0042	J		<0.022	U		<0.0054	U	
VMP-6	5 ft	VMP-6-5-042417	4/24/2017	<0.014	U		<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.0059	U	
		VMP-6-5-052217	5/22/2017	<0.015	U		<0.0076	U		<0.0055	U		<0.01	U		<0.013	U		<0.0058	U		<0.025	U		<0.0062	U	
		VMP-6-5-072117	7/21/2017	0.0022	J		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		<0.0057	U		<0.024	U		<0.0061	U	
		VMP-6-5-103117	10/31/2017	<0.013	U		<0.0067	U		<0.0049	U		<0.0091	U		<0.011	U		<0.0052	U		<0.022	U		<0.0055	U	
		VMP-6-5-012418	1/24/2018	<0.014	U		<0.0069	U		<0.0051	U		<0.0094	U		<0.012	U		<0.0054	U		<0.023	U		<0.0057	U	
	10 ft	VMP-6-10-042417	4/24/2017	<0.015	U		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		0.0045	J		<0.024	U		<0.0061	U	
		VMP-6-10-072117	7/21/2017	<0.014	U		<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		0.0036	J		<0.024	U		<0.006	U	
		VMP-6-10-103117	10/31/2017	<0.013	U		<0.0067	U		<0.0049	U		<0.009	U		<0.011	U		0.0023	J		<0.022	U		<0.0055	U	
		VMP-6-10-012418	1/24/2018	<0.014	U		<0.0068	U		<0.005	U		<0.0092	U		<0.011	U		0.0082			<0.022	U		<0.0056	U	
	31.5 ft	VMP-6-31.5-042417	4/24/2017	0.0024	J		<0.0077	U		<0.0056	U		<0.01	U		<0.013	U		0.002	J		<0.025	U		<0.0063	U	
		VMP-6-31.5-072117	7/21/2017	0.0017	J		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		0.0018	J		<0.024	U		<0.0061	U	
		VMP-6-31.5-072117-DUP	7/21/2017	0.0037	J		<0.0075	U		<0.0055	U		<0.01	U		<0.012	U		0.0019	J		<0.024	U		<0.0062	U	
		VMP-6-31.5-103117	10/31/2017	<0.013	U		<0.0068	U		<0.005	U		<0.0092	U		<0.011	U		0.01			<0.022	U		<0.0056	U	
	39 ft	VMP-6-31.5-013118	1/31/2018	<0.015	J	U	<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		0.0091			<0.024	U		<0.0061	U	
		VMP-6-39-042417	4/24/2017	<0.015	U		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		<0.0058	U		<0.024	U		<0.0061	U	
		VMP-6-39-042417-DUP	4/24/2017	<0.015	U		<0.0075	U		<0.0055	U		<0.01	U		<0.013	U		<0.0058	U		<0.025	U		<0.0062	U	
		VMP-6-39-103117	10/31/2017	<0.014	U		<0.007	U		<0.0051	U		<0.0094	U		<0.012	U		0.0044	J		<0.023	U		<0.0057	U	
		VMP-6-39-103117-DUP	10/31/2017	<0.014	U		<0.007	U		<0.0051	U		<0.0095	U		<0.012	U		0.004	J		<0.023	U		<0.0058	U	
		VMP-6-39-012418	1/24/2018	<0.013	U		<0.0068	U		<0.005	U		<0.0092	U		<0.011	U		<0.0053	U		<0.022	U		<0.0056	U	
		VMP-6-39-012418-DUP	1/24/2018	<0.014	U		<0.0073	U		<0.0054	U		<0.0099	U		<0.012	U		<0.0057	U		<0.024	U		<0.006	U	
VMP-7	5 ft	VMP-7-5-042417	4/24/2017	0.003	J		<0.0077	U		<0.0056	U		<0.01	U		<0.013	U		<0.006	U		<0.025	U		<0.0063	U	
		VMP-7-5-072117	7/21/2017	0.0022	J		<0.0077	U		<0.0056	U		<0.01	U		<0.013	U		<0.006	U		<0.025	U		<0.0063	U	
		VMP-7-5-102517	10/25/2017	<0.014	U		<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.0059	U	
		VMP-7-5-012518	1/25/2018	<0.014	U		<0.0071	U		<0.0052	U		<0.0096	U		<0.012	U		<0.0055	U		<0.023	U		<0.0058	U	
	13.5 ft	VMP-7-13.5-042417	4/24/2017	<0.016	U		<0.0079	U		<0.0058	U		<0.011	U		<0.013	U		<0.0061	U		<0.026	U		<0.0065	U	
		VMP-7-13.5-072117	7/21/2017	0.0017	J		<0.0076	U		<0.0055	U		<0.01	U		<0.013	U		0.00093	J		<0.025	U		<0.0062	U	
		VMP-7-13.5-102517	10/25/2017	0.0028	J		<0.0073	U		<0.0054	U		<0.0099	U		<0.012	U		<0.0057	U		<0.024	U		<0.006	U	
		VMP-7-13.5-012518	1/25/2018	<0.014	U		<0.0073	U		<0.0054	U		<0.0099	U													

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Carbon disulfide			Carbon tetrachloride			Chlorobenzene			Chlorodibromomethane			Chloroethane			Chloroform			Chloromethane			alpha-Chlorotoluene		
				780			0.21			69			57000						0.11								
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-8	5 ft	VMP-8-5-042017	4/20/2017	<0.017	U		<0.0085	U		<0.0062	U		<0.011	U		<0.014	U		<0.0066	U		<0.028	U		<0.007	U	
		VMP-8-5-071917	7/19/2017	<0.015	J	U	<0.0076	U		<0.0055	U		<0.01	U		<0.013	U		0.0018	J		<0.025	U		<0.0062	U	
		VMP-8-5-103017	10/30/2017	<0.014	U		<0.0073	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.006	U	
		VMP-8-5-012218	1/22/2018	<0.014	U	UJ	<0.0071	U		<0.0052	U		<0.0096	U		<0.012	U		<0.0055	U		<0.023	U		<0.0058	U	
	9.5 ft	VMP-8-9.5-042117	4/21/2017	<0.015	U		<0.0076	U		<0.0055	U		<0.01	U		<0.013	U		0.0009	J		<0.025	U		<0.0062	U	
		VMP-8-9.5-071917	7/19/2017	<0.015	J	U	<0.0076	U		<0.0056	U		<0.01	U		<0.013	U		0.0012	J		<0.025	U		<0.0063	U	
		VMP-8-9.5-103017	10/30/2017	<0.014	U		<0.0071	U		<0.0052	U		<0.0096	U		<0.012	U		<0.0055	U		<0.023	U		<0.0058	U	
		VMP-8-9.5-012218	1/22/2018	<0.014	U	UJ	<0.0073	U		<0.0053	U		<0.0099	U		<0.012	U		<0.0057	U		<0.024	U		<0.006	U	
	23.5 ft	VMP-8-23.5-042117	4/21/2017	<0.014	U		<0.0073	U		<0.0053	U		<0.0099	U		<0.012	U		<0.0057	U		<0.024	U		<0.006	U	
		VMP-8-23.5-071917	7/19/2017	<0.015	U		<0.0077	U		<0.0057	U		<0.01	U		<0.013	U		0.0014	J		<0.025	U		<0.0064	U	
		VMP-8-23.5-103017	10/30/2017	<0.014	U		<0.007	U		<0.0051	J	U	<0.0095	U		<0.012	U		<0.0054	U		<0.023	U		<0.0058	U	
		VMP-8-23.5-012218	1/22/2018	<0.014	U	UJ	<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		<0.0057	U		<0.024	U		<0.006	U	
	35.5 ft	VMP-8-23.5-012218-DUP	1/22/2018	<0.015	U	UJ	<0.0075	U		<0.0055	U		<0.01	U		<0.012	U		<0.0058	U		<0.024	U		<0.0062	U	
		VMP-8-35.5-042117	4/21/2017	<0.015	U		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		0.0015	J		<0.024	U		<0.0061	U	
		VMP-8-35.5-071917	7/19/2017	0.0035	J		<0.014	U		<0.01	U		<0.019	U		<0.023	U		0.01	J		<0.045	U		<0.011	U	
		VMP-8-35.5-071917-DUP	7/19/2017	<0.03	U		<0.015	U		<0.011	U		<0.021	U		<0.026	U		0.0093	J		<0.05	U		<0.013	U	
		VMP-8-35.5-103017	10/30/2017	0.0014	J		<0.0071	U		<0.0052	U		<0.0096	U		<0.012	U		<0.0055	U		<0.023	U		<0.0058	U	
VMP-9	5 ft	VMP-9-5-042017	4/20/2017	0.044			<0.0079	U		<0.0058	U		<0.011	U		<0.013	U		<0.0062	U		<0.026	U		<0.0065	U	
		VMP-9-5-071917	7/19/2017	<0.015	J	U	<0.0077	U		<0.0057	U		<0.01	U		<0.013	U		0.003	J		<0.025	U		<0.0064	U	
		VMP-9-5-110117	11/1/2017	<0.014	U		<0.0069	U		<0.005	U		<0.0093	U		<0.012	U		<0.0053	U		<0.023	U		<0.0057	U	
		VMP-9-5-012218	1/22/2018	<0.016	U		<0.0079	U		<0.0058	U		<0.011	U		<0.013	U		<0.0062	U		<0.026	U		<0.0065	U	
	11.5 ft	VMP-9-11.5-042017	4/20/2017	0.008	J		<0.008	U		<0.0058	U		<0.011	U		<0.013	U		<0.0062	U		<0.026	U		<0.0065	U	
		VMP-9-11.5-071917	7/19/2017	<0.015	J	U	<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		0.0067			<0.024	U		<0.0061	U	
		VMP-9-11.5-110117	11/1/2017	<0.015	U		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		<0.0058	U		<0.024	U		<0.0061	U	
		VMP-9-11.5-012218	1/22/2018	<0.015	U		<0.0076	U		<0.0055	U		<0.01	U		<0.013	U		<0.0058	U		<0.025	U		<0.0062	U	
	25.5 ft	VMP-9-25.5-042017	4/20/2017	<0.017	J	U	<0.0087	U		<0.0064	U		<0.012	U		<0.015	U		<0.0068	U		<0.029	U		<0.0072	U	
		VMP-9-25.5-071917	7/19/2017	<0.015	U		<0.0077	U		<0.0057	U		<0.01	U		<0.013	U		<0.006	U		<0.025	U		<0.0064	U	
		VMP-9-25.5-110117	11/1/2017	<0.014	U		<0.007	U		<0.0052	U		<0.0095	U		<0.012	U		<0.0055	U		<0.023	U		<0.0058	U	
		VMP-9-25.5-012218	1/22/2018	<0.015	U		<0.0076	U		<0.0055	U		<0.01	U		<0.013	U		<0.0059	U		<0.025	U		<0.0062	U	
	38.5 ft	VMP-9-38.5-042017	4/20/2017	<0.015	J	U	<0.0077	U		<0.0056	U		<0.01	U		<0.013	U		0.0096			<0.025	U		<0.0063	U	
		VMP-9-38.5-042017-DUP	4/20/2017	<0.015	J	U	<0.0078	U		<0.0057	U		<0.01	U		<0.013	U		0.0096			<0.026	U		<0.0064	U	
		VMP-9-38.5-110117	11/1/2017	<0.014	U		<0.007	U		<0.0051	U		<0.0095	U		<0.012	U		0.013			<0.023	U		<0.0058	U	
		VMP-9-38.5-012218	1/22/2018	<0.015	U		<0.0076	U		<0.0055	U		<0.01	U		<0.013	U		0.02			<0.025	U		<0.0062	U	
VMP-18	8.5 ft	VMP-18-8.5-050317	5/3/2017	<0.014	J	U	<0.0068	U		<0.005	U		<0.0092	U		<0.011	U		<0.0053	U		<0.022	U		<0.0056	U	
		VMP-18-8.5-072717	7/27/2017	<0.015	U		<0.0076	U		<0.0056	U		<0.01	U		<0.013	U		0.0011	J		<0.025	U		<0.0063	U	
		VMP-18-8.5-110317	11/3/2017	<0.014	U		<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.0059	U	
		VMP-18-8.5-110317-DUP	11/3/2017	<0.013	U		<0.0066	U		<0.0048	U		<0.0089	U		<0.011	U		<0.0051	U		<0.022	U		<0.0054	U	
		VMP-18-8.5-012418	1/24/2018	<0.014	U		<0.0073	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.006	U	
VMP-19	5 ft	VMP-19-5-042017	4/20/2017	<0.017	J	U	<0.0086	U		<0.0063	U		<0.012	U		<0.014	U		0.0015	J		<0.028	U		<0.0071	U	
		VMP-19-5-072717	7/27/2017	<0.015	U		<0.0076	U		<0.0056	U		<0.01	U		<0.013	U		0.0069			<0.025	U		<0.0063	U	
		VMP-19-5-102517	10/25/2017	<0.014	U		<0.0072	U		<0.0052	U		<0.0097	U		<0.012	U		<0.0056	U		<0.024	U		<0.0059	U	
		VMP-19-5-012518	1/25/2018	0.011	J		<0.0072	U		<0.0052	U		<0.0097	U		<0.012	U		<0.0056	U		<0.024	U		<0.0059	U	
VMP-20	5 ft	VMP-20-5-042617	4/26/2017	0.0022	J																						

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Carbon disulfide			Carbon tetrachloride			Chlorobenzene			Chlorodibromomethane			Chloroethane			Chloroform			Chloromethane			alpha-Chlorotoluene		
				780			0.21			69			57000						0.11								
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-21	5 ft	VMP-21-5-042417	4/24/2017	<0.014	U		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		<0.0057	U		<0.024	U		<0.006	U	
		VMP-21-5-072017	7/20/2017	<0.014	J	U	<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.006	U	
		VMP-21-5-103117	10/31/2017	<0.014	U		<0.007	U		<0.0052	U		<0.0095	U		<0.012	U		<0.0055	U		<0.023	U		<0.0058	U	
		VMP-21-5-012318	1/23/2018	<0.013	U		<0.0068	U		<0.005	U		<0.0092	U		<0.011	U		<0.0053	U		<0.022	U		<0.0056	U	
	10 ft	VMP-21-10-042417	4/24/2017	<0.015	U		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		<0.0057	U		<0.024	U		<0.0061	U	
		VMP-21-10-072017	7/20/2017	<0.015	J	U	<0.0076	U		<0.0056	U		<0.01	U		<0.013	U		<0.0059	U		<0.025	U		<0.0063	U	
		VMP-21-10-103117	10/31/2017	<0.014	U		<0.0069	U		<0.0051	U		<0.0094	U		<0.012	U		<0.0054	U		<0.023	U		<0.0057	U	
		VMP-21-10-012318	1/23/2018	<0.014	U		<0.0069	U		<0.0051	U		<0.0094	U		<0.012	U		<0.0054	U		<0.023	U		<0.0057	U	
	25 ft	VMP-21-25-042417	4/24/2017	<0.015	U		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		0.0029	J		<0.024	U		<0.0061	U	
		VMP-21-25-072017	7/20/2017	<0.015	J	U	<0.0076	U		<0.0055	U		<0.01	U		<0.013	U		0.0014	J		<0.025	U		<0.0062	U	
		VMP-21-25-103117	10/31/2017	<0.014	U		<0.0073	U		<0.0053	U		<0.0098	U		<0.012	U		0.0015	J		<0.024	U		<0.006	U	
		VMP-21-25-012318	1/23/2018	<0.014	U		<0.007	U		<0.0052	U		<0.0095	U		<0.012	U		<0.0055	J	U	<0.023	U		<0.0058	U	
	33 ft	VMP-21-33-042417	4/24/2017	<0.014	U		<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		0.0014	J		<0.024	U		<0.006	U	
		VMP-21-33-042417-DUP	4/24/2017	<0.014	U		<0.0073	U		<0.0054	U		<0.0099	U		<0.012	U		0.0015	J		<0.024	U		<0.006	U	
		VMP-21-33-072017	7/20/2017	<0.014	J	U	<0.0071	U		<0.0052	U		<0.0097	U		<0.012	U		0.0015	J		<0.023	U		<0.0059	U	
		VMP-21-33-072017-DUP	7/20/2017	<0.015	J	U	<0.0077	U		<0.0056	U		<0.01	U		<0.013	U		0.0015	J		<0.025	U		<0.0063	U	
		VMP-21-33-103117	10/31/2017	0.002	J		<0.0071	U		<0.0052	U		<0.0096	U		<0.012	U		<0.0055	U		<0.023	U		<0.0058	U	
		VMP-21-33-012318	1/23/2018	<0.013	U		<0.0068	U		<0.005	U		<0.0092	U		<0.011	U		<0.0053	J	U	<0.022	U		<0.0056	U	
VMP-21-33-012318-DUP		1/23/2018	<0.014	U		<0.0069	U		<0.005	U		<0.0093	U		<0.012	U		<0.0053	U		<0.023	U		<0.0057	U		
VMP-22	5 ft	VMP-22-5-042617	4/26/2017	<0.015	U		<0.0075	U		<0.0055	U		<0.01	U		<0.013	U		<0.0058	U		<0.025	U		<0.0062	U	
		VMP-22-5-072617	7/26/2017	0.0035	J		<0.0077	U		<0.0057	U		<0.01	U		<0.013	U		0.0028	J		<0.025	U		<0.0064	U	
		VMP-22-5-102617	10/26/2017	<0.014	J	U	<0.007	U		<0.0051	U		<0.0094	U		<0.012	U		0.0012	J		<0.023	U		<0.0057	U	
		VMP-22-5-013018	1/30/2018	<0.014	J	U	<0.007	U		<0.0052	U		<0.0095	U		<0.012	U		<0.0055	U		<0.023	U		<0.0058	U	
	10 ft	VMP-22-10-042717	4/27/2017	0.0046	J		<0.007	U		<0.0051	U		<0.0094	U		<0.012	U		<0.0054	U		<0.023	U		<0.0057	U	
		VMP-22-10-072617	7/26/2017	<0.015	U		<0.0077	U		<0.0056	U		<0.01	U		<0.013	U		<0.0059	J		<0.025	U		<0.0063	U	
		VMP-22-10-102617	10/26/2017	<0.015	J	U	<0.0076	U		<0.0055	U		<0.01	U		<0.013	U		<0.0058	U		<0.025	U		<0.0062	U	
		VMP-22-10-013018	1/30/2018	0.011	J		<0.0067	U		<0.0049	U		<0.0091	U		<0.011	U		<0.0052	U		<0.022	U		<0.0055	U	
	18 ft	VMP-22-18-042717	4/27/2017	<0.016	U		<0.008	U		<0.0059	U		<0.011	U		<0.013	U		0.022			<0.026	U		<0.0066	U	
		VMP-22-18-072617	7/26/2017	<0.017	U		<0.0086	U		<0.0063	U		<0.012	U		<0.014	U		0.019			<0.028	U		<0.0071	U	
		VMP-22-18-102617	10/26/2017	<0.014	J	U	<0.0073	U		<0.0053	U		<0.0098	U		<0.012	U		0.0016	J		<0.024	U		<0.006	U	
		VMP-22-18-013018	1/30/2018	0.0062	J		<0.0066	U		<0.0048	U		<0.009	U		<0.011	U		<0.0052	U		<0.022	U		<0.0055	U	
	38 ft	VMP-22-38-042717	4/27/2017	<0.015	U		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		0.0018	J		<0.024	U		<0.0061	U	
		VMP-22-38-042717-DUP	4/27/2017	<0.015	U		<0.0075	U		<0.0055	U		<0.01	U		<0.013	U		0.0015	J		<0.025	U		<0.0062	U	
		VMP-22-38-072617	7/26/2017	<0.015	U		<0.0075	U		<0.0055	U		<0.01	U		<0.012	U		0.0061			<0.024	U		<0.0062	U	
		VMP-22-38-072617-DUP	7/26/2017	0.0018	J		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		0.0056	J		<0.024	U		<0.0061	U	
		VMP-22-38-102617	10/26/2017	<0.015	J	U	<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		<0.0058	U		<0.024	U		<0.0061	U	
		VMP-22-38-013018	1/30/2018	0.009	J		<0.0071	U		<0.0052	U		<0.0096	U		<0.012	U		<0.0055	U		<0.023	U		<0.0058	U	
VMP-23	5 ft	VMP-23-5-042517	4/25/2017	<0.016	J	U	<0.0079	U		<0.0058	U		<0.011	U		<0.013	U		0.014			<0.026	U		<0.0065	U	
		VMP-23-5-072017	7/20/2017	<0.015	J	U	<0.0076	U		<0.0055	U		<0.01	U		<0.013	U		0.0074			<0.025	U		<0.0062	U	
		VMP-23-5-102517	10/25/2017	<0.015	U		<0.0076	U		<0.0055	U		<0.01	U		<0.013	U		<0.0058	U		<0.025	U		<0.0062	U	
		VMP-23-5-012318	1/23/2018	<0.016	U		<0.0081	U		<0.0059	U		<0.011	U		<0.014	U		<0.0063	U		<0.027	U		<0.0067	U	
	10 ft	VMP-23-10-042517	4/25/2017	0.0029	J		<0.0081	U		<0.0059	U		<0.011	U		<0.014	U		0.017			<0.026	U		<0.0066	U	
		VMP-23-10-072017	7/20/2017	<0.015	J	U	<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		0.0084			<0.024	U		<0.0061	U	
		VMP-23-10-102517	10/25/2017	<0.014	U																						

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Carbon disulfide			Carbon tetrachloride			Chlorobenzene			Chlorodibromomethane			Chloroethane			Chloroform			Chloromethane			alpha-Chlorotoluene			
				780			0.21			69			57000						0.11									
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	
VMP-24	5 ft	VMP-24-5-042117	4/21/2017	<0.017	U		<0.0085	U		<0.0062	U		<0.011	U		<0.014	U		<0.0066	U		<0.028	U		<0.007	U		
		VMP-24-5-072117	7/21/2017	<0.016	U		<0.0078	U		<0.0057	U		<0.011	U		<0.013	U		<0.0061	U		0.0057	J		<0.0064	U		
		VMP-24-5-102517	10/25/2017	<0.015	U		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		<0.0058	U		<0.024	U		<0.0061	U		
		VMP-24-5-012418	1/24/2018	<0.014	U		<0.0071	U		<0.0052	U		<0.0097	U		<0.012	U		<0.0055	U		<0.023	U		<0.0059	U		
	10 ft	VMP-24-10-042117	4/21/2017	0.0084	J		<0.0073	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.006	U		
		VMP-24-10-072117	7/21/2017	<0.015	U		<0.0077	U		<0.0056	U		<0.01	U		<0.013	U		<0.006	U		<0.025	U		<0.0063	U		
		VMP-24-10-102517	10/25/2017	<0.014	U		<0.0069	U		<0.005	U		<0.0093	U		<0.012	U		<0.0053	U		<0.023	U		<0.0057	U		
		VMP-24-10-012418	1/24/2018	0.0018	J		0.00089	J		<0.005	U		<0.0093	U		<0.012	U		<0.0053	U		<0.023	U		0.00074	J		
	22 ft	VMP-24-22-042117	4/21/2017	0.0018	J		<0.0073	U		<0.0053	U		<0.0099	U		<0.012	U		<0.0057	U		<0.024	U		<0.006	U		
		VMP-24-22-072117	7/21/2017	<0.015	U		<0.0076	U		<0.0055	U		<0.01	U		<0.013	U		<0.0058	U		<0.025	U		<0.0062	U		
		VMP-24-22-102517	10/25/2017	<0.014	U		<0.007	U		<0.0051	U		<0.0094	U		<0.012	U		<0.0054	U		<0.023	U		<0.0057	U		
		VMP-24-22-013118	1/31/2018	<0.014	U		<0.0071	U		<0.0052	U		<0.0097	U		<0.012	U		<0.0055	U		<0.023	U		<0.0059	U		
	34 ft	VMP-24-34-042117	4/21/2017	<0.014	U		<0.0073	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.006	U		
		VMP-24-34-042117-DUP	4/21/2017	<0.015	U		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		<0.0058	U		<0.024	U		<0.0061	U		
		VMP-24-34-072117	7/21/2017	<0.015	U		<0.0076	U		<0.0055	U		<0.01	U		<0.013	U		<0.0058	U		<0.025	U		<0.0062	U		
		VMP-24-34-072117-DUP	7/21/2017	<0.015	U		<0.0076	U		<0.0056	U		<0.01	U		<0.013	U		<0.0059	U		<0.025	U		<0.0063	U		
VMP-24-34-102517		10/25/2017	<0.014	U		<0.0073	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.006	U			
VMP-24-34-012418		1/24/2018	0.004	J		<0.0067	U		<0.0049	U		<0.009	U		<0.011	U		<0.0052	U		<0.022	U		<0.0055	U			
VMP-32		5 ft	VMP-32-5-052217	5/22/2017	<0.015	U		<0.0077	U		<0.0057	U		<0.01	U		<0.013	U		0.0016	J		<0.025	U		<0.0064	U	
			VMP-32-5-072417	7/24/2017	0.0086	J		<0.0075	U		<0.0055	U		<0.01	U		<0.012	U		<0.0058	U		<0.024	U		<0.0062	U	
	VMP-32-5-103117		10/31/2017	<0.014	U		<0.0071	U		<0.0052	U		<0.0096	U		<0.012	U		<0.0055	U		<0.023	U		<0.0058	U		
	VMP-32-5-012918		1/29/2018	<0.013	U		<0.0068	U		<0.005	U		<0.0092	U		<0.011	U		<0.0053	U		<0.022	U		<0.0056	U		
	10 ft	VMP-32-10-042517	4/25/2017	<0.015	J	U	<0.0076	U		<0.0055	U		<0.01	U		<0.013	U		0.0038	J		<0.025	U		<0.0062	U		
		VMP-32-10-072417	7/24/2017	0.002	J		<0.0077	U		<0.0056	U		<0.01	U		<0.013	U		0.0039	J		<0.025	U		<0.0063	U		
		VMP-32-10-103117	10/31/2017	<0.015	U		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		0.0032	J		<0.024	U		<0.0061	U		
		VMP-32-10-012918	1/29/2018	<0.014	U		<0.0068	U		<0.005	U		<0.0092	U		<0.011	U		0.0023	J		<0.022	U		<0.0056	U		
	20 ft	VMP-32-20-042517	4/25/2017	<0.015	J	U	<0.0077	U		<0.0056	U		<0.01	U		<0.013	U		<0.006	U		<0.025	U		<0.0063	U		
		VMP-32-20-072417	7/24/2017	<0.015	U		<0.0078	U		<0.0057	U		<0.01	U		<0.013	U		<0.006	U		<0.026	U		<0.0064	U		
		VMP-32-20-103117	10/31/2017	<0.014	U		<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.006	U		
		VMP-32-20-012918	1/29/2018	0.0016	J		<0.0064	U		<0.0046	U		<0.0086	U		<0.011	U		<0.0049	U		<0.021	U		<0.0052	U		
	30 ft	VMP-32-30-042517	4/25/2017	<0.015	J	U	<0.0078	U		<0.0057	U		<0.01	U		<0.013	U		0.0011	J		<0.026	U		<0.0064	U		
		VMP-32-30-042517-DUP	4/25/2017	<0.015	J	U	<0.0076	U		<0.0056	U		<0.01	U		<0.013	U		0.0011	J		<0.025	U		<0.0063	U		
		VMP-32-30-072417	7/24/2017	0.0026	J		<0.0078	U		<0.0057	U		<0.01	U		<0.013	U		0.0016	J		<0.026	U		<0.0064	U		
		VMP-32-30-072417-DUP	7/24/2017	<0.015	U		<0.0076	U		<0.0056	U		<0.01	U		<0.013	U		0.0016	J		0.003	J		<0.0063	U		
VMP-32-30-103117	10/31/2017	<0.028	U		<0.014	U		<0.01	J	U	<0.019	U		<0.024	U		<0.011	U		<0.046	U		<0.012	U				
	VMP-32-30-012918	1/29/2018	<0.014	U		<0.007	U		<0.0052	U		<0.0095	U		<0.012	U		<0.0055	U		<0.023	U		<0.0058	U			
VMP-42	10 ft	VMP-42-10-050317	5/3/2017	<0.014	J	U	<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.0059	U		
		VMP-42-10-072017	7/20/2017	<0.015	J	U	<0.0075	U		<0.0055	U		<0.01	U		<0.013	U		0.0016	J		<0.025	U		<0.0062	U		
		VMP-42-10-110117	11/1/2017	<0.013	U		<0.0064	U		<0.0047	U		<0.0087	U		<0.011	U		<0.005	U		<0.021	U		<0.0053	U		
		VMP-42-10-012318	1/23/2018	<0.014	U		<0.007	U		<0.0051	U		<0.0094	U		<0.012	U		<0.0054	U		<0.023	U		<0.0057	U		
	20 ft	VMP-42-20-050317	5/3/2017	<0.014	J	U	<0.007	U																				

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Carbon disulfide			Carbon tetrachloride			Chlorobenzene			Chlorodibromomethane			Chloroethane			Chloroform			Chloromethane			alpha-Chlorotoluene			
				780			0.21			69			57000						0.11									
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	
VMP-44	10 ft	VMP-44-10-042517	4/25/2017	<0.015	J	U	<0.0078	U		<0.0057	U		<0.01	U		<0.013	U		<0.006	U		<0.026	U		<0.0064	U		
		VMP-44-10-072517	7/25/2017	<0.016	J	U	<0.008	U		<0.0058	U		<0.011	U		<0.013	U		0.0036	J		<0.026	U		<0.0065	U		
		VMP-44-10-102517	10/25/2017	<0.015	U		<0.0077	U		<0.0056	U		<0.01	U		<0.013	U		0.0012	J		<0.025	U		<0.0063	U		
		VMP-44-10-012518	1/25/2018	0.0043	J		<0.0073	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.006	U		
	20 ft	VMP-44-20-042517	4/25/2017	0.004	J		<0.0083	U		<0.0061	U		<0.011	U		<0.014	U		<0.0064	U		<0.027	U		<0.0068	U		
		VMP-44-20-072517	7/25/2017	<0.016	U		<0.0081	U		<0.006	U		<0.011	U		<0.014	U		0.0032	J		<0.027	U		<0.0067	U		
		VMP-44-20-102517	10/25/2017	<0.015	U		<0.0075	U		<0.0055	U		<0.01	U		<0.013	U		<0.0058	U		<0.025	U		<0.0062	U		
		VMP-44-20-012518	1/25/2018	<0.014	U		<0.0071	U		<0.0052	U		<0.0097	U		<0.012	U		<0.0055	U		<0.023	U		<0.0059	U		
	30 ft	VMP-44-30-042517	4/25/2017	<0.017	J	U	<0.0085	U		<0.0062	U		<0.011	U		<0.014	U		<0.0066	U		<0.028	U		<0.007	U		
		VMP-44-30-072517	7/25/2017	0.0032	J		<0.0079	U		<0.0058	U		<0.011	U		<0.013	U		0.0036	J		<0.026	U		<0.0065	U		
		VMP-44-30-102517	10/25/2017	<0.015	U		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		<0.0058	U		<0.024	U		<0.0061	U		
		VMP-44-30-102517-DUP	10/25/2017	<0.014	U		<0.0073	U		<0.0054	U		<0.0099	U		<0.012	U		<0.0057	U		<0.024	U		<0.006	U		
VMP-44-30-012518	1/25/2018	<0.014	U		<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.0059	U				
	VMP-44-30-012518-DUP	1/25/2018	<0.014	U		<0.0072	U		<0.0052	U		<0.0097	U		<0.012	U		<0.0056	U		<0.024	U		<0.0059	U			
	VMP-45	10 ft	VMP-45-10-042617	4/26/2017	<0.015	U		<0.0076	U		<0.0055	U		<0.01	U		<0.013	U		<0.0059	U		<0.025	U		<0.0062	U	
			VMP-45-10-072517	7/25/2017	0.0026	J		<0.0079	U		<0.0058	U		<0.011	U		<0.013	U		<0.0062	U		<0.026	U		<0.0065	U	
VMP-45-10-103117			10/31/2017	<0.014	U		<0.0069	U		<0.005	U		<0.0093	U		<0.012	U		<0.0053	U		<0.023	U		<0.0057	U		
VMP-45-10-012418			1/24/2018	<0.013	U		<0.0068	U		<0.005	U		<0.0092	U		<0.011	U		<0.0053	U		<0.022	U		<0.0056	U		
20 ft		VMP-45-20-042617	4/26/2017	<0.017	U		<0.0085	U		<0.0062	U		<0.011	U		<0.014	U		<0.0066	U		<0.028	U		<0.007	U		
		VMP-45-20-072517	7/25/2017	0.0022	J		<0.0079	U		<0.0058	U		<0.011	U		<0.013	U		<0.0061	U		<0.026	U		<0.0065	U		
		VMP-45-20-103117	10/31/2017	<0.014	U		<0.0068	U		<0.005	U		<0.0093	U		<0.012	U		<0.0053	U		<0.022	U		<0.0056	U		
		VMP-45-20-012418	1/24/2018	<0.014	U		<0.0069	U		<0.0051	U		<0.0094	U		<0.012	U		<0.0054	U		<0.023	U		<0.0057	U		
30 ft		VMP-45-30-042617	4/26/2017	0.002	J		<0.0077	U		<0.0057	U		<0.01	U		<0.013	U		<0.006	U		<0.025	U		<0.0064	U		
		VMP-45-30-042617-DUP	4/26/2017	<0.014	U		<0.0073	U		<0.0053	U		<0.0099	U		<0.012	U		<0.0057	U		<0.024	U		<0.006	U		
		VMP-45-30-072517	7/25/2017	<0.016	U		<0.0079	U		<0.0058	U		<0.011	U		<0.013	U		<0.0062	U		<0.026	U		<0.0065	U		
		VMP-45-30-103117	10/31/2017	<0.014	U		<0.007	U		<0.0051	U		<0.0095	U		<0.012	U		<0.0054	U		<0.023	U		<0.0058	U		
VMP-45-30-012418	1/24/2018	<0.014	U		<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		0.0011	J		<0.024	U		<0.0059	U				
VMP-47	5 ft	VMP-47-5-042717	4/27/2017	<0.013	U		<0.0068	U		<0.005	U		<0.0092	U		<0.011	U		0.0062			<0.022	U		<0.0056	U		
		VMP-47-5-072417	7/24/2017	0.0017	J		<0.0076	U		<0.0056	U		<0.01	U		<0.013	U		0.003	J		<0.025	U		<0.0063	U		
		VMP-47-5-102617	10/26/2017	0.0018	J		<0.0075	U		<0.0055	U		<0.01	U		<0.013	U		<0.0058	U		<0.025	U		<0.0062	U		
		VMP-47-5-012618	1/26/2018	0.0032	J		<0.0072	U		<0.0052	U		<0.0097	U		<0.012	U		<0.0056	U		<0.024	U		<0.0059	U		
	10 ft	VMP-47-10-042717	4/27/2017	<0.014	U		<0.0073	U		<0.0054	U		0.0022	J		<0.012	U		0.034			<0.024	U		<0.006	U		
		VMP-47-10-072417	7/24/2017	<0.015	U		<0.0074	U		<0.0054	U		0.003	J		<0.012	U		0.073			<0.024	U		<0.0061	U		
		VMP-47-10-102617	10/26/2017	0.0017	J		<0.0075	U		<0.0055	U		<0.01	U		<0.012	U		0.025			<0.024	U		<0.0062	U		
		VMP-47-10-012618	1/26/2018	0.0083	J		<0.007	U		<0.0051	U		<0.0095	U		<0.012	U		0.023			<0.023	U		<0.0058	U		
	20 ft	VMP-47-20-042717	4/27/2017	<0.014	U		<0.0072	U		<0.0052	U		<0.0097	U		<0.012	U		0.0079			<0.024	U		<0.0059	U		
		VMP-47-20-072417	7/24/2017	<0.015	U		<0.0076	U		<0.0055	U		<0.01	U		<0.013	U		0.01			<0.025	U		<0.0062	U		
		VMP-47-20-102617	10/26/2017	<0.015	U		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		0.0085			<0.024	U		<0.0061	U		
		VMP-47-20-012618	1/26/2018	0.002	J		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		0.006			<0.024	U		<0.0061	U		
	30 ft	VMP-47-30-042717	4/27/2017	<0.014	U		<0.0072	U		<0.0052	U		<0.0097	U		<0.012	U		0.0047	J		<0.024	U		<0.0059	U		
		VMP-47-30-072417	7/24/2017	<0.016	U		<0.0079	U		<0.0058																		

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Carbon disulfide			Carbon tetrachloride			Chlorobenzene			Chlorodibromomethane			Chloroethane			Chloroform			Chloromethane			alpha-Chlorotoluene			
				780			0.21			69			57000						0.11									
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	
VMP-49	5 ft	VMP-49-5-042417	4/24/2017	<0.018	U		<0.0091	U		<0.0067	U		<0.012	U		<0.015	U		<0.0071	U		<0.03	U		<0.0075	U		
		VMP-49-5-072617	7/26/2017	<0.015	U		<0.0076	U		<0.0056	U		<0.01	U		<0.013	U		<0.0059	U		<0.025	U		<0.0063	U		
		VMP-49-5-102717	10/27/2017	<0.014	U		<0.0071	U		<0.0052	U		<0.0096	U		<0.012	U		<0.0055	U		<0.023	U		<0.0058	U		
		VMP-49-5-012618	1/26/2018	<0.014	U		0.0045	J		<0.0053	U		<0.0098	U		<0.012	U		0.0069			<0.024	U		<0.0059	U		
	10 ft	VMP-49-10-042417	4/24/2017	<0.018	U		<0.009	U		<0.0066	U		<0.012	U		<0.015	U		<0.007	U		<0.03	U		<0.0074	U		
		VMP-49-10-072617	7/26/2017	<0.016	U		<0.0079	U		<0.0058	U		<0.011	U		<0.013	U		<0.0062	U		<0.026	U		<0.0065	U		
		VMP-49-10-102717	10/27/2017	<0.014	U		<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		0.0016	J		<0.024	U		<0.006	U		
		VMP-49-10-012618	1/26/2018	<0.014	U		<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.0059	U		
	20 ft	VMP-49-20-042417	4/24/2017	<0.018	U		<0.0089	U		<0.0065	U		<0.012	U		<0.015	U		<0.0069	U		<0.029	U		<0.0073	U		
		VMP-49-20-072617	7/26/2017	<0.015	U		<0.0076	U		<0.0056	U		<0.01	U		<0.013	U		<0.0059	U		<0.025	U		<0.0063	U		
		VMP-49-20-102717	10/27/2017	<0.014	J	U	<0.0068	U		<0.005	U		<0.0092	U		<0.011	U		<0.0053	U		<0.022	U		<0.0056	U		
		VMP-49-20-012618	1/26/2018	<0.014	U		<0.0073	U		<0.0054	U		<0.0099	U		<0.012	U		<0.0057	U		<0.024	U		<0.006	U		
	30 ft	VMP-49-30-042417	4/24/2017	<0.017	U		<0.0086	U		<0.0063	U		<0.012	U		<0.014	U		<0.0067	U		<0.028	U		<0.0071	U		
		VMP-49-30-072617	7/26/2017	<0.016	U		<0.0079	U		<0.0058	U		<0.011	U		<0.013	U		<0.0061	U		<0.026	U		<0.0065	U		
		VMP-49-30-072617-DUP	7/26/2017	0.003	J		<0.0078	U		<0.0057	U		<0.011	U		<0.013	U		<0.0061	U		<0.026	U		<0.0064	U		
		VMP-49-30-102717	10/27/2017	<0.014	U		<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.0059	U		
		VMP-49-30-012618	1/26/2018	0.0038	J		<0.0075	U		<0.0055	U		<0.01	U		<0.012	U		<0.0058	U		<0.024	U		<0.0062	U		
VMP-50	5 ft	VMP-50-5-050317	5/3/2017	<0.013	U		<0.0068	U		<0.005	U		<0.0092	U		<0.011	U		<0.0053	U		<0.022	U		<0.0056	U		
		VMP-50-5-072617	7/26/2017	<0.016	J	U	0.00063	J		<0.0058	U		<0.011	U		<0.013	U		<0.0062	U		<0.026	U		<0.0065	U		
		VMP-50-5-110117	11/1/2017	<0.014	U		<0.007	U		<0.0051	U		<0.0094	U		<0.012	U		<0.0054	U		<0.023	U		<0.0057	U		
		VMP-50-5-013118	1/31/2018	<0.015	U		<0.0076	U		<0.0055	U		<0.01	U		<0.013	U		0.0018	J		<0.025	U		<0.0062	U		
	10 ft	VMP-50-10-050317	5/3/2017	0.0016	J		<0.0069	U		<0.0051	U		<0.0094	U		<0.012	U		0.02			<0.023	U		<0.0057	U		
		VMP-50-10-072617	7/26/2017	0.0025	J		0.00082	J		<0.0058	U		<0.011	U		<0.013	U		0.026			<0.026	U		<0.0065	U		
		VMP-50-10-110117	11/1/2017	<0.014	U		<0.007	U		<0.0051	U		<0.0094	U		<0.012	U		0.035			<0.023	U		<0.0057	U		
		VMP-50-10-013118	1/31/2018	<0.014	U		<0.0071	U		<0.0052	U		<0.0097	U		<0.012	U		0.029			<0.023	U		<0.0059	U		
	20 ft	VMP-50-20-050317	5/3/2017	0.0019	J		<0.0067	U		<0.0049	U		<0.0091	U		<0.011	U		0.032			<0.022	U		<0.0055	U		
		VMP-50-20-072617	7/26/2017	<0.015	J	U	<0.0077	U		<0.0057	U		<0.01	U		<0.013	U		0.052			<0.025	U		<0.0064	U		
		VMP-50-20-110117	11/1/2017	<0.013	U		<0.0067	U		<0.0049	U		<0.0091	U		<0.011	U		0.054			<0.022	U		<0.0055	U		
		VMP-50-20-013118	1/31/2018	<0.058	U		<0.029	U		<0.021	U		<0.039	U		<0.049	U		<0.023	U		<0.096	U		<0.024	U		
			VMP-50-20-013118-DUP	1/31/2018	<0.058	U		<0.029	U		<0.022	U		<0.04	U		<0.049	U		<0.023	U		<0.097	U		<0.024	U	
	30 ft	VMP-50-30-050317	5/3/2017	<0.17	U		<0.088	U		<0.064	U		<0.12	U		<0.15	U		<0.068	U		<0.29	U		<0.072	U		
		VMP-50-30-050317-DUP	5/3/2017	<0.18	U		<0.09	U		<0.066	U		<0.12	U		<0.15	U		<0.07	U		<0.3	U		<0.074	U		
		VMP-50-30-072617	7/26/2017	<0.2	U		<0.1	U		<0.076	U		<0.14	U		<0.17	U		<0.08	U		0.33	J		<0.085	U		
VMP-50-30-110117		11/1/2017	<0.14	U		<0.07	U		<0.051	U		<0.094	U		<0.12	U		<0.054	U		<0.092	U		<0.057	U			
VMP-50-30-110117-DUP		11/1/2017	<0.14	U		<0.068	U		<0.05	U		<0.092	U		<0.11	U		<0.053	U		<0.09	U		<0.056	U			
VMP-50-30-013118		1/31/2018	<0.14	U		<0.071	U		<0.052	U		<0.096	U		<0.12	U		<0.055	U		<0.093	U		<0.058	U			
VMP-51	5 ft	VMP-51-5-042517	4/25/2017	<0.016	J	U	<0.008	U		<0.0058	U		<0.011	U		<0.013	U		<0.0062	U		<0.026	U		<0.0065	U		
		VMP-51-5-072017	7/20/2017	<0.016	J	U	<0.008	U		<0.0058	U		<0.011	U		<0.013	U		<0.0062	U		<0.026	U		<0.0066	U		
		VMP-51-5-103017	10/30/2017	<0.014	U		<0.0071	U		<0.0052	U		<0.0096	U		<0.012	U		<0.0055	U		<0.023	U		<0.0058	U		
		VMP-51-5-012318	1/23/2018	<0.014	U		<0.007	U		<0.0052	U		<0.0095	U		<0.012	U		<0.0055	U		<0.023	U		<0.0058	U		
	10 ft	VMP-51-10-042517	4/25/2017	<0.015	J	U	<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		<0.0058	U		<0.024	U		<0.0061	U		
		VMP-51-10-072017	7/20/2017	<0.014	J	U	<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		0.001	J		<0.024	U		<0.0059	U		
		VMP-51-10-103017	10/30/2017	<0.014	U		<0.0071	U		<0.0052	U		<0.0097	U		<0.012	U		<0.005									

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Carbon disulfide			Carbon tetrachloride			Chlorobenzene			Chlorodibromomethane			Chloroethane			Chloroform			Chloromethane			alpha-Chlorotoluene			
				780			0.21			69			57000						0.11									
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	
VMP-52	5 ft	VMP-52-5-042417	4/24/2017	<0.015	U		<0.0076	U		<0.0055	U		<0.01	U		<0.013	U		<0.0058	U		<0.025	U		<0.0062	U		
		VMP-52-5-072117	7/21/2017	<0.016	U		<0.0079	U		<0.0058	U		<0.011	U		<0.013	U		<0.0061	U		<0.026	U		<0.0065	U		
		VMP-52-5-102517	10/25/2017	<0.014	U		<0.0071	U		<0.0052	U		<0.0096	U		<0.012	U		<0.0055	U		<0.023	U		<0.0058	U		
		VMP-52-5-012418	1/24/2018	<0.014	U		<0.0069	U		<0.0051	U		<0.0094	U		<0.012	U		<0.0054	U		<0.023	U		<0.0057	U		
	10 ft	VMP-52-10-042417	4/24/2017	<0.015	U		<0.0077	U		<0.0056	U		<0.01	U		<0.013	U		<0.006	U		<0.025	U		<0.0063	U		
		VMP-52-10-072117	7/21/2017	<0.016	U		<0.008	U		<0.0058	U		<0.011	U		<0.013	U		<0.0062	U		<0.026	U		<0.0066	U		
		VMP-52-10-102517	10/25/2017	0.0022	J		<0.007	U		<0.0051	U		<0.0095	U		<0.012	U		<0.0054	U		<0.023	U		<0.0058	U		
		VMP-52-10-012418	1/24/2018	<0.014	U		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		0.0021	J		<0.024	U		<0.006	U		
	20 ft	VMP-52-20-042417	4/24/2017	<0.016	U		0.0071	J		<0.006	U		<0.011	U		<0.014	U		0.0016	J		<0.027	U		<0.0068	U		
		VMP-52-20-072117	7/21/2017	<0.016	U		<0.0078	U		<0.0057	U		<0.011	U		<0.013	U		0.01			<0.026	U		<0.0064	U		
		VMP-52-20-102517	10/25/2017	<0.014	U		<0.007	U		<0.0051	U		<0.0095	U		<0.012	U		0.0049	J		<0.023	U		<0.0058	U		
		VMP-52-20-012418	1/24/2018	<0.014	U		<0.007	U		<0.0051	U		<0.0095	U		<0.012	U		0.011			<0.023	U		<0.0058	U		
	30 ft	VMP-52-20-012418-DUP	1/24/2018	<0.014	U		<0.0068	U		<0.005	U		<0.0092	U		<0.011	U		0.011			<0.022	U		<0.0056	U		
		VMP-52-30-042417	4/24/2017	<0.015	J	U	<0.0077	U		<0.0056	U		<0.01	U		<0.013	U		0.0029	J		<0.025	U		<0.0063	U		
		VMP-52-30-072117	7/21/2017	<0.016	U		<0.008	U		<0.0059	U		<0.011	U		<0.014	U		0.0081			<0.026	U		<0.0066	U		
		VMP-52-30-102517	10/25/2017	<0.014	U		<0.0073	U		<0.0053	U		<0.0099	U		<0.012	U		0.0055	J		<0.024	U		<0.006	U		
30 ft	VMP-52-30-102517-DUP	10/25/2017	<0.015	U		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		0.0046	J		<0.024	U		<0.0061	U			
	VMP-52-30-012418	1/24/2018	0.002	J		<0.0065	U		<0.0048	U		<0.0088	U		<0.011	U		0.008			<0.021	U		<0.0054	U			
	VMP-53	5 ft	VMP-53-5-042017	4/20/2017	<0.015	J	U	<0.0076	U		<0.0055	U		<0.01	U		<0.013	U		0.0053	J		<0.025	U		<0.0062	U	
			VMP-53-5-071917	7/19/2017	<0.015	J	U	<0.0077	U		<0.0057	U		<0.01	U		<0.013	U		<0.006	U		<0.025	U		<0.0064	U	
VMP-53-5-110117			11/1/2017	<0.013	U		<0.0067	U		<0.0049	U		<0.0091	U		<0.011	U		<0.0052	U		<0.022	U		<0.0055	U		
VMP-53-5-012218			1/22/2018	<0.015	U		<0.0076	U		<0.0056	U		<0.01	U		<0.013	U		<0.0059	U		<0.025	U		<0.0063	U		
10 ft		VMP-53-10-042017	4/20/2017	<0.015	J	U	<0.0075	U		<0.0055	U		<0.01	U		<0.012	U		0.0014	J		<0.024	U		<0.0062	U		
		VMP-53-10-071917	7/19/2017	<0.015	J	U	<0.0076	U		<0.0056	U		<0.01	U		<0.013	U		0.0076			<0.025	U		<0.0063	U		
		VMP-53-10-110117	11/1/2017	<0.014	U		<0.007	U		<0.0051	U		<0.0095	U		<0.012	U		<0.0054	U		<0.023	U		<0.0058	U		
		VMP-53-10-012218	1/22/2018	<0.015	U		<0.0076	U		<0.0056	U		<0.01	U		<0.013	U		<0.0059	U		<0.025	U		<0.0063	U		
20 ft		VMP-53-20-042017	4/20/2017	<0.015	J	U	<0.0075	U		<0.0055	U		<0.01	U		<0.012	U		0.0013	J		<0.024	U		<0.0062	U		
		VMP-53-20-071917	7/19/2017	<0.015	J	U	<0.0077	U		<0.0057	U		<0.01	U		<0.013	U		0.006			<0.025	U		<0.0064	U		
		VMP-53-20-110117	11/1/2017	<0.014	U		<0.007	U		<0.0051	U		<0.0095	U		<0.012	U		0.0014	J		<0.023	U		<0.0058	U		
		VMP-53-20-012218	1/22/2018	<0.015	U	UJ	<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		<0.0057	U		<0.024	U		<0.0061	U		
30 ft		VMP-53-20-012218-DUP	1/22/2018	<0.015	U	UJ	<0.0076	U		<0.0055	U		<0.01	U		<0.013	U		<0.0059	U		<0.025	U		<0.0062	U		
		VMP-53-30-042017	4/20/2017	<0.014	J	U	<0.0072	U		<0.0052	U		<0.0097	U		<0.012	U		0.0066			<0.024	U		<0.0059	U		
		VMP-53-30-042017-DUP	4/20/2017	<0.014	J	U	<0.007	U		<0.0051	U		<0.0094	U		<0.012	U		0.006			<0.023	U		<0.0057	U		
		VMP-53-30-071917	7/19/2017	<0.015	U		<0.0077	U		<0.0057	U		<0.01	U		<0.013	U		0.0024	J		<0.025	U		<0.0064	U		
30 ft	VMP-53-30-071917-DUP	7/19/2017	<0.015	J	U	<0.0076	U		<0.0056	U		<0.01	U		<0.013	U		0.0022	J		<0.025	U		<0.0063	U			
	VMP-53-30-110117	11/1/2017	<0.014	U		<0.0069	U		<0.0051	U		<0.0094	U		<0.012	U		0.0023	J		<0.023	U		<0.0057	U			
	VMP-53-30-012218	1/22/2018	<0.015	U		<0.0076	U		<0.0056	U		<0.01	U		<0.013	U		0.0015	J		<0.025	U		<0.0063	U			
	VMP-54	5 ft	VMP-54-5-042017	4/20/2017	<0.016	J	U	<0.0079	U		<0.0058	U		<0.011	U		<0.013	U		<0.0062	U		<0.026	U		<0.0065	U	
VMP-54-5-071917			7/19/2017	<0.015	J	U	<0.0077	U		<0.0056	U		<0.01	U		<0.013	U		<0.006	U		<0.025	U		<0.0063	U		
VMP-54-5-102617			10/26/2017	<0.014	U		<0.0068	U		<0.005	U		<0.0092	U		<0.011	U		<0.0053	U		<0.022	U		<0.0056	U		
VMP-54-5-012218			1/22/2018	<0.014	U	UJ	<0.0073	U		<0																		

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Carbon disulfide			Carbon tetrachloride			Chlorobenzene			Chlorodibromomethane			Chloroethane			Chloroform			Chloromethane			alpha-Chlorotoluene		
				780			0.21			69			57000						0.11								
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-62	5 ft	VMP-62-5-042517	4/25/2017	<0.016	J	U	<0.0081	U		<0.0059	U		<0.011	U		<0.014	U		<0.0063	U		<0.027	U		<0.0067	U	
		VMP-62-5-072517	7/25/2017	0.0021	J		<0.0067	U		<0.0049	U		<0.0091	U		<0.011	U		<0.0052	U		<0.022	U		<0.0055	U	
		VMP-62-5-083017	8/30/2017	<0.015	U		<0.0078	U		<0.0057	U		<0.01	U		<0.013	U		<0.006	U		<0.026	U		<0.0064	U	
		VMP-62-5-110317	11/3/2017	<0.014	U		<0.007	U		<0.0052	U		<0.0095	U		<0.012	U		<0.0055	U		<0.023	U		<0.0058	U	
		VMP-62-5-012918	1/29/2018	<0.013	U		<0.0068	U		<0.005	U		<0.0092	U		<0.011	U		<0.0053	U		<0.022	U		<0.0056	U	
	10 ft	VMP-62-10-042517	4/25/2017	<0.016	J	U	<0.0083	U		<0.0061	U		<0.011	U		<0.014	U		0.017			<0.027	U		<0.0068	U	
		VMP-62-10-072517	7/25/2017	<0.015	U		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		0.021			<0.024	U		<0.0061	U	
		VMP-62-10-110317	11/3/2017	<0.014	U		<0.0069	U		<0.0051	U		<0.0094	U		<0.012	U		0.0025	J		<0.023	U		<0.0057	U	
		VMP-62-10-012918	1/29/2018	0.0019	J		<0.0067	U		<0.0049	U		<0.0091	U		<0.011	U		0.0024	J		<0.022	U		<0.0055	U	
	20 ft	VMP-62-20-042517	4/25/2017	<0.015	J	U	<0.0078	U		<0.0057	U		0.0024	J		<0.013	U		0.03			<0.026	U		<0.0064	U	
		VMP-62-20-072517	7/25/2017	<0.015	U		<0.0076	U		<0.0056	U		0.0033	J		<0.013	U		0.071			<0.025	U		<0.0063	U	
		VMP-62-20-110317	11/3/2017	<0.014	U		<0.007	U		<0.0052	U		<0.0095	U		<0.012	U		0.013			<0.023	U		<0.0058	U	
		VMP-62-20-012918	1/29/2018	<0.013	U		<0.0066	U		<0.0048	U		<0.0089	U		<0.011	U		0.013			<0.022	U		<0.0054	U	
	30 ft	VMP-62-30-042517	4/25/2017	<0.016	J	U	<0.008	U		<0.0058	U		<0.011	U		<0.013	U		0.0032	J		<0.026	U		<0.0066	U	
		VMP-62-30-072517	7/25/2017	<0.015	U		<0.0076	U		<0.0056	U		<0.01	U		<0.013	U		0.013			<0.025	U		<0.0063	U	
		VMP-62-30-072517-DUP	7/25/2017	<0.015	U		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		0.012			<0.024	U		<0.0061	U	
		VMP-62-30-110317	11/3/2017	<0.014	U		<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		0.0023	J		<0.024	U		<0.0059	U	
		VMP-62-30-110317-DUP	11/3/2017	<0.014	U		<0.007	U		<0.0052	U		<0.0095	U		<0.012	U		0.0023	J		<0.023	U		<0.0058	U	
		VMP-62-30-012918	1/29/2018	<0.013	U		<0.0065	U		<0.0048	U		<0.0088	U		<0.011	U		<0.0051	U		<0.021	U		<0.0054	U	
		VMP-62-30-012918-DUP	1/29/2018	<0.013	U		<0.0067	U		<0.0049	U		<0.0091	U		<0.011	U		<0.0052	U		<0.022	U		<0.0055	U	
VMP-63	5 ft	VMP-63-5-042517	4/25/2017	<0.015	J	U	<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		<0.0058	U		<0.024	U		<0.0061	U	
		VMP-63-5-072517	7/25/2017	<0.015	J	U	<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		<0.0058	U		<0.024	U		<0.0061	U	
		VMP-63-5-110117	11/1/2017	<0.014	U		<0.007	U		<0.0051	U		<0.0094	U		<0.012	U		<0.0054	U		<0.023	U		<0.0057	U	
		VMP-63-5-012618	1/26/2018	<0.014	U		<0.007	U		<0.0052	U		<0.0095	U		<0.012	U		<0.0055	U		<0.023	U		<0.0058	U	
	10 ft	VMP-63-10-042517	4/25/2017	<0.016	J	U	<0.008	U		<0.0058	U		<0.011	U		<0.013	U		<0.0062	U		<0.026	U		<0.0065	U	
		VMP-63-10-072517	7/25/2017	<0.015	J	U	<0.0077	U		<0.0056	U		<0.01	U		<0.013	U		<0.006	U		<0.025	U		<0.0063	U	
		VMP-63-10-110117	11/1/2017	<0.014	U		<0.007	U		<0.0051	U		<0.0094	U		<0.012	U		<0.0054	U		<0.023	U		<0.0057	U	
		VMP-63-10-012618	1/26/2018	<0.014	U		<0.007	U		<0.0052	U		<0.0095	U		<0.012	U		<0.0055	U		<0.023	U		<0.0058	U	
	20 ft	VMP-63-20-042517	4/25/2017	<0.014	J	U	<0.0073	U		<0.0054	U		<0.0099	U		<0.012	U		<0.0057	U		<0.024	U		<0.006	U	
		VMP-63-20-072517	7/25/2017	<0.015	J	U	<0.0078	U		<0.0057	U		<0.01	U		<0.013	U		<0.006	U		<0.026	U		<0.0064	U	
		VMP-63-20-110117	11/1/2017	<0.014	U		<0.007	U		<0.0051	U		<0.0094	U		<0.012	U		<0.0054	U		<0.023	U		<0.0057	U	
		VMP-63-20-012618	1/26/2018	<0.014	U		<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.0059	U	
	30 ft	VMP-63-30-042517	4/25/2017	<0.015	J	U	<0.0076	U		<0.0056	U		<0.01	U		<0.013	U		<0.0059	U		<0.025	U		<0.0063	U	
		VMP-63-30-072517	7/25/2017	<0.014	J	U	<0.0073	U		<0.0054	U		<0.0099	U		<0.012	U		<0.0057	U		<0.024	U		<0.006	U	
		VMP-63-30-110117	11/1/2017	<0.014	U		<0.007	U		<0.0051	U		<0.0094	U		<0.012	U		<0.0054	U		<0.023	U		<0.0057	U	
		VMP-63-30-012618	1/26/2018	0.0017	J		<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.0059	U	
	VMP-63-30-012618-DUP	1/26/2018	<0.014	U		<0.0069	U		<0.0051	U		<0.0094	U		<0.012	U		<0.0054	U		<0.023	U		<0.0057	U		
VMP-64	5 ft	VMP-64-5-042717	4/27/2017	<0.013	U		<0.0066	U		<0.0048	U		<0.0089	U		<0.011	U		<0.0051	U		<0.022	U		<0.0054	U	
		VMP-64-5-072517	7/25/2017	0.0064	J		<0.015	U		<0.011	U		<0.02	U		<0.024	U		<0.011	U		<0.048	U		<0.012	U	
		VMP-64-5-110317	11/3/2017	<0.014	U		<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.0059	U	
		VMP-64-5-012218	1/22/2018	<0.014	U		<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.0059	U	
	10 ft	VMP-64-10-042717	4/27/2017	<0.014	U		<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.006	U	
		VMP-64-10-072517	7/25/2017	<0.016	J	U	<0.008	U		<0.0058	U		<0.011	U		<0.013	U		<0.0062	U		<0.026	U		<0.0065	U	
		VMP-64-10-110317	11/3/2017	0.0014	J		<0.0067	U		<0.0049	U		<0.0091	U		<0.011	U		<0.0052	U		<0.022	U		<0.0055	U	</

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Cyclohexane			1,2-Dibromoethane			1,2-Dichlorobenzene			1,3-Dichlorobenzene			1,4-Dichlorobenzene			Dichlorodifluoromethane			1,1-Dichloroethane			1,2-Dichloroethane		
				0.0078			290			1200			270			690			0.099								
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-1	5 ft	VMP-1-5-042817	4/28/2017	<0.0044	U		<0.0099	U		<0.0077	U		<0.0077	U		<0.0077	U		0.0022	J		<0.0052	U		<0.0052	U	
		VMP-1-5-072417	7/24/2017	<0.0043	U		<0.0095	U		<0.0074	U		<0.0074	U		<0.0074	U		0.0024	J		<0.005	U		<0.005	U	
		VMP-1-5-102617	10/26/2017	<0.004	U		<0.009	U		<0.007	U		<0.007	U		<0.007	U		0.003	J		<0.0047	U		<0.0047	U	
		VMP-1-5-012618	1/26/2018	<0.0038	U		<0.0084	U		<0.0066	U		<0.0066	U		<0.0066	U		0.0028	J		<0.0044	U		<0.0044	U	
	8.5 ft	VMP-1-8.5-042817	4/28/2017	<0.0039	U		<0.0087	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0024	J		<0.0046	U		<0.0046	U	
		VMP-1-8.5-072417	7/24/2017	<0.0043	U		<0.0096	U		<0.0075	U		<0.0075	U		<0.0075	U		0.0027	J		<0.005	U		<0.005	U	
		VMP-1-8.5-102617	10/26/2017	<0.0039	U		<0.0086	U		<0.0068	U		<0.0068	U		<0.0068	U		0.003	J		<0.0046	U		<0.0046	U	
		VMP-1-8.5-012418	1/24/2018	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0031	J		<0.0045	U		<0.0045	U	
	23.5 ft	VMP-1-23.5-042817	4/28/2017	<0.004	U		<0.0089	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0021	J		<0.0047	U		<0.0047	U	
		VMP-1-23.5-042817-DUP	4/28/2017	<0.0039	U		<0.0087	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0025	J		<0.0046	U		<0.0046	U	
		VMP-1-23.5-072417	7/24/2017	0.0042			<0.0091	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0027	J		<0.0048	U		<0.0048	U	
		VMP-1-23.5-102617	10/26/2017	<0.0041	U		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		0.003	J		<0.0048	U		<0.0048	U	
VMP-2	5 ft	VMP-2-5-050317	5/3/2017	<0.004	U		<0.0089	U		<0.007	U		<0.007	U		<0.007	U		0.0021	J		<0.0047	U		<0.0047	U	
		VMP-2-5-072417	7/24/2017	0.0033	J		<0.0095	U		<0.0074	U		<0.0074	U		<0.0074	U		0.0023	J		<0.005	U		<0.005	U	
		VMP-2-5-102617	10/26/2017	<0.004	U		<0.009	U		<0.0071	U		<0.0071	U		<0.0071	U		0.002	J		<0.0048	U		<0.0048	U	
		VMP-2-5-012918	1/29/2018	<0.0038	U		<0.0084	U		<0.0066	U		<0.0066	U		<0.0066	U		0.0029	J		<0.0044	U		<0.0044	U	
	8.5 ft	VMP-2-8.5-050317	5/3/2017	<0.0039	U		<0.0087	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0021	J		<0.0046	U		<0.0046	U	
		VMP-2-8.5-072417	7/24/2017	<0.0047	U		<0.01	U		<0.0082	U		<0.0082	U		<0.0082	U		0.0028	J		<0.0055	U		<0.0055	U	
		VMP-2-8.5-102617	10/26/2017	<0.0042	U		<0.0093	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0021	J		<0.0049	U		<0.0049	U	
		VMP-2-8.5-012918	1/29/2018	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0028	J		<0.0045	U		<0.0045	U	
	22 ft	VMP-2-22-050317	5/3/2017	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		<0.0055	U		<0.0045	U		<0.0045	U	
		VMP-2-22-072417	7/24/2017	<0.0045	U		<0.01	U		<0.0079	U		<0.0079	U		<0.0079	U		0.0026	J		<0.0053	U		<0.0053	U	
		VMP-2-22-072417-DUP	7/24/2017	<0.0043	U		<0.0096	U		<0.0075	U		<0.0075	U		<0.0075	U		0.0021	J		<0.0051	U		<0.0051	U	
		VMP-2-22-102617	10/26/2017	<0.0038	U		<0.0085	U		<0.0066	U		<0.0066	U		<0.0066	U		0.0026	J		<0.0045	U		<0.0045	U	
VMP-3	5 ft	VMP-3-5-042717	4/27/2017	<0.0041	U		<0.0091	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0022	J		<0.0048	U		<0.0048	U	
		VMP-3-5-072017	7/20/2017	<0.0043	U		<0.0097	U		<0.0076	U		<0.0076	U		<0.0076	U		0.0019	J		<0.0051	U		<0.0051	U	
		VMP-3-5-102617	10/26/2017	<0.0043	U		<0.0095	U		<0.0074	U		<0.0074	U		<0.0074	U		0.0023	J		<0.005	U		<0.005	U	
		VMP-3-5-012318	1/23/2018	<0.0038	U		<0.0084	U		<0.0066	U		<0.0066	U		<0.0066	U		0.003	J		<0.0044	U		<0.0044	U	
	10 ft	VMP-3-10-042717	4/27/2017	<0.004	U		<0.009	U		<0.007	U		<0.007	U		<0.007	U		0.0023	J		<0.0047	U		<0.0047	U	
		VMP-3-10-072017	7/20/2017	<0.0045	U		<0.01	U		<0.0079	U		<0.0079	U		<0.0079	U		0.002	J		<0.0053	U		<0.0053	U	
		VMP-3-10-102617	10/26/2017	<0.0043	U		<0.0096	U		<0.0075	U		<0.0075	U		<0.0075	U		0.0025	J		<0.005	U		<0.005	U	
		VMP-3-10-012318	1/23/2018	<0.0038	U		<0.0084	U		<0.0066	U		<0.0066	U		<0.0066	U		0.0031	J		<0.0044	U		<0.0044	U	
	22 ft	VMP-3-22-042717	4/27/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0027	J		<0.0048	U		<0.0048	U	
		VMP-3-22-072017	7/20/2017	<0.0044	U		<0.0098	U		<0.0076	U		<0.0076	U		<0.0076	U		0.0021	J		<0.0051	U		<0.0051	U	
		VMP-3-22-102617	10/26/2017	<0.0041	U		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		0.0026	J		<0.0048	U		<0.0048	U	
		VMP-3-22-012318	1/23/2018	<0.0039	U		<0.0086	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0029	J		<0.0046	U		<0.0046	U	
	31.5 ft	VMP-3-31.5-042717	4/27/2017	<0.0043	U		<0.0096	U		<0.0075	U		<0.0075	U		<0.0075	U		0.0019	J		<0.005	U		<0.005	U	
		VMP-3-31.5-072017	7/20/2017	<0.0043	U		<0.0096	U		<0.0075	U		<0.0075	U		<0.0075	U		0.002	J		<0.005	U		<0.005	U	
		VMP-3-31.5-102617	10/26/2017	0.0017	J		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		0.0026	J		<0.0048	U		<0.0048	U	
		VMP-3-31.5-102617-DUP	10/26/2017	0.0011	J		<0.0091	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0026	J		<0.0048	U		<0.0048	U	
VMP-4	5 ft	VMP-4-5-050317	5/3/2017	<0.0038	U		<0.0084	U		<0.0066	U		<0.0066	U		<0.0066	U		0.0025	J		<0.0044	U		<0.0044	U	
		VMP-4-5-072517	7/25/2017	<0.0043	U		<0.0096	U		<0.0075	U		<0.0075	U		<0.0075	U		0.0023	J		<0.005	U		<0.005	U	
		VMP-4-5-110117	11/1/2017	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0027	J		<0.0045	U		<0.0045	U	
		VMP-4-5-012318	1/23/2018	<0.004	U		<0.009	U		<0.007	U		<0.007	U		<0.007	U		0.0031	J		<0.0047	U		<0.0047	U	
	12 ft	VMP-4-12-050317	5/3/2017	<0.0039	U		<0.0088	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0021	J		<0.0046	U		<0.0046	U	
		VMP-4-12-072517	7/25/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0026	J		<0.0048	U		<0.0048	U	
		VMP-4-12-110117	11/1/2017	<0.0038	U		<0.0085	U		<0.0066	U		<0.0066	U		<0.0066	U		0.0026	J		<0.0045	U		<0.0045	U	
		VMP-4-12-012318	1/23/2018	<0.0039	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0031	J		<0.0046	U		<0.0046	U	

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Cyclohexane			1,2-Dibromoethane			1,2-Dichlorobenzene			1,3-Dichlorobenzene			1,4-Dichlorobenzene			Dichlorodifluoromethane			1,1-Dichloroethane			1,2-Dichloroethane		
							0.0078			290						1200			270			690			0.099		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-5	5 ft	VMP-5-5-042617	4/26/2017	<0.012	U		<0.026	U		<0.02	U		<0.02	U		<0.02	U		0.0037	J		<0.014	U		<0.014	U	
		VMP-5-5-072017	7/20/2017	<0.004	U		<0.009	U		0.00066	J		0.00087	J		0.00073	J		0.0022	J		<0.0047	U		<0.0047	U	
		VMP-5-5-103017	10/30/2017	<0.0039	U		<0.0086	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0026	J		<0.0046	U		<0.0046	U	
		VMP-5-5-012518	1/25/2018	0.0014	J		<0.0083	U		<0.0065	U		<0.0065	U		<0.0065	U		0.0031	J		<0.0044	U		<0.0044	U	
	12.5 ft	VMP-5-12.5-042617	4/26/2017	<0.0041	U		<0.0091	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0028	J		<0.0048	U		<0.0048	U	
		VMP-5-12.5-072017	7/20/2017	<0.0043	U		<0.0096	U		<0.0075	U		<0.0075	U		<0.0075	U		<0.0062	U		<0.0051	U		<0.0051	U	
		VMP-5-12.5-102017	10/30/2017	<0.0036	U		<0.0081	U		<0.0064	U		<0.0064	U		<0.0064	U		0.0027	J		<0.0043	U		<0.0043	U	
		VMP-5-12.5-012518	1/25/2018	<0.0039	U		<0.0087	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0031	J		<0.0046	U		<0.0046	U	
	31 ft	VMP-5-31-042617	4/26/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.002	J		<0.0048	U		<0.0048	U	
		VMP-5-31-072017	7/20/2017	<0.0043	U		<0.0096	U		<0.0075	U		<0.0075	U		<0.0075	U		0.002	J		<0.005	U		<0.005	U	
		VMP-5-31-072017-DUP	7/20/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.002	J		<0.0048	U		<0.0048	U	
		VMP-5-31-103017	10/30/2017	<0.0038	U		<0.0084	U		<0.0066	U		<0.0066	U		<0.0066	U		0.0024	J		<0.0044	U		<0.0044	U	
	40 ft	VMP-5-31-012518	1/25/2018	<0.0039	U		<0.0087	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0032	J		<0.0046	U		<0.0046	U	
		VMP-5-40-042617	4/26/2017	<0.0041	U		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		0.0027	J		<0.0048	U		<0.0048	U	
		VMP-5-40-042617-DUP	4/26/2017	<0.004	U		<0.009	U		<0.0071	U		<0.0071	U		<0.0071	U		0.0028	J		<0.0048	U		<0.0048	U	
		VMP-5-40-012518	1/25/2018	<0.0036	U		<0.0081	U		<0.0063	U		<0.0063	U		<0.0063	U		0.0031	J		<0.0042	U		<0.0042	U	
VMP-6	5 ft	VMP-6-5-042417	4/24/2017	<0.0039	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0026	J		<0.0046	U		<0.0046	U	
		VMP-6-5-052217	5/22/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0026	J		<0.0048	U		<0.0048	U	
		VMP-6-5-072117	7/21/2017	<0.004	U		<0.009	U		<0.0071	U		<0.0071	U		<0.0071	U		0.0027	J		<0.0048	U		<0.0048	U	
		VMP-6-5-103117	10/31/2017	<0.0037	U		<0.0082	U		<0.0064	U		<0.0064	U		<0.0064	U		0.002	J		<0.0043	U		<0.0043	U	
		VMP-6-5-012418	1/24/2018	<0.0038	U		<0.0084	U		<0.0066	U		<0.0066	U		<0.0066	U		0.0035	J		<0.0044	U		<0.0044	U	
	10 ft	VMP-6-10-042417	4/24/2017	<0.0041	U		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		0.0025	J		<0.0048	U		<0.0048	U	
		VMP-6-10-072117	7/21/2017	<0.004	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0025	J		<0.0046	U		<0.0046	U	
		VMP-6-10-103117	10/31/2017	<0.0036	U		<0.0081	U		<0.0064	U		<0.0064	U		<0.0064	U		0.0025	J		<0.0043	U		<0.0043	U	
		VMP-6-10-012418	1/24/2018	0.00082	J		<0.0083	U		<0.0065	U		<0.0065	U		<0.0065	U		0.003	J		<0.0044	U		<0.0044	U	
	31.5 ft	VMP-6-31.5-042417	4/24/2017	<0.0042	U		<0.0094	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0025	J		<0.0049	U		<0.0049	U	
		VMP-6-31.5-072117	7/21/2017	<0.004	U		<0.009	U		<0.0071	U		<0.0071	U		<0.0071	U		0.0021	J		<0.0048	U		<0.0048	U	
		VMP-6-31.5-072117-DUP	7/21/2017	<0.0041	U		<0.0091	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0026	J		<0.0048	U		<0.0048	U	
		VMP-6-31.5-103117	10/31/2017	<0.0037	U		<0.0083	U		<0.0065	U		<0.0065	U		<0.0065	U		0.0022	J		<0.0044	U		<0.0044	U	
	39 ft	VMP-6-31.5-013118	1/31/2018	<0.0041	U		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		0.003	J		<0.0048	U		<0.0048	U	
		VMP-6-39-042417	4/24/2017	<0.0041	U		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		0.0022	J		<0.0048	U		<0.0048	U	
		VMP-6-39-042417-DUP	4/24/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.003	J		<0.0048	U		<0.0048	U	
		VMP-6-39-103117	10/31/2017	<0.0038	U		<0.0085	U		<0.0067	U		<0.0067	U		<0.0067	U		0.003	J		<0.0045	U		<0.0045	U	
		VMP-6-39-103117-DUP	10/31/2017	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0029	J		<0.0045	U		<0.0045	U	
		VMP-6-39-012418	1/24/2018	0.0014	J		<0.0083	U		<0.0065	U		<0.0065	U		<0.0065	U		0.0032	J		<0.0044	U		<0.0044	U	
		VMP-6-39-012418-DUP	1/24/2018	<0.004	U		<0.009	U		<0.007	U		<0.007	U		<0.007	U		0.0041	J		<0.0047	U		<0.0047	U	
VMP-7	5 ft	VMP-7-5-042417	4/24/2017	<0.0042	U		<0.0094	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0028	J		<0.0049	U		<0.0049	U	
		VMP-7-5-072117	7/21/2017	<0.0042	U		<0.0094	U		<0.0074	U		<0.0074	U		<0.0074	U		0.0028	J		<0.005	U		<0.005	U	
		VMP-7-5-102517	10/25/2017	<0.0039	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0028	J		<0.0046	U		<0.0046	U	
		VMP-7-5-012518	1/25/2018	<0.0039	U		<0.0087	U		<0.0068	U		<0.0068	U		<0.0068	U		0.003	J		<0.0046	U		<0.0046	U	
	13.5 ft	VMP-7-13.5-042417	4/24/2017	<0.0043	U		<0.0096	U		<0.0075	U		<0.0075	U		<0.0075	U		0.002	J		<0.005	U		<0.005	U	
		VMP-7-13.5-072117	7/21/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0027	J		<0.0049	U		<0.0049	U	
		VMP-7-13.5-102517	10/25/2017	<0.004	U		<0.009	U		<0.007	U		<0.007	U		<0.007	U		0.00.								

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Cyclohexane			1,2-Dibromoethane			1,2-Dichlorobenzene			1,3-Dichlorobenzene			1,4-Dichlorobenzene			Dichlorodifluoromethane			1,1-Dichloroethane			1,2-Dichloroethane		
							0.0078			290						1200			270			690			0.099		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-8	5 ft	VMP-8-5-042017	4/20/2017	<0.0046	U		<0.01	U		<0.0081	U		<0.0081	U		<0.0081	U		0.0023	J		<0.0054	U		<0.0054	U	
		VMP-8-5-071917	7/19/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		<0.0059	U		<0.0048	U		<0.0048	U	
		VMP-8-5-103017	10/30/2017	<0.004	U		<0.0089	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0025	J		<0.0047	U		<0.0047	U	
		VMP-8-5-012218	1/22/2018	<0.0039	U		<0.0087	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0021	J		<0.0046	U		<0.0046	U	
	9.5 ft	VMP-8-9.5-042117	4/21/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0024	J		<0.0048	U		<0.0048	U	
		VMP-8-9.5-071917	7/19/2017	<0.0042	U		<0.0093	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0019	J		<0.0049	U		<0.0049	U	
		VMP-8-9.5-103017	10/30/2017	<0.0039	U		<0.0086	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0023	J		<0.0046	U		<0.0046	U	
		VMP-8-9.5-012218	1/22/2018	<0.004	U		<0.0089	U		<0.007	U		<0.007	U		<0.007	U		0.0022	J		<0.0047	U		<0.0047	U	
	23.5 ft	VMP-8-23.5-042117	4/21/2017	<0.004	U		<0.0089	U		<0.007	U		<0.007	U		<0.007	U		0.0021	J		<0.0047	U		<0.0047	U	
		VMP-8-23.5-071917	7/19/2017	<0.0042	U		<0.0094	U		<0.0074	U		<0.0074	U		<0.0074	U		<0.0061	U		<0.005	U		<0.005	U	
		VMP-8-23.5-103017	10/30/2017	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0026	J		<0.0045	U		<0.0045	U	
		VMP-8-23.5-012218	1/22/2018	<0.004	U		<0.009	U		<0.007	U		<0.007	U		<0.007	U		0.0018	J		<0.0047	U		<0.0047	U	
	35.5 ft	VMP-8-23.5-012218-DUP	1/22/2018	<0.0041	U		<0.0091	U		<0.0072	U		<0.0072	U		<0.0072	U		0.002	J		<0.0048	U		<0.0048	U	
		VMP-8-35.5-042117	4/21/2017	<0.0041	U		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		0.002	J		<0.0048	U		<0.0048	U	
		VMP-8-35.5-071917	7/19/2017	<0.0075	U		<0.017	U		<0.013	U		<0.013	U		<0.013	U		<0.011	U		<0.0089	U		<0.0089	U	
		VMP-8-35.5-071917-DUP	7/19/2017	<0.0084	U		<0.019	U		<0.015	U		<0.015	U		<0.015	U		0.0031	J		<0.0099	U		<0.0099	U	
		VMP-8-35.5-103017	10/30/2017	<0.0039	U		<0.0087	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0025	J		<0.0046	U		<0.0046	U	
VMP-9	5 ft	VMP-9-5-042017	4/20/2017	<0.0043	U		<0.0097	U		<0.0076	U		<0.0076	U		<0.0076	U		0.0024	J		<0.0051	U		<0.0051	U	
		VMP-9-5-071917	7/19/2017	<0.0042	U		<0.0094	U		<0.0074	U		<0.0074	U		<0.0074	U		0.0022	J		<0.005	U		<0.005	U	
		VMP-9-5-110117	11/1/2017	<0.0038	U		<0.0084	U		<0.0066	U		<0.0066	U		<0.0066	U		<0.0054	U		<0.0044	U		<0.0044	U	
		VMP-9-5-012218	1/22/2018	<0.0043	U		<0.0097	U		<0.0076	U		<0.0076	U		<0.0076	U		0.0026	J		<0.0051	U		<0.0051	U	
	11.5 ft	VMP-9-11.5-042017	4/20/2017	<0.0044	U		<0.0097	U		<0.0076	U		<0.0076	U		<0.0076	U		0.0023	J		<0.0051	U		<0.0051	U	
		VMP-9-11.5-071917	7/19/2017	<0.0041	U		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		0.002	J		<0.0048	U		<0.0048	U	
		VMP-9-11.5-110117	11/1/2017	<0.0041	U		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		<0.0058	U		<0.0048	U		<0.0048	U	
		VMP-9-11.5-012218	1/22/2018	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.002	J		<0.0048	U		<0.0048	U	
	25.5 ft	VMP-9-25.5-042017	4/20/2017	<0.0048	U		<0.011	U		<0.0084	U		<0.0084	U		<0.0084	U		0.0023	J		<0.0056	U		<0.0056	U	
		VMP-9-25.5-071917	7/19/2017	<0.0042	U		<0.0094	U		<0.0074	U		<0.0074	U		<0.0074	U		0.0021	J		<0.005	U		<0.005	U	
		VMP-9-25.5-110117	11/1/2017	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.003	J		<0.0045	U		<0.0045	U	
		VMP-9-25.5-012218	1/22/2018	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0027	J		<0.0049	U		<0.0049	U	
	38.5 ft	VMP-9-38.5-042017	4/20/2017	<0.0042	U		<0.0094	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0022	J		<0.0049	U		<0.0049	U	
		VMP-9-38.5-042017-DUP	4/20/2017	<0.0043	U		<0.0095	U		<0.0074	U		<0.0074	U		<0.0074	U		0.0025	J		<0.005	U		<0.005	U	
		VMP-9-38.5-110117	11/1/2017	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0027	J		<0.0045	U		<0.0045	U	
		VMP-9-38.5-012218	1/22/2018	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0024	J		<0.0049	U		<0.0049	U	
VMP-18	8.5 ft	VMP-18-8.5-050317	5/3/2017	<0.0037	U		<0.0083	U		<0.0065	U		<0.0065	U		<0.0065	U		0.0021	J		<0.0044	U		<0.0044	U	
		VMP-18-8.5-072717	7/27/2017	<0.0042	U		<0.0093	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0027	J		<0.0049	U		<0.0049	U	
		VMP-18-8.5-110317	11/3/2017	<0.0039	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0027	J		<0.0046	U		<0.0046	U	
		VMP-18-8.5-110317-DUP	11/3/2017	<0.0036	U		<0.008	U		<0.0063	U		<0.0063	U		<0.0063	U		0.0024	J		<0.0042	U		<0.0042	U	
		VMP-18-8.5-012418	1/24/2018	<0.004	U		<0.0089	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0034	J		<0.0047	U		<0.0047	U	
VMP-19	5 ft	VMP-19-5-042017	4/20/2017	<0.0047	U		<0.01	U		<0.0082	U		<0.0082	U		<0.0082	U		0.0022	J		<0.0055	U		<0.0055	U	
		VMP-19-5-072717	7/27/2017	<0.0042	U		<0.0093	U		<0.0073	U		<0.0073	U		<0.0073	U		0.003	J		<0.0049	U		<0.0049	U	
		VMP-19-5-102517	10/25/2017	<0.0039	U		<0.0088	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0024	J		<0.0046	U		<0.0046	U	
		VMP-19-5-012518	1/25/2018	0.0019	J		<0.0088	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0028	J							

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Cyclohexane			1,2-Dibromoethane			1,2-Dichlorobenzene			1,3-Dichlorobenzene			1,4-Dichlorobenzene			Dichlorodifluoromethane			1,1-Dichloroethane			1,2-Dichloroethane		
							0.0078			290						1200			270			690			0.099		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-21	5 ft	VMP-21-5-042417	4/24/2017	<0.004	U		<0.009	U		<0.007	U		<0.007	U		<0.007	U		0.0026	J		<0.0047	U		<0.0047	U	
		VMP-21-5-072017	7/20/2017	<0.004	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0022	J		<0.0046	U		<0.0046	U	
		VMP-21-5-103117	10/31/2017	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0024	J		<0.0045	U		<0.0045	U	
		VMP-21-5-012318	1/23/2018	<0.0037	U		<0.0083	U		<0.0065	U		<0.0065	U		<0.0065	U		0.003	J		<0.0044	U		<0.0044	U	
	10 ft	VMP-21-10-042417	4/24/2017	<0.004	U		<0.009	U		<0.0071	U		<0.0071	U		<0.0071	U		0.0021	J		<0.0048	U		<0.0048	U	
		VMP-21-10-072017	7/20/2017	<0.0042	U		<0.0093	U		<0.0073	U		<0.0073	U		<0.0073	U		0.002	J		<0.0049	U		<0.0049	U	
		VMP-21-10-103117	10/31/2017	<0.0038	U		<0.0084	U		<0.0066	U		<0.0066	U		<0.0066	U		0.003	J		<0.0044	U		<0.0044	U	
		VMP-21-10-012318	1/23/2018	<0.0038	U		<0.0084	U		<0.0066	U		<0.0066	U		<0.0066	U		0.0031	J		<0.0044	U		<0.0044	U	
	25 ft	VMP-21-25-042417	4/24/2017	<0.004	U		<0.009	U		<0.0071	U		<0.0071	U		<0.0071	U		0.0028	J		<0.0048	U		<0.0048	U	
		VMP-21-25-072017	7/20/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0028	J		<0.0048	U		<0.0048	U	
		VMP-21-25-103117	10/31/2017	<0.004	U		<0.0089	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0023	J		<0.0047	U		<0.0047	U	
		VMP-21-25-012318	1/23/2018	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0035	J		<0.0045	U		<0.0045	U	
	33 ft	VMP-21-33-042417	4/24/2017	<0.004	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0025	J		<0.0046	U		<0.0046	U	
		VMP-21-33-042417-DUP	4/24/2017	<0.004	U		<0.009	U		<0.007	U		<0.007	U		<0.007	U		0.0031	J		<0.0047	U		<0.0047	U	
		VMP-21-33-072017	7/20/2017	<0.0039	U		<0.0087	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0029	J		<0.0046	U		<0.0046	U	
		VMP-21-33-072017-DUP	7/20/2017	<0.0042	U		<0.0094	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0031	J		<0.0049	U		<0.0049	U	
		VMP-21-33-103117	10/31/2017	<0.0039	U		<0.0086	U		<0.0068	U		<0.0068	U		<0.0068	U		0.003	J		<0.0046	U		<0.0046	U	
		VMP-21-33-012318	1/23/2018	<0.0037	U		<0.0083	U		<0.0065	U		<0.0065	U		<0.0065	U		0.0036	J		<0.0044	U		<0.0044	U	
		VMP-21-33-012318-DUP	1/23/2018	<0.0038	U		<0.0084	U		<0.0066	U		<0.0066	U		<0.0066	U		0.0038	J		<0.0044	U		<0.0044	U	
VMP-22	5 ft	VMP-22-5-042617	4/26/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0031	J		<0.0048	U		<0.0048	U	
		VMP-22-5-072617	7/26/2017	<0.0042	U		<0.0094	U		<0.0074	U		<0.0074	U		<0.0074	U		0.0027	J		<0.005	U		<0.005	U	
		VMP-22-5-102617	10/26/2017	<0.0038	U		<0.0085	U		<0.0066	U		<0.0066	U		<0.0066	U		0.0025	J		<0.0045	U		<0.0045	U	
		VMP-22-5-013018	1/30/2018	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.003	J		<0.0045	U		<0.0045	U	
	10 ft	VMP-22-10-042717	4/27/2017	<0.0038	U		<0.0085	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0028	J		<0.0045	U		<0.0045	U	
		VMP-22-10-072617	7/26/2017	<0.0042	U		<0.0094	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0025	J		<0.0049	U		<0.0049	U	
		VMP-22-10-102617	10/26/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0027	J		<0.0048	U		<0.0048	U	
		VMP-22-10-013018	1/30/2018	<0.0037	U		<0.0082	U		<0.0064	U		<0.0064	U		<0.0064	U		0.0033	J		<0.0043	U		<0.0043	U	
	18 ft	VMP-22-18-042717	4/27/2017	<0.0044	U		<0.0098	U		<0.0077	U		<0.0077	U		<0.0077	U		0.0026	J		<0.0052	U		<0.0052	U	
		VMP-22-18-072617	7/26/2017	<0.0047	U		<0.01	U		<0.0082	U		<0.0082	U		<0.0082	U		0.0026	J		<0.0055	U		<0.0055	U	
		VMP-22-18-102617	10/26/2017	<0.004	U		<0.0089	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0029	J		<0.0047	U		<0.0047	U	
		VMP-22-18-013018	1/30/2018	<0.0036	U		<0.0081	U		<0.0063	U		<0.0063	U		<0.0063	U		0.0027	J		<0.0043	U		<0.0043	U	
	38 ft	VMP-22-38-042717	4/27/2017	<0.0041	U		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		0.0027	J		<0.0048	U		<0.0048	U	
		VMP-22-38-042717-DUP	4/27/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.002	J		<0.0048	U		<0.0048	U	
		VMP-22-38-072617	7/26/2017	<0.0041	U		<0.0091	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0029	J		<0.0048	U		<0.0048	U	
		VMP-22-38-072617-DUP	7/26/2017	<0.0041	U		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		0.0027	J		<0.0048	U		<0.0048	U	
		VMP-22-38-102617	10/26/2017	<0.0041	U		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		0.0032	J		<0.0048	U		<0.0048	U	
		VMP-22-38-013018	1/30/2018	<0.0039	U		<0.0087	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0028	J		<0.0046	U		<0.0046	U	
VMP-23	5 ft	VMP-23-5-042517	4/25/2017	<0.0043	U		<0.0096	U		<0.0075	U		<0.0075	U		<0.0075	U		<0.0062	U		<0.0051	U		<0.0051	U	
		VMP-23-5-072017	7/20/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0027	J		<0.0048	U		<0.0048	U	
		VMP-23-5-102517	10/25/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0022	J		<0.0048	U		<0.0048	U	
		VMP-23-5-012318	1/23/2018	<0.0044	U		<0.0099	U		<0.0078	U		<0.0078	U		<0.0078	U		0.0037	J		<0.0052	U		<0.0052	U	
	10 ft	VMP-23-10-042517	4/25/2017	<0.0044	U		<0.0099	U		<0.0077	U		<0.0077	U		<0.0077	U		0.0024	J		<0.0052	U		<0.0052	U	
		VMP-23-10-072017	7/20/2017	<0.0041	U		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		0.0033	J		<0.0048	U		<0.0048		

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Cyclohexane			1,2-Dibromoethane			1,2-Dichlorobenzene			1,3-Dichlorobenzene			1,4-Dichlorobenzene			Dichlorodifluoromethane			1,1-Dichloroethane			1,2-Dichloroethane		
							0.0078			290						1200			270			690			0.099		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-24	5 ft	VMP-24-5-042117	4/21/2017	<0.0046	U		<0.01	U		<0.0081	U		<0.0081	U		<0.0081	U		0.0025	J		<0.0054	U		<0.0054	U	
		VMP-24-5-072117	7/21/2017	<0.0043	U		<0.0096	U		<0.0075	U		<0.0075	U		<0.0075	U		0.0032	J		<0.005	U		<0.005	U	
		VMP-24-5-102517	10/25/2017	<0.0041	U		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		0.0022	J		<0.0048	U		<0.0048	U	
		VMP-24-5-012418	1/24/2018	0.00074	J		<0.0087	U		<0.0068	U		<0.0068	U		<0.0068	U		0.003	J		<0.0046	U		<0.0046	U	
	10 ft	VMP-24-10-042117	4/21/2017	<0.004	U		<0.0089	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0023	J		<0.0047	U		<0.0047	U	
		VMP-24-10-072117	7/21/2017	<0.0042	U		<0.0094	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0027	J		<0.0049	U		<0.0049	U	
		VMP-24-10-102517	10/25/2017	<0.0038	U		<0.0084	U		<0.0066	U		<0.0066	U		<0.0066	U		0.0027	J		<0.0044	U		<0.0044	U	
		VMP-24-10-012418	1/24/2018	<0.0038	U		0.001	J		<0.0066	U		<0.0066	U		<0.0066	U		0.004	J		<0.0044	U		<0.0044	U	
	22 ft	VMP-24-22-042117	4/21/2017	<0.004	U		<0.0089	U		<0.007	U		<0.007	U		<0.007	U		0.0035	J		<0.0047	U		<0.0047	U	
		VMP-24-22-072117	7/21/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0029	J		<0.0048	U		<0.0048	U	
		VMP-24-22-102517	10/25/2017	<0.0038	U		<0.0085	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0023	J		<0.0045	U		<0.0045	U	
		VMP-24-22-013118	1/31/2018	<0.0039	U		<0.0087	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0032	J		<0.0046	U		<0.0046	U	
	34 ft	VMP-24-34-042117	4/21/2017	<0.004	U		<0.0089	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0026	J		<0.0047	U		<0.0047	U	
		VMP-24-34-042117-DUP	4/21/2017	<0.0041	U		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		0.0025	J		<0.0048	U		<0.0048	U	
		VMP-24-34-072117	7/21/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0024	J		<0.0048	U		<0.0048	U	
		VMP-24-34-072117-DUP	7/21/2017	<0.0042	U		<0.0093	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0033	J		<0.0049	U		<0.0049	U	
VMP-24-34-102517		10/25/2017	<0.004	U		<0.0089	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0025	J		<0.0047	U		<0.0047	U		
VMP-24-34-012418		1/24/2018	<0.0036	U		<0.0081	U		<0.0064	U		<0.0064	U		<0.0064	U		0.0039	J		<0.0043	U		<0.0043	U		
VMP-32	5 ft	VMP-32-5-052217	5/22/2017	<0.0042	U		<0.0094	U		<0.0074	U		<0.0074	U		<0.0074	U		0.0021	J		<0.005	U		<0.005	U	
		VMP-32-5-072417	7/24/2017	<0.0041	U		<0.0091	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0023	J		<0.0048	U		<0.0048	U	
		VMP-32-5-103117	10/31/2017	<0.0039	U		<0.0086	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0029	J		<0.0046	U		<0.0046	U	
		VMP-32-5-012918	1/29/2018	<0.0037	U		<0.0083	U		<0.0065	U		<0.0065	U		<0.0065	U		0.003	J		<0.0044	U		<0.0044	U	
	10 ft	VMP-32-10-042517	4/25/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.002	J		<0.0049	U		<0.0049	U	
		VMP-32-10-072417	7/24/2017	<0.0042	U		<0.0094	U		<0.0073	U		<0.0073	U		<0.0073	U		0.002	J		<0.0049	U		<0.0049	U	
		VMP-32-10-103117	10/31/2017	<0.0041	U		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		0.0024	J		<0.0048	U		<0.0048	U	
		VMP-32-10-012918	1/29/2018	<0.0037	U		<0.0083	U		<0.0065	U		<0.0065	U		<0.0065	U		0.003	J		<0.0044	U		<0.0044	U	
	20 ft	VMP-32-20-042517	4/25/2017	<0.0042	U		<0.0094	U		<0.0074	U		<0.0074	U		<0.0074	U		0.0023	J		<0.005	U		<0.005	U	
		VMP-32-20-072417	7/24/2017	<0.0043	U		<0.0095	U		<0.0074	U		<0.0074	U		<0.0074	U		0.0025	J		<0.005	U		<0.005	U	
		VMP-32-20-103117	10/31/2017	<0.004	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0025	J		<0.0046	U		<0.0046	U	
		VMP-32-20-012918	1/29/2018	<0.0035	U		<0.0078	U		<0.0061	U		<0.0061	U		<0.0061	U		0.0027	J		<0.0041	U		<0.0041	U	
	30 ft	VMP-32-30-042517	4/25/2017	<0.0043	U		<0.0095	U		<0.0074	U		<0.0074	U		<0.0074	U		0.0021	J		<0.005	U		<0.005	U	
		VMP-32-30-042517-DUP	4/25/2017	<0.0042	U		<0.0093	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0023	J		<0.0049	U		<0.0049	U	
		VMP-32-30-072417	7/24/2017	0.0044			<0.0095	U		<0.0074	U		<0.0074	U		<0.0074	U		0.0029	J		<0.005	U		<0.005	U	
		VMP-32-30-072417-DUP	7/24/2017	<0.0042	U		<0.0093	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0026	J		<0.0049	U		<0.0049	U	
VMP-32-30-103117		10/31/2017	<0.0077	U		<0.017	U		<0.013	U		<0.013	U		<0.013	U		<0.011	U		<0.0091	U		<0.0091	U		
VMP-32-30-012918		1/29/2018	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0028	J		<0.0045	U		<0.0045	U		
VMP-42	10 ft	VMP-42-10-050317	5/3/2017	<0.0039	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0022	J		<0.0046	U		<0.0046	U	
		VMP-42-10-072017	7/20/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0019	J		<0.0048	U		<0.0048	U	
		VMP-42-10-110117	11/1/2017	<0.0035	U		<0.0079	U		<0.0062	U		<0.0062	U		<0.0062	U		0.0021	J		<0.0041	U		<0.0041	U	
		VMP-42-10-012318	1/23/2018	<0.0038	U		<0.0085	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0025	J		<0.004					

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Cyclohexane			1,2-Dibromoethane			1,2-Dichlorobenzene			1,3-Dichlorobenzene			1,4-Dichlorobenzene			Dichlorodifluoromethane			1,1-Dichloroethane			1,2-Dichloroethane				
							0.0078			290						1200			270			690			0.099				
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals		
VMP-44	10 ft	VMP-44-10-042517	4/25/2017	<0.0042	U		<0.0095	U		<0.0074	U		<0.0074	U		<0.0074	U		0.0022	J		<0.005	U		<0.005	U			
		VMP-44-10-072517	7/25/2017	<0.0044	U		<0.0097	U		<0.0076	U		<0.0076	U		<0.0076	U		0.0022	J		<0.0051	U		<0.0051	U			
		VMP-44-10-102517	10/25/2017	<0.0042	U		<0.0094	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0023	J		<0.0049	U		<0.0049	U			
		VMP-44-10-012518	1/25/2018	0.00088	J		<0.0089	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0036	J		<0.0047	U		<0.0047	U			
	20 ft	VMP-44-20-042517	4/25/2017	<0.0045	U		<0.01	U		<0.0079	U		<0.0079	U		<0.0079	U		0.0028	J		<0.0053	U		<0.0053	U			
		VMP-44-20-072517	7/25/2017	0.0015	J		<0.01	U		<0.0078	U		<0.0078	U		<0.0078	U		0.0018	J		<0.0052	U		<0.0052	U			
		VMP-44-20-102517	10/25/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.002	J		<0.0048	U		<0.0048	U			
		VMP-44-20-012518	1/25/2018	<0.0039	U		<0.0087	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0029	J		<0.0046	U		<0.0046	U			
	30 ft	VMP-44-30-042517	4/25/2017	<0.0046	U		<0.01	U		<0.0081	U		<0.0081	U		<0.0081	U		0.0023	J		<0.0054	U		<0.0054	U			
		VMP-44-30-072517	7/25/2017	<0.0043	U		<0.0097	U		<0.0076	U		<0.0076	U		<0.0076	U		<0.0062	U		<0.0051	U		<0.0051	U			
		VMP-44-30-102517	10/25/2017	<0.0041	U		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		0.0024	J		<0.0048	U		<0.0048	U			
		VMP-44-30-102517-DUP	10/25/2017	<0.004	U		<0.009	U		<0.007	U		<0.007	U		<0.007	U		0.0022	J		<0.0047	U		<0.0047	U			
VMP-44-30-012518	1/25/2018	<0.0039	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0029	J		<0.0046	U		<0.0046	U		
	VMP-44-30-012518-DUP	1/25/2018	<0.0039	U		<0.0088	U		<0.0068	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0031	J		<0.0046	U		<0.0046	U	
	VMP-45	10 ft	VMP-45-10-042617	4/26/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0028	J		<0.0049	U		<0.0049	U		
			VMP-45-10-072517	7/25/2017	<0.0043	U		<0.0097	U		<0.0076	U		<0.0076	U		<0.0076	U		0.0029	J		<0.0051	U		<0.0051	U		
VMP-45-10-103117			10/31/2017	0.00057	J		<0.0084	U		<0.0066	U		<0.0066	U		<0.0066	U		0.0027	J		<0.0044	U		<0.0044	U			
VMP-45-10-012418			1/24/2018	<0.0037	U		<0.0083	U		<0.0065	U		<0.0065	U		<0.0065	U		0.0033	J		<0.0044	U		<0.0044	U			
20 ft		VMP-45-20-042617	4/26/2017	<0.0046	U		<0.01	U		<0.0081	U		<0.0081	U		<0.0081	U		0.0027	J		<0.0054	U		<0.0054	U			
		VMP-45-20-072517	7/25/2017	<0.0043	U		<0.0096	U		<0.0075	U		<0.0075	U		<0.0075	U		0.0034	J		<0.005	U		<0.005	U			
		VMP-45-20-103117	10/31/2017	<0.0038	U		<0.0084	U		<0.0066	U		<0.0066	U		<0.0066	U		0.0027	J		<0.0044	U		<0.0044	U			
		VMP-45-20-012418	1/24/2018	<0.0038	U		<0.0084	U		<0.0066	U		<0.0066	U		<0.0066	U		0.0032	J		<0.0044	U		<0.0044	U			
30 ft		VMP-45-30-042617	4/26/2017	<0.0042	U		<0.0094	U		<0.0074	U		<0.0074	U		<0.0074	U		0.0023	J		<0.005	U		<0.005	U			
		VMP-45-30-042617-DUP	4/26/2017	<0.004	U		<0.0089	U		<0.007	U		<0.007	U		<0.007	U		0.002	J		<0.0047	U		<0.0047	U			
		VMP-45-30-072517	7/25/2017	<0.0043	U		<0.0097	U		<0.0076	U		<0.0076	U		<0.0076	U		0.0023	J		<0.0051	U		<0.0051	U			
		VMP-45-30-103117	10/31/2017	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0023	J		<0.0045	U		<0.0045	U			
VMP-45-30-012418	1/24/2018	<0.0039	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0039	J		<0.0046	U		<0.0046	U		
	VMP-47	5 ft	VMP-47-5-042717	4/27/2017	<0.0037	U		<0.0083	U		<0.0065	U		<0.0065	U		<0.0065	U		0.0034	J		<0.0044	U		<0.0044	U		
			VMP-47-5-072417	7/24/2017	<0.0042	U		<0.0093	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0025	J		<0.0049	U		<0.0049	U		
			VMP-47-5-102617	10/26/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0026	J		<0.0048	U		<0.0048	U		
VMP-47-5-012618			1/26/2018	<0.0039	U		<0.0088	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0028	J		<0.0046	U		<0.0046	U			
10 ft		VMP-47-10-042717	4/27/2017	<0.004	U		<0.009	U		<0.007	U		<0.007	U		<0.007	U		0.0079			<0.0047	U		<0.0047	U			
		VMP-47-10-072417	7/24/2017	<0.0041	U		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		0.0038	J		<0.0048	U		<0.0048	U			
		VMP-47-10-102617	10/26/2017	<0.0041	U		<0.0091	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0021	J		<0.0048	U		<0.0048	U			
		VMP-47-10-012618	1/26/2018	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0023	J		<0.0045	U		<0.0045	U			
20 ft		VMP-47-20-042717	4/27/2017	<0.0039	U		<0.0088	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0027	J		<0.0046	U		<0.0046	U			
		VMP-47-20-072417	7/24/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0027	J		<0.0048	U		<0.0048	U			
		VMP-47-20-102617	10/26/2017	<0.0041	U		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		0.0023	J		<0.0048	U		<0.0048	U			
		VMP-47-20-012618	1/26/2018	<0.0041	U		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		0.0026	J		<0.0048	U		<0.0048	U			
30 ft	VMP-47-20-012618-DUP	1/26/2018	<0.0039	U		<0.0088	U</																						

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Cyclohexane			1,2-Dibromoethane			1,2-Dichlorobenzene			1,3-Dichlorobenzene			1,4-Dichlorobenzene			Dichlorodifluoromethane			1,1-Dichloroethane			1,2-Dichloroethane		
							0.0078			290						1200			270			690			0.099		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-49	5 ft	VMP-49-5-042417	4/24/2017	<0.005	U		<0.011	U		<0.0087	U		<0.0087	U		<0.0087	U		0.0027	J		<0.0059	U		<0.0059	U	
		VMP-49-5-072617	7/26/2017	<0.0042	U		<0.0093	U		<0.0073	U		<0.0073	U		0.07			0.0026	J		<0.0049	U		<0.0049	U	
		VMP-49-5-102717	10/27/2017	<0.0039	U		<0.0087	U		<0.0068	U		<0.0068	U		0.018			0.0031	J		<0.0046	U		<0.0046	U	
		VMP-49-5-012618	1/26/2018	<0.0039	U		<0.0088	U		<0.0069	U		<0.0069	U		0.0073			0.0026	J		<0.0046	U		<0.0046	U	
	10 ft	VMP-49-10-042417	4/24/2017	<0.0049	U		<0.011	U		<0.0086	U		<0.0086	U		<0.0086	U		0.0022	J		<0.0058	U		<0.0058	U	
		VMP-49-10-072617	7/26/2017	<0.0043	U		<0.0097	U		<0.0076	U		<0.0076	U		<0.0076	U		0.003	J		<0.0051	U		<0.0051	U	
		VMP-49-10-102717	10/27/2017	<0.004	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0028	J		<0.0046	U		<0.0046	U	
		VMP-49-10-012618	1/26/2018	<0.0039	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0022	J		<0.0046	U		<0.0046	U	
	20 ft	VMP-49-20-042417	4/24/2017	<0.0048	U		<0.011	U		<0.0085	U		<0.0085	U		<0.0085	U		0.0028	J		<0.0057	U		<0.0057	U	
		VMP-49-20-072617	7/26/2017	<0.0042	U		<0.0093	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0031	J		<0.0049	U		<0.0049	U	
		VMP-49-20-102717	10/27/2017	<0.0037	U		<0.0083	U		<0.0065	U		<0.0065	U		<0.0065	U		0.0028	J		<0.0044	U		<0.0044	U	
		VMP-49-20-012618	1/26/2018	<0.004	U		<0.009	U		<0.007	U		<0.007	U		<0.007	U		0.0022	J		<0.0047	U		<0.0047	U	
	30 ft	VMP-49-30-042417	4/24/2017	<0.0047	U		<0.01	U		<0.0083	U		<0.0083	U		<0.0083	U		0.0024	J		<0.0056	U		<0.0056	U	
		VMP-49-30-072617	7/26/2017	<0.0043	U		<0.0096	U		<0.0075	U		<0.0075	U		<0.0075	U		0.0027	J		<0.005	U		<0.005	U	
		VMP-49-30-072617-DUP	7/26/2017	<0.0043	U		<0.0096	U		<0.0075	U		<0.0075	U		<0.0075	U		0.002	J		<0.005	U		<0.005	U	
		VMP-49-30-102717	10/27/2017	<0.0039	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0026	J		<0.0046	U		<0.0046	U	
		VMP-49-30-012618	1/26/2018	<0.0041	U		<0.0091	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0029	J		<0.0048	U		<0.0048	U	
VMP-50	5 ft	VMP-50-5-050317	5/3/2017	<0.0037	U		<0.0083	U		<0.0065	U		<0.0065	U		<0.0065	U		0.0025	J		<0.0044	U		<0.0044	U	
		VMP-50-5-072617	7/26/2017	<0.0044	U		<0.0097	U		<0.0076	U		<0.0076	U		<0.0076	J	U	0.0022	J		<0.0051	U		<0.0051	U	
		VMP-50-5-110117	11/1/2017	<0.0038	U		<0.0085	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0019	J		<0.0045	U		<0.0045	U	
		VMP-50-5-013118	1/31/2018	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0029	J		<0.0048	U		<0.0048	U	
	10 ft	VMP-50-10-050317	5/3/2017	<0.0038	U		<0.0084	U		<0.0066	U		<0.0066	U		<0.0066	U		0.0023	J		<0.0044	U		<0.0044	U	
		VMP-50-10-072617	7/26/2017	<0.0043	U		<0.0097	U		<0.0076	U		<0.0076	U		<0.0076	U		0.0026	J		<0.0051	U		<0.0051	U	
		VMP-50-10-110117	11/1/2017	<0.0038	U		<0.0085	U		<0.0066	U		<0.0066	U		<0.0066	U		0.0022	J		<0.0045	U		<0.0045	U	
		VMP-50-10-013118	1/31/2018	<0.0039	U		<0.0087	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0026	J		<0.0046	U		<0.0046	U	
	20 ft	VMP-50-20-050317	5/3/2017	0.0034	J		<0.0082	U		<0.0064	U		<0.0064	U		<0.0064	U		0.0026	J		<0.0043	U		<0.0043	U	
		VMP-50-20-072617	7/26/2017	<0.0042	U		<0.0094	U		<0.0074	U		<0.0074	U		<0.0074	U		0.0023	J		<0.005	U		<0.005	U	
		VMP-50-20-110117	11/1/2017	<0.0037	U		<0.0082	U		<0.0064	U		<0.0064	U		<0.0064	U		0.0021	J		<0.0043	U		<0.0043	U	
		VMP-50-20-013118	1/31/2018	0.87			<0.036	U		<0.028	U		<0.028	U		<0.028	U		<0.023	U		<0.019	U		<0.019	U	
			VMP-50-20-013118-DUP	1/31/2018	1		<0.036	U		<0.028	U		<0.028	U		<0.028	U		<0.023	U		<0.019	U		<0.019	U	
	30 ft	VMP-50-30-050317	5/3/2017	5.8			<0.11	U		<0.084	U		<0.084	U		<0.084	U		<0.069	U		<0.056	U		<0.056	U	
		VMP-50-30-050317-DUP	5/3/2017	5.4			<0.11	U		<0.086	U		<0.086	U		<0.086	U		<0.071	U		<0.058	U		<0.058	U	
		VMP-50-30-072617	7/26/2017	5			<0.13	U		<0.099	U		<0.099	U		<0.099	U		<0.081	U		<0.066	U		<0.066	U	
VMP-50-30-110117		11/1/2017	7.3			<0.085	U		<0.067	U		<0.067	U		<0.067	U		<0.055	U		<0.045	U		<0.045	U		
		VMP-50-30-110117-DUP	11/1/2017	7.7		<0.083	U		<0.065	U		<0.065	U		<0.065	U		<0.054	U		<0.044	U		<0.044	U		
		VMP-50-30-013118	1/31/2018	7.7		<0.087	U		<0.068	U		<0.068	U		<0.068	U		<0.056	U		<0.046	U		<0.046	U		
VMP-51	5 ft	VMP-51-5-042517	4/25/2017	<0.0044	U		<0.0097	U		<0.0076	U		<0.0076	U		<0.0076	U		0.0023	J		<0.0051	U		<0.0051	U	
		VMP-51-5-072017	7/20/2017	<0.0044	U		<0.0098	U		<0.0076	U		<0.0076	U		<0.0076	U		0.0015	J		<0.0051	U		<0.0051	U	
		VMP-51-5-103017	10/30/2017	<0.0039	U		<0.0086	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0024	J		<0.0046	U		<0.0046	U	
		VMP-51-5-012318	1/23/2018	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0032	J		<0.0045	U		<0.0045	U	
	10 ft	VMP-51-10-042517	4/25/2017	<0.0041	U		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		0.0021	J		<0.0048	U		<0.0048	U	
		VMP-51-10-072017	7/20/2017	<0.0039	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.002	J		<0.0046	U		<0.0046	U	
		VMP-51-10-103017	10/30/2017	<0.0039	U		<0.0087	U		<																	

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Cyclohexane			1,2-Dibromoethane			1,2-Dichlorobenzene			1,3-Dichlorobenzene			1,4-Dichlorobenzene			Dichlorodifluoromethane			1,1-Dichloroethane			1,2-Dichloroethane			
							0.0078			290						1200			270			690			0.099			
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	
VMP-52	5 ft	VMP-52-5-042417	4/24/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0029	J		<0.0048	U		<0.0048	U		
		VMP-52-5-072117	7/21/2017	<0.0043	U		<0.0096	U		<0.0075	U		<0.0075	U		<0.0075	U		0.0032	J		<0.0051	U		<0.0051	U		
		VMP-52-5-102517	10/25/2017	<0.0039	U		<0.0086	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0026	J		<0.0046	U		<0.0046	U		
		VMP-52-5-012418	1/24/2018	<0.0038	U		<0.0084	U		<0.0066	U		<0.0066	U		<0.0066	U		0.0035	J		<0.0044	U		<0.0044	U		
	10 ft	VMP-52-10-042417	4/24/2017	<0.0042	U		<0.0094	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0026	J		<0.0049	U		<0.0049	U		
		VMP-52-10-072117	7/21/2017	<0.0044	U		<0.0098	U		<0.0076	U		<0.0076	U		<0.0076	U		0.0026	J		<0.0051	U		<0.0051	U		
		VMP-52-10-102517	10/25/2017	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.002	J		<0.0045	U		<0.0045	U		
		VMP-52-10-012418	1/24/2018	0.0012	J		<0.009	U		<0.007	U		<0.007	U		<0.007	U		0.0034	J		<0.0047	U		<0.0047	U		
	20 ft	VMP-52-20-042417	4/24/2017	<0.0045	U		<0.01	U		<0.0078	U		<0.0078	U		<0.0078	U		0.0023	J		<0.0053	U		<0.0053	U		
		VMP-52-20-072117	7/21/2017	<0.0043	U		<0.0096	U		<0.0075	U		<0.0075	U		<0.0075	U		0.0034	J		<0.005	U		<0.005	U		
		VMP-52-20-102517	10/25/2017	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0021	J		<0.0045	U		<0.0045	U		
		VMP-52-20-012418	1/24/2018	0.0011	J		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.004	J		<0.0045	U		<0.0045	U		
	30 ft	VMP-52-20-012418-DUP	1/24/2018	0.0011	J		<0.0083	U		<0.0065	U		<0.0065	U		<0.0065	U		0.0034	J		<0.0044	U		<0.0044	U		
		VMP-52-30-042417	4/24/2017	<0.0042	U		<0.0094	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0024	J		<0.0049	U		<0.0049	U		
		VMP-52-30-072117	7/21/2017	<0.0044	U		<0.0098	U		<0.0077	U		<0.0077	U		<0.0077	U		0.0028	J		<0.0052	U		<0.0052	U		
		VMP-52-30-102517	10/25/2017	<0.004	U		<0.0089	U		<0.007	U		<0.007	U		<0.007	U		0.0022	J		<0.0047	U		<0.0047	U		
30 ft	VMP-52-30-102517-DUP	10/25/2017	<0.0041	U		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		0.0025	J		<0.0048	U		<0.0048	U			
	VMP-52-30-012418	1/24/2018	<0.0036	U		<0.008	U		<0.0062	U		<0.0062	U		<0.0062	U		0.0045	J		<0.0042	U		<0.0042	U			
	VMP-53	5 ft	VMP-53-5-042017	4/20/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0024	J		<0.0048	U		<0.0048	U	
			VMP-53-5-071917	7/19/2017	<0.0042	U		<0.0094	U		<0.0074	U		<0.0074	U		<0.0074	U		<0.0061	U		<0.005	U		<0.005	U	
VMP-53-5-110117			11/1/2017	<0.0037	U		<0.0082	U		<0.0064	U		<0.0064	U		<0.0064	U		0.0022	J		<0.0043	U		<0.0043	U		
VMP-53-5-012218			1/22/2018	<0.0042	U		<0.0093	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0022	J		<0.0049	U		<0.0049	U		
10 ft		VMP-53-10-042017	4/20/2017	<0.0041	U		<0.0091	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0027	J		<0.0048	U		<0.0048	U		
		VMP-53-10-071917	7/19/2017	<0.0042	U		<0.0093	U		<0.0073	U		<0.0073	U		<0.0073	U		0.002	J		<0.0049	U		<0.0049	U		
		VMP-53-10-110117	11/1/2017	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0022	J		<0.0045	U		<0.0045	U		
		VMP-53-10-012218	1/22/2018	<0.0042	U		<0.0093	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0024	J		<0.0049	U		<0.0049	U		
20 ft		VMP-53-20-042017	4/20/2017	<0.0041	U		<0.0091	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0024	J		<0.0048	U		<0.0048	U		
		VMP-53-20-071917	7/19/2017	<0.0042	U		<0.0094	U		<0.0074	U		<0.0074	U		<0.0074	U		<0.0061	U		<0.005	U		<0.005	U		
		VMP-53-20-110117	11/1/2017	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0018	J		<0.0045	U		<0.0045	U		
		VMP-53-20-012218	1/22/2018	<0.004	U		<0.009	U		<0.0071	U		<0.0071	U		<0.0071	U		0.0021	J		<0.0048	U		<0.0048	U		
30 ft		VMP-53-20-012218-DUP	1/22/2018	0.00071	J		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0022	J		<0.0049	U		<0.0049	U		
		VMP-53-30-042017	4/20/2017	<0.0039	U		<0.0088	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0025	J		<0.0046	U		<0.0046	U		
		VMP-53-30-042017-DUP	4/20/2017	<0.0038	U		<0.0085	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0023	J		<0.0045	U		<0.0045	U		
		VMP-53-30-071917	7/19/2017	<0.0042	U		<0.0094	U		<0.0074	U		<0.0074	U		<0.0074	U		0.0028	J		<0.005	U		<0.005	U		
30 ft	VMP-53-30-071917-DUP	7/19/2017	<0.0042	U		<0.0093	U		<0.0073	U		<0.0073	U		<0.0073	U		<0.006	U		<0.0049	U		<0.0049	U			
	VMP-53-30-110117	11/1/2017	<0.0038	U		<0.0084	U		<0.0066	U		<0.0066	U		<0.0066	U		<0.0054	U		<0.0044	U		<0.0044	U			
	VMP-53-30-012218	1/22/2018	<0.0042	U		<0.0093	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0021	J		<0.0049	U		<0.0049	U			
	VMP-54	5 ft	VMP-54-5-042017	4/20/2017	<0.0043	U		<0.0097	U		<0.0076	U		<0.0076	U		<0.0076	U		0.0025	J		<0.0051	U		<0.0051	U	
VMP-54-5-071917			7/19/2017	<0.0042	U		<0.0094	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0025	J		<0.0049	U		<0.0049	U		
VMP-54-5-102617			10/26/2017	<0.0037	U		<0.0083	U		<0.0065	U		<0.0065	U		<0.0065	U	</										

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Cyclohexane			1,2-Dibromoethane			1,2-Dichlorobenzene			1,3-Dichlorobenzene			1,4-Dichlorobenzene			Dichlorodifluoromethane			1,1-Dichloroethane			1,2-Dichloroethane		
							0.0078			290						1200			270			690			0.099		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-62	5 ft	VMP-62-5-042517	4/25/2017	<0.0044	U		<0.0099	U		<0.0078	U		<0.0078	U		<0.0078	U		0.0025	J		<0.0052	U		<0.0052	U	
		VMP-62-5-072517	7/25/2017	0.0057			<0.0082	U		<0.0064	U		<0.0064	U		<0.0064	U		0.0031	J		<0.0043	U		<0.0043	U	
		VMP-62-5-083017	8/30/2017	<0.0042	U		<0.0095	U		<0.0074	U		<0.0074	U		<0.0074	U		0.003	J		<0.005	U		<0.005	U	
		VMP-62-5-110317	11/3/2017	0.026			<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0028	J		<0.0045	U		<0.0045	U	
		VMP-62-5-012918	1/29/2018	<0.0037	U		<0.0083	U		<0.0065	U		<0.0065	U		<0.0065	U		0.0031	J		<0.0044	U		<0.0044	U	
	10 ft	VMP-62-10-042517	4/25/2017	<0.0045	U		<0.01	U		<0.0079	U		<0.0079	U		<0.0079	U		0.0039	J		<0.0053	U		<0.0053	U	
		VMP-62-10-072517	7/25/2017	<0.0041	U		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		0.0031	J		<0.0048	U		<0.0048	U	
		VMP-62-10-110317	11/3/2017	<0.0038	U		<0.0084	U		<0.0066	U		<0.0066	U		<0.0066	U		0.0023	J		<0.0044	U		<0.0044	U	
		VMP-62-10-012918	1/29/2018	<0.0037	U		<0.0082	U		<0.0064	U		<0.0064	U		<0.0064	U		0.0034	J		<0.0043	U		<0.0043	U	
	20 ft	VMP-62-20-042517	4/25/2017	<0.0042	U		<0.0095	U		<0.0074	U		<0.0074	U		<0.0074	U		0.0034	J		<0.005	U		<0.005	U	
		VMP-62-20-072517	7/25/2017	<0.0042	U		<0.0093	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0022	J		<0.0049	U		<0.0049	U	
		VMP-62-20-110317	11/3/2017	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0025	J		<0.0045	U		<0.0045	U	
		VMP-62-20-012918	1/29/2018	<0.0036	U		<0.008	U		<0.0063	U		<0.0063	U		<0.0063	U		0.0029	J		<0.0042	U		<0.0042	U	
	30 ft	VMP-62-30-042517	4/25/2017	<0.0044	U		<0.0098	U		<0.0076	U		<0.0076	U		<0.0076	U		0.0032	J		<0.0051	U		<0.0051	U	
		VMP-62-30-072517	7/25/2017	<0.0042	U		<0.0093	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0026	J		<0.0049	U		<0.0049	U	
		VMP-62-30-072517-DUP	7/25/2017	<0.0041	U		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		0.0025	J		<0.0048	U		<0.0048	U	
		VMP-62-30-110317	11/3/2017	<0.0039	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0025	J		<0.0046	U		<0.0046	U	
		VMP-62-30-110317-DUP	11/3/2017	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0027	J		<0.0045	U		<0.0045	U	
		VMP-62-30-012918	1/29/2018	<0.0036	U		<0.008	U		<0.0062	U		<0.0062	U		<0.0062	U		0.0031	J		<0.0042	U		<0.0042	U	
		VMP-62-30-012918-DUP	1/29/2018	<0.0037	U		<0.0082	U		<0.0064	U		<0.0064	U		<0.0064	U		0.003	J		<0.0043	U		<0.0043	U	
VMP-63	5 ft	VMP-63-5-042517	4/25/2017	<0.0041	U		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		<0.0059	U		<0.0048	U		<0.0048	U	
		VMP-63-5-072517	7/25/2017	<0.0041	U		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		0.002	J		<0.0048	U		<0.0048	U	
		VMP-63-5-110117	11/1/2017	<0.0038	U		<0.0085	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0021	J		<0.0045	U		<0.0045	U	
		VMP-63-5-012618	1/26/2018	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0029	J		<0.0045	U		<0.0045	U	
	10 ft	VMP-63-10-042517	4/25/2017	<0.0044	U		<0.0097	U		<0.0076	U		<0.0076	U		<0.0076	U		<0.0062	U		<0.0051	U		<0.0051	U	
		VMP-63-10-072517	7/25/2017	<0.0042	U		<0.0094	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0022	J		<0.0049	U		<0.0049	U	
		VMP-63-10-110117	11/1/2017	<0.0038	U		<0.0085	U		<0.0067	U		<0.0067	U		<0.0067	U		0.002	J		<0.0045	U		<0.0045	U	
		VMP-63-10-012618	1/26/2018	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0028	J		<0.0045	U		<0.0045	U	
	20 ft	VMP-63-20-042517	4/25/2017	<0.004	U		<0.009	U		<0.007	U		<0.007	U		<0.007	U		0.0021	J		<0.0047	U		<0.0047	U	
		VMP-63-20-072517	7/25/2017	<0.0042	U		<0.0095	U		<0.0074	U		<0.0074	U		<0.0074	U		0.0022	J		<0.005	U		<0.005	U	
		VMP-63-20-110117	11/1/2017	<0.0038	U		<0.0085	U		<0.0066	U		<0.0066	U		<0.0066	U		0.0022	J		<0.0045	U		<0.0045	U	
		VMP-63-20-012618	1/26/2018	<0.0039	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0026	J		<0.0046	U		<0.0046	U	
	30 ft	VMP-63-30-042517	4/25/2017	<0.0042	U		<0.0093	U		<0.0073	U		<0.0073	U		<0.0073	U		<0.006	U		<0.0049	U		<0.0049	U	
		VMP-63-30-072517	7/25/2017	<0.004	U		<0.009	U		<0.007	U		<0.007	U		<0.007	U		0.0021	J		<0.0047	U		<0.0047	U	
		VMP-63-30-110117	11/1/2017	<0.0038	U		<0.0085	U		<0.0067	U		<0.0067	U		<0.0067	U		0.002	J		<0.0045	U		<0.0045	U	
		VMP-63-30-012618	1/26/2018	<0.0039	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0026	J		<0.0046	U		<0.0046	U	
		VMP-63-30-012618-DUP	1/26/2018	<0.0038	U		<0.0084	U		<0.0066	U		<0.0066	U		<0.0066	U		0.0025	J		<0.0044	U		<0.0044	U	
VMP-64	5 ft	VMP-64-5-042717	4/27/2017	<0.0036	U		<0.008	U		<0.0063	U		<0.0063	U		<0.0063	U		0.0026	J		<0.0042	U		<0.0042	U	
		VMP-64-5-072517	7/25/2017	<0.008	U		<0.018	U		<0.014	U		<0.014	U		<0.014	U		0.0021	J		<0.0094	U		<0.0094	U	
		VMP-64-5-110317	11/3/2017	<0.0039	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0027	J		<0.0046	U		<0.0046	U	
		VMP-64-5-012218	1/22/2018	<0.0039	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0023	J		<0.0046	U		<0.0046	U	
	10 ft	VMP-64-10-042717	4/27/2017	<0.004	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0024	J		<0.0046	U		<0.0046	U	
		VMP-64-10-072517	7/25/2017	<0.0044	U		<0.0097	U		<0.0076	U		<0.0076	U		<0.0076	U		0.0025	J		<0.0051	U		<0.0051	U	
		VMP-64-10-110317	11/3/2017	<0.0037	U		<0.0082	U		<0.006																	

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	1,1-Dichloroethene			cis-1,2-Dichloroethene			trans-1,2-Dichloroethene			Dichloromethane (Methylene chloride)			1,2-Dichloropropane			cis-1,3-Dichloropropene			trans-1,3-Dichloropropene			1,4-Dioxane		
				240			1100000			85			5.6			0.31									0.22		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-1	5 ft	VMP-1-5-042817	4/28/2017	<0.0051	U		<0.0051	U		<0.0051	U		<0.045	U		<0.0059	U		<0.0058	U		<0.0058	U		<0.018	U	
		VMP-1-5-072417	7/24/2017	<0.0049	U		<0.0049	U		<0.0049	U		0.008	J		<0.0057	U		<0.0056	U		<0.0056	U		<0.018	U	
		VMP-1-5-102617	10/26/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U	
		VMP-1-5-012618	1/26/2018	<0.0043	U		<0.0043	U		<0.0043	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
	8.5 ft	VMP-1-8.5-042817	4/28/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.039	U		<0.0052	U		<0.0052	U		<0.0052	U		<0.016	U	
		VMP-1-8.5-072417	7/24/2017	<0.0049	U		<0.0049	U		<0.0049	U		0.0031	J		<0.0058	U		<0.0056	U		<0.0056	U		<0.018	U	
		VMP-1-8.5-102617	10/26/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
		VMP-1-8.5-012418	1/24/2018	<0.0044	U		<0.0044	U		<0.0044	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
	23.5 ft	VMP-1-23.5-042817	4/28/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.017	U	
		VMP-1-23.5-042817-DUP	4/28/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.039	U		<0.0052	U		<0.0052	U		<0.0052	U		<0.016	U	
		VMP-1-23.5-072417	7/24/2017	<0.0047	U		<0.0047	U		<0.0047	U		0.044			<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-1-23.5-102617	10/26/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0054	U		<0.0054	U		<0.0054	U		<0.017	U	
VMP-1-23.5-012618	1/26/2018	<0.0043	U		<0.0043	U		<0.0043	U		<0.038	U		<0.005	U		<0.0049	U		<0.0049	U		<0.016	U			
VMP-2	5 ft	VMP-2-5-050317	5/3/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U	
		VMP-2-5-072417	7/24/2017	<0.0049	U		<0.0049	U		<0.0049	U		0.018	J		<0.0057	U		<0.0056	U		<0.0056	U		<0.018	U	
		VMP-2-5-102617	10/26/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.041	U		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U	
		VMP-2-5-012918	1/29/2018	<0.0043	U		<0.0043	U		<0.0043	U		<0.038	U		<0.005	U		<0.0049	U		<0.0049	U		<0.016	U	
	8.5 ft	VMP-2-8.5-050317	5/3/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
		VMP-2-8.5-072417	7/24/2017	<0.0054	U		<0.0054	U		<0.0054	U		0.0034	J		<0.0063	U		<0.0062	U		<0.0062	U		<0.02	U	
		VMP-2-8.5-102617	10/26/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.018	U	
		VMP-2-8.5-012918	1/29/2018	<0.0044	U		<0.0044	U		<0.0044	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
	22 ft	VMP-2-22-050317	5/3/2017	<0.0044	U		<0.0044	U		<0.0044	U		0.0041	J		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
		VMP-2-22-072417	7/24/2017	<0.0052	U		<0.0052	U		<0.0052	U		<0.046	U		<0.006	U		<0.0059	U		<0.0059	U		<0.019	U	
		VMP-2-22-072417-DUP	7/24/2017	<0.005	U		<0.005	U		<0.005	U		0.003	J		<0.0058	U		<0.0057	U		<0.0057	U		<0.018	U	
		VMP-2-22-102617	10/26/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
VMP-2-22-012918	1/29/2018	<0.0043	U		<0.0043	U		<0.0043	U		<0.037	U		<0.005	U		<0.0049	U		<0.0049	U		<0.015	U			
VMP-3	5 ft	VMP-3-5-042717	4/27/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-3-5-072017	7/20/2017	<0.005	U		<0.005	U		<0.005	U		<0.044	U		<0.0058	U		<0.0057	U		<0.0057	U		<0.018	U	
		VMP-3-5-102617	10/26/2017	<0.0049	U		<0.0049	U		<0.0049	U		<0.043	U		<0.0057	U		<0.0056	U		<0.0056	U		<0.018	U	
		VMP-3-5-012318	1/23/2018	<0.0043	U		<0.0043	U		<0.0043	U		<0.038	U		<0.005	U		<0.0049	U		<0.0049	U		<0.016	U	
	10 ft	VMP-3-10-042717	4/27/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.041	U		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U	
		VMP-3-10-072017	7/20/2017	<0.0052	U		<0.0052	U		<0.0052	U		<0.046	U		<0.006	U		<0.0059	U		<0.0059	U		<0.019	U	
		VMP-3-10-102617	10/26/2017	<0.0049	U		<0.0049	U		<0.0049	U		<0.043	U		<0.0058	U		<0.0056	U		<0.0056	U		<0.018	U	
		VMP-3-10-012318	1/23/2018	<0.0044	U		<0.0044	U		<0.0044	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
	22 ft	VMP-3-22-042717	4/27/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-3-22-072017	7/20/2017	<0.005	U		<0.005	U		<0.005	U		<0.044	U		<0.0059	U		<0.0058	U		<0.0058	U		<0.018	U	
		VMP-3-22-102617	10/26/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-3-22-012318	1/23/2018	<0.0045	U		<0.0045	U		<0.0045	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
31.5 ft	VMP-3-31.5-042717	4/27/2017	<0.0049	U		<0.0049	U		<0.0049	U		<0.043	U		<0.0058	U		<0.0056	U		<0.0056	U		<0.018	U		
	VMP-3-31.5-072017	7/20/2017	<0.005	U		<0.005	U		<0.005	U		0.0077	J		<0.0058	U		<0.0057	U		<0.0057	U		<0.018	U		
	VMP-3-31.5-102617	10/26/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0054	U		<0.0054	U		<0.0054	U		<0.017	U		

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	1,1-Dichloroethene			cis-1,2-Dichloroethene			trans-1,2-Dichloroethene			Dichloromethane (Methylene chloride)			1,2-Dichloropropane			cis-1,3-Dichloropropene			trans-1,3-Dichloropropene			1,4-Dioxane		
				240			1100000			85			5.6			0.31									0.22		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-5	5 ft	VMP-5-5-042617	4/26/2017	<0.013	U		<0.013	U		<0.013	U		<0.12	U		<0.016	U		<0.015	U		<0.015	U		<0.048	U	
		VMP-5-5-072017	7/20/2017	<0.0046	U		<0.0046	U		<0.0046	U		0.0041	J		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U	
		VMP-5-5-103017	10/30/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
		VMP-5-5-012518	1/25/2018	<0.0043	U		<0.0043	U		<0.0043	U		<0.038	U		0.0017	J		<0.0049	U		<0.0049	U		<0.016	U	
	12.5 ft	VMP-5-12.5-042617	4/26/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-5-12.5-072017	7/20/2017	<0.005	U		<0.005	U		<0.005	U		0.0024	J		<0.0058	U		<0.0057	U		<0.0057	U		<0.018	U	
		VMP-5-12.5-102017	10/30/2017	<0.0042	U		<0.0042	U		<0.0042	U		<0.037	U		<0.0049	U		<0.0048	U		<0.0048	U		<0.015	U	
		VMP-5-12.5-012518	1/25/2018	<0.0045	U		<0.0045	U		<0.0045	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
	31 ft	VMP-5-31-042617	4/26/2017	<0.0048	U		<0.0048	U		<0.0048	U		0.0029	J		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-5-31-072017	7/20/2017	<0.0049	U		<0.0049	U		<0.0049	U		<0.043	U		<0.0058	U		<0.0056	U		<0.0056	U		<0.018	U	
		VMP-5-31-072017-DUP	7/20/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-5-31-103017	10/30/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
	40 ft	VMP-5-31-012518	1/25/2018	<0.0045	U		<0.0045	U		<0.0045	U		<0.039	U		<0.0052	U		<0.0052	U		<0.0052	U		<0.016	U	
		VMP-5-40-042617	4/26/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-5-40-042617-DUP	4/26/2017	<0.0046	U		<0.0046	U		<0.0046	U		0.0033	J		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U	
		VMP-5-40-012518	1/25/2018	<0.0042	U		<0.0042	U		<0.0042	U		<0.036	U		<0.0048	U		<0.0048	U		<0.0048	U		<0.015	U	
VMP-6	5 ft	VMP-6-5-042417	4/24/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U	
		VMP-6-5-052217	5/22/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-6-5-072117	7/21/2017	<0.0046	U		<0.0046	U		<0.0046	U		0.004	J		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U	
		VMP-6-5-103117	10/31/2017	<0.0042	U		<0.0042	U		<0.0042	U		<0.037	U		<0.0049	U		<0.0048	U		<0.0048	U		<0.015	U	
		VMP-6-5-012418	1/24/2018	<0.0044	U		<0.0044	U		<0.0044	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
	10 ft	VMP-6-10-042417	4/24/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0054	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-6-10-072117	7/21/2017	<0.0046	U		<0.0046	U		<0.0046	U		0.0025	J		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U	
		VMP-6-10-103117	10/31/2017	<0.0042	U		<0.0042	U		<0.0042	U		<0.037	U		<0.0049	U		<0.0048	U		<0.0048	U		<0.015	U	
		VMP-6-10-012418	1/24/2018	<0.0043	U		<0.0043	U		<0.0043	U		<0.038	U		<0.005	U		<0.0049	U		<0.0049	U		<0.016	U	
	31.5 ft	VMP-6-31.5-042417	4/24/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.018	U	
		VMP-6-31.5-072117	7/21/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.041	U		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U	
		VMP-6-31.5-072117-DUP	7/21/2017	<0.0047	U		<0.0047	U		<0.0047	U		0.0039	J		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-6-31.5-103117	10/31/2017	<0.0043	U		<0.0043	U		<0.0043	U		0.0028	J		<0.005	U		<0.0049	U		<0.0049	U		<0.016	U	
	39 ft	VMP-6-31.5-013118	1/31/2018	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-6-39-042417	4/24/2017	<0.0047	U		<0.0047	U		<0.0047	U		0.0025	J		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-6-39-042417-DUP	4/24/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.042	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
VMP-6-39-103117		10/31/2017	<0.0044	U		<0.0044	U		<0.0044	U		0.0053	J		<0.0051	U		<0.005	U		<0.005	U		<0.016	U		
VMP-6-39-103117-DUP		10/31/2017	<0.0044	U		<0.0044	U		<0.0044	U		0.0039	J		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U		
VMP-6-39-012418		1/24/2018	<0.0043	U		<0.0043	U		<0.0043	U		<0.038	U		<0.005	U		<0.0049	U		<0.0049	U		<0.016	U		
VMP-6-39-012418-DUP		1/24/2018	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U		
VMP-7	5 ft	VMP-7-5-042417	4/24/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.018	U	
		VMP-7-5-072117	7/21/2017	<0.0048	U		<0.0048	U		<0.0048	U		0.0029	J		<0.0057	U		<0.0056	U		<0.0056	U		<0.018	U	
		VMP-7-5-102517	10/25/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U	
		VMP-7-5-012518	1/25/2018	<0.0045	U		<0.0045	U		<0.0045	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
	13.5 ft	VMP-7-13.5-042417	4/24/2017	<0.005	U		<0.005	U		<0.005	U		<0.043	U		<0.0058	U		<0.0057	U		<0.0057	U		<0.018	U	
		VMP-7-13.5-072117	7/21/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.017	U	
		VMP-7-13.5-102517	10/25/2017	<0.0046	U		<0.0046	U		<0.0046	U>																

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	1,1-Dichloroethene			cis-1,2-Dichloroethene			trans-1,2-Dichloroethene			Dichloromethane (Methylene chloride)			1,2-Dichloropropane			cis-1,3-Dichloropropene			trans-1,3-Dichloropropene			1,4-Dioxane		
				240			1100000			85			5.6			0.31									0.22		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-8	5 ft	VMP-8-5-042017	4/20/2017	<0.0053	U		<0.0053	U		<0.0053	U		<0.047	U		<0.0062	U		<0.0061	U		<0.0061	U		<0.019	U	
		VMP-8-5-071917	7/19/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-8-5-103017	10/30/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.017	U	
		VMP-8-5-012218	1/22/2018	<0.0045	U		<0.0045	U		<0.0045	U		<0.039	U	UJ	<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
	9.5 ft	VMP-8-9.5-042117	4/21/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-8-9.5-071917	7/19/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.018	U	
		VMP-8-9.5-103017	10/30/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
		VMP-8-9.5-012218	1/22/2018	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U	UJ	<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U	
	23.5 ft	VMP-8-23.5-042117	4/21/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U	
		VMP-8-23.5-071917	7/19/2017	<0.0049	U		<0.0049	U		<0.0049	U		<0.043	U		<0.0057	U		<0.0056	U		<0.0056	U		<0.018	U	
		VMP-8-23.5-103017	10/30/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
		VMP-8-23.5-012218	1/22/2018	<0.0046	U		<0.0046	U		<0.0046	U		<0.041	U	UJ	<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U	
	35.5 ft	VMP-8-23.5-012218-DUP	1/22/2018	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U	UJ	<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-8-35.5-042117	4/21/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0054	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-8-35.5-071917	7/19/2017	<0.0087	U		<0.0087	U		<0.0087	U		<0.076	U		<0.01	U		<0.0099	U		<0.0099	U		<0.032	U	
		VMP-8-35.5-071917-DUP	7/19/2017	<0.0097	U		<0.0097	U		<0.0097	U		0.0075	J		<0.011	U		<0.011	U		<0.011	U		<0.035	U	
		VMP-8-35.5-103017	10/30/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
VMP-9	5 ft	VMP-9-5-042017	4/20/2017	<0.005	U		<0.005	U		<0.005	U		<0.044	U		<0.0058	U		<0.0057	U		<0.0057	U		<0.018	U	
		VMP-9-5-071917	7/19/2017	<0.0049	U		<0.0049	U		<0.0049	U		0.0019	J		<0.0057	U		<0.0056	U		<0.0056	U		<0.018	U	
		VMP-9-5-110117	11/1/2017	<0.0043	U		<0.0043	U		<0.0043	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
		VMP-9-5-012218	1/22/2018	<0.005	U		<0.005	U		<0.005	U		<0.044	U		<0.0058	U		<0.0057	U		<0.0057	U		<0.018	U	
	11.5 ft	VMP-9-11.5-042017	4/20/2017	<0.005	U		<0.005	U		<0.005	U		<0.044	U		<0.0058	U		<0.0057	U		<0.0057	U		<0.018	U	
		VMP-9-11.5-071917	7/19/2017	<0.0047	U		<0.0047	U		<0.0047	U		0.0025	J		<0.0054	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-9-11.5-110117	11/1/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0054	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-9-11.5-012218	1/22/2018	<0.0048	U		<0.0048	U		<0.0048	U		0.0032	J		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
	25.5 ft	VMP-9-25.5-042017	4/20/2017	<0.0055	U		<0.0055	U		<0.0055	U		0.0075	J		<0.0064	U		<0.0063	U		<0.0063	U		<0.02	U	
		VMP-9-25.5-071917	7/19/2017	<0.0049	U		<0.0049	U		<0.0049	U		0.0031	J		<0.0057	U		<0.0056	U		<0.0056	U		<0.018	U	
		VMP-9-25.5-110117	11/1/2017	<0.0044	U		<0.0044	U		<0.0044	U		0.0031	J		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
		VMP-9-25.5-012218	1/22/2018	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.017	U	
	38.5 ft	VMP-9-38.5-042017	4/20/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.018	U	
		VMP-9-38.5-042017-DUP	4/20/2017	<0.0049	U		<0.0049	U		<0.0049	U		<0.043	U		<0.0057	U		<0.0056	U		<0.0056	U		<0.018	U	
		VMP-9-38.5-110117	11/1/2017	<0.0044	U		<0.0044	U		<0.0044	U		0.0056	J		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
		VMP-9-38.5-012218	1/22/2018	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.017	U	
VMP-18	8.5 ft	VMP-18-8.5-050317	5/3/2017	<0.0043	U		<0.0043	U		<0.0043	U		<0.038	U		<0.005	U		<0.0049	U		<0.0049	U		<0.016	U	
		VMP-18-8.5-072717	7/27/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.017	U	
		VMP-18-8.5-110317	11/3/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U	
		VMP-18-8.5-110317-DUP	11/3/2017	<0.0041	U		<0.0041	U		<0.0041	U		<0.036	U		<0.0048	U		<0.0047	U		<0.0047	U		<0.015	U	
		VMP-18-8.5-012418	1/24/2018	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.017	U	
VMP-19	5 ft	VMP-19-5-042017	4/20/2017	<0.0054	U		<0.0054	U		<0.0054	U		<0.048	U		<0.0063	U		<0.0062	U		<0.0062	U		<0.02	U	
		VMP-19-5-072717	7/27/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.018	U	
		VMP-19-5-102517	10/25/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U	
		VMP-19-5-012518	1/25/2018	<0.0045	U		<0.0045	U																			

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	1,1-Dichloroethene			cis-1,2-Dichloroethene			trans-1,2-Dichloroethene			Dichloromethane (Methylene chloride)			1,2-Dichloropropane			cis-1,3-Dichloropropene			trans-1,3-Dichloropropene			1,4-Dioxane		
				240			1100000			85			5.6			0.31									0.22		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-21	5 ft	VMP-21-5-042417	4/24/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.041	U		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U	
		VMP-21-5-072017	7/20/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U	
		VMP-21-5-103117	10/31/2017	<0.0044	U		<0.0044	U		<0.0044	U		0.0031	J		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
		VMP-21-5-012318	1/23/2018	<0.0043	U		<0.0043	U		<0.0043	U		<0.038	U		<0.005	U		<0.0049	U		<0.0049	U		<0.016	U	
	10 ft	VMP-21-10-042417	4/24/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.041	U		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U	
		VMP-21-10-072017	7/20/2017	<0.0048	U		<0.0048	U		<0.0048	U		0.0023	J		<0.0056	U		<0.0055	U		<0.0055	U		<0.018	U	
		VMP-21-10-103117	10/31/2017	<0.0044	U		<0.0044	U		<0.0044	U		0.0075	J		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
		VMP-21-10-012318	1/23/2018	<0.0044	U		<0.0044	U		<0.0044	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
	25 ft	VMP-21-25-042417	4/24/2017	<0.0046	U		<0.0046	U		<0.0046	U		0.027	J		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U	
		VMP-21-25-072017	7/20/2017	<0.0048	U		<0.0048	U		<0.0048	U		0.059			<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-21-25-103117	10/31/2017	<0.0046	U		<0.0046	U		<0.0046	U		0.0028	J		<0.0053	U		<0.0052	U		<0.0052	U		<0.017	U	
		VMP-21-25-012318	1/23/2018	<0.0044	U		<0.0044	U		<0.0044	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
	33 ft	VMP-21-33-042417	4/24/2017	<0.0046	U		<0.0046	U		<0.0046	U		0.0025	J		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U	
		VMP-21-33-042417-DUP	4/24/2017	<0.0046	U		<0.0046	U		<0.0046	U		0.0027	J		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U	
		VMP-21-33-072017	7/20/2017	<0.0045	U		<0.0045	U		<0.0045	U		0.0083	J		<0.0052	U		<0.0052	U		<0.0052	U		<0.016	U	
		VMP-21-33-072017-DUP	7/20/2017	<0.0048	U		<0.0048	U		<0.0048	U		0.0068	J		<0.0056	U		<0.0055	U		<0.0055	U		<0.018	U	
		VMP-21-33-103117	10/31/2017	<0.0045	U		<0.0045	U		<0.0045	U		0.0043	J		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
		VMP-21-33-012318	1/23/2018	<0.0043	U		<0.0043	U		<0.0043	U		<0.038	U		<0.005	U		<0.0049	U		<0.0049	U		<0.016	U	
		VMP-21-33-012318-DUP	1/23/2018	<0.0043	U		<0.0043	U		<0.0043	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
VMP-22	5 ft	VMP-22-5-042617	4/26/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.042	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-22-5-072617	7/26/2017	<0.0049	U		<0.0049	U		<0.0049	U		<0.043	U		<0.0057	U		<0.0056	U		<0.0056	U		<0.018	U	
		VMP-22-5-102617	10/26/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
		VMP-22-5-013018	1/30/2018	<0.0044	U		<0.0044	U		<0.0044	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
	10 ft	VMP-22-10-042717	4/27/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
		VMP-22-10-072617	7/26/2017	<0.0048	U		<0.0048	U		<0.0048	U		0.0069	J		<0.0056	U		<0.0055	U		<0.0055	U		<0.018	U	
		VMP-22-10-102617	10/26/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-22-10-013018	1/30/2018	<0.0042	U		<0.0042	U		<0.0042	U		<0.037	U		<0.0049	U		<0.0048	U		<0.0048	U		<0.015	U	
	18 ft	VMP-22-18-042717	4/27/2017	<0.005	U		<0.005	U		<0.005	U		<0.044	U		<0.0059	U		<0.0058	U		<0.0058	U		<0.018	U	
		VMP-22-18-072617	7/26/2017	<0.0054	U		<0.0054	U		<0.0054	U		0.0032	J		<0.0063	U		<0.0062	U		<0.0062	U		<0.02	U	
		VMP-22-18-102617	10/26/2017	<0.0046	U		<0.0046	U		<0.0046	U		0.0017	J		<0.0053	U		<0.0052	U		<0.0052	U		<0.017	U	
		VMP-22-18-013018	1/30/2018	<0.0042	U		<0.0042	U		<0.0042	U		<0.037	U		<0.0049	U		<0.0048	U		<0.0048	U		<0.015	U	
	38 ft	VMP-22-38-042717	4/27/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0054	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-22-38-042717-DUP	4/27/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.042	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-22-38-072617	7/26/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-22-38-072617-DUP	7/26/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-22-38-102617	10/26/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0054	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-22-38-013018	1/30/2018	<0.0045	U		<0.0045	U		<0.0045	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
VMP-23	5 ft	VMP-23-5-042517	4/25/2017	<0.005	U		<0.005	U		<0.005	U		<0.044	U		<0.0058	U		<0.0057	U		<0.0057	U		<0.018	U	
		VMP-23-5-072017	7/20/2017	<0.0048	U		<0.0048	U		<0.0048	U		0.0016	J		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-23-5-102517	10/25/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-23-5-012318	1/23/2018	<0.0051	U		<0.0051	U		<0.0051	U		<0.045	U		<0.006	U		<0.0058	U		<0.0058	U		<0.018	U	
	10 ft	VMP-23-10-042517	4/25/2017	<0.0051	U		<0.0051	U		<0.0051	U		<0.045	U		<0.0059	U		<0.0058	U		<0.0058	U		<0.018	U	
		VMP-23-10-072017	7/20/2017	<0.0047	U		<0.0047	U		<0.0047	U		0.0056	J		<0.0055	U		<0.0050								

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	1,1-Dichloroethene			cis-1,2-Dichloroethene			trans-1,2-Dichloroethene			Dichloromethane (Methylene chloride)			1,2-Dichloropropane			cis-1,3-Dichloropropene			trans-1,3-Dichloropropene			1,4-Dioxane		
				240			1100000			85			5.6			0.31									0.22		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-24	5 ft	VMP-24-5-042117	4/21/2017	<0.0053	U		<0.0053	U		<0.0053	U		<0.047	U		<0.0062	U		<0.0061	U		<0.0061	U		<0.019	U	
		VMP-24-5-072117	7/21/2017	<0.0049	U		<0.0049	U		<0.0049	U		0.0037	J		<0.0058	U		<0.0056	U		<0.0056	U		<0.018	U	
		VMP-24-5-102517	10/25/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-24-5-012418	1/24/2018	<0.0045	U		<0.0045	U		<0.0045	U		<0.039	U		<0.0052	U		<0.0052	U		<0.0052	U		<0.016	U	
	10 ft	VMP-24-10-042117	4/21/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.017	U	
		VMP-24-10-072117	7/21/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.018	U	
		VMP-24-10-102517	10/25/2017	<0.0043	U		<0.0043	U		<0.0043	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
		VMP-24-10-012418	1/24/2018	<0.0043	U		<0.0043	U		<0.0043	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
	22 ft	VMP-24-22-042117	4/21/2017	<0.0046	U		<0.0046	U		<0.0046	U		0.0026	J		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U	
		VMP-24-22-072117	7/21/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-24-22-102517	10/25/2017	<0.0044	U		<0.0044	U		<0.0044	U		0.0031	J		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
		VMP-24-22-013118	1/31/2018	<0.0045	U		<0.0045	U		<0.0045	U		<0.039	U		<0.0052	U		<0.0052	U		<0.0052	U		<0.016	U	
	34 ft	VMP-24-34-042117	4/21/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.017	U	
		VMP-24-34-042117-DUP	4/21/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0054	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-24-34-072117	7/21/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-24-34-072117-DUP	7/21/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.018	U	
VMP-24-34-102517		10/25/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.017	U		
VMP-24-34-012418		1/24/2018	<0.0042	U		<0.0042	U		<0.0042	U		<0.037	U		<0.0049	U		<0.0048	U		<0.0048	U		<0.015	U		
VMP-32	5 ft	VMP-32-5-052217	5/22/2017	<0.0049	U		<0.0049	U		<0.0049	U		<0.043	U		<0.0057	U		<0.0056	U		<0.0056	U		<0.018	U	
		VMP-32-5-072417	7/24/2017	<0.0047	U		<0.0047	U		<0.0047	U		0.0042	J		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-32-5-103117	10/31/2017	<0.0045	U		<0.0045	U		<0.0045	U		0.016	J		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
		VMP-32-5-012918	1/29/2018	<0.0043	U		<0.0043	U		<0.0043	U		<0.038	U		<0.005	U		<0.0049	U		<0.0049	U		<0.016	U	
	10 ft	VMP-32-10-042517	4/25/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.017	U	
		VMP-32-10-072417	7/24/2017	<0.0048	U		<0.0048	U		<0.0048	U		0.0034	J		<0.0056	U		<0.0055	U		<0.0055	U		<0.018	U	
		VMP-32-10-103117	10/31/2017	<0.0047	U		<0.0047	U		<0.0047	U		0.0037	J		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-32-10-012918	1/29/2018	<0.0043	U		<0.0043	U		<0.0043	U		<0.038	U		<0.005	U		<0.0049	U		<0.0049	U		<0.016	U	
	20 ft	VMP-32-20-042517	4/25/2017	<0.0048	U		<0.0048	U		<0.0048	U		0.0022	J		<0.0057	U		<0.0056	U		<0.0056	U		<0.018	U	
		VMP-32-20-072417	7/24/2017	<0.0049	U		<0.0049	U		<0.0049	U		<0.043	U		<0.0057	U		<0.0056	U		<0.0056	U		<0.018	U	
		VMP-32-20-103117	10/31/2017	<0.0046	U		<0.0046	U		<0.0046	U		0.0044	J		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U	
		VMP-32-20-012918	1/29/2018	<0.004	U		<0.004	U		<0.004	U		<0.035	U		<0.0047	U		<0.0046	U		<0.0046	U		<0.014	U	
	30 ft	VMP-32-30-042517	4/25/2017	<0.0049	U		<0.0049	U		<0.0049	U		<0.043	U		<0.0057	U		<0.0056	U		<0.0056	U		<0.018	U	
		VMP-32-30-042517-DUP	4/25/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.018	U	
		VMP-32-30-072417	7/24/2017	<0.0049	U		<0.0049	U		<0.0049	U		0.027	J		<0.0057	U		<0.0056	U		<0.0056	U		<0.018	U	
		VMP-32-30-072417-DUP	7/24/2017	<0.0048	U		<0.0048	U		<0.0048	U		0.0031	J		<0.0056	U		<0.0055	U		<0.0055	U		<0.018	U	
VMP-32-30-103117		10/31/2017	<0.0089	U		<0.0089	U		<0.0089	U		0.009	J		<0.01	U		<0.01	U		<0.01	U		<0.032	U		
VMP-32-30-012918		1/29/2018	<0.0044	U		<0.0044	U		<0.0044	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U		
VMP-42	10 ft	VMP-42-10-050317	5/3/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U	
		VMP-42-10-072017	7/20/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.042	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-42-10-110117	11/1/2017	<0.0041	U		<0.0041	U		<0.0041	U		<0.036	U		<0.0047	U		<0.0046	U		<0.0046	U		<0.015	U	
		VMP-42-10-012318	1/23/2018	<0.0044	U		<0.0044	U		<0.0044	U		<														

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	1,1-Dichloroethene			cis-1,2-Dichloroethene			trans-1,2-Dichloroethene			Dichloromethane (Methylene chloride)			1,2-Dichloropropane			cis-1,3-Dichloropropene			trans-1,3-Dichloropropene			1,4-Dioxane		
				240			1100000			85			5.6			0.31									0.22		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-44	10 ft	VMP-44-10-042517	4/25/2017	<0.0049	U		<0.0049	U		<0.0049	U		0.0028	J		<0.0057	U		<0.0056	U		<0.0056	U		<0.018	U	
		VMP-44-10-072517	7/25/2017	<0.005	U		<0.005	U		<0.005	U		<0.044	U		<0.0058	ND,UJ	UJ	<0.0057	U		<0.0057	U		<0.018	U	
		VMP-44-10-102517	10/25/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.018	U	
		VMP-44-10-012518	1/25/2018	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.017	U	
	20 ft	VMP-44-20-042517	4/25/2017	<0.0052	U		<0.0052	U		<0.0052	U		<0.046	U		<0.0061	U		<0.006	U		<0.006	U		<0.019	U	
		VMP-44-20-072517	7/25/2017	<0.0051	U		<0.0051	U		<0.0051	U		0.0029	J		<0.006	ND,UJ	UJ	<0.0059	U		<0.0059	U		<0.019	U	
		VMP-44-20-102517	10/25/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.042	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-44-20-012518	1/25/2018	<0.0045	U		<0.0045	U		<0.0045	U		<0.039	U		<0.0052	U		<0.0052	U		<0.0052	U		<0.016	U	
	30 ft	VMP-44-30-042517	4/25/2017	<0.0053	U		<0.0053	U		<0.0053	U		0.0024	J		<0.0062	U		<0.0061	U		<0.0061	U		<0.019	U	
		VMP-44-30-072517	7/25/2017	<0.005	U		<0.005	U		<0.005	U		0.0022	J		<0.0058	ND,UJ	UJ	<0.0057	U		<0.0057	U		<0.018	U	
		VMP-44-30-102517	10/25/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-44-30-102517-DUP	10/25/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U	
VMP-44-30-012518	1/25/2018	<0.0045	U		<0.0045	U		<0.0045	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U			
VMP-44-30-012518-DUP	1/25/2018	<0.0045	U		<0.0045	U		<0.0045	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U			
VMP-45	10 ft	VMP-45-10-042617	4/26/2017	<0.0048	U		<0.0048	U		<0.0048	U		0.0026	J		<0.0056	U		<0.0055	U		<0.0055	U		<0.017	U	
		VMP-45-10-072517	7/25/2017	<0.005	U		<0.005	U		<0.005	U		<0.044	U		<0.0058	ND,UJ	UJ	<0.0057	U		<0.0057	U		<0.018	U	
		VMP-45-10-103117	10/31/2017	<0.0043	U		<0.0043	U		<0.0043	U		0.0086	J		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
		VMP-45-10-012418	1/24/2018	<0.0043	U		<0.0043	U		<0.0043	U		<0.038	U		<0.005	U		<0.0049	U		<0.0049	U		<0.016	U	
	20 ft	VMP-45-20-042617	4/26/2017	<0.0053	U		<0.0053	U		<0.0053	U		<0.047	U		<0.0062	U		<0.0061	U		<0.0061	U		<0.019	U	
		VMP-45-20-072517	7/25/2017	<0.005	U		<0.005	U		<0.005	U		0.0034	J		<0.0058	ND,UJ	UJ	<0.0057	U		<0.0057	U		<0.018	U	
		VMP-45-20-103117	10/31/2017	<0.0043	U		<0.0043	U		<0.0043	U		0.0036	J		<0.005	U		<0.0049	U		<0.0049	U		<0.016	U	
		VMP-45-20-012418	1/24/2018	<0.0044	U		<0.0044	U		<0.0044	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
	30 ft	VMP-45-30-042617	4/26/2017	<0.0049	U		<0.0049	U		<0.0049	U		<0.043	U		<0.0057	U		<0.0056	U		<0.0056	U		<0.018	U	
		VMP-45-30-042617-DUP	4/26/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U	
		VMP-45-30-072517	7/25/2017	<0.005	U		<0.005	U		<0.005	U		<0.044	U		<0.0058	ND,UJ	UJ	<0.0057	U		<0.0057	U		<0.018	U	
		VMP-45-30-103117	10/31/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
VMP-45-30-012418	1/24/2018	<0.0045	U		<0.0045	U		<0.0045	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U			
VMP-47	5 ft	VMP-47-5-042717	4/27/2017	<0.0043	U		<0.0043	U		<0.0043	U		<0.038	U		<0.005	U		<0.0049	U		<0.0049	U		<0.016	U	
		VMP-47-5-072417	7/24/2017	<0.0048	U		<0.0048	U		<0.0048	U		0.0027	J		<0.0056	U		<0.0055	U		<0.0055	U		<0.017	U	
		VMP-47-5-102617	10/26/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.042	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-47-5-012618	1/26/2018	<0.0045	U		<0.0045	U		<0.0045	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U	
	10 ft	VMP-47-10-042717	4/27/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U	
		VMP-47-10-072417	7/24/2017	<0.0047	U		<0.0047	U		<0.0047	U		0.0029	J		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-47-10-102617	10/26/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-47-10-012618	1/26/2018	<0.0044	U		<0.0044	U		<0.0044	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
	20 ft	VMP-47-20-042717	4/27/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U	
		VMP-47-20-072417	7/24/2017	<0.0048	U		<0.0048	U		<0.0048	U		0.0037	J		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-47-20-102617	10/26/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0054	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-47-20-012618	1/26/2018	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
30 ft	VMP-47-20-012618-DUP	1/26/2018	<0.0045	U		<>																					

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	1,1-Dichloroethene			cis-1,2-Dichloroethene			trans-1,2-Dichloroethene			Dichloromethane (Methylene chloride)			1,2-Dichloropropane			cis-1,3-Dichloropropene			trans-1,3-Dichloropropene			1,4-Dioxane			
				240			1100000			85			5.6			0.31									0.22			
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	
VMP-49	5 ft	VMP-49-5-042417	4/24/2017	<0.0057	U		<0.0057	U		<0.0057	U		<0.05	U		<0.0067	U		<0.0066	U		<0.0066	U		<0.021	U		
		VMP-49-5-072617	7/26/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.018	U		
		VMP-49-5-102717	10/27/2017	<0.0045	U		<0.0045	U		<0.0045	U		0.0043	J		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U		
		VMP-49-5-012618	1/26/2018	<0.0045	U		<0.0045	U		<0.0045	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U		
	10 ft	VMP-49-10-042417	4/24/2017	<0.0057	U		<0.0057	U		<0.0057	U		<0.05	U		<0.0066	U		<0.0065	U		<0.0065	U		<0.021	U		
		VMP-49-10-072617	7/26/2017	<0.005	U		<0.005	U		<0.005	U		<0.044	U		<0.0058	U		<0.0057	U		<0.0057	U		<0.018	U		
		VMP-49-10-102717	10/27/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U		
		VMP-49-10-012618	1/26/2018	<0.0045	U		<0.0045	U		<0.0045	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U		
	20 ft	VMP-49-20-042417	4/24/2017	<0.0056	U		<0.0056	U		<0.0056	U		<0.049	U		<0.0065	U		<0.0064	U		<0.0064	U		<0.02	U		
		VMP-49-20-072617	7/26/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.018	U		
		VMP-49-20-102717	10/27/2017	<0.0043	U		<0.0043	U		<0.0043	U		<0.038	U		<0.005	U		<0.0049	U		<0.0049	U		<0.016	U		
		VMP-49-20-012618	1/26/2018	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U		
	30 ft	VMP-49-30-042417	4/24/2017	<0.0054	U		<0.0054	U		<0.0054	U		<0.048	U		<0.0064	U		<0.0062	U		<0.0062	U		<0.02	U		
		VMP-49-30-072617	7/26/2017	<0.005	U		<0.005	U		<0.005	U		<0.043	U		<0.0058	U		<0.0057	U		<0.0057	U		<0.018	U		
		VMP-49-30-072617-DUP	7/26/2017	<0.0049	U		<0.0049	U		<0.0049	U		<0.043	U		<0.0058	U		<0.0056	U		<0.0056	U		<0.018	U		
		VMP-49-30-102717	10/27/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U		
		VMP-49-30-012618	1/26/2018	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U		
VMP-50	5 ft	VMP-50-5-050317	5/3/2017	<0.0043	U		<0.0043	U		<0.0043	U		<0.038	U		<0.005	U		<0.0049	U		<0.0049	U		<0.016	U		
		VMP-50-5-072617	7/26/2017	<0.005	U		<0.005	U		<0.005	U		<0.044	U		<0.0058	U		<0.0057	U		<0.0057	U		<0.018	U		
		VMP-50-5-110117	11/1/2017	<0.0044	U		<0.0044	U		<0.0044	U		0.003	J		<0.0051	U		<0.005	U		<0.005	U		<0.016	U		
		VMP-50-5-013118	1/31/2018	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U		
	10 ft	VMP-50-10-050317	5/3/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U		
		VMP-50-10-072617	7/26/2017	<0.005	U		<0.005	U		<0.005	U		<0.044	U		<0.0058	U		<0.0057	U		<0.0057	U		<0.018	U		
		VMP-50-10-110117	11/1/2017	<0.0044	U		<0.0044	U		<0.0044	U		0.0045	J		<0.0051	U		<0.005	U		<0.005	U		<0.016	U		
		VMP-50-10-013118	1/31/2018	<0.0045	U		<0.0045	U		<0.0045	U		<0.039	U		<0.0052	U		<0.0052	U		<0.0052	U		<0.016	U		
	20 ft	VMP-50-20-050317	5/3/2017	<0.0042	U		<0.0042	U		<0.0042	U		<0.037	U		<0.0049	U		<0.0048	U		<0.0048	U		<0.015	U		
		VMP-50-20-072617	7/26/2017	<0.0049	U		<0.0049	U		<0.0049	U		0.0029	J		<0.0057	U		<0.0056	U		<0.0056	U		<0.018	U		
		VMP-50-20-110117	11/1/2017	<0.0042	U		<0.0042	U		<0.0042	U		0.0067	J		<0.0049	U		<0.0048	U		<0.0048	U		<0.015	U		
		VMP-50-20-013118	1/31/2018	<0.018	U		<0.018	U		<0.018	U		<0.16	U		<0.021	U		<0.021	U		<0.021	U		<0.067	U		
			VMP-50-20-013118-DUP	1/31/2018	<0.018	U		<0.018	U		<0.018	U		<0.16	U		<0.022	U		<0.021	U		<0.021	U		<0.068	U	
	30 ft	VMP-50-30-050317	5/3/2017	<0.055	U		<0.055	U		<0.055	U		<0.48	U		<0.064	U		<0.063	U		<0.063	U		<0.2	U		
		VMP-50-30-050317-DUP	5/3/2017	<0.057	U		<0.057	U		<0.057	U		<0.5	U		<0.066	U		<0.065	U		<0.065	U		<0.21	U		
		VMP-50-30-072617	7/26/2017	<0.065	U		<0.065	U		<0.065	U		<0.57	U		<0.076	U		<0.075	U		<0.075	U		<0.24	U		
VMP-50-30-110117		11/1/2017	<0.044	U		<0.044	U		<0.044	U		<0.15	U		0.022	J		<0.05	U		<0.05	U		<0.16	U			
		VMP-50-30-110117-DUP	11/1/2017	<0.043	U		<0.043	U		<0.043	U		<0.15	U		0.026	J		<0.049	U		<0.049	U		<0.16	U		
		VMP-50-30-013118	1/31/2018	<0.045	U		<0.045	U		<0.045	U		<0.16	U		<0.052	U		<0.051	U		<0.051	U		<0.16	U		
VMP-51	5 ft	VMP-51-5-042517	4/25/2017	<0.005	U		<0.005	U		<0.005	U		<0.044	U		<0.0058	U		<0.0057	U		<0.0057	U		<0.018	U		
		VMP-51-5-072017	7/20/2017	<0.005	U		<0.005	U		<0.005	U		<0.044	U		<0.0059	U		<0.0058	U		<0.0058	U		<0.018	U		
		VMP-51-5-103017	10/30/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U		
		VMP-51-5-012318	1/23/2018	<0.0044	U		<0.0044	U		<0.0044	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U		
	10 ft	VMP-51-10-042517	4/25/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0054	U		<0.0054	U		<0.0054	U		<0.017	U		
		VMP-51-10-072017	7/20/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052						

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	1,1-Dichloroethene			cis-1,2-Dichloroethene			trans-1,2-Dichloroethene			Dichloromethane (Methylene chloride)			1,2-Dichloropropane			cis-1,3-Dichloropropene			trans-1,3-Dichloropropene			1,4-Dioxane			
				240			1100000			85			5.6			0.31									0.22			
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	
VMP-52	5 ft	VMP-52-5-042417	4/24/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U		
		VMP-52-5-072117	7/21/2017	<0.005	U		<0.005	U		<0.005	U		<0.044	U		<0.0058	U		<0.0057	U		<0.0057	U		<0.018	U		
		VMP-52-5-102517	10/25/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U		
		VMP-52-5-012418	1/24/2018	<0.0044	U		<0.0044	U		<0.0044	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U		
	10 ft	VMP-52-10-042417	4/24/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.018	U		
		VMP-52-10-072117	7/21/2017	<0.005	U		<0.005	U		<0.005	U		<0.044	U		<0.0059	U		<0.0058	U		<0.0058	U		<0.018	U		
		VMP-52-10-102517	10/25/2017	<0.0044	U		<0.0044	U		<0.0044	U		0.0038	J		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U		
		VMP-52-10-012418	1/24/2018	<0.0046	U		<0.0046	U		<0.0046	U		<0.041	U		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U		
	20 ft	VMP-52-20-042417	4/24/2017	0.0079			<0.0052	U		<0.0052	U		<0.045	U		<0.006	U		<0.0059	U		<0.0059	U		<0.019	U		
		VMP-52-20-072117	7/21/2017	<0.0049	U		<0.0049	U		<0.0049	U		<0.043	U		<0.0058	U		<0.0056	U		<0.0056	U		<0.018	U		
		VMP-52-20-102517	10/25/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U		
		VMP-52-20-012418	1/24/2018	<0.0044	U		<0.0044	U		<0.0044	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U		
	30 ft	VMP-52-20-012418-DUP	1/24/2018	<0.0043	U		<0.0043	U		<0.0043	U		<0.038	U		<0.005	U		<0.0049	U		<0.0049	U		<0.016	U		
		VMP-52-30-042417	4/24/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.018	U		
		VMP-52-30-072117	7/21/2017	<0.0051	U		<0.0051	U		<0.0051	U		0.0033	J		<0.0059	U		<0.0058	U		<0.0058	U		<0.018	U		
		VMP-52-30-102517	10/25/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U		
VMP-52-30-102517-DUP	10/25/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0054	U		<0.0054	U		<0.0054	U		<0.0054	U		<0.017	U	
	VMP-52-30-012418	1/24/2018	<0.0041	U		<0.0041	U		<0.0041	U		<0.036	U		<0.0048	U		<0.0047	U		<0.0047	U		<0.015	U			
	VMP-53	5 ft	VMP-53-5-042017	4/20/2017	<0.0048	U		<0.0048	U		<0.0048	U		0.0088	J		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
			VMP-53-5-071917	7/19/2017	<0.0049	U		<0.0049	U		<0.0049	U		<0.043	U		<0.0057	U		<0.0056	U		<0.0056	U		<0.018	U	
VMP-53-5-110117			11/1/2017	<0.0042	U		<0.0042	U		<0.0042	U		<0.037	U		<0.0049	U		<0.0048	U		<0.0048	U		<0.015	U		
VMP-53-5-012218			1/22/2018	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.018	U		
10 ft		VMP-53-10-042017	4/20/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U		
		VMP-53-10-071917	7/19/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.017	U		
		VMP-53-10-110117	11/1/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U		
		VMP-53-10-012218	1/22/2018	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.017	U		
20 ft		VMP-53-20-042017	4/20/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U		
		VMP-53-20-071917	7/19/2017	<0.0049	U		<0.0049	U		<0.0049	U		<0.043	U		<0.0057	U		<0.0056	U		<0.0056	U		<0.018	U		
		VMP-53-20-110117	11/1/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U		
		VMP-53-20-012218	1/22/2018	<0.0046	U		<0.0046	U		<0.0046	U		<0.041	U	UJ	<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U		
30 ft	VMP-53-20-012218-DUP	1/22/2018	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U	UJ	<0.0056	U		<0.0055	U		<0.0055	U		<0.017	U			
	VMP-53-30-042017	4/20/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U			
	VMP-53-30-042017-DUP	4/20/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U			
	VMP-53-30-071917	7/19/2017	<0.0049	U		<0.0049	U		<0.0049	U		<0.043	U		<0.0057	U		<0.0056	U		<0.0056	U		<0.018	U			
VMP-53-30-071917-DUP	7/19/2017	<0.0048	U		<0.0048	U		<0.0048	U		0.0023	J		<0.0056	U		<0.0055	U		<0.0055	U		<0.017	U				
	VMP-53-30-110117	11/1/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U			
	VMP-53-30-012218	1/22/2018	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.017	U			
	VMP-54	5 ft	VMP-54-5-042017	4/20/2017	<0.005	U		<0.005	U		<0.005	U		0.0031	J		<0.0058	U		<0.0057	U		<0.0057	U		<0.018	U	
VMP-54-5-071917			7/19/2017	<0.0048	U		<0.0048	U		<0.0048	U		0.0026	J		<0.0056	U		<0.0055	U		<0.0055	U		<0.018	U		
VMP-54-5-102617			10/26/2017	<0.0043	U		&																					

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	1,1-Dichloroethene			cis-1,2-Dichloroethene			trans-1,2-Dichloroethene			Dichloromethane (Methylene chloride)			1,2-Dichloropropane			cis-1,3-Dichloropropene			trans-1,3-Dichloropropene			1,4-Dioxane		
				240			1100000			85			5.6			0.31									0.22		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-62	5 ft	VMP-62-5-042517	4/25/2017	<0.0051	U		<0.0051	U		<0.0051	U		0.0031	J		<0.006	U		<0.0058	U		<0.0058	U		<0.018	U	
		VMP-62-5-072517	7/25/2017	<0.0042	U		<0.0042	U		<0.0042	U		0.01	J		<0.0049	U		<0.0048	U		<0.0048	U		<0.015	U	
		VMP-62-5-083017	8/30/2017	<0.0049	U		<0.0049	U		<0.0049	U		<0.0043	U		<0.0057	U		<0.0056	U		<0.0056	U		<0.018	U	
		VMP-62-5-110317	11/3/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
		VMP-62-5-012918	1/29/2018	<0.0043	U		<0.0043	U		<0.0043	U		<0.038	U		<0.005	U		<0.0049	U		<0.0049	U		<0.016	U	
	10 ft	VMP-62-10-042517	4/25/2017	<0.0052	U		<0.0052	U		<0.0052	U		0.0024	J		<0.0061	U		<0.006	U		<0.006	U		<0.019	U	
		VMP-62-10-072517	7/25/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-62-10-110317	11/3/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
		VMP-62-10-012918	1/29/2018	<0.0042	U		<0.0042	U		<0.0042	U		<0.037	U		<0.0049	U		<0.0048	U		<0.0048	U		<0.015	U	
		VMP-62-20-042517	4/25/2017	<0.0049	U		<0.0049	U		<0.0049	U		0.0027	J		<0.0057	U		<0.0056	U		<0.0056	U		<0.018	U	
	20 ft	VMP-62-20-072517	7/25/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.018	U	
		VMP-62-20-110317	11/3/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
		VMP-62-20-012918	1/29/2018	<0.0041	U		<0.0041	U		<0.0041	U		<0.036	U		<0.0048	U		<0.0047	U		<0.0047	U		<0.015	U	
		VMP-62-30-042517	4/25/2017	<0.005	U		<0.005	U		<0.005	U		0.0021	J		<0.0059	U		<0.0058	U		<0.0058	U		<0.018	U	
		VMP-62-30-072517	7/25/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.017	U	
	30 ft	VMP-62-30-072517-DUP	7/25/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0054	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-62-30-110317	11/3/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U	
		VMP-62-30-110317-DUP	11/3/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
		VMP-62-30-012918	1/29/2018	<0.0041	U		<0.0041	U		<0.0041	U		<0.036	U		<0.0048	U		<0.0047	U		<0.0047	U		<0.015	U	
		VMP-62-30-012918-DUP	1/29/2018	<0.0042	U		<0.0042	U		<0.0042	U		<0.037	U		<0.0049	U		<0.0048	U		<0.0048	U		<0.015	U	
VMP-63	5 ft	VMP-63-5-042517	4/25/2017	<0.0047	U		<0.0047	U		<0.0047	U		0.0018	J		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-63-5-072517	7/25/2017	<0.0047	U		<0.0047	U		<0.0047	U		0.0027	J		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-63-5-110117	11/1/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
		VMP-63-5-012618	1/26/2018	<0.0044	U		<0.0044	U		<0.0044	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
		VMP-63-10-042517	4/25/2017	<0.005	U		<0.005	U		<0.005	U		<0.044	U		<0.0058	U		<0.0057	U		<0.0057	U		<0.018	U	
	10 ft	VMP-63-10-072517	7/25/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.018	U	
		VMP-63-10-110117	11/1/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
		VMP-63-10-012618	1/26/2018	<0.0044	U		<0.0044	U		<0.0044	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
		VMP-63-20-042517	4/25/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U	
		VMP-63-20-072517	7/25/2017	<0.0049	U		<0.0049	U		<0.0049	U		<0.043	U		<0.0057	U		<0.0056	U		<0.0056	U		<0.018	U	
	20 ft	VMP-63-20-110117	11/1/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
		VMP-63-20-012618	1/26/2018	<0.0045	U		<0.0045	U		<0.0045	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U	
		VMP-63-30-042517	4/25/2017	<0.0048	U		<0.0048	U		<0.0048	U		0.002	J		<0.0056	U		<0.0055	U		<0.0055	U		<0.018	U	
		VMP-63-30-072517	7/25/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U	
		VMP-63-30-110117	11/1/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
30 ft	VMP-63-30-012618	1/26/2018	<0.0045	U		<0.0045	U		<0.0045	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U		
	VMP-63-30-012618-DUP	1/26/2018	<0.0044	U		<0.0044	U		<0.0044	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U		
	VMP-64-5-042717	4/27/2017	<0.0041	U		<0.0041	U		<0.0041	U		<0.036	U		<0.0048	U		<0.0047	U		<0.0047	U		<0.015	U		
	VMP-64-5-072517	7/25/2017	<0.0092	U		<0.0092	U		<0.0092	U		<0.081	U		<0.011	U		<0.01	U		<0.01	U		<0.034	U		
	VMP-64-5-110317	11/3/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U		
VMP-64	10 ft	VMP-64-5-012218	1/22/2018	<0.0045	U		<0.0045	U		<0.0045	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U	
		VMP-64-10-042717	4/27/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U	
		VMP-64-10-072517	7/25/2017	<0.005	U		<0.005	U		<0.005	U		<0.044	U		<0.0058	U		<0.0057	U		<0.0057	U		<0.018	U	
		VMP-64-10-110317	11/3/2017	<0.0042	U																						

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Ethanol			Ethylbenzene			4-Ethyltoluene			Freon 113			Freon 114			Heptane			Hexachlorobutadiene			Hexane		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-1	5 ft	VMP-1-5-042817	4/28/2017	0.0086	J		0.02			0.0056	J		<0.0098	U		<0.009	U		<0.0053	U		<0.055	U		0.0014	J	
		VMP-1-5-072417	7/24/2017	0.0076	J		0.012			0.0022	J		<0.0095	U		<0.0087	U		<0.0051	U		<0.053	U		0.0014	J	
		VMP-1-5-102617	10/26/2017	<0.0088	J	U	<0.005	U		<0.0057	U		<0.0089	U		<0.0081	U		<0.0048	U		<0.05	U		<0.0041	U	
		VMP-1-5-012618	1/26/2018	<0.0082	U		<0.0048	U		<0.0054	U		<0.0084	U		<0.0076	U		<0.0045	U		<0.047	U		<0.0038	U	
	8.5 ft	VMP-1-8.5-042817	4/28/2017	0.0056	J		<0.0049	U		<0.0056	U		<0.0087	U		<0.0079	U		<0.0046	U		<0.048	U		<0.004	U	
		VMP-1-8.5-072417	7/24/2017	0.014			<0.0054	U		<0.0061	U		<0.0095	U		<0.0087	U		<0.0051	U		<0.053	U		<0.0044	U	
		VMP-1-8.5-102617	10/26/2017	<0.0085	J	U	<0.0049	U		<0.0055	U		<0.0086	U		<0.0079	U		0.0031	J		<0.048	U		0.0028	J	
		VMP-1-8.5-012418	1/24/2018	0.017			<0.0049	U		<0.0055	U		<0.0086	U		<0.0078	U		<0.0046	U		<0.048	U		<0.0039	U	
	23.5 ft	VMP-1-23.5-042817	4/28/2017	0.0094			0.0016	J		<0.0057	U		<0.0088	U		<0.0081	U		<0.0047	U		<0.049	U		<0.0041	U	
		VMP-1-23.5-042817-DUP	4/28/2017	0.0062	J		<0.0049	U		<0.0056	U		<0.0087	U		<0.0079	U		<0.0046	U		<0.048	U		0.00085	J	
		VMP-1-23.5-072417	7/24/2017	0.023			<0.0019	J		<0.0058	U		<0.0091	U		<0.0083	U		0.0028	J		<0.051	U		0.0082		
		VMP-1-23.5-102617	10/26/2017	<0.0089	J	U	<0.0051	U		<0.0058	U		<0.009	U		<0.0082	U		<0.0048	U		<0.05	U		<0.0042	U	
VMP-2	5 ft	VMP-2-5-050317	5/3/2017	0.0054	J		<0.005	U		<0.0057	U		<0.0089	U		<0.0081	U		<0.0048	U		<0.049	U		<0.0041	U	
		VMP-2-5-072417	7/24/2017	0.1			0.0027	J		<0.0061	U		<0.0095	U		<0.0087	U		0.0022	J		<0.053	U		0.003	J	
		VMP-2-5-102617	10/26/2017	<0.0088	U		<0.0051	U		<0.0058	U		<0.009	U		<0.0082	U		<0.0048	U		<0.05	U		<0.0041	U	
		VMP-2-5-012918	1/29/2018	0.063			<0.0047	U		<0.0054	U		<0.0084	U		<0.0076	U		<0.0045	U		<0.046	U		<0.0038	U	
	8.5 ft	VMP-2-8.5-050317	5/3/2017	0.014			<0.0049	U		<0.0056	U		<0.0087	U		<0.0079	U		<0.0046	U		<0.048	U		<0.004	U	
		VMP-2-8.5-072417	7/24/2017	<0.01	U		<0.0059	U		<0.0067	U		<0.01	U		<0.0096	U		<0.0056	U		<0.058	U		<0.0048	U	
		VMP-2-8.5-102617	10/26/2017	<0.0092	U		<0.0053	U		<0.006	U		<0.0093	U		<0.0085	U		<0.005	U		<0.052	U		<0.0043	U	
		VMP-2-8.5-012918	1/29/2018	0.0045	J		<0.0049	U		<0.0055	U		<0.0086	U		<0.0078	U		<0.0046	U		<0.048	U		<0.0039	U	
	22 ft	VMP-2-22-050317	5/3/2017	0.0086			<0.0049	U		<0.0055	U		<0.0086	U		<0.0078	U		0.003	J		<0.048	U		0.0047		
		VMP-2-22-072417	7/24/2017	<0.0099	U		<0.0057	U		<0.0064	U		<0.01	U		<0.0092	U		<0.0054	U		<0.056	U		<0.0046	U	
		VMP-2-22-072417-DUP	7/24/2017	0.018			<0.0054	U		<0.0062	U		<0.0096	U		<0.0088	U		<0.0051	U		<0.054	U		<0.0044	U	
		VMP-2-22-102617	10/26/2017	<0.0083	U		<0.0048	U		<0.0054	U		<0.0085	U		<0.0077	U		<0.0045	U		<0.047	U		<0.0039	U	
VMP-3	5 ft	VMP-3-5-042717	4/27/2017	0.012			<0.0052	U		<0.0058	U		<0.0091	U		<0.0083	U		<0.0049	U		<0.051	U		<0.0042	U	
		VMP-3-5-072017	7/20/2017	0.018			<0.0055	U		0.00081	J		<0.0096	U		<0.0088	U		<0.0052	U		<0.054	U		<0.0044	U	
		VMP-3-5-102617	10/26/2017	0.0064	J		<0.0054	U		<0.0061	U		<0.0095	U		<0.0087	U		<0.0051	U		<0.053	U		<0.0044	U	
		VMP-3-5-012318	1/23/2018	0.042			<0.0047	U		<0.0054	U		<0.0084	U		<0.0076	U		<0.0045	U		<0.046	U		<0.0038	U	
	10 ft	VMP-3-10-042717	4/27/2017	0.022			0.0017	J		<0.0058	U		<0.009	U		<0.0082	U		<0.0048	U		<0.05	U		<0.0041	U	
		VMP-3-10-072017	7/20/2017	0.012			<0.0057	U		<0.0064	U		<0.01	U		<0.0092	U		<0.0054	U		<0.056	U		0.00086	J	
		VMP-3-10-102617	10/26/2017	<0.0094	U		<0.0054	U		<0.0061	U		<0.0095	U		<0.0087	U		<0.0051	U		<0.053	U		<0.0044	U	
		VMP-3-10-012318	1/23/2018	0.0098			<0.0048	U		<0.0054	U		<0.0084	U		<0.0077	U		<0.0045	U		<0.047	U		<0.0039	U	
	22 ft	VMP-3-22-042717	4/27/2017	0.019			<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		<0.0042	U	
		VMP-3-22-072017	7/20/2017	0.0074	J		<0.0055	U		<0.0062	U		<0.0097	U		<0.0089	U		<0.0052	U		<0.054	U		<0.0045	U	
		VMP-3-22-102617	10/26/2017	0.0093			<0.0051	U		<0.0058	U		<0.0091	U		<0.0083	U		<0.0048	U		<0.05	U		<0.0042	U	
		VMP-3-22-012318	1/23/2018	0.019			<0.0049	U		<0.0055	U		<0.0086	U		<0.0079	U		<0.0046	U		<0.048	U		<0.004	U	
	31.5 ft	VMP-3-31.5-042717	4/27/2017	0.18			<0.0054	U		<0.0061	U		<0.0095	U		<0.0087	U		<0.0051	U		<0.053	U		<0.0044	U	
		VMP-3-31.5-072017	7/20/2017	0.019			0.021			0.0039	J		<0.0096	U		<0.0087	U		<0.0051	U		<0.053	U		0.0011	J	
		VMP-3-31.5-102617	10/26/2017	<0.0089	U		0.0026	J		0.012			<0.009	U		<0.0082	U		<0.0048	U		<0.05	U		0.0053		
		VMP-3-31.5-102617-DUP	10/26/2017	<0.009	U		0.0026	J		0.007			<0.0091	U		<0.0083	U		<0.0049	U		<0.051	U		0.0051		
VMP-4	5 ft	VMP-4-5-050317	5/3/2017	0.0082	J		<0.0048	U		<0.0054	U		<0.0084	U		<0.0077	U		<0.0045	U		<0.047	U		<0.0039	U	
		VMP-4-5-072517	7/25/2017	0.0061	J		<0.0054	U		<0.0061	U		<0.0095	U		<0.0087	U		<0.0051	U		<0.053	U		0.00064	J	
		VMP-4-5-110117	11/1/2017	0.011			<0.0048	U		<0.0055	U		<0.0085	U		<0.0078	U		<0.0046	U		<0.048	U		<0.0039	U	
		VMP-4-5-012318	1/23/2018	<0.0088	J	U	<0.005	U		<0.0057	U		<0.0089	U		<0.0081	U		<0.0048	U		<0.05	U		<0.0041	U	
	12 ft	VMP-4-12-050317	5/3/2017	0.0079	J		<0.0049	U		<0.0056	U		<0.0087	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U	
		VMP-4-12-072517	7/25/2017	0.0092			<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		<0.0042	U	
		VMP-4-12-110117	11/1/2017	0.0042	J		<0.0048	U		<0.0054	U		<0.0085	U		<0.0077	U		<0.0045	U		<0.047	U		<0.0039	U	
		VMP-4-12-012318	1/23/2018	<0.0086	J	U	<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		0.0015	J	
	23.5 ft	VMP-4-23.5-050317	5/3/2017	<0.11	U		<0.063	U		<0.071	U		<0.11	U		<0.1	U		<0.059	U		<0.62	U		<0.051	U	
		VMP-4-23.5-050317-DUP	5/3/2017	0.041	J		<0.064	U		<0.072	U		<0.11	U		<0.1	U		<0.06	U		<0.62	U		<0.052	U	

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Ethanol			Ethylbenzene			4-Ethyltoluene			Freon 113			Freon 114			Heptane			Hexachlorobutadiene			Hexane		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-5	5 ft	VMP-5-5-042617	4/26/2017	0.014	J		<0.014	U		<0.016	U		<0.026	U		<0.023	U		<0.014	U		<0.14	U		<0.012	U	
		VMP-5-5-072017	7/20/2017	0.034			<0.005	U		<0.0057	U		<0.0089	U		<0.0081	U		<0.0048	U		<0.05	U		0.0014	J	
		VMP-5-5-103017	10/30/2017	<0.0085	J	U	<0.0049	U		<0.0055	U		<0.0086	U		<0.0079	U		<0.0046	U		<0.048	U		<0.004	U	
		VMP-5-5-012518	1/25/2018	0.0069	J		<0.0047	U		<0.0053	U		<0.0083	U		<0.0076	U		0.0018	J		<0.046	U		<0.0038	U	
	12.5 ft	VMP-5-12.5-042617	4/26/2017	<0.009	U		<0.0052	U		<0.0058	U		<0.0091	U		<0.0083	U		<0.0049	U		<0.051	U		0.0014	J	
		VMP-5-12.5-072017	7/20/2017	0.028			0.002	J		<0.0062	U		<0.0096	U		<0.0088	U		<0.0051	U		<0.054	U		<0.0044	U	
		VMP-5-12.5-102017	10/30/2017	<0.011		U	<0.0046	U		<0.0052	U		<0.0081	U		<0.0074	U		<0.0043	U		<0.045	U		<0.0037	U	
		VMP-5-12.5-012518	1/25/2018	<0.0085	U		<0.0049	U		<0.0056	U		<0.0087	U		<0.0079	U		<0.0046	U		<0.048	U		<0.004	U	
	31 ft	VMP-5-31-042617	4/26/2017	<0.009	J	U	<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		0.0013	J	
		VMP-5-31-072017	7/20/2017	0.0081	J		<0.0054	U		<0.0061	U		<0.0095	U		<0.0087	U		<0.0051	U		<0.053	U		<0.0044	U	
		VMP-5-31-072017-DUP	7/20/2017	0.01			<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		<0.0042	U	
		VMP-5-31-103017	10/30/2017	<0.0083	J	U	<0.0048	U		<0.0054	U		<0.0084	U		<0.0077	U		<0.0045	U		<0.047	U		<0.0039	U	
	40 ft	VMP-5-31-012518	1/25/2018	<0.0086	U		<0.0049	U		<0.0056	U		<0.0087	U		<0.0079	U		<0.0046	U		<0.048	U		<0.004	U	
		VMP-5-40-042617	4/26/2017	<0.0089	J	U	<0.0051	U		<0.0058	U		<0.0091	U		<0.0083	U		<0.0048	U		<0.05	U		0.0015	J	
		VMP-5-40-042617-DUP	4/26/2017	<0.0088	J	U	<0.0051	U		<0.0058	U		<0.009	U		<0.0082	U		<0.0048	U		<0.05	U		0.0013	J	
		VMP-5-40-012518	1/25/2018	<0.0079	U		<0.0046	U		<0.0052	U		<0.008	U		<0.0073	U		<0.0043	U		<0.045	U		<0.0037	U	
VMP-6	5 ft	VMP-6-5-042417	4/24/2017	0.028			<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		0.0022	J		<0.049	U		0.0025	J	
		VMP-6-5-052217	5/22/2017	0.017			<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		<0.0042	U	
		VMP-6-5-072117	7/21/2017	0.01			<0.0051	U		<0.0058	U		<0.009	U		<0.0082	U		0.0021	J		<0.05	U		0.0028	J	
		VMP-6-5-103117	10/31/2017	0.0081			<0.0046	U		<0.0053	U		<0.0082	U		<0.0075	U		<0.0044	U		<0.046	U		<0.0038	U	
		VMP-6-5-012418	1/24/2018	0.036			<0.0048	U		<0.0054	U		<0.0084	U		<0.0077	U		<0.0045	U		<0.047	U		<0.0039	U	
	10 ft	VMP-6-10-042417	4/24/2017	0.0066	J		<0.0051	U		<0.0058	U		<0.009	U		<0.0082	U		0.002	J		<0.05	U		0.0016	J	
		VMP-6-10-072117	7/21/2017	<0.0087	U		<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U	
		VMP-6-10-103117	10/31/2017	0.063			<0.0046	U		<0.0052	U		<0.0081	U		<0.0074	U		<0.0043	U		<0.045	U		<0.0037	U	
		VMP-6-10-012418	1/24/2018	0.015			<0.0047	U		<0.0053	U		<0.0083	U		<0.0076	U		0.0022	J		<0.046	U		0.0025	J	
	31.5 ft	VMP-6-31.5-042417	4/24/2017	0.0066	J		<0.0053	U		<0.006	U		<0.0094	U		<0.0085	U		<0.005	U		<0.052	U		0.0019	J	
		VMP-6-31.5-072117	7/21/2017	<0.0088	U		<0.0051	U		<0.0058	U		<0.009	U		<0.0082	U		<0.0048	U		<0.05	U		0.0014	J	
		VMP-6-31.5-072117-DUP	7/21/2017	<0.009	U		<0.0052	U		<0.0058	U		<0.0091	U		<0.0083	U		0.0044	J		<0.051	U		0.0046		
		VMP-6-31.5-103117	10/31/2017	0.018			<0.0047	U		<0.0053	U		<0.0083	U		<0.0076	U		<0.0044	U		<0.046	U		<0.0038	U	
	39 ft	VMP-6-31.5-013118	1/31/2018	0.0045	J		<0.0051	U		0.0017	J		<0.0091	U		<0.0083	U		0.0016	J		<0.05	U		0.0033	J	
		VMP-6-39-042417	4/24/2017	0.041			<0.0051	U		<0.0058	U		<0.0091	U		<0.0083	U		<0.0048	U		<0.05	U		0.0016	J	
		VMP-6-39-042417-DUP	4/24/2017	0.034			<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		0.0017	J	
		VMP-6-39-103117	10/31/2017	0.019			<0.0048	U		<0.0054	U		<0.0085	U		<0.0078	U		<0.0045	U		<0.047	U		<0.0039	U	
		VMP-6-39-103117-DUP	10/31/2017	0.012			<0.0048	U		<0.0055	U		<0.0085	U		<0.0078	U		<0.0046	U		<0.048	U		<0.0039	U	
		VMP-6-39-012418	1/24/2018	0.049		J	0.002	J		0.0016	J	J	<0.0083	U		<0.0076	U		0.0051			<0.046	U		0.007		
		VMP-6-39-012418-DUP	1/24/2018	0.0096		J	<0.005	U		<0.0057	U		<0.0089	U		<0.0081	U		0.0024	J		<0.05	U		0.0039	J	
VMP-7	5 ft	VMP-7-5-042417	4/24/2017	0.015			0.042			0.0096			<0.0094	U		<0.0085	U		0.0023	J		<0.052	U		0.0026	J	
		VMP-7-5-072117	7/21/2017	0.012			<0.0053	U		<0.006	U		<0.0094	U		<0.0086	U		<0.005	U		<0.052	U		<0.0043	U	
		VMP-7-5-102517	10/25/2017	0.0064	J		<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U	
		VMP-7-5-012518	1/25/2018	0.0068	J		<0.0049	U		<0.0056	U		<0.0087	U		<0.0079	U		<0.0046	U		<0.048	U		<0.004	U	
	13.5 ft	VMP-7-13.5-042417	4/24/2017	0.012			<0.0054	U		<0.0061	U		<0.0096	U		<0.0087	U		<0.0051	U		<0.053	U		0.0019	J	
		VMP-7-13.5-072117	7/21/2017	<0.0091	U		<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		<0.0042	U	
		VMP-7-13.5-102517	10/25/2017	0.059			<0.005	U		<0.0057	U		<0.0089	U		<0.0081	U		<0.0048	U		<0.05	U		<0.0041	U	
		VMP-7-13.5-012518	1/25/2018	0.004	J																						

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Ethanol			Ethylbenzene			4-Ethyltoluene			Freon 113			Freon 114			Heptane			Hexachlorobutadiene			Hexane		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-8	5 ft	VMP-8-5-042017	4/20/2017	<0.01	J	U	<0.0058	U		<0.0066	U		<0.01	U		<0.0094	U		<0.0055	U		<0.057	U		0.0016	J	
		VMP-8-5-071917	7/19/2017	0.012			<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		<0.0042	U	
		VMP-8-5-103017	10/30/2017	0.027			<0.005	U		<0.0057	U		<0.0088	U		<0.0081	U		<0.0047	U		<0.049	U		<0.0041	U	
		VMP-8-5-012218	1/22/2018	0.0098	J0	J	<0.0049	U		<0.0056	U		<0.0087	U		<0.0079	U		<0.0046	U		<0.048	U		<0.004	U	
	9.5 ft	VMP-8-9.5-042117	4/21/2017	<0.009	J	U	<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		<0.0042	U	
		VMP-8-9.5-071917	7/19/2017	0.011			<0.0053	U		<0.006	U		<0.0093	U		<0.0085	U		<0.005	U		<0.052	U		<0.0043	U	
		VMP-8-9.5-103017	10/30/2017	<0.0085	U		<0.0049	U		<0.0055	U		<0.0086	U		<0.0079	U		<0.0046	U		<0.048	U		<0.004	U	
		VMP-8-9.5-012218	1/22/2018	0.0081	J	J	<0.005	U		<0.0057	U		<0.0089	U		<0.0081	U		<0.0048	U		<0.049	U		<0.0041	U	
	23.5 ft	VMP-8-23.5-042117	4/21/2017	<0.0087	U		<0.005	U		<0.0057	U		<0.0089	U		<0.0081	U		<0.0048	U		<0.049	U		<0.0041	U	
		VMP-8-23.5-071917	7/19/2017	0.0082	J		<0.0053	U		<0.006	U		<0.0094	U		<0.0086	U		<0.005	U		<0.052	U		<0.0043	U	
		VMP-8-23.5-103017	10/30/2017	<0.0084	U		<0.0048	U		<0.0055	U		<0.0085	U		<0.0078	U		<0.0046	U		<0.048	U		<0.0039	U	
		VMP-8-23.5-012218	1/22/2018	0.032	J0	J	<0.0051	U		<0.0058	U		<0.009	U		<0.0082	U		0.0014	J		<0.05	U		0.0023	J	
	35.5 ft	VMP-8-23.5-012218-DUP	1/22/2018	0.053	J0	J	<0.0052	U		<0.0058	U		<0.0091	U		<0.0083	U		<0.0049	U		<0.051	U		0.0016	J	
		VMP-8-35.5-042117	4/21/2017	<0.0089	J	U	<0.0051	U		<0.0058	U		<0.009	U		<0.0082	U		<0.0048	U		<0.05	U		<0.0042	U	
		VMP-8-35.5-071917	7/19/2017	0.02			<0.0095	U		<0.011	U		<0.017	U		<0.015	U		<0.009	U		<0.093	U		<0.0077	U	
		VMP-8-35.5-071917-DUP	7/19/2017	0.019			<0.01	U		<0.012	U		<0.019	U		<0.017	U		<0.01	U		<0.1	U		<0.0086	U	
		VMP-8-35.5-103017	10/30/2017	<0.0085	U		<0.0049	U		<0.0056	U		<0.0087	U		<0.0079	U		<0.0046	U		<0.048	U		<0.004	U	
VMP-9	5 ft	VMP-9-5-042017	4/20/2017	<0.0095	U		<0.0055	U		<0.0062	U		<0.0096	U		<0.0088	U		<0.0052	U		<0.054	U		<0.0044	U	
		VMP-9-5-071917	7/19/2017	0.0086	J		<0.0053	U		<0.006	U		<0.0094	U		<0.0086	U		<0.005	U		<0.052	U		<0.0043	U	
		VMP-9-5-110117	11/1/2017	<0.0082	U		<0.0048	U		<0.0054	U		<0.0084	U		<0.0076	U		<0.0045	U		<0.047	U		<0.0038	U	
		VMP-9-5-012218	1/22/2018	0.0065	J		<0.0055	U		<0.0062	U		<0.0096	U		<0.0088	U		<0.0052	U		<0.054	U		0.0012	J	
	11.5 ft	VMP-9-11.5-042017	4/20/2017	0.0044	J		<0.0055	U		<0.0062	U		<0.0097	U		<0.0088	U		<0.0052	U		<0.054	U		<0.0044	U	
		VMP-9-11.5-071917	7/19/2017	0.012			<0.0051	U		<0.0058	U		<0.009	U		<0.0082	U		0.0028	J		<0.05	U		<0.0042	U	
		VMP-9-11.5-110117	11/1/2017	0.005	J		<0.0051	U		<0.0058	U		<0.009	U		<0.0082	U		<0.0048	U		<0.05	U		<0.0042	U	
		VMP-9-11.5-012218	1/22/2018	0.0082	J		<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		0.0011	J	
	25.5 ft	VMP-9-25.5-042017	4/20/2017	0.033			<0.006	U		<0.0068	U		<0.011	U		<0.0097	U		<0.0057	U		<0.059	U		<0.0049	U	
		VMP-9-25.5-071917	7/19/2017	0.0082	J		<0.0053	U		<0.006	U		<0.0094	U		<0.0086	U		<0.005	U		<0.052	U		<0.0043	U	
		VMP-9-25.5-110117	11/1/2017	0.005	J		<0.0049	U		<0.0055	U		<0.0086	U		<0.0078	U		<0.0046	U		<0.048	U		<0.0039	U	
		VMP-9-25.5-012218	1/22/2018	0.011			<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		<0.0042	U	
	38.5 ft	VMP-9-38.5-042017	4/20/2017	0.0055	J		0.00079	J		<0.006	U		<0.0094	U		<0.0085	U		0.0032	J		<0.052	U		0.007		
		VMP-9-38.5-042017-DUP	4/20/2017	0.0052	J		0.00087	J		<0.0061	U		<0.0095	U		<0.0087	U		0.004	J		<0.053	U		0.0084		
		VMP-9-38.5-110117	11/1/2017	0.0059	J		<0.0048	U		<0.0055	U		<0.0085	U		<0.0078	U		<0.0046	U		<0.048	U		<0.0039	U	
		VMP-9-38.5-012218	1/22/2018	0.0076	J		<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		<0.0042	U	
VMP-18	8.5 ft	VMP-18-8.5-050317	5/3/2017	0.0048	J		<0.0047	U		<0.0053	U		<0.0083	U		<0.0076	U		0.0014	J		<0.046	U		<0.0038	U	
		VMP-18-8.5-072717	7/27/2017	<0.0091	U		<0.0052	U		<0.0059	U		<0.0093	U		<0.0084	U		<0.005	U		<0.052	U		<0.0043	U	
		VMP-18-8.5-110317	11/3/2017	0.013			<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		0.0018	J	
		VMP-18-8.5-110317-DUP	11/3/2017	0.013			<0.0045	U		<0.0051	U		<0.008	U		<0.0073	U		<0.0043	U		<0.044	U		0.0016	J	
		VMP-18-8.5-012418	1/24/2018	0.012			<0.005	U		<0.0057	U		<0.0088	U		<0.0081	U		0.0016	J		<0.049	U		<0.0041	U	
VMP-19	5 ft	VMP-19-5-042017	4/20/2017	0.026			<0.0059	U		<0.0067	U		<0.01	U		<0.0096	U		<0.0056	U		<0.058	U		<0.0048	U	
		VMP-19-5-072717	7/27/2017	<0.0092	U		<0.0053	U		<0.006	U		<0.0093	U		<0.0085	U		0.002	J		<0.052	U		0.0046		
		VMP-19-5-102517	10/25/2017	0.0059	J		<0.0049	U		<0.0056	U		<0.0087	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U	
		VMP-19-5-012518	1/25/2018	0.0084	J		<0.0049	U		<0.0056	U		<0.0087	U		<0.008	U		0.0029	J		<0.049	U		<0.004	U	</

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Ethanol			Ethylbenzene			4-Ethyltoluene			Freon 113			Freon 114			Heptane			Hexachlorobutadiene			Hexane		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-21	5 ft	VMP-21-5-042417	4/24/2017	<0.0088	J	U	<0.0051	U		<0.0058	U		<0.009	U		<0.0082	U		<0.0048	U		<0.05	U		0.0016	J	
		VMP-21-5-072017	7/20/2017	0.0096			<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U	
		VMP-21-5-103117	10/31/2017	<0.0084	U		<0.0049	U		<0.0055	U		<0.0086	U		<0.0078	U		<0.0046	U		<0.048	U		<0.0039	U	
		VMP-21-5-012318	1/23/2018	0.055			<0.0047	U		<0.0053	U		<0.0083	U		<0.0076	U		<0.0044	U		<0.046	U		<0.0038	U	
	10 ft	VMP-21-10-042417	4/24/2017	<0.0088	U		<0.0051	U		<0.0058	U		<0.009	U		<0.0082	U		<0.0048	U		<0.05	U		0.0026	J	
		VMP-21-10-072017	7/20/2017	0.01			<0.0053	U		0.0012	J		<0.0093	U		<0.0085	U		<0.005	U		<0.052	U		<0.0043	U	
		VMP-21-10-103117	10/31/2017	0.038			<0.0048	U		<0.0054	U		<0.0084	U		<0.0077	U		<0.0045	U		<0.047	U		<0.0039	U	
		VMP-21-10-012318	1/23/2018	<0.0083	J	U	<0.0048	U		<0.0054	U		<0.0084	U		<0.0077	U		<0.0045	U		<0.047	U		<0.0039	U	
	25 ft	VMP-21-25-042417	4/24/2017	<0.0088	J	U	<0.0051	U		<0.0058	U		<0.009	U		<0.0082	U		0.0019	J		<0.05	U		0.0017	J	
		VMP-21-25-072017	7/20/2017	<0.009	U		<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		<0.0042	U	
		VMP-21-25-103117	10/31/2017	<0.0087	U		<0.005	U		<0.0057	U		<0.0088	U		<0.0081	U		<0.0047	U		<0.049	U		<0.0041	U	
		VMP-21-25-012318	1/23/2018	0.033			<0.0049	U		<0.0055	U		<0.0086	U		<0.0078	U		<0.0046	U		<0.048	U		<0.0039	U	
	33 ft	VMP-21-33-042417	4/24/2017	0.04			<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		0.0021	J	
		VMP-21-33-042417-DUP	4/24/2017	0.053			<0.005	U		<0.0057	U		<0.0089	U		<0.0081	U		<0.0048	U		<0.05	U		0.002	J	
		VMP-21-33-072017	7/20/2017	0.0066	J		0.00097	J		<0.0056	U		<0.0087	U		<0.0079	U		0.0015	J		<0.048	U		0.0025	J	
		VMP-21-33-072017-DUP	7/20/2017	0.0054	J		0.00098	J		<0.006	U		<0.0094	U		<0.0085	U		<0.005	U		<0.052	U		0.0026	J	
		VMP-21-33-103117	10/31/2017	0.014			<0.0049	U		<0.0055	U		<0.0086	U		<0.0079	U		<0.0046	U		<0.048	U		<0.004	U	
		VMP-21-33-012318	1/23/2018	0.013			<0.0047	U		<0.0053	U		<0.0083	U		<0.0076	U		0.0028	J		<0.046	U		0.0036	J	
		VMP-21-33-012318-DUP	1/23/2018	0.018			<0.0048	U		<0.0054	U		<0.0084	U		<0.0076	U		0.0016	J		<0.047	U		0.0029	J	
VMP-22	5 ft	VMP-22-5-042617	4/26/2017	<0.009	U		<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		<0.0042	U	
		VMP-22-5-072617	7/26/2017	<0.0093	U		<0.0053	U		<0.006	U		<0.0094	U		<0.0086	U		<0.005	U		<0.052	U		<0.0043	U	
		VMP-22-5-102617	10/26/2017	<0.0083	J	U	<0.0048	U		<0.0054	U		<0.0085	U		<0.0077	U		<0.0045	U		<0.047	U		<0.0039	U	
		VMP-22-5-013018	1/30/2018	0.0053	J		<0.0049	U		0.017			<0.0086	U		<0.0078	U		<0.0046	U		<0.048	U		0.0014	J	
	10 ft	VMP-22-10-042717	4/27/2017	<0.0084	U		<0.0048	U		<0.0054	U		<0.0085	U		<0.0078	U		<0.0045	U		<0.047	U		0.0021	J	
		VMP-22-10-072617	7/26/2017	<0.0092	U		<0.0053	U		<0.006	U		<0.0094	U		<0.0085	U		0.0025	J		<0.052	U		0.002	J	
		VMP-22-10-102617	10/26/2017	<0.009	J	U	<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		0.0012	J		<0.051	U		<0.0042	U	
		VMP-22-10-013018	1/30/2018	0.003	J		<0.0046	U		0.0016	J		<0.0082	U		<0.0075	U		<0.0044	U		<0.046	U		0.0022	J	
	18 ft	VMP-22-18-042717	4/27/2017	<0.0096	U		<0.0055	U		<0.0063	U		<0.0098	U		<0.0089	U		<0.0052	U		<0.054	U		<0.0045	U	
		VMP-22-18-072617	7/26/2017	0.0083	J		<0.0059	U		<0.0067	U		0.012			<0.0095	U		<0.0056	U		<0.058	U		<0.0048	U	
		VMP-22-18-102617	10/26/2017	<0.0087	U		<0.005	U		<0.0057	U		<0.0088	U		<0.0081	U		<0.0047	U		<0.049	U		<0.0041	U	
		VMP-22-18-013018	1/30/2018	0.0058	J		<0.0046	U		<0.0052	U		<0.0081	U		<0.0074	U		<0.0043	U		<0.045	U		<0.0037	U	
	38 ft	VMP-22-38-042717	4/27/2017	<0.0089	U		<0.0051	U		<0.0058	U		<0.009	U		<0.0082	U		<0.0048	U		<0.05	U		<0.0042	U	
		VMP-22-38-042717-DUP	4/27/2017	<0.009	U		<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		0.0019	J	
		VMP-22-38-072617	7/26/2017	<0.009	U		<0.0052	U		<0.0058	U		<0.0091	U		<0.0083	U		<0.0049	U		<0.051	U		0.0016	J	
		VMP-22-38-072617-DUP	7/26/2017	0.0058	J		<0.0051	U		<0.0058	U		0.003	J		<0.0083	U		<0.0048	U		<0.05	U		<0.0042	U	
		VMP-22-38-102617	10/26/2017	0.0087	J	J	<0.0051	U		<0.0058	U		<0.009	U		<0.0082	U		<0.0048	U		<0.05	U		<0.0042	U	
		VMP-22-38-013018	1/30/2018	0.004	J		<0.0049	U		<0.0056	U		<0.0087	U		<0.0079	U		<0.0046	U		<0.048	U		0.0018	J	
VMP-23	5 ft	VMP-23-5-042517	4/25/2017	0.0077	J		<0.0054	U		<0.0062	U		<0.0096	U		<0.0088	U		<0.0051	U		<0.054	U		<0.0044	U	
		VMP-23-5-072017	7/20/2017	0.0078	J		<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		0.0012	J		<0.051	U		0.0016	J	
		VMP-23-5-102517	10/25/2017	<0.009	U		<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		<0.0042	U	
		VMP-23-5-012318	1/23/2018	<0.0097	J	U	<0.0056	U		<0.0063	U		<0.0099	U		<0.009	U		<0.0053	U		<0.055	U		<0.0045	U	
	10 ft	VMP-23-10-042517	4/25/2017	0.0056	J		<0.0056	U		<0.0063	U		<0.0098	U		<0.009	U		<0.0053	U		<0.055	U		<0.0045	U	
		VMP-23-10-072017	7/20/2017	0.019			<0.0051	U		<0.0058	U		<0.0091	U		<0.0083	U		<0.0048	U		<0.05	U		0.00071	J	
		VMP-23-10-102517	10/25/2017	0.03																							

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Ethanol			Ethylbenzene			4-Ethyltoluene			Freon 113			Freon 114			Heptane			Hexachlorobutadiene			Hexane		
							1.3																				
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-24	5 ft	VMP-24-5-042117	4/21/2017	<0.01	J	U	<0.0058	U		<0.0066	U		<0.01	U		<0.0094	U		<0.0055	U		<0.057	U		<0.0047	U	
		VMP-24-5-072117	7/21/2017	0.019			<0.0054	U		<0.0061	U		<0.0095	U		<0.0087	U		<0.0051	U		<0.053	U		<0.0044	U	
		VMP-24-5-102517	10/25/2017	<0.0089	U		<0.0051	U		<0.0058	U		<0.0091	U		<0.0083	U		<0.0048	U		<0.05	U		<0.0042	U	
		VMP-24-5-012418	1/24/2018	0.006	J		0.0011	J		<0.0056	U		<0.0087	U		<0.0079	U		0.004	J		<0.048	U		0.0047		
	10 ft	VMP-24-10-042117	4/21/2017	<0.0087	J	U	<0.005	U		<0.0057	U		<0.0088	U		<0.0081	U		<0.0047	U		<0.049	U		<0.0041	U	
		VMP-24-10-072117	7/21/2017	0.014			<0.0053	U		<0.006	U		<0.0094	U		<0.0085	U		<0.005	U		<0.052	U		<0.0043	U	
		VMP-24-10-102517	10/25/2017	<0.0082	U		<0.0048	U		<0.0054	U		<0.0084	U		<0.0076	U		<0.0045	U		<0.047	U		<0.0038	U	
		VMP-24-10-012418	1/24/2018	0.0026	J		<0.0048	U		<0.0054	U		<0.0084	U		<0.0076	U		0.0013	J		<0.047	U		<0.0038	U	
	22 ft	VMP-24-22-042117	4/21/2017	<0.0087	J	U	<0.005	U		<0.0057	U		<0.0089	U		<0.0081	U		<0.0048	U		<0.049	U		<0.0041	U	
		VMP-24-22-072117	7/21/2017	0.013			<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		<0.0042	U	
		VMP-24-22-102517	10/25/2017	<0.0084	U		<0.0048	U		<0.0054	U		<0.0085	U		<0.0078	U		<0.0045	U		<0.047	U		<0.0039	U	
		VMP-24-22-013118	1/31/2018	0.0048	J		0.0017	J		<0.0056	U		<0.0087	U		<0.0079	U		<0.0046	U		<0.048	U		<0.004	U	
	34 ft	VMP-24-34-042117	4/21/2017	<0.0087	J	U	<0.005	U		<0.0057	U		<0.0088	U		<0.0081	U		0.0051			<0.049	U		0.008		
		VMP-24-34-042117-DUP	4/21/2017	<0.0089	J	U	<0.0051	U		<0.0058	U		<0.009	U		<0.0082	U		0.0042	J		<0.05	U		0.0062		
		VMP-24-34-072117	7/21/2017	0.0084	J		<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		<0.0042	U	
		VMP-24-34-072117-DUP	7/21/2017	0.011			<0.0053	U		<0.006	U		<0.0093	U		<0.0085	U		<0.005	U		<0.052	U		<0.0043	U	
VMP-24-34-102517		10/25/2017	0.016			<0.005	U		<0.0057	U		<0.0088	U		<0.0081	U		<0.0047	U		<0.049	U		<0.0041	U		
VMP-24-34-012418		1/24/2018	0.003	J		<0.0046	U		<0.0052	U		<0.0081	U		<0.0074	U		0.0028	J		<0.045	U		0.0031	J		
VMP-32	5 ft	VMP-32-5-052217	5/22/2017	0.024			0.0041	J		<0.006	U		<0.0094	U		<0.0086	U		<0.005	U		<0.052	U		<0.0043	U	
		VMP-32-5-072417	7/24/2017	0.028			0.009			0.0026	J		<0.0091	U		<0.0083	U		<0.0049	U		<0.051	U		<0.0042	U	
		VMP-32-5-103117	10/31/2017	0.032			<0.0049	U		<0.0055	U		<0.0086	U		<0.0079	U		<0.0046	U		<0.048	U		<0.004	U	
		VMP-32-5-012918	1/29/2018	0.0066	J		<0.0047	U		<0.0053	U		<0.0083	U		<0.0076	U		<0.0044	U		<0.046	U		<0.0038	U	
	10 ft	VMP-32-10-042517	4/25/2017	0.0086	J		0.005	J		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		<0.0042	U	
		VMP-32-10-072417	7/24/2017	0.0077	J		0.0058			0.0016	J		<0.0094	U		<0.0085	U		<0.005	U		<0.052	U		<0.0043	U	
		VMP-32-10-103117	10/31/2017	<0.0089	U		<0.0051	U		<0.0058	U		<0.0091	U		<0.0083	U		<0.0048	U		<0.05	U		<0.0042	U	
		VMP-32-10-012918	1/29/2018	<0.0082	U		<0.0047	U		<0.0053	U		<0.0083	U		<0.0076	U		<0.0044	U		<0.046	U		<0.0038	U	
	20 ft	VMP-32-20-042517	4/25/2017	0.005	J		0.00091	J		<0.006	U		<0.0094	U		<0.0086	U		<0.005	U		<0.052	U		<0.0043	U	
		VMP-32-20-072417	7/24/2017	<0.0093	U		<0.0054	U		<0.0061	U		<0.0095	U		<0.0087	U		<0.0051	U		<0.053	U		<0.0044	U	
		VMP-32-20-103117	10/31/2017	<0.0087	U		<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U	
		VMP-32-20-012918	1/29/2018	<0.0076	U		<0.0044	U		<0.005	U		<0.0077	U		<0.0071	U		<0.0041	U		<0.043	U		<0.0036	U	
	30 ft	VMP-32-30-042517	4/25/2017	<0.0093	U		<0.0054	U		<0.0061	U		<0.0095	U		<0.0087	U		<0.0051	U		<0.053	U		<0.0044	U	
		VMP-32-30-042517-DUP	4/25/2017	<0.0092	J	U	<0.0053	U		<0.006	U		<0.0093	U		<0.0085	U		<0.005	U		<0.052	U		<0.0043	U	
		VMP-32-30-072417	7/24/2017	0.023			0.002	J		<0.0061	U		<0.0095	U		<0.0086	U		0.0024	J		<0.053	U		0.004	J	
		VMP-32-30-072417-DUP	7/24/2017	<0.0092	U		<0.0053	U		<0.006	U		<0.0093	U		<0.0085	U		<0.005	U		<0.052	U		<0.0043	U	
VMP-32-30-103117		10/31/2017	0.012	J		<0.0097	U		<0.011	U		<0.017	U		<0.016	U		<0.0092	U		<0.096	U		0.0018	J		
VMP-32-30-012918		1/29/2018	0.0049	J		<0.0049	U		<0.0055	U		<0.0086	U		<0.0078	U		<0.0046	U		<0.048	U		<0.0039	U		
VMP-42	10 ft	VMP-42-10-050317	5/3/2017	0.0054	J		<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U	
		VMP-42-10-072017	7/20/2017	<0.009	U		<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		<0.0042	U	
		VMP-42-10-110117	11/1/2017	0.017			<0.0044	U		<0.005	U		<0.0078	U		<0.0072	U		<0.0042	U		<0.044	U		<0.0036	U	
		VMP-42-10-012318	1/23/2018	0.033			<0.0048	U		<0.0054	U		<0.0085	U		<0.0078											

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Ethanol			Ethylbenzene			4-Ethyltoluene			Freon 113			Freon 114			Heptane			Hexachlorobutadiene			Hexane			
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	
VMP-44	10 ft	VMP-44-10-042517	4/25/2017	0.0069	J		<0.0054	U		<0.0061	U		<0.0095	U		<0.0086	U		0.0014	J		<0.053	U		<0.0044	U		
		VMP-44-10-072517	7/25/2017	0.0093	J		<0.0055	U		<0.0062	U		<0.0097	U		<0.0088	U		<0.0052	U		<0.054	U		<0.0044	U		
		VMP-44-10-102517	10/25/2017	0.0081	J		<0.0053	U		<0.006	U		<0.0094	U		<0.0085	U		<0.005	U		<0.052	U		<0.0043	U		
		VMP-44-10-012518	1/25/2018	0.006	J		<0.005	U		<0.0057	U		<0.0088	U		<0.0081	U		<0.0047	U		<0.049	U		0.0018	J		
	20 ft	VMP-44-20-042517	4/25/2017	0.0037	J		<0.0057	U		<0.0065	U		<0.01	U		<0.0092	U		<0.0054	U		<0.056	U		<0.0046	U		
		VMP-44-20-072517	7/25/2017	<0.0098	U		<0.0056	U		<0.0064	U		<0.0099	U		<0.009	U		<0.0053	U		<0.055	U		<0.0046	U		
		VMP-44-20-102517	10/25/2017	<0.009	U		<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		<0.0042	U		
		VMP-44-20-012518	1/25/2018	0.0057	J		<0.0049	U		<0.0056	U		<0.0087	U		<0.0079	U		<0.0046	U		<0.048	U		0.0024	J		
	30 ft	VMP-44-30-042517	4/25/2017	0.0041	J		<0.0058	U		<0.0066	U		<0.01	U		<0.0094	U		<0.0055	U		<0.057	U		<0.0047	U		
		VMP-44-30-072517	7/25/2017	0.014			<0.0055	U		<0.0062	U		<0.0096	U		<0.0088	U		<0.0052	U		<0.054	U		<0.0044	U		
		VMP-44-30-102517	10/25/2017	0.0094			<0.0051	U		<0.0058	U		<0.0091	U		<0.0083	U		<0.0048	U		<0.05	U		<0.0042	U		
		VMP-44-30-102517-DUP	10/25/2017	0.0072	J		<0.005	U		<0.0057	U		<0.0089	U		<0.0081	U		<0.0048	U		<0.05	U		0.0049			
VMP-44-30-012518	1/25/2018	0.0068	J		<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		0.0015	J		<0.049	U		0.0042					
	VMP-44-30-012518-DUP	1/25/2018	0.0051	J		<0.0049	U		<0.0056	U		<0.0087	U		<0.008	U		0.0019	J		<0.049	U		0.0048				
	VMP-45	10 ft	VMP-45-10-042617	4/26/2017	<0.0091	J	U	<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		0.002	J		<0.051	U		0.0015	J	
			VMP-45-10-072517	7/25/2017	<0.0095	U		<0.0055	U		<0.0062	U		<0.0096	U		<0.0088	U		<0.0052	U		<0.054	U		<0.0044	U	
VMP-45-10-103117			10/31/2017	0.035			<0.0048	U		<0.0054	U		<0.0084	U		<0.0076	U		<0.0045	U		<0.047	U		<0.0038	U		
VMP-45-10-012418			1/24/2018	0.0043	J		<0.0047	U		<0.0053	U		<0.0083	U		<0.0076	U		<0.0044	U		<0.046	U		<0.0038	U		
20 ft		VMP-45-20-042617	4/26/2017	0.011			<0.0058	U		<0.0066	U		<0.01	U		<0.0094	U		<0.0055	U		<0.057	U		0.0015	J		
		VMP-45-20-072517	7/25/2017	<0.0094	U		<0.0054	U		<0.0061	U		<0.0096	U		<0.0087	U		<0.0051	U		<0.053	U		<0.0044	U		
		VMP-45-20-103117	10/31/2017	0.016			<0.0047	U		<0.0054	U		<0.0084	U		<0.0076	U		<0.0045	U		<0.046	U		<0.0038	U		
		VMP-45-20-012418	1/24/2018	0.0032	J		<0.0048	U		<0.0054	U		<0.0084	U		<0.0077	U		0.0015	J		<0.047	U		<0.0039	U		
30 ft		VMP-45-30-042617	4/26/2017	<0.0093	J	U	<0.0053	U		<0.006	U		<0.0094	U		<0.0086	U		<0.005	U		<0.052	U		0.0021	J		
		VMP-45-30-042617-DUP	4/26/2017	0.0079	J		0.0046	J		0.0048	J		<0.0089	U		<0.0081	U		0.0044	J		<0.049	U		0.0048			
		VMP-45-30-072517	7/25/2017	0.014			<0.0055	U		<0.0062	U		<0.0096	U		<0.0088	U		<0.0052	U		<0.054	U		<0.0044	U		
		VMP-45-30-103117	10/31/2017	0.012			<0.0048	U		<0.0055	U		<0.0085	U		<0.0078	U		<0.0046	U		<0.048	U		<0.0039	U		
VMP-45-30-012418	1/24/2018	0.024			<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U				
	VMP-47	5 ft	VMP-47-5-042717	4/27/2017	<0.0081	U		<0.0047	U		<0.0053	U		<0.0083	U		<0.0076	U		<0.0044	U		<0.046	U		<0.0038	U	
			VMP-47-5-072417	7/24/2017	0.0064	J		<0.0052	U		<0.0059	U		<0.0093	U		<0.0084	U		<0.005	U		<0.052	U		<0.0043	U	
			VMP-47-5-102617	10/26/2017	0.0036	J		<0.0052	U		0.0024	J		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		<0.0042	U	
VMP-47-5-012618			1/26/2018	0.0088			<0.0049	U		<0.0056	U		<0.0087	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U		
10 ft		VMP-47-10-042717	4/27/2017	0.0078	J		<0.005	U		<0.0057	U		<0.0089	U		<0.0081	U		<0.0048	U		<0.05	U		<0.0041	U		
		VMP-47-10-072417	7/24/2017	<0.0089	U		<0.0051	U		<0.0058	U		<0.0091	U		<0.0083	U		<0.0048	U		<0.05	U		<0.0042	U		
		VMP-47-10-102617	10/26/2017	<0.009	U		<0.0052	U		<0.0058	U		<0.0091	U		<0.0083	U		<0.0049	U		<0.051	U		<0.0042	U		
		VMP-47-10-012618	1/26/2018	0.0097			<0.0048	U		<0.0055	U		<0.0085	U		<0.0078	U		0.0023	J		<0.048	U		<0.0039	U		
20 ft		VMP-47-20-042717	4/27/2017	<0.0086	U		<0.0049	U		<0.0056	U		<0.0087	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U		
		VMP-47-20-072417	7/24/2017	0.058			<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		0.0015	J		
		VMP-47-20-102617	10/26/2017	<0.0089	U		<0.0051	U		<0.0058	U		<0.009	U		<0.0082	U		<0.0048	U		<0.05	U		<0.0042	U		
		VMP-47-20-012618	1/26/2018	<0.0089	U		<0.0051	U		<0.0058	U		<0.0091	U		<0.0083	U		<0.0048	U		<0.05	U		<0.0042	U		
30 ft	VMP-47-20-012618-DUP	1/26/2018	0.0051	J		<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U	</								

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Ethanol			Ethylbenzene			4-Ethyltoluene			Freon 113			Freon 114			Heptane			Hexachlorobutadiene			Hexane		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-49	5 ft	VMP-49-5-042417	4/24/2017	<0.011	J	U	<0.0063	U		<0.0071	U		<0.011	U		<0.01	U		<0.0059	U		<0.062	U		0.0018	J	
		VMP-49-5-072617	7/26/2017	0.0078	J		<0.0053	U		<0.006	U		<0.0093	U		<0.0085	U		<0.005	U		<0.052	U		<0.0043	U	
		VMP-49-5-102717	10/27/2017	0.026			<0.0049	U		<0.0056	U		<0.0087	U		<0.0079	U		<0.0046	U		<0.048	U		0.0015	J	
		VMP-49-5-012618	1/26/2018	<0.0086	U		<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U	
	10 ft	VMP-49-10-042417	4/24/2017	<0.011	J	U	<0.0062	U		<0.007	U		<0.011	U		<0.01	U		<0.0059	U		<0.061	U		0.0023	J	
		VMP-49-10-072617	7/26/2017	<0.0095	U		<0.0055	U		<0.0062	U		<0.0096	U		<0.0088	U		<0.0052	U		<0.054	U		<0.0044	U	
		VMP-49-10-102717	10/27/2017	<0.0087	U		<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U	
		VMP-49-10-012618	1/26/2018	0.035			<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U	
	20 ft	VMP-49-20-042417	4/24/2017	<0.011	J	U	<0.0061	U		<0.0069	U		<0.011	U		<0.0098	U		<0.0058	U		<0.06	U		0.0018	J	
		VMP-49-20-072617	7/26/2017	<0.0092	U		<0.0053	U		<0.006	U		<0.0093	U		<0.0085	U		<0.005	U		<0.052	U		<0.0043	U	
		VMP-49-20-102717	10/27/2017	0.0093			<0.0047	U		<0.0053	U		<0.0083	U		<0.0076	U		<0.0044	U		<0.046	U		<0.0038	U	
		VMP-49-20-012618	1/26/2018	<0.0088	U		<0.005	U		<0.0057	U		<0.0089	U		<0.0081	U		<0.0048	U		<0.05	U		<0.0041	U	
	30 ft	VMP-49-30-042417	4/24/2017	<0.01	J	U	0.0022	J		<0.0068	U		<0.01	U		<0.0096	U		<0.0056	U		<0.059	U		0.0021	J	
		VMP-49-30-072617	7/26/2017	<0.0094	U	UJ	<0.0054	U		<0.0061	U		<0.0096	U		<0.0087	U		0.002	J		<0.053	U		0.0026	J	
		VMP-49-30-072617-DUP	7/26/2017	0.034		J	<0.0054	U		<0.0061	U		<0.0095	U		<0.0087	U		<0.0051	U		<0.053	U		0.0026	J	
		VMP-49-30-102717	10/27/2017	0.013			<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U	
VMP-49-30-012618	1/26/2018	0.01			<0.0052	U		<0.0058	U		<0.0091	U		<0.0083	U		<0.0049	U		<0.051	U		<0.0042	U			
VMP-50	5 ft	VMP-50-5-050317	5/3/2017	<0.0081	J	U	<0.0047	U		<0.0053	U		<0.0083	U		<0.0076	U		<0.0044	U		<0.046	U		0.0015	J	
		VMP-50-5-072617	7/26/2017	0.0061	J		<0.0055	U		<0.0062	U		0.0052	J		<0.0088	U		<0.0052	U		<0.054	U		<0.0044	U	
		VMP-50-5-110117	11/1/2017	0.0063	J		<0.0048	U		<0.0054	U		<0.0085	U		<0.0078	U		<0.0045	U		<0.047	U		<0.0039	U	
		VMP-50-5-013118	1/31/2018	0.036			<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		0.0024	J		<0.051	U		0.0035	J	
	10 ft	VMP-50-10-050317	5/3/2017	<0.0083	J	U	<0.0048	U		<0.0054	U		<0.0084	U		<0.0077	U		<0.0045	U		<0.047	U		<0.0039	U	
		VMP-50-10-072617	7/26/2017	0.0061	J		<0.0055	U		<0.0062	U		0.0064	J		<0.0088	U		<0.0052	U		<0.054	U		0.0007	J	
		VMP-50-10-110117	11/1/2017	0.0096			<0.0048	U		<0.0054	U		<0.0085	U		<0.0077	U		<0.0045	U		<0.047	U		<0.0039	U	
		VMP-50-10-013118	1/31/2018	0.0049	J		<0.0049	U		<0.0056	U		<0.0087	U		<0.0079	U		<0.0046	U		<0.048	U		<0.004	U	
	20 ft	VMP-50-20-050317	5/3/2017	0.051			<0.0046	U		<0.0052	U		<0.0082	U		<0.0074	U		0.0021	J		<0.045	U		0.0022	J	
		VMP-50-20-072617	7/26/2017	0.0052	J		<0.0053	U		<0.006	U		0.0026	J		<0.0086	U		<0.005	U		<0.052	U		0.00059	J	
		VMP-50-20-110117	11/1/2017	0.078			<0.0046	U		<0.0052	U		<0.0082	U		<0.0074	U		0.0011	J		<0.045	U		<0.0038	U	
		VMP-50-20-013118	1/31/2018	0.013	J		<0.02	U		<0.023	U		<0.035	U		<0.032	U		1.4			<0.2	U		2.8		
	30 ft	VMP-50-20-013118-DUP	1/31/2018	0.019	J		<0.02	U		<0.023	U		<0.036	U		<0.033	U		1.7			<0.2	U		3.4		
		VMP-50-30-050317	5/3/2017	<0.1	U		0.78			1.3			<0.11	U		<0.098	U		3			<0.6	U		6.1		
		VMP-50-30-050317-DUP	5/3/2017	<0.11	U		0.73			1.2			<0.11	U		<0.1	U		2.8			<0.61	U		5.8		
		VMP-50-30-072617	7/26/2017	<0.12	U		0.74			0.86			<0.13	U		<0.12	U		2			<0.7	U		3.9		
VMP-50-30-110117	11/1/2017	0.048	J		0.9			1.1		J	<0.085	U		<0.078	U		1.2			<0.47	U		4.5				
	VMP-50-30-110117-DUP	11/1/2017	<0.082	U		1			1.2		J	<0.083	U		<0.076	U		1.2			<0.46	U		4.8			
	VMP-50-30-013118	1/31/2018	<0.085	U		0.41			0.26			<0.087	U		<0.079	U		5.4			<0.48	U		12			
	VMP-51	5 ft	VMP-51-5-042517	4/25/2017	<0.0095	J	U	<0.0055	U		<0.0062	U		<0.0097	U		<0.0088	U		<0.0052	U		<0.054	U		<0.0044	U
VMP-51-5-072017			7/20/2017	0.0063	J		<0.0055	U		<0.0062	U		<0.0097	U		<0.0089	U		<0.0052	U		<0.054	U		<0.0045	U	
VMP-51-5-103017			10/30/2017	<0.0085	J	U	<0.0049	U		<0.0055	U		<0.0086	U		<0.0079	U		<0.0046	U		<0.048	U		<0.004	U	
VMP-51-5-012318			1/23/2018	0.0036	J		<0.0049	U		<0.0055	U		<0.0086	U		<0.0078	U		<0.0046	U		<0.048	U		<0.0039	U	
10 ft		VMP-51-10-042517	4/25/2017	0.033			<0.0051	U		<0.0058	U		<0.009	U		<0.0082	U		0.0011	J		<0.05	U		<0.0042	U	
		VMP-51-10-072017	7/20/2017	0.0049	J		<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		0.00098	J	
		VMP-51-10-103017	10/30/2017	<0.0086	J	U	<0.0049	U		<0.0056	U		<0.0087	U		<0.0079	U		<0.0046	U		<0.048	U		<0.004	U	
		VMP-51-10-012318	1/23/201																								

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Ethanol			Ethylbenzene			4-Ethyltoluene			Freon 113			Freon 114			Heptane			Hexachlorobutadiene			Hexane		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-52	5 ft	VMP-52-5-042417	4/24/2017	0.009			<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		0.0013	J	
		VMP-52-5-072117	7/21/2017	0.008	J		<0.0054	U		<0.0062	U		<0.0096	U		<0.0088	U		<0.0051	U		<0.054	U		<0.0044	U	
		VMP-52-5-102517	10/25/2017	0.026			<0.0049	U		<0.0055	U		<0.0086	U		<0.0079	U		<0.0046	U		<0.048	U		<0.004	U	
		VMP-52-5-012418	1/24/2018	0.0032	J		<0.0048	U		<0.0054	U		<0.0084	U		<0.0077	U		<0.0045	U		<0.047	U		<0.0039	U	
	10 ft	VMP-52-10-042417	4/24/2017	<0.0092	U		<0.0053	U		<0.006	U		<0.0094	U		<0.0085	U		<0.005	U		<0.052	U		0.0017	J	
		VMP-52-10-072117	7/21/2017	<0.0096	U		<0.0055	U		<0.0062	U		<0.0097	U		<0.0089	U		<0.0052	U		<0.054	U		<0.0045	U	
		VMP-52-10-102517	10/25/2017	<0.0084	U		<0.0048	U		<0.0055	U		<0.0085	U		<0.0078	U		<0.0046	U		<0.048	U		<0.0039	U	
		VMP-52-10-012418	1/24/2018	0.006	J		0.0013	J		<0.0058	U		<0.009	U		<0.0082	U		<0.0048	U		<0.05	U		<0.0041	U	
	20 ft	VMP-52-20-042417	4/24/2017	0.01			<0.0057	U		<0.0064	U		<0.01	U		<0.0091	U		<0.0053	U		<0.056	U		<0.0046	U	
		VMP-52-20-072117	7/21/2017	<0.0094	U		<0.0054	U		<0.0061	U		<0.0095	U		<0.0087	U		<0.0051	U		<0.053	U		<0.0044	U	
		VMP-52-20-102517	10/25/2017	<0.0084	U		<0.0048	U		<0.0055	U		<0.0085	U		<0.0078	U		<0.0046	U		<0.048	U		<0.0039	U	
		VMP-52-20-012418	1/24/2018	<0.0084	U		<0.0048	U		<0.0055	U		<0.0085	U		<0.0078	U		<0.0046	U		<0.048	U		<0.0039	U	
	30 ft	VMP-52-20-012418-DUP	1/24/2018	<0.0082	U		<0.0047	U		<0.0053	U		<0.0083	U		<0.0076	U		<0.0044	U		<0.046	U		<0.0038	U	
		VMP-52-30-042417	4/24/2017	0.0096			<0.0053	U		<0.006	U		<0.0094	U		<0.0085	U		<0.005	U		<0.052	U		0.0015	J	
		VMP-52-30-072117	7/21/2017	<0.0096	U		<0.0056	U		<0.0063	U		<0.0098	U		<0.0089	U		<0.0052	U		<0.055	U		<0.0045	U	
		VMP-52-30-102517	10/25/2017	0.012			<0.005	U		<0.0057	U		<0.0089	U		<0.0081	U		<0.0048	U		<0.049	U		<0.0041	U	
	30 ft	VMP-52-30-102517-DUP	10/25/2017	<0.0089	U		<0.0051	U		<0.0058	U		<0.009	U		<0.0082	U		<0.0048	U		<0.05	U		<0.0042	U	
		VMP-52-30-012418	1/24/2018	0.0048	J		<0.0045	U		<0.0051	U		<0.008	U		<0.0073	U		<0.0043	U		<0.044	U		<0.0037	U	
VMP-53		VMP-53-5-042017	4/20/2017	0.0083	J		<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		<0.0042	U	
		VMP-53-5-071917	7/19/2017	0.01			<0.0053	U		<0.006	U		<0.0094	U		<0.0086	U		<0.005	U		<0.052	U		<0.0043	U	
	VMP-53-5-110117	11/1/2017	<0.008	U		<0.0046	U		<0.0052	U		<0.0082	U		<0.0074	U		<0.0044	U		<0.045	U		<0.0038	U		
	VMP-53-5-012218	1/22/2018	0.0076	J		<0.0053	U		<0.006	U		<0.0093	U		<0.0085	U		<0.005	U		<0.052	U		<0.0043	U		
	10 ft	VMP-53-10-042017	4/20/2017	0.0033	J		<0.0052	U		<0.0058	U		<0.0091	U		<0.0083	U		<0.0049	U		<0.051	U		<0.0042	U	
		VMP-53-10-071917	7/19/2017	0.011			<0.0052	U		<0.0059	U		<0.0093	U		<0.0084	U		<0.005	U		<0.052	U		<0.0043	U	
		VMP-53-10-110117	11/1/2017	<0.0084	U		<0.0048	U		<0.0055	U		<0.0085	U		<0.0078	U		<0.0046	U		<0.048	U		<0.0039	U	
		VMP-53-10-012218	1/22/2018	0.016			<0.0052	U		<0.0059	U		<0.0093	U		<0.0084	U		<0.005	U		<0.052	U		0.001	J	
	20 ft	VMP-53-20-042017	4/20/2017	0.004	J		<0.0052	U		0.0029	J		<0.0091	U		<0.0083	U		<0.0049	U		<0.051	U		<0.0042	U	
		VMP-53-20-071917	7/19/2017	0.012			<0.0053	U		<0.006	U		<0.0094	U		<0.0086	U		<0.005	U		<0.052	U		<0.0043	U	
		VMP-53-20-110117	11/1/2017	<0.0084	U		<0.0048	U		<0.0055	U		<0.0085	U		<0.0078	U		<0.0046	U		<0.048	U		<0.0039	U	
		VMP-53-20-012218	1/22/2018	0.007	J	J	<0.0051	U		<0.0058	U		<0.009	U		<0.0082	U		<0.0048	U		<0.05	U		<0.0041	U	
30 ft	VMP-53-20-012218-DUP	1/22/2018	0.0099	J0	J	<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		0.0017	J		
	VMP-53-30-042017	4/20/2017	0.0062	J		<0.0049	U		<0.0056	U		<0.0087	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U		
	VMP-53-30-042017-DUP	4/20/2017	<0.0084	U		<0.0048	U		<0.0054	U		<0.0085	U		<0.0078	U		<0.0045	U		<0.047	U		<0.0039	U		
	VMP-53-30-071917	7/19/2017	0.0092	J		<0.0053	U		<0.006	U		<0.0094	U		<0.0086	U		<0.005	U		<0.052	U		0.0018	J		
30 ft	VMP-53-30-071917-DUP	7/19/2017	0.01			<0.0052	U		<0.0059	U		<0.0093	U		<0.0084	U		<0.005	U		<0.052	U		<0.0043	U		
	VMP-53-30-110117	11/1/2017	0.0043	J		<0.0048	U		<0.0054	U		<0.0084	U		<0.0077	U		<0.0045	U		<0.047	U		<0.0039	U		
	VMP-53-30-012218	1/22/2018	<0.0091	U		<0.0052	U		<0.0059	U		<0.0093	U		<0.0084	U		<0.005	U		<0.052	U		<0.0043	U		
	VMP-54	VMP-54-5-042017	4/20/2017	0.0053	J		<0.0055	U		<0.0062	U		<0.0096	U		<0.0088	U		<0.0052	U		<0.054	U		<0.0044	U	
VMP-54-5-071917		7/19/2017	0.017			<0.0053	U		<0.006	U		<0.0094	U		<0.0085	U		<0.005	U		<0.052	U		<0.0043	U		
VMP-54-5-102617		10/26/2017	0.033			<0.0047	U		<0.0053	U		<0.0083	U		<0.0076	U		<0.0044									

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Ethanol			Ethylbenzene			4-Ethyltoluene			Freon 113			Freon 114			Heptane			Hexachlorobutadiene			Hexane		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-62	5 ft	VMP-62-5-042517	4/25/2017	0.0084	J		<0.0056	U		<0.0063	U		<0.0099	U		<0.009	U		<0.0053	U		<0.055	U		<0.0045	U	
		VMP-62-5-072517	7/25/2017	2.1			0.0018	J		<0.0052	U		<0.0082	U		<0.0074	U		<0.0044	U		<0.045	U		0.0016	J	
		VMP-62-5-083017	8/30/2017	0.027			<0.0054	U		<0.0061	U		<0.0095	U		<0.0086	U		<0.0051	U		<0.053	U		<0.0044	U	
		VMP-62-5-110317	11/3/2017	0.0056	J		<0.0049	U		<0.0055	U		<0.0086	U		<0.0078	U		0.03			<0.048	U		0.014		
		VMP-62-5-012918	1/29/2018	0.051			<0.0047	U		<0.0053	U		<0.0083	U		<0.0076	U		<0.0044	U		<0.046	U		<0.0038	U	
	10 ft	VMP-62-10-042517	4/25/2017	0.0053	J		<0.0057	U		<0.0065	U		<0.01	U		<0.0092	U		0.001	J		<0.056	U		<0.0046	U	
		VMP-62-10-072517	7/25/2017	0.018			<0.0051	U		<0.0058	U		<0.0091	U		<0.0083	U		<0.0048	U		<0.05	U		<0.0042	U	
		VMP-62-10-110317	11/3/2017	0.015			<0.0048	U		<0.0054	U		<0.0084	U		<0.0077	U		<0.0045	U		<0.047	U		<0.0039	U	
		VMP-62-10-012918	1/29/2018	0.036			<0.0046	U		<0.0052	U		<0.0082	U		<0.0074	U		<0.0044	U		<0.045	U		<0.0038	U	
	20 ft	VMP-62-20-042517	4/25/2017	0.008	J		<0.0054	U		<0.0061	U		<0.0095	U		<0.0086	U		<0.0051	U		<0.053	U		<0.0044	U	
		VMP-62-20-072517	7/25/2017	<0.0092	U		<0.0053	U		<0.006	U		<0.0093	U		<0.0085	U		<0.005	U		<0.052	U		<0.0043	U	
		VMP-62-20-110317	11/3/2017	0.72			<0.0049	U		<0.0055	U		<0.0086	U		<0.0078	U		<0.0046	U		<0.048	U		<0.0039	U	
		VMP-62-20-012918	1/29/2018	0.044			<0.0045	U		<0.0051	U		<0.008	U		<0.0073	U		<0.0043	U		<0.044	U		<0.0037	U	
	30 ft	VMP-62-30-042517	4/25/2017	0.0066	J		<0.0055	U		<0.0062	U		<0.0097	U		<0.0089	U		<0.0052	U		<0.054	U		<0.0045	U	
		VMP-62-30-072517	7/25/2017	<0.0091	U		<0.0052	U		<0.0059	U		<0.0093	U		<0.0084	U		<0.005	U		<0.052	U		<0.0043	U	
		VMP-62-30-072517-DUP	7/25/2017	0.0062	J		<0.0051	U		<0.0058	U		<0.009	U		<0.0082	U		0.0023	J		<0.05	U		0.0023	J	
		VMP-62-30-110317	11/3/2017	0.0062	J		<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U	
		VMP-62-30-110317-DUP	11/3/2017	0.012			<0.0049	U		<0.0055	U		<0.0086	U		<0.0078	U		<0.0046	U		<0.048	U		<0.0039	U	
		VMP-62-30-012918	1/29/2018	0.012			<0.0045	U		<0.0051	U		<0.008	U		<0.0073	U		0.0015	J		<0.044	U		0.0027	J	
		VMP-62-30-012918-DUP	1/29/2018	0.01			<0.0046	U		<0.0053	U		<0.0082	U		<0.0075	U		<0.0044	U		<0.046	U		<0.0038	U	
VMP-63	5 ft	VMP-63-5-042517	4/25/2017	<0.0089	J	U	<0.0051	U		<0.0058	U		<0.0091	U		<0.0083	U		<0.0048	U		<0.05	U		<0.0042	U	
		VMP-63-5-072517	7/25/2017	0.01			0.003	J		0.00092	J		<0.0091	U		<0.0083	U		<0.0048	U		<0.05	U		<0.0042	U	
		VMP-63-5-110117	11/1/2017	<0.0084	U		<0.0048	U		<0.0054	U		<0.0085	U		<0.0078	U		<0.0045	U		<0.047	U		<0.0039	U	
		VMP-63-5-012618	1/26/2018	0.0028	J		<0.0049	U		<0.0055	U		<0.0086	U		<0.0078	U		<0.0046	U		<0.048	U		<0.0039	U	
	10 ft	VMP-63-10-042517	4/25/2017	<0.0095	U		0.0016	J		<0.0062	U		<0.0097	U		<0.0088	U		<0.0052	U		<0.054	U		<0.0044	U	
		VMP-63-10-072517	7/25/2017	0.003	J		<0.0053	U		<0.006	U		<0.0094	U		<0.0085	U		<0.005	U		<0.052	U		<0.0043	U	
		VMP-63-10-110117	11/1/2017	0.098			<0.0048	U		<0.0054	U		<0.0085	U		<0.0078	U		<0.0045	U		<0.047	U		<0.0039	U	
		VMP-63-10-012618	1/26/2018	<0.0084	U		<0.0049	U		<0.0055	U		<0.0086	U		<0.0078	U		<0.0046	U		<0.048	U		<0.0039	U	
	20 ft	VMP-63-20-042517	4/25/2017	0.0091			<0.005	U		<0.0057	U		<0.0089	U		<0.0081	U		<0.0048	U		<0.05	U		<0.0041	U	
		VMP-63-20-072517	7/25/2017	0.0057	J		0.0018	J		0.0006	J		<0.0095	U		<0.0086	U		<0.0051	U		<0.053	U		<0.0044	U	
		VMP-63-20-110117	11/1/2017	0.059			<0.0048	U		<0.0054	U		<0.0085	U		<0.0077	U		<0.0045	U		<0.047	U		<0.0039	U	
		VMP-63-20-012618	1/26/2018	0.0036	J		<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		0.0026	J	
	30 ft	VMP-63-30-042517	4/25/2017	<0.0092	U		<0.0053	U		<0.006	U		<0.0093	U		<0.0085	U		0.0019	J		<0.052	U		<0.0043	U	
		VMP-63-30-072517	7/25/2017	0.0097			<0.005	U		<0.0057	U		<0.0089	U		<0.0081	U		<0.0048	U		<0.05	U		0.00037	J	
		VMP-63-30-110117	11/1/2017	0.36			<0.0048	U		<0.0054	U		<0.0085	U		<0.0078	U		<0.0045	U		<0.047	U		<0.0039	U	
		VMP-63-30-012618	1/26/2018	0.0077	J		<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		0.0029	J	
		VMP-63-30-012618-DUP	1/26/2018	0.0073	J		<0.0048	U		<0.0054	U		<0.0084	U		<0.0077	U		<0.0045	U		<0.047	U		0.0024	J	
VMP-64	5 ft	VMP-64-5-042717	4/27/2017	0.0094			<0.0045	U		<0.0051	U		<0.008	U		<0.0073	U		<0.0043	U		<0.044	U		<0.0037	U	
		VMP-64-5-072517	7/25/2017	<0.018	U		<0.01	U		<0.011	U		<0.018	U		<0.016	U		<0.0095	U		<0.099	U		<0.0082	U	
		VMP-64-5-110317	11/3/2017	0.0068	J		<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U	
		VMP-64-5-012218	1/22/2018	0.027			<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U	
	10 ft	VMP-64-10-042717	4/27/2017	0.0062	J		<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U	
		VMP-64-10-072517	7/25/2017	0.012			<0.0055	U		<0.0062	U		<0.0097	U		<0.0088	U		<0.0052	U		<0.054	U		<0.0044	U	
		VMP-64-10-110317	11/3/2017	0.11			<0.0046	U		<0.0052	U		<0.0082	U		<0.0074	U		<0.0044	U		<0.045	U		<0.0038	U	
		VMP-64-10-012218	1/22/2018	0.01	J0	J	<0.0052	U		<0.0058	U		<0.0091	U		<0.0083	U		<0.0049	U		<0.051	U		<0.0042	U	
	20 ft	VMP-64-20-042717	4/27/2017	0.0033	J		<0.005	U		<0.0057	U		<0.0089	U		<0.0081	U		<0.0048	U		<0.05	U		<0.0041	U	
		VMP-64-20-072517	7/25/2017	0.0039	J		<0.0055	U		<0.0062	U		<0.0096	U		<0.0088	U		<0.0052	U		<0.054	U		<0.0044	U	
		VMP-64-20-110317	11/3/2017	<0.008	U		<0.0046	U		<0.0052	U		<0.0082	U		<0.0074	U		<0.0044	U		<0.045	U		<0.0038	U	
		VMP-64-20-012218	1/22/2018	0.01	J0	J	<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		<0.0042	U	

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	2-Hexanone (Methyl N-Butyl Ketone)			Isopentane			Isopropylbenzene (Cumene)			4-Methyl-2-pentanone (Methyl Isobutyl Ketone)			Methyl tert-Butyl Ether (MTBE)			2-Propanol			n-Propylbenzene			Styrene		
										600						3700									1400		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-1	5 ft	VMP-1-5-042817	4/28/2017	0.0022	J		0.0046	J		0.0021	J		<0.0053	U		<0.018	U		0.0076	J		0.0014	J		<0.0055	U	
		VMP-1-5-072417	7/24/2017	0.0044	J		0.0028	J		0.0078			<0.0051	U		<0.018	U		0.023			<0.0061	U		<0.0053	U	
		VMP-1-5-102617	10/26/2017	<0.019	U		0.0044	J		<0.0057	U		<0.0048	U		<0.017	U		0.0061	J	J	<0.0057	J	U	<0.005	U	
		VMP-1-5-012618	1/26/2018	<0.018	U		<0.013	U		<0.0054	U		<0.0045	U		<0.016	U		<0.011	U		<0.0054	U		<0.0047	U	
	8.5 ft	VMP-1-8.5-042817	4/28/2017	<0.018	U		<0.013	U		<0.0056	U		<0.0046	U		<0.016	U		0.0015	J		<0.0056	U		<0.0048	U	
		VMP-1-8.5-072417	7/24/2017	<0.02	U		<0.015	U		<0.0061	U		<0.0051	U		<0.018	U		0.019			<0.0061	U		<0.0053	U	
		VMP-1-8.5-102617	10/26/2017	<0.018	U		0.0019	J		<0.0055	U		<0.0046	U		<0.016	U		<0.011	U		<0.0055	U		<0.0048	U	
		VMP-1-8.5-012418	1/24/2018	<0.018	U		<0.013	U		<0.0055	U		<0.0046	U		<0.016	U		<0.011	U		<0.0055	U		<0.0048	U	
	23.5 ft	VMP-1-23.5-042817	4/28/2017	<0.019	U		<0.014	U		0.00068	J		<0.0047	U		<0.017	U		0.0025	J		0.0021	J		<0.0049	U	
		VMP-1-23.5-042817-DUP	4/28/2017	<0.018	U		<0.013	U		<0.0056	U		<0.0046	U		<0.016	U		<0.011	U		<0.0056	U		<0.0048	U	
		VMP-1-23.5-072417	7/24/2017	<0.019	U		0.062			<0.0058	U		<0.0049	U		<0.017	U		0.059			<0.0058	U		0.0011	J	
		VMP-1-23.5-102617	10/26/2017	<0.019	U		<0.014	U		<0.0058	U		<0.0048	U		<0.017	U		<0.012	U		<0.0058	J	U	<0.005	U	
VMP-1-23.5-012618	1/26/2018	<0.018	U		0.075			<0.0053	U		<0.0044	U		<0.016	U		0.014			<0.0053	U		<0.0046	U			
VMP-2	5 ft	VMP-2-5-050317	5/3/2017	<0.019	U		0.0069	J		0.0014	J		<0.0048	U		<0.017	U		<0.011	U		0.0054	J		<0.0049	U	
		VMP-2-5-072417	7/24/2017	<0.02	U		0.088			<0.0061	U		<0.0051	U		<0.018	U		0.06			<0.0061	U		0.0044	J	
		VMP-2-5-102617	10/26/2017	<0.019	U		<0.014	U		<0.0058	U		<0.0048	U		<0.017	U		<0.012	U		<0.0058	U		<0.005	U	
		VMP-2-5-012918	1/29/2018	<0.018	U		<0.013	U		<0.0054	U		<0.0045	U		<0.016	U		0.0017	J		<0.0054	U		<0.0046	U	
	8.5 ft	VMP-2-8.5-050317	5/3/2017	<0.018	U		<0.013	U		<0.0056	U		<0.0046	U		<0.016	U		<0.011	U		<0.0056	U		<0.0048	U	
		VMP-2-8.5-072417	7/24/2017	<0.022	U		<0.016	U		<0.0067	U		<0.0056	U		<0.02	U		0.15			<0.0067	U		<0.0058	U	
		VMP-2-8.5-102617	10/26/2017	<0.02	U		<0.014	U		<0.006	U		<0.005	U		<0.018	U		<0.012	U		<0.006	U		<0.0052	U	
		VMP-2-8.5-012918	1/29/2018	<0.018	U		<0.013	U		<0.0055	U		<0.0046	U		<0.016	U		0.0015	J		<0.0055	U		<0.0048	U	
	22 ft	VMP-2-22-050317	5/3/2017	<0.018	U		0.034			0.0025	J		<0.0046	U		<0.016	U		<0.011	U		0.0019	J		<0.0048	U	
		VMP-2-22-072417	7/24/2017	<0.021	U		<0.015	U		<0.0064	U		<0.0054	U		<0.019	U		0.0068	J		<0.0064	U		<0.0056	U	
		VMP-2-22-072417-DUP	7/24/2017	<0.02	U		<0.015	U		<0.0062	U		<0.0051	U		<0.018	U		0.034			<0.0062	U		0.001	J	
		VMP-2-22-102617	10/26/2017	<0.018	U		0.0034	J		<0.0054	U		<0.0045	U		<0.016	U		<0.011	U		<0.0054	U		<0.0047	U	
VMP-2-22-012918	1/29/2018	<0.018	U		<0.013	U		<0.0053	U		<0.0044	U		<0.016	U		0.0014	J		<0.0053	U		<0.0046	U			
VMP-3	5 ft	VMP-3-5-042717	4/27/2017	<0.019	U		0.0057	J		<0.0058	U		<0.0049	U		<0.017	U		<0.012	U		<0.0058	U		<0.0051	U	
		VMP-3-5-072017	7/20/2017	<0.021	U		<0.015	U		<0.0062	U		<0.0052	U		<0.018	U		<0.012	U		0.00054	J		<0.0054	U	
		VMP-3-5-102617	10/26/2017	<0.02	U		0.0024	J		<0.0061	U		<0.0051	U		<0.018	U		<0.012	U		<0.0061	U		<0.0053	U	
		VMP-3-5-012318	1/23/2018	<0.018	U		0.0062	J		<0.0054	U		<0.0045	U		<0.016	U		0.0099	J		<0.0054	U		<0.0046	U	
	10 ft	VMP-3-10-042717	4/27/2017	<0.019	U		0.0024	J		0.0017	J		<0.0048	U		<0.017	U		0.0054	J		<0.0058	U		<0.005	U	
		VMP-3-10-072017	7/20/2017	<0.021	U		<0.015	U		<0.0064	U		<0.0054	U		<0.019	U		0.018			<0.0064	U		<0.0056	U	
		VMP-3-10-102617	10/26/2017	<0.02	U		<0.015	U		<0.0061	U		<0.0051	U		<0.018	U		<0.012	U		<0.0061	U		<0.0053	U	
		VMP-3-10-012318	1/23/2018	<0.018	U		<0.013	U		<0.0054	U		<0.0045	U		<0.016	U		0.0031	J		<0.0054	U		<0.0047	U	
	22 ft	VMP-3-22-042717	4/27/2017	<0.02	U		<0.014	U		<0.0059	U		<0.0049	U		<0.017	U		0.0026	J		<0.0059	U		<0.0051	U	
		VMP-3-22-072017	7/20/2017	<0.021	U		<0.015	U		<0.0062	U		<0.0052	U		<0.018	U		0.016			<0.0062	U		<0.0054	U	
		VMP-3-22-102617	10/26/2017	<0.019	U		<0.014	U		<0.0058	U		<0.0048	U		<0.017	U		<0.012	U		<0.0058	U		<0.005	U	
		VMP-3-22-012318	1/23/2018	<0.018	U		0.0039	J		<0.0055	U		<0.0046	U		<0.016	U		0.024			<0.0055	U		<0.0048	U	
31.5 ft	VMP-3-31.5-042717	4/27/2017	<0.02	U		0.0028	J		<0.0061	U		<0.0051	U		<0.018	U		0.0067	J		<0.0061	U		<0.0053	U		
	VMP-3-31.5-072017	7/20/2017	<0.02	U		0.0028	J		0.0011	J		<0.0051	U		<0.018	U		0.027			0.00061	J		<0.0053	U		
	VMP-3-31.5-102617	10/26/2017	<0.019	U		0.095			0.00085	J		<0.0048	U		<0.017	U		<0.012	U		0.0034	J		<0.005	U		
	VMP-3-31.5-102617-DUP	10/26/2017	<0.019	U		0.098			0.00062	J		<0.0049	U		<0.017	U		<0.012	U		0.002	J		<0.0051	U		
VMP-4	5 ft	VMP-4-5-050317	5/3/																								

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	2-Hexanone (Methyl N-Butyl Ketone)			Isopentane			Isopropylbenzene (Cumene)			4-Methyl-2-pentanone (Methyl Isobutyl Ketone)			Methyl tert-Butyl Ether (MTBE)			2-Propanol			n-Propylbenzene			Styrene		
										600						3700									1400		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-5	5 ft	VMP-5-5-042617	4/26/2017	<0.055	U		<0.04	U		<0.016	U		<0.014	U		<0.048	U		0.0075	J		<0.016	U		<0.014	U	
		VMP-5-5-072017	7/20/2017	<0.019	U		0.0028	J		<0.0057	U		0.0014	J		<0.017	U		0.091			0.0005	J		0.00085	J	
		VMP-5-5-103017	10/30/2017	<0.018	U		<0.013	U		<0.0055	U		<0.0046	U		<0.016	U		<0.011	U		<0.0055	U		<0.0048	U	
		VMP-5-5-012518	1/25/2018	<0.018	U		0.089			<0.0053	U		<0.0044	U		<0.016	U		0.018			<0.0053	U		<0.0046	U	
	12.5 ft	VMP-5-12.5-042617	4/26/2017	<0.019	U		<0.014	U		<0.0058	U		<0.0049	U		<0.017	U		0.0026	J		<0.0058	U		<0.0051	U	
		VMP-5-12.5-072017	7/20/2017	<0.02	U		0.0018	J		<0.0062	U		<0.0051	U		<0.018	U		0.042			<0.0062	U		<0.0053	U	
		VMP-5-12.5-102017	10/30/2017	<0.017	U		<0.012	U		<0.0052	U		<0.0043	U		<0.015	U		<0.01	U		<0.0052	U		<0.0045	U	
		VMP-5-12.5-012518	1/25/2018	<0.018	U		<0.013	U		<0.0056	U		<0.0046	U		<0.016	U		0.0014	J		<0.0056	U		<0.0048	U	
	31 ft	VMP-5-31-042617	4/26/2017	<0.02	U		<0.014	U		0.0014	J		<0.0049	U		<0.017	U		0.0047	J		<0.0059	U		<0.0051	U	
		VMP-5-31-072017	7/20/2017	<0.02	U		<0.015	U		<0.0061	U		<0.0051	U		<0.018	U		<0.012	U		<0.0061	U		<0.0053	U	
		VMP-5-31-072017-DUP	7/20/2017	<0.02	U		<0.014	U		<0.0059	U		<0.0049	U		<0.017	U		<0.012	U		<0.0059	U		<0.0051	U	
		VMP-5-31-103017	10/30/2017	<0.018	U		<0.013	U		<0.0054	U		<0.0045	U		<0.016	U		<0.011	U		<0.0054	U		<0.0047	U	
	40 ft	VMP-5-31-012518	1/25/2018	<0.018	U		<0.013	U		<0.0056	U		<0.0046	U		<0.016	U		0.0019	J		<0.0056	U		<0.0048	U	
		VMP-5-40-042617	4/26/2017	<0.019	U		0.0035	J		0.00099	J		<0.0048	U		<0.017	U		0.0029	J		<0.0058	U		<0.005	U	
		VMP-5-40-042617-DUP	4/26/2017	<0.019	U		0.0026	J		0.00095	J		<0.0048	U		<0.017	U		0.0037	J		<0.0058	U		<0.005	U	
		VMP-5-40-012518	1/25/2018	<0.017	U		<0.012	U		<0.0052	U		<0.0043	U		<0.015	U		<0.01	U		<0.0052	U		<0.0045	U	
VMP-6	5 ft	VMP-6-5-042417	4/24/2017	<0.019	U		0.0053	J		<0.0056	U		<0.0047	U		<0.016	U		0.0056	J		<0.0056	U		<0.0049	U	
		VMP-6-5-052217	5/22/2017	<0.02	U		<0.014	U		<0.0059	U		<0.0049	U		<0.017	U		<0.012	U		<0.0059	U		<0.0051	U	
		VMP-6-5-072117	7/21/2017	<0.019	U		<0.014	U		<0.0058	U		<0.0048	U		<0.017	U		<0.012	U		<0.0058	U		<0.005	U	
		VMP-6-5-103117	10/31/2017	<0.018	U		<0.013	U		<0.0052	U		<0.0044	U		<0.015	U		<0.01	U		<0.0053	U		<0.0046	U	
		VMP-6-5-012418	1/24/2018	<0.018	U		0.0035	J		<0.0054	U		<0.0045	U		<0.016	U		0.011			<0.0054	U		<0.0047	U	
	10 ft	VMP-6-10-042417	4/24/2017	<0.019	U		<0.014	U		<0.0058	U		<0.0048	U		<0.017	U		0.0046	J		<0.0058	U		<0.005	U	
		VMP-6-10-072117	7/21/2017	<0.019	U		<0.014	U		<0.0056	U		<0.0047	U		<0.016	U		<0.011	U		<0.0056	U		<0.0049	U	
		VMP-6-10-103117	10/31/2017	<0.017	U		0.0021	J		<0.0052	U		<0.0043	U		<0.015	U		0.0078	J		<0.0052	U		0.0004	J	
		VMP-6-10-012418	1/24/2018	<0.018	U		0.0032	J		<0.0053	U		<0.0044	U		<0.016	U		0.011			<0.0053	U		<0.0046	U	
	31.5 ft	VMP-6-31.5-042417	4/24/2017	<0.02	U		0.0073	J		<0.006	U		<0.005	U		<0.018	U		0.0063	J		<0.006	U		<0.0052	U	
		VMP-6-31.5-072117	7/21/2017	<0.019	U		0.0019	J		<0.0058	U		<0.0048	U		<0.017	U		<0.012	U		<0.0058	U		<0.005	U	
		VMP-6-31.5-072117-DUP	7/21/2017	<0.019	U		0.0048	J		<0.0058	U		<0.0049	U		<0.017	U		0.0036	J		<0.0058	U		<0.0051	U	
		VMP-6-31.5-103117	10/31/2017	<0.018	U		0.0016	J		<0.0053	U		<0.0044	U		<0.016	U		0.0024	J		<0.0053	U		<0.0046	U	
	39 ft	VMP-6-31.5-013118	1/31/2018	<0.019	U		0.0034	J		0.0016	J		<0.0048	U		<0.017	U		0.0012	J		0.0091			<0.005	U	
		VMP-6-39-042417	4/24/2017	<0.019	U		0.0029	J		<0.0058	U		<0.0048	U		<0.017	U		0.01	J		<0.0058	U		<0.005	U	
		VMP-6-39-042417-DUP	4/24/2017	<0.02	U		0.0018	J		<0.0059	U		<0.0049	U		<0.017	U		0.0055	J		<0.0059	U		<0.0051	U	
		VMP-6-39-103117	10/31/2017	<0.018	U		0.0079	J		<0.0054	U		<0.0045	U		<0.016	U		0.0037	J		<0.0054	U		<0.0047	U	
		VMP-6-39-103117-DUP	10/31/2017	<0.018	U		<0.013	U		<0.0055	U		<0.0046	U		<0.016	U		0.0024	J		<0.0055	U		<0.0047	U	
		VMP-6-39-012418	1/24/2018	<0.018	U		0.0099	J		<0.0053	U		<0.0044	U		<0.016	U		0.0061	J		<0.0053	U		<0.0046	U	
		VMP-6-39-012418-DUP	1/24/2018	<0.019	U		0.007	J		<0.0057	U		<0.0048	U		<0.017	U		0.0026	J		<0.0057	U		<0.005	U	
VMP-7	5 ft	VMP-7-5-042417	4/24/2017	0.0058	J		0.0054	J		0.0071			0.0023	J		<0.018	U		0.013			0.0025	J		<0.0052	U	
		VMP-7-5-072117	7/21/2017	<0.02	U		<0.014	U		<0.006	U		<0.005	U		<0.018	U		<0.012	U		<0.006	U		<0.0052	U	
		VMP-7-5-102517	10/25/2017	<0.019	U		<0.014	U		<0.0056	U		<0.0047	U		<0.016	U		<0.011	U		<0.0056	U		<0.0049	U	
		VMP-7-5-012518	1/25/2018	<0.018	U		0.0031	J		<0.0056	U		<0.0046	U		<0.016	U		0.0021	J		<0.0056	U		<0.0048	U	
	13.5 ft	VMP-7-13.5-042417	4/24/2017	<0.02	U		<0.015	U		<0.0061	U		<0.0051	U		<0.018	U		0.0052	J		<0.0061	U		<0.0053	U	
		VMP-7-13.5-072117	7/21/2017	<0.02	U		<0.014	U		<0.0059	U		<0.0049	U		<0.017	U		<0.012	U		<0.0059	U		<0.0051	U	
		VMP-7-13.5-102517	10/25/2017	<0.019	U		0.0042	J		<0.0057	U		<0.0048	U		<0.017	U		<0.011	U		<0.0057	U		<0.005	U	
		VMP-7-13.5-012518	1/25/2018	<0.019	U		<0.014	U		<0.0057	U		<0.0048	U		<0.017											

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	2-Hexanone (Methyl N-Butyl Ketone)			Isopentane			Isopropylbenzene (Cumene)			4-Methyl-2-pentanone (Methyl Isobutyl Ketone)			Methyl tert-Butyl Ether (MTBE)			2-Propanol			n-Propylbenzene			Styrene		
										600						3700									1400		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-8	5 ft	VMP-8-5-042017	4/20/2017	<0.022	U		<0.016	U		<0.0066	U		<0.0055	U		<0.019	U		0.0075	J		<0.0066	U		<0.0057	U	
		VMP-8-5-071917	7/19/2017	<0.02	U		<0.014	U		<0.0059	U		<0.0049	U		<0.017	U		0.011	J		<0.0059	U		<0.0051	U	
		VMP-8-5-103017	10/30/2017	<0.019	U		0.012	J		<0.0057	U		<0.0047	U		<0.017	U		<0.011	U		<0.0057	U		0.00027	J	
		VMP-8-5-012218	1/22/2018	<0.018	U		0.014			<0.0056	U		<0.0046	U		<0.016	U		0.029			<0.0056	U		<0.0048	U	
	9.5 ft	VMP-8-9.5-042117	4/21/2017	<0.02	U		<0.014	U		<0.0059	U		<0.0049	U		<0.017	U		0.022			<0.0059	U		<0.0051	U	
		VMP-8-9.5-071917	7/19/2017	<0.02	U		<0.014	U		<0.006	U		<0.005	U		<0.018	U		0.035			<0.006	U		<0.0052	U	
		VMP-8-9.5-103017	10/30/2017	<0.018	U		<0.013	U		<0.0055	U		<0.0046	U		<0.016	U		<0.011	U		<0.0055	U		<0.0048	U	
		VMP-8-9.5-012218	1/22/2018	<0.019	U		<0.014	U		<0.0057	U		<0.0048	U		<0.017	U		0.0072	J		<0.0057	U		<0.0049	U	
	23.5 ft	VMP-8-23.5-042117	4/21/2017	<0.019	U		<0.014	U		<0.0057	U		<0.0048	U		<0.017	U		0.0053	J		<0.0057	U		<0.0049	U	
		VMP-8-23.5-071917	7/19/2017	<0.02	U		<0.014	U		<0.006	U		<0.005	U		<0.018	U		0.039			<0.006	U		<0.0052	U	
		VMP-8-23.5-103017	10/30/2017	<0.018	U		<0.013	U		<0.0055	U		<0.0046	U		<0.016	U		<0.011	U		<0.0055	U		<0.0047	U	
		VMP-8-23.5-012218	1/22/2018	<0.019	U		<0.014	U		<0.0058	U		<0.0048	U		<0.017	U		0.019			<0.0058	U		<0.005	U	
	35.5 ft	VMP-8-23.5-012218-DUP	1/22/2018	<0.019	U		<0.014	U		<0.0058	U		<0.0049	U		<0.017	U		0.013			<0.0058	U		<0.0051	U	
		VMP-8-35.5-042117	4/21/2017	<0.019	U		<0.014	U		<0.0058	U		<0.0048	U		<0.017	U		0.02			<0.0058	U		<0.005	U	
		VMP-8-35.5-071917	7/19/2017	<0.036	U		<0.026	U		<0.011	U		<0.009	U		<0.032	U		0.024			<0.011	U		<0.0093	U	
		VMP-8-35.5-071917-DUP	7/19/2017	<0.04	U		<0.029	U		<0.012	U		<0.01	U		<0.035	U		0.027			<0.012	U		<0.01	U	
VMP-8-35.5-103017	10/30/2017	<0.018	U		<0.013	U		<0.0056	U		<0.0046	U		<0.016	U		<0.011	U		<0.0056	U		<0.0048	U			
VMP-9	5 ft	VMP-9-5-042017	4/20/2017	<0.021	U		0.0029	J		<0.0062	U		<0.0052	U		<0.018	U		0.007	J		<0.0062	U		<0.0054	U	
		VMP-9-5-071917	7/19/2017	<0.02	U		<0.014	U		<0.006	U		<0.005	U		<0.018	U		<0.012	U		<0.006	U		<0.0052	U	
		VMP-9-5-110117	11/1/2017	<0.018	U		<0.013	U		<0.0054	U		<0.0045	U		<0.016	U		<0.011	U		<0.0054	U		<0.0047	U	
		VMP-9-5-012218	1/22/2018	<0.021	U		<0.015	U		<0.0062	U		<0.0052	U		<0.018	U		0.008	J		<0.0062	U		<0.0054	U	
	11.5 ft	VMP-9-11.5-042017	4/20/2017	<0.021	U		0.0025	J		<0.0062	U		<0.0052	U		<0.018	U		0.01	J		<0.0062	U		<0.0054	U	
		VMP-9-11.5-071917	7/19/2017	<0.019	U		<0.014	U		<0.0058	U		<0.0048	U		<0.017	U		<0.012	U		<0.0058	U		<0.005	U	
		VMP-9-11.5-110117	11/1/2017	<0.019	U		<0.014	U		<0.0058	U		<0.0048	U		<0.017	U		<0.012	U		<0.0058	U		<0.005	U	
		VMP-9-11.5-012218	1/22/2018	<0.02	U		0.0038	J		<0.0059	U		<0.0049	U		<0.017	U		0.018			<0.0059	U		<0.0051	U	
	25.5 ft	VMP-9-25.5-042017	4/20/2017	<0.023	U		<0.016	U		<0.0068	U		<0.0057	U		<0.02	U		0.011	J		<0.0068	U		<0.0059	U	
		VMP-9-25.5-071917	7/19/2017	<0.02	U		<0.014	U		<0.006	U		<0.005	U		<0.018	U		0.027			<0.006	U		<0.0052	U	
		VMP-9-25.5-110117	11/1/2017	<0.018	U		<0.013	U		<0.0055	U		<0.0046	U		<0.016	U		<0.011	U		<0.0055	U		<0.0048	U	
		VMP-9-25.5-012218	1/22/2018	<0.02	U		<0.014	U		<0.0059	U		<0.0049	U		<0.017	U		0.012			<0.0059	U		<0.0051	U	
	38.5 ft	VMP-9-38.5-042017	4/20/2017	<0.02	U		0.0057	J		<0.006	U		<0.005	U		<0.018	U		0.0091	J		<0.006	U		<0.0052	U	
		VMP-9-38.5-042017-DUP	4/20/2017	<0.02	U		0.0059	J		<0.0061	U		<0.0051	U		<0.018	U		0.01	J		<0.0061	U		<0.0053	U	
		VMP-9-38.5-110117	11/1/2017	<0.018	U		0.0013	J		<0.0055	U		<0.0046	U		<0.016	U		<0.011	U		<0.0055	U		<0.0047	U	
		VMP-9-38.5-012218	1/22/2018	<0.02	U		<0.014	U		<0.0059	U		<0.0049	U		<0.017	U		0.0075	J		<0.0059	U		<0.0051	U	
VMP-18	8.5 ft	VMP-18-8.5-050317	5/3/2017	<0.018	U		<0.013	U		<0.0053	U		<0.0044	U		<0.016	U		<0.011	U		0.00099	J		<0.0046	U	
		VMP-18-8.5-072717	7/27/2017	<0.02	U		<0.014	U		<0.0059	U		<0.005	U		<0.017	U		0.027			<0.0059	U		<0.0052	U	
		VMP-18-8.5-110317	11/3/2017	<0.019	U		0.006	J		<0.0056	U		<0.0047	U		<0.016	U		0.0044	J		<0.0056	U		<0.0049	U	
		VMP-18-8.5-110317-DUP	11/3/2017	<0.017	U		0.0052	J		<0.0051	U		<0.0043	U		<0.015	U		0.0035	J		<0.0051	U		<0.0044	U	
		VMP-18-8.5-012418	1/24/2018	<0.019	U		0.0049	J		<0.0057	U		<0.0047	U		<0.017	U		0.0048	J		<0.0057	U		<0.0049	U	
VMP-19	5 ft	VMP-19-5-042017	4/20/2017	<0.022	U		0.069			<0.0067	U		<0.0056	U		<0.02	U		0.016			<0.0067	U		<0.0058	U	
		VMP-19-5-072717	7/27/2017	0.0034	J		0.026			<0.006	U		<0.005	U		<0.018	U		0.0063	J		<0.006	U		<0.0052	U	
		VMP-19-5-102517	10/25/2017	<0.019	U		0.0053	J		<0.0056	U		<0.0047	U		<0.016	U		<0.011	U		<0.0056	U		<0.0048	U	
		VMP-19-5-012518	1/25/2018	<0.019	U		0.091			<0.0056	U		<0.0047	U		<0.016	U		0.018			<0.0056	U		<0.0048	U	
VMP-20	5 ft	VMP-20-5-042617	4/26/2017	<0.02	U		0.02			<0.0059	U		<0.0049	U		<											

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	2-Hexanone (Methyl N-Butyl Ketone)			Isopentane			Isopropylbenzene (Cumene)			4-Methyl-2-pentanone (Methyl Isobutyl Ketone)			Methyl tert-Butyl Ether (MTBE)			2-Propanol			n-Propylbenzene			Styrene			
										600						3700									1400			
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	
VMP-21	5 ft	VMP-21-5-042417	4/24/2017	<0.019	U		<0.014	U		<0.0058	U		<0.0048	U		<0.017	U		0.0044	J		<0.0058	U		<0.005	U		
		VMP-21-5-072017	7/20/2017	<0.019	U		<0.014	U		<0.0056	U		<0.0047	U		<0.016	U		0.019			0.00077	J		<0.0049	U		
		VMP-21-5-103117	10/31/2017	<0.018	U		<0.013	U		<0.0055	U		<0.0046	U		<0.016	U		<0.011	U		<0.0055	U		<0.0048	U		
		VMP-21-5-012318	1/23/2018	<0.018	U		0.0046	J		<0.0053	U		<0.0044	U		<0.016	U		0.0046	J		<0.0053	U		<0.0046	U		
	10 ft	VMP-21-10-042417	4/24/2017	<0.019	U		0.0017	J		<0.0058	U		<0.0048	U		<0.017	U		0.0051	J		<0.0058	U		<0.005	U		
		VMP-21-10-072017	7/20/2017	<0.02	U		<0.014	U		0.0015	J		<0.005	U		<0.018	U		0.014			0.004	J		<0.0052	U		
		VMP-21-10-103117	10/31/2017	<0.018	U		0.023			<0.0054	U		<0.0045	U		<0.016	U		0.0046	J		<0.0054	U		<0.0047	U		
		VMP-21-10-012318	1/23/2018	<0.018	U		<0.013	U		<0.0054	U		<0.0045	U		<0.016	U		<0.011	U		<0.0054	U		<0.0047	U		
	25 ft	VMP-21-25-042417	4/24/2017	<0.019	U		<0.014	U		<0.0058	U		<0.0048	U		<0.017	U		0.0054	J		<0.0058	U		<0.005	U		
		VMP-21-25-072017	7/20/2017	<0.02	U		<0.014	U		<0.0059	U		<0.0049	U		<0.017	U		<0.012	U		<0.0059	U		<0.0051	U		
		VMP-21-25-103117	10/31/2017	<0.019	U		<0.014	U		<0.0057	U		<0.0047	U		<0.017	U		<0.011	U		<0.0057	U		<0.0049	U		
		VMP-21-25-012318	1/23/2018	<0.018	U		<0.013	U		<0.0055	U		<0.0046	U		<0.016	U		0.0037	J		<0.0055	U		<0.0048	U		
	33 ft	VMP-21-33-042417	4/24/2017	<0.019	U		<0.014	U		<0.0056	U		<0.0047	U		<0.016	U		0.0047	J		<0.0056	U		<0.0049	U		
		VMP-21-33-042417-DUP	4/24/2017	<0.019	U		<0.014	U		<0.0057	U		<0.0048	U		<0.017	U		0.004	J		<0.0057	U		<0.005	U		
		VMP-21-33-072017	7/20/2017	<0.018	U		0.0017	J		<0.0056	U		<0.0046	U		<0.016	U		0.014			<0.0056	U		<0.0048	U		
		VMP-21-33-072017-DUP	7/20/2017	<0.02	U		0.0016	J		<0.006	U		<0.005	U		<0.018	U		0.011	J		<0.006	U		<0.0052	U		
		VMP-21-33-103117	10/31/2017	<0.018	U		0.0076	J		<0.0055	U		<0.0046	U		<0.016	U		<0.011	U		<0.0055	U		<0.0048	U		
		VMP-21-33-012318	1/23/2018	<0.018	U		0.0034	J		<0.0053	U		<0.0044	U		<0.016	U		0.0075	J		<0.0053	U		<0.0046	U		
		VMP-21-33-012318-DUP	1/23/2018	<0.018	U		0.0025	J		<0.0054	U		<0.0045	U		<0.016	U		0.0069	J		<0.0054	U		<0.0047	U		
VMP-22	5 ft	VMP-22-5-042617	4/26/2017	<0.02	U		<0.014	U		<0.0059	U		<0.0049	U		<0.017	U		<0.012	U		<0.0059	U		<0.0051	U		
		VMP-22-5-072617	7/26/2017	<0.02	U		<0.014	U		<0.006	U		<0.005	U		<0.018	U		0.017			<0.006	U		<0.0052	U		
		VMP-22-5-102617	10/26/2017	<0.018	U		<0.013	U		<0.0054	U		<0.0045	U		<0.016	U		0.0029	J	J	<0.0054	U		<0.0047	U		
		VMP-22-5-013018	1/30/2018	<0.018	U		0.0082	J		0.016			<0.0046	U		<0.016	U		0.0014	J		0.087			<0.0048	U		
	10 ft	VMP-22-10-042717	4/27/2017	<0.018	U		<0.013	U		<0.0054	U		<0.0045	U		<0.016	U		<0.011	U		<0.0054	U		<0.0047	U		
		VMP-22-10-072617	7/26/2017	<0.02	U		0.0061	J		<0.006	U		<0.005	U		<0.018	U		0.024			<0.006	U		<0.0052	U		
		VMP-22-10-102617	10/26/2017	<0.02	U		0.0022	J		<0.0059	U		<0.0049	U		<0.017	U		<0.012	U		<0.0059	U		<0.0051	U		
		VMP-22-10-013018	1/30/2018	<0.018	U		0.0087	J		0.0016	J		<0.0044	U		<0.015	U		<0.01	U		0.0048	J		<0.0046	U		
	18 ft	VMP-22-18-042717	4/27/2017	<0.021	U		<0.015	U		<0.0063	U		<0.0052	U		<0.018	U		<0.012	U		<0.0063	U		<0.0054	U		
		VMP-22-18-072617	7/26/2017	<0.022	U		<0.016	U		<0.0067	U		<0.0056	U		<0.02	U		0.0062	J		<0.0067	U		<0.0058	U		
		VMP-22-18-102617	10/26/2017	<0.019	U		<0.014	U		<0.0057	U		<0.0047	U		<0.017	U		<0.011	U		<0.0057	U		<0.0049	U		
		VMP-22-18-013018	1/30/2018	<0.017	U		0.0068	J		<0.0052	U		<0.0043	U		<0.015	U		0.0013	J		<0.0052	U		<0.0045	U		
	38 ft	VMP-22-38-042717	4/27/2017	<0.019	U		0.0022	J		<0.0058	U		<0.0048	U		<0.017	U		<0.012	U		<0.0058	U		<0.005	U		
		VMP-22-38-042717-DUP	4/27/2017	<0.02	U		0.0019	J		<0.0059	U		<0.0049	U		<0.017	U		<0.012	U		<0.0059	U		<0.0051	U		
		VMP-22-38-072617	7/26/2017	<0.019	U		<0.014	U		<0.0058	U		<0.0049	U		<0.017	U		0.0065	J		<0.0058	U		<0.0051	U		
		VMP-22-38-072617-DUP	7/26/2017	<0.019	U		0.003	J		<0.0058	U		<0.0048	U		<0.017	U		0.019			<0.0058	U		<0.005	U		
		VMP-22-38-102617	10/26/2017	<0.019	U		0.0018	J		<0.0058	U		<0.0048	U		<0.017	U		0.0089	J	J	<0.0058	U		<0.005	U		
		VMP-22-38-013018	1/30/2018	<0.018	U		0.0071	J		<0.0056	U		<0.0046	U		<0.016	U		<0.011	U		<0.0056	U		<0.0048	U		
	VMP-23	5 ft	VMP-23-5-042517	4/25/2017	<0.02	U		<0.015	U		<0.0062	U		<0.0051	U		<0.018	U		<0.012	U		<0.0062	U		<0.0053	U	
			VMP-23-5-072017	7/20/2017	<0.02	U		0.0014	J		<0.0059	U		<0.0049	U		<0.017	U		0.015			<0.0059	U		<0.0051	U	
VMP-23-5-102517			10/25/2017	<0.02	U		<0.014	U		<0.0059	U		<0.0049	U		<0.017	U		<0.012	U		<0.0059	U		<0.0051	U		
VMP-23-5-012318			1/23/2018	<0.021	U		0.0037	J		<0.0063	U		<0.0053	U		<0.019	U		0.0042	J		<0.0063	U		<0.0055	U		
10 ft		VMP-23-10-042517	4/25/2017	0.0015	J		<0.015	U		<0.0063	U		<0.0053	U		<0.018	U		<0.013	U		<0.0063	U		<0.0055	U		
		VMP-23-10-072017	7/20/2017	<0.019	U		0.0094	J		<0.0058	U		<0.0048	U		<0.017	U		0.018			<0.0058	U		<0.005	U		
		VMP-23-10-102517	10/25/2017	<0.019	U		0.0034	J		<0.0058	U		<															

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	2-Hexanone (Methyl N-Butyl Ketone)			Isopentane			Isopropylbenzene (Cumene)			4-Methyl-2-pentanone (Methyl Isobutyl Ketone)			Methyl tert-Butyl Ether (MTBE)			2-Propanol			n-Propylbenzene			Styrene		
										600						3700									1400		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-24	5 ft	VMP-24-5-042117	4/21/2017	<0.022	U		<0.016	U		<0.0066	U		<0.0055	U		<0.019	U		0.029			<0.0066	U		<0.0057	U	
		VMP-24-5-072117	7/21/2017	<0.02	U		0.004	J		<0.0061	U		<0.0051	U		<0.018	U		0.028			0.0016	J		<0.0053	U	
		VMP-24-5-102517	10/25/2017	<0.019	U		0.0019	J		<0.0058	U		<0.0048	U		<0.017	U		<0.012	U		<0.0058	U		<0.005	U	
		VMP-24-5-012418	1/24/2018	<0.018	U		0.011	J		<0.0056	U		<0.0046	U		<0.016	U		0.004	J		<0.0056	U		<0.0048	U	
	10 ft	VMP-24-10-042117	4/21/2017	<0.019	U		<0.014	U		<0.0057	U		<0.0047	U		<0.017	U		0.038			<0.0057	U		<0.0049	U	
		VMP-24-10-072117	7/21/2017	<0.02	U		0.0019	J		<0.006	U		<0.005	U		<0.018	U		0.014			<0.006	U		<0.0052	U	
		VMP-24-10-102517	10/25/2017	<0.018	U		<0.013	U		<0.0054	U		<0.0045	U		<0.016	U		<0.011	U		<0.0054	U		<0.0047	U	
		VMP-24-10-012418	1/24/2018	<0.018	U		0.003	J		<0.0054	U		<0.0045	U		<0.016	U		<0.011	U		<0.0054	U		<0.0047	U	
	22 ft	VMP-24-22-042117	4/21/2017	<0.019	U		<0.014	U		<0.0057	U		<0.0048	U		<0.017	U		0.012			<0.0057	U		<0.0049	U	
		VMP-24-22-072117	7/21/2017	<0.02	U		0.005	J		<0.0059	U		<0.0049	U		<0.017	U		0.013			<0.0059	U		<0.0051	U	
		VMP-24-22-102517	10/25/2017	<0.018	U		<0.013	U		<0.0054	U		<0.0045	U		<0.016	U		<0.011	U		<0.0054	U		<0.0047	U	
		VMP-24-22-013118	1/31/2018	<0.018	U		0.0042	J		<0.0056	U		<0.0046	U		<0.016	U		0.0046	J		<0.0056	U		<0.0048	U	
	34 ft	VMP-24-34-042117	4/21/2017	<0.019	U		0.0062	J		<0.0057	U		<0.0047	U		<0.017	U		0.032			<0.0057	U		<0.0049	U	
		VMP-24-34-042117-DUP	4/21/2017	<0.019	U		0.005	J		<0.0058	U		<0.0048	U		<0.017	U		0.024			<0.0058	U		<0.005	U	
		VMP-24-34-072117	7/21/2017	<0.02	U		0.0033	J		<0.0059	U		<0.0049	U		<0.017	U		0.011	J		<0.0059	U		<0.0051	U	
		VMP-24-34-072117-DUP	7/21/2017	<0.02	U		0.0026	J		<0.006	U		<0.005	U		<0.018	U		0.014			<0.006	U		<0.0052	U	
VMP-24-34-102517		10/25/2017	<0.019	U		<0.014	U		<0.0057	U		<0.0047	U		<0.017	U		<0.011	U		<0.0057	U		<0.0049	U		
VMP-24-34-012418		1/24/2018	<0.017	U		<0.012	U		<0.0052	U		<0.0043	U		<0.015	U		0.0032	J		<0.0052	U		<0.0045	U		
VMP-32	5 ft	VMP-32-5-052217	5/22/2017	<0.02	U		0.0025	J		<0.006	U		<0.005	U		<0.018	U		0.0088	J		<0.006	U		<0.0052	U	
		VMP-32-5-072417	7/24/2017	<0.019	U		0.0035	J		<0.0058	U		<0.0049	U		<0.017	U		0.049			<0.0058	U		<0.0051	U	
		VMP-32-5-103117	10/31/2017	<0.018	U		0.017			<0.0055	U		<0.0046	U		<0.016	U		0.0082	J		<0.0055	U		<0.0048	U	
		VMP-32-5-012918	1/29/2018	<0.018	U		<0.013	U		<0.0053	U		<0.0044	U		<0.016	U		<0.011	U		<0.0053	U		<0.0046	U	
	10 ft	VMP-32-10-042517	4/25/2017	0.0011	J		<0.014	U		<0.0059	U		<0.0049	U		<0.017	U		0.014			<0.0059	U		<0.0051	U	
		VMP-32-10-072417	7/24/2017	0.0037	J		<0.014	U		<0.006	U		0.0017	J		<0.018	U		0.016			<0.006	U		<0.0052	U	
		VMP-32-10-103117	10/31/2017	<0.019	U		<0.014	U		<0.0058	U		<0.0048	U		<0.017	U		<0.012	U		<0.0058	U		<0.005	U	
		VMP-32-10-012918	1/29/2018	<0.018	U		<0.013	U		<0.0053	U		<0.0044	U		<0.016	U		<0.011	U		<0.0053	U		<0.0046	U	
	20 ft	VMP-32-20-042517	4/25/2017	0.0036	J		0.0026	J		<0.006	U		<0.005	U		<0.018	U		<0.012	U		<0.006	U		<0.0052	U	
		VMP-32-20-072417	7/24/2017	<0.02	U		<0.015	U		<0.0061	U		<0.0051	U		<0.018	U		0.011	J		<0.0061	U		<0.0053	U	
		VMP-32-20-103117	10/31/2017	<0.019	U		<0.014	U		<0.0056	U		<0.0047	U		<0.016	U		<0.011	U		<0.0056	U		<0.0049	U	
		VMP-32-20-012918	1/29/2018	<0.016	U		<0.012	U		<0.005	U		<0.0041	U		<0.014	U		0.0014	J		<0.005	U		<0.0043	U	
	30 ft	VMP-32-30-042517	4/25/2017	<0.02	U		<0.015	U		<0.0061	U		<0.0051	U		<0.018	U		0.0089	J		<0.0061	U		<0.0053	U	
		VMP-32-30-042517-DUP	4/25/2017	<0.02	U		<0.014	U		<0.006	U		<0.005	U		<0.018	U		0.013			<0.006	U		<0.0052	U	
		VMP-32-30-072417	7/24/2017	<0.02	U		0.073			<0.0061	U		<0.005	U		<0.018	U		0.032			<0.0061	U		0.00091	J	
		VMP-32-30-072417-DUP	7/24/2017	<0.02	U		<0.014	U		<0.006	U		<0.005	U		<0.018	U		0.01	J		<0.006	U		<0.0052	U	
VMP-32-30-103117		10/31/2017	<0.037	U		0.0055	J		<0.011	U		<0.0092	U		<0.032	U		<0.022	U		<0.011	U		<0.0096	U		
VMP-32-30-012918		1/29/2018	<0.018	U		<0.013	U		<0.0055	U		<0.0046	U		<0.016	U		0.0016	J		<0.0055	U		<0.0048	U		
VMP-42	10 ft	VMP-42-10-050317	5/3/2017	<0.019	U		<0.014	U		<0.0056	U		<0.0047	U		<0.016	U		<0.011	U		<0.0056	U		<0.0049	U	
		VMP-42-10-072017	7/20/2017	<0.02	U		<0.014	U		<0.0059	U		<0.0049	U		<0.017	U		<0.012	U		<0.0059	U		<0.0051	U	
		VMP-42-10-110117	11/1/2017	<0.017	U		0.024			<0.005	U		<0.0042	U		<0.015	U		<0.01	U		<0.005	U		0.00034	J	
		VMP-42-10-012318	1/23/2018	<0.018	U		0.0028	J		<0.0054	U		<0.0045	U		<0.016	U		0.006	J		<0.0054	U		<0.0047	U	
	20 ft	VMP-42-20-050317	5/3/2017	<0.018	U		<0.013	U		<0.0054	U		<0.0045	U		<0.016	U										

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	2-Hexanone (Methyl N-Butyl Ketone)			Isopentane			Isopropylbenzene (Cumene)			4-Methyl-2-pentanone (Methyl Isobutyl Ketone)			Methyl tert-Butyl Ether (MTBE)			2-Propanol			n-Propylbenzene			Styrene			
										600						3700									1400			
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	
VMP-44	10 ft	VMP-44-10-042517	4/25/2017	<0.02	U		0.0033	J		<0.0061	U		<0.005	U		<0.018	U		<0.012	U		<0.0061	U		<0.0053	U		
		VMP-44-10-072517	7/25/2017	<0.021	U		0.002	J		<0.0062	U		<0.0052	U		<0.018	U		0.0077	J		<0.0062	U		<0.0054	U		
		VMP-44-10-102517	10/25/2017	<0.02	U		<0.014	U		<0.006	U		<0.005	U		<0.018	U		<0.012	U		<0.006	U		<0.0052	U		
		VMP-44-10-012518	1/25/2018	<0.019	U		0.037			<0.0057	U		<0.0047	U		<0.017	U		0.0085	J		<0.0057	U		<0.0049	U		
	20 ft	VMP-44-20-042517	4/25/2017	<0.022	U		<0.016	U		<0.0065	U		<0.0054	U		<0.019	U		<0.013	U		<0.0065	U		<0.0056	U		
		VMP-44-20-072517	7/25/2017	<0.021	U		0.011	J		<0.0064	U		<0.0053	U		<0.019	U		<0.013	U		<0.0064	U		<0.0055	U		
		VMP-44-20-102517	10/25/2017	<0.02	U		<0.014	U		<0.0059	U		<0.0049	U		<0.017	U		<0.012	U		<0.0059	U		<0.0051	U		
		VMP-44-20-012518	1/25/2018	<0.018	U		0.0099	J		<0.0056	U		<0.0046	U		<0.016	U		0.0041	J		<0.0056	U		<0.0048	U		
	30 ft	VMP-44-30-042517	4/25/2017	<0.022	U		<0.016	U		<0.0066	U		<0.0055	U		<0.019	U		<0.013	U		<0.0066	U		<0.0057	U		
		VMP-44-30-072517	7/25/2017	<0.021	U		0.0029	J		<0.0062	U		<0.0052	U		<0.018	U		<0.012	U		<0.0062	U		<0.0054	U		
		VMP-44-30-102517	10/25/2017	<0.019	U		0.0046	J		<0.0058	U		<0.0048	U		<0.017	U		<0.012	U		<0.0058	U		<0.005	U		
		VMP-44-30-102517-DUP	10/25/2017	<0.019	U		0.0092	J		<0.0057	U		<0.0048	U		<0.017	U		0.012			<0.0057	U		<0.005	U		
VMP-44-30-012518	1/25/2018	<0.019	U		0.012	J		<0.0056	U		<0.0047	U		<0.016	U		0.0017	J		<0.0056	U		<0.0049	U				
	VMP-44-30-012518-DUP	1/25/2018	<0.019	U		0.01	J		<0.0056	U		<0.0047	U		<0.016	U		0.0019	J		<0.0056	U		<0.0048	U			
	VMP-45	10 ft	VMP-45-10-042617	4/26/2017	<0.02	U		<0.014	U		<0.0059	U		<0.0049	U		<0.017	U		0.0021	J		<0.0059	U		<0.0051	U	
			VMP-45-10-072517	7/25/2017	<0.021	U		<0.015	U		<0.0062	U		<0.0052	U		<0.018	U		<0.012	U		<0.0062	U		<0.0054	U	
VMP-45-10-103117			10/31/2017	<0.018	U		0.017			<0.0054	U		<0.0045	U		<0.016	U		0.0057	J		<0.0054	U		0.00033	J		
VMP-45-10-012418			1/24/2018	<0.018	U		0.004	J		<0.0053	U		<0.0044	U		<0.016	U		0.0031	J		<0.0053	U		<0.0046	U		
20 ft		VMP-45-20-042617	4/26/2017	<0.022	U		<0.016	U		<0.0066	U		<0.0055	U		<0.019	U		0.022			<0.0066	U		<0.0057	U		
		VMP-45-20-072517	7/25/2017	<0.02	U		<0.015	U		<0.0061	U		<0.0051	U		<0.018	U		<0.012	U		<0.0061	U		<0.0053	U		
		VMP-45-20-103117	10/31/2017	<0.018	U		0.011	J		<0.0054	U		<0.0045	U		<0.016	U		0.0026	J		<0.0054	U		<0.0046	U		
		VMP-45-20-012418	1/24/2018	<0.018	U		<0.013	U		<0.0054	U		<0.0045	U		<0.016	U		0.0012	J		<0.0054	U		<0.0047	U		
30 ft		VMP-45-30-042617	4/26/2017	<0.02	U		<0.014	U		<0.006	U		<0.005	U		<0.018	U		0.003	J		<0.006	U		<0.0052	U		
		VMP-45-30-042617-DUP	4/26/2017	<0.019	U		0.0053	J		<0.0057	U		<0.0048	U		<0.017	U		0.0046	J		0.0013	J		<0.0049	U		
		VMP-45-30-072517	7/25/2017	<0.021	U		<0.015	U		<0.0062	U		<0.0052	U		<0.018	U		<0.012	U		<0.0062	U		<0.0054	U		
		VMP-45-30-103117	10/31/2017	<0.018	U		<0.013	U		<0.0055	U		<0.0046	U		<0.016	U		<0.011	U		0.00065	J		<0.0047	U		
VMP-45-30-012418	1/24/2018	<0.019	U		0.0043	J		<0.0056	U		<0.0047	U		<0.016	U		0.021			<0.0056	U		<0.0049	U				
	VMP-47	5 ft	VMP-47-5-042717	4/27/2017	<0.018	U		<0.013	U		<0.0053	U		<0.0044	U		<0.016	U		0.0025	J		<0.0053	U		<0.0046	U	
			VMP-47-5-072417	7/24/2017	<0.02	U		<0.014	U		<0.0059	U		<0.005	U		<0.017	U		0.0026	J		<0.0059	U		<0.0052	U	
			VMP-47-5-102617	10/26/2017	<0.02	U		<0.014	U		<0.0059	U		<0.0049	U		<0.017	U		<0.012	U		<0.0059	U		<0.0051	U	
VMP-47-5-012618			1/26/2018	<0.019	U		0.021			<0.0056	U		<0.0047	U		<0.016	U		0.0036	J		<0.0056	U		<0.0048	U		
10 ft		VMP-47-10-042717	4/27/2017	<0.019	U		<0.014	U		<0.0057	U		<0.0048	U		<0.017	U		0.0022	J		<0.0057	U		<0.005	U		
		VMP-47-10-072417	7/24/2017	<0.019	U		<0.014	U		<0.0058	U		<0.0048	U		<0.017	U		<0.012	U		<0.0058	U		<0.005	U		
		VMP-47-10-102617	10/26/2017	<0.019	U		<0.014	U		<0.0058	U		<0.0049	U		<0.017	U		<0.012	U		<0.0058	U		<0.0051	U		
		VMP-47-10-012618	1/26/2018	<0.018	U		0.072			<0.0055	U		<0.0046	U		<0.016	U		0.0091	J		<0.0055	U		<0.0047	U		
20 ft		VMP-47-20-042717	4/27/2017	<0.019	U		<0.013	U		<0.0056	U		<0.0047	U		<0.016	U		0.0019	J		<0.0056	U		<0.0048	U		
		VMP-47-20-072417	7/24/2017	<0.02	U		0.0047	J		<0.0059	U		<0.0049	U		<0.017	U		0.073			<0.0059	U		<0.0051	U		
		VMP-47-20-102617	10/26/2017	<0.019	U		<0.014	U		<0.0058	U		<0.0048	U		<0.017	U		<0.012	U		<0.0058	U		<0.005	U		
		VMP-47-20-012618	1/26/2018	<0.019	U		0.01	J		<0.0058	U		<0.0048	U		<0.017	U		<0.012	J	U	<0.0058	U		<0.005	U		
30 ft	VMP-47-20-012618-DUP	1/26/2018	<0.019	U		0.021			<0.0056	U		<0.0047	U		<0.016	U		0.007	J		<0.0056	U		<0.0049	U			
	VMP-47-30-042717	4/27/2017	<0.019	U		0.13		</																				

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	2-Hexanone (Methyl N-Butyl Ketone)			Isopentane			Isopropylbenzene (Cumene)			4-Methyl-2-pentanone (Methyl Isobutyl Ketone)			Methyl tert-Butyl Ether (MTBE)			2-Propanol			n-Propylbenzene			Styrene		
										600						3700									1400		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-49	5 ft	VMP-49-5-042417	4/24/2017	<0.024	U		<0.017	U		<0.0071	U		<0.0059	U		<0.021	U		0.0064	J		<0.0071	U		<0.0062	U	
		VMP-49-5-072617	7/26/2017	<0.02	U		<0.014	U		<0.006	U		<0.005	U		<0.018	U		0.032			<0.006	U		<0.0052	U	
		VMP-49-5-102717	10/27/2017	<0.018	U		0.031			<0.0056	U		<0.0046	U		<0.016	U		0.0044	J		<0.0056	U		<0.0048	U	
		VMP-49-5-012618	1/26/2018	<0.019	U		<0.014	U		<0.0056	U		<0.0047	U		<0.016	U		<0.011	U		<0.0056	U		<0.0049	U	
	10 ft	VMP-49-10-042417	4/24/2017	<0.024	U		<0.017	U		<0.007	U		<0.0059	U		<0.021	U		0.007	J		0.0014	J		<0.0061	U	
		VMP-49-10-072617	7/26/2017	<0.021	U		<0.015	U		<0.0062	U		<0.0052	U		<0.018	U		0.007	J		<0.0062	U		<0.0054	U	
		VMP-49-10-102717	10/27/2017	<0.019	U		<0.014	U		<0.0056	U		<0.0047	U		<0.016	U		<0.011	U		<0.0056	U		<0.0049	U	
		VMP-49-10-012618	1/26/2018	<0.019	U		<0.014	U		<0.0056	U		<0.0047	U		<0.016	U		<0.011	U		<0.0056	U		<0.0049	U	
	20 ft	VMP-49-20-042417	4/24/2017	<0.023	U		<0.017	U		<0.0069	U		<0.0058	U		<0.02	U		0.0076	J		<0.0069	U		<0.006	U	
		VMP-49-20-072617	7/26/2017	<0.02	U		<0.014	U		<0.006	U		<0.005	U		<0.018	U		0.0064	J		<0.006	U		<0.0052	U	
		VMP-49-20-102717	10/27/2017	<0.018	U		<0.013	U		<0.0053	U		<0.0044	U		<0.016	U		<0.011	U		<0.0053	U		<0.0046	U	
		VMP-49-20-012618	1/26/2018	<0.019	U		<0.014	U		<0.0057	U		<0.0048	U		<0.017	U		<0.011	U		<0.0057	U		<0.005	U	
	30 ft	VMP-49-30-042417	4/24/2017	<0.022	U		<0.016	U		<0.0068	U		<0.0056	U		<0.02	U		0.0078	J		<0.0068	U		<0.0058	U	
		VMP-49-30-072617	7/26/2017	<0.02	U		<0.015	U		<0.0061	U		<0.0051	U		<0.018	U		0.0096	J		<0.0061	U		<0.0053	U	
		VMP-49-30-072617-DUP	7/26/2017	<0.02	U		<0.015	U		<0.0061	U		<0.0051	U		<0.018	U		0.0089	J		<0.0061	U		<0.0053	U	
		VMP-49-30-102717	10/27/2017	<0.019	U		<0.014	U		<0.0056	U		<0.0047	U		<0.016	U		<0.011	U		<0.0056	U		<0.0049	U	
		VMP-49-30-012618	1/26/2018	<0.019	U		0.035		<0.0058	U		<0.0049	U		<0.017	U		0.0049	J		<0.0058	U		<0.0051	U		
VMP-50	5 ft	VMP-50-5-050317	5/3/2017	<0.018	U		0.0022	J		<0.0053	U		<0.0044	U		<0.016	U		0.0017	J		<0.0053	U		<0.0046	U	
		VMP-50-5-072617	7/26/2017	<0.021	U		<0.015	U		<0.0062	U		0.00098	J		<0.018	U		0.016			<0.0062	U		<0.0054	U	
		VMP-50-5-110117	11/1/2017	<0.018	U		<0.013	U		<0.0054	U		<0.0045	U		<0.016	U		<0.011	U		<0.0054	U		<0.0047	U	
		VMP-50-5-013118	1/31/2018	<0.02	U		0.0038	J		<0.0059	U		<0.0049	U		<0.017	U		0.0018	J		<0.0059	U		<0.0051	U	
	10 ft	VMP-50-10-050317	5/3/2017	<0.018	U		<0.013	U		<0.0054	U		<0.0045	U		<0.016	U		0.0023	J		<0.0054	U		<0.0047	U	
		VMP-50-10-072617	7/26/2017	<0.021	U		<0.015	U		<0.0062	U		<0.0052	U		<0.018	U		0.01	J		<0.0062	U		<0.0054	U	
		VMP-50-10-110117	11/1/2017	<0.018	U		0.0038	J		<0.0054	U		<0.0045	U		<0.016	U		<0.011	U		<0.0054	U		<0.0047	U	
		VMP-50-10-013118	1/31/2018	<0.018	U		<0.013	U		<0.0056	U		<0.0046	U		<0.016	U		0.0024	J		<0.0056	U		<0.0048	U	
	20 ft	VMP-50-20-050317	5/3/2017	<0.017	U		0.0052	J		<0.0052	U		<0.0044	U		<0.015	U		0.016			<0.0052	U		<0.0045	U	
		VMP-50-20-072617	7/26/2017	<0.02	U		0.004	J		<0.006	U		<0.005	U		<0.018	U		0.0087	J		<0.006	U		<0.0052	U	
		VMP-50-20-110117	11/1/2017	<0.017	U		0.017			<0.0052	U		<0.0044	U		<0.015	U		0.0082	J		<0.0052	U		<0.0045	U	
		VMP-50-20-013118	1/31/2018	<0.076	U		3.4			<0.023	U		<0.019	U		<0.067	U		<0.046	U		<0.023	U		<0.02	U	
			VMP-50-20-013118-DUP	1/31/2018	<0.077	U		4		<0.023	U		<0.019	U		<0.068	U		<0.046	U		<0.023	U		<0.02	U	
	30 ft	VMP-50-30-050317	5/3/2017	<0.23	U		17			0.08			<0.057	U		<0.2	U		<0.14	U		0.064	J		<0.059	U	
		VMP-50-30-050317-DUP	5/3/2017	<0.24	U		16			0.072			<0.059	U		<0.21	U		<0.14	U		0.067	J		<0.061	U	
		VMP-50-30-072617	7/26/2017	<0.27	U		14			0.062	J		<0.067	U		<0.24	U		<0.16	U		0.066	J		<0.07	U	
VMP-50-30-110117		11/1/2017	<0.18	U		21			0.1			<0.045	U		<0.04	U		<0.11	U		0.07			<0.047	U		
		VMP-50-30-110117-DUP	11/1/2017	<0.18	U		22		<0.11			<0.044	U		<0.039	U		<0.11	U		0.067			<0.046	U		
		VMP-50-30-013118	1/31/2018	<0.18	U		40		0.025	J		<0.046	U		<0.041	U		<0.11	U		0.012	J		<0.048	U		
VMP-51	5 ft	VMP-51-5-042517	4/25/2017	<0.021	U		<0.015	U		<0.0062	U		<0.0052	U		<0.018	U		0.023			<0.0062	U		<0.0054	U	
		VMP-51-5-072017	7/20/2017	<0.021	U		<0.015	U		<0.0062	U		<0.0052	U		<0.018	U		<0.012	U		0.0007	J		<0.0054	U	
		VMP-51-5-103017	10/30/2017	<0.018	U		<0.013	U		<0.0055	U		<0.0046	U		<0.016	U		<0.011	U		<0.0055	U		<0.0048	U	
		VMP-51-5-012318	1/23/2018	<0.018	U		<0.013	U		<0.0055	U		<0.0046	U		<0.016	U		0.003	J		<0.0055	U		<0.0048	U	
	10 ft	VMP-51-10-042517	4/25/2017	0.0025	J		<0.014	U		<0.0058	U		<0.0048	U		<0.017	U		0.019			<0.0058	U		<0.005	U	
		VMP-51-10-072017	7/20/2017	<0.019	U		<0.014	U		<0.0056	U		<0.0047	U		<0.016	U		0.014			<0.0056	U		<0.0049	U	
		VMP-51-10-103017	10/30/2017	<0.018	U		<0.013	U		<0.0056	U		<0.0046	U		<0.016	U		<0.011	U		<0.0056	U		<0.0048	U	
		VMP-51-10-012318	1/23/2018	<0.019																							

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	2-Hexanone (Methyl N-Butyl Ketone)			Isopentane			Isopropylbenzene (Cumene)			4-Methyl-2-pentanone (Methyl Isobutyl Ketone)			Methyl tert-Butyl Ether (MTBE)			2-Propanol			n-Propylbenzene			Styrene		
										600						3700									1400		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-52	5 ft	VMP-52-5-042417	4/24/2017	<0.02	U		<0.014	U		<0.0059	U		<0.0049	U		<0.017	U		0.004	J		<0.0059	U		<0.0051	U	
		VMP-52-5-072117	7/21/2017	<0.02	U		<0.015	U		<0.0062	U		<0.0051	U		<0.018	U		0.012			<0.0062	U		<0.0053	U	
		VMP-52-5-102517	10/25/2017	<0.018	U		0.0022	J		<0.0055	U		<0.0046	U		<0.016	U		<0.011	U		<0.0055	U		<0.0048	U	
		VMP-52-5-012418	1/24/2018	<0.018	U		0.0025	J		<0.0054	U		<0.0045	U		<0.016	U		0.0031	J		<0.0054	U		<0.0047	U	
	10 ft	VMP-52-10-042417	4/24/2017	<0.02	U		<0.014	U		<0.006	U		<0.005	U		<0.018	U		0.018			<0.006	U		<0.0052	U	
		VMP-52-10-072117	7/21/2017	<0.021	U		<0.015	U		<0.0062	U		<0.0052	U		<0.018	U		0.013			<0.0062	U		<0.0054	U	
		VMP-52-10-102517	10/25/2017	<0.018	U		0.0035	J		<0.0055	U		<0.0046	U		<0.016	U		<0.011	U		<0.0055	U		<0.0047	U	
		VMP-52-10-012418	1/24/2018	<0.019	U		0.0085	J		<0.0058	U		<0.0048	U		<0.017	U		0.0047	J		<0.0058	U		<0.005	U	
	20 ft	VMP-52-20-042417	4/24/2017	<0.021	U		<0.015	U		<0.0064	U		<0.0053	U		<0.019	U		0.0029	J		<0.0064	U		<0.0056	U	
		VMP-52-20-072117	7/21/2017	<0.02	U		<0.015	U		<0.0061	U		<0.0051	U		<0.018	U		<0.012	U		<0.0061	U		<0.0053	U	
		VMP-52-20-102517	10/25/2017	<0.018	U		<0.013	U		<0.0055	U		<0.0046	U		<0.016	U		<0.011	U		<0.0055	U		<0.0047	U	
		VMP-52-20-012418	1/24/2018	<0.018	U		0.003	J		<0.0055	U		<0.0046	U		<0.016	U		<0.011	U		<0.0055	U		<0.0047	U	
	30 ft	VMP-52-20-012418-DUP	1/24/2018	<0.018	U		0.003	J		<0.0053	U		<0.0044	U		<0.016	U		0.0046	J		<0.0053	U		<0.0046	U	
		VMP-52-30-042417	4/24/2017	<0.02	U		0.0032	J		<0.006	U		<0.005	U		<0.018	U		0.0084	J		<0.006	U		<0.0052	U	
		VMP-52-30-072117	7/21/2017	<0.021	U		0.0022	J		<0.0063	U		<0.0052	U		<0.018	U		<0.012	U		<0.0063	U		<0.0054	U	
		VMP-52-30-102517	10/25/2017	<0.019	U		<0.014	U		<0.0057	U		<0.0048	U		<0.017	U		<0.011	U		<0.0057	U		<0.0049	U	
VMP-53	5 ft	VMP-53-5-042017	4/20/2017	<0.02	U		0.0032	J		<0.0059	U		<0.0049	U		<0.017	U		0.015			<0.0059	U		<0.0051	U	
		VMP-53-5-071917	7/19/2017	<0.02	U		<0.014	U		<0.006	U		<0.005	U		<0.018	U		0.021			<0.006	U		<0.0052	U	
		VMP-53-5-110117	11/1/2017	<0.017	U		<0.012	U		<0.0052	U		<0.0044	U		<0.015	U		<0.01	U		<0.0052	U		<0.0045	U	
		VMP-53-5-012218	1/22/2018	<0.02	U		<0.014	U		<0.006	U		<0.005	U		<0.018	U		0.014			<0.006	U		<0.0052	U	
	10 ft	VMP-53-10-042017	4/20/2017	<0.019	U		0.0022	J		<0.0058	U		<0.0049	U		<0.017	U		<0.012	U		0.0011	J		<0.0051	U	
		VMP-53-10-071917	7/19/2017	<0.02	U		<0.014	U		<0.0059	U		<0.005	U		<0.017	U		0.018			<0.0059	U		<0.0052	U	
		VMP-53-10-110117	11/1/2017	<0.018	U		<0.013	U		<0.0055	U		<0.0046	U		<0.016	U		<0.011	U		<0.0055	U		<0.0047	U	
		VMP-53-10-012218	1/22/2018	<0.02	U		<0.014	U		<0.0059	U		<0.005	U		<0.017	U		0.012			<0.0059	U		<0.0052	U	
	20 ft	VMP-53-20-042017	4/20/2017	<0.019	U		0.011	J		<0.0058	U		<0.0049	U		<0.017	U		0.006	J		0.00095	J		<0.0051	U	
		VMP-53-20-071917	7/19/2017	<0.02	U		<0.014	U		<0.006	U		<0.005	U		<0.018	U		0.066			0.0022	J		<0.0052	U	
		VMP-53-20-110117	11/1/2017	<0.018	U		<0.013	U		<0.0055	U		<0.0046	U		<0.016	U		<0.011	U		<0.0055	U		<0.0047	U	
		VMP-53-20-012218	1/22/2018	<0.019	U		<0.014	U		<0.0058	U		<0.0048	U		<0.017	U		0.011	J	J	<0.0058	U		<0.005	U	
	30 ft	VMP-53-20-012218-DUP	1/22/2018	<0.02	U		0.008	J		<0.0059	U		<0.0049	U		<0.017	U		0.055		J	<0.0059	U		<0.0051	U	
		VMP-53-30-042017	4/20/2017	<0.019	U		0.0044	J		0.00083	J		<0.0047	U		<0.016	U		0.0075	J		0.002	J		<0.0048	U	
		VMP-53-30-042017-DUP	4/20/2017	<0.018	U		0.0053	J		0.00093	J		<0.0045	U		<0.016	U		<0.011	U		0.0024	J		<0.0047	U	
		VMP-53-30-071917	7/19/2017	<0.02	U		<0.014	U		<0.006	U		<0.005	U		<0.018	U		0.021			<0.006	U		<0.0052	U	
VMP-54	5 ft	VMP-54-5-042017	4/20/2017	<0.021	U		<0.015	U		<0.0062	U		<0.0052	U		<0.018	U		0.014			<0.0062	U		<0.0054	U	
		VMP-54-5-071917	7/19/2017	<0.02	U		<0.014	U		<0.006	U		<0.005	U		<0.018	U		0.036			<0.006	U		<0.0052	U	
		VMP-54-5-102617	10/26/2017	<0.018	U		0.01	J		<0.0053	U		<0.0044	U		<0.016	U		0.025			<0.0053	U		<0.0046	U	
		VMP-54-5-012218	1/22/2018	<0.019	U		<0.014	U		<0.0057	U		<0.0048	U		<0.017	U		0.068			<0.0057	U		<0.0049	U	
	10 ft	VMP-54-10-042017	4/20/2017	<0.02	U		0.0062	J		<0.0061	U		<0.005	U		<0.018	U		<0.012	U		<0.0061	U		<0.0053	U	
		VMP-54-10-071917	7/19/2017	<0.02	U		<0.015	U		<0.0061	U		<0.0051	U		<0.018	U		0.045			<0.0061	U		<0.0053	U	
		VMP-54-10-102617	10/26/2017	<0.018	U		0.0027	J		<0.0055	U		<0.0046	U		<0.016	U		<0.011	U		<0.0055	U		<0.0048	U	
		VMP-54-10-012218	1/22/2018	<0.019	U		<0.014	U		<0.0058	U		<0.0048	U		<0.017	U		0.012			<0.0058	U		<0.005	U	
	20 ft	VMP-54-20-042017	4/20/2017	<0.02	U		<0.015	U		0.00073	J		<0.0051	U		<0.018											

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	2-Hexanone (Methyl N-Butyl Ketone)			Isopentane			Isopropylbenzene (Cumene)			4-Methyl-2-pentanone (Methyl Isobutyl Ketone)			Methyl tert-Butyl Ether (MTBE)			2-Propanol			n-Propylbenzene			Styrene		
										600						3700									1400		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-62	5 ft	VMP-62-5-042517	4/25/2017	<0.021	U		0.008	J		<0.0063	U		<0.0053	U		<0.019	U		<0.013	U		<0.0063	U		<0.0055	U	
		VMP-62-5-072517	7/25/2017	<0.017	U		0.062			<0.0052	U		<0.0044	U		<0.015	U		0.028			<0.0052	U		0.0018	J	
		VMP-62-5-083017	8/30/2017	<0.02	U		<0.014	U		<0.0061	U		<0.005	U		<0.018	U		<0.012	U		<0.0061	U		<0.0053	U	
		VMP-62-5-110317	11/3/2017	<0.018	U		0.02			<0.0055	U		<0.0046	U		<0.016	U		<0.011	U		<0.0055	U		<0.0048	U	
		VMP-62-5-012918	1/29/2018	<0.018	U		<0.013	U		<0.0053	U		<0.0044	U		<0.016	U		0.0017	J		<0.0053	U		<0.0046	U	
	10 ft	VMP-62-10-042517	4/25/2017	<0.022	U		<0.016	U		<0.0065	U		<0.0054	U		<0.019	U		<0.013	U		<0.0065	U		<0.0056	U	
		VMP-62-10-072517	7/25/2017	<0.019	U		<0.014	U		<0.0058	U		<0.0048	U		<0.017	U		<0.012	U		<0.0058	U		<0.005	U	
		VMP-62-10-110317	11/3/2017	<0.018	U		<0.013	U		<0.0054	U		<0.0045	U		<0.016	U		0.0041	J		<0.0054	U		<0.0047	U	
		VMP-62-10-012918	1/29/2018	<0.017	U		<0.012	U		<0.0052	U		<0.0044	U		<0.015	U		0.0012	J		<0.0052	U		<0.0045	U	
	20 ft	VMP-62-20-042517	4/25/2017	0.0017	J		<0.014	U		<0.0061	U		<0.005	U		<0.018	U		<0.012	U		<0.0061	U		<0.0053	U	
		VMP-62-20-072517	7/25/2017	<0.02	U		<0.014	U		<0.006	U		<0.005	U		<0.018	U		<0.012	U		<0.006	U		<0.0052	U	
		VMP-62-20-110317	11/3/2017	<0.018	U		<0.013	U		<0.0055	U		<0.0046	U		<0.016	U		<0.011	U		<0.0055	U		<0.0048	U	
		VMP-62-20-012918	1/29/2018	<0.017	U		<0.012	U		<0.0051	U		<0.0043	U		<0.015	U		0.0024	J		<0.0051	U		<0.0044	U	
	30 ft	VMP-62-30-042517	4/25/2017	<0.021	U		<0.015	U		<0.0062	U		<0.0052	U		<0.018	U		<0.012	U		<0.0062	U		<0.0054	U	
		VMP-62-30-072517	7/25/2017	<0.02	U		<0.014	U		<0.0059	U		<0.005	U		<0.017	U		0.0024	J		<0.0059	U		<0.0052	U	
		VMP-62-30-072517-DUP	7/25/2017	<0.019	U		0.0038	J		<0.0058	U		<0.0048	U		<0.017	U		0.0047	J		<0.0058	U		<0.005	U	
		VMP-62-30-110317	11/3/2017	<0.019	U		0.0014	J		<0.0056	U		<0.0047	U		<0.016	U		0.0044	J		<0.0056	U		<0.0049	U	
		VMP-62-30-110317-DUP	11/3/2017	<0.018	U		0.0027	J		<0.0055	U		<0.0046	U		<0.016	U		0.012			<0.0055	U		<0.0048	U	
		VMP-62-30-012918	1/29/2018	<0.017	U		0.003	J		<0.0051	U		<0.0043	U		<0.015	U		<0.01	U		<0.0051	U		<0.0044	U	
		VMP-62-30-012918-DUP	1/29/2018	<0.018	U		<0.013	U		<0.0052	U		<0.0044	U		<0.015	U		0.002	J		<0.0053	U		<0.0046	U	
VMP-63	5 ft	VMP-63-5-042517	4/25/2017	<0.019	U		<0.014	U		<0.0058	U		<0.0048	U		<0.017	U		0.01	J		<0.0058	U		<0.005	U	
		VMP-63-5-072517	7/25/2017	0.002	J		0.0019	J		0.00077	J		<0.0048	U		<0.017	U		<0.012	U		<0.0058	U		<0.005	U	
		VMP-63-5-110117	11/1/2017	<0.018	U		<0.013	U		<0.0054	U		<0.0045	U		<0.016	U		<0.011	U		<0.0054	U		<0.0047	U	
		VMP-63-5-012618	1/26/2018	<0.018	U		0.0041	J		<0.0055	U		<0.0046	U		<0.016	U		<0.011	J	U	<0.0055	U		<0.0048	U	
	10 ft	VMP-63-10-042517	4/25/2017	<0.021	U		<0.015	U		<0.0062	U		<0.0052	U		<0.018	U		<0.012	U		<0.0062	U		<0.0054	U	
		VMP-63-10-072517	7/25/2017	<0.02	U		<0.014	U		<0.006	U		<0.005	U		<0.018	U		<0.012	U		<0.006	U		<0.0052	U	
		VMP-63-10-110117	11/1/2017	<0.018	U		0.0017	J		<0.0054	U		<0.0045	U		<0.016	U		<0.011	U		<0.0054	U		<0.0047	U	
		VMP-63-10-012618	1/26/2018	<0.018	U		<0.013	U		<0.0055	U		<0.0046	U		<0.016	U		<0.011	U		<0.0055	U		<0.0048	U	
	20 ft	VMP-63-20-042517	4/25/2017	<0.019	U		0.0019	J		<0.0057	U		<0.0048	U		<0.017	U		<0.011	U		<0.0057	U		<0.005	U	
		VMP-63-20-072517	7/25/2017	<0.02	U		0.0014	J		0.0005	J		<0.005	U		<0.018	U		<0.012	U		<0.0061	U		<0.0053	U	
		VMP-63-20-110117	11/1/2017	<0.018	U		0.003	J		<0.0054	U		<0.0045	U		<0.016	U		<0.011	U		<0.0054	U		<0.0047	U	
		VMP-63-20-012618	1/26/2018	<0.019	U		0.0097	J		<0.0056	U		<0.0047	U		<0.016	U		<0.011	U		<0.0056	U		<0.0049	U	
	30 ft	VMP-63-30-042517	4/25/2017	<0.02	U		0.0049	J		<0.006	U		<0.005	U		<0.018	U		<0.012	U		<0.006	U		<0.0052	U	
		VMP-63-30-072517	7/25/2017	<0.019	U		0.0022	J		<0.0057	U		<0.0048	U		<0.017	U		<0.011	U		<0.0057	U		<0.005	U	
		VMP-63-30-110117	11/1/2017	<0.018	U		0.0035	J		<0.0054	U		<0.0045	U		<0.016	U		<0.011	U		<0.0054	U		<0.0047	U	
		VMP-63-30-012618	1/26/2018	<0.019	U		0.014			<0.0056	U		<0.0047	U		<0.016	U		0.0036	J		<0.0056	U		<0.0049	U	
		VMP-63-30-012618-DUP	1/26/2018	<0.018	U		0.0071	J		<0.0054	U		<0.0045	U		<0.016	U		<0.011	J	U	<0.0054	U		<0.0047	U	
VMP-64	5 ft	VMP-64-5-042717	4/27/2017	<0.017	U		<0.012	U		<0.0051	U		<0.0043	U		<0.015	U		0.0017	J		<0.0051	U		<0.0044	U	
		VMP-64-5-072517	7/25/2017	<0.038	U		<0.027	U		<0.011	U		0.002	J		<0.034	U		<0.023	U		<0.011	U		<0.0099	U	
		VMP-64-5-110317	11/3/2017	<0.019	U		0.0055	J		<0.0056	U		<0.0047	U		<0.016	U		<0.011	U		<0.0056	U		<0.0049	U	
		VMP-64-5-012218	1/22/2018	<0.019	U		<0.014	U		<0.0056	U		<0.0047	U		<0.016	U		0.067			<0.0056	U		<0.0049	U	
	10 ft	VMP-64-10-042717	4/27/2017	<0.019	U		0.014			<0.0056	U		<0.0047	U		<0.016	U		0.0029	J		<0.0056	U		<0.0049	U	
		VMP-64-10-072517	7/25/2017	<0.021	U		<0.015	U		<0.0062	U		<0.0052	U		<0.018	U		0.016			<0.0062	U		<0.0054	U	
		VMP-64-10-110317	11/3/2017	<0.017	U		0.0019	J		<0.0052	U		<0.0044	U		<0.015	U		0.085			<0.0052	U		<0.0045	U	
		VMP-64-1																									

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	1,1,2,2-Tetrachloroethane			Tetrachloroethene			Tetrahydrofuran			Toluene			1,2,4-Trichlorobenzene			1,1,1-Trichloroethane (Methyl chloroform)			1,1,2-Trichloroethane			Trichloroethene		
							0.55						6200			5.4			6600			170000			1.5		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-1	5 ft	VMP-1-5-042817	4/28/2017	<0.0088	U		<0.0087	U		<0.0038	U		0.0054			<0.038	U		<0.007	U		<0.007	U		<0.0069	U	
		VMP-1-5-072417	7/24/2017	<0.0085	U		<0.0084	U		<0.0036	U		0.0074			<0.037	U		<0.0068	U		<0.0068	U		<0.0067	U	
		VMP-1-5-102617	10/26/2017	<0.008	U		<0.0079	U		<0.0034	U		0.0012	J		<0.034	U		<0.0064	U		<0.0064	U		<0.0063	U	
		VMP-1-5-012618	1/26/2018	<0.0075	U		<0.0074	U		<0.0032	U		<0.0041	U		<0.032	U		<0.006	U		<0.006	U		<0.0059	U	
	8.5 ft	VMP-1-8.5-042817	4/28/2017	<0.0078	U		<0.0077	U		<0.0033	U		<0.0043	U		<0.034	U		<0.0062	U		<0.0062	U		<0.0061	U	
		VMP-1-8.5-072417	7/24/2017	<0.0085	U		<0.0084	U		<0.0037	U		0.0014	J		<0.037	U		<0.0068	U		<0.0068	U		<0.0067	U	
		VMP-1-8.5-102617	10/26/2017	<0.0077	U		<0.0076	U		<0.0033	U		<0.0042	U		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
		VMP-1-8.5-012418	1/24/2018	<0.0077	U		<0.0076	U		<0.0033	U		<0.0042	U		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
	23.5 ft	VMP-1-23.5-042817	4/28/2017	<0.0079	U		<0.0078	U		<0.0034	U		0.001	J		<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U	
		VMP-1-23.5-042817-DUP	4/28/2017	<0.0078	U		<0.0077	U		<0.0033	U		0.00058	J		<0.034	U		<0.0062	U		<0.0062	U		<0.0061	U	
		VMP-1-23.5-072417	7/24/2017	<0.0082	U		<0.0081	U		<0.0035	U		0.0076			<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-1-23.5-102617	10/26/2017	<0.0081	U		<0.008	U		<0.0035	U		<0.0044	U		<0.035	U		<0.0064	U		<0.0064	U		<0.0063	U	
VMP-1-23.5-012618	1/26/2018	<0.0074	U		<0.0074	U		<0.0032	U		0.045			<0.032	U		<0.0059	U		<0.0059	U		<0.0058	U			
VMP-2	5 ft	VMP-2-5-050317	5/3/2017	<0.008	U		0.0073	J		<0.0034	U		<0.0044	U		<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U	
		VMP-2-5-072417	7/24/2017	<0.0085	U		0.02			<0.0036	U		0.056			<0.037	U		<0.0068	U		<0.0068	U		<0.0067	U	
		VMP-2-5-102617	10/26/2017	<0.0081	U		0.0064	J		<0.0035	U		<0.0044	U		<0.035	U		<0.0064	U		<0.0064	U		<0.0063	U	
		VMP-2-5-012918	1/29/2018	<0.0075	U		<0.0074	U		<0.0032	U		<0.0041	U		<0.032	U		<0.0059	U		<0.0059	U		<0.0058	U	
	8.5 ft	VMP-2-8.5-050317	5/3/2017	<0.0078	U		0.01			<0.0033	U		<0.0042	U		<0.034	U		<0.0062	U		<0.0062	U		<0.0061	U	
		VMP-2-8.5-072417	7/24/2017	<0.0094	U		0.017			<0.004	U		0.0011	J		<0.041	U		<0.0075	U		<0.0075	U		<0.0074	U	
		VMP-2-8.5-102617	10/26/2017	<0.0083	U		0.019			<0.0036	U		<0.0046	U		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U	
		VMP-2-8.5-012918	1/29/2018	<0.0077	U		0.0078			<0.0033	U		0.00052	J		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
	22 ft	VMP-2-22-050317	5/3/2017	<0.0077	U		0.012			<0.0033	U		0.0006	J		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
		VMP-2-22-072417	7/24/2017	<0.009	U		0.0081	J		<0.0039	U		0.0012	J		<0.039	U		<0.0071	U		<0.0071	U		<0.007	U	
		VMP-2-22-072417-DUP	7/24/2017	<0.0086	U		0.007	J		<0.0037	U		0.00094	J		<0.037	U		<0.0068	U		<0.0068	U		<0.0067	U	
		VMP-2-22-102617	10/26/2017	<0.0076	U		0.015			<0.0032	U		<0.0042	U		<0.033	U		<0.006	U		<0.006	U		<0.0059	U	
VMP-2-22-012918	1/29/2018	<0.0074	U		0.0058	J		<0.0032	U		<0.004	U		<0.032	U		<0.0059	U		<0.0059	U		<0.0058	U			
VMP-3	5 ft	VMP-3-5-042717	4/27/2017	<0.0082	U		<0.0081	U		<0.0035	U		<0.0045	U		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-3-5-072017	7/20/2017	<0.0086	U		<0.0085	U		<0.0037	U		0.001	J		<0.037	U		<0.0069	U		<0.0069	U		<0.0068	U	
		VMP-3-5-102617	10/26/2017	<0.0085	U		<0.0084	U		<0.0036	U		<0.0047	U		<0.037	U		<0.0068	U		<0.0068	U		<0.0067	U	
		VMP-3-5-012318	1/23/2018	<0.0075	U		<0.0074	U		<0.0032	U		0.0017	J		<0.032	U		<0.0059	U		<0.0059	U		<0.0058	U	
	10 ft	VMP-3-10-042717	4/27/2017	<0.008	U		<0.0079	U		<0.0034	U		0.0017	J		<0.035	U		<0.0064	U		<0.0064	U		<0.0063	U	
		VMP-3-10-072017	7/20/2017	<0.009	U		<0.0089	U		<0.0039	U		0.00092	J		<0.039	U		<0.0071	U		<0.0071	U		<0.007	U	
		VMP-3-10-102617	10/26/2017	<0.0085	U		<0.0084	U		<0.0037	U		0.0005	J		<0.037	U		<0.0068	U		<0.0068	U		<0.0067	U	
		VMP-3-10-012318	1/23/2018	<0.0076	U		<0.0075	U		<0.0032	U		<0.0041	U		<0.033	U		<0.006	U		<0.006	U		<0.0059	U	
	22 ft	VMP-3-22-042717	4/27/2017	<0.0082	U		<0.0081	U		<0.0035	U		<0.0045	U		<0.036	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-3-22-072017	7/20/2017	<0.0087	U		0.0036	J		<0.0037	U		0.00062	J		<0.038	U		<0.0069	U		<0.0069	U		<0.0068	U	
		VMP-3-22-102617	10/26/2017	<0.0081	U		0.0021	J		<0.0035	U		<0.0045	U		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-3-22-012318	1/23/2018	<0.0077	U		<0.0076	U		<0.0033	U		0.0076			<0.033	U		<0.0061	U		<0.0061	U		0.0015	J	
31.5 ft	VMP-3-31.5-042717	4/27/2017	<0.0085	U		<0.0084	U		<0.0037	U		0.0013	J		<0.037	U		<0.0068	U		<0.0068	U		<0.0067	U		
	VMP-3-31.5-072017	7/20/2017	<0.0086	U		<0.0085	U		<0.0037	U		0.0051			<0.037	U		<0.0068	U		<0.0068	U		<0.0067	U		
	VMP-3-31.5-102617	10/26/2017	<0.0081	U		<0.008	U		<0.0035	U		0.00082	J		<0.035	U		<0.0064	U		<0.0064	U		<0.0063	U		
	VMP-3-31.5-102617-DUP	10/26/2017	<0.0082	U		<0.0081																					

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	1,1,2,2-Tetrachloroethane			Tetrachloroethene			Tetrahydrofuran			Toluene			1,2,4-Trichlorobenzene			1,1,1-Trichloroethane (Methyl chloroform)			1,1,2-Trichloroethane			Trichloroethene		
							0.55						6200			5.4			6600			170000			1.5		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-5	5 ft	VMP-5-5-042617	4/26/2017	<0.023	U		0.011	J		<0.0099	U		<0.013	U		<0.1	U		<0.018	U		<0.018	U		<0.018	U	
		VMP-5-5-072017	7/20/2017	<0.008	U		0.00096	J		<0.0034	U		0.0013	J		<0.034	U		<0.0064	U		<0.0064	U		<0.0063	U	
		VMP-5-5-103017	10/30/2017	<0.0077	U		<0.0076	U		<0.0033	U		<0.0042	U		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
		VMP-5-5-012518	1/25/2018	<0.0074	U		<0.0073	U		<0.0032	U		0.05			<0.032	U		<0.0059	U		<0.0059	U		<0.0058	U	
	12.5 ft	VMP-5-12.5-042617	4/26/2017	<0.0082	U		<0.0081	U		<0.0035	U		<0.0045	U		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-5-12.5-072017	7/20/2017	<0.0086	U		0.0015	J		<0.0037	U		0.0015	J		<0.037	U		<0.0068	U		<0.0068	U		<0.0067	U	
		VMP-5-12.5-102017	10/30/2017	<0.0073	U		<0.0072	U		<0.0031	U		0.0022	J		<0.031	U		<0.0058	U		<0.0058	U		<0.0057	U	
		VMP-5-12.5-012518	1/25/2018	<0.0078	U		<0.0077	U		<0.0033	U		<0.0042	U		<0.034	U		<0.0062	U		<0.0062	U		<0.0061	U	
	31 ft	VMP-5-31-042617	4/26/2017	<0.0082	U		<0.0081	U		<0.0035	U		<0.0045	U		<0.036	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-5-31-072017	7/20/2017	<0.0085	U		<0.0084	U		<0.0037	U		<0.0047	U		<0.037	U		<0.0068	U		<0.0068	U		<0.0067	U	
		VMP-5-31-072017-DUP	7/20/2017	<0.0082	U		<0.0081	U		<0.0035	U		<0.0045	U		<0.036	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-5-31-103017	10/30/2017	<0.0076	U		<0.0075	U		<0.0032	U		<0.0041	U		<0.033	U		<0.006	U		<0.006	U		<0.0059	U	
	40 ft	VMP-5-31-012518	1/25/2018	<0.0078	U		<0.0077	U		<0.0033	U		0.00082	J		<0.034	U		<0.0062	U		<0.0062	U		<0.0061	U	
		VMP-5-40-042617	4/26/2017	<0.0081	U		<0.008	U		<0.0035	U		<0.0045	U		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-5-40-042617-DUP	4/26/2017	<0.0081	U		<0.008	U		<0.0035	U		0.00092	J		<0.035	U		<0.0064	U		<0.0064	U		<0.0063	U	
		VMP-5-40-012518	1/25/2018	<0.0072	U		<0.0071	U		<0.0031	U		0.0011	J		<0.031	U		<0.0057	U		<0.0057	U		<0.0056	U	
VMP-6	5 ft	VMP-6-5-042417	4/24/2017	<0.0079	U		<0.0078	U		<0.0034	U		<0.0043	U		<0.034	U		<0.0062	U		<0.0062	U		<0.0062	U	
		VMP-6-5-052217	5/22/2017	<0.0082	U		<0.0081	U		<0.0035	U		<0.0045	U		<0.036	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-6-5-072117	7/21/2017	<0.0081	U		<0.008	U		<0.0035	U		0.0012	J		<0.035	U		<0.0064	U		<0.0064	U		<0.0063	U	
		VMP-6-5-103117	10/31/2017	<0.0073	U		<0.0072	U		<0.0032	U		0.00048	J		<0.032	U		<0.0058	U		<0.0058	U		<0.0058	U	
		VMP-6-5-012418	1/24/2018	<0.0076	U		<0.0075	U		<0.0032	U		<0.0041	U		<0.033	U		<0.006	U		<0.006	U		<0.0059	U	
	10 ft	VMP-6-10-042417	4/24/2017	<0.0081	U		<0.008	U		<0.0035	U		<0.0044	U		<0.035	U		<0.0064	U		<0.0064	U		<0.0063	U	
		VMP-6-10-072117	7/21/2017	<0.0079	U		<0.0078	U		<0.0034	U		<0.0043	U		<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U	
		VMP-6-10-103117	10/31/2017	<0.0073	U		<0.0072	U		<0.0031	U		0.0023	J		<0.031	U		<0.0058	U		<0.0058	U		<0.0057	U	
		VMP-6-10-012418	1/24/2018	<0.0074	U		<0.0074	U		<0.0032	U		0.00076	J		<0.032	U		<0.0059	U		<0.0059	U		<0.0058	U	
	31.5 ft	VMP-6-31.5-042417	4/24/2017	<0.0084	U		<0.0083	U		<0.0036	U		<0.0046	U		<0.036	U		<0.0066	U		<0.0066	U		<0.0066	U	
		VMP-6-31.5-072117	7/21/2017	<0.0081	U		<0.008	U		<0.0035	U		<0.0044	U		<0.035	U		<0.0064	U		<0.0064	U		<0.0063	U	
		VMP-6-31.5-072117-DUP	7/21/2017	<0.0082	U		<0.0081	U		<0.0035	U		<0.0045	U		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-6-31.5-103117	10/31/2017	<0.0074	U		<0.0073	U		<0.0032	U		0.0016	J		<0.032	U		<0.0059	U		<0.0059	U		<0.0058	U	
	39 ft	VMP-6-31.5-013118	1/31/2018	<0.0081	U		<0.008	U		<0.0035	U		<0.0045	U		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-6-39-042417	4/24/2017	<0.0081	U		<0.008	U		<0.0035	U		<0.0045	U		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-6-39-042417-DUP	4/24/2017	<0.0082	U		<0.0081	U		<0.0035	U		<0.0045	U		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-6-39-103117	10/31/2017	<0.0076	U		<0.0075	U		<0.0033	U		0.0062			<0.033	U		<0.006	U		<0.006	U		<0.006	U	
		VMP-6-39-103117-DUP	10/31/2017	<0.0076	U		<0.0076	U		<0.0033	U		0.0036	J		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
		VMP-6-39-012418	1/24/2018	<0.0074	U		<0.0073	U		<0.0032	U		0.0034	J		<0.032	U		<0.0059	U		<0.0059	U		<0.0058	U	
	38 ft	VMP-6-39-012418-DUP	1/24/2018	<0.008	U		<0.0079	U		<0.0034	U		0.0022	J		<0.034	U		<0.0064	U		<0.0064	U		<0.0063	U	
VMP-7	5 ft	VMP-7-5-042417	4/24/2017	<0.0084	U		<0.0083	U		<0.0036	U		0.011			<0.036	U		<0.0066	U		<0.0066	U		<0.0066	U	
		VMP-7-5-072117	7/21/2017	<0.0084	U		<0.0083	U		<0.0036	U		0.0012	J		<0.036	U		<0.0067	U		<0.0067	U		<0.0066	U	
		VMP-7-5-102517	10/25/2017	<0.0079	U		<0.0078	U		<0.0034	U		<0.0043	U		<0.034	U		<0.0062	U		<0.0062	U		<0.0062	U	
		VMP-7-5-012518	1/25/2018	<0.0078	U		<0.0077	U		<0.0033	U		0.00079	J		<0.034	U		<0.0062	U		<0.0062	U		<0.0061	U	
	13.5 ft	VMP-7-13.5-042417	4/24/2017	<0.0086	U		<0.0085	U		<0.0037	U		<0.0047	U		<0.037	U		<0.0068	U		<0.0068	U		<0.0067	U	
		VMP-7-13.5-072117	7/21/2017	<0.0083	U		<0.0082	U		<0.0036	U		<0.0045	U		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U	
		VMP-7-13.5-102517	10/25/2017	<0.008	U		<0.0079	U		<0.0034	U		0.0018	J		<0.034	U		<0.0064	U		<0.0064	U		<0.0063	U	
		VMP-7-13.5-012518	1/25/2018</																								

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	1,1,2,2-Tetrachloroethane			Tetrachloroethene			Tetrahydrofuran			Toluene			1,2,4-Trichlorobenzene			1,1,1-Trichloroethane (Methyl chloroform)			1,1,2-Trichloroethane			Trichloroethene		
							0.55						6200			5.4			6600			170000			1.5		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-8	5 ft	VMP-8-5-042017	4/20/2017	<0.0092	U		<0.0091	U		<0.004	U		<0.0051	U		<0.04	U		<0.0073	U		<0.0073	U		<0.0072	U	
		VMP-8-5-071917	7/19/2017	<0.0082	U		<0.0081	U		<0.0035	U		<0.0045	U		<0.036	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-8-5-103017	10/30/2017	<0.0079	U		<0.0078	U		<0.0034	U		<0.0047	U		<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U	
		VMP-8-5-012218	1/22/2018	<0.0078	U		<0.0077	U		<0.0033	U		0.0044			<0.034	U		<0.0062	U		<0.0062	U		<0.0061	U	
	9.5 ft	VMP-8-9.5-042117	4/21/2017	<0.0082	U		<0.0081	U		<0.0035	U		<0.0045	U		<0.036	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-8-9.5-071917	7/19/2017	<0.0083	U		<0.0082	U		<0.0036	U		<0.0046	U		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U	
		VMP-8-9.5-103017	10/30/2017	<0.0077	U		<0.0076	U		<0.0033	U		0.0012	J		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
		VMP-8-9.5-012218	1/22/2018	<0.008	U		<0.0079	U		<0.0034	U		<0.0044	U		<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U	
	23.5 ft	VMP-8-23.5-042117	4/21/2017	<0.008	U		<0.0079	U		<0.0034	U		<0.0044	U		<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U	
		VMP-8-23.5-071917	7/19/2017	<0.0084	U		<0.0083	U		<0.0036	U		<0.0046	U		<0.036	U		<0.0067	U		<0.0067	U		<0.0066	U	
		VMP-8-23.5-103017	10/30/2017	<0.0076	U		<0.0076	U		<0.0033	U		0.00042	J		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
		VMP-8-23.5-012218	1/22/2018	<0.008	U		<0.0079	U		<0.0034	U		<0.0044	U		<0.035	U		<0.0064	U		<0.0064	U		<0.0063	U	
	35.5 ft	VMP-8-23.5-012218-DUP	1/22/2018	<0.0082	U		<0.0081	U		<0.0035	U		<0.0045	U		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-8-35.5-042117	4/21/2017	<0.0081	U		<0.008	U		<0.0035	U		<0.0044	U		<0.035	U		<0.0064	U		<0.0064	U		<0.0063	U	
		VMP-8-35.5-071917	7/19/2017	<0.015	U		<0.015	U		<0.0064	U		<0.0082	U		<0.065	U		<0.012	U		<0.012	U		<0.012	U	
		VMP-8-35.5-071917-DUP	7/19/2017	<0.017	U		<0.016	U		<0.0072	U		<0.0092	U		<0.072	U		<0.013	U		<0.013	U		<0.013	U	
		VMP-8-35.5-103017	10/30/2017	<0.0078	U		<0.0077	U		<0.0033	U		0.0011	J		<0.034	U		<0.0062	U		<0.0062	U		<0.0061	U	
VMP-9	5 ft	VMP-9-5-042017	4/20/2017	<0.0086	U		<0.0085	U		<0.0037	U		<0.0047	U		<0.037	U		<0.0069	U		<0.0069	U		<0.0068	U	
		VMP-9-5-071917	7/19/2017	<0.0084	U		<0.0083	U		<0.0036	U		<0.0046	U		<0.036	U		<0.0067	U		<0.0067	U		<0.0066	U	
		VMP-9-5-110117	11/1/2017	<0.0075	U		<0.0074	U		<0.0032	U		<0.0041	U		<0.032	U		<0.006	U		<0.006	U		<0.0059	U	
		VMP-9-5-012218	1/22/2018	<0.0086	U		<0.0085	U		<0.0037	U		<0.0047	U		<0.037	U		<0.0069	U		<0.0069	U		<0.0068	U	
	11.5 ft	VMP-9-11.5-042017	4/20/2017	<0.0087	U		<0.0086	U		<0.0037	U		0.00062	J		<0.038	U		<0.0069	U		<0.0069	U		<0.0068	U	
		VMP-9-11.5-071917	7/19/2017	<0.0081	U		<0.008	U		<0.0035	U		<0.0044	U		<0.035	U		<0.0064	U		<0.0064	U		<0.0063	U	
		VMP-9-11.5-110117	11/1/2017	<0.0081	U		<0.008	U		<0.0035	U		<0.0044	U		<0.035	U		<0.0064	U		<0.0064	U		<0.0063	U	
		VMP-9-11.5-012218	1/22/2018	<0.0082	U		<0.0081	U		<0.0035	U		0.0053			<0.036	U		<0.0065	U		<0.0065	U		<0.0064	U	
	25.5 ft	VMP-9-25.5-042017	4/20/2017	<0.0095	U		<0.0094	U		<0.0041	U		0.00071	J		<0.041	U		<0.0076	U		<0.0076	U		<0.0075	U	
		VMP-9-25.5-071917	7/19/2017	<0.0084	U		<0.0083	U		<0.0036	U		0.00062	J		<0.036	U		<0.0067	U		<0.0067	U		<0.0066	U	
		VMP-9-25.5-110117	11/1/2017	<0.0077	U		<0.0076	U		<0.0033	U		<0.0042	U		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
		VMP-9-25.5-012218	1/22/2018	<0.0083	U		<0.0082	U		<0.0036	U		<0.0045	U		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U	
	38.5 ft	VMP-9-38.5-042017	4/20/2017	<0.0084	U		0.0027	J		<0.0036	U		0.00088	J		<0.036	U		<0.0066	U		<0.0066	U		<0.0066	U	
		VMP-9-38.5-042017-DUP	4/20/2017	<0.0085	U		0.0019	J		<0.0036	U		0.0017	J		<0.037	U		<0.0068	U		<0.0068	U		<0.0067	U	
		VMP-9-38.5-110117	11/1/2017	<0.0076	U		0.0016	J		<0.0033	U		0.0005	J		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
		VMP-9-38.5-012218	1/22/2018	<0.0083	U		0.0041	J		<0.0036	U		<0.0045	U		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U	
VMP-18	8.5 ft	VMP-18-8.5-050317	5/3/2017	<0.0074	U		<0.0074	U		<0.0032	U		<0.0041	U		<0.032	U		<0.0059	U		<0.0059	U		<0.0058	U	
		VMP-18-8.5-072717	7/27/2017	<0.0083	U		<0.0082	U		<0.0036	U		0.00088	J		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U	
		VMP-18-8.5-110317	11/3/2017	<0.0079	U		<0.0078	U		<0.0034	U		<0.0043	U		<0.034	U		<0.0062	U		<0.0062	U		<0.0062	U	
		VMP-18-8.5-110317-DUP	11/3/2017	<0.0072	U		<0.0071	U		<0.0031	U		0.00041	J		<0.031	U		<0.0057	U		<0.0057	U		<0.0056	U	
		VMP-18-8.5-012418	1/24/2018	<0.0079	U		<0.0078	U		<0.0034	U		0.0035	J		<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U	
VMP-19	5 ft	VMP-19-5-042017	4/20/2017	<0.0094	U		<0.0093	U		<0.004	U		0.0008	J		<0.041	U		<0.0075	U		<0.0075	U		<0.0074	U	
		VMP-19-5-072717	7/27/2017	<0.0083	U		<0.0082	U		<0.0036	U		<0.0046	U		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U	
		VMP-19-5-102517	10/25/2017	<0.0078	U		<0.0077	U		<0.0034	U		<0.0043	U		<0.034	U		<0.0062	U		<0.0062	U		<0.0061	U	
		VMP-19-5-012518	1/25/2018	<0.0078	U		<0.0077	U		<0.																	

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	1,1,2,2-Tetrachloroethane			Tetrachloroethene			Tetrahydrofuran			Toluene			1,2,4-Trichlorobenzene			1,1,1-Trichloroethane (Methyl chloroform)			1,1,2-Trichloroethane			Trichloroethene		
							0.55						6200			5.4			6600			170000			1.5		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-21	5 ft	VMP-21-5-042417	4/24/2017	<0.008	U		<0.0079	U		<0.0034	U		<0.0044	U		<0.035	U		<0.0064	U		<0.0064	U		<0.0063	U	
		VMP-21-5-072017	7/20/2017	<0.0079	U		0.0041	J		<0.0034	U		0.00044	J		<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U	
		VMP-21-5-103117	10/31/2017	<0.0077	U		0.002	J		<0.0033	U		<0.0042	U		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
		VMP-21-5-012318	1/23/2018	<0.0074	U		<0.0073	U		<0.0032	U		0.0031	J		<0.032	U		<0.0059	U		<0.0059	U		<0.0058	U	
	10 ft	VMP-21-10-042417	4/24/2017	<0.0081	U		0.0026	J		<0.0035	U		<0.0044	U		<0.035	U		<0.0064	U		<0.0064	U		<0.0063	U	
		VMP-21-10-072017	7/20/2017	<0.0083	U		0.0043	J		<0.0036	U		0.0006	J		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U	
		VMP-21-10-103117	10/31/2017	<0.0076	U		0.0059	J		<0.0032	U		0.0094			<0.033	U		<0.006	U		<0.006	U		<0.0059	U	
		VMP-21-10-012318	1/23/2018	<0.0076	U		0.0026	J		<0.0032	U		<0.0041	U		<0.033	U		<0.006	U		<0.006	U		<0.0059	U	
	25 ft	VMP-21-25-042417	4/24/2017	<0.0081	U		<0.008	U		<0.0035	U		<0.0044	U		<0.035	U		<0.0064	U		<0.0064	U		<0.0063	U	
		VMP-21-25-072017	7/20/2017	<0.0082	U		0.0014	J		<0.0035	U		0.00036	J		<0.036	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-21-25-103117	10/31/2017	<0.0079	U		0.0032	J		<0.0034	U		<0.0044	U		<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U	
		VMP-21-25-012318	1/23/2018	<0.0077	U		0.0036	J		<0.0033	U		<0.0042	U		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
	33 ft	VMP-21-33-042417	4/24/2017	<0.0079	U		0.0077	J		<0.0034	U		<0.0043	U		<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U	
		VMP-21-33-042417-DUP	4/24/2017	<0.008	U		0.0076	J		<0.0034	U		<0.0044	U		<0.034	U		<0.0064	U		<0.0064	U		<0.0063	U	
		VMP-21-33-072017	7/20/2017	<0.0078	U		0.0084			<0.0033	U		0.0012	J		<0.034	U		<0.0062	U		<0.0062	U		<0.0061	U	
		VMP-21-33-072017-DUP	7/20/2017	<0.0084	U		0.0083			<0.0036	U		0.0013	J		<0.036	U		<0.0066	U		<0.0066	U		<0.0066	U	
VMP-21-33-103117		10/31/2017	<0.0077	U		0.008			<0.0033	U		0.0034	J		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U		
VMP-21-33-012318		1/23/2018	<0.0074	U		0.0084			<0.0032	U		0.00053	J		<0.032	U		<0.0059	U		<0.0059	U		<0.0058	U		
VMP-21-33-012318-DUP		1/23/2018	<0.0075	U		0.008			<0.0032	U		0.00063	J		<0.032	U		<0.006	U		<0.006	U		<0.0059	U		
VMP-22	5 ft	VMP-22-5-042617	4/26/2017	<0.0082	U		<0.0081	U		<0.0035	U		<0.0045	U		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-22-5-072617	7/26/2017	<0.0084	U		<0.0083	U		<0.0036	U		<0.0046	U		<0.036	U		<0.0067	U		<0.0067	U		<0.0066	U	
		VMP-22-5-102617	10/26/2017	<0.0076	U		<0.0075	U		<0.0032	U		<0.0042	U		<0.033	U		<0.006	U		<0.006	U		<0.0059	U	
		VMP-22-5-013018	1/30/2018	<0.0077	U		<0.0076	U		<0.0033	U		0.00079	J		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
	10 ft	VMP-22-10-042717	4/27/2017	<0.0076	U		<0.0075	U		<0.0033	U		<0.0042	U		<0.033	U		<0.006	U		<0.006	U		<0.006	U	
		VMP-22-10-072617	7/26/2017	<0.0084	U		<0.0083	U		<0.0036	U		0.0013	J		<0.036	U		<0.0066	U		<0.0066	U		<0.0066	U	
		VMP-22-10-102617	10/26/2017	<0.0082	U		<0.0081	U		<0.0035	U		<0.0045	U		<0.036	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-22-10-013018	1/30/2018	<0.0073	U		<0.0072	U		<0.0032	U		0.0009	J		<0.032	U		<0.0058	U		<0.0058	U		<0.0058	U	
	18 ft	VMP-22-18-042717	4/27/2017	<0.0088	U		<0.0086	U		<0.0038	U		<0.0048	U		<0.038	U		<0.007	U		<0.007	U		<0.0068	U	
		VMP-22-18-072617	7/26/2017	<0.0094	U		<0.0092	U		<0.004	U		<0.0051	U		<0.04	U		<0.0074	U		<0.0074	U		<0.0073	U	
		VMP-22-18-102617	10/26/2017	<0.0079	U		<0.0078	U		<0.0034	U		<0.0044	U		<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U	
		VMP-22-18-013018	1/30/2018	<0.0072	U		<0.0072	U		<0.0031	U		0.00053	J		<0.031	U		<0.0058	U		<0.0058	U		<0.0057	U	
	38 ft	VMP-22-38-042717	4/27/2017	<0.0081	U		<0.008	U		<0.0035	U		<0.0044	U		<0.035	U		<0.0064	U		<0.0064	U		<0.0063	U	
		VMP-22-38-042717-DUP	4/27/2017	<0.0082	U		<0.0081	U		<0.0035	U		<0.0045	U		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-22-38-072617	7/26/2017	<0.0082	U		<0.0081	U		<0.0035	U		<0.0045	U		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-22-38-072617-DUP	7/26/2017	<0.0081	U		<0.008	U		<0.0035	U		<0.0045	U		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
VMP-22-38-102617		10/26/2017	<0.0081	U		<0.008	U		<0.0035	U		<0.0044	U		<0.035	U		<0.0064	U		<0.0064	U		<0.0063	U		
VMP-22-38-013018		1/30/2018	<0.0078	U		<0.0077	U		<0.0033	U		0.00081	J		<0.034	U		<0.0062	U		<0.0062	U		<0.0061	U		
VMP-23	5 ft	VMP-23-5-042517	4/25/2017	<0.0086	U		<0.0085	U		<0.0037	U		<0.0047	U		<0.037	U		<0.0068	U		<0.0068	U		<0.0067	U	
		VMP-23-5-072017	7/20/2017	<0.0082	U		<0.0081	U		<0.0035	U		0.00052	J		<0.036	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-23-5-102517	10/25/2017	<0.0082	U		<0.0081	U		<0.0035	U		<0.0045	U		<0.036	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-23-5-012318	1/23/2018	<0.0088	U		<0.0088	U		<0.0038	U		0.0012	J		<0.038	U		<0.007	U		<0.007	U		<0.0069	U	
	10 ft	VMP-23-10-042517	4/25/2017	<0.0088	U		<0.0087	U		<0.0038	U		<0.0048	U		<0.038	U		<0.007	U		<0.007	U		<0.0069	U	
		VMP-23-10-072017	7/20/2017	<0.0081	U		<0.008	U		<0.0035	U		0.0033</														

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	1,1,2,2-Tetrachloroethane			Tetrachloroethene			Tetrahydrofuran			Toluene			1,2,4-Trichlorobenzene			1,1,1-Trichloroethane (Methyl chloroform)			1,1,2-Trichloroethane			Trichloroethene			
							0.55						6200			5.4			6600			170000			1.5			
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	
VMP-24	5 ft	VMP-24-5-042117	4/21/2017	<0.0092	U		<0.0091	U		<0.004	U		<0.0051	U		<0.04	U		<0.0073	U		<0.0073	U		<0.0072	U		
		VMP-24-5-072117	7/21/2017	<0.0085	U		<0.0084	U		<0.0037	U		<0.0047	U		<0.037	U		<0.0068	U		<0.0068	U		<0.0067	U		
		VMP-24-5-102517	10/25/2017	<0.0081	U		<0.008	U		<0.0035	U		0.00054	J		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U		
		VMP-24-5-012418	1/24/2018	<0.0078	U		<0.0077	U		<0.0033	U		0.003	J		<0.034	U		<0.0062	U		<0.0062	U		<0.0061	U		
	10 ft	VMP-24-10-042117	4/21/2017	<0.0079	U		<0.0078	U		<0.0034	U		<0.0044	U		<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U		
		VMP-24-10-072117	7/21/2017	<0.0084	U		<0.0083	U		<0.0036	U		<0.0046	U		<0.036	U		<0.0066	U		<0.0066	U		<0.0066	U		
		VMP-24-10-102517	10/25/2017	<0.0075	U		<0.0074	U		<0.0032	U		<0.0041	U		<0.032	U		<0.006	U		<0.006	U		<0.0059	U		
		VMP-24-10-012418	1/24/2018	0.0011	J		<0.0074	U		<0.0032	U		0.00051	J		<0.032	U		<0.006	U		<0.006	U		<0.0059	U		
	22 ft	VMP-24-22-042117	4/21/2017	<0.008	U		<0.0079	U		<0.0034	U		<0.0044	U		<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U		
		VMP-24-22-072117	7/21/2017	<0.0082	U		<0.0081	U		<0.0035	U		<0.0045	U		<0.036	U		<0.0065	U		<0.0065	U		<0.0064	U		
		VMP-24-22-102517	10/25/2017	<0.0076	U		<0.0075	U		0.0043			0.00041	J		<0.033	U		<0.006	U		<0.006	U		<0.006	U		
		VMP-24-22-013118	1/31/2018	<0.0078	U		<0.0077	U		<0.0033	U		0.0013	J		<0.034	U		<0.0062	U		<0.0062	U		<0.0061	U		
	34 ft	VMP-24-34-042117	4/21/2017	<0.0079	U		<0.0078	U		<0.0034	U		<0.0044	U		<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U		
		VMP-24-34-042117-DUP	4/21/2017	<0.0081	U		<0.008	U		<0.0035	U		<0.0044	U		<0.035	U		<0.0064	U		<0.0064	U		<0.0063	U		
		VMP-24-34-072117	7/21/2017	<0.0082	U		<0.0081	U		<0.0035	U		<0.0045	U		<0.036	U		<0.0065	U		<0.0065	U		<0.0064	U		
		VMP-24-34-072117-DUP	7/21/2017	<0.0083	U		<0.0082	U		<0.0036	U		0.00086	J		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U		
VMP-24-34-102517		10/25/2017	<0.0079	U		<0.0078	U		0.0021	J		0.00085	J		<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U			
VMP-24-34-012418		1/24/2018	<0.0073	U		<0.0072	U		<0.0031	U		<0.004	U		<0.031	U		<0.0058	U		<0.0058	U		<0.0057	U			
VMP-32	5 ft	VMP-32-5-052217	5/22/2017	<0.0084	U		<0.0083	U		<0.0036	U		0.0018	J		<0.036	U		<0.0067	U		<0.0067	U		<0.0066	U		
		VMP-32-5-072417	7/24/2017	<0.0082	U		<0.0081	U		<0.0035	U		0.0035	J		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U		
		VMP-32-5-103117	10/31/2017	<0.0077	U		<0.0076	U		<0.0033	U		0.0096			<0.033	U		<0.0061	U		<0.0061	U		<0.006	U		
		VMP-32-5-012918	1/29/2018	<0.0074	U		<0.0073	U		<0.0032	U		<0.0041	U		<0.032	U		<0.0059	U		<0.0059	U		<0.0058	U		
	10 ft	VMP-32-10-042517	4/25/2017	<0.0083	U		<0.0082	U		<0.0036	U		0.0028	J		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U		
		VMP-32-10-072417	7/24/2017	<0.0084	U		<0.0083	U		<0.0036	U		0.0026	J		<0.036	U		<0.0066	U		<0.0066	U		<0.0066	U		
		VMP-32-10-103117	10/31/2017	<0.0081	U		<0.008	U		<0.0035	U		<0.0045	U		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U		
		VMP-32-10-012918	1/29/2018	<0.0074	U		<0.0074	U		<0.0032	U		<0.0041	U		<0.032	U		<0.0059	U		<0.0059	U		<0.0058	U		
	20 ft	VMP-32-20-042517	4/25/2017	<0.0084	U		<0.0083	U		<0.0036	U		<0.0046	U		<0.036	U		<0.0067	U		<0.0067	U		<0.0066	U		
		VMP-32-20-072417	7/24/2017	<0.0085	U		<0.0084	U		<0.0036	U		<0.0047	U		<0.037	U		<0.0068	U		<0.0068	U		<0.0067	U		
		VMP-32-20-103117	10/31/2017	<0.0079	U		<0.0078	U		<0.0034	U		<0.0043	U		<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U		
		VMP-32-20-012918	1/29/2018	<0.0069	U		<0.0068	U		<0.003	U		0.00049	J		<0.03	U		<0.0055	U		<0.0055	U		<0.0054	U		
	30 ft	VMP-32-30-042517	4/25/2017	<0.0085	U		<0.0084	U		<0.0036	U		0.00057	J		<0.037	U		<0.0068	U		<0.0068	U		<0.0067	U		
		VMP-32-30-042517-DUP	4/25/2017	<0.0083	U		<0.0082	U		<0.0036	U		<0.0046	U		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U		
		VMP-32-30-072417	7/24/2017	<0.0085	U		<0.0084	U		<0.0036	U		0.0097			<0.037	U		<0.0067	U		<0.0067	U		<0.0066	U		
		VMP-32-30-072417-DUP	7/24/2017	<0.0083	U		<0.0082	U		<0.0036	U		<0.0046	U		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U		
VMP-32-30-103117	10/31/2017	<0.015	U		<0.015	U		<0.0066	U		<0.0084	U		<0.067	U		<0.012	U		<0.012	U		<0.012	U				
	VMP-32-30-012918	1/29/2018	<0.0077	U		<0.0076	U		<0.0033	U		<0.0042	U		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U			
	VMP-42	10 ft	VMP-42-10-050317	5/3/2017	<0.0079	U		<0.0078	U		<0.0034	U		<0.0043	U		<0.034	U		<0.0062	U		<0.0062	U		<0.0062	U	
			VMP-42-10-072017	7/20/2017	<0.0082	U		<0.0081	U		<0.0035	U		<0.0045	U		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
VMP-42-10-110117			11/1/2017	<0.007	U		<0.007	U		<0.003	U		0.0068			<0.03	U		<0.0056	U		<0.0056	U		<0.0055	U		
VMP-42-10-012318			1/23/2018	<0.0076	U		<0.0075	U		<0.0033	U</																	

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	1,1,2,2-Tetrachloroethane			Tetrachloroethene			Tetrahydrofuran			Toluene			1,2,4-Trichlorobenzene			1,1,1-Trichloroethane (Methyl chloroform)			1,1,2-Trichloroethane			Trichloroethene		
							0.55						6200			5.4			6600			170000			1.5		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-44	10 ft	VMP-44-10-042517	4/25/2017	<0.0085	U		<0.0084	U		<0.0036	U		0.00079	J		<0.037	U		<0.0067	U		<0.0067	U		<0.0066	U	
		VMP-44-10-072517	7/25/2017	<0.0087	ND,UJ	UJ	<0.0086	U		<0.0037	U		<0.0048	U		<0.038	U		<0.0069	U		<0.0069	U		<0.0068	U	
		VMP-44-10-102517	10/25/2017	<0.0084	U		<0.0083	U		<0.0036	U		<0.0046	U		<0.036	U		<0.0066	U		<0.0066	U		0.0012	J	
		VMP-44-10-012518	1/25/2018	<0.0079	U		<0.0078	U		<0.0034	U		0.018			<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U	
	20 ft	VMP-44-20-042517	4/25/2017	<0.0091	U		<0.009	U		<0.0039	U		0.00076	J		<0.039	U		<0.0072	U		<0.0072	U		<0.0071	U	
		VMP-44-20-072517	7/25/2017	<0.0089	ND,UJ	UJ	<0.0088	U		<0.0038	U		0.0032	J		<0.038	U		<0.0071	U		<0.0071	U		<0.007	U	
		VMP-44-20-102517	10/25/2017	<0.0082	U		<0.0081	U		<0.0035	U		<0.0045	U		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-44-20-012518	1/25/2018	<0.0078	U		<0.0077	U		<0.0033	U		0.00068	J		<0.034	U		<0.0062	U		<0.0062	U		<0.0061	U	
	30 ft	VMP-44-30-042517	4/25/2017	<0.0092	U		<0.0091	U		<0.004	U		0.00075	J		<0.04	U		<0.0073	U		<0.0073	U		<0.0072	U	
		VMP-44-30-072517	7/25/2017	<0.0086	ND,UJ	UJ	<0.0085	U		<0.0037	U		<0.0047	U		<0.037	U		<0.0069	U		<0.0069	U		<0.0068	U	
		VMP-44-30-102517	10/25/2017	<0.0081	U		<0.008	U		<0.0035	U		0.00044	J		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-44-30-102517-DUP	10/25/2017	<0.008	U		<0.0079	U		<0.0034	U		0.00082	J		<0.034	U		<0.0064	U		<0.0064	U		<0.0063	U	
VMP-44-30-012518	1/25/2018	<0.0079	U		<0.0078	U		<0.0034	U		0.00085	J		<0.034	U		<0.0062	U		<0.0062	U		<0.0062	U			
VMP-44-30-012518-DUP	1/25/2018	<0.0078	U		<0.0077	U		<0.0034	U		0.0011	J		<0.034	U		<0.0062	U		<0.0062	U		<0.0061	U			
VMP-45	10 ft	VMP-45-10-042617	4/26/2017	<0.0083	U		<0.0082	U		<0.0036	U		<0.0045	U		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U	
		VMP-45-10-072517	7/25/2017	<0.0086	ND,UJ	UJ	<0.0085	U		<0.0037	U		<0.0047	U		<0.037	U		<0.0069	U		<0.0069	U		<0.0068	U	
		VMP-45-10-103117	10/31/2017	<0.0075	U		<0.0074	U		<0.0032	U		0.0077			<0.032	U		<0.006	U		<0.006	U		<0.0059	U	
		VMP-45-10-012418	1/24/2018	<0.0074	U		<0.0073	U		<0.0032	U		0.0016	J		<0.032	U		<0.0059	U		<0.0059	U		<0.0058	U	
	20 ft	VMP-45-20-042617	4/26/2017	<0.0092	U		<0.0091	U		<0.004	U		<0.0051	U		<0.04	U		<0.0073	U		<0.0073	U		<0.0072	U	
		VMP-45-20-072517	7/25/2017	<0.0086	ND,UJ	UJ	<0.0085	U		<0.0037	U		<0.0047	U		<0.037	U		<0.0068	U		<0.0068	U		<0.0067	U	
		VMP-45-20-103117	10/31/2017	<0.0075	U		<0.0074	U		<0.0032	U		0.0042			<0.032	U		<0.0059	U		<0.0059	U		<0.0058	U	
		VMP-45-20-012418	1/24/2018	<0.0076	U		<0.0075	U		<0.0032	U		<0.0041	U		<0.033	U		<0.006	U		<0.006	U		<0.0059	U	
	30 ft	VMP-45-30-042617	4/26/2017	<0.0084	U		<0.0083	U		<0.0036	U		<0.0046	U	UJ	<0.036	U		<0.0067	U		<0.0067	U		<0.0066	U	
		VMP-45-30-042617-DUP	4/26/2017	<0.008	U		<0.0079	U		<0.0034	U		0.015		J	<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U	
		VMP-45-30-072517	7/25/2017	<0.0086	ND,UJ	UJ	<0.0085	U		<0.0037	U		<0.0047	U		<0.037	U		<0.0069	U		<0.0069	U		<0.0068	U	
		VMP-45-30-103117	10/31/2017	<0.0076	U		<0.0076	U		<0.0033	U		0.0012	J		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
VMP-45-30-012418	1/24/2018	<0.0079	U		<0.0078	U		<0.0034	U		0.0024	J		<0.034	U		<0.0062	U		<0.0062	U		<0.0062	U			
VMP-47	5 ft	VMP-47-5-042717	4/27/2017	<0.0074	U		<0.0073	U		<0.0032	U		<0.0041	U		<0.032	U		<0.0059	U		<0.0059	U		0.0027	J	
		VMP-47-5-072417	7/24/2017	<0.0083	U		<0.0082	U		<0.0036	U		<0.0046	U		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U	
		VMP-47-5-102617	10/26/2017	<0.0082	U		<0.0081	U		<0.0035	U		0.0027	J		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-47-5-012618	1/26/2018	<0.0078	U		<0.0077	U		<0.0034	U		0.0096			<0.034	U		<0.0062	U		<0.0062	U		<0.0061	U	
	10 ft	VMP-47-10-042717	4/27/2017	<0.008	U		<0.0079	U		<0.0034	U		<0.0044	U		<0.034	U		<0.0064	U		<0.0064	U		0.0097		
		VMP-47-10-072417	7/24/2017	<0.0081	U		<0.008	U		<0.0035	U		<0.0045	U		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-47-10-102617	10/26/2017	<0.0082	U		<0.0081	U		<0.0035	U		<0.0045	U		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-47-10-012618	1/26/2018	<0.0076	U		<0.0076	U		<0.0033	U		0.041			<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
	20 ft	VMP-47-20-042717	4/27/2017	<0.0078	U		<0.0077	U		<0.0034	U		0.0042	J		<0.034	U		<0.0062	U		<0.0062	U		0.0043	J	
		VMP-47-20-072417	7/24/2017	<0.0082	U		<0.0081	U		<0.0035	U		0.0013	J		<0.036	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-47-20-102617	10/26/2017	<0.0081	U		<0.008	U		<0.0035	U		<0.0044	U		<0.035	U		<0.0064	U		<0.0064	U		<0.0063	U	
		VMP-47-20-012618	1/26/2018	<0.0081	U		<0.008	U		<0.0035	U		0.0059		J	<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
30 ft	VMP-47-20-012618-DUP	1/26/2018	<0.0079	U		<0.00																					

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	1,1,2,2-Tetrachloroethane			Tetrachloroethene			Tetrahydrofuran			Toluene			1,2,4-Trichlorobenzene			1,1,1-Trichloroethane (Methyl chloroform)			1,1,2-Trichloroethane			Trichloroethene			
							0.55						6200			5.4			6600			170000			1.5			
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	
VMP-49	5 ft	VMP-49-5-042417	4/24/2017	<0.01	U		<0.0098	U		<0.0043	U		<0.0055	U		<0.043	U		<0.0079	U		<0.0079	U		<0.0078	U		
		VMP-49-5-072617	7/26/2017	<0.0083	U		<0.0082	U		<0.0036	U		<0.0046	U		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U		
		VMP-49-5-102717	10/27/2017	<0.0078	U		<0.0077	U		<0.0033	U		0.029			<0.034	U		<0.0062	U		<0.0062	U		<0.0061	U		
		VMP-49-5-012618	1/26/2018	<0.0079	U		<0.0078	U		<0.0034	U		0.00063	J		<0.034	U		<0.0062	U		<0.0062	U		0.0067			
	10 ft	VMP-49-10-042417	4/24/2017	<0.0098	U		<0.0097	U		<0.0042	U		<0.0054	U		<0.043	U		<0.0078	U		<0.0078	U		<0.0077	U		
		VMP-49-10-072617	7/26/2017	<0.0086	U		<0.0085	U		<0.0037	U		<0.0047	U		<0.037	U		<0.0069	U		<0.0069	U		<0.0068	U		
		VMP-49-10-102717	10/27/2017	<0.0079	U		<0.0078	U		<0.0034	U		<0.0043	U		<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U		
		VMP-49-10-012618	1/26/2018	<0.0079	U		<0.0078	U		<0.0034	U		<0.0043	U		<0.034	U		<0.0062	U		<0.0062	U		<0.0062	U		
	20 ft	VMP-49-20-042417	4/24/2017	<0.0097	U		<0.0096	U		<0.0042	U		<0.0053	U		<0.042	U		<0.0077	U		<0.0077	U		<0.0076	U		
		VMP-49-20-072617	7/26/2017	<0.0083	U		<0.0082	U		<0.0036	U		<0.0046	U		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U		
		VMP-49-20-102717	10/27/2017	<0.0074	U		<0.0074	U		<0.0032	U		<0.0041	U		<0.032	U		<0.0059	U		<0.0059	U		<0.0058	U		
		VMP-49-20-012618	1/26/2018	<0.008	U		<0.0079	U		<0.0034	U		<0.0044	U		<0.034	U		<0.0064	U		<0.0064	U		<0.0063	U		
	30 ft	VMP-49-30-042417	4/24/2017	<0.0094	U		<0.0093	U		<0.004	U		0.0013	J		<0.041	U		<0.0075	U		<0.0075	U		<0.0074	U		
		VMP-49-30-072617	7/26/2017	<0.0086	U		<0.0085	U		<0.0037	U		<0.0047	U		<0.037	U		<0.0068	U		<0.0068	U		<0.0067	U		
		VMP-49-30-072617-DUP	7/26/2017	<0.0085	U		<0.0084	U		<0.0037	U		<0.0047	U		<0.037	U		<0.0068	U		<0.0068	U		<0.0067	U		
		VMP-49-30-102717	10/27/2017	<0.0079	U		<0.0078	U		<0.0034	U		<0.0043	U		<0.034	U		<0.0062	U		<0.0062	U		<0.0062	U		
		VMP-49-30-012618	1/26/2018	<0.0082	U		<0.0081	U		<0.0035	U		0.029			<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U		
VMP-50	5 ft	VMP-50-5-050317	5/3/2017	<0.0074	U		<0.0073	U		<0.0032	U		0.0033	J		<0.032	U		<0.0059	U		<0.0059	U		<0.0058	U		
		VMP-50-5-072617	7/26/2017	<0.0087	U		0.017			<0.0037	U		0.00043	J		<0.038	U		<0.0069	U		<0.0069	U		<0.0068	U		
		VMP-50-5-110117	11/1/2017	<0.0076	U		0.0041	J		<0.0033	U		<0.0042	U		<0.033	U		<0.006	U		<0.006	U		<0.006	U		
		VMP-50-5-013118	1/31/2018	<0.0082	U		<0.0081	U		<0.0035	U		0.001	J		<0.036	U		<0.0065	U		<0.0065	U		<0.0064	U		
	10 ft	VMP-50-10-050317	5/3/2017	<0.0076	U		0.0034	J		<0.0032	U		<0.0041	U		<0.033	U		<0.006	U		<0.006	U		<0.0059	U		
		VMP-50-10-072617	7/26/2017	<0.0086	U		0.01			<0.0037	U		<0.0047	U		<0.037	U		<0.0069	U		<0.0069	U		<0.0068	U		
		VMP-50-10-110117	11/1/2017	<0.0076	U		0.0076			<0.0032	U		0.0015	J		<0.033	U		<0.006	U		<0.006	U		<0.0059	U		
		VMP-50-10-013118	1/31/2018	<0.0078	U		0.0026	J		<0.0033	U		<0.0043	U		<0.034	U		<0.0062	U		<0.0062	U		<0.0061	U		
	20 ft	VMP-50-20-050317	5/3/2017	<0.0073	U		0.0028	J		<0.0031	U		0.002	J		<0.032	U		<0.0058	U		<0.0058	U		<0.0057	U		
		VMP-50-20-072617	7/26/2017	<0.0084	U		0.0043	J		<0.0036	U		0.00085	J		<0.036	U		<0.0067	U		<0.0067	U		<0.0066	U		
		VMP-50-20-110117	11/1/2017	<0.0073	U		0.0043	J		<0.0031	U		0.01			<0.032	U		<0.0058	U		<0.0058	U		<0.0057	U		
		VMP-50-20-013118	1/31/2018	<0.032	U		<0.031	U		<0.014	U		0.0095	J		<0.14	U		<0.025	U		<0.025	U		<0.025	U		
			VMP-50-20-013118-DUP	1/31/2018	<0.032	U		<0.032	U		<0.014	U		0.004	J		<0.14	U		<0.026	U		<0.026	U		<0.025	U	
	30 ft	VMP-50-30-050317	5/3/2017	<0.096	U		<0.095	U		<0.041	U		3.3			<0.41	U		<0.076	U		<0.076	U		<0.075	U		
		VMP-50-30-050317-DUP	5/3/2017	<0.098	U		<0.097	U		<0.042	U		3.1			<0.43	U		<0.078	U		<0.078	U		<0.077	U		
		VMP-50-30-072617	7/26/2017	<0.11	U		0.018	J		<0.048	U		2.3			<0.49	U		<0.09	U		<0.09	U		<0.088	U		
VMP-50-30-110117		11/1/2017	<0.076	U		<0.075	U		<0.033	U		4.5			<0.33	U		<0.06	U		<0.06	U		<0.06	U			
		VMP-50-30-110117-DUP	11/1/2017	<0.074	U		<0.074	U		<0.032	U		4.8			<0.32	U		<0.059	U		<0.059	U		<0.058	U		
		VMP-50-30-013118	1/31/2018	<0.078	U		<0.077	U		<0.033	U		0.045			<0.34	U		<0.062	U		<0.062	U		<0.061	U		
VMP-51	5 ft	VMP-51-5-042517	4/25/2017	<0.0087	U		<0.0086	U		<0.0037	U		<0.0048	U		<0.038	U		<0.0069	U		<0.0069	U		<0.0068	U		
		VMP-51-5-072017	7/20/2017	<0.0087	U		<0.0086	U		<0.0037	U		<0.0048	U		<0.038	U		<0.0069	U		<0.0069	U		<0.0068	U		
		VMP-51-5-103017	10/30/2017	<0.0077	U		<0.0076	U		<0.0033	U		<0.0042	U		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U		
		VMP-51-5-012318	1/23/2018	<0.0077	U		<0.0076	U		<0.0033	U		<0.0042	U		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U		
	10 ft	VMP-51-10-042517	4/25/2017	<0.0081	U		<0.008	U		<0.0035	U		0.0013	J		<0.035	U		<0.0064	U		<0.0064	U		<0.0063	U		
		VMP-51-10-072017	7/20/2017	<0.0079	U		0.0016	J		<0.0034	U		0.00036	J		<0.034	U		<0.0062	U		<0.0062	U		<0.0062	U		
		VMP-51-10-103017	10/30/2017	<0																								

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	1,1,2,2-Tetrachloroethane			Tetrachloroethene			Tetrahydrofuran			Toluene			1,2,4-Trichlorobenzene			1,1,1-Trichloroethane (Methyl chloroform)			1,1,2-Trichloroethane			Trichloroethene		
							0.55						6200			5.4			6600			170000			1.5		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-52	5 ft	VMP-52-5-042417	4/24/2017	<0.0082	U		<0.0081	U		<0.0035	U		<0.0045	U		<0.036	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-52-5-072117	7/21/2017	<0.0086	U		<0.0085	U		<0.0037	U		<0.0047	U		<0.037	U		<0.0068	U		<0.0068	U		<0.0067	U	
		VMP-52-5-102517	10/25/2017	<0.0077	U		<0.0076	U		<0.0033	U		0.00095	J		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
		VMP-52-5-012418	1/24/2018	<0.0076	U		<0.0075	U		<0.0032	U		0.0015	J		<0.033	U		<0.006	U		<0.006	U		<0.0059	U	
	10 ft	VMP-52-10-042417	4/24/2017	<0.0084	U		<0.0083	U		<0.0036	U		<0.0046	U		<0.036	U		<0.0066	U		<0.0066	U		<0.0066	U	
		VMP-52-10-072117	7/21/2017	<0.0087	U		<0.0086	U		<0.0037	U		<0.0048	U		<0.038	U		<0.0069	U		<0.0069	U		<0.0068	U	
		VMP-52-10-102517	10/25/2017	<0.0076	U		<0.0076	U		<0.0033	U		0.001	J		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
		VMP-52-10-012418	1/24/2018	<0.008	U		<0.0079	U		<0.0034	U		0.0041	J		<0.035	U		<0.0064	U		<0.0064	U		<0.0063	U	
	20 ft	VMP-52-20-042417	4/24/2017	<0.009	U		0.003	J		<0.0038	U		<0.0049	U		<0.039	U		<0.0071	U		<0.0071	U		0.0023	J	
		VMP-52-20-072117	7/21/2017	<0.0085	U		<0.0084	U		<0.0037	U		<0.0047	U		<0.037	U		<0.0068	U		<0.0068	U		<0.0067	U	
		VMP-52-20-102517	10/25/2017	<0.0076	U		<0.0076	U		<0.0033	U		<0.0042	U		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
		VMP-52-20-012418	1/24/2018	<0.0076	U		<0.0076	U		<0.0033	U		<0.0042	U		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
	30 ft	VMP-52-20-012418-DUP	1/24/2018	<0.0074	U		<0.0074	U		<0.0032	U		<0.0041	U		<0.032	U		<0.0059	U		<0.0059	U		<0.0058	U	
		VMP-52-30-042417	4/24/2017	<0.0084	U		<0.0083	U		<0.0036	U		0.00063	J		<0.036	U		<0.0066	U		<0.0066	U		<0.0066	U	
		VMP-52-30-072117	7/21/2017	<0.0088	U		<0.0087	U		<0.0038	U		<0.0048	U		<0.038	U		<0.007	U		<0.007	U		<0.0069	U	
		VMP-52-30-102517	10/25/2017	<0.008	U		<0.0079	U		<0.0034	U		<0.0044	U		<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U	
		VMP-52-30-102517-DUP	10/25/2017	<0.0081	U		<0.008	U		<0.0035	U		<0.0044	U		<0.035	U		<0.0064	U		<0.0064	U		<0.0063	U	
		VMP-52-30-012418	1/24/2018	<0.0071	U		<0.007	U		<0.0031	U		0.0017	J		<0.031	U		<0.0057	U		<0.0057	U		<0.0056	U	
VMP-53	5 ft	VMP-53-5-042017	4/20/2017	<0.0082	U		<0.0081	U		<0.0035	U		0.00096	J		<0.036	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-53-5-071917	7/19/2017	<0.0084	U		<0.0083	U		<0.0036	U		0.0012	J		<0.036	U		<0.0067	U		<0.0067	U		<0.0066	U	
		VMP-53-5-110117	11/1/2017	<0.0073	U		<0.0072	U		<0.0031	U		<0.004	U		<0.032	U		<0.0058	U		<0.0058	U		<0.0057	U	
		VMP-53-5-012218	1/22/2018	<0.0083	U		<0.0082	U		<0.0036	U		0.0022	J		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U	
	10 ft	VMP-53-10-042017	4/20/2017	<0.0082	U		<0.0081	U		<0.0035	U		0.00061	J		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-53-10-071917	7/19/2017	<0.0083	U		<0.0082	U		<0.0036	U		<0.0046	U		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U	
		VMP-53-10-110117	11/1/2017	<0.0076	U		<0.0076	U		<0.0033	U		<0.0042	U		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
		VMP-53-10-012218	1/22/2018	<0.0083	U		<0.0082	U		<0.0036	U		0.0023	J		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U	
	20 ft	VMP-53-20-042017	4/20/2017	<0.0082	U		<0.0081	U		<0.0035	U		0.0013	J		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-53-20-071917	7/19/2017	<0.0084	U		<0.0083	U		<0.0036	U		<0.0046	U		<0.036	U		<0.0067	U		<0.0067	U		<0.0066	U	
		VMP-53-20-110117	11/1/2017	<0.0076	U		<0.0076	U		<0.0033	U		<0.0042	U		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
		VMP-53-20-012218	1/22/2018	<0.0081	U		<0.008	U		<0.0035	U		0.0021	J		<0.035	U		<0.0064	U		<0.0064	U		<0.0063	U	
	30 ft	VMP-53-20-012218-DUP	1/22/2018	<0.0083	U		<0.0082	U		<0.0036	U		0.0019	J		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U	
		VMP-53-30-042017	4/20/2017	<0.0078	U		0.033		J	<0.0034	U		<0.0043	U		<0.034	U		<0.0062	U		<0.0062	U		0.0016	J	
		VMP-53-30-042017-DUP	4/20/2017	<0.0076	U		<0.0075	U	UJ	<0.0033	U		<0.0042	U		<0.033	U		<0.006	U		<0.006	U		<0.006	U	
		VMP-53-30-071917	7/19/2017	<0.0084	U		<0.0083	U		<0.0036	U		<0.0046	U		<0.036	U		<0.0067	U		<0.0067	U		<0.0066	U	
		VMP-53-30-071917-DUP	7/19/2017	<0.0083	U		<0.0082	U		<0.0036	U		<0.0046	U		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U	
		VMP-53-30-110117	11/1/2017	<0.0076	U		<0.0075	U		<0.0032	U		<0.0041	U		<0.033	U		<0.006	U		<0.006	U		<0.0059	U	
	VMP-53-30-012218	1/22/2018	<0.0083	U		<0.0082	U		<0.0036	U		<0.0046	U		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U		
VMP-54	5 ft	VMP-54-5-042017	4/20/2017	<0.0086	U		0.0015	J		<0.0037	U		<0.0047	U		<0.037	U		<0.0069	U		<0.0069	U		<0.0068	U	
		VMP-54-5-071917	7/19/2017	<0.0084	U		0.0043	J		<0.0036	U		<0.0062	J		<0.036	U		<0.0066	U		<0.0066	U		<0.0066	U	
		VMP-54-5-102617	10/26/2017	<0.0074	U		0.0019	J		<0.00																	

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	1,1,2,2-Tetrachloroethane			Tetrachloroethene			Tetrahydrofuran			Toluene			1,2,4-Trichlorobenzene			1,1,1-Trichloroethane (Methyl chloroform)			1,1,2-Trichloroethane			Trichloroethene		
							0.55						6200			5.4			6600			170000			1.5		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-62	5 ft	VMP-62-5-042517	4/25/2017	<0.0088	U		<0.0088	U		<0.0038	U		<0.0049	U		<0.038	U		<0.007	U		<0.007	U		<0.0069	U	
		VMP-62-5-072517	7/25/2017	<0.0073	U		<0.0072	U		0.0023	J		0.015			<0.032	U		<0.0058	U		<0.0058	U		<0.0057	U	
		VMP-62-5-083017	8/30/2017	<0.0085	U		<0.0084	U		<0.0036	U		0.0012	J		<0.037	U		<0.0067	U		<0.0067	U		<0.0066	U	
		VMP-62-5-110317	11/3/2017	<0.0077	U		<0.0076	U		<0.0033	U		<0.0042	U		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
		VMP-62-5-012918	1/29/2018	<0.0074	U		<0.0073	U		<0.0032	U		<0.0041	U		<0.032	U		<0.0059	U		<0.0059	U		<0.0058	U	
	10 ft	VMP-62-10-042517	4/25/2017	<0.0091	U		<0.009	U		<0.0039	U		<0.005	U		<0.039	U		<0.0072	U		<0.0072	U		0.014		
		VMP-62-10-072517	7/25/2017	<0.0081	U		<0.008	U		<0.0035	U		<0.0045	U		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-62-10-110317	11/3/2017	<0.0076	U		<0.0075	U		<0.0032	U		<0.0041	U		<0.033	U		<0.006	U		<0.006	U		<0.0059	U	
		VMP-62-10-012918	1/29/2018	<0.0073	U		<0.0072	U		<0.0031	U		<0.004	U		<0.032	U		<0.0058	U		<0.0058	U		<0.0057	U	
	20 ft	VMP-62-20-042517	4/25/2017	<0.0085	U		<0.0084	U		<0.0036	U		<0.0046	U		<0.037	U		<0.0067	U		<0.0067	U		0.014		
		VMP-62-20-072517	7/25/2017	<0.0083	U		<0.0082	U		<0.0036	U		<0.0046	U		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U	
		VMP-62-20-110317	11/3/2017	<0.0077	U		<0.0076	U		<0.0033	U		<0.0042	U		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
		VMP-62-20-012918	1/29/2018	<0.0072	U		<0.0071	U		<0.0031	U		<0.0039	U		<0.031	U		<0.0057	U		<0.0057	U		<0.0056	U	
	30 ft	VMP-62-30-042517	4/25/2017	<0.0087	U		<0.0086	U		<0.0037	U		<0.0048	U		<0.038	U		<0.0069	U		<0.0069	U		<0.0068	U	
		VMP-62-30-072517	7/25/2017	<0.0083	U		<0.0082	U		<0.0036	U		<0.0046	U		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U	
		VMP-62-30-072517-DUP	7/25/2017	<0.0081	U		<0.008	U		<0.0035	U		<0.0044	U		<0.035	U		<0.0064	U		<0.0064	U		<0.0063	U	
		VMP-62-30-110317	11/3/2017	<0.0079	U		<0.0078	U		<0.0034	U		0.00043	J		<0.034	U		<0.0062	U		<0.0062	U		<0.0062	U	
		VMP-62-30-110317-DUP	11/3/2017	<0.0077	U		<0.0076	U		<0.0033	U		0.00048	J		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
		VMP-62-30-012918	1/29/2018	<0.0071	U		<0.007	U		<0.0031	U		0.00098	J		<0.031	U		<0.0057	U		<0.0057	U		<0.0056	U	
		VMP-62-30-012918-DUP	1/29/2018	<0.0073	U		<0.0072	U		<0.0032	U		0.001	J		<0.032	U		<0.0058	U		<0.0058	U		<0.0058	U	
VMP-63	5 ft	VMP-63-5-042517	4/25/2017	<0.0081	U		<0.008	U		<0.0035	U		<0.0045	U		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-63-5-072517	7/25/2017	<0.0081	U		<0.008	U		<0.0035	U		0.0022	J		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-63-5-110117	11/1/2017	<0.0076	U		<0.0075	U		<0.0033	U		<0.0042	U		<0.033	U		<0.006	U		<0.006	U		<0.006	U	
		VMP-63-5-012618	1/26/2018	<0.0077	U		<0.0076	U		<0.0033	U		0.0013	J		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
	10 ft	VMP-63-10-042517	4/25/2017	<0.0087	U		<0.0086	U		<0.0037	U		0.0011	J		<0.038	U		<0.0069	U		<0.0069	U		<0.0068	U	
		VMP-63-10-072517	7/25/2017	<0.0084	U		<0.0083	U		0.015			0.00038	J		<0.036	U		<0.0066	U		<0.0066	U		<0.0066	U	
		VMP-63-10-110117	11/1/2017	<0.0076	U		<0.0075	U		<0.0033	U		0.0015	J		<0.033	U		<0.006	U		<0.006	U		<0.006	U	
		VMP-63-10-012618	1/26/2018	<0.0077	U		<0.0076	U		<0.0033	U		0.0016	J		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
	20 ft	VMP-63-20-042517	4/25/2017	<0.008	U		<0.0079	U		<0.0034	U		<0.0044	U		<0.034	U		<0.0064	U		<0.0064	U		<0.0063	U	
		VMP-63-20-072517	7/25/2017	<0.0085	U		<0.0084	U		<0.0036	U		0.0011	J		<0.037	U		<0.0067	U		<0.0067	U		<0.0066	U	
		VMP-63-20-110117	11/1/2017	<0.0076	U		<0.0075	U		<0.0032	U		0.0021	J		<0.033	U		<0.006	U		<0.006	U		<0.0059	U	
		VMP-63-20-012618	1/26/2018	<0.0079	U		<0.0078	U		<0.0034	U		0.0046			<0.034	U		<0.0062	U		<0.0062	U		<0.0062	U	
	30 ft	VMP-63-30-042517	4/25/2017	<0.0083	U		<0.0082	U		<0.0036	U		<0.0046	U		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U	
		VMP-63-30-072517	7/25/2017	<0.008	U		<0.0079	U		<0.0034	U		0.00039	J		<0.034	U		<0.0064	U		<0.0064	U		<0.0063	U	
		VMP-63-30-110117	11/1/2017	<0.0076	U		<0.0075	U		<0.0033	U		<0.0042	U		<0.033	U		<0.006	U		<0.006	U		<0.006	U	
		VMP-63-30-012618	1/26/2018	<0.0079	U		<0.0078	U		<0.0034	U		0.007			<0.034	U		<0.0062	U		<0.0062	U		<0.0062	U	
		VMP-63-30-012618-DUP	1/26/2018	<0.0076	U		<0.0075	U		<0.0032	U		0.0025	J		<0.033	U		<0.006	U		<0.006	U		<0.0059	U	
VMP-64	5 ft	VMP-64-5-042717	4/27/2017	<0.0072	U		<0.0071	U		<0.0031	U		<0.0039	U		<0.031	U		<0.0057	U		<0.0057	U		<0.0056	U	
		VMP-64-5-072517	7/25/2017	<0.016	U		<0.016	U		<0.0068	U		<0.0088	U		<0.069	U		<0.013	U		<0.013	U		<0.012	U	
		VMP-64-5-110317	11/3/2017	<0.0079	U		<0.0078	U		<0.0034	U		<0.0043	U		<0.034	U		<0.0062	U		<0.0062	U		<0.0062	U	
		VMP-64-5-012218	1/22/2018	<0.0079	U		<0.0078	U		<0.0034	U		0.0016	J		<0.034	U		<0.0062	U		<0.0062	U		<0.0062	U	
	10 ft	VMP-64-10-042717	4/27/2017	<0.0079	U		<0.0078	U		<0.0034	U		0.0012	J		<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U	
		VMP-64-10-072517	7/25/2017	<0.0087	U		0.0013	J		<0.0037	U		0.00036	J		<0.038	U		<0.0069	U		<0.0069	U		<0.0068	U	
		VMP-64-10-110317	11/3/2017	<0.0073	U</																						

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Trichlorofluoromethane			1,2,4-Trimethylbenzene			1,3,5-Trimethylbenzene			2,2,4-Trimethylpentane			Vinyl chloride			m,p-Xylenes			o-Xylenes		
				860												0.29			130			120		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-1	5 ft	VMP-1-5-042817	4/28/2017	<0.0072	U		<0.0063	J	U	<0.0063	J	U	<0.006	J	U	<0.0033	U		0.065			0.018		
		VMP-1-5-072417	7/24/2017	0.0011	J		<0.0012	J		<0.0061	U		<0.0058	U		<0.0032	U		0.043			0.0094		
		VMP-1-5-102617	10/26/2017	0.0016	J		<0.0057	U		<0.0057	U		0.017			<0.003	U		0.0011	J		<0.005	U	
		VMP-1-5-012618	1/26/2018	0.0014	J		<0.0054	U		<0.0054	U		<0.0051	U		<0.0028	U		<0.0048	U		<0.0048	U	
	8.5 ft	VMP-1-8.5-042817	4/28/2017	0.0013	J		<0.0056	U		<0.0056	U		<0.0053	J	U	<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-1-8.5-072417	7/24/2017	0.0011	J		<0.0061	U		<0.0061	U		<0.0058	U		<0.0032	U		0.0018	J		<0.0054	U	
		VMP-1-8.5-102617	10/26/2017	0.0015	J		<0.0055	U		<0.0055	U		0.003	J		<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-1-8.5-012418	1/24/2018	0.0013	J		<0.0055	U		<0.0055	U		<0.0052	U		<0.0029	U		<0.0049	U		<0.0049	U	
	23.5 ft	VMP-1-23.5-042817	4/28/2017	0.0013	J		<0.0057	U		<0.0057	U		0.003	J		<0.003	U		0.0049	J		0.0014	J	
		VMP-1-23.5-042817-DUP	4/28/2017	<0.0064	U		<0.0056	U		<0.0056	U		0.0022	J		<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-1-23.5-072417	7/24/2017	0.0019	J		<0.0058	U		<0.0058	U		0.0029	J		<0.003	U		0.0054			0.0025	J	
		VMP-1-23.5-102617	10/26/2017	<0.0066	U		<0.0058	U		<0.0058	U		0.005	J		<0.003	U		<0.0051	U		<0.0051	U	
VMP-2	5 ft	VMP-2-5-050317	5/3/2017	<0.0065	U		0.004	J		<0.0057	U		0.013			<0.003	U		<0.005	U		<0.005	U	
		VMP-2-5-072417	7/24/2017	0.0018	J		0.0009	J		<0.0061	U		<0.0058	U		<0.0032	U		0.0071			0.0027	J	
		VMP-2-5-102617	10/26/2017	0.0014	J		<0.0058	U		<0.0058	U		<0.0055	U		<0.003	U		<0.0051	U		<0.0051	U	
		VMP-2-5-012918	1/29/2018	0.0012	J		<0.0054	U		<0.0054	U		<0.0051	U		<0.0028	U		<0.0047	U		<0.0047	U	
	8.5 ft	VMP-2-8.5-050317	5/3/2017	<0.0063	U		<0.0056	U		<0.0056	U		<0.0053	J	U	<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-2-8.5-072417	7/24/2017	0.0018	J		<0.0067	U		<0.0067	U		0.0042	J		<0.0035	U		0.0017	J		<0.0059	U	
		VMP-2-8.5-102617	10/26/2017	0.001	J		<0.006	U		<0.006	U		<0.0057	U		<0.0031	U		<0.0053	U		<0.0053	U	
		VMP-2-8.5-012918	1/29/2018	<0.0063	U		<0.0055	U		<0.0055	U		<0.0052	U		<0.0029	U		<0.0049	U		<0.0049	U	
	22 ft	VMP-2-22-050317	5/3/2017	<0.0063	U		<0.0055	U		<0.0055	U		0.088			<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-2-22-072417	7/24/2017	0.0014	J		0.00078	J		<0.0064	U		<0.0061	U		<0.0033	U		<0.0057	U		<0.0057	U	
		VMP-2-22-072417-DUP	7/24/2017	0.0015	J		0.00073	J		<0.0062	U		<0.0059	U		<0.0032	U		<0.0054	U		<0.0054	U	
		VMP-2-22-102617	10/26/2017	0.0015	J		<0.0054	U		<0.0054	U		<0.0052	U		<0.0028	U		<0.0048	U		<0.0048	U	
VMP-3	5 ft	VMP-3-5-042717	4/27/2017	0.0012	J		<0.0058	U		<0.0058	U		<0.0056	U		<0.003	U		<0.0052	U		<0.0052	U	
		VMP-3-5-072017	7/20/2017	0.0012	J		0.0014	J		<0.0062	U		0.0053	J		<0.0032	U		0.0044	J		0.0011	J	
		VMP-3-5-102617	10/26/2017	0.00097	J		<0.0061	U		<0.0061	U		<0.0058	U		<0.0032	U		<0.0054	U		<0.0054	U	
		VMP-3-5-012318	1/23/2018	0.0016	J		<0.0054	U		<0.0054	U		0.0013	J		<0.0028	U		<0.0047	U		<0.0047	U	
	10 ft	VMP-3-10-042717	4/27/2017	0.0014	J		<0.0058	U		<0.0058	U		<0.0055	U		<0.003	U		0.0072			<0.0051	U	
		VMP-3-10-072017	7/20/2017	0.0013	J		<0.0064	U		<0.0064	U		<0.0061	U		<0.0033	U		0.0015	J		<0.0057	U	
		VMP-3-10-102617	10/26/2017	0.0014	J		<0.0061	U		<0.0061	U		<0.0058	U		<0.0032	U		<0.0054	U		<0.0054	U	
		VMP-3-10-012318	1/23/2018	0.0012	J		<0.0054	U		<0.0054	U		0.0041	J		<0.0028	U		<0.0048	U		<0.0048	U	
	22 ft	VMP-3-22-042717	4/27/2017	0.0014	J		<0.0059	U		<0.0059	U		0.0063			<0.0031	U		<0.0052	U		<0.0052	U	
		VMP-3-22-072017	7/20/2017	0.00092	J		<0.0062	U		<0.0062	U		0.0031	J		<0.0032	U		<0.0055	U		<0.0055	U	
		VMP-3-22-102617	10/26/2017	0.0013	J		<0.0058	U		<0.0058	U		<0.0055	U		<0.003	U		0.0026	J		<0.0051	U	
		VMP-3-22-012318	1/23/2018	0.0014	J		<0.0055	U		<0.0055	U		<0.0052	U		<0.0029	U		<0.0049	U		<0.0049	U	
	31.5 ft	VMP-3-31.5-042717	4/27/2017	0.011			0.001	J		<0.0061	U		0.017			<0.0032	U		0.0071			0.0039	J	
		VMP-3-31.5-072017	7/20/2017	0.011			0.0048	J		0.0022	J		0.0026	J		<0.0032	U		0.086			0.021		
		VMP-3-31.5-102617	10/26/2017	0.0068			0.011			0.0061			0.0062			<0.003	U		0.012			0.0046	J	
		VMP-3-31.5-102617-DUP	10/26/2017	0.0065	J		0.0063			0.0038	J		0.0061			<0.003	U		0.0098			0.0036	J	
VMP-4	5 ft	VMP-4-5-050317	5/3/2017	<0.0062	U		<0.0054	U		<0.0054	U		0.036			<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-4-5-072517	7/25/2017	0.0011	J		<0.0061	U		<0.0061	U		<0.0058	U		<0.0032	U		<0.0054	U		<0.0054	U	
		VMP-4-5-110117	11/1/2017	0.0013	J		<0.0055	U		<0.0055	U		<0.0052	U		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-4-5-012318	1/23/2018	0.0016	J		<0.0057	U		<0.0057	U		<0.0054	U		<0.003	U		<0.005	U		<0.005	U	
	12 ft	VMP-4-12-050317	5/3/2017	<0.0064	U		<0.0056	U		<0.0056	U		<0.0053	J	U	<0.0029	U		<0.005	U		<0.005	U	
		VMP-4-12-072517	7/25/2017	0.0013	J		0.00096	J		<0.0059	U		0.0045	J		<0.0031	U		<0.0052	U		<0.0052	U	
		VMP-4-12-110117	11/1/2017	0.0012	J		<0.0054	U		<0.0054	U		<0.0052	U		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-4-12-012318	1/23/2018	0.0014	J		<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		<0.005	U		<0.005	U	
	23.5 ft	VMP-4-23.5-050317	5/3/2017	<0.081	U		<0.071	U		<0.071	U		17			<0.037	U		<0.063	U		<0.063	U	
		VMP-4-23.5-050317-DUP	5/3/2017	<0.082	U		<0.072	U		<0.072	U		17			<0.037	U		<0.064	U		<0.064	U	
		VMP-4-23.5-072517	7/25/2017	0.0013	J		<0.006	J	U	<0.006	U		0.3			<0.0031	U		<0.0053	U		<0.0053	U	
		VMP-4-23.5-072517-DUP	7/25/2017	0.0018	J		<0.0063	U		<0.0063	U		0.3			<0.0033	U		<0.0056	U		<0.0056	U	
		VMP-4-23.5-110117	11/1/2017	0.0013	J		<0.0054	U		<0.0054	U		0.0051			<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-4-23.5-012318	1/23/2018	0.0016	J		<0.0062	U		<0.0062	U		0.036			<0.0032	U		<0.0055	U		<0.0055	U	

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Trichlorofluoromethane			1,2,4-Trimethylbenzene			1,3,5-Trimethylbenzene			2,2,4-Trimethylpentane			Vinyl chloride			m,p-Xylenes			o-Xylenes		
				860												0.29			130			120		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-5	5 ft	VMP-5-5-042617	4/26/2017	<0.019	U		<0.016	U		<0.016	U		0.0023	J		<0.0086	U		<0.014	U		<0.014	U	
		VMP-5-5-072017	7/20/2017	0.0022	J		0.00066	J		<0.0057	U		0.00083	J		<0.003	U		0.0013	J		0.00052	J	
		VMP-5-5-103017	10/30/2017	0.0013	J		<0.0055	U		<0.0055	U		<0.0052	U		<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-5-5-012518	1/25/2018	<0.0061	U		<0.0053	U		<0.0053	U		<0.005	U		<0.0028	U		0.0012	J		<0.0047	U	
	12.5 ft	VMP-5-12.5-042617	4/26/2017	0.0014	J		<0.0058	U		<0.0058	U		<0.0056	U		<0.003	U		<0.0052	U		<0.0052	U	
		VMP-5-12.5-072017	7/20/2017	0.0042	J		0.00056	J		<0.0062	U		<0.0059	U		<0.0032	U		0.0064			0.0013	J	
		VMP-5-12.5-102017	10/30/2017	0.001	J		<0.0052	U		<0.0052	U		<0.005	U		<0.0027	U		<0.0046	U		<0.0046	U	
		VMP-5-12.5-012518	1/25/2018	0.0013	J		<0.0056	U		<0.0056	U		0.0016	J		<0.0029	U		<0.0049	U		<0.0049	U	
	31 ft	VMP-5-31-042617	4/26/2017	0.0011	J		<0.0059	U		<0.0059	U		0.0011	J		<0.0031	U		<0.0052	U		<0.0052	U	
		VMP-5-31-072017	7/20/2017	0.00099	J		<0.0061	U		<0.0061	U		0.00051	J		<0.0032	U		<0.0054	U		<0.0054	U	
		VMP-5-31-072017-DUP	7/20/2017	0.00096	J		<0.0059	U		<0.0059	U		0.00059	J		<0.0031	U		<0.0052	U		<0.0052	U	
		VMP-5-31-103017	10/30/2017	0.0012	J		<0.0054	U		<0.0054	U		0.001	J		<0.0028	U		<0.0048	U		<0.0048	U	
	40 ft	VMP-5-31-012518	1/25/2018	<0.0064	U		<0.0056	U		<0.0056	U		0.0017	J		<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-5-40-042617	4/26/2017	0.0015	J		<0.0058	U		<0.0058	U		0.0043	J		<0.003	U		0.0016	J		<0.0051	U	
		VMP-5-40-042617-DUP	4/26/2017	0.0013	J		<0.0058	U		<0.0058	U		0.0047	J		<0.003	U		0.0017	J		<0.0051	U	
		VMP-5-40-012518	1/25/2018	0.0016	J		<0.0052	U		<0.0052	U		0.0085			<0.0027	U		<0.0046	U		<0.0046	U	
VMP-6	5 ft	VMP-6-5-042417	4/24/2017	0.0013	J		<0.0056	U		<0.0056	U		0.0023	J		<0.0029	U		<0.005	U		<0.005	U	
		VMP-6-5-052217	5/22/2017	0.0011	J		0.00067	J		<0.0059	U		<0.0056	U		<0.0031	U		0.0035	J		<0.0052	U	
		VMP-6-5-072117	7/21/2017	0.0013	J		<0.0058	U		<0.0058	U		0.0012	J		<0.003	U		<0.0051	U		<0.0051	U	
		VMP-6-5-103117	10/31/2017	0.0012	J		<0.0052	U		<0.0053	U		<0.005	U		<0.0027	U		<0.0046	U		<0.0046	U	
		VMP-6-5-012418	1/24/2018	0.0015	J		<0.0054	U		<0.0054	U		<0.0051	U		<0.0028	U		<0.0048	U		<0.0048	U	
	10 ft	VMP-6-10-042417	4/24/2017	0.0011	J		<0.0058	U		<0.0058	U		0.0015	J		<0.003	U		<0.0051	U		<0.0051	U	
		VMP-6-10-072117	7/21/2017	0.0015	J		<0.0056	U		<0.0056	U		<0.0054	U		<0.0029	U		<0.005	U		<0.005	U	
		VMP-6-10-103117	10/31/2017	0.0013	J		<0.0052	U		<0.0052	U		<0.005	U		<0.0027	U		<0.0046	U		<0.0046	U	
		VMP-6-10-012418	1/24/2018	0.0013	J		<0.0053	U		<0.0053	U		0.0016	J		<0.0028	U		<0.0047	U		<0.0047	U	
	31.5 ft	VMP-6-31.5-042417	4/24/2017	0.0017	J		<0.006	U		<0.006	U		0.029			<0.0031	U		<0.0053	U		<0.0053	U	
		VMP-6-31.5-072117	7/21/2017	0.0017	J		<0.0058	U		<0.0058	U		0.0011	J		<0.003	U		<0.0051	U		<0.0051	U	
		VMP-6-31.5-072117-DUP	7/21/2017	0.0015	J		<0.0058	U		<0.0058	U		0.004	J		<0.003	U		<0.0052	U		<0.0052	U	
		VMP-6-31.5-103117	10/31/2017	0.0016	J		<0.0053	U		<0.0053	U		0.00085	J		<0.0028	U		<0.0047	U		<0.0047	U	
	39 ft	VMP-6-31.5-013118	1/31/2018	0.0072			0.0092			<0.0058	U		0.0044	J		<0.003	U		<0.0051	U		<0.0051	U	
		VMP-6-39-042417	4/24/2017	0.0025	J		0.00073	J		<0.0058	U		0.0022	J		<0.003	U		<0.0051	U		<0.0051	U	
		VMP-6-39-042417-DUP	4/24/2017	0.0026	J		<0.0059	U		<0.0059	U		0.0019	J		<0.003	U		<0.0052	U		<0.0052	U	
		VMP-6-39-103117	10/31/2017	0.0023	J		<0.0054	U		<0.0054	U		<0.0052	U		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-6-39-103117-DUP	10/31/2017	0.0023	J		<0.0055	U		<0.0055	U		<0.0052	U		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-6-39-012418	1/24/2018	0.0013	J		<0.0053	U		0.00064	J		0.019		J	<0.0028	U		0.004	J		0.0013	J	
	VMP-7	VMP-6-39-012418-DUP	1/24/2018	0.0014	J		<0.0057	U		<0.0057	U		0.0069		J	<0.003	U		<0.005	U		<0.005	U	
		VMP-7-5-042417	4/24/2017	0.0012	J		0.0071			0.0027	J		0.0019	J		<0.0031	U		0.15			0.041		
		VMP-7-5-072117	7/21/2017	<0.0069	U		<0.006	U		<0.006	U		<0.0057	U		<0.0031	U		<0.0053	U		<0.0053	U	
		VMP-7-5-102517	10/25/2017	0.001	J		<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		<0.005	U		<0.005	U	
		VMP-7-5-012518	1/25/2018	<0.0063	U		<0.0056	U		<0.0056	U		0.0011	J		<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-7-13.5-042417	4/24/2017	0.0013	J		<0.0061	U		<0.0061	U		0.0017	J		<0.0032	U		<0.0054	U		<0.0054	U	
		VMP-7-13.5-072117	7/21/2017	0.0015	J		<0.0059	U		<0.0059	U		<0.0056	U		<0.0031	U		<0.0052	U		<0.0052	U	
		VMP-7-13.5-102517	10/25/2017	0.0011	J		<0.0057	U		<0.0057	U		<0.0054	U		<0.003	U		<0.005	U		<0.005	U	
		VMP-7-13.5-012518	1/25/2018	0.0015	J		<0.0057	U		<0.0057	U		<0.0054	U		<0.003	U		<0.005	U		<0.005	U	
		VMP-7-29.5-052217	5/22/2017	<0.0074	U		<0.0064	J	U	<0.0064	U		0.012			<0.0033	U		0.0028	J		<0.0057	U	
		VMP-7-29.5-072117	7/21/2017	0.0012	J		<0.0059	U		<0.0059	U		<0.0056	U		<0.003	U		<0.0052	U		<0.0052	U	
		VMP-7-29.5-102517	10/25/2017	0.0012	J		<0.0058	U		<0.0058	U		0.0068			<0.003	U		<0.0051	U		<0.0051	U	
		VMP-7-29.5-012518	1/25/2018	0.0016	J		<0.0057	U		<0.0057	U		<0.0054	U		<0.003	U		0.0021	J		<0.005	U	
		VMP-7-38-042417	4/24/2017	0.0015	J		<0.006	U		<0.006	U		0.013			<0.0031	U		0.011			0.0026	J	
		VMP-7-38-102517	10/25/2017	0.001	J		<0.0058	U		<0.0058	U		<0.0055	U		<0.003	U		<0.0051	U		<0.0051	U	
		VMP-7-38-012518	1/25/2018	0.0013	J		<0.0056	U		<0.0056	U		0.0009	J		<0.0029	U		<0.005	U		<0.005	U	

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Trichlorofluoromethane			1,2,4-Trimethylbenzene			1,3,5-Trimethylbenzene			2,2,4-Trimethylpentane			Vinyl chloride			m,p-Xylenes			o-Xylenes		
				860												0.29			130			120		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-8	5 ft	VMP-8-5-042017	4/20/2017	0.0012	J		<0.0066	U		<0.0066	U		<0.0063	U		<0.0034	U		<0.0058	U		<0.0058	U	
		VMP-8-5-071917	7/19/2017	<0.0067	U		<0.0059	U		<0.0059	U		0.00075	J		<0.0031	U		<0.0052	U		<0.0052	U	
		VMP-8-5-103017	10/30/2017	0.0011	J		<0.0057	U		<0.0057	U		<0.0054	U		<0.003	U		<0.005	U		<0.005	U	
		VMP-8-5-012218	1/22/2018	<0.0063	U		<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		<0.0049	U		<0.0049	U	
	9.5 ft	VMP-8-9.5-042117	4/21/2017	0.0013	J		<0.0059	U		<0.0059	U		<0.0056	U		<0.0031	U		<0.0052	U		<0.0052	U	
		VMP-8-9.5-071917	7/19/2017	<0.0068	U		<0.006	U		<0.006	U		<0.0057	U		<0.0031	U		<0.0053	U		<0.0053	U	
		VMP-8-9.5-103017	10/30/2017	<0.0063	U		<0.0055	U		<0.0055	U		<0.0052	U		<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-8-9.5-012218	1/22/2018	<0.0065	U		<0.0057	U		<0.0057	U		<0.0054	U		<0.003	U		<0.005	U		<0.005	U	
	23.5 ft	VMP-8-23.5-042117	4/21/2017	0.0012	J		<0.0057	U		<0.0057	U		<0.0054	U		<0.003	U		<0.005	U		<0.005	U	
		VMP-8-23.5-071917	7/19/2017	<0.0069	U		<0.006	U		<0.006	U		0.00085	J		<0.0031	U		<0.0053	U		<0.0053	U	
		VMP-8-23.5-103017	10/30/2017	0.0013	J		<0.0055	U		<0.0055	U		<0.0052	U		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-8-23.5-012218	1/22/2018	0.00094	J		<0.0058	U		<0.0058	U		0.0013	J		<0.003	U		<0.0051	U		<0.0051	U	
	35.5 ft	VMP-8-23.5-012218-DUP	1/22/2018	<0.0067	U		<0.0058	U		<0.0058	U		0.0012	J		<0.003	U		<0.0052	U		<0.0052	U	
		VMP-8-35.5-042117	4/21/2017	0.0017	J		<0.0058	U		<0.0058	U		<0.0055	U		<0.003	U		<0.0051	U		<0.0051	U	
		VMP-8-35.5-071917	7/19/2017	<0.012	U		<0.011	U		<0.011	U		0.0017	J		<0.0056	U		<0.0095	U		<0.0095	U	
		VMP-8-35.5-071917-DUP	7/19/2017	<0.014	U		<0.012	U		<0.012	U		<0.011	U		<0.0062	U		<0.01	U		<0.01	U	
VMP-9	5 ft	VMP-9-5-042017	4/20/2017	<0.0071	U		<0.0062	U		<0.0062	U		0.00093	J		<0.0032	U		<0.0055	U		<0.0055	U	
		VMP-9-5-071917	7/19/2017	<0.0069	U		<0.006	U		<0.006	U		0.0025	J		<0.0031	U		<0.0053	U		<0.0053	U	
		VMP-9-5-110117	11/1/2017	0.00099	J		<0.0054	U		<0.0054	U		<0.0051	U		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-9-5-012218	1/22/2018	0.001	J		<0.0062	U		<0.0062	U		0.0014	J		<0.0032	U		<0.0055	U		<0.0055	U	
	11.5 ft	VMP-9-11.5-042017	4/20/2017	<0.0071	U		<0.0062	U		<0.0062	U		0.0035	J		<0.0032	U		<0.0055	U		<0.0055	U	
		VMP-9-11.5-071917	7/19/2017	<0.0066	U		<0.0058	U		<0.0058	U		<0.0055	U		<0.003	U		<0.0051	U		<0.0051	U	
		VMP-9-11.5-110117	11/1/2017	<0.0066	U		<0.0058	U		<0.0058	U		<0.0055	U		<0.003	U		<0.0051	U		<0.0051	U	
		VMP-9-11.5-012218	1/22/2018	0.001	J		<0.0059	U		<0.0059	U		<0.0056	U		<0.0031	U		<0.0052	U		<0.0052	U	
	25.5 ft	VMP-9-25.5-042017	4/20/2017	<0.0078	U		<0.0068	U		<0.0068	U		<0.0065	U		<0.0036	U		<0.006	U		<0.006	U	
		VMP-9-25.5-071917	7/19/2017	<0.0069	U		<0.006	U		<0.006	U		0.0039	J		<0.0031	U		<0.0053	U		<0.0053	U	
		VMP-9-25.5-110117	11/1/2017	0.0013	J		<0.0055	U		<0.0055	U		<0.0052	U		<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-9-25.5-012218	1/22/2018	<0.0068	U		<0.0059	U		<0.0059	U		0.0066			<0.0031	U		<0.0052	U		<0.0052	U	
	38.5 ft	VMP-9-38.5-042017	4/20/2017	<0.0068	U		<0.006	U		<0.006	U		0.0049	J		<0.0031	U		0.00092	J		<0.0053	U	
		VMP-9-38.5-042017-DUP	4/20/2017	<0.007	U		<0.0061	U		<0.0061	U		0.0053	J		<0.0032	U		0.0013	J		<0.0054	U	
		VMP-9-38.5-110117	11/1/2017	0.00096	J		<0.0055	U		<0.0055	U		<0.0052	U		<0.0028	U		0.0029	J		<0.0048	U	
		VMP-9-38.5-012218	1/22/2018	0.001	J		<0.0059	U		<0.0059	U		<0.0056	U		<0.0031	U		<0.0052	U		<0.0052	U	
VMP-18	8.5 ft	VMP-18-8.5-050317	5/3/2017	<0.0061	U		<0.0053	U		<0.0053	U		<0.0051	J	U	<0.0028	U		0.001	J		<0.0047	U	
		VMP-18-8.5-072717	7/27/2017	0.0016	J		<0.0059	U		<0.0059	U		0.0055	J		<0.0031	U		<0.0052	U		<0.0052	U	
		VMP-18-8.5-110317	11/3/2017	0.0011	J		<0.0056	U		<0.0056	U		0.025			<0.0029	U		<0.005	U		<0.005	U	
		VMP-18-8.5-110317-DUP	11/3/2017	0.0012	J		<0.0051	U		<0.0051	U		0.021			<0.0027	U		<0.0045	U		<0.0045	U	
		VMP-18-8.5-012418	1/24/2018	0.0013	J		<0.0057	U		<0.0057	U		<0.0054	U		<0.003	U		<0.005	U		<0.005	U	
VMP-19	5 ft	VMP-19-5-042017	4/20/2017	<0.0077	U		<0.0067	U		<0.0067	U		0.034			<0.0035	U		<0.0059	U		<0.0059	U	
		VMP-19-5-072717	7/27/2017	<0.0068	U		<0.006	U		<0.006	U		0.011			<0.0031	U		<0.0053	U		<0.0053	U	
		VMP-19-5-102517	10/25/2017	0.0011	J		<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		<0.005	U		<0.005	U	
		VMP-19-5-012518	1/25/2018	<0.0064	U		<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		<0.005	U		<0.005	U	
VMP-20	5 ft	VMP-20-5-042617	4/26/2017	0.0014	J		<0.0059	U		<0.0059	U		<0.0056	U		<0.003	U		<0.0052	U		<0.0052	U	
		VMP-20-5-072417	7/24/2017	0.0014	J		<0.006	U		<0.006	U		<0.0057	U		<0.0031	U		<0.0053	U		<0.0053	U	
		VMP-20-5-103117	10/31/2017	<0.0063	U		<0.0055	U		<0.0055	U		<0.0052	U		<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-20-5-012218	1/22/2018	0.0044	J		<0.0058	U		<0.0058	U		<0.0055	U		<0.003	U		<0.0051	U		<0.0051	U	
	10 ft	VMP-20-10-042617	4/26/2017	0.0016	J		<0.0059	U		<0.0059	U		<0.0056	U		<0.0031	U		<0.0052	U		<0.0052	U	
		VMP-20-10-072417	7/24/2017	0.0015	J		<0.0057	U		<0.0057	U		0.0041	J		<0.003	U		<0.005	U		<0.005	U	
		VMP-20-10-103117	10/31/2017	0.0013	J		<0.0054	U		<0.0054	U		<0.0051	U		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-20-10-012218	1/22/2018	0.0043	J		<0.0059	U		<0.0059	U		<0.0056	U		<0.0031	U		<0.0052	U		<0.0052	U	
	25 ft	VMP-20-25-042617	4/26/2017	0.0033	J		<0.0061	U		<0.0061	U		0.0012	J		<0.0032	U		<0.0054	U		<0.0054	U	
		VMP-20-25-072417	7/24/2017	0.0061	J		<0.006	U		<0.006	U		<0.0057	U		<0.0031	U		<0.0053	U		<0.0053	U	
		VMP-20-25-103117	10/31/2017	0.0052	J		<0.0055	U		<0.0055	U		<0.0012	J		<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-20-25-012218	1/22/2018	0.026			<0.0056	U		<0.0056	U		0.0055			<0.0029	U		<0.005	U		<0.005	U	

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Trichlorofluoromethane			1,2,4-Trimethylbenzene			1,3,5-Trimethylbenzene			2,2,4-Trimethylpentane			Vinyl chloride			m,p-Xylenes			o-Xylenes		
				860												0.29			130			120		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-21	5 ft	VMP-21-5-042417	4/24/2017	0.0014	J		<0.0058	U		<0.0058	U		0.0014	J		<0.003	U		<0.0051	U		<0.0051	U	
		VMP-21-5-072017	7/20/2017	0.0011	J		<0.0056	U		<0.0056	U		0.0081			<0.0029	U		<0.005	U		<0.005	U	
		VMP-21-5-103117	10/31/2017	0.001	J		<0.0055	U		<0.0055	U		<0.0052	U		<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-21-5-012318	1/23/2018	0.0014	J		<0.0053	U		<0.0053	U		<0.005	U		<0.0028	U		<0.0047	U		<0.0047	U	
	10 ft	VMP-21-10-042417	4/24/2017	0.0013	J		<0.0058	U		<0.0058	U		0.0022	J		<0.003	U		<0.0051	U		<0.0051	U	
		VMP-21-10-072017	7/20/2017	0.00081	J		0.0027	J		<0.006	U		0.015			<0.0031	U		0.00053	J		<0.0053	U	
		VMP-21-10-103117	10/31/2017	0.0011	J		<0.0054	U		<0.0054	U		<0.0051	U		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-21-10-012318	1/23/2018	0.0013	J		<0.0054	U		<0.0054	U		0.0026	J		<0.0028	U		<0.0048	U		<0.0048	U	
	25 ft	VMP-21-25-042417	4/24/2017	0.0013	J		<0.0058	U		<0.0058	U		0.0012	J		<0.003	U		<0.0051	U		<0.0051	U	
		VMP-21-25-072017	7/20/2017	0.0011	J		<0.0059	U		<0.0059	U		0.00075	J		<0.0031	U		<0.0052	U		<0.0052	U	
		VMP-21-25-103117	10/31/2017	0.0012	J		<0.0057	U		<0.0057	U		<0.0054	U		<0.003	U		<0.005	U		<0.005	U	
		VMP-21-25-012318	1/23/2018	0.0014	J		<0.0055	U		<0.0055	U		<0.0052	U		<0.0029	U		<0.0049	U		<0.0049	U	
	33 ft	VMP-21-33-042417	4/24/2017	<0.0065	U		<0.0056	U		<0.0056	U		<0.0054	U		<0.0029	U		<0.005	U		<0.005	U	
		VMP-21-33-042417-DUP	4/24/2017	0.0011	J		<0.0057	U		<0.0057	U		<0.0054	U		<0.003	U		<0.005	U		<0.005	U	
		VMP-21-33-072017	7/20/2017	0.001	J		0.00023	J		<0.0056	U		0.0024	J		<0.0029	U		0.0018	J		<0.0049	U	
		VMP-21-33-072017-DUP	7/20/2017	0.00071	J		<0.006	U		<0.006	U		0.0025	J		<0.0031	U		0.0016	J		<0.0053	U	
		VMP-21-33-103117	10/31/2017	0.0013	J		<0.0055	U		<0.0055	U		<0.0052	U		<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-21-33-012318	1/23/2018	0.0016	J		<0.0053	U		<0.0053	U		0.004	J		<0.0028	U		<0.0047	U		<0.0047	U	
VMP-22	5 ft	VMP-21-33-012318-DUP	1/23/2018	0.0013	J		<0.0054	U		<0.0054	U		0.0036	J		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-22-5-042617	4/26/2017	0.0012	J		<0.0059	U		<0.0059	U		0.007			<0.003	U		<0.0052	U		<0.0052	U	
		VMP-22-5-072617	7/26/2017	0.0015	J		<0.006	U		<0.006	U		<0.0057	U		<0.0031	U		<0.0053	U		<0.0053	U	
		VMP-22-5-102617	10/26/2017	<0.0062	U		<0.0054	U		<0.0054	U		<0.0052	J	U	<0.0028	U		<0.0048	U		<0.0048	U	
	10 ft	VMP-22-5-013018	1/30/2018	0.0019	J		0.073			0.0021	J		0.02			<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-22-10-042717	4/27/2017	0.0013	J		<0.0054	U		<0.0054	U		0.0023	J		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-22-10-072617	7/26/2017	0.0012	J		<0.006	U		<0.006	U		0.00086	J		<0.0031	U		<0.0053	U		<0.0053	U	
		VMP-22-10-102617	10/26/2017	<0.0067	U		<0.0059	U		<0.0059	U		0.0016	J		<0.0031	U		<0.0052	U		<0.0052	U	
	18 ft	VMP-22-10-013018	1/30/2018	0.0014	J		0.0036	J		<0.0053	J	U	0.0027	J		<0.0027	U		<0.0046	U		<0.0046	U	
		VMP-22-18-042717	4/27/2017	0.0013	J		<0.0063	U		<0.0063	U		<0.006	U		<0.0032	U		<0.0055	U		<0.0055	U	
		VMP-22-18-072617	7/26/2017	0.002	J		<0.0067	U		<0.0067	U		<0.0064	U		<0.0035	U		<0.0059	U		<0.0059	U	
		VMP-22-18-102617	10/26/2017	0.0014	J		<0.0057	U		<0.0057	U		<0.0054	U		<0.003	U		<0.005	U		<0.005	U	
	38 ft	VMP-22-18-013018	1/30/2018	<0.0059	U		<0.0052	U		<0.0052	U		0.0041	J		<0.0027	U		<0.0046	U		<0.0046	U	
		VMP-22-38-042717	4/27/2017	0.0011	J		<0.0058	U		<0.0058	U		<0.0055	U		<0.003	U		<0.0051	U		<0.0051	U	
		VMP-22-38-042717-DUP	4/27/2017	0.0011	J		<0.0059	U		<0.0059	U		<0.0056	U		<0.003	U		<0.0052	U		<0.0052	U	
		VMP-22-38-072617	7/26/2017	0.0012	J		<0.0058	U		<0.0058	U		<0.0056	U		<0.003	U		<0.0052	U		<0.0052	U	
		VMP-22-38-072617-DUP	7/26/2017	0.0012	J		<0.0058	U		<0.0058	U		<0.0055	U		<0.003	U		<0.0051	U		<0.0051	U	
		VMP-22-38-102617	10/26/2017	<0.0066	U		<0.0058	U		<0.0058	U		<0.0055	J	U	<0.003	U		<0.0051	U		<0.0051	U	
VMP-23	5 ft	VMP-22-38-013018	1/30/2018	<0.0063	U		<0.0056	U		<0.0056	U		0.0012	J		<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-23-5-042517	4/25/2017	0.0013	J		<0.0062	U		<0.0062	U		0.00093	J		<0.0032	U		<0.0054	U		<0.0054	U	
		VMP-23-5-072017	7/20/2017	0.00079	J		<0.0059	U		<0.0059	U		0.00074	J		<0.0031	U		0.00065	J		<0.0052	U	
		VMP-23-5-102517	10/25/2017	0.001	J		<0.0059	U		<0.0059	U		0.00096	J		<0.0031	U		<0.0052	U		<0.0052	U	
	10 ft	VMP-23-5-012318	1/23/2018	0.0016	J		<0.0063	U		<0.0063	U		0.0021	J		<0.0033	U		<0.0056	U		<0.0056	U	
		VMP-23-10-042517	4/25/2017	<0.0072	U		<0.0063	U		<0.0063	U		0.001	J		<0.0033	U		<0.0056	U		<0.0056	U	
		VMP-23-10-072017	7/20/2017	0.001	J		<0.0058	U		<0.0058	U		<0.0055	U		<0.003	U		0.00064	J		<0.0051	U	
		VMP-23-10-102517	10/25/2017	0.001	J		<0.0058	U		<0.0058	U		<0.0055	U		<0.003	U		<0.0051	U		<0.0051	U	
	25 ft	VMP-23-10-012318	1/23/2018	<0.0063	U		<0.0055	U		<0.0055	U		<0.0052	U		<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-23-25-042517	4/25/2017	0.0013	J		<0.006	U		<0.006	U		0.00061	J		<0.0031	U		<0.0053	U		<0.0053	U	
		VMP-23-25-072017	7/20/2017	0.0012	J		<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		<0.005	U		<0.005	U	
		VMP-23-25-102517	10/25/2017	0.0011	J		<0.0058	U		<0.0058	U		<0.0055	U		<0.003	U		<0.0051	U		<0.0051	U	
VMP-23	40 ft	VMP-23-25-012318	1/23/2018	0.0015	J		<0.0054	U		<0.0054	U		<0.0051	U		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-23-40-012318	1/23/2018	0.0016	J		<0.0057	U		<0.0057	U		<0.0054	U		<0.003	U		<0.005	U		<0.005	U	

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Trichlorofluoromethane			1,2,4-Trimethylbenzene			1,3,5-Trimethylbenzene			2,2,4-Trimethylpentane			Vinyl chloride			m,p-Xylenes			o-Xylenes		
				860												0.29			130			120		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-24	5 ft	VMP-24-5-042117	4/21/2017	0.0012	J		<0.0066	U		<0.0066	U		<0.0063	U		<0.0034	U		<0.0058	U		<0.0058	U	
		VMP-24-5-072117	7/21/2017	0.0013	J		0.0012	J		<0.0061	U		0.0047	J		<0.0032	U		<0.0054	U		<0.0054	U	
		VMP-24-5-102517	10/25/2017	<0.0066	U		<0.0058	U		<0.0058	U		0.0026	J		<0.003	U		<0.0051	U		<0.0051	U	
		VMP-24-5-012418	1/24/2018	0.0014	J		<0.0056	U		<0.0056	U		0.0019	J		<0.0029	U		0.0034	J		0.001	J	
	10 ft	VMP-24-10-042117	4/21/2017	0.0012	J		<0.0057	U		<0.0057	U		<0.0054	U		<0.003	U		<0.005	U		<0.005	U	
		VMP-24-10-072117	7/21/2017	0.0011	J		<0.006	U		<0.006	U		0.0014	J		<0.0031	U		<0.0053	U		<0.0053	U	
		VMP-24-10-102517	10/25/2017	0.0011	J		<0.0054	U		<0.0054	U		<0.0051	U		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-24-10-012418	1/24/2018	0.0015	J		<0.0054	U		<0.0054	U		<0.0051	U		<0.0028	U		<0.0048	U		<0.0048	U	
	22 ft	VMP-24-22-042117	4/21/2017	0.0019	J		<0.0057	U		<0.0057	U		<0.0054	U		<0.003	U		<0.005	U		<0.005	U	
		VMP-24-22-072117	7/21/2017	0.0013	J		<0.0059	U		<0.0059	U		0.00097	J		<0.0031	U		<0.0052	U		<0.0052	U	
		VMP-24-22-102517	10/25/2017	0.00098	J		<0.0054	U		<0.0054	U		<0.0052	U		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-24-22-013118	1/31/2018	0.0017	J		<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		0.0044	J		0.001	J	
	34 ft	VMP-24-34-042117	4/21/2017	0.0013	J		<0.0057	U		<0.0057	U		0.0054			<0.003	U		<0.005	U		<0.005	U	
		VMP-24-34-042117-DUP	4/21/2017	0.0013	J		<0.0058	U		<0.0058	U		0.0047	J		<0.003	U		<0.0051	U		<0.0051	U	
		VMP-24-34-072117	7/21/2017	0.0016	J		<0.0059	U		<0.0059	U		0.002	J		<0.0031	U		<0.0052	U		<0.0052	U	
		VMP-24-34-072117-DUP	7/21/2017	<0.0068	U		<0.006	U		<0.006	U		0.0023	J		<0.0031	U		<0.0053	U		<0.0053	U	
		VMP-24-34-102517	10/25/2017	0.0014	J		<0.0057	U		<0.0057	U		<0.0054	U		<0.003	U		<0.005	U		<0.005	U	
		VMP-24-34-012418	1/24/2018	0.0014	J		<0.0052	U		<0.0052	U		<0.005	U		<0.0027	U		<0.0046	U		<0.0046	U	
VMP-32	5 ft	VMP-32-5-052217	5/22/2017	0.0016	J		0.0012	J		<0.006	U		0.00086	J		<0.0031	U		0.017			0.005	J	
		VMP-32-5-072417	7/24/2017	0.0018	J		0.0026	J		0.0014	J		0.0036	J		<0.003	U		0.035			0.011		
		VMP-32-5-103117	10/31/2017	0.00093	J		<0.0055	U		<0.0055	U		<0.0052	U		<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-32-5-012918	1/29/2018	0.0013	J		<0.0053	U		<0.0053	U		<0.005	U		<0.0028	U		<0.0047	U		<0.0047	U	
	10 ft	VMP-32-10-042517	4/25/2017	<0.0068	U		<0.0059	U		<0.0059	U		<0.0056	U		<0.0031	U		0.017			0.005	J	
		VMP-32-10-072417	7/24/2017	0.002	J		0.0014	J		<0.006	U		0.0019	J		<0.0031	U		0.021			0.006		
		VMP-32-10-103117	10/31/2017	0.0011	J		<0.0058	U		<0.0058	U		0.00081	J		<0.003	U		<0.0051	U		<0.0051	U	
		VMP-32-10-012918	1/29/2018	0.0012	J		<0.0053	U		<0.0053	U		<0.0051	U		<0.0028	U		<0.0047	U		<0.0047	U	
	20 ft	VMP-32-20-042517	4/25/2017	<0.0069	U		<0.006	U		<0.006	U		0.0025	J		<0.0031	U		0.0026	J		0.00088	J	
		VMP-32-20-072417	7/24/2017	0.0015	J		0.0012	J		<0.0061	U		0.0014	J		<0.0032	U		0.0017	J		<0.0054	U	
		VMP-32-20-103117	10/31/2017	0.001	J		<0.0056	U		<0.0056	U		<0.0054	U		<0.0029	U		<0.005	U		<0.005	U	
		VMP-32-20-012918	1/29/2018	0.0016	J		<0.005	U		<0.005	U		0.002	J		<0.0026	U		<0.0044	U		<0.0044	U	
	30 ft	VMP-32-30-042517	4/25/2017	<0.007	U		<0.0061	U		<0.0061	U		0.00061	J		<0.0032	U		0.00088	J		<0.0054	U	
		VMP-32-30-042517-DUP	4/25/2017	<0.0068	U		<0.006	U		<0.006	U		<0.0057	U		<0.0031	U		<0.0053	U		<0.0053	U	
		VMP-32-30-072417	7/24/2017	0.0014	J		<0.0061	U		<0.0061	U		0.0009	J		<0.0032	U		0.0045	J		<0.0054	U	
		VMP-32-30-072417-DUP	7/24/2017	0.0011	J		<0.006	U		<0.006	U		0.00085	J		<0.0031	U		<0.0053	U		<0.0053	U	
		VMP-32-30-103117	10/31/2017	<0.013	U		<0.011	U		<0.011	U		<0.01	U		<0.0057	U		<0.0097	U		<0.0097	U	
		VMP-32-30-012918	1/29/2018	0.0014	J		<0.0055	U		<0.0055	U		<0.0052	U		<0.0029	U		<0.0049	U		<0.0049	U	
VMP-42	10 ft	VMP-42-10-050317	5/3/2017	<0.0064	U		<0.0056	U		<0.0056	U		<0.0053	J	U	<0.0029	U		<0.005	U		<0.005	U	
		VMP-42-10-072017	7/20/2017	<0.0067	U		<0.0059	U		<0.0059	U		0.0026	J		<0.003	U		<0.0052	U		<0.0052	U	
		VMP-42-10-110117	11/1/2017	<0.0058	U		<0.005	U		<0.005	U		<0.0048	U		<0.0026	U		<0.0044	U		<0.0044	U	
		VMP-42-10-012318	1/23/2018	<0.0062	U		<0.0054	U		<0.0054	U		<0.0052	U		<0.0028	U		<0.0048	U		<0.0048	U	
	20 ft	VMP-42-20-050317	5/3/2017	0.0012	J		<0.0054	U		<0.0054	U		<0.0052	J	U	<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-42-20-072017	7/20/2017	0.00098	J		0.00032	J		<0.0056	U		0.0011	J		<0.0029	U		0.0093			0.0023	J	
		VMP-42-20-110117	11/1/2017	0.0009	J		<0.0054	U		<0.0054	U		<0.0051	U		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-42-20-012318	1/23/2018	0.0013	J		<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		<0.005	U		<0.005	U	
	30 ft	VMP-42-30-050317	5/3/2017	<0.006	U		<0.0053	U		<0.0053	U		<0.005	J	U	<0.0027	U		<0.0047	U		<0.0047	U	
		VMP-42-30-072017	7/20/2017	0.0011	J		<0.006	U		<0.006	U		<0.0057	U		<0.0031	U		<0.0053	U		<0.0053	U	
		VMP-42-30-110117	11/1/2017	<0.0063	U		<0.0055	U		<0.0055	U		0.0015	J		<0.0028	U		0.00092	J		<0.0048	U	
		VMP-42-30-110117-DUP	11/1/2017	0.00096	J		<0.0052	U		<0.0053	U		0.0008											

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Trichlorofluoromethane			1,2,4-Trimethylbenzene			1,3,5-Trimethylbenzene			2,2,4-Trimethylpentane			Vinyl chloride			m,p-Xylenes			o-Xylenes		
				860												0.29			130			120		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-44	10 ft	VMP-44-10-042517	4/25/2017	<0.0089	U		<0.0061	U		<0.0061	U		<0.0058	U		<0.0032	U		0.001	J		<0.0054	U	
		VMP-44-10-072517	7/25/2017	0.0017	J		<0.0062	U		<0.0062	U		<0.0059	U		<0.0032	U		<0.0055	U		<0.0055	U	
		VMP-44-10-102517	10/25/2017	<0.0068	U		<0.006	U		<0.006	U		<0.0057	U		<0.0031	U		0.0019	J		<0.0053	U	
		VMP-44-10-012518	1/25/2018	0.0013	J		<0.0057	U		<0.0057	U		0.0017	J		<0.003	U		<0.005	U		<0.005	U	
	20 ft	VMP-44-20-042517	4/25/2017	<0.0074	U		<0.0065	U		<0.0065	U		0.00072	J		<0.0034	U		0.0016	J		<0.0057	U	
		VMP-44-20-072517	7/25/2017	<0.0073	U		<0.0064	U		<0.0064	U		<0.006	U		<0.0033	U		<0.0056	U		<0.0056	U	
		VMP-44-20-102517	10/25/2017	0.0014	J		<0.0059	U		<0.0059	U		<0.0056	U		<0.003	U		0.001	J		<0.0052	U	
		VMP-44-20-012518	1/25/2018	0.0013	J		<0.0056	U		<0.0056	U		0.0026	J		<0.0029	U		<0.0049	U		<0.0049	U	
	30 ft	VMP-44-30-042517	4/25/2017	<0.0076	U		<0.0066	U		<0.0066	U		0.0015	J		<0.0034	U		0.0012	J		<0.0058	U	
		VMP-44-30-072517	7/25/2017	0.0016	J		<0.0062	U		<0.0062	U		<0.0059	U		<0.0032	U		<0.0055	U		<0.0055	U	
		VMP-44-30-102517	10/25/2017	0.00097	J		0.0021	J		<0.0058	U		0.0039	J		<0.003	U		0.0021	J		<0.0015	J	
		VMP-44-30-102517-DUP	10/25/2017	0.0011	J		<0.0057	U		<0.0057	U		0.011			<0.003	U		<0.005	U		<0.005	U	
VMP-45	10 ft	VMP-45-10-042617	4/26/2017	0.0012	J		<0.0059	U		<0.0059	U		<0.0056	U		<0.0031	U		<0.0052	U		<0.0052	U	
		VMP-45-10-072517	7/25/2017	0.0015	J		<0.0062	U		<0.0062	U		<0.0059	U		<0.0032	U		<0.0055	U		<0.0055	U	
		VMP-45-10-103117	10/31/2017	0.0012	J		<0.0054	U		<0.0054	U		0.003	J		<0.0028	U		0.00069	J		<0.0048	U	
		VMP-45-10-012418	1/24/2018	0.0015	J		<0.0053	U		<0.0053	U		<0.005	U		<0.0028	U		<0.0047	U		<0.0047	U	
	20 ft	VMP-45-20-042617	4/26/2017	<0.0076	U		<0.0066	U		<0.0066	U		<0.0063	U		<0.0034	U		<0.0058	U		<0.0058	U	
		VMP-45-20-072517	7/25/2017	0.0017	J		<0.0061	U		<0.0061	U		<0.0058	U		<0.0032	U		<0.0054	U		<0.0054	U	
		VMP-45-20-103117	10/31/2017	0.0011	J		<0.0054	U		<0.0054	U		<0.0051	U		<0.0028	U		<0.0047	U		<0.0047	U	
		VMP-45-20-012418	1/24/2018	0.0014	J		<0.0054	U		<0.0054	U		0.0016	J		<0.0028	U		<0.0048	U		<0.0048	U	
	30 ft	VMP-45-30-042617	4/26/2017	0.0013	J		<0.006	U		<0.006	U		0.00092	J		<0.0031	U		<0.0053	U	UJ	<0.0053	U	
		VMP-45-30-042617-DUP	4/26/2017	0.0016	J		0.0063			0.002	J		0.013			<0.003	U		0.015		J	0.0057		
		VMP-45-30-072517	7/25/2017	0.0022	J		<0.0062	U		<0.0062	U		<0.0059	U		<0.0032	U		<0.0055	U		<0.0055	U	
		VMP-45-30-103117	10/31/2017	0.0017	J		<0.0055	U		<0.0055	U		0.0013	J		<0.0028	U		<0.0048	U		<0.0048	U	
VMP-47	5 ft	VMP-47-5-042717	4/27/2017	0.0014	J		<0.0053	U		<0.0053	U		0.0035	J		<0.0028	U		<0.0047	U		<0.0047	U	
		VMP-47-5-072417	7/24/2017	0.0011	J		0.00096	J		<0.0059	U		0.0024	J		<0.0031	U		0.0044	J		<0.0052	U	
		VMP-47-5-102617	10/26/2017	0.0014	J		0.0026	J		<0.0059	U		<0.0056	U		<0.003	U		0.0043	J		0.0023	J	
		VMP-47-5-012618	1/26/2018	0.0014	J		<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		<0.005	U		<0.005	U	
	10 ft	VMP-47-10-042717	4/27/2017	0.0014	J		<0.0057	U		<0.0057	U		0.0045	J		<0.003	U		<0.005	U		<0.005	U	
		VMP-47-10-072417	7/24/2017	0.0021	J		<0.0058	U		<0.0058	U		0.0014	J		<0.003	U		0.0026	J		<0.0051	U	
		VMP-47-10-102617	10/26/2017	<0.0067	U		<0.0058	U		<0.0058	U		<0.0011	J		<0.003	U		<0.0052	U		<0.0052	U	
		VMP-47-10-012618	1/26/2018	0.0012	J		<0.0055	U		<0.0055	U		<0.0052	U		<0.0028	U		<0.0048	U		<0.0048	U	
	20 ft	VMP-47-20-042717	4/27/2017	0.0016	J		<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		<0.005	U		<0.005	U	
		VMP-47-20-072417	7/24/2017	0.0012	J		<0.0059	U		<0.0059	U		0.0014	J		<0.0031	U		0.0024	J		<0.0052	U	
		VMP-47-20-102617	10/26/2017	0.00098	J		<0.0058	U		<0.0058	U		<0.0055	U		<0.003	U		0.0012	J		<0.0051	U	
		VMP-47-20-012618	1/26/2018	0.0015	J		<0.0058	U		<0.0058	U		<0.0055	U		<0.003	U		<0.0051	U		<0.0051	U	
VMP-48	5 ft	VMP-48-5-042617	4/26/2017	0.0014	J		<0.0059	U		<0.0059	U		0.01			<0.0031	U		<0.0052	U		<0.0052	U	
		VMP-48-5-072117	7/21/2017	0.002	J		<0.0059	U		<0.0059	U		<0.0056	U		<0.0031	U		<0.0052	U		<0.0052	U	
		VMP-48-5-103117	10/31/2017	0.001	J		<0.0054	U		<0.0054	U		<0.0051	U		<0.0028	U		<0.0047	U		<0.0047	U	
		VMP-48-5-012618	1/26/2018	0.0012	J		<0.0058	U		<0.0058	U		<0.0056	U		<0.003	U		<0.0052	U		<0.0052	U	
	10 ft	VMP-48-10-042617	4/26/2017	0.0016	J		<0.0056	U		<0.0056	U		<0.0054	U		<0.0029	U		<0.005	U		<0.005	U	
		VMP-48-10-072117	7/21/2017	0.002	J		<0.0057	U		<0.0057	U		0.00081	J		<0.003	U		<0.005	U		<0.005	U	
		VMP-48-10-103117	10/31/2017	0.0013	J		<0.0054	U		<0.0054	U		<0.0052	U		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-48-10-012618	1/26/2018	0.0013	J		<0.0054	U		<0.0054	U		<0.0051	U		<0.0028	U		<0.0048	U		<0.0048	U	
	20 ft	VMP-48-20-042617	4/26/2017	0.0018	J		<0.0057	U		<0.0057	U		<0.0054	U		<0.003	U		<0.005	U		<0.005	U	
		VMP-48-20-072117	7/21/2017	0.0011	J		<0.0057	U		<0.0057	U		<0.0054	U		<0.003	U		<0.005	U		<0.005	U	
		VMP-48-20-103117	10/31/2017	0.0012	J		<0.0052	U		<0.0052	U		<0.005	U		<0.0027	U		<0.0046	U		<0.0046	U	
		VMP-48-20-012618	1/26/2018	0.0013	J		0.0014	J		0.0009	J		<0.0051	U		<0.0028	U		0.0066			0.0031	J	
VMP-48	30 ft	VMP-48-30-042617	4/26/2017	0.043			<0.006	U		<0.006	U		<0.0057	U		<0.0031	U		<0.0053	U		<0.0053	U	
		VMP-48-30-072117	7/21/2017	0.044			<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		<0.005	U		<0.005	U	
		VMP-48-30-103117	10/31/2017	0.033			<0.0056	U		<0.0056	U		0.0012	J		<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-48-30-103117-DUP	10/31/2017	0.033			<0.0054	U		<0.0054	U		0.00098	J		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-48-30-012618	1/26/2018	0.03			<0.0055	U		<0.0055	U		<0.0052	U		<0.0029	U		<0.0049	U		<0.0049	U	

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Trichlorofluoromethane			1,2,4-Trimethylbenzene			1,3,5-Trimethylbenzene			2,2,4-Trimethylpentane			Vinyl chloride			m,p-Xylenes			o-Xylenes		
				860												0.29			130			120		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-49	5 ft	VMP-49-5-042417	4/24/2017	<0.0081	U		<0.0071	U		<0.0071	U		<0.0068	U		<0.0037	U		<0.0063	U		<0.0063	U	
		VMP-49-5-072617	7/26/2017	0.0014	J		<0.006	U		<0.006	U		<0.0057	U		<0.0031	U		<0.0053	U		<0.0053	U	
		VMP-49-5-102717	10/27/2017	0.0012	J		<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-49-5-012618	1/26/2018	0.00096	J		<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		<0.005	U		<0.005	U	
	10 ft	VMP-49-10-042417	4/24/2017	0.0014	J		<0.007	U		<0.007	U		0.019			<0.0037	U		<0.0062	U		<0.0062	U	
		VMP-49-10-072617	7/26/2017	0.0018	J		<0.0062	U		<0.0062	U		<0.0059	U		<0.0032	U		<0.0055	U		<0.0055	U	
		VMP-49-10-102717	10/27/2017	0.0013	J		<0.0056	U		<0.0056	U		<0.0054	U		<0.0029	U		<0.005	U		<0.005	U	
		VMP-49-10-012618	1/26/2018	0.0013	J		<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		<0.005	U		<0.005	U	
	20 ft	VMP-49-20-042417	4/24/2017	0.0012	J		<0.0069	U		<0.0069	U		0.0018	J		<0.0036	U		<0.0061	U		<0.0061	U	
		VMP-49-20-072617	7/26/2017	0.0015	J		<0.006	U		<0.006	U		0.0074			<0.0031	U		<0.0053	U		<0.0053	U	
		VMP-49-20-102717	10/27/2017	0.0017	J		<0.0053	U		<0.0053	U		0.00076	J		<0.0028	U		<0.0047	U		<0.0047	U	
		VMP-49-20-012618	1/26/2018	0.001	J		<0.0057	U		<0.0057	U		<0.0054	U		<0.003	U		<0.005	U		<0.005	U	
	30 ft	VMP-49-30-042417	4/24/2017	0.039			<0.0068	U		<0.0068	U		0.0019	J		<0.0035	U		0.0074			<0.006	U	
		VMP-49-30-072617	7/26/2017	0.023			<0.0061	U		<0.0061	U		0.00088	J		<0.0032	U		<0.0054	U		<0.0054	U	
		VMP-49-30-072617-DUP	7/26/2017	0.022			<0.0061	U		<0.0061	U		0.001	J		<0.0032	U		<0.0054	U		<0.0054	U	
		VMP-49-30-102717	10/27/2017	0.024			<0.0056	U		<0.0056	U		0.0014	J		<0.0029	U		<0.005	U		<0.005	U	
VMP-50	5 ft	VMP-49-30-012618	1/26/2018	0.061			<0.0058	U		<0.0058	U		0.13			<0.003	U		<0.0052	U		<0.0052	U	
		VMP-50-5-050317	5/3/2017	0.0012	J		<0.0053	U		<0.0053	U		0.0043	J		<0.0028	U		<0.0047	U		<0.0047	U	
		VMP-50-5-072617	7/26/2017	0.0023	J		<0.0062	U		<0.0062	U		<0.0059	U		<0.0032	U		<0.0055	U		<0.0055	U	
		VMP-50-5-110117	11/1/2017	<0.0062	U		<0.0054	U		<0.0054	U		<0.0052	U		<0.0028	U		<0.0048	U		<0.0048	U	
	10 ft	VMP-50-5-013118	1/31/2018	0.0014	J		<0.0059	U		<0.0059	U		0.0016	J		<0.0031	U		<0.0052	U		<0.0052	U	
		VMP-50-10-050317	5/3/2017	0.0012	J		<0.0054	U		<0.0054	U		<0.0051	U		<0.0028	U		0.0022	J		<0.0048	U	
		VMP-50-10-072617	7/26/2017	0.002	J		<0.0062	U		<0.0062	U		0.00061	J		<0.0032	U		<0.0055	U		<0.0055	U	
		VMP-50-10-110117	11/1/2017	0.0013	J		<0.0054	U		<0.0054	U		0.00082	J		<0.0028	U		<0.0048	U		<0.0048	U	
	20 ft	VMP-50-10-013118	1/31/2018	<0.0064	U		<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-50-20-050317	5/3/2017	0.0011	J		<0.0052	U		<0.0052	U		0.0018	J		<0.0027	U		<0.0046	U		<0.0046	U	
		VMP-50-20-072617	7/26/2017	0.0014	J		<0.006	U		<0.006	U		<0.0057	U		<0.0031	U		<0.0053	U		<0.0053	U	
		VMP-50-20-110117	11/1/2017	0.0011	J		<0.0052	U		<0.0052	U		<0.005	U		<0.0027	U		<0.0046	U		<0.0046	U	
	30 ft	VMP-50-20-013118	1/31/2018	<0.026	U		<0.023	U		<0.023	U		9		J	<0.012	U		<0.02	U		<0.02	U	
		VMP-50-20-013118-DUP	1/31/2018	<0.026	U		<0.023	U		<0.023	U		10		J	<0.012	U		<0.02	U		<0.02	U	
		VMP-50-30-050317	5/3/2017	<0.078	U		0.29			2.9			7.8			<0.036	U		2.6			2.6		
		VMP-50-30-050317-DUP	5/3/2017	<0.081	U		0.27			2.7			7.4			<0.037	U		2.4			2.5		
VMP-51	5 ft	VMP-50-30-072617	7/26/2017	<0.092	U		0.13			2.2			6			<0.042	U		1.7			1.8		
		VMP-50-30-110117	11/1/2017	<0.062	U		0.25			1.6			4.1			<0.028	U		3			2.7		
		VMP-50-30-110117-DUP	11/1/2017	<0.061	U		0.27			1.8			4.3			<0.028	U		3.4			2.9		
		VMP-50-30-013118	1/31/2018	<0.063	U		<0.056	U		0.68			11			<0.029	U		0.2			0.11		
	10 ft	VMP-51-5-042517	4/25/2017	<0.0071	U		<0.0062	U		<0.0062	U		0.00064	J		<0.0032	U		0.0012	J		<0.0055	U	
		VMP-51-5-072017	7/20/2017	0.0015	J		0.00028	J		<0.0062	U		0.0023	J		<0.0032	U		<0.0055	U		<0.0055	U	
		VMP-51-5-103017	10/30/2017	0.0012	J		<0.0055	U		<0.0055	U		<0.0052	U		<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-51-5-012318	1/23/2018	0.0014	J		<0.0055	U		<0.0055	U		<0.0052	U		<0.0029	U		<0.0049	U		<0.0049	U	
	20 ft	VMP-51-10-042517	4/25/2017	<0.0066	U		<0.0058	U		<0.0058	U		0.001	J		<0.003	U		<0.0051	U		<0.0051	U	
		VMP-51-10-072017	7/20/2017	0.0019	J		<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		<0.005	U		<0.005	U	
		VMP-51-10-103017	10/30/2017	0.0014	J		<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-51-10-012318	1/23/2018	<0.0064	U		<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		<0.005	U		<0.005	U	
	30 ft	VMP-51-20-042517	4/25/2017	<0.007	U		<0.0061	U		<0.0061	U		0.00077	J		<0.0032	U		0.0016	J		<0.0054	U	
		VMP-51-20-072017	7/20/2017	0.0013	J		0.00048	J		<0.0058	U		<0.0055	U		<0.003	U		0.0025	J		0.00094	J	
		VMP-51-20-103017	10/30/2017	0.0012	J		<0.0058	U		<0.0058	U		0.0018	J		<0.003	U		<0.0051	U		<0.0051	U	
		VMP-51-20-012318	1/23/2018	0.0016	J		<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		<0.005	U		<0.005	U	
VMP-51	30 ft	VMP-51-20-012318-DUP	1/23/2018	0.0012	J		<0.0052	U		<0.0052	U		0.0044	J		<0.0027	U		<0.0046	U		<0.0046	U	
		VMP-51-30-042517	4/25/2017	0.0016	J		<0.0061	U		<0.0061	U		0.0026	J		<0.0032	U		<0.0054	U		<0.0054	U	
		VMP-51-30-042517-DUP	4/25/2017	<0.0071	U		<0.0062	U		<0.0062	U		0.0025	J		<0.0032	U		0.00096	J		<0.0055	U	
		VMP-51-30-072017	7/20/2017	0.0016	J		<0.0059	U		<0.0059	U		<0.0056	U		<0.003	U		0.00098	J		0.00026	J	
		VMP-51-30-103017	10/30/2017	0.0014	J		<0.0054	U		<0.0054	U		<0.0051	U		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-51-30-012318	1/23/2018	<0.0078	U		<0.0068	U		<0.0068	U		<0.0064	U		<0.0035	U		<0.006	U		<0.006	U	

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Trichlorofluoromethane			1,2,4-Trimethylbenzene			1,3,5-Trimethylbenzene			2,2,4-Trimethylpentane			Vinyl chloride			m,p-Xylenes			o-Xylenes			
				860												0.29			130			120			
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	
VMP-52	5 ft	VMP-52-5-042417	4/24/2017	0.0016	J		<0.0059	U		<0.0059	U		0.0024	J		<0.0031	U		<0.0052	U		<0.0052	U		
		VMP-52-5-072117	7/21/2017	0.0018	J		0.00088	J		<0.0062	U		<0.0059	U		<0.0032	U		0.0061			<0.0054	U		
		VMP-52-5-102517	10/25/2017	0.001	J		<0.0055	U		<0.0055	U		<0.0022	J		<0.0029	U		<0.0049	U		<0.0049	U		
		VMP-52-5-012418	1/24/2018	<0.0062	U		<0.0054	U		<0.0054	U		<0.0051	U		<0.0028	U		<0.0048	U		<0.0048	U		
	10 ft	VMP-52-10-042417	4/24/2017	0.0014	J		<0.006	U		<0.006	U		<0.0057	U		<0.0031	U		<0.0053	U		<0.0053	U		
		VMP-52-10-072117	7/21/2017	0.0016	J		<0.0062	U		<0.0062	U		0.0039	J		<0.0032	U		<0.0055	U		<0.0055	U		
		VMP-52-10-102517	10/25/2017	0.00098	J		<0.0055	U		<0.0055	U		<0.0052	U		<0.0028	U		<0.0048	U		<0.0048	U		
		VMP-52-10-012418	1/24/2018	<0.0066	U		<0.0058	U		<0.0058	U		<0.0055	U		<0.003	U		0.0039	J		<0.0051	U		
	20 ft	VMP-52-20-042417	4/24/2017	0.0014	J		<0.0064	U		<0.0064	U		<0.0061	U		<0.0033	U		<0.0057	U		<0.0057	U		
		VMP-52-20-072117	7/21/2017	0.0019	J		<0.0061	U		<0.0061	U		0.0074			<0.0032	U		0.0023	J		<0.0054	U		
		VMP-52-20-102517	10/25/2017	0.0011	J		<0.0055	U		<0.0055	U		0.0013	J		<0.0028	U		<0.0048	U		<0.0048	U		
		VMP-52-20-012418	1/24/2018	<0.0063	U		<0.0055	U		<0.0055	U		0.0014	J		<0.0028	U		<0.0048	U		<0.0048	U		
	30 ft	VMP-52-20-012418-DUP	1/24/2018	0.0014	J		<0.0053	U		<0.0053	U		0.0018	J		<0.0028	U		<0.0047	U		<0.0047	U		
		VMP-52-30-042417	4/24/2017	<0.0068	U		<0.006	U		<0.006	U		0.001	J		<0.0031	U		0.0025	J		<0.0053	U		
		VMP-52-30-072117	7/21/2017	<0.0072	U		<0.0063	U		<0.0063	U		<0.006	U		<0.0033	U		0.0018	J		<0.0056	U		
		VMP-52-30-102517	10/25/2017	0.0012	J		<0.0057	U		<0.0057	U		<0.0054	U		<0.003	U		<0.005	U		<0.005	U		
30 ft	VMP-52-30-102517-DUP	10/25/2017	0.00095	J		<0.0058	U		<0.0058	U		<0.0055	U		<0.003	U		<0.0051	U		<0.0051	U			
	VMP-52-30-012418	1/24/2018	<0.0058	U		<0.0051	U		<0.0051	U		<0.0048	U		<0.0026	U		<0.0045	U		<0.0045	U			
	VMP-53	5 ft	VMP-53-5-042017	4/20/2017	0.0024	J		<0.0059	U		<0.0059	U		0.0006	J		<0.0031	U		<0.0052	U		<0.0052	U	
			VMP-53-5-071917	7/19/2017	<0.0069	U		<0.006	U		<0.006	U		<0.0057	U		<0.0031	U		<0.0053	U		<0.0053	U	
VMP-53-5-110117			11/1/2017	0.00089	J		<0.0052	U		<0.0052	U		<0.005	U		<0.0027	U		<0.0046	U		<0.0046	U		
VMP-53-5-012218			1/22/2018	0.0011	J		<0.006	U		<0.006	U		<0.0057	U		<0.0031	U		<0.0053	U		<0.0053	U		
10 ft		VMP-53-10-042017	4/20/2017	<0.0067	U		<0.0058	U		<0.0058	U		0.017			<0.003	U		<0.0052	U		<0.0052	U		
		VMP-53-10-071917	7/19/2017	0.0013	J		<0.0059	U		<0.0059	U		0.013			<0.0031	U		<0.0052	U		<0.0052	U		
		VMP-53-10-110117	11/1/2017	<0.0063	U		<0.0055	U		<0.0055	U		<0.0052	U		<0.0028	U		0.003	J		<0.0048	U		
		VMP-53-10-012218	1/22/2018	0.001	J		<0.0059	U		<0.0059	U		<0.0056	U		<0.0031	U		<0.0052	U		<0.0052	U		
20 ft		VMP-53-20-042017	4/20/2017	<0.0067	U		0.0042	J		0.0015	J		0.036			<0.003	U		0.0028	J		0.0015	J		
		VMP-53-20-071917	7/19/2017	<0.0069	U		<0.006	U		<0.006	U		0.029			<0.0031	U		<0.0053	U		<0.0053	U		
		VMP-53-20-110117	11/1/2017	0.001	J		<0.0055	U		<0.0055	U		<0.0052	U		<0.0028	U		<0.0048	U		<0.0048	U		
		VMP-53-20-012218	1/22/2018	<0.0066	U		<0.0058	U		<0.0058	U		<0.0055	U		<0.003	U		<0.0051	U		<0.0051	U		
30 ft		VMP-53-20-012218-DUP	1/22/2018	<0.0068	U		<0.0059	U		<0.0059	U		0.0032	J		<0.0031	U		<0.0052	U		<0.0052	U		
		VMP-53-30-042017	4/20/2017	<0.0064	U		<0.0056	U		<0.0056	U		0.011			<0.0029	U		<0.005	U		<0.005	U		
		VMP-53-30-042017-DUP	4/20/2017	0.0012	J		<0.0054	U		<0.0054	U		0.014			<0.0028	U		<0.0048	U		<0.0048	U		
		VMP-53-30-071917	7/19/2017	<0.0069	U		<0.006	U		<0.006	U		0.0013	J		<0.0031	U		<0.0053	U		<0.0053	U		
30 ft	VMP-53-30-071917-DUP	7/19/2017	<0.0068	U		<0.0059	U		<0.0059	U		0.00066	J		<0.0031	U		<0.0052	U		<0.0052	U			
	VMP-53-30-110117	11/1/2017	<0.0062	U		<0.0054	U		<0.0054	U		<0.0051	U		<0.0028	U		<0.0048	U		<0.0048	U			
	VMP-53-30-012218	1/22/2018	<0.0068	U		<0.0059	U		<0.0059	U		0.0018	J		<0.0031	U		<0.0052	U		<0.0052	U			
	VMP-54	5 ft	VMP-54-5-042017	4/20/2017	<0.0071	U		<0.0062	U		<0.0062	U		0.00074	J		<0.0032	U		<0.0055	U		<0.0055	U	
VMP-54-5-071917			7/19/2017	0.0013	J		<0.006	U		<0.006	U		<0.0057	U		<0.0031	U		<0.0053	U		<0.0053	U		
VMP-54-5-102617			10/26/2017	0.0012	J		<0.0053	U		<0.0053	U		0.0088			<0.0028	U		<0.0047	U		<0.0047	U		
VMP-54-5-012218			1/22/2018	<0.0065	U		<0.0057	U		<0.0057	U		0.0022	J		<0.003	U		<0.005	U		<0.005	U		
10 ft		VMP-54-10-042017	4/20/2017	<0.0069	U		<0.0061	U		<0.0061	U		0.028			<0.0032	U		<0.0054	U		<0.0054	U		
		VMP-54-10-071917	7/19/2017	0.0013	J		<0.0061	U		<0.0061	U		0.0018	J		<0.0032	U		<0.0054	U		<0.0054	U		
		VMP-54-10-102617	10/26/2017	0.0013	J		<0.0055	U		<0.0055	U		0.01			<0.0029	U		<0.0049	U		<0.0049	U		
		VMP-54-10-012218	1/22/2018	0.0011	J		<0.0058	U		<0.0058	U		<0.0055	U		<0.003	U		<0.0051	U		<0.0051	U		
20 ft		VMP-54-20-042017	4/20/2017	<0.007	U		<0.0062	U		<0.0062	U		0.0099			<0.0032	U		<0.0054	U		<0.0054	U		
		VMP-54-20-071917	7/19/2017	0.0012	J		<0.0061	U		<0.0061	U		<0.0058	U		<0.0032	U		<0.0054	U		<0.0054	U		
		VMP-54-20-102																							

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Trichlorofluoromethane			1,2,4-Trimethylbenzene			1,3,5-Trimethylbenzene			2,2,4-Trimethylpentane			Vinyl chloride			m,p-Xylenes			o-Xylenes		
				860												0.29			130			120		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-62	5 ft	VMP-62-5-042517	4/25/2017	0.0018	J		<0.0063	U		<0.0063	U		0.0082	U		<0.0033	U		<0.0056	U		<0.0056	U	
		VMP-62-5-072517	7/25/2017	0.0016	J		<0.0052	U		<0.0052	U		<0.005	U		<0.0027	U		0.0032	J		<0.0046	U	
		VMP-62-5-083017	8/30/2017	0.0013	J		<0.0061	U		<0.0061	U		0.005	J		<0.0032	U		<0.0054	U		<0.0054	U	
		VMP-62-5-110317	11/3/2017	<0.0063	U		<0.0055	U		<0.0055	U		0.053			<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-62-5-012918	1/29/2018	<0.0061	U		<0.0053	U		<0.0053	U		<0.005	U		<0.0028	U		<0.0047	U		<0.0047	U	
	10 ft	VMP-62-10-042517	4/25/2017	0.0016	J		<0.0065	U		<0.0065	U		0.00082	J		<0.0034	U		<0.0057	U		<0.0057	U	
		VMP-62-10-072517	7/25/2017	<0.0066	U		<0.0058	U		<0.0058	U		0.001	J		<0.003	U		<0.0051	U		<0.0051	U	
		VMP-62-10-110317	11/3/2017	0.00098	J		<0.0054	U		<0.0054	U		<0.0051	U		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-62-10-012918	1/29/2018	0.0015	J		<0.0052	U		<0.0052	U		<0.005	U		<0.0027	U		<0.0046	U		<0.0046	U	
	20 ft	VMP-62-20-042517	4/25/2017	0.0014	J		<0.0061	U		<0.0061	U		<0.0058	U		<0.0032	U		<0.0054	U		<0.0054	U	
		VMP-62-20-072517	7/25/2017	0.0016	J		<0.006	U		<0.006	U		<0.0057	U		<0.0031	U		<0.0053	U		<0.0053	U	
		VMP-62-20-110317	11/3/2017	0.001	J		<0.0055	U		<0.0055	U		<0.0052	U		<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-62-20-012918	1/29/2018	0.0012	J		<0.0051	U		<0.0051	U		<0.0049	U		<0.0027	U		<0.0045	U		<0.0045	U	
	30 ft	VMP-62-30-042517	4/25/2017	0.0019	J		<0.0062	U		<0.0062	U		<0.0059	U		<0.0032	U		<0.0055	U		<0.0055	U	
		VMP-62-30-072517	7/25/2017	0.0018	J		<0.0059	U		<0.0059	U		<0.0056	U		<0.0031	U		<0.0052	U		<0.0052	U	
		VMP-62-30-072517-DUP	7/25/2017	0.0022	J		<0.0058	U		<0.0058	U		<0.0019	J		<0.003	U		<0.0051	U		<0.0051	U	
		VMP-62-30-110317	11/3/2017	0.0018	J		<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		<0.005	U		<0.005	U	
		VMP-62-30-110317-DUP	11/3/2017	0.0015	J		<0.0055	U		<0.0055	U		0.0017	J		<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-62-30-012918	1/29/2018	0.0014	J		<0.0051	U		<0.0051	U		0.0014	J		<0.0026	U		<0.0045	U		<0.0045	U	
		VMP-62-30-012918-DUP	1/29/2018	0.0014	J		<0.0052	U		<0.0053	U		0.0012	J		<0.0027	U		<0.0046	U		<0.0046	U	
VMP-63	5 ft	VMP-63-5-042517	4/25/2017	<0.0066	U		<0.0058	U		<0.0058	U		0.00076	J		<0.003	U		<0.0051	U		<0.0051	U	
		VMP-63-5-072517	7/25/2017	0.0011	J		0.00096	J		<0.0058	U		<0.0055	U		<0.003	U		0.011			0.0029	J	
		VMP-63-5-110117	11/1/2017	0.0012	J		<0.0054	U		<0.0054	U		<0.0052	U		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-63-5-012618	1/26/2018	0.0016	J		<0.0055	U		<0.0055	U		<0.0052	U		<0.0029	U		<0.0049	U		<0.0049	U	
	10 ft	VMP-63-10-042517	4/25/2017	<0.0071	U		<0.0062	U		<0.0062	U		<0.0059	U		<0.0032	U		0.0056			0.0014	J	
		VMP-63-10-072517	7/25/2017	0.001	J		<0.006	U		<0.006	U		0.00067	J		<0.0031	U		0.00055	J		<0.0053	U	
		VMP-63-10-110117	11/1/2017	0.0009	J		<0.0054	U		<0.0054	U		<0.0052	U		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-63-10-012618	1/26/2018	0.0016	J		<0.0055	U		<0.0055	U		0.0028	J		<0.0029	U		<0.0049	U		<0.0049	U	
	20 ft	VMP-63-20-042517	4/25/2017	<0.0065	U		<0.0057	U		<0.0057	U		0.00077	J		<0.003	U		<0.005	U		<0.005	U	
		VMP-63-20-072517	7/25/2017	0.0013	J		<0.0061	J	U	<0.0061	U		0.0007	J		<0.0032	U		0.0056			0.0014	J	
		VMP-63-20-110117	11/1/2017	0.0011	J		<0.0054	U		<0.0054	U		<0.0052	U		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-63-20-012618	1/26/2018	0.0014	J		<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		<0.005	U		<0.005	U	
	30 ft	VMP-63-30-042517	4/25/2017	<0.0068	U		<0.006	U		<0.006	U		0.00084	J		<0.0031	U		<0.0053	U		<0.0053	U	
		VMP-63-30-072517	7/25/2017	0.0013	J		<0.0057	U		<0.0057	U		0.00062	J		<0.003	U		<0.005	U		<0.005	U	
		VMP-63-30-110117	11/1/2017	0.0012	J		<0.0054	U		<0.0054	U		<0.0052	U		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-63-30-012618	1/26/2018	0.0014	J		<0.0056	U		<0.0056	U		0.0011	J		<0.0029	U		<0.005	U		<0.005	U	
		VMP-63-30-012618-DUP	1/26/2018	0.0012	J		<0.0054	U		<0.0054	U		0.00083	J		<0.0028	U		<0.0048	U		<0.0048	U	
VMP-64	5 ft	VMP-64-5-042717	4/27/2017	0.0016	J		<0.0051	U		<0.0051	U		<0.0049	U		<0.0027	U		<0.0045	U		<0.0045	U	
		VMP-64-5-072517	7/25/2017	0.0014	J		<0.011	U		<0.011	U		<0.011	U		<0.0059	U		<0.01	U		<0.01	U	
		VMP-64-5-110317	11/3/2017	0.0012	J		<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		<0.005	U		<0.005	U	
		VMP-64-5-012218	1/22/2018	0.0013	J		<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		<0.005	U		<0.005	U	
	10 ft	VMP-64-10-042717	4/27/2017	0.0015	J		<0.0056	U		<0.0056	U		<0.0054	U		<0.0029	U		<0.005	U		<0.005	U	
		VMP-64-10-072517	7/25/2017	0.0014	J		<0.0062	U		<0.0062	U		<0.0059	U		<0.0032	U		<0.0055	U		<0.0055	U	
		VMP-64-10-110317	11/3/2017	0.0011	J		<0.0052	U		<0.0052	U		<0.005	U		<0.0027	U		<0.0046	U		<0.0046	U	
		VMP-64-10-012218	1/22/2018	<0.0067	U		<0.0058	U		<0.0058	U		<0.0056	U		<0.003	U		<0.0052	U		<0.0052	U	
	20 ft	VMP-64-20-042717	4/27/2017	0.0015	J		<0.0057	U		<0.0057	U		<0.0054	U		<0.003	U		<0.005	U		<0.005	U	
		VMP-64-20-072517	7/25/2017	0.0015	J		<0.0062	U		<0.0062	U		<0.0059	U		<0.0032	U		<0.0055	U		<0.0055	U	
		VMP-64-20-110317	11/3/2017	0.0013	J		<0.0052	U		<0.0052	U		<0.005	U		<0.0027	U		<0.0046	U		<0.0046	U	
		VMP-64-20-012218	1/22/2018	0.00095	J		<0.0059	U		<0.0059	U		<0.0056	U		<0.0031	U		<0.0052	U		<0.0052	U	

Notes:

Yellow highlighted cells indicate readings that exceed residential screening criterion.

* = Analytical results indicate anomalous readings compared to previous results. VMP location resampled to verify results from the laboratory.

Lab Qualifiers

J = Estimated value; results between the MDL and RL

U = Compound analyzed for but not detected above the RL

AECOM Qualifiers

J = Estimated detection

UJ = Estimated non-detect

U = Non-detect due to blank contamination

ND, UJ = Non-detected compound associated with low bias in the continuing calibration verification

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	Acetone			Benzene			Bromodichloromethane			Bromoform			Bromomethane			1,3-Butadiene			Butane			2-Butanone		
				750000			2.8			450000			52			42									40000		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-10	5 ft	VMP-10-5-042717	4/27/2017	<0.026	J	U	<0.0035	U		<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		<0.01	U		0.0033	J	
		VMP-10-5-072717	7/27/2017	0.012	J		<0.0037	U		<0.0077	U		<0.012	U		<0.045	U		<0.0025	U		<0.011	U		<0.014	U	
		VMP-10-5-103017	10/30/2017	<0.027	J	U	<0.0036	J	U	<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		<0.011	U		<0.013	U	
		VMP-10-5-013118	1/31/2018	<0.026	J	U	0.00042	J		<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		<0.01	U		<0.013	U	
	10 ft	VMP-10-10-042717	4/27/2017	<0.029	J	U	<0.0038	U		<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		<0.011	U		<0.014	U	
		VMP-10-10-072717	7/27/2017	0.0087	J		<0.0039	U		<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		<0.012	U		<0.014	U	
		VMP-10-10-103017	10/30/2017	<0.026	J	U	<0.0035	U		<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		0.0062	J		<0.013	U	
		VMP-10-10-013118	1/31/2018	<0.027	J	U	<0.0036	U		<0.0077	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.014	U	
	20 ft	VMP-10-20-042717	4/27/2017	<0.027	J	U	<0.0036	U		<0.0077	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		0.0037	J	
		VMP-10-20-072717	7/27/2017	0.0047	J		<0.0039	U		<0.0082	U		<0.013	U		<0.047	U		<0.0027	U		<0.012	U		<0.014	U	
		VMP-10-20-103017	10/30/2017	<0.025	J	U	<0.0034	J	U	<0.0071	U		<0.011	U		<0.041	U		<0.0024	U		<0.01	U		<0.012	U	
		VMP-10-20-013118	1/31/2018	<0.027	J	U	<0.0036	U		0.0046	J		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.013	U	
	30 ft	VMP-10-30-042717	4/27/2017	<0.025	J	U	<0.0033	U		<0.007	U		<0.011	U		<0.04	U		<0.0023	U		<0.0099	U		<0.012	U	
		VMP-10-30-042717-DUP	4/27/2017	<0.025	J	U	<0.0034	U		<0.0071	U		<0.011	U		<0.041	U		<0.0023	U		<0.01	U		<0.012	U	
		VMP-10-30-103017	10/30/2017	<0.026	J	U	<0.0034	J	U	<0.0072	U		<0.011	U		<0.042	U		<0.0024	U		0.0045	J		0.0028	J	
		VMP-10-30-103017-DUP	10/30/2017	<0.025	J	U	<0.0034	J	U	<0.0071	U		<0.011	U		<0.041	U		<0.0023	U		0.012			<0.012	U	
		VMP-10-30-013118	1/31/2018	0.0081	J		0.002	J		0.014			<0.012	U		<0.045	U		<0.0026	U		0.012			<0.014	U	
		VMP-10-30-013118-DUP	1/31/2018	0.009	J		0.0021	J		0.012			<0.011	U		<0.041	U		<0.0023	U		0.012			<0.012	U	
VMP-11	5 ft	VMP-11-5-052217	5/22/2017	<0.029	J	U	<0.0039	U		<0.0082	U		<0.013	U		<0.048	U		<0.0027	U		<0.012	U		0.0044	J	
		VMP-11-5-072617	7/26/2017	0.014	J		<0.004	U		<0.0083	U		<0.013	U		<0.048	U		<0.0027	U		<0.012	U		0.0035	J	
		VMP-11-5-110317	11/3/2017	0.015	J		<0.0038	J	U	<0.008	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		0.0045	J	
		VMP-11-5-012918	1/29/2018	0.0079	J		<0.0035	U		<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		<0.01	U		<0.013	U	
	8 ft	VMP-11-8-052217	5/22/2017	0.024	J		0.0034	J		<0.0077	U		<0.012	U		<0.045	U		<0.0025	U		0.0083	J		0.0074	J	
		VMP-11-8-072617	7/26/2017	0.0057	J		<0.0039	U		<0.0082	U		<0.013	U		<0.048	U		<0.0027	U		<0.012	U		<0.014	U	
		VMP-11-8-110317	11/3/2017	0.011	J		<0.0036	J	U	<0.0077	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.014	U	
		VMP-11-8-012918	1/29/2018	<0.025	J	U	<0.0034	U		<0.0071	U		<0.011	U		<0.041	U		<0.0023	U		<0.01	U		<0.012	U	
	29 ft	VMP-11-29-052217	5/22/2017	<0.028	J	U	0.0013	J		<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		0.0036	J	
		VMP-11-29-052217-DUP	5/22/2017	0.025	J		<0.0038	U		<0.008	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		0.0083	J	
		VMP-11-29-072617	7/26/2017	0.0085	J		<0.0038	U		<0.008	U		<0.012	U		<0.047	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-11-29-110317	11/3/2017	<0.027	J	U	<0.0036	J	U	<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		<0.011	U		<0.013	U	
	38 ft	VMP-11-29-012918	1/29/2018	<0.025	J	U	<0.0034	U		<0.0072	U		<0.011	U		<0.042	U		<0.0024	U		<0.01	U		<0.013	U	
		VMP-11-38-072617	7/26/2017	0.028			<0.0038	U		<0.008	U		<0.012	U		<0.047	U		<0.0026	U		0.0041	J		0.0062	J	
		VMP-11-38-110317	11/3/2017	<0.029	J	U	0.0011	J		<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		<0.012	U		<0.014	U	
		VMP-11-38-110317-DUP	11/3/2017	0.012	J		<0.0035	J	U	<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		<0.01	U		<0.013	U	
	VMP-11-38-012918	1/29/2018	<0.026	J	U	0.00051	J		<0.0073	U		<0.011	U		<0.042	U		<0.0024	U		0.0095	J		<0.013	U		
	VMP-12	5 ft	VMP-12-5-050217	5/2/2017	0.015	J		<0.0041	U		<0.0087	U		<0.013	U		<0.05	U		<0.0029	U		<0.012	U		0.0052	J
VMP-12-5-072817			7/28/2017	0.027	J		0.0023	J		<0.008	U		<0.012	U		<0.046	U		<0.0026	U		0.0045	J		0.0065	J	
VMP-12-5-110217			11/2/2017	0.015	J		<0.0038	J	U	<0.008	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		0.004	J	
VMP-12-5-013018			1/30/2018	<0.026	J	U	0.00035	J		<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		<0.01	U		<0.013	U	
11.5 ft		VMP-12-11.5-050217	5/2/2017	<0.029	J	U	<0.0039	U		<0.0082	U		<0.013	U		<0.048	U		<0.0027	U		<0.012	U		0.0027	J	
		VMP-12-11.5-072817	7/28/2017	0.0																							

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	Acetone			Benzene			Bromodichloromethane			Bromoform			Bromomethane			1,3-Butadiene			Butane			2-Butanone		
				750000			2.8			450000			52			42									40000		
				Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals
VMP-13	5 ft	VMP-13-5-042817	4/28/2017	<0.027	J	U	<0.0037	U		<0.0077	U		<0.012	U		<0.045	U		<0.0025	U		<0.011	U		<0.014	U	
		VMP-13-5-072717	7/27/2017	0.02	J		0.0008	J		<0.0076	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		0.0055	J	
		VMP-13-5-103017	10/30/2017	0.014	J		<0.0036	U		<0.0075	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		0.0055	J	
		VMP-13-5-012918	1/29/2018	0.0067	J		0.00032	J		<0.0068	U		<0.01	U		<0.039	U		<0.0022	U		<0.0096	U		<0.012	U	
	10.5 ft	VMP-13-10.5-042817	4/28/2017	<0.029	J	U	<0.0039	U		<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		<0.012	U		0.0025	J	
		VMP-13-10.5-072717	7/27/2017	0.021	J		0.0013	J		<0.0077	U		<0.012	U		<0.044	U		<0.0025	U		0.0085	J		0.0053	J	
		VMP-13-10.5-103017	10/30/2017	<0.027	J	U	<0.0036	U		<0.0075	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.013	U	
		VMP-13-10.5-012918	1/29/2018	0.011	J		<0.0035	U		<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		<0.01	U		<0.013	U	
	21.5 ft	VMP-13-21.5-042817	4/28/2017	<0.029	J	U	<0.0039	U		<0.0082	U		<0.013	U		<0.048	U		<0.0027	U		<0.012	U		<0.014	U	
		VMP-13-21.5-072717	7/27/2017	0.0091	J		0.00097	J		<0.0077	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-13-21.5-103017	10/30/2017	0.011	J		<0.0036	U		<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		<0.011	U		<0.013	U	
		VMP-13-21.5-012918	1/29/2018	0.0096	J		0.00063	J		<0.0072	U		<0.011	U		<0.042	U		<0.0024	U		<0.01	U		<0.013	U	
	29.5 ft	VMP-13-29.5-042817	4/28/2017	<0.028	J	U	<0.0038	U		<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		0.0032	J	
		VMP-13-29.5-042817-DUP	4/28/2017	<0.026	J	U	<0.0036	U		<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		<0.011	U		0.0019	J	
		VMP-13-29.5-072717	7/27/2017	0.0082	J		0.83			<0.0087	U		<0.013	U		<0.05	U		<0.0029	U		<0.012	U		<0.015	U	
		VMP-13-29.5-103017	10/30/2017	<0.028	J	U	0.0081			<0.008	U		<0.012	U		<0.046	U		<0.0026	U		0.03			<0.014	U	
		VMP-13-29.5-012918	1/29/2018	0.012	J		0.00032	J		<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		0.0058	J		<0.013	U	
		VMP-13-29.5-012918-DUP	1/29/2018	<0.027	J	U	<0.0036	U		<0.0076	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.013	U	
VMP-14	5 ft	VMP-14-5-050117	5/1/2017	<0.027	J	U	<0.0036	U		<0.0077	U		<0.012	U		<0.044	U		<0.0025	U		0.0053	J		<0.014	U	
		VMP-14-5-071917	7/19/2017	0.031			<0.004	U		<0.0084	U		<0.013	U		<0.049	U		<0.0028	U		0.0054	J		0.0048	J	
		VMP-14-5-103017	10/30/2017	<0.027	J	U	<0.0036	J	U	<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		<0.011	U		<0.013	U	
		VMP-14-5-012518	1/25/2018	<0.028	J	U	<0.0038	U		<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		0.008	J		<0.014	U	
	11.5 ft	VMP-14-11.5-050117	5/1/2017	<0.026	J	U	<0.0035	U		<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		0.0056	J		0.0057	J	
		VMP-14-11.5-071917	7/19/2017	0.02	J		<0.004	U		<0.0084	U		<0.013	U		<0.049	U		<0.0028	U		<0.012	U		<0.015	U	
		VMP-14-11.5-103017	10/30/2017	<0.027	J	U	<0.0037	U		<0.0077	U		<0.012	U		<0.045	U		<0.0025	U		<0.011	U		<0.014	U	
		VMP-14-11.5-012518	1/25/2018	0.015	J		0.00096	J		<0.0077	U		<0.012	U		<0.045	U		<0.0025	U		0.0062	J		0.004	J	
	20 ft	VMP-14-20-050117	5/1/2017	0.14			0.038			<0.074	U		<0.11	U		<0.17	U		<0.024	U		<0.1	U		0.047	J	
		VMP-14-20-071917	7/19/2017	0.06	J		0.017	J		<0.086	U		<0.13	U		<0.2	U		<0.028	U		<0.12	U		<0.15	U	
		VMP-14-20-103017	10/30/2017	<0.027		U	0.01			<0.0076	U		<0.012	U		<0.044	U		<0.0025	U		0.0032	J		0.0077	J	
		VMP-14-20-012518	1/25/2018	0.026	J		0.0044			<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		<0.012	U		0.0052	J	
	29 ft	VMP-14-29-050117	5/1/2017	0.025	J		0.0034	J		<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		0.0064	J	
		VMP-14-29-103017	10/30/2017	<0.027	J	U	0.0023	J		<0.0075	U		<0.012	U		<0.044	U		<0.0025	U		0.022			<0.013	U	
		VMP-14-29-012518	1/25/2018	0.024	J		0.0012	J		<0.008	U		<0.012	U		<0.046	U		<0.0026	U		0.014			0.0058	J	
VMP-15	5 ft	VMP-15-5-050117	5/1/2017	<0.026	J	U	<0.0035	U		<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		<0.01	U		<0.013	U	
		VMP-15-5-072617	7/26/2017	0.016	J		<0.0039	J	U	<0.0083	U		<0.013	U		<0.048	U		<0.0027	U		<0.012	U		<0.014	U	
		VMP-15-5-110217	11/2/2017	0.016	J		<0.0039	J	U	<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		<0.012	U		<0.014	U	
		VMP-15-5-013018	1/30/2018	0.011	J		<0.0037	U		<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		<0.014	U	
	21.5 ft	VMP-15-21.5-050117	5/1/2017	<0.054	J	U	0.0037	J		<0.015	U		<0.024	U		<0.089	U		<0.005	U		0.021	J		<0.027	U	
		VMP-15-21.5-072617	7/26/2017	0.02	J		0.0076	J		<0.034	U		<0.053	U		<0.2	U		<0.011	U		0.17			<0.061	U	
		VMP-15-21.5-110217	11/2/2017	<0.029	J	U	<0.0039	J	U	<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		<0.012	U		<0.014	U	
		VMP-15-21.5-013018	1/30/2018	<0.028	J	U	<0.0037	J	U	<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		<0.014	U	
	25.5 ft	VMP-15-25.5-020117	5/1/2017	0.026	J		<0.033	U		<0.069	U		<0.1	U		<0.16	U		<0.023	U		1			<0.12	U	
		VMP-15-25.5-050117-DUP	5/1/2017	<0.1	U		<0.034	U		<0.071	U		<0.11	U		<0.16	U		<0.024	U		1.2			<0.12	U	
		VMP-15-25.5-072617	7/26/2017	<0.5	U		0.049	J		<0.14	U		<0.22	U		<0.81	U		<0.046	U		<0.2	U		<0.25	U	
		VMP-15-25.5-110217	11/2/2017	0.014	J		<0.0038	J	U	<0.008	U		<0.012	U		<0.047	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-15-25.5-013018	1/30/2018	0.0054	J		0.0013	J		<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		<0.014	U	
	29 ft	VMP-15-29-013018	1/30/2018	0.005	J		0.0022	J		<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		0.0061	J		<0.014	U	

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	Acetone			Benzene			Bromodichloromethane			Bromoform			Bromomethane			1,3-Butadiene			Butane			2-Butanone		
				750000			2.8			450000			52			42									40000		
				Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals
VMP-16	5 ft	VMP-16-5-050217	5/2/2017	<0.028	J	U	<0.0037	U		<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-16-5-072817	7/28/2017	0.019	J		<0.0039	U		<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		<0.012	U		0.0034	J	
		VMP-16-5-110217	11/2/2017	<0.028	J	U	<0.0038	J	U	<0.008	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-16-5-013018	1/30/2018	<0.026	J	U	<0.0036	U		<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		<0.011	U		<0.013	U	
	13.5 ft	VMP-16-13.5-050217	5/2/2017	<3.9	U		0.76	J		<2.7	U		<4.2	U		<6.3	U		<0.9	U		<3.9	U		<4.8	U	
		VMP-16-13.5-072817	7/28/2017	<2.3	U		1.3			<1.6	U		<2.5	U		<3.8	U		<0.54	U		1.2	J		<2.8	U	
		VMP-16-13.5-110217	11/2/2017	<3.8	U		1.2	J		<2.7	U		<4.2	U		<6.3	U		<0.89	U		9.1			<4.8	U	
		VMP-16-13.5-013018	1/30/2018	<2	U		<0.67	U		<1.4	U		<2.2	U		<3.3	U	UJ	<0.46	U		<2	U		<2.5	U	
	19 ft	VMP-16-13.5-013018-DUP	1/30/2018	<2	U		<0.67	U		<1.4	U		<2.2	U		<3.3	U	UJ	<0.46	U		<2	U		<2.5	U	
		VMP-16-19-050217	5/2/2017	<0.93	U		3.8			<0.65	U		<1	U		<1.5	U		<0.22	U		23			<1.2	U	
		VMP-16-19-072817	7/28/2017	<2.4	U		3.6			<1.7	U		<2.7	U		<4	U		<0.57	U		23			<3	U	
		VMP-16-19-110217	11/2/2017	<3.8	U		3			<2.7	U		<4.2	U		<6.3	U		<0.89	U		82			<4.8	U	
	31 ft	VMP-16-19-013018	1/30/2018	<5.2	U		<1.7	U		<3.6	U		<5.6	U		<8.5	U	UJ	<1.2	U		19			<6.4	U	
		VMP-16-31-050217	5/2/2017	0.52	J		3.6			<1	U		<1.6	U		<2.4	U		<0.34	U		82			<1.8	U	
		VMP-16-31-072817	7/28/2017	<3	U		2.7			<2.1	U		<3.2	U		<4.9	U		<0.7	U		82			<3.7	U	
		VMP-16-31-110217	11/2/2017	<3.7	U		2.5			<2.6	U		<4	U		<6	U		<0.86	U		150			<4.6	U	
VMP-17	5 ft	VMP-17-5-050217	5/2/2017	<0.028	J	U	<0.0037	U		<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-17-5-071917	7/19/2017	0.013	J		<0.0039	U		<0.0083	U		<0.013	U		<0.048	U		<0.0027	U		<0.012	U		<0.014	U	
		VMP-17-5-110217	11/2/2017	<0.029	J	U	0.0044			<0.0083	U		<0.013	U		<0.048	U		<0.0027	U		0.0082	J		<0.014	U	
		VMP-17-5-012418	1/24/2018	<0.028	J	U	0.00073	J		<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		0.0046	J		<0.014	U	
VMP-25	5 ft	VMP-25-5-050217	5/2/2017	0.022	J		<0.0037	U		<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		0.0062	J	
		VMP-25-5-080117	8/1/2017	0.016	J		<0.0035	U		<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		<0.01	U		0.0033	J	
		VMP-25-5-110217	11/2/2017	0.016	J		<0.0036	J	U	<0.0077	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.014	U	
		VMP-25-5-013018	1/30/2018	<0.024	J	U	0.0015	J		<0.0068	U		<0.01	U		<0.039	U		<0.0022	U		0.0048	J		<0.012	U	
	21 ft	VMP-25-21-050217	5/2/2017	<0.028	J	U	0.0024	J		<0.008	U		<0.012	U		<0.046	U		<0.0026	U		0.082			<0.014	U	
		VMP-25-21-080117	8/1/2017	0.045			0.0051			<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		0.04			0.0083	J	
		VMP-25-21-110217	11/2/2017	0.013	J		<0.0035	J	U	<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		0.0036	J		<0.013	U	
		VMP-25-21-013018	1/30/2018	<0.026	J	U	0.0012	J		<0.0073	U		<0.011	U		<0.042	U		<0.0024	U		0.0081	J		<0.013	U	
	31 ft	VMP-25-21-013018-DUP	1/30/2018	0.0076	J		0.0011	J		<0.0069	U		<0.011	U		<0.04	U		<0.0023	U		0.0084	J		<0.012	U	
		VMP-25-31-050217	5/2/2017	0.62	J		<0.74	U		<1.6	U		<2.4	U		<3.6	U		<0.52	U		89			<2.7	U	
		VMP-25-31-050217-DUP	5/2/2017	0.75	J		<0.76	U		<1.6	U		<2.5	U		<3.7	U		<0.53	U		98			0.31	J	
		VMP-25-31-080117	8/1/2017	9.2	J		3.9	J		<13	U		<20	U		<74	U		<4.2	U		380			<22	U	
		VMP-25-31-080117-DUP	8/1/2017	14	J		4.6	J		<14	U		<22	U		<83	U		<4.8	U		410			<25	U	
		VMP-25-31-110217	11/2/2017	<3.8	U		7.4			<2.7	U		<4.2	U		<6.3	U		<0.89	U		410			<4.8	U	
		VMP-25-31-110217-DUP	11/2/2017	<3.6	U		8			<2.6	U		<3.9	U		<5.9	U		<0.84	U		440			<4.5	U	
VMP-29	10 ft	VMP-29-10-050217	5/2/2017	0.033			0.0014	J		<0.0084	U		<0.013	U		<0.049	U		<0.0028	U		<0.012	U		0.027		
		VMP-29-10-072717	7/27/2017	0.048	J		<0.0076	U		<0.016	U		<0.024	U		<0.092	U		<0.0052	U		<0.022	U		0.17		
		VMP-29-10-102717	10/27/2017	0.01	J		0.00095	J		<0.0076	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		0.0068	J	
		VMP-29-10-012518	1/25/2018	0.015	J		0.0088			<0.0083	U		<0.013	U		<0.048	U		<0.0028	U		<0.012	U		0.018		
	18 ft	VMP-29-18-050217	5/2/2017	0.044			0.005			<0.0082	U		<0.013	U		<0.047	U		<0.0027	U		<0.012	U		0.12		
		VMP-29-18-072717	7/27/2017	0.48			0.0098			<0.017	U		<0.026	U		<0.096	U		<0.0055	U		0.011	J		2		
		VMP-29-18-102717	10/27/2017	0.032			0.00091	J		<0.0076	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		0.088		
		VMP-29-18-012518	1/25/2018	0.1			0.044			<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		0.0065	J		0.28		
	26 ft	VMP-29-26-050317	5/3/2017	<0.026	J	U	0.00091	J		<0.0073	U		<0.011	U		<0.042	U		<0.0024	U		<0.01	U		0.007	J	
		VMP-29-26-072717	7/27/2017	1.4			0.014	J		<0.052	U		<0.081	U		<0.3	U		<0.017	U		0.032	J		3.9		
		VMP-29-26-072717-DUP	7/27/2017	1.4			0.011	J		<0.049	U		<0.076	U		<0.28	U		<0.016	U		<0.07	U		4		
		VMP-29-26-102717	10/27/2017	0.014	J		0.0024	J		<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		0.0056	J		0.0098	J	
		VMP-29-26-102717-DUP	10/27/2017	0.014	J		0.0017	J		<0.0072	U		<0.011	U		<0.042	U		<0.0024	U		<0.01	U		0.0082	J	
		VMP-29-26-012518	1/25/2018	0.019	J		0.02			<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		0.03		

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	Acetone			Benzene			Bromodichloromethane			Bromoform			Bromomethane			1,3-Butadiene			Butane			2-Butanone		
				750000			2.8			450000			52			42									40000		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-30	10 ft	VMP-30-10-050217	5/2/2017	0.028	J		0.00084	J		<0.0082	U		<0.013	U		<0.047	U		<0.0027	U		<0.012	U		0.044		
		VMP-30-10-072717	7/27/2017	0.92			0.012			<0.02	U		<0.031	U		<0.12	U		<0.0067	U		0.15			3.6		
		VMP-30-10-102717	10/27/2017	0.013	J		0.00088	J		<0.0077	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		0.023		
		VMP-30-10-012518	1/25/2018	0.022	J		0.0046			<0.0073	U		<0.011	U		<0.042	U		<0.0024	U		<0.01	U		0.014		
	18 ft	VMP-30-18-050217	5/2/2017	0.022	J		0.0016	J		<0.008	U		<0.012	U		<0.047	U		<0.0026	U		0.0025	J		0.025		
		VMP-30-18-072717	7/27/2017	1.3			0.09			<0.064	U		<0.098	U		<0.37	U		<0.021	U		<0.09	U		5.6		
		VMP-30-18-102717	10/27/2017	0.016	J		0.0036	J		<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		0.0048	J		0.026		
		VMP-30-18-012518	1/25/2018	0.026			0.034			<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		0.0064	J		0.023		
	26 ft	VMP-30-18-012518-DUP	1/25/2018	0.018	J		0.036			<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		<0.011	U		0.022		
		VMP-30-26-050217	5/2/2017	0.03			0.0035	J		<0.0079	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		0.034		
		VMP-30-26-072717	7/27/2017	0.57			0.058			<0.016	U		<0.025	U		<0.094	U		<0.0054	U		<0.023	U		1.4		
		VMP-30-26-102717	10/27/2017	0.033			0.005			<0.0075	U		<0.012	U		<0.044	U		<0.0025	U		0.011			0.035		
VMP-30-26-012518	1/25/2018	0.04			0.1			<0.0076	U		<0.012	U		<0.044	U		<0.0025	U		0.0095	J		0.063				
VMP-41	10 ft	VMP-41-10-050217	5/2/2017	<0.029	J	U	<0.0038	U		<0.0081	U		<0.012	U		<0.047	U		<0.0027	U		<0.011	U		0.0024	J	
		VMP-41-10-072717	7/27/2017	0.017	J		<0.0037	U		<0.0077	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		0.0045	J	
		VMP-41-10-102717	10/27/2017	<0.026	J	U	<0.0035	U		<0.0073	U		<0.011	U		<0.042	U		<0.0024	U		<0.01	U		<0.013	U	
		VMP-41-10-012418	1/24/2018	<0.026	J	U	0.0004	J		<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		0.0036	J		<0.013	U	
	20 ft	VMP-41-20-050217	5/2/2017	0.046			<0.0037	U		<0.0078	U		<0.012	U		<0.045	U		<0.0026	U		<0.011	U		0.0034	J	
		VMP-41-20-072717	7/27/2017	0.011	J		<0.0038	U		<0.008	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		0.0044	J	
		VMP-41-20-102717	10/27/2017	0.012	J		<0.0036	U		<0.0077	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		0.0042	J	
		VMP-41-20-012418	1/24/2018	0.0093	J		0.00045	J		<0.0076	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		<0.013	U	
	26 ft	VMP-41-26-050217	5/2/2017	<0.028	J	U	<0.0038	U		<0.008	U		<0.012	U		<0.046	U		<0.0026	U		<0.011	U		<0.014	U	
		VMP-41-26-072717	7/27/2017	0.0074	J		<0.0036	U		<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		<0.011	U		<0.013	U	
		VMP-41-26-072717-DUP	7/27/2017	0.014	J		<0.004	U		<0.0083	U		<0.013	U		<0.048	U		<0.0027	U		<0.012	U		<0.015	U	
		VMP-41-26-102717	10/27/2017	0.0097	J		<0.0036	U		<0.0077	U		<0.012	U		<0.044	U		<0.0025	U		<0.011	U		0.0036	J	
VMP-41-26-102717-DUP	10/27/2017	<0.026	J	U	<0.0036	U		<0.0075	U		<0.012	U		<0.043	U		<0.0025	U		<0.011	U		<0.013	U			
VMP-41-26-012418	1/24/2018	<0.025	J	U	0.00034	J		<0.0071	U		<0.011	U		<0.041	U		<0.0024	U		0.0032	J		<0.012	U			
VMP-55	5 ft	VMP-55-5-072617	7/26/2017	0.034	J		0.0022	J		<0.015	U		<0.023	U		<0.086	U		<0.0049	U		<0.021	U		0.011	J	
		VMP-55-5-110217	11/2/2017	0.014	J		0.00095	J		<0.0077	U		<0.012	U		<0.045	U		<0.0025	U		<0.011	U		<0.014	U	
		VMP-55-5-013018	1/30/2018	0.012	J		<0.0035	J	U	<0.0074	U		<0.011	U		<0.043	U		<0.0024	U		0.0058	J		<0.013	U	
	20 ft	VMP-55-20-050117	5/1/2017	<5.6	U		<1.9	U		<4	U		<6.2	U		<9.2	U		<1.3	U		310			<7	U	
		VMP-55-20-072617	7/26/2017	<0.59	U		<0.2	U		<0.42	U		<0.64	U		<0.96	U		<0.14	U		42		J	<0.73	U	
		VMP-55-20-110217	11/2/2017	<2.8	U		<0.95	U		<2	U		<3.1	U		<4.6	U		<0.66	U		140			<3.5	U	
VMP-55-20-013018	1/30/2018	5.2		J	<0.39	U		<0.82	U		<1.3	U		<1.9	U		<0.27	U		140		J	<1.4	U			

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	Carbon disulfide			Carbon tetrachloride			Chlorobenzene			Chlorodibromomethane			Chloroethane			Chloroform			Chloromethane			alpha-Chlorotoluene		
				5300			1.5			420			57000						0.92								
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-10	5 ft	VMP-10-5-042717	4/27/2017	<0.014	U		<0.007	U		<0.0051	U		<0.0094	U		<0.012	U		<0.0054	U		<0.023	U		<0.0057	U	
		VMP-10-5-072717	7/27/2017	<0.014	U		<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.006	U	
		VMP-10-5-103017	10/30/2017	<0.014	U		<0.007	U		<0.0052	U		<0.0095	U		<0.012	U		<0.0055	U		<0.023	U		<0.0058	U	
		VMP-10-5-013118	1/31/2018	<0.014	U		<0.0069	U		<0.0051	U		<0.0094	U		<0.012	U		<0.0054	U		<0.023	U		<0.0057	U	
	10 ft	VMP-10-10-042717	4/27/2017	<0.015	U		<0.0076	U		<0.0055	U		<0.01	U		<0.013	U		<0.0059	U		<0.025	U		<0.0062	U	
		VMP-10-10-072717	7/27/2017	<0.015	U		<0.0076	U		<0.0056	U		<0.01	U		<0.013	U		<0.0059	U		<0.025	U		<0.0063	U	
		VMP-10-10-103017	10/30/2017	<0.014	U		<0.007	U		<0.0051	U		<0.0094	U		<0.012	U		<0.0054	U		<0.023	U		<0.0057	U	
		VMP-10-10-013118	1/31/2018	<0.014	U		<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.0059	U	
	20 ft	VMP-10-20-042717	4/27/2017	0.0017	J		<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.0059	U	
		VMP-10-20-072717	7/27/2017	<0.015	U		<0.0077	U		<0.0056	U		<0.01	U		<0.013	U		<0.006	U		<0.025	U		<0.0063	U	
		VMP-10-20-103017	10/30/2017	<0.013	U		<0.0067	U		<0.0049	U		<0.0091	U		<0.011	U		<0.0052	U		<0.022	U		<0.0055	U	
		VMP-10-20-013118	1/31/2018	<0.014	U		0.0011	J		<0.0052	U		<0.0097	U		<0.012	U		0.11			<0.024	U		<0.0059	U	
	30 ft	VMP-10-30-042717	4/27/2017	<0.013	U		<0.0066	U		<0.0048	U		<0.0089	U		<0.011	U		<0.0051	U		<0.022	U		<0.0054	U	
		VMP-10-30-042717-DUP	4/27/2017	0.0016	J		<0.0066	U		<0.0048	U		<0.009	U		<0.011	U		<0.0052	U		<0.022	U		<0.0055	U	
		VMP-10-30-103017	10/30/2017	<0.013	U		<0.0068	U		<0.0049	U		<0.0092	U		<0.011	U		<0.0052	U		<0.022	U		<0.0056	U	
		VMP-10-30-103017-DUP	10/30/2017	<0.013	U		<0.0066	U		<0.0048	U		<0.009	U		<0.011	U		<0.0052	U		<0.022	U		<0.0055	U	
		VMP-10-30-013118	1/31/2018	<0.014	U		<0.0074	U		<0.0054	U		0.0024	J		<0.012	U		0.14			<0.024	U		<0.006	U	
		VMP-10-30-013118-DUP	1/31/2018	<0.013	U		<0.0066	U		<0.0048	U		0.0024	J		<0.011	U		0.13			<0.022	U		<0.0055	U	
VMP-11	5 ft	VMP-11-5-052217	5/22/2017	<0.015	U		<0.0077	U		<0.0057	U		<0.01	U		<0.013	U		<0.006	U		<0.025	U		<0.0064	U	
		VMP-11-5-072617	7/26/2017	<0.015	J	U	<0.0078	U		<0.0057	U		<0.01	U		<0.013	U		<0.006	U		<0.026	U		<0.0064	U	
		VMP-11-5-110317	11/3/2017	<0.015	U		<0.0075	U		<0.0055	U		<0.01	U		<0.012	U		<0.0058	U		<0.024	U		<0.0062	U	
		VMP-11-5-012918	1/29/2018	<0.014	U		<0.007	U		<0.0051	U		<0.0094	U		<0.012	U		<0.0054	U		0.012	J		<0.0057	U	
	8 ft	VMP-11-8-052217	5/22/2017	<0.014	U		<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.006	U	
		VMP-11-8-072617	7/26/2017	<0.015	J	U	<0.0077	U		<0.0056	U		<0.01	U		<0.013	U		0.00063	J		<0.025	U		<0.0063	U	
		VMP-11-8-110317	11/3/2017	<0.014	U		<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.0059	U	
		VMP-11-8-012918	1/29/2018	<0.013	U		<0.0066	U		<0.0048	U		<0.009	U		<0.011	U		<0.0052	U		<0.022	U		<0.0055	U	
	29 ft	VMP-11-29-052217	5/22/2017	<0.015	U		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		0.0015	J		<0.024	U		<0.0061	U	
		VMP-11-29-052217-DUP	5/22/2017	<0.015	U		<0.0075	U		<0.0055	U		<0.01	U		<0.013	U		0.0012	J		<0.025	U		<0.0062	U	
		VMP-11-29-072617	7/26/2017	<0.015	J	U	<0.0076	U		<0.0055	U		<0.01	U		<0.013	U		0.00068	J		<0.025	U		<0.0062	U	
		VMP-11-29-110317	11/3/2017	<0.014	U		<0.007	U		<0.0052	U		<0.0095	U		<0.012	U		<0.0055	U		<0.023	U		<0.0058	U	
	38 ft	VMP-11-29-012918	1/29/2018	<0.013	U		<0.0067	U		<0.0049	U		<0.0091	U		<0.011	U		0.0011	J		<0.022	U		<0.0055	U	
		VMP-11-38-072617	7/26/2017	<0.015	J	U	<0.0076	U		<0.0055	U		<0.01	U		<0.013	U		<0.0058	U		<0.025	U		<0.0062	U	
		VMP-11-38-110317	11/3/2017	<0.015	U		<0.0076	U		<0.0056	U		<0.01	U		<0.013	U		0.0014	J		<0.025	U		<0.0063	U	
		VMP-11-38-110317-DUP	11/3/2017	<0.014	U		<0.0069	U		<0.0051	U		<0.0094	U		<0.012	U		0.0012	J		<0.023	U		<0.0057	U	
	VMP-11-38-012918	1/29/2018	<0.014	U		<0.0068	U		<0.005	U		<0.0093	U		<0.012	U		<0.0053	U		<0.022	U		<0.0056	U		
	VMP-12	5 ft	VMP-12-5-050217	5/2/2017	0.0015	J		<0.0081	U		<0.006	U		<0.011	U		<0.014	U		0.0013	J		<0.027	U		<0.0067	U
VMP-12-5-072817			7/28/2017	<0.015	U		0.00074	J		0.00068	J		<0.01	U		<0.012	U		0.0018	J		<0.024	U		<0.0062	U	
VMP-12-5-110217			11/2/2017	<0.015	U		<0.0075	U		<0.0055	U		<0.01	U		<0.012	U		<0.0058	U		<0.024	U		<0.0062	U	
VMP-12-5-013018			1/30/2018	0.0064	J		<0.0069	U		<0.0051	U		<0.0094	U		<0.012	U		<0.0054	U		<0.023	U		<0.0057	U	
11.5 ft		VMP-12-11.5-050217	5/2/2017	0.0026	J		<0.0077	U		<0.0057	U		<0.01	U		<0.013	U		0.01			<0.025	U		<0.0.		

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	Carbon disulfide			Carbon tetrachloride			Chlorobenzene			Chlorodibromomethane			Chloroethane			Chloroform			Chloromethane			alpha-Chlorotoluene		
				5300			1.5			420			57000						0.92								
				Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals
VMP-13	5 ft	VMP-13-5-042817	4/28/2017	<0.014	J	U	<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		0.001	J		<0.024	U		<0.006	U	
		VMP-13-5-072717	7/27/2017	0.0025	J		<0.0071	U		<0.0052	U		<0.0096	U		<0.012	U		0.0048	J		<0.023	U		<0.0058	U	
		VMP-13-5-103017	10/30/2017	<0.014	U		<0.0071	U		<0.0052	U		<0.0096	U		<0.012	U		0.0017	J		<0.023	U		<0.0058	U	
		VMP-13-5-012918	1/29/2018	<0.013	U		<0.0064	U		<0.0047	U		<0.0086	U		<0.011	U		<0.005	U		<0.021	U		<0.0052	U	
	10.5 ft	VMP-13-10.5-042817	4/28/2017	<0.015	J	U	<0.0076	U		<0.0056	U		<0.01	U		<0.013	U		0.0013	J		<0.025	U		<0.0063	U	
		VMP-13-10.5-072717	7/27/2017	0.0049	J		<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		0.00091	J		<0.024	U		<0.0059	U	
		VMP-13-10.5-103017	10/30/2017	0.0053	J		<0.0071	U		<0.0052	U		<0.0096	U		<0.012	U		0.0022	J		<0.023	U		<0.0058	U	
		VMP-13-10.5-012918	1/29/2018	<0.014	U		<0.007	U		<0.0051	U		<0.0094	U		<0.012	U		0.00096	J		<0.023	U		<0.0057	U	
	21.5 ft	VMP-13-21.5-042817	4/28/2017	<0.015	J	U	<0.0077	U		<0.0057	U		<0.01	U		<0.013	U		0.0028	J		<0.025	U		<0.0064	U	
		VMP-13-21.5-072717	7/27/2017	0.0049	J		<0.0073	U		<0.0053	U		<0.0098	U		<0.012	U		0.0012	J		<0.024	U		<0.006	U	
		VMP-13-21.5-103017	10/30/2017	<0.014	U		<0.007	U		<0.0051	U		<0.0095	U		<0.012	U		0.0031	J		<0.023	U		<0.0058	U	
		VMP-13-21.5-012918	1/29/2018	0.0018	J		<0.0067	U		<0.0049	U		<0.0091	U		<0.011	U		0.0011	J		<0.022	U		<0.0055	U	
	29.5 ft	VMP-13-29.5-042817	4/28/2017	<0.015	J	U	<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		0.0019	J		<0.024	U		<0.0061	U	
		VMP-13-29.5-042817-DUP	4/28/2017	<0.014	J	U	<0.007	U		<0.0051	U		<0.0095	U		<0.012	U		0.0018	J		<0.023	U		<0.0058	U	
		VMP-13-29.5-072717	7/27/2017	0.002	J		<0.0082	U		<0.006	U		<0.011	U		<0.014	U		0.0018	J		<0.027	U		<0.0067	U	
		VMP-13-29.5-103017	10/30/2017	<0.015	U		<0.0075	U		<0.0055	U		<0.01	U		<0.013	U		0.0042	J		<0.025	U		<0.0062	U	
		VMP-13-29.5-012918	1/29/2018	<0.014	U		<0.007	U		<0.0051	U		<0.0094	U		<0.012	U		0.0018	J		<0.023	U		<0.0057	U	
		VMP-13-29.5-012918-DUP	1/29/2018	0.0018	J		<0.0072	U		<0.0052	U		<0.0097	U		<0.012	U		0.0024	J		<0.024	U		<0.0059	U	
VMP-14	5 ft	VMP-14-5-050117	5/1/2017	<0.014	U		<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.0059	U	
		VMP-14-5-071917	7/19/2017	<0.016	U		<0.0079	U		<0.0058	U		<0.011	U		<0.013	U		<0.0062	U		<0.026	U		<0.0065	U	
		VMP-14-5-103017	10/30/2017	<0.014	U		<0.007	U		<0.0052	U		<0.0095	U		<0.012	U		<0.0055	U		<0.023	U		<0.0058	U	
		VMP-14-5-012518	1/25/2018	0.002	J		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		<0.0058	U		<0.024	U		<0.0061	U	
	11.5 ft	VMP-14-11.5-050117	5/1/2017	<0.014	U		<0.0069	U		<0.0051	U		<0.0094	U		<0.012	U		<0.0054	U		<0.023	U		<0.0057	U	
		VMP-14-11.5-071917	7/19/2017	<0.016	U		<0.0079	U		<0.0058	U		<0.011	U		<0.013	U		<0.0062	U		<0.026	U		<0.0065	U	
		VMP-14-11.5-103017	10/30/2017	<0.014	U		<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.006	U	
		VMP-14-11.5-012518	1/25/2018	0.0069	J		<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.006	U	
	20 ft	VMP-14-20-050117	5/1/2017	<0.14	U		<0.069	U		<0.051	U		<0.094	U		<0.12	U		<0.054	U		<0.091	U		<0.057	U	
		VMP-14-20-071917	7/19/2017	<0.16	U		<0.081	U		<0.059	U		<0.11	U		<0.14	U		<0.063	U		<0.11	U		<0.066	U	
		VMP-14-20-103017	10/30/2017	<0.014	U		<0.0071	U		<0.0052	U		<0.0096	U		<0.012	U		<0.0055	U		<0.023	U		<0.0058	U	
		VMP-14-20-012518	1/25/2018	<0.015	U		<0.0076	U		<0.0056	U		<0.01	U		<0.013	U		<0.0059	U		<0.025	U		<0.0063	U	
	29 ft	VMP-14-29-050117	5/1/2017	<0.014	U		<0.0073	U		<0.0054	U		<0.0099	U		<0.012	U		<0.0057	U		<0.024	U		<0.006	U	
		VMP-14-29-103017	10/30/2017	<0.014	U		<0.0071	U		<0.0052	U		<0.0096	U		<0.012	U		<0.0055	U		<0.023	U		<0.0058	U	
		VMP-14-29-012518	1/25/2018	0.009	J		<0.0075	U		<0.0055	U		<0.01	U		<0.012	U		<0.0058	U		<0.024	U		<0.0062	U	
VMP-15	5 ft	VMP-15-5-050117	5/1/2017	0.0054	J		<0.0069	U		<0.0051	U		<0.0094	U		<0.012	U		0.0013	J		<0.023	U		<0.0057	U	
		VMP-15-5-072617	7/26/2017	<0.015	U		<0.0078	U		<0.0057	U		<0.01	U		<0.013	U		0.0058	J		<0.026	U		<0.0064	U	
		VMP-15-5-110217	11/2/2017	<0.015	U		<0.0076	U		<0.0056	U		<0.01	U		<0.013	U		<0.0059	U		<0.025	U		<0.0063	U	
		VMP-15-5-013018	1/30/2018	<0.014	U		<0.0073	U		<0.0054	U		<0.0099	U		<0.012	U		<0.0057	U		<0.024	U		<0.006	U	
	21.5 ft	VMP-15-21.5-050117	5/1/2017	<0.028	U		<0.014	U		<0.01	U		<0.019	U		<0.024	U		<0.011	U		<0.047	U		<0.012	U	
		VMP-15-21.5-072617	7/26/2017	<0.064	U		<0.032	U		<0.024	U		<0.044	U		<0.054	U		<0.025	U		<0.11	U		<0.027	U	
		VMP-15-21.5-110217	11/2/2017	0.0028	J		<0.0076	U		<0.0056	U		<0.01	U		<0.013	U		0.0032	J		<0.025	U		<0.0063	U	
		VMP-15-21.5-013018	1/30/2018	<0.014	U		<0.0073	U		<0.0054	U		<0.0099	U		<0.012	U		0.017			<0.024	U		<0.006	U	
	25.5 ft	VMP-15-25.5-020117	5/1/2017	<0.13	U		<0.064	U		<0.047	U		<0.087	U		<0.11	U		<0.05	U		<0.085	U		<0.053	U	
		VMP-15-25.5-050117-DUP	5/1/2017	<0.13	U		<0.067	U		<0.049	U		<0.091	U		<0.11	U		<0.052	U		<0.088	U		<0.055	U	
		VMP-15-25.5-072617	7/26/2017	<0.26	U		<0.13	U		<0.096	U		<0.18	U		<0.22	U		<0.1	U		<0.43	U		<0.11	U	
		VMP-15-25.5-110217	11/2/2017	<0.015	U		<0.0076	U		<0.0055	U		<0.01	U		<0.013	U		<0.0058	U		<0.025	U		<0.0062	U	
		VMP-15-25.5-013018	1/30/2018	<0.014	U		<0.0073	U		<0.0053	U		<0.0099	U		<0.012	U		<0.0057	U		<0.024	U		<0.006	U	
	29 ft	VMP-15-29-013018	1/30/2018	<0.014	U		<0.0073	U		<0.0053	U		<0.0099	U		<0.012	U		0.002	J		<0.024	U		<0.006	U	

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	Carbon disulfide			Carbon tetrachloride			Chlorobenzene			Chlorodibromomethane			Chloroethane			Chloroform			Chloromethane			alpha-Chlorotoluene		
				5300			1.5			420			57000						0.92								
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-16	5 ft	VMP-16-5-050217	5/2/2017	0.0021	J		<0.0073	U		<0.0053	U		<0.0099	U		<0.012	U		<0.0057	U		<0.024	U		<0.006	U	
		VMP-16-5-072817	7/28/2017	<0.015	U		<0.0076	U		<0.0056	U		<0.01	U		<0.013	U		0.0019	J		<0.025	U		<0.0063	U	
		VMP-16-5-110217	11/2/2017	<0.015	U		<0.0075	U		<0.0055	U		<0.01	U		<0.012	U		<0.0058	U		<0.024	U		<0.0062	U	
		VMP-16-5-013018	1/30/2018	<0.014	U		<0.007	U		<0.0051	U		<0.0095	U		<0.012	U		<0.0054	U		<0.023	U		<0.0058	U	
	13.5 ft	VMP-16-13.5-050217	5/2/2017	<5.1	U		<2.6	U		<1.9	U		<3.5	U		<4.3	U		<2	U		<3.4	U		<2.1	U	
		VMP-16-13.5-072817	7/28/2017	<3	U		<1.5	U		<1.1	U		<2.1	U		<2.6	U		<1.2	U		<2	U		<1.2	U	
		VMP-16-13.5-110217	11/2/2017	<5	U		<2.5	U		<1.8	U		<3.4	U		<4.2	U		<2	U		<3.3	U		<2.1	U	
		VMP-16-13.5-013018	1/30/2018	<2.6	U		<1.3	U		<0.97	U		<1.8	U		<2.2	U		<1	U		<1.7	U		<1.1	U	
	19 ft	VMP-16-13.5-013018-DUP	1/30/2018	<2.6	U		<1.3	U		<0.97	U		<1.8	U		<2.2	U		<1	U		<1.7	U		<1.1	U	
		VMP-16-19-050217	5/2/2017	<1.2	U		<0.61	U		<0.45	U		<0.83	U		<1	U		<0.48	U		<0.8	U		<0.5	U	
		VMP-16-19-072817	7/28/2017	<3.2	U		<1.6	U		<1.2	U		<2.2	U		<2.7	U		<1.2	U		<2.1	U		<1.3	U	
		VMP-16-19-110217	11/2/2017	<5	U		<2.5	U		<1.8	U		<3.4	U		<4.2	U		<2	U		<3.3	U		<2.1	U	
	31 ft	VMP-16-19-013018	1/30/2018	<6.8	U		<3.4	U		<2.5	U		<4.6	U		<5.8	U		<2.7	U		<4.5	U		<2.8	U	
		VMP-16-31-050217	5/2/2017	<1.9	U		<0.98	U		<0.71	U		<1.3	U		<1.6	U		<0.76	U		<1.3	U		<0.8	U	
		VMP-16-31-072817	7/28/2017	<3.9	U		<2	U		<1.4	U		<2.7	U		<3.3	U		<1.5	U		<2.6	U		<1.6	U	
		VMP-16-31-110217	11/2/2017	<4.8	U		<2.4	U		<1.8	U		<3.3	U		<4.1	U		<1.9	U		<3.2	U		<2	U	
	VMP-16-31-013018	1/30/2018	<4.5	U		<2.3	U		<1.7	U		<3.1	U		<3.8	U		<1.8	U		<3	U		<1.9	U		
VMP-17	5 ft	VMP-17-5-050217	5/2/2017	0.0014	J		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		<0.0057	U		<0.024	U		<0.006	U	
		VMP-17-5-071917	7/19/2017	<0.015	J	U	<0.0078	U		<0.0057	U		<0.01	U		<0.013	U		<0.006	U		<0.026	U		<0.0064	U	
		VMP-17-5-110217	11/2/2017	<0.015	U		<0.0078	U		<0.0057	U		<0.01	U		<0.013	U		<0.006	U		<0.026	U		<0.0064	U	
		VMP-17-5-012418	1/24/2018	0.002	J		<0.0073	U		<0.0053	U		<0.0099	U		<0.012	U		<0.0057	U		<0.024	U		<0.006	U	
VMP-25	5 ft	VMP-25-5-050217	5/2/2017	<0.014	J	U	<0.0073	U		<0.0054	U		<0.0099	U		<0.012	U		<0.0057	U		<0.024	U		<0.006	U	
		VMP-25-5-080117	8/1/2017	<0.014	U		<0.0069	U		<0.0051	U		<0.0094	U		<0.012	U		0.0017	J		<0.023	U		<0.0057	U	
		VMP-25-5-110217	11/2/2017	<0.014	U		<0.0072	U		0.00048	J		<0.0098	U		<0.012	U		0.0023	J		<0.024	U		<0.0059	U	
		VMP-25-5-013018	1/30/2018	<0.013	U		<0.0064	U		<0.0047	U		<0.0086	U		<0.011	U		<0.005	U		<0.021	U		<0.0052	U	
	21 ft	VMP-25-21-050217	5/2/2017	<0.015	J	U	<0.0075	U		<0.0055	U		<0.01	U		<0.012	U		<0.0058	U		<0.024	U		<0.0062	U	
		VMP-25-21-080117	8/1/2017	<0.015	U		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		0.0013	J		<0.024	U		<0.0061	U	
		VMP-25-21-110217	11/2/2017	<0.014	U		<0.0069	U		<0.0051	U		<0.0094	U		<0.012	U		<0.0054	U		<0.023	U		<0.0057	U	
		VMP-25-21-013018	1/30/2018	<0.014	U		<0.0068	U		<0.005	U		<0.0093	U		<0.012	U		<0.0053	U		<0.022	U		<0.0056	U	
		VMP-25-21-013018-DUP	1/30/2018	<0.013	U		<0.0065	U		<0.0048	U		<0.0088	U		<0.011	U		<0.005	U		<0.021	U		<0.0054	U	
	31 ft	VMP-25-31-050217	5/2/2017	<2.9	U		<1.5	U		<1.1	U		<2	U		<2.4	U		0.62	J		<1.9	U		<1.2	U	
		VMP-25-31-050217-DUP	5/2/2017	<3	U		<1.5	U		<1.1	U		<2	U		<2.5	U		0.53	J		<2	U		<1.2	U	
		VMP-25-31-080117	8/1/2017	2.4	J		<12	U		<8.7	U		<16	U		<20	U		<9.3	U		<39	U		<9.8	U	
		VMP-25-31-080117-DUP	8/1/2017	3	J		<14	U		<9.9	U		<18	U		<23	U		<10	U		<44	U		<11	U	
		VMP-25-31-110217	11/2/2017	<5	U		<2.5	U		<1.8	U		<3.4	U		<4.2	U		<2	U		<3.3	U		<2.1	U	
		VMP-25-31-110217-DUP	11/2/2017	<4.8	U		<2.4	U		<1.8	U		<3.2	U		<4	U		<1.9	U		<3.2	U		<2	U	
		VMP-25-31-013018	1/30/2018	<4.2	U		<2.1	U		<1.6	U		<2.9	U		<3.6	U		<1.6	U		<2.8	U		<1.8	U	
	VMP-25-31-013018-DUP	1/30/2018	<4.4	U		<2.2	U		<1.6	U		<3	U		<3.7	U		<1.7	U		<2.9	U		<1.8	U		
VMP-29	10 ft	VMP-29-10-050217	5/2/2017	0.0066	J		<0.0079	U		<0.0058	U		<0.011	U		<0.013	U		<0.0062	U		<0.026	U		<0.0065	U	
		VMP-29-10-072717	7/27/2017	0.018	J		<0.015	U		<0.011	U		<0.02	U		<0.025	U		<0.012	U		<0.049	U		<0.012	U	
		VMP-29-10-102717	10/27/2017	<0.014	J	U	<0.0072	U		<0.0052	U		<0.0097	U		<0.012	U		<0.0056	U		<0.024	U		<0.0059	U	
		VMP-29-10-012518	1/25/2018	0.0036	J		<0.0078	U		<0.0057	U		<0.011	U		<0.013	U		<0.0061	U		<0.026	U		<0.0064	U	
	18 ft	VMP-29-18-050217	5/2/2017	0.0047	J																						

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	Carbon disulfide			Carbon tetrachloride			Chlorobenzene			Chlorodibromomethane			Chloroethane			Chloroform			Chloromethane			alpha-Chlorotoluene		
				5300			1.5			420			57000						0.92								
				Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals
VMP-30	10 ft	VMP-30-10-050217	5/2/2017	0.0031	J		<0.0077	U		<0.0056	U		<0.01	U		<0.013	U		<0.006	U		<0.025	U		<0.0063	U	
		VMP-30-10-072717	7/27/2017	0.048			<0.019	U		<0.014	U		<0.026	U		<0.032	U		<0.015	U		<0.062	U		<0.016	U	
		VMP-30-10-102717	10/27/2017	<0.014	J	U	<0.0073	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.006	U	
		VMP-30-10-012518	1/25/2018	0.012	J		<0.0068	U		<0.005	U		<0.0092	U		<0.011	U		<0.0053	J	U	<0.022	U		<0.0056	U	
	18 ft	VMP-30-18-050217	5/2/2017	0.0033	J		<0.0076	U		<0.0055	U		<0.01	U		<0.013	U		<0.0058	U		<0.025	U		<0.0062	U	
		VMP-30-18-072717	7/27/2017	0.11	J		<0.06	U		<0.044	U		<0.081	U		<0.1	U		<0.046	U		<0.2	U		<0.049	U	
		VMP-30-18-102717	10/27/2017	0.0052	J		<0.0076	U		<0.0055	U		<0.01	U		<0.013	U		0.00092	J		<0.025	U		<0.0062	U	
		VMP-30-18-012518	1/25/2018	0.013	J		<0.007	U		<0.0051	U		<0.0095	U		<0.012	U		<0.0054	J	U	<0.023	U		<0.0058	U	
		VMP-30-18-012518-DUP	1/25/2018	0.0093	J		<0.007	U		<0.0051	U		<0.0095	U		<0.012	U		0.0019	J		<0.023	U		<0.0058	U	
	26 ft	VMP-30-26-050217	5/2/2017	0.0061	J		<0.0074	U		<0.0054	U		<0.01	U		<0.012	U		<0.0058	U		<0.024	U		<0.0061	U	
		VMP-30-26-072717	7/27/2017	0.045			<0.015	U		<0.011	U		<0.021	U		<0.026	U		<0.012	U		<0.05	U		<0.012	U	
		VMP-30-26-102717	10/27/2017	0.0047	J		<0.0071	U		<0.0052	U		<0.0096	U		<0.012	U		<0.0055	U		<0.023	U		<0.0058	U	
		VMP-30-26-012518	1/25/2018	0.015			<0.0071	U		<0.0052	U		<0.0096	U		<0.012	U		0.0018	J		<0.023	U		<0.0058	U	
VMP-41	10 ft	VMP-41-10-050217	5/2/2017	0.015	J		<0.0076	U		<0.0055	U		<0.01	U		<0.013	U		<0.0059	U		<0.025	U		<0.0062	U	
		VMP-41-10-072717	7/27/2017	<0.014	U		<0.0073	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.006	U	
		VMP-41-10-102717	10/27/2017	<0.014	U		<0.0069	U		<0.005	U		<0.0093	U		<0.012	U		<0.0053	U		<0.023	U		<0.0057	U	
		VMP-41-10-012418	1/24/2018	<0.014	U		<0.007	U		<0.0051	U		<0.0095	U		<0.012	U		<0.0054	U		<0.023	U		<0.0058	U	
	20 ft	VMP-41-20-050217	5/2/2017	0.0014	J		<0.0073	U		<0.0053	U		<0.0099	U		<0.012	U		<0.0057	U		<0.024	U		<0.006	U	
		VMP-41-20-072717	7/27/2017	<0.015	U		<0.0075	U		<0.0055	U		<0.01	U		<0.012	U		<0.0058	U		<0.024	U		<0.0062	U	
		VMP-41-20-102717	10/27/2017	<0.014	U		<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.0059	U	
		VMP-41-20-012418	1/24/2018	<0.014	U		<0.0071	U		<0.0052	U		<0.0096	U		<0.012	U		<0.0055	U		<0.023	U		<0.0058	U	
	26 ft	VMP-41-26-050217	5/2/2017	0.0022	J		<0.0075	U		<0.0055	U		<0.01	U		<0.012	U		<0.0058	U		<0.024	U		<0.0062	U	
		VMP-41-26-072717	7/27/2017	<0.014	U		<0.007	U		<0.0051	U		<0.0095	U		<0.012	U		<0.0054	U		<0.023	U		<0.0058	U	
		VMP-41-26-072717-DUP	7/27/2017	<0.015	U		<0.0078	U		<0.0057	U		<0.01	U		<0.013	U		<0.006	U		<0.026	U		<0.0064	U	
		VMP-41-26-102717	10/27/2017	<0.014	U		<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		<0.0056	U		<0.024	U		<0.0059	U	
		VMP-41-26-102717-DUP	10/27/2017	<0.014	U		<0.007	U		<0.0051	U		<0.0095	U		<0.012	U		<0.0054	U		<0.023	U		<0.0058	U	
		VMP-41-26-012418	1/24/2018	<0.013	U		<0.0067	U		<0.0049	U		<0.0091	U		<0.011	U		<0.0052	U		<0.022	U		<0.0055	U	
VMP-55	5 ft	VMP-55-5-072617	7/26/2017	<0.027	U		<0.014	U		<0.01	U		<0.019	U		<0.023	U		<0.011	U		<0.046	U		<0.011	U	
		VMP-55-5-110217	11/2/2017	<0.014	U		<0.0072	U		<0.0053	U		<0.0098	U		<0.012	U		0.0014	J		<0.024	U		<0.006	U	
		VMP-55-5-013018	1/30/2018	<0.014	U		<0.007	U		<0.0051	U		<0.0094	U		<0.012	U		0.0012	J		<0.023	U		<0.0057	U	
	20 ft	VMP-55-20-050117	5/1/2017	<7.4	U		<3.7	U		<2.7	U		<5.1	U		<6.3	U		2.3	J	J	<4.9	U		<3.1	U	
		VMP-55-20-072617	7/26/2017	<0.77	U		<0.39	U		<0.28	U		<0.53	U		<0.65	U		<0.3	U		<0.51	U		<0.32	U	
		VMP-55-20-110217	11/2/2017	<3.7	U		<1.9	U		<1.4	U		<2.5	U		<3.1	U		<1.4	U		<2.4	U		<1.5	U	
		VMP-55-20-013018	1/30/2018	<1.5	U		<0.77	U		<0.57	U		<1	U		<1.3	U		<0.6	U		<1	U		<0.64	U	

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	Cyclohexane			1,2-Dibromoethane			1,2-Dichlorobenzene			1,3-Dichlorobenzene			1,4-Dichlorobenzene			Dichlorodifluoromethane			1,1-Dichloroethane			1,2-Dichloroethane		
							0.048			1700						6800			1700			4200			0.81		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-10	5 ft	VMP-10-5-042717	4/27/2017	<0.0038	U		<0.0085	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0022	J		<0.0045	U		<0.0045	U	
		VMP-10-5-072717	7/27/2017	<0.004	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0028	J		<0.0046	U		<0.0046	U	
		VMP-10-5-103017	10/30/2017	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0024	J		<0.0045	U		<0.0045	U	
		VMP-10-5-013118	1/31/2018	<0.0038	U		<0.0084	U		<0.0066	U		<0.0066	U		<0.0066	U		0.0031	J		<0.0044	U		<0.0044	U	
	10 ft	VMP-10-10-042717	4/27/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0027	J		<0.0049	U		<0.0049	U	
		VMP-10-10-072717	7/27/2017	<0.0042	U		<0.0093	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0024	J		<0.0049	U		<0.0049	U	
		VMP-10-10-103017	10/30/2017	<0.0038	U		<0.0085	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0021	J		<0.0045	U		<0.0045	U	
		VMP-10-10-013118	1/31/2018	<0.0039	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0034	J		<0.0046	U		<0.0046	U	
	20 ft	VMP-10-20-042717	4/27/2017	<0.0039	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0025	J		<0.0046	U		<0.0046	U	
		VMP-10-20-072717	7/27/2017	<0.0042	U		<0.0094	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0024	J		<0.0049	U		<0.0049	U	
		VMP-10-20-103017	10/30/2017	<0.0037	U		<0.0082	U		<0.0064	U		<0.0064	U		<0.0064	U		0.0025	J		<0.0043	U		<0.0043	U	
		VMP-10-20-013118	1/31/2018	<0.0039	U		<0.0088	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0031	J		<0.0046	U		<0.0046	U	
	30 ft	VMP-10-30-042717	4/27/2017	<0.0036	U		<0.008	U		<0.0063	U		<0.0063	U		<0.0063	U		0.0023	J		<0.0042	U		<0.0042	U	
		VMP-10-30-042717-DUP	4/27/2017	0.0022	J		<0.0081	U		<0.0063	U		<0.0063	U		<0.0063	U		0.0024	J		<0.0043	U		<0.0043	U	
		VMP-10-30-103017	10/30/2017	<0.0037	U		<0.0083	U		<0.0065	U		<0.0065	U		<0.0065	U		0.0018	J		<0.0044	U		<0.0044	U	
		VMP-10-30-103017-DUP	10/30/2017	<0.0036	U		<0.0081	U		<0.0063	U		<0.0063	U		<0.0063	U		0.0023	J		<0.0043	U		<0.0043	U	
		VMP-10-30-013118	1/31/2018	<0.004	U		<0.009	U		<0.007	U		<0.007	U		<0.007	U		0.0031	J		<0.0047	U		<0.0047	U	
		VMP-10-30-013118-DUP	1/31/2018	0.00067	J		<0.0081	U		<0.0063	U		<0.0063	U		<0.0063	U		0.0029	J		<0.0043	U		<0.0043	U	
VMP-11	5 ft	VMP-11-5-052217	5/22/2017	<0.0042	U		<0.0094	U		<0.0074	U		<0.0074	U		<0.0074	U		0.0025	J		<0.005	U		<0.005	U	
		VMP-11-5-072617	7/26/2017	<0.0043	U		<0.0095	U		<0.0074	U		<0.0074	U		<0.0074	U		0.0022	J		<0.005	U		<0.005	U	
		VMP-11-5-110317	11/3/2017	<0.0041	U		<0.0091	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0022	J		<0.0048	U		<0.0048	U	
		VMP-11-5-012918	1/29/2018	<0.0038	U		<0.0085	U		<0.0067	U		<0.0067	U		<0.0067	U		0.003	J		<0.0045	U		<0.0045	U	
	8 ft	VMP-11-8-052217	5/22/2017	<0.004	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0021	J		<0.0046	U		<0.0046	U	
		VMP-11-8-072617	7/26/2017	<0.0042	U		<0.0094	U		<0.0074	U		<0.0074	U		<0.0074	U		0.002	J		<0.005	U		<0.005	U	
		VMP-11-8-110317	11/3/2017	<0.0039	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0027	J		<0.0046	U		<0.0046	U	
		VMP-11-8-012918	1/29/2018	<0.0036	U		<0.0081	U		<0.0063	U		<0.0063	U		<0.0063	U		0.0033	J		<0.0043	U		<0.0043	U	
	29 ft	VMP-11-29-052217	5/22/2017	<0.0041	U		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		0.002	J		<0.0048	U		<0.0048	U	
		VMP-11-29-052217-DUP	5/22/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0019	J		<0.0048	U		<0.0048	U	
		VMP-11-29-072617	7/26/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0019	J		<0.0048	U		<0.0048	U	
		VMP-11-29-110317	11/3/2017	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0027	J		<0.0045	U		<0.0045	U	
	38 ft	VMP-11-29-012918	1/29/2018	<0.0037	U		<0.0082	U		<0.0064	U		<0.0064	U		<0.0064	U		0.0031	J		<0.0043	U		<0.0043	U	
		VMP-11-38-072617	7/26/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0022	J		<0.0048	U		<0.0048	U	
		VMP-11-38-110317	11/3/2017	<0.0042	U		<0.0093	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0023	J		<0.0049	U		<0.0049	U	
		VMP-11-38-110317-DUP	11/3/2017	<0.0038	U		<0.0084	U		<0.0066	U		<0.0066	U		<0.0066	U		0.0023	J		<0.0044	U		<0.0044	U	
	VMP-11-38-012918	1/29/2018	<0.0038	U		<0.0084	U		<0.0066	U		<0.0066	U		<0.0066	U		0.003	J		<0.0044	U		<0.0044	U		
	VMP-12	5 ft	VMP-12-5-050217	5/2/2017	<0.0044	U		<0.01	U		<0.0078	U		<0.0078	U		<0.0078	U		0.0022	J		<0.0052	U		<0.0052	U
VMP-12-5-072817			7/28/2017	<0.0041	U		<0.0091	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0029	J		<0.0048	U		<0.0048	U	
VMP-12-5-110217			11/2/2017	<0.0041	U		<0.0091	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0025	J		<0.0048	U		<0.0048	U	
VMP-12-5-013018			1/30/2018	<0.0038	U		<0.0084	U		<0.0066	U		<0.0066	U		<0.0066	U		0.003	J		<0.0044	U		<0.0044	U	
11.5 ft		VMP-12-11.5-050217	5/2/2017																								

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	Cyclohexane			1,2-Dibromoethane			1,2-Dichlorobenzene			1,3-Dichlorobenzene			1,4-Dichlorobenzene			Dichlorodifluoromethane			1,1-Dichloroethane			1,2-Dichloroethane		
							0.048			1700						6800			1700			4200			0.81		
				Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals
VMP-13	5 ft	VMP-13-5-042817	4/28/2017	0.00072	J		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0025	J		<0.0046	U		<0.0046	U	
		VMP-13-5-072717	7/27/2017	<0.0039	U		<0.0087	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0032	J		<0.0046	U		<0.0046	U	
		VMP-13-5-103017	10/30/2017	<0.0039	U		<0.0086	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0029	J		<0.0046	U		<0.0046	U	
		VMP-13-5-012918	1/29/2018	<0.0035	U		<0.0078	U		<0.0061	U		<0.0061	U		<0.0061	U		0.0031	J		<0.0041	U		<0.0041	U	
	10.5 ft	VMP-13-10.5-042817	4/28/2017	<0.0042	U		<0.0093	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0027	J		<0.0049	U		<0.0049	U	
		VMP-13-10.5-072717	7/27/2017	<0.0039	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0031	J		<0.0046	U		<0.0046	U	
		VMP-13-10.5-103017	10/30/2017	<0.0039	U		<0.0086	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0024	J		<0.0046	U		<0.0046	U	
		VMP-13-10.5-012918	1/29/2018	<0.0038	U		<0.0085	U		<0.0066	U		<0.0066	U		<0.0066	U		0.0029	J		<0.0045	U		<0.0045	U	
	21.5 ft	VMP-13-21.5-042817	4/28/2017	<0.0042	U		<0.0094	U		<0.0074	U		<0.0074	U		<0.0074	U		0.0026	J		<0.005	U		<0.005	U	
		VMP-13-21.5-072717	7/27/2017	<0.004	U		<0.0089	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0024	J		<0.0047	U		<0.0047	U	
		VMP-13-21.5-103017	10/30/2017	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0027	J		<0.0045	U		<0.0045	U	
		VMP-13-21.5-012918	1/29/2018	<0.0037	U		<0.0082	U		<0.0064	U		<0.0064	U		<0.0064	U		0.0031	J		<0.0043	U		<0.0043	U	
	29.5 ft	VMP-13-29.5-042817	4/28/2017	<0.0041	U		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		0.0024	J		<0.0048	U		<0.0048	U	
		VMP-13-29.5-042817-DUP	4/28/2017	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0023	J		<0.0045	U		<0.0045	U	
		VMP-13-29.5-072717	7/27/2017	<0.0045	U		<0.01	U		<0.0078	U		<0.0078	U		<0.0078	U		0.0028	J		<0.0053	U		<0.0053	U	
		VMP-13-29.5-103017	10/30/2017	0.013			<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.003	J		<0.0048	U		<0.0048	U	
		VMP-13-29.5-012918	1/29/2018	0.0017	J		<0.0085	U		<0.0066	U		<0.0066	U		<0.0066	U		0.0042	J		<0.0045	U		<0.0045	U	
		VMP-13-29.5-012918-DUP	1/29/2018	<0.0039	U		<0.0088	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0029	J		<0.0046	U		<0.0046	U	
VMP-14	5 ft	VMP-14-5-050117	5/1/2017	<0.0039	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0023	J		<0.0046	U		<0.0046	U	
		VMP-14-5-071917	7/19/2017	<0.0043	U		<0.0097	U		<0.0076	U		<0.0076	U		<0.0076	U		0.0023	J		<0.0051	U		<0.0051	U	
		VMP-14-5-103017	10/30/2017	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0016	J		<0.0045	U		<0.0045	U	
		VMP-14-5-012518	1/25/2018	<0.0041	U		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		0.0028	J		<0.0048	U		<0.0048	U	
	11.5 ft	VMP-14-11.5-050117	5/1/2017	<0.0038	U		<0.0084	U		<0.0066	U		<0.0066	U		<0.0066	U		0.0021	J		<0.0044	U		<0.0044	U	
		VMP-14-11.5-071917	7/19/2017	<0.0043	U		<0.0097	U		<0.0076	U		<0.0076	U		<0.0076	U		0.0025	J		<0.0051	U		<0.0051	U	
		VMP-14-11.5-103017	10/30/2017	<0.004	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0029	J		<0.0046	U		<0.0046	U	
		VMP-14-11.5-012518	1/25/2018	0.00096	J		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.003	J		<0.0046	U		<0.0046	U	
	20 ft	VMP-14-20-050117	5/1/2017	<0.038	U		<0.084	U		<0.066	U		<0.066	U		<0.066	U		<0.054	U		<0.044	U		<0.044	U	
		VMP-14-20-071917	7/19/2017	<0.044	U		<0.099	U		<0.077	U		<0.077	U		<0.077	U		<0.064	U		<0.052	U		<0.052	U	
		VMP-14-20-103017	10/30/2017	<0.0039	U		<0.0087	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0025	J		<0.0046	U		<0.0046	U	
		VMP-14-20-012518	1/25/2018	<0.0042	U		<0.0093	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0029	J		<0.0049	U		<0.0049	U	
	29 ft	VMP-14-29-050117	5/1/2017	0.0017	J		<0.009	U		<0.007	U		<0.007	U		<0.007	U		0.0023	J		<0.0047	U		<0.0047	U	
		VMP-14-29-103017	10/30/2017	<0.0039	U		<0.0086	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0031	J		<0.0046	U		<0.0046	U	
		VMP-14-29-012518	1/25/2018	0.0013	J		<0.0091	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0028	J		<0.0048	U		<0.0048	U	
VMP-15	5 ft	VMP-15-5-050117	5/1/2017	<0.0038	U		<0.0084	U		<0.0066	U		<0.0066	U		<0.0066	U		0.0032	J		<0.0044	U		<0.0044	U	
		VMP-15-5-072617	7/26/2017	<0.0042	U		<0.0095	U		<0.0074	U		<0.0074	U		<0.0074	U		0.0024	J		<0.005	U		<0.005	U	
		VMP-15-5-110217	11/2/2017	<0.0042	U		<0.0093	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0025	J		<0.0049	U		<0.0049	U	
		VMP-15-5-013018	1/30/2018	<0.004	U		<0.009	U		<0.007	U		<0.007	U		<0.007	U		0.003	J		<0.0047	U		<0.0047	U	
	21.5 ft	VMP-15-21.5-050117	5/1/2017	<0.0079	U		<0.018	U		<0.014	U		<0.014	U		<0.014	U		<0.011	U		<0.0092	U		<0.0092	U	
		VMP-15-21.5-072617	7/26/2017	<0.018	U		<0.04	U		<0.031	U		<0.031	U		<0.031	U		<0.025	U		<0.021	U		<0.021	U	
		VMP-15-21.5-110217	11/2/2017	<0.0042	U		<0.0093	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0022	J		<0.0049	U		<0.0049	U	
		VMP-15-21.5-013018	1/30/2018	0.0012	J		<0.009	U		<0.007	U		<0.007	U		<0.007	U		0.0022	J		<0.0047	U		<0.0047	U	
	25.5 ft	VMP-15-25.5-020117	5/1/2017	2.1			<0.079	U		<0.062	U		<0.062	U		<0.062	U		<0.051	U		<0.041	U		<0.041	U	
		VMP-15-25.5-050117-DUP	5/1/2017	2.4			<0.082	U		<0.064	U		<0.064	U		<0.064	U		<0.053	U		<0.043	U		<0.043	U	
		VMP-15-25.5-072617	7/26/2017	<0.072	U		<0.16	U		<0.12	U		<0.12	U		<0.12	U		<0.1	U		<0.085	U		<0.085	U	
		VMP-15-25.5-110217	11/2/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0023	J		<0.0048	U		<0.0048	U	
	29 ft	VMP-15-25.5-013018	1/30/2018	<0.004	U		<0.0089	U		<0.007	U		<0.007	U		<0.007	U		0.0025	J		<0.0047	U		<0.0047	U	
		VMP-15-29-013018	1/30/2018	<0.004	U		<0.0089	U		<0.007	U		<0.007	U		<0.007	U		0.0028	J		<0.0047	U		<0.0047	U	

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	Cyclohexane			1,2-Dibromoethane			1,2-Dichlorobenzene			1,3-Dichlorobenzene			1,4-Dichlorobenzene			Dichlorodifluoromethane			1,1-Dichloroethane			1,2-Dichloroethane		
							0.048			1700						6800			1700			4200			0.81		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-16	5 ft	VMP-16-5-050217	5/2/2017	<0.004	U		<0.0089	U		<0.007	U		<0.007	U		<0.007	U		0.0022	J		<0.0047	U		<0.0047	U	
		VMP-16-5-072817	7/28/2017	<0.0042	U		<0.0093	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0034	J		<0.0049	U		<0.0049	U	
		VMP-16-5-110217	11/2/2017	<0.0041	U		<0.0091	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0023	J		<0.0048	U		<0.0048	U	
		VMP-16-5-013018	1/30/2018	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.003	J		<0.0045	U		<0.0045	U	
	13.5 ft	VMP-16-13.5-050217	5/2/2017	2			<3.1	U		<2.4	U		<2.4	U		<2.4	U		<2	U		<1.6	U		<1.6	U	
		VMP-16-13.5-072817	7/28/2017	2.8			<1.8	U		<1.4	U		<1.4	U		<1.4	U		<1.2	U		<0.98	U		<0.98	U	
		VMP-16-13.5-110217	11/2/2017	3.9			<3.1	U		<2.4	U		<2.4	U		<2.4	U		<2	U		<1.6	U		<1.6	U	
		VMP-16-13.5-013018	1/30/2018	<0.72	U		<1.6	U		<1.3	U		<1.3	U		<1.3	U		<1	U		<0.85	U		<0.85	U	
		VMP-16-13.5-013018-DUP	1/30/2018	0.95			<1.6	U		<1.3	U		<1.3	U		<1.3	U		<1	U		<0.85	U		<0.85	U	
	19 ft	VMP-16-19-050217	5/2/2017	61			<0.75	U		<0.59	U		<0.59	U		<0.59	U		<0.48	U		<0.39	U		<0.39	U	
		VMP-16-19-072817	7/28/2017	46			<2	U		<1.6	U		<1.6	U		<1.6	U		<1.3	U		<1	U		<1	U	
		VMP-16-19-110217	11/2/2017	50			<3.1	U		<2.4	U		<2.4	U		<2.4	U		<2	U		<1.6	U		<1.6	U	
		VMP-16-19-013018	1/30/2018	39			<4.2	U		<3.3	U		<3.3	U		<3.3	U		<2.7	U		<2.2	U		<2.2	U	
	31 ft	VMP-16-31-050217	5/2/2017	97			<1.2	U		<0.93	U		<0.93	U		<0.93	U		<0.77	U		<0.63	U		<0.63	U	
		VMP-16-31-072817	7/28/2017	64			<2.4	U		<1.9	U		<1.9	U		<1.9	U		<1.6	U		<1.3	U		<1.3	U	
		VMP-16-31-110217	11/2/2017	81			<3	U		<2.3	U		<2.3	U		<2.3	U		<1.9	U		<1.6	U		<1.6	U	
VMP-16-31-013018		1/30/2018	70			<2.8	U		<2.2	U		<2.2	U		<2.2	U		<1.8	U		<1.5	U		<1.5	U		
VMP-17	5 ft	VMP-17-5-050217	5/2/2017	<0.004	U		<0.009	U		<0.007	U		<0.007	U		<0.007	U		0.0019	J		<0.0047	U		<0.0047	U	
		VMP-17-5-071917	7/19/2017	<0.0042	U		<0.0095	U		<0.0074	U		<0.0074	U		<0.0074	U		<0.0061	U		<0.005	U		<0.005	U	
		VMP-17-5-110217	11/2/2017	0.0084			<0.0095	U		<0.0074	U		<0.0074	U		<0.0074	U		0.0026	J		<0.005	U		<0.005	U	
		VMP-17-5-012418	1/24/2018	<0.004	U		<0.0089	U		<0.007	U		<0.007	U		<0.007	U		0.0031	J		<0.0047	U		<0.0047	U	
VMP-25	5 ft	VMP-25-5-050217	5/2/2017	<0.004	U		<0.009	U		<0.007	U		<0.007	U		<0.007	U		0.0021	J		<0.0047	U		<0.0047	U	
		VMP-25-5-080117	8/1/2017	<0.0038	U		<0.0084	U		<0.0066	U		<0.0066	U		<0.0066	U		0.0016	J		<0.0044	U		<0.0044	U	
		VMP-25-5-110217	11/2/2017	<0.0039	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0019	J		<0.0046	U		<0.0046	U	
		VMP-25-5-013018	1/30/2018	0.02			<0.0078	U		<0.0061	U		<0.0061	U		<0.0061	U		0.0024	J		<0.0041	U		<0.0041	U	
	21 ft	VMP-25-21-050217	5/2/2017	0.011			<0.0091	U		<0.0072	U		<0.0072	U		<0.0072	U		<0.0059	U		<0.0048	U		<0.0048	U	
		VMP-25-21-080117	8/1/2017	0.0019	J		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		0.0019	J		<0.0048	U		<0.0048	U	
		VMP-25-21-110217	11/2/2017	<0.0038	U		<0.0084	U		<0.0066	U		<0.0066	U		<0.0066	U		0.0017	J		<0.0044	U		<0.0044	U	
		VMP-25-21-013018	1/30/2018	0.0015	J		<0.0084	U		<0.0066	U		<0.0066	U		<0.0066	U		0.003	J		<0.0044	U		<0.0044	U	
		VMP-25-21-013018-DUP	1/30/2018	0.0012	J		<0.008	U		<0.0062	U		<0.0062	U		<0.0062	U		0.003	J		<0.0042	U		<0.0042	U	
	31 ft	VMP-25-31-050217	5/2/2017	19			<1.8	U		<1.4	U		<1.4	U		<1.4	U		<1.2	U		<0.94	U		<0.94	U	
		VMP-25-31-050217-DUP	5/2/2017	21			<1.8	U		<1.4	U		<1.4	U		<1.4	U		<1.2	U		<0.96	U		<0.96	U	
		VMP-25-31-080117	8/1/2017	86			<15	U		<11	U		<11	U		<11	U		<9.4	U		<7.7	U		<7.7	U	
		VMP-25-31-080117-DUP	8/1/2017	100			<16	U		<13	U		<13	U		<13	U		<11	U		<8.7	U		<8.7	U	
		VMP-25-31-110217	11/2/2017	190			<3.1	U		<2.4	U		<2.4	U		<2.4	U		<2	U		<1.6	U		<1.6	U	
		VMP-25-31-110217-DUP	11/2/2017	200			<2.9	U		<2.3	U		<2.3	U		<2.3	U		<1.9	U		<1.5	U		<1.5	U	
		VMP-25-31-013018	1/30/2018	210			<2.6	U		<2	U		<2	U		<2	U		<1.7	U		<1.4	U		<1.4	U	
VMP-25-31-013018-DUP		1/30/2018	240			<2.7	U		<2.1	U		<2.1	U		<2.1	U		<1.8	U		<1.4	U		<1.4	U		
VMP-29	10 ft	VMP-29-10-050217	5/2/2017	<0.0043	U		<0.0097	U		<0.0076	U		<0.0076	U		<0.0076	U		0.0025	J		<0.0051	U		<0.0051	U	
		VMP-29-10-072717	7/27/2017	<0.0081	U		<0.018	U		<0.014	U		<0.014	U		<0.014	U		0.0032	J		<0.0096	U		<0.0096	U	
		VMP-29-10-102717	10/27/2017	<0.0039	U		<0.0088	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0027	J		<0.0046	U		<0.0046	U	
		VMP-29-10-012518	1/25/2018	<0.0043	U		<0.0096	U		<0.0075	U		<0.0075	U		<0.0075	U		0.0031	J		<0.005	U		<0.005	U	
	18 ft	V																									

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	Cyclohexane			1,2-Dibromoethane			1,2-Dichlorobenzene			1,3-Dichlorobenzene			1,4-Dichlorobenzene			Dichlorodifluoromethane			1,1-Dichloroethane			1,2-Dichloroethane		
							0.048			1700						6800			1700			4200			0.81		
				Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals
VMP-30	10 ft	VMP-30-10-050217	5/2/2017	<0.0042	U		<0.0094	U		<0.0073	U		<0.0073	U		<0.0073	U		0.0024	J		<0.0049	U		<0.0049	U	
		VMP-30-10-072717	7/27/2017	<0.01	U		<0.023	U		<0.018	U		<0.018	U		<0.018	U		<0.015	U		<0.012	U		<0.012	U	
		VMP-30-10-102717	10/27/2017	<0.004	U		<0.0089	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0024	J		<0.0047	U		<0.0047	U	
		VMP-30-10-012518	1/25/2018	0.0012	J		<0.0083	U		<0.0065	U		<0.0065	U		<0.0065	U		0.0029	J		<0.0044	U		<0.0044	U	
	18 ft	VMP-30-18-050217	5/2/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		<0.0059	U		<0.0048	U		<0.0048	U	
		VMP-30-18-072717	7/27/2017	<0.033	U		<0.073	U		<0.057	U		<0.057	U		<0.057	U		<0.047	U		<0.038	U		<0.038	U	
		VMP-30-18-102717	10/27/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0031	J		<0.0049	U		<0.0049	U	
		VMP-30-18-012518	1/25/2018	0.0013	J		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0038	J		<0.0045	U		<0.0045	U	
		VMP-30-18-012518-DUP	1/25/2018	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.003	J		<0.0045	U		<0.0045	U	
	26 ft	VMP-30-26-050217	5/2/2017	<0.0041	U		<0.0091	U		<0.0071	U		<0.0071	U		<0.0071	U		0.0022	J		<0.0048	U		<0.0048	U	
		VMP-30-26-072717	7/27/2017	<0.0083	U		<0.019	U		<0.014	U		<0.014	U		<0.014	U		0.0029	J		<0.0098	U		<0.0098	U	
		VMP-30-26-102717	10/27/2017	<0.0039	U		<0.0086	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0029	J		<0.0046	U		<0.0046	U	
		VMP-30-26-012518	1/25/2018	0.0011	J		<0.0087	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0034	J		<0.0046	U		<0.0046	U	
VMP-41	10 ft	VMP-41-10-050217	5/2/2017	<0.0041	U		<0.0092	U		<0.0072	U		<0.0072	U		<0.0072	U		<0.006	U		<0.0049	U		<0.0049	U	
		VMP-41-10-072717	7/27/2017	<0.004	U		<0.0089	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0028	J		<0.0047	U		<0.0047	U	
		VMP-41-10-102717	10/27/2017	<0.0038	U		<0.0084	U		<0.0066	U		<0.0066	U		<0.0066	U		0.0028	J		<0.0044	U		<0.0044	U	
		VMP-41-10-012418	1/24/2018	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.003	J		<0.0045	U		<0.0045	U	
	20 ft	VMP-41-20-050217	5/2/2017	<0.004	U		<0.0089	U		<0.007	U		<0.007	U		<0.007	U		0.0022	J		<0.0047	U		<0.0047	U	
		VMP-41-20-072717	7/27/2017	<0.0041	U		<0.0091	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0026	J		<0.0048	U		<0.0048	U	
		VMP-41-20-102717	10/27/2017	<0.0039	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0026	J		<0.0046	U		<0.0046	U	
		VMP-41-20-012418	1/24/2018	<0.0039	U		<0.0087	U		<0.0068	U		<0.0068	U		<0.0068	U		0.0032	J		<0.0046	U		<0.0046	U	
	26 ft	VMP-41-26-050217	5/2/2017	<0.0041	U		<0.0091	U		<0.0072	U		<0.0072	U		<0.0072	U		0.0021	J		<0.0048	U		<0.0048	U	
		VMP-41-26-072717	7/27/2017	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.0024	J		<0.0045	U		<0.0045	U	
		VMP-41-26-072717-DUP	7/27/2017	<0.0043	U		<0.0095	U		<0.0074	U		<0.0074	U		<0.0074	U		0.0026	J		<0.005	U		<0.005	U	
		VMP-41-26-102717	10/27/2017	<0.0039	U		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.0025	J		<0.0046	U		<0.0046	U	
		VMP-41-26-102717-DUP	10/27/2017	<0.0038	U		<0.0086	U		<0.0067	U		<0.0067	U		<0.0067	U		0.003	J		<0.0045	U		<0.0045	U	
		VMP-41-26-012418	1/24/2018	0.00074	J		<0.0082	U		<0.0064	U		<0.0064	U		<0.0064	U		0.0036	J		<0.0043	U		<0.0043	U	
VMP-55	5 ft	VMP-55-5-072617	7/26/2017	<0.0076	U		<0.017	U		<0.013	U		<0.013	U		<0.013	U		0.0028	J		<0.0089	U		<0.0089	U	
		VMP-55-5-110217	11/2/2017	0.00076	J		<0.0088	U		<0.0069	U		<0.0069	U		<0.0069	U		0.002	J		<0.0046	U		<0.0046	U	
		VMP-55-5-013018	1/30/2018	0.0011	J		<0.0085	U		<0.0066	U		<0.0066	U		<0.0066	U		0.0023	J		<0.0045	U		<0.0045	U	
	20 ft	VMP-55-20-050117	5/1/2017	300			<4.6	U		<3.6	U		<3.6	U		<3.6	U		<2.9	U		<2.4	U		<2.4	U	
		VMP-55-20-072617	7/26/2017	68		J	<0.48	U		<0.37	U		<0.37	U		<0.37	U		<0.31	U		<0.25	U		<0.25	U	
		VMP-55-20-110217	11/2/2017	200			<2.3	U		<1.8	U		<1.8	U		<1.8	U		<1.5	U		<1.2	U		<1.2	U	
		VMP-55-20-013018	1/30/2018	170		J	<0.94	U		<0.74	U		<0.74	U		<0.74	U		<0.61	U		<0.5	U		<0.5	U	

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	1,1-Dichloroethene			cis-1,2-Dichloroethene			trans-1,2-Dichloroethene			Dichloromethane (Methylene chloride)			1,2-Dichloropropane			cis-1,3-Dichloropropene			trans-1,3-Dichloropropene			1,4-Dioxane		
				1600			1100000			510			45			2.3									2.3		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-10	5 ft	VMP-10-5-042717	4/27/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
		VMP-10-5-072717	7/27/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U	
		VMP-10-5-103017	10/30/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
		VMP-10-5-013118	1/31/2018	<0.0044	U		<0.0044	U		<0.0044	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
	10 ft	VMP-10-10-042717	4/27/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.017	U	
		VMP-10-10-072717	7/27/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.018	U	
		VMP-10-10-103017	10/30/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
		VMP-10-10-013118	1/31/2018	<0.0045	U		<0.0045	U		<0.0045	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U	
	20 ft	VMP-10-20-042717	4/27/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U	
		VMP-10-20-072717	7/27/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.018	U	
		VMP-10-20-103017	10/30/2017	<0.0042	U		<0.0042	U		<0.0042	U		<0.037	U		<0.0049	U		<0.0048	U		<0.0048	U		<0.015	U	
		VMP-10-20-013118	1/31/2018	<0.0045	U		<0.0045	U		<0.0045	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U	
	30 ft	VMP-10-30-042717	4/27/2017	<0.0041	U		<0.0041	U		<0.0041	U		<0.036	U		<0.0048	U		<0.0047	U		<0.0047	U		<0.015	U	
		VMP-10-30-042717-DUP	4/27/2017	<0.0042	U		<0.0042	U		<0.0042	U		<0.037	U		<0.0049	U		<0.0048	U		<0.0048	U		<0.015	U	
		VMP-10-30-103017	10/30/2017	<0.0043	U		<0.0043	U		<0.0043	U		<0.037	U		<0.005	U		<0.0049	U		<0.0049	U		<0.015	U	
		VMP-10-30-103017-DUP	10/30/2017	<0.0042	U		<0.0042	U		<0.0042	U		<0.037	U		<0.0049	U		<0.0048	U		<0.0048	U		<0.015	U	
		VMP-10-30-013118	1/31/2018	<0.0046	U		<0.0046	U		<0.0046	U		<0.041	U		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U	
		VMP-10-30-013118-DUP	1/31/2018	<0.0042	U		<0.0042	U		<0.0042	U		<0.037	U		<0.0049	U		<0.0048	U		<0.0048	U		<0.015	U	
VMP-11	5 ft	VMP-11-5-052217	5/22/2017	<0.0049	U		<0.0049	U		<0.0049	U		<0.043	U		<0.0057	U		<0.0056	U		<0.0056	U		<0.018	U	
		VMP-11-5-072617	7/26/2017	<0.0049	U		<0.0049	U		<0.0049	U		<0.043	U		<0.0057	U		<0.0056	U		<0.0056	U		<0.018	U	
		VMP-11-5-110317	11/3/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-11-5-012918	1/29/2018	<0.0044	U		<0.0044	U		<0.0044	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
	8 ft	VMP-11-8-052217	5/22/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U	
		VMP-11-8-072617	7/26/2017	<0.0048	U		<0.0048	U		<0.0048	U		0.0016	J		<0.0057	U		<0.0056	U		<0.0056	U		<0.018	U	
		VMP-11-8-110317	11/3/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U	
		VMP-11-8-012918	1/29/2018	<0.0042	U		<0.0042	U		<0.0042	U		<0.037	U		<0.0049	U		<0.0048	U		<0.0048	U		<0.015	U	
	29 ft	VMP-11-29-052217	5/22/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-11-29-052217-DUP	5/22/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.042	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-11-29-072617	7/26/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-11-29-110317	11/3/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
	38 ft	VMP-11-29-012918	1/29/2018	<0.0042	U		<0.0042	U		<0.0042	U		<0.037	U		<0.0049	U		<0.0048	U		<0.0048	U		<0.015	U	
		VMP-11-38-072617	7/26/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-11-38-110317	11/3/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.017	U	
		VMP-11-38-110317-DUP	11/3/2017	<0.0044	U		<0.0044	U		<0.0044	U		0.0055	J		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
VMP-11-38-012918	1/29/2018	<0.0043	U		<0.0043	U		<0.0043	U		<0.038	U		<0.005	U		<0.0049	U		<0.0049	U		<0.016	U			
VMP-12	5 ft	VMP-12-5-050217	5/2/2017	<0.0051	U		<0.0051	U		<0.0051	U		<0.045	U		<0.006	U		<0.0059	U		<0.0059	U		<0.019	U	
		VMP-12-5-072817	7/28/2017	<0.0047	U		<0.0047	U		<0.0047	U		0.0029	J		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-12-5-110217	11/2/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-12-5-013018	1/30/2018	<0.0044	U		<0.0044	U		<0.0044	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U</	

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	1,1-Dichloroethene			cis-1,2-Dichloroethene			trans-1,2-Dichloroethene			Dichloromethane (Methylene chloride)			1,2-Dichloropropane			cis-1,3-Dichloropropene			trans-1,3-Dichloropropene			1,4-Dioxane		
				1600			1100000			510			45			2.3									2.3		
				Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals
VMP-13	5 ft	VMP-13-5-042817	4/28/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U	
		VMP-13-5-072717	7/27/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
		VMP-13-5-103017	10/30/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
		VMP-13-5-012918	1/29/2018	<0.004	U		<0.004	U		<0.004	U		<0.035	U		<0.0047	U		<0.0046	U		<0.0046	U		<0.015	U	
	10.5 ft	VMP-13-10.5-042817	4/28/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.017	U	
		VMP-13-10.5-072717	7/27/2017	<0.0045	U		<0.0045	U		<0.0045	U		0.0045	J		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U	
		VMP-13-10.5-103017	10/30/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
		VMP-13-10.5-012918	1/29/2018	<0.0044	U		<0.0044	U		<0.0044	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
	21.5 ft	VMP-13-21.5-042817	4/28/2017	<0.0049	U		<0.0049	U		<0.0049	U		<0.043	U		<0.0057	U		<0.0056	U		<0.0056	U		<0.018	U	
		VMP-13-21.5-072717	7/27/2017	<0.0046	U		<0.0046	U		<0.0046	U		0.0062	J		<0.0053	U		<0.0052	U		<0.0052	U		<0.017	U	
		VMP-13-21.5-103017	10/30/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
		VMP-13-21.5-012918	1/29/2018	<0.0042	U		<0.0042	U		<0.0042	U		<0.037	U		<0.0049	U		<0.0048	U		<0.0048	U		<0.015	U	
	29.5 ft	VMP-13-29.5-042817	4/28/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0054	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-13-29.5-042817-DUP	4/28/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
		VMP-13-29.5-072717	7/27/2017	<0.0052	U		<0.0052	U		<0.0052	U		<0.045	U		<0.006	U		<0.0059	U		<0.0059	U		<0.019	U	
		VMP-13-29.5-103017	10/30/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.042	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-13-29.5-012918	1/29/2018	<0.0044	U		<0.0044	U		<0.0044	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
		VMP-13-29.5-012918-DUP	1/29/2018	<0.0045	U		<0.0045	U		<0.0045	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U	
VMP-14	5 ft	VMP-14-5-050117	5/1/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U	
		VMP-14-5-071917	7/19/2017	<0.005	U		<0.005	U		<0.005	U		<0.044	U		<0.0058	U		<0.0057	U		<0.0057	U		<0.018	U	
		VMP-14-5-103017	10/30/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
		VMP-14-5-012518	1/25/2018	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
	11.5 ft	VMP-14-11.5-050117	5/1/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
		VMP-14-11.5-071917	7/19/2017	<0.005	U		<0.005	U		<0.005	U		<0.044	U		<0.0058	U		<0.0057	U		<0.0057	U		<0.018	U	
		VMP-14-11.5-103017	10/30/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U	
		VMP-14-11.5-012518	1/25/2018	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		0.0016	J		<0.0052	U		<0.0052	U		<0.016	U	
	20 ft	VMP-14-20-050117	5/1/2017	<0.044	U		<0.044	U		<0.044	U		<0.15	U		<0.051	U		<0.05	U		<0.05	U		<0.16	U	
		VMP-14-20-071917	7/19/2017	<0.051	U		<0.051	U		<0.051	U		<0.18	U		<0.059	U		<0.058	U		<0.058	U		<0.18	ND,UJ	UJ
		VMP-14-20-103017	10/30/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
		VMP-14-20-012518	1/25/2018	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.018	U	
	29 ft	VMP-14-29-050117	5/1/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U	
		VMP-14-29-103017	10/30/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
		VMP-14-29-012518	1/25/2018	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
VMP-15	5 ft	VMP-15-5-050117	5/1/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
		VMP-15-5-072617	7/26/2017	<0.0049	U		<0.0049	U		<0.0049	U		<0.043	U		<0.0057	U		<0.0056	U		<0.0056	U		<0.018	U	
		VMP-15-5-110217	11/2/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.017	U	
		VMP-15-5-013018	1/30/2018	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U	
	21.5 ft	VMP-15-21.5-050117	5/1/2017	<0.0091	U		<0.009	U		<0.009	U		<0.079	U		<0.01	U		<0.01	U		<0.01	U		<0.033	U	
		VMP-15-21.5-072617	7/26/2017	<0.02	U		<0.02	U		<0.02	U		<0.18	U		<0.024	U		<0.023	U		<0.023	U		<0.074	U	
		VMP-15-21.5-110217	11/2/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.017	U	
		VMP-15-21.5-013018	1/30/2018	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U	
	25.5 ft	VMP-15-25.5-020117	5/1/2017	<0.041	U		<0.041	U		<0.041	U		<0.14	U		<0.047	U		<0.046	U		<0.046	U		<0.15	U	
		VMP-15-25.5-050117-DUP	5/1/2017	<0.042	U		<0.042	U		<0.042	U		<0.15	U		<0.049	U		<0.048	U		<0.048	U		<0.15	U	
		VMP-15-25.5-072617	7/26/2017	<0.083	U		<0.083	U		<0.083	U		<0.73	U		<0.097	U		<0.095	U		<0.095	U		<0.3	U	
		VMP-15-25.5-110217	11/2/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-15-25.5-013018	1/30/2018	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U	
	29 ft	VMP-15-29-013018	1/30/2018	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U	

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	1,1-Dichloroethene			cis-1,2-Dichloroethene			trans-1,2-Dichloroethene			Dichloromethane (Methylene chloride)			1,2-Dichloropropane			cis-1,3-Dichloropropene			trans-1,3-Dichloropropene			1,4-Dioxane				
				1600			1100000			510			45			2.3									2.3				
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals		
VMP-16	5 ft	VMP-16-5-050217	5/2/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U			
		VMP-16-5-072817	7/28/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.017	U			
		VMP-16-5-110217	11/2/2017	<0.0047	U		<0.0047	U		<0.0047	U		0.0029	J		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U			
		VMP-16-5-013018	1/30/2018	<0.0044	U		<0.0044	U		<0.0044	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U			
	13.5 ft	VMP-16-13.5-050217	5/2/2017	<1.6	U		<1.6	U		<1.6	U		<5.7	U		<1.9	U		<1.8	U		<1.8	U		<5.9	U			
		VMP-16-13.5-072817	7/28/2017	<0.96	U		<0.96	U		<0.96	U		<3.4	U		<1.1	U		<1.1	U		<1.1	U		<3.5	U			
		VMP-16-13.5-110217	11/2/2017	<1.6	U		<1.6	U		<1.6	U		<5.6	U		<1.9	U		<1.8	U		<1.8	U		<5.8	U			
		VMP-16-13.5-013018	1/30/2018	<0.83	U		<0.83	U		<0.83	U		<2.9	U		<0.97	U		<0.95	U		<0.95	U		<3	U			
	19 ft	VMP-16-13.5-013018-DUP	1/30/2018	<0.83	U		<0.83	U		<0.83	U		<2.9	U		<0.97	U		<0.95	U		<0.95	U		<3	U			
		VMP-16-19-050217	5/2/2017	<0.39	U		<0.39	U		<0.39	U		<1.4	U		<0.45	U		<0.44	U		<0.44	U		<1.4	U			
		VMP-16-19-072817	7/28/2017	<1	U		<1	U		<1	U		<3.6	U		<1.2	U		<1.2	U		<1.2	U		<3.7	U			
		VMP-16-19-110217	11/2/2017	<1.6	U		<1.6	U		<1.6	U		<5.6	U		<1.9	U		<1.8	U		<1.8	U		<5.8	U			
	31 ft	VMP-16-19-013018	1/30/2018	<2.2	U		<2.2	U		<2.2	U		<7.6	U		<2.5	U		<2.5	U		<2.5	U		<7.8	U			
		VMP-16-31-050217	5/2/2017	<0.61	U		<0.61	U		<0.61	U		<2.2	U		<0.72	U		<0.7	U		<0.7	U		<2.2	U			
		VMP-16-31-072817	7/28/2017	<1.2	U		<1.2	U		<1.2	U		<4.4	U		<1.4	U		<1.4	U		<1.4	U		<4.5	U			
		VMP-16-31-110217	11/2/2017	<1.5	U		<1.5	U		<1.5	U		<5.4	U		<1.8	U		<1.8	U		<1.8	U		<5.6	U			
VMP-16-31-013018	1/30/2018	<1.4	U		<1.4	U		<1.4	U		<5	U		<1.7	U		<1.6	U		<1.6	U		<5.2	U					
	VMP-17	5 ft	VMP-17-5-050217	5/2/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.041	U		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U		
			VMP-17-5-071917	7/19/2017	<0.0049	U		<0.0049	U		<0.0049	U		<0.043	U		<0.0057	U		<0.0056	U		<0.0056	U		<0.018	U		
			VMP-17-5-110217	11/2/2017	<0.0049	U		<0.0049	U		<0.0049	U		0.0042	J		<0.0057	U		<0.0056	U		<0.0056	U		<0.018	U		
VMP-17-5-012418			1/24/2018	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U			
VMP-25	5 ft	VMP-25-5-050217	5/2/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U			
		VMP-25-5-080117	8/1/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U			
		VMP-25-5-110217	11/2/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U			
		VMP-25-5-013018	1/30/2018	<0.004	U		<0.004	U		<0.004	U		<0.035	U		<0.0047	U		<0.0046	U		<0.0046	U		<0.015	U			
	21 ft	VMP-25-21-050217	5/2/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U			
		VMP-25-21-080117	8/1/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0054	U		<0.0054	U		<0.0054	U		<0.017	U			
		VMP-25-21-110217	11/2/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U			
		VMP-25-21-013018	1/30/2018	<0.0043	U		<0.0043	U		<0.0043	U		<0.038	U		<0.005	U		<0.0049	U		<0.0049	U		<0.016	U			
	VMP-25-21-013018-DUP	1/30/2018	<0.0041	U		<0.0041	U		<0.0041	U		<0.036	U		<0.0048	U		<0.0047	U		<0.0047	U		<0.0047	U		<0.015	U	
		31 ft	VMP-25-31-050217	5/2/2017	<0.92	U		<0.92	U		<0.92	U		<3.2	U		<1.1	U		<1	U		<1	U		<3.4	U		
			VMP-25-31-050217-DUP	5/2/2017	<0.94	U		<0.94	U		<0.94	U		<3.3	U		<1.1	U		<1.1	U		<1.1	U		<3.4	U		
			VMP-25-31-080117	8/1/2017	<7.5	U		<7.5	U		<7.5	U		<66	U		<8.8	U		<8.6	U		<8.6	U		<27	U		
	VMP-25-31-080117-DUP		8/1/2017	<8.5	U		<8.5	U		<8.5	U		<75	U		<9.9	U		<9.8	U		<9.8	U		<31	U			
	VMP-25-31-110217	11/2/2017	<1.6	U		<1.6	U		<1.6	U		<5.6	U		<1.9	U		<1.8	U		<1.8	U		<5.8	U				
		VMP-25-31-110217-DUP	11/2/2017	<1.5	U		<1.5	U		<1.5	U		<5.3	U		<1.8	U		<1.7	U		<1.7	U		<5.5	U			
		VMP-25-31-013018	1/30/2018	<1.3	U		<1.3	U		<1.3	U		<4.7	U		<1.6	U		<1.5	U		<1.5	U		<4.9	U			
VMP-25-31-013018-DUP		1/30/2018	<1.4	U		<1.4	U		<1.4	U		<4.9	U		<1.6	U		<1.6	U		<1.6	U		<5.1	U				
VMP-29	10 ft	VMP-29-10-050217	5/2/2017	<0.005	U		<0.005	U		<0.005	U		<0.044	U		<0.0058	U		<0.0057	U		<0.0057	U		<0.018	U			
		VMP-29-10-072717	7/27/2017	<0.0094	U		<0.0094	U		<0.0094	U		<0.082	U		<0.011	U		<0.011	U		<0.011	U		<0.034	U			
		VMP-29-10-102717	10/27/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U			
		VMP-29-10-012518	1/25/2018	<0.0049	U		<0.0049																						

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	1,1-Dichloroethene			cis-1,2-Dichloroethene			trans-1,2-Dichloroethene			Dichloromethane (Methylene chloride)			1,2-Dichloropropane			cis-1,3-Dichloropropene			trans-1,3-Dichloropropene			1,4-Dioxane		
				1600			1100000			510			45			2.3									2.3		
				Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals
VMP-30	10 ft	VMP-30-10-050217	5/2/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.018	U	
		VMP-30-10-072717	7/27/2017	<0.012	U		<0.012	U		<0.012	U		<0.1	U		<0.014	U		<0.014	U		<0.014	U		<0.044	U	
		VMP-30-10-102717	10/27/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.017	U	
		VMP-30-10-012518	1/25/2018	<0.0043	U		<0.0043	U		<0.0043	U		<0.038	U		0.0014	J		<0.0049	U		<0.0049	U		<0.016	U	
	18 ft	VMP-30-18-050217	5/2/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-30-18-072717	7/27/2017	<0.038	U		<0.038	U		<0.038	U		<0.33	U		<0.044	U		<0.043	U		<0.043	U		<0.14	U	
		VMP-30-18-102717	10/27/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.017	U	
		VMP-30-18-012518	1/25/2018	<0.0044	U		<0.0044	U		<0.0044	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
		VMP-30-18-012518-DUP	1/25/2018	<0.0044	U		<0.0044	U		<0.0044	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
	26 ft	VMP-30-26-050217	5/2/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0054	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-30-26-072717	7/27/2017	<0.0096	U		<0.0096	U		<0.0096	U		<0.084	U		<0.011	U		<0.011	U		<0.011	U		<0.035	U	
		VMP-30-26-102717	10/27/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
		VMP-30-26-012518	1/25/2018	<0.0045	U		<0.0045	U		<0.0045	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
VMP-41	10 ft	VMP-41-10-050217	5/2/2017	<0.0048	U		<0.0048	U		<0.0048	U		<0.042	U		<0.0056	U		<0.0055	U		<0.0055	U		<0.017	U	
		VMP-41-10-072717	7/27/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.017	U	
		VMP-41-10-102717	10/27/2017	<0.0043	U		<0.0043	U		<0.0043	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
		VMP-41-10-012418	1/24/2018	<0.0044	U		<0.0044	U		<0.0044	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
	20 ft	VMP-41-20-050217	5/2/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0054	U		<0.0053	U		<0.0053	U		<0.017	U	
		VMP-41-20-072717	7/27/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-41-20-102717	10/27/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U	
		VMP-41-20-012418	1/24/2018	<0.0045	U		<0.0045	U		<0.0045	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
	26 ft	VMP-41-26-050217	5/2/2017	<0.0047	U		<0.0047	U		<0.0047	U		<0.041	U		<0.0055	U		<0.0054	U		<0.0054	U		<0.017	U	
		VMP-41-26-072717	7/27/2017	<0.0044	U		<0.0044	U		<0.0044	U		<0.039	U		<0.0052	U		<0.0051	U		<0.0051	U		<0.016	U	
		VMP-41-26-072717-DUP	7/27/2017	<0.0049	U		<0.0049	U		<0.0049	U		<0.043	U		<0.0057	U		<0.0056	U		<0.0056	U		<0.018	U	
		VMP-41-26-102717	10/27/2017	<0.0045	U		<0.0045	U		<0.0045	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U	
VMP-55	5 ft	VMP-55-5-072617	7/26/2017	<0.0087	U		<0.0087	U		<0.0087	U		0.0079	J		<0.01	U		<0.01	U		<0.01	U		<0.032	U	
		VMP-55-5-110217	11/2/2017	<0.0046	U		<0.0046	U		<0.0046	U		<0.04	U		<0.0053	U		<0.0052	U		<0.0052	U		<0.016	U	
		VMP-55-5-013018	1/30/2018	<0.0044	U		<0.0044	U		<0.0044	U		<0.038	U		<0.0051	U		<0.005	U		<0.005	U		<0.016	U	
	20 ft	VMP-55-20-050117	5/1/2017	<2.4	U		<2.4	U		<2.4	U		<8.3	U		<2.7	U		<2.7	U		<2.7	U		<8.6	U	
		VMP-55-20-072617	7/26/2017	<0.24	U		<0.24	U		<0.24	U		<0.86	U		<0.29	U		<0.28	U		<0.28	U		<0.89	U	UJ
		VMP-55-20-110217	11/2/2017	<1.2	U		<1.2	U		<1.2	U		<4.1	U		1.2	J		<1.4	U		<1.4	U		<4.3	U	
		VMP-55-20-013018	1/30/2018	<0.49	U		<0.49	U		<0.49	U		<1.7	U		<0.57	U		<0.56	U		<0.56	U		<1.8	U	

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	Ethanol			Ethylbenzene			4-Ethyltoluene			Freon 113			Freon 114			Heptane			Hexachlorobutadiene			Hexane		
							9.3																				
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-10	5 ft	VMP-10-5-042717	4/27/2017	<0.0084	U		<0.0048	U		<0.0054	U		<0.0085	U		<0.0078	U		<0.0045	U		<0.047	U		<0.0039	U	
		VMP-10-5-072717	7/27/2017	<0.0087	U		<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U	
		VMP-10-5-103017	10/30/2017	<0.0087		U	0.0013	J		<0.0055	U		<0.0086	U		<0.0078	U		<0.0046	U		<0.048	U		<0.0039	U	
		VMP-10-5-013118	1/31/2018	0.0089			<0.0048	U		<0.0054	U		<0.0084	U		<0.0077	U		<0.0045	U		<0.047	U		<0.0039	U	
	10 ft	VMP-10-10-042717	4/27/2017	0.0045	J		<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		<0.0042	U	
		VMP-10-10-072717	7/27/2017	<0.0092	U		<0.0053	U		<0.006	U		<0.0093	U		<0.0085	U		<0.005	U		<0.052	U		<0.0043	U	
		VMP-10-10-103017	10/30/2017	<0.0084		U	<0.0048	U		<0.0054	U		<0.0085	U		<0.0078	U		0.0031	J		<0.047	U		0.0038	J	
		VMP-10-10-013118	1/31/2018	0.0035	J		<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U	
	20 ft	VMP-10-20-042717	4/27/2017	<0.0086	U		<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U	
		VMP-10-20-072717	7/27/2017	<0.0092	U		<0.0053	U		<0.006	U		<0.0094	U		<0.0085	U		<0.005	U		<0.052	U		<0.0043	U	
		VMP-10-20-103017	10/30/2017	<0.008	U		<0.0046	U		<0.0052	U		<0.0082	U		<0.0074	U		<0.0044	U		<0.045	U		<0.0038	U	
		VMP-10-20-013118	1/31/2018	0.0097			<0.0049	U		<0.0056	U		<0.0087	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U	
	30 ft	VMP-10-30-042717	4/27/2017	0.0032	J		<0.0045	U		<0.0051	U		<0.008	U		<0.0073	U		<0.0043	U		<0.044	U		<0.0037	U	
		VMP-10-30-042717-DUP	4/27/2017	<0.008	U		<0.0046	U		<0.0052	U		<0.0081	U		<0.0074	U		<0.0043	U		<0.045	U		<0.0037	U	
		VMP-10-30-103017	10/30/2017	0.017			<0.0047	U		0.0013	J		<0.0082	U		<0.0075	U		<0.0044	U		<0.046	U		<0.0038	U	
		VMP-10-30-103017-DUP	10/30/2017	<0.011		U	<0.0046	U		<0.0052	U		<0.0081	U		<0.0074	U		0.0065			<0.045	U		0.007		
		VMP-10-30-013118	1/31/2018	0.022			<0.0051	U		<0.0058	U		<0.009	U		<0.0082	U		0.0025	J		<0.05	U		0.0048		
		VMP-10-30-013118-DUP	1/31/2018	0.02			<0.0046	U		<0.0052	U		<0.0081	U		<0.0074	U		0.0022	J		<0.045	U		0.0047		
VMP-11	5 ft	VMP-11-5-052217	5/22/2017	0.011			<0.0053	U		<0.006	U		<0.0094	U		<0.0086	U		<0.005	U		<0.052	U		<0.0043	U	
		VMP-11-5-072617	7/26/2017	0.006	J		<0.0054	U		<0.0061	U		<0.0095	U		<0.0087	U		<0.0051	U		<0.053	U		<0.0044	U	
		VMP-11-5-110317	11/3/2017	0.025			<0.0052	U		<0.0058	U		<0.0091	U		<0.0083	U		<0.0049	U		<0.051	U		<0.0042	U	
		VMP-11-5-012918	1/29/2018	0.02			<0.0048	U		<0.0054	U		<0.0085	U		<0.0078	U		<0.0045	U		<0.047	U		<0.0039	U	
	8 ft	VMP-11-8-052217	5/22/2017	0.087			<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		0.0012	J	
		VMP-11-8-072617	7/26/2017	0.0046	J		<0.0053	U		<0.006	U		<0.0094	U		<0.0086	U		<0.005	U		<0.052	U		0.0005	J	
		VMP-11-8-110317	11/3/2017	0.055			<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U	
		VMP-11-8-012918	1/29/2018	0.012			<0.0046	U		<0.0052	U		<0.0081	U		<0.0074	U		<0.0043	U		<0.045	U		<0.0037	U	
	29 ft	VMP-11-29-052217	5/22/2017	0.029			<0.0051	U		<0.0058	U		<0.0091	U		<0.0083	U		<0.0048	U		<0.05	U		<0.0042	U	
		VMP-11-29-052217-DUP	5/22/2017	0.011			<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		<0.0042	U	
		VMP-11-29-072617	7/26/2017	0.0045	J		<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		<0.0042	U	
		VMP-11-29-110317	11/3/2017	<0.0084	U		<0.0049	U		<0.0055	U		<0.0086	U		<0.0078	U		<0.0046	U		<0.048	U		<0.0039	U	
	38 ft	VMP-11-29-012918	1/29/2018	0.004	J		<0.0046	U		<0.0053	U		<0.0082	U		<0.0075	U		<0.0044	U		<0.046	U		<0.0038	U	
		VMP-11-38-072617	7/26/2017	0.007	J		<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		0.0011	J	
		VMP-11-38-110317	11/3/2017	0.0041	J		<0.0052	U		<0.0059	U		<0.0093	U		<0.0084	U		<0.005	U		<0.052	U		0.0024	J	
		VMP-11-38-110317-DUP	11/3/2017	0.017			<0.0048	U		<0.0054	U		<0.0084	U		<0.0077	U		<0.0045	U		<0.047	U		0.0024	J	
		VMP-11-38-012918	1/29/2018	0.023			<0.0047	U		<0.0054	U		<0.0084	U		<0.0076	U		0.0022	J		<0.046	U		<0.0038	U	
	VMP-12	5 ft	VMP-12-5-050217	5/2/2017	0.0083	J		<0.0056	U		<0.0064	U		<0.0099	U		<0.009	U		<0.0053	U		<0.055	U		<0.0046	U
VMP-12-5-072817			7/28/2017	0.0094			0.011			0.0033	J		<0.0091	U		<0.0083	U		<0.0049	U		<0.051	U		0.0015	J	
VMP-12-5-110217			11/2/2017	0.011			0.02			0.007		J	<0.0091	U		<0.0083	U		<0.0049	U		<0.051	U		<0.0042	U	
VMP-12-5-013018			1/30/2018	<0.0083	U		0.0018	J		0.0062			<0.0084	U		<0.0077	U		<0.0045	U		<0.047	U		<0.0039	U	
11.5 ft		VMP-12-11.5-050217	5/2/2017	0.024			<0.0053	U		<0.006	U		<0.0094	U		<0.0086	U		<0.005	U		<0.052	U		<0.0043	U	
		VMP-1																									

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	Ethanol			Ethylbenzene			4-Ethyltoluene			Freon 113			Freon 114			Heptane			Hexachlorobutadiene			Hexane		
							9.3																				
				Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals
VMP-13	5 ft	VMP-13-5-042817	4/28/2017	0.0037	J		<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U	
		VMP-13-5-072717	7/27/2017	0.018			<0.0049	U		<0.0056	U		<0.0087	U		<0.0079	U		<0.0046	U		<0.048	U		<0.004	U	
		VMP-13-5-103017	10/30/2017	0.014			<0.0049	U		<0.0055	U		<0.0086	U		<0.0079	U		<0.0046	U		<0.048	U		<0.004	U	
		VMP-13-5-012918	1/29/2018	0.016			<0.0044	U		<0.005	U		<0.0078	U		<0.0071	U		<0.0042	U		<0.043	U		<0.0036	U	
	10.5 ft	VMP-13-10.5-042817	4/28/2017	0.0038	J		<0.0052	U		<0.0059	U		<0.0093	U		<0.0084	U		<0.005	U		<0.052	U		<0.0043	U	
		VMP-13-10.5-072717	7/27/2017	0.023			<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U	
		VMP-13-10.5-103017	10/30/2017	0.015			<0.0049	U		<0.0055	U		<0.0086	U		<0.0079	U		<0.0046	U		<0.048	U		<0.004	U	
		VMP-13-10.5-012918	1/29/2018	0.028			<0.0048	U		<0.0054	U		<0.0085	U		<0.0077	U		<0.0045	U		<0.047	U		<0.0039	U	
	21.5 ft	VMP-13-21.5-042817	4/28/2017	0.0051	J		<0.0053	U		<0.006	U		<0.0094	U		<0.0086	U		0.0014	J		<0.052	U		<0.0043	U	
		VMP-13-21.5-072717	7/27/2017	0.0064	J		<0.005	U		<0.0057	U		<0.0088	U		<0.0081	U		<0.0047	U		<0.049	U		0.0018	J	
		VMP-13-21.5-103017	10/30/2017	0.0068	J		<0.0048	U		<0.0055	U		<0.0085	U		<0.0078	U		<0.0046	U		<0.048	U		<0.0039	U	
		VMP-13-21.5-012918	1/29/2018	0.015			<0.0046	U		<0.0053	U		<0.0082	U		<0.0075	U		<0.0044	U		<0.046	U		<0.0038	U	
	29.5 ft	VMP-13-29.5-042817	4/28/2017	0.0084	J		<0.0051	U		<0.0058	U		<0.009	U		<0.0082	U		<0.0048	U		<0.05	U		0.0015	J	
		VMP-13-29.5-042817-DUP	4/28/2017	0.0092			<0.0048	U		<0.0055	U		<0.0085	U		<0.0078	U		<0.0046	U		<0.048	U		<0.0039	U	
		VMP-13-29.5-072717	7/27/2017	0.014			<0.0056	U		<0.0064	U		<0.01	U		<0.0091	U		<0.0053	U		<0.055	U		<0.0046	U	
		VMP-13-29.5-103017	10/30/2017	<0.009	U		0.0029	J		0.0016	J		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		<0.0042	U	
		VMP-13-29.5-012918	1/29/2018	0.011			<0.0048	U		<0.0054	U		<0.0085	U		<0.0077	U		0.0018	J		<0.047	U		<0.0039	U	
		VMP-13-29.5-012918-DUP	1/29/2018	0.0062	J		<0.0049	U		<0.0056	U		<0.0087	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U	
VMP-14	5 ft	VMP-14-5-050117	5/1/2017	0.026			<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U	
		VMP-14-5-071917	7/19/2017	0.013			<0.0055	U		<0.0062	U		<0.0096	U		<0.0088	U		<0.0052	U		<0.054	U		<0.0044	U	
		VMP-14-5-103017	10/30/2017	<0.0084	U		<0.0049	U		<0.0055	U		<0.0086	U		<0.0078	U		<0.0046	U		<0.048	U		<0.0039	U	
		VMP-14-5-012518	1/25/2018	0.0031	J		<0.0051	U		<0.0058	U		<0.0091	U		<0.0083	U		<0.0048	U		<0.05	U		<0.0042	U	
	11.5 ft	VMP-14-11.5-050117	5/1/2017	0.045			<0.0048	U		<0.0054	U		<0.0084	U		<0.0077	U		<0.0045	U		<0.047	U		<0.0039	U	
		VMP-14-11.5-071917	7/19/2017	0.023			<0.0055	U		<0.0062	U		<0.0096	U		<0.0088	U		<0.0052	U		<0.054	U		<0.0044	U	
		VMP-14-11.5-103017	10/30/2017	<0.0087	U		<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U	
		VMP-14-11.5-012518	1/25/2018	0.028			0.00099	J		<0.0056	U		<0.0088	U		<0.008	U		0.0038	J		<0.049	U		<0.004	U	
	20 ft	VMP-14-20-050117	5/1/2017	<0.083	U		<0.048	U		<0.054	U		<0.084	U		<0.077	U		<0.045	U		<0.47	U		<0.039	U	
		VMP-14-20-071917	7/19/2017	<0.097	U		<0.056	U		<0.063	U		<0.098	U		<0.09	U		<0.053	U		<0.55	U		<0.045	U	
		VMP-14-20-103017	10/30/2017	<0.0085	U		<0.0049	U		<0.0056	U		<0.0087	U		<0.0079	U		<0.0046	U		<0.048	U		<0.004	U	
		VMP-14-20-012518	1/25/2018	<0.0092	U		<0.0053	U		<0.006	U		<0.0093	U		<0.0085	U		0.0024	J		<0.052	U		0.0027	J	
	29 ft	VMP-14-29-050117	5/1/2017	0.039			<0.005	U		<0.0057	U		<0.0089	U		<0.0081	U		<0.0048	U		<0.05	U		0.0029	J	
		VMP-14-29-103017	10/30/2017	0.0094			<0.0049	U		<0.0055	U		<0.0086	U		<0.0079	U		<0.0046	U		<0.048	U		<0.004	U	
VMP-15	5 ft	VMP-15-5-050117	5/1/2017	<0.0083	J	U	<0.0048	U		<0.0054	U		<0.0084	U		<0.0077	U		<0.0045	U		<0.047	U		<0.0039	U	
		VMP-15-5-072617	7/26/2017	0.0091	J		<0.0054	U		<0.0061	U		<0.0095	U		<0.0086	U		<0.0051	U		<0.053	U		<0.0044	U	
		VMP-15-5-110217	11/2/2017	<0.0091	U		<0.0052	U		<0.0059	U		<0.0093	U		<0.0084	U		<0.005	U		<0.052	U		<0.0043	U	
		VMP-15-5-013018	1/30/2018	<0.0088	U		<0.005	U		<0.0057	U		<0.0089	U		<0.0081	U		<0.0048	U		<0.05	U		<0.0041	U	
	21.5 ft	VMP-15-21.5-050117	5/1/2017	<0.017	U		<0.0099	U		<0.011	U		<0.018	U		<0.016	U		<0.0094	U		<0.097	U		<0.008	U	
		VMP-15-21.5-072617	7/26/2017	<0.039	U		<0.022	U		<0.025	U		<0.039	U		<0.036	U		<0.021	U		<0.22	U		0.027		
		VMP-15-21.5-110217	11/2/2017	<0.0091	U		<0.0052	U		<0.0059	U		<0.0093	U		<0.0084	U		<0.005	U		<0.052	U		<0.0043	U	
		VMP-15-21.5-013018	1/30/2018	0.063			<0.005	U		<0.0057	U		<0.0089	U		<0.0081	U		<0.0048	U		<0.05	U		0.0012	J	
	25.5 ft	VMP-15-25.5-020117	5/1/2017	0.075	J		<0.044	U		<0.05	U		<0.078	U		<0.072	U		<0.042	U		<0.44	U		<0.036	U	
		VMP-15-25.5-050117-DUP	5/1/2017	0.041	J		<0.046	U		<0.052	U		<0.082	U		<0.074	U		<0.044	U		<0.45	U		<0.038	U	
		VMP-15-25.5-072617	7/26/2017	<0.16	U		<0.091	U		<0.1	U		<0.16	U		<0.15	U		<0.086	U		<0.89	U		<0.074	U	
		VMP-15-25.5-110217	11/2/2017	<0.009	U		<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		<0.0042	U	
		VMP-15-25.5-013018	1/30/2018	0.057			<0.005	U		<0.0057	U		<0.0089	U		<0.0081	U		<0.0048	U		<0.049	U		<0.0041	U	
	29 ft	VMP-15-29-013018	1/30/2018	<0.0087	U		<0.005	U		<0.0057	U		<0.0089	U		<0.0081	U		<0.0048	U		<0.049	U		<0.0041	U	

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	Ethanol			Ethylbenzene			4-Ethyltoluene			Freon 113			Freon 114			Heptane			Hexachlorobutadiene			Hexane		
							9.3																				
				Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals
VMP-16	5 ft	VMP-16-5-050217	5/2/2017	0.011			<0.005	U		<0.0057	U		<0.0089	U		<0.0081	U		<0.0048	U		<0.049	U		<0.0041	U	
		VMP-16-5-072817	7/28/2017	<0.0091	U		<0.0052	U		<0.0059	U		<0.0093	U		<0.0084	U		<0.005	U		<0.052	U		<0.0043	U	
		VMP-16-5-110217	11/2/2017	<0.009	U		<0.0052	U		<0.0058	U		<0.0091	U		<0.0083	U		<0.0049	U		<0.051	U		<0.0042	U	
		VMP-16-5-013018	1/30/2018	0.0029	J		<0.0048	U		<0.0055	U		<0.0085	U		<0.0078	U		<0.0046	U		<0.048	U		<0.0039	U	
	13.5 ft	VMP-16-13.5-050217	5/2/2017	<3.1	U		<1.8	U		<2	U		<3.1	U		<2.8	U		<1.7	U		<17	U		<1.4	U	
		VMP-16-13.5-072817	7/28/2017	<1.8	U		<1	U		<1.2	U		<1.8	U		<1.7	U		0.59	J		<10	U		0.25	J	
		VMP-16-13.5-110217	11/2/2017	<3	U		<1.8	U		<2	U		<3.1	U		<2.8	U		0.57	J		<17	U		0.6	J	
		VMP-16-13.5-013018	1/30/2018	<1.6	U		<0.91	U		<1	U		<1.6	U		<1.5	U		<0.86	U		<9	U		<0.74	U	
	19 ft	VMP-16-13.5-013018-DUP	1/30/2018	<1.6	U		<0.91	U		<1	U		<1.6	U		<1.5	U		<0.86	U		<9	U		<0.74	U	
		VMP-16-19-050217	5/2/2017	<0.73	U		17			29			<0.75	U		<0.68	U		4.4			<4.2	U		8.8		
		VMP-16-19-072817	7/28/2017	<1.9	U		13			27			<2	U		<1.8	U		4.4			<11	U		4.2		
		VMP-16-19-110217	11/2/2017	<3	U		14			30			<3.1	U		<2.8	U		4.9			<17	U		4.3		
	31 ft	VMP-16-19-013018	1/30/2018	<4.1	U		12			23			<4.2	U		<3.8	U		3.6			<23	U		3.1		
		VMP-16-31-050217	5/2/2017	<1.2	U		6.8			28			<1.2	U		<1.1	U		2.8			<6.6	U		5.3		
		VMP-16-31-072817	7/28/2017	<2.4	U		4.7			24			<2.4	U		<2.2	U		2.3			<13	U		2.6		
		VMP-16-31-110217	11/2/2017	<2.9	U		5.7			27			<3	U		<2.7	U		2.9			<16	U		3		
VMP-17	5 ft	VMP-17-5-050217	5/2/2017	0.0057	J		<0.0051	U		<0.0058	U		<0.009	U		<0.0082	U		<0.0048	U		<0.05	U		<0.0041	U	
		VMP-17-5-071917	7/19/2017	0.01			<0.0054	U		<0.0061	U		<0.0095	U		<0.0086	U		<0.0051	U		<0.053	U		<0.0044	U	
		VMP-17-5-110217	11/2/2017	<0.0093	U		<0.0054	U		<0.0061	U		<0.0095	U		<0.0086	U		0.0076			<0.053	U		0.018		
		VMP-17-5-012418	1/24/2018	0.0062	J		<0.005	U		<0.0057	U		<0.0089	U		<0.0081	U		0.0031	J		<0.049	U		0.003	J	
VMP-25	5 ft	VMP-25-5-050217	5/2/2017	0.025			<0.005	U		<0.0057	U		<0.0089	U		<0.0081	U		<0.0048	U		<0.05	U		<0.0041	U	
		VMP-25-5-080117	8/1/2017	0.081			<0.0048	U		<0.0054	U		<0.0084	U		<0.0077	U		<0.0045	U		<0.047	U		<0.0039	U	
		VMP-25-5-110217	11/2/2017	0.0085	J		<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U	
		VMP-25-5-013018	1/30/2018	<0.0076	U		<0.0044	U		0.0099			<0.0078	U		<0.0071	U		0.014			<0.043	U		0.0094		
	21 ft	VMP-25-21-050217	5/2/2017	0.02			<0.0052	U		<0.0058	U		<0.0091	U		<0.0083	U		0.0065			<0.051	U		0.056		
		VMP-25-21-080117	8/1/2017	0.031			<0.0051	U		<0.0058	U		<0.009	U		<0.0082	U		<0.0048	U		<0.05	U		0.0069		
		VMP-25-21-110217	11/2/2017	0.0076	J		<0.0048	U		<0.0054	U		<0.0084	U		<0.0077	U		<0.0045	U		<0.047	U		<0.0039	U	
		VMP-25-21-013018	1/30/2018	<0.0082	U		<0.0047	U		0.0015	J		<0.0084	U		<0.0076	U		0.0019	J		<0.046	U		0.0034	J	
	31 ft	VMP-25-21-013018-DUP	1/30/2018	0.0022	J		<0.0045	U		<0.0051	U		<0.0079	U		<0.0072	U		0.0017	J		<0.044	U		0.0032	J	
		VMP-25-31-050217	5/2/2017	<1.8	U		<1	U		<1.1	U		<1.8	U		<1.6	U		3.6			<9.9	U		9.6		
		VMP-25-31-050217-DUP	5/2/2017	<1.8	U		<1	U		<1.2	U		<1.8	U		<1.7	U		4.1			<10	U		10		
		VMP-25-31-080117	8/1/2017	33	CN	J	<8.2	U		<9.3	U		<14	U		<13	U		28			<81	U		87		
		VMP-25-31-080117-DUP	8/1/2017	52	CN	J	<9.3	U		<10	U		<16	U		<15	U		32			<92	U		98		
		VMP-25-31-110217	11/2/2017	<3	U		<1.8	U		0.45	J		<3.1	U		<2.8	U		50			<17	U		180		
		VMP-25-31-110217-DUP	11/2/2017	<2.9	U		<1.6	U		0.45	J		<2.9	U		<2.7	U		50			<16	U		190		
VMP-29	10 ft	VMP-29-10-050217	5/2/2017	0.015			<0.0055	U		<0.0062	U		<0.0096	U		<0.0088	U		<0.0052	U		<0.054	U		<0.0044	U	
		VMP-29-10-072717	7/27/2017	<0.018	U		<0.01	U		<0.012	U		<0.018	U		<0.016	U		<0.0097	U		<0.1	U		<0.0083	U	
		VMP-29-10-102717	10/27/2017	<0.0086	U		0.014			0.0056			<0.0087	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U	
		VMP-29-10-012518	1/25/2018	0.005	J		<0.0054	U		<0.0061	U		<0.0095	U		<0.0087	U		<0.0051	U		<0.053	U		<0.0044	U	
	18 ft	VMP-29-18-050217	5/2/2017	0.03			<0.0019	J		<0.006	U		<0.0094	U		<0.0085	U		<0.005	U		<0.052	U		<0.0043	U	
		VMP-29-18-072717	7/27/2017	0.096			0.017			0.0087	J		<0.019	U		<0.017	U		<0.01	U		<0.1	U		0.004	J	
		VMP-29-18-102717	10/27/2017	0.01			0.022			0.0082			<0.0087	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U	
		VMP-29-18-012518	1/25/2018	0.0071	J		<0.0051	U		<0.0058	U		<0.009	U		<0.0082	U		0.0016	J		<0.05	U		<0.0042	U	
	26 ft	VMP-29-26-050317	5/3/2017	0.005	J		0.0016	J		<0.0054	U		<0.0084	U		<0.0076	U		0.0016	J		<0.046	U		0.0012	J	
		VMP-29-26-072717	7/27/2017	<0.059	U		<0.034	U		<0.038	U		<0.06	U		<0.054	U		<0.032	U		<0.33	U		0.013	J	
		VMP-29-26-072717-DUP	7/27/2017	<0.055	U		<0.032	U		<0.036	U		<0.056	U		<0.051	U		<0.03	U		<0.31	U		0.01	J	
		VMP-29-26-102717	10/27/2017	<0.0084	U		0.004	J		0.01			<0.0085	U		<0.0078	U		<0.0046	U		<0.048	U		0.003	J	
VMP-29	26 ft	VMP-29-26-102717-DUP	10/27/2017	0.0078	J		0.0023	J		0.0052	J		<0.0083	U		<0.0076	U		<0.0044	U		<0.046	U		0.0021	J	
		VMP-29-26-012518	1/25/2018	0.0042	J		<0.005	U		<0.0057	U		<0.0089	U		<0.0081	U		<0.0048	U		<0.05	U		<0.0041	U	

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	Ethanol			Ethylbenzene			4-Ethyltoluene			Freon 113			Freon 114			Heptane			Hexachlorobutadiene			Hexane		
							9.3																				
				Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals
VMP-30	10 ft	VMP-30-10-050217	5/2/2017	0.02			0.00075	J		<0.006	U		<0.0094	U		<0.0085	U		<0.005	U		<0.052	U		<0.0043	U	
		VMP-30-10-072717	7/27/2017	<0.023	U		<0.013	U		<0.015	U		<0.023	U		<0.021	U		<0.012	U		<0.13	U		0.006	J	
		VMP-30-10-102717	10/27/2017	<0.0087	U		0.012			0.0062			<0.0088	U		<0.0081	U		<0.0047	U		<0.049	U		<0.0041	U	
		VMP-30-10-012518	1/25/2018	0.0099			<0.0047	U		<0.0053	U		<0.0083	U		<0.0076	U		0.003	J		<0.046	U		<0.0038	U	
	18 ft	VMP-30-18-050217	5/2/2017	0.046			<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		<0.0042	U	
		VMP-30-18-072717	7/27/2017	<0.072	U		<0.041	U		<0.047	U		<0.073	U		<0.066	U		<0.039	U		<0.4	U		<0.033	U	
		VMP-30-18-102717	10/27/2017	<0.0091	U		0.0092			0.006			<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		<0.0042	U	
		VMP-30-18-012518	1/25/2018	0.0099			<0.0048	U		<0.0055	U		<0.0085	U		<0.0078	U		0.0022	J		<0.048	U		<0.0039	U	
		VMP-30-18-012518-DUP	1/25/2018	0.0043	J		<0.0048	U		<0.0055	U		<0.0085	U		<0.0078	U		<0.0046	U		<0.048	U		<0.0039	U	
	26 ft	VMP-30-26-050217	5/2/2017	0.038			<0.0051	U		<0.0058	U		<0.009	U		<0.0082	U		<0.0048	U		<0.05	U		<0.0042	U	
		VMP-30-26-072717	7/27/2017	<0.018	U		<0.01	U		<0.012	U		<0.018	U		<0.017	U		<0.0099	U		<0.1	U		<0.0085	U	
		VMP-30-26-102717	10/27/2017	<0.0085	U		0.024			0.014			<0.0086	U		<0.0079	U		<0.0046	U		<0.048	U		<0.004	U	
		VMP-30-26-012518	1/25/2018	0.0069	J		<0.0049	U		<0.0056	U		<0.0087	U		<0.0079	U		0.0013	J		<0.048	U		0.0028	J	
VMP-41	10 ft	VMP-41-10-050217	5/2/2017	0.043			<0.0052	U		<0.0059	U		<0.0092	U		<0.0084	U		<0.0049	U		<0.051	U		<0.0042	U	
		VMP-41-10-072717	7/27/2017	0.031			<0.005	U		<0.0057	U		<0.0088	U		<0.0081	U		<0.0047	U		<0.049	U		<0.0041	U	
		VMP-41-10-102717	10/27/2017	<0.0082	U		<0.0048	U		<0.0054	U		<0.0084	U		<0.0076	U		<0.0045	U		<0.047	U		<0.0038	U	
		VMP-41-10-012418	1/24/2018	0.0048	J		<0.0048	U		<0.0055	U		<0.0085	U		<0.0078	U		<0.0046	U		<0.048	U		0.0014	J	
	20 ft	VMP-41-20-050217	5/2/2017	0.01			<0.005	U		<0.0057	U		<0.0089	U		<0.0081	U		0.0013	J		<0.049	U		<0.0041	U	
		VMP-41-20-072717	7/27/2017	0.028			<0.0052	U		<0.0058	U		<0.0091	U		<0.0083	U		<0.0049	U		<0.051	U		<0.0042	U	
		VMP-41-20-102717	10/27/2017	<0.0086	U		<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U	
		VMP-41-20-012418	1/24/2018	0.0059	J		<0.0049	U		<0.0056	U		<0.0087	U		<0.0079	U		<0.0046	U		<0.048	U		<0.004	U	
	26 ft	VMP-41-26-050217	5/2/2017	0.031			<0.0052	U		<0.0058	U		<0.0091	U		<0.0083	U		<0.0049	U		<0.051	U		<0.0042	U	
		VMP-41-26-072717	7/27/2017	0.019			<0.0048	U		<0.0055	U		<0.0085	U		<0.0078	U		<0.0046	U		<0.048	U		<0.0039	U	
		VMP-41-26-072717-DUP	7/27/2017	0.015			<0.0054	U		<0.0061	U		<0.0095	U		<0.0087	U		<0.0051	U		<0.053	U		<0.0044	U	
		VMP-41-26-102717	10/27/2017	<0.0086	U		<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		<0.0047	U		<0.049	U		<0.004	U	
VMP-55	5 ft	VMP-55-5-072617	7/26/2017	0.0085	J		0.023			0.0061	J		<0.017	U		<0.015	U		0.0026	J		<0.094	U		0.0025	J	
		VMP-55-5-110217	11/2/2017	0.011			<0.005	U		<0.0056	U		<0.0088	U		<0.008	U		0.0012	J		<0.049	U		<0.004	U	
		VMP-55-5-013018	1/30/2018	<0.0083	U		<0.0048	U		<0.0054	U		<0.0085	U		<0.0077	U		0.0015	J		<0.047	U		0.0029	J	
	20 ft	VMP-55-20-050117	5/1/2017	<4.5	U		<2.6	U		<2.9	U		<4.6	U		<4.2	U		95			<25	U		280		
		VMP-55-20-072617	7/26/2017	<0.47	U		<0.27	U		<0.3	U		<0.48	U		<0.43	U		28		J	<2.6	U		45		J
		VMP-55-20-110217	11/2/2017	<2.2	U		<1.3	U		<1.5	U		<2.3	U		<2.1	U		82			<13	U		140		
		VMP-55-20-013018	1/30/2018	<0.93	U		<0.53	U		<0.6	U		<0.94	U		<0.86	U		29		J	<5.2	U		77		J

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	2-Hexanone (Methyl N-Butyl Ketone)			Isopentane			Isopropylbenzene (Cumene)			4-Methyl-2-pentanone (Methyl Isobutyl Ketone)			Methyl tert-Butyl Ether (MTBE)			2-Propanol			n-Propylbenzene			Styrene		
										3500						24000									8500		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-10	5 ft	VMP-10-5-042717	4/27/2017	<0.018	U		<0.013	U		<0.0054	U		<0.0045	U		<0.016	U		<0.011	U		<0.0054	U		<0.0047	U	
		VMP-10-5-072717	7/27/2017	<0.019	U		<0.014	U		<0.0056	U		<0.0047	U		<0.016	U		0.02			<0.0056	U		<0.0049	U	
		VMP-10-5-103017	10/30/2017	<0.018	U		<0.013	U		<0.0055	U		<0.0046	U		<0.016	U		<0.011	U		<0.0055	U		<0.0048	U	
		VMP-10-5-013118	1/31/2018	<0.018	U		<0.013	U		<0.0054	U		<0.0045	U		<0.016	U		0.0029	J		<0.0054	U		<0.0047	U	
	10 ft	VMP-10-10-042717	4/27/2017	<0.02	U		<0.014	U		<0.0059	U		<0.0049	U		<0.017	U		0.0038	J		<0.0059	U		<0.0051	U	
		VMP-10-10-072717	7/27/2017	<0.02	U		<0.014	U		<0.006	U		<0.005	U		<0.018	U		0.0024	J		<0.006	U		<0.0052	U	
		VMP-10-10-103017	10/30/2017	<0.018	U		0.0024	J		<0.0054	U		<0.0045	U		<0.016	U		<0.011	U		<0.0054	U		<0.0047	U	
		VMP-10-10-013118	1/31/2018	<0.019	U		<0.014	U		<0.0056	U		<0.0047	U		<0.016	U		<0.011	U		<0.0056	U		<0.0049	U	
	20 ft	VMP-10-20-042717	4/27/2017	<0.019	U		<0.014	U		<0.0056	U		<0.0047	U		<0.016	U		<0.011	U		<0.0056	U		<0.0049	U	
		VMP-10-20-072717	7/27/2017	<0.02	U		<0.014	U		<0.006	U		<0.005	U		<0.018	U		<0.012	U		<0.006	U		<0.0052	U	
		VMP-10-20-103017	10/30/2017	<0.017	U		<0.012	U		<0.0052	U		<0.0044	U		<0.015	U		<0.01	U		<0.0052	U		<0.0045	U	
		VMP-10-20-013118	1/31/2018	<0.019	U		<0.013	U		<0.0056	U		<0.0047	U		<0.016	U		0.0016	J		<0.0056	U		<0.0048	U	
	30 ft	VMP-10-30-042717	4/27/2017	<0.017	U		<0.012	U		<0.0051	U		<0.0043	U		<0.015	U		<0.01	U		0.0015	J		<0.0044	U	
		VMP-10-30-042717-DUP	4/27/2017	<0.017	U		0.002	J		<0.0052	U		<0.0043	U		<0.015	U		0.0019	J		0.0014	J		<0.0045	U	
		VMP-10-30-103017	10/30/2017	<0.018	U		0.0061	J		<0.0053	U		<0.0044	U		<0.016	U		<0.01	U		<0.0053	U		<0.0046	U	
		VMP-10-30-103017-DUP	10/30/2017	<0.017	U		0.013			<0.0052	U		<0.0043	U		<0.015	U		<0.01	U		<0.0052	U		<0.0045	U	
		VMP-10-30-013118	1/31/2018	<0.019	U		0.0094	J		<0.0058	U		<0.0048	U		<0.017	U		0.0024	J		<0.0058	U		<0.005	U	
		VMP-10-30-013118-DUP	1/31/2018	<0.017	U		0.0083	J		<0.0052	U		<0.0043	U		<0.015	U		0.0027	J		<0.0052	U		<0.0045	U	
VMP-11	5 ft	VMP-11-5-052217	5/22/2017	<0.02	U		0.0027	J		<0.006	U		<0.005	U		<0.018	U		<0.012	U		<0.006	U		<0.0052	U	
		VMP-11-5-072617	7/26/2017	<0.02	U		<0.015	U		<0.0061	U		<0.0051	U		<0.018	U		0.002	J		<0.0061	U		<0.0053	U	
		VMP-11-5-110317	11/3/2017	<0.019	U		<0.014	U		<0.0058	U		<0.0049	U		<0.017	U		0.0069	J		<0.0058	U		<0.0051	U	
		VMP-11-5-012918	1/29/2018	<0.018	U		<0.013	U		<0.0054	U		<0.0045	U		<0.016	U		<0.011	U		<0.0054	U		<0.0047	U	
	8 ft	VMP-11-8-052217	5/22/2017	<0.019	U		0.0092	J		<0.0056	U		<0.0047	U		<0.016	U		0.025			<0.0056	U		<0.0049	U	
		VMP-11-8-072617	7/26/2017	<0.02	U		<0.014	U		<0.006	U		<0.005	U		<0.018	U		0.0027	J		<0.006	U		<0.0052	U	
		VMP-11-8-110317	11/3/2017	<0.019	U		0.0027	J		<0.0056	U		<0.0047	U		<0.016	U		0.0099	J		0.00094	J		<0.0049	U	
		VMP-11-8-012918	1/29/2018	<0.017	U		<0.012	U		<0.0052	U		<0.0043	U		<0.015	U		<0.01	U		<0.0052	U		<0.0045	U	
	29 ft	VMP-11-29-052217	5/22/2017	<0.019	U		0.0055	J		<0.0058	U		<0.0048	U		<0.017	U		0.0089	J		<0.0058	U		<0.005	U	
		VMP-11-29-052217-DUP	5/22/2017	<0.02	U		<0.014	U		<0.0059	U		<0.0049	U		<0.017	U		<0.012	U		<0.0059	U		<0.0051	U	
		VMP-11-29-072617	7/26/2017	<0.02	U		<0.014	U		<0.0059	U		<0.0049	U		<0.017	U		0.0029	J		<0.0059	U		<0.0051	U	
		VMP-11-29-110317	11/3/2017	<0.018	U		0.0036	J		<0.0055	U		<0.0046	U		<0.016	U		0.0018	J		<0.0055	U		<0.0048	U	
	38 ft	VMP-11-29-012918	1/29/2018	<0.018	U		<0.013	U		<0.0052	U		<0.0044	U		<0.015	U		<0.01	U		<0.0053	U		<0.0046	U	
		VMP-11-38-072617	7/26/2017	<0.02	U		0.0018	J		<0.0059	U		<0.0049	U		<0.017	U		0.0021	J		<0.0059	U		<0.0051	U	
		VMP-11-38-110317	11/3/2017	<0.02	U		0.0046	J		<0.0059	U		<0.005	U		<0.017	U		<0.012	U		<0.0059	U		<0.0052	U	
		VMP-11-38-110317-DUP	11/3/2017	<0.018	U		0.011	J		<0.0054	U		<0.0045	U		<0.016	U		0.0041	J		<0.0054	U		<0.0047	U	
	VMP-11-38-012918	1/29/2018	<0.018	U		0.012	J		<0.0054	U		<0.0045	U		<0.016	U		0.004	J		<0.0054	U		<0.0046	U		
	VMP-12	5 ft	VMP-12-5-050217	5/2/2017	<0.021	U		<0.015	U		<0.0064	U		<0.0053	U		<0.019	U		<0.013	U		<0.0064	U		<0.0055	U
VMP-12-5-072817			7/28/2017	0.0039	J		0.0093	J		0.0023	J		0.0018	J		<0.017	U		0.01	J		0.0012	J		0.002	J	
VMP-12-5-110217			11/2/2017	<0.019	U		0.0018	J		<0.0058	U		<0.0049	U		<0.017	U		<0.012	U		0.0011	J		<0.0051	U	
VMP-12-5-013018			1/30/2018	<0.018	U		<0.013	U		0.0063			<0.0045	U		<0.016	U		<0.011	U		0.02			<0.0047	U	
11.5 ft		VMP-12-11.5-050217	5/2/2017	<0.02	U		0.0021	J		0.0016	J		<0.005	U		<0.018	U		<0.012	U		<0.006	U		<0.0052	U	
		VMP-12-11.5-5																									

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	2-Hexanone (Methyl N-Butyl Ketone)			Isopentane			Isopropylbenzene (Cumene)			4-Methyl-2-pentanone (Methyl Isobutyl Ketone)			Methyl tert-Butyl Ether (MTBE)			2-Propanol			n-Propylbenzene			Styrene		
										3500						24000									8500		
				Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals
VMP-13	5 ft	VMP-13-5-042817	4/28/2017	<0.019	U		0.0034	J		<0.0056	U		<0.0047	U		<0.016	U		<0.011	U		<0.0056	U		<0.0049	U	
		VMP-13-5-072717	7/27/2017	<0.018	U		0.004	J		<0.0056	U		<0.0046	U		<0.016	U		0.012			<0.0056	U		<0.0048	U	
		VMP-13-5-103017	10/30/2017	<0.018	U		<0.013	U		<0.0055	U		<0.0046	U		<0.016	U		<0.011	U		<0.0055	U		<0.0048	U	
		VMP-13-5-012918	1/29/2018	<0.017	U		<0.012	U		<0.005	U		<0.0042	U		<0.015	U		0.0016	J		<0.005	U		<0.0043	U	
	10.5 ft	VMP-13-10.5-042817	4/28/2017	<0.02	U		<0.014	U		<0.0059	U		<0.005	U		<0.017	U		<0.012	U		<0.0059	U		<0.0052	U	
		VMP-13-10.5-072717	7/27/2017	<0.019	U		0.0054	J		<0.0056	U		<0.0047	U		<0.016	U		0.017			<0.0056	U		<0.0049	U	
		VMP-13-10.5-103017	10/30/2017	<0.018	U		0.0053	J		<0.0055	U		<0.0046	U		<0.016	U		<0.011	U		<0.0055	U		<0.0048	U	
		VMP-13-10.5-012918	1/29/2018	<0.018	U		<0.013	U		<0.0054	U		<0.0045	U		<0.016	U		0.0046	J		<0.0054	U		<0.0047	U	
	21.5 ft	VMP-13-21.5-042817	4/28/2017	<0.02	U		<0.014	U		<0.006	U		<0.005	U		<0.018	U		<0.012	U		<0.006	U		<0.0052	U	
		VMP-13-21.5-072717	7/27/2017	<0.019	U		<0.014	U		<0.0057	U		<0.0047	U		<0.017	U		0.0028	J		<0.0057	U		<0.0049	U	
		VMP-13-21.5-103017	10/30/2017	<0.018	U		<0.013	U		<0.0055	U		<0.0046	U		<0.016	U		<0.011	U		<0.0055	U		<0.0047	U	
		VMP-13-21.5-012918	1/29/2018	<0.018	U		<0.013	U		<0.0052	U		<0.0044	U		<0.015	U		0.0039	J		<0.0053	U		<0.0046	U	
	29.5 ft	VMP-13-29.5-042817	4/28/2017	<0.019	U		<0.014	U		<0.0058	U		<0.0048	U		<0.017	U		<0.012	U		<0.0058	U		<0.005	U	
		VMP-13-29.5-042817-DUP	4/28/2017	<0.018	U		0.0019	J		<0.0055	U		<0.0046	U		<0.016	U		<0.011	U		<0.0055	U		<0.0047	U	
		VMP-13-29.5-072717	7/27/2017	<0.021	U		<0.015	U		<0.0064	U		<0.0053	U		<0.019	U		<0.013	U		<0.0064	U		<0.0055	U	
		VMP-13-29.5-103017	10/30/2017	<0.02	U		0.01	J		<0.0059	U		<0.0049	U		0.022			<0.012	U		<0.0059	U		<0.0051	U	
		VMP-13-29.5-012918	1/29/2018	<0.018	U		0.014			<0.0054	U		<0.0045	U		0.0072	J		0.0051	J		<0.0054	U		<0.0047	U	
		VMP-13-29.5-012918-DUP	1/29/2018	<0.019	U		<0.013	U		<0.0056	U		<0.0047	U		0.0087	J		0.0014	J		<0.0056	U		<0.0048	U	
VMP-14	5 ft	VMP-14-5-050117	5/1/2017	<0.019	U		0.0028	J		<0.0056	U		<0.0047	U		<0.016	U		0.0054	J		<0.0056	U		<0.0049	U	
		VMP-14-5-071917	7/19/2017	<0.021	U		<0.015	U		<0.0062	U		<0.0052	U		<0.018	U		0.017			<0.0062	U		<0.0054	U	
		VMP-14-5-103017	10/30/2017	<0.018	U		<0.013	U		<0.0055	U		<0.0046	U		<0.016	U		<0.011	U		<0.0055	U		<0.0048	U	
		VMP-14-5-012518	1/25/2018	<0.019	U		0.0062	J		<0.0058	U		<0.0048	U		<0.017	U		0.0016	J		<0.0058	U		<0.005	U	
	11.5 ft	VMP-14-11.5-050117	5/1/2017	<0.018	U		<0.013	U		<0.0054	U		<0.0045	U		<0.016	U		0.0027	J		<0.0054	U		<0.0047	U	
		VMP-14-11.5-071917	7/19/2017	<0.021	U		<0.015	U		<0.0062	U		<0.0052	U		<0.018	U		0.034			<0.0062	U		<0.0054	U	
		VMP-14-11.5-103017	10/30/2017	<0.019	U		<0.014	U		<0.0056	U		<0.0047	U		<0.016	U		<0.011	U		<0.0056	U		<0.0049	U	
		VMP-14-11.5-012518	1/25/2018	<0.019	U		0.062			<0.0056	U		<0.0047	U		<0.016	U		0.021			<0.0056	U		<0.0049	U	
	20 ft	VMP-14-20-050117	5/1/2017	<0.18	U		0.16			0.33			<0.045	U		<0.04	U		<0.11	U		<0.054	U		<0.047	U	
		VMP-14-20-071917	7/19/2017	<0.21	U		0.037	J		0.24			<0.053	U		<0.046	U		<0.13	U		<0.063	U		<0.055	U	
		VMP-14-20-103017	10/30/2017	<0.018	U		0.005	J		0.083			<0.0046	U		<0.016	U		<0.011	U		<0.0056	U		<0.0048	U	
		VMP-14-20-012518	1/25/2018	<0.02	U		<0.014	U		<0.006	U		<0.005	U		<0.018	U		0.002	J		<0.006	U		<0.0052	U	
	29 ft	VMP-14-29-050117	5/1/2017	<0.019	U		0.017			<0.0057	U		<0.0048	U		<0.017	U		0.0042	J		<0.0057	U		<0.005	U	
		VMP-14-29-103017	10/30/2017	<0.018	U		0.0099	J		<0.0055	U		<0.0046	U		<0.016	U		0.0087	J		<0.0055	U		<0.0048	U	
		VMP-14-29-012518	1/25/2018	<0.019	U		0.082			<0.0058	U		<0.0049	U		<0.017	U		0.012			<0.0058	U		<0.0051	U	
VMP-15	5 ft	VMP-15-5-050117	5/1/2017	<0.018	U		<0.013	U		<0.0054	U		<0.0045	U		<0.016	U		0.0031	J		<0.0054	U		<0.0047	U	
		VMP-15-5-072617	7/26/2017	<0.02	U		<0.014	U		<0.0061	U		<0.005	U		<0.018	U		0.012			<0.0061	U		<0.0053	U	
		VMP-15-5-110217	11/2/2017	<0.02	U		<0.014	U		<0.0059	U		<0.005	U		<0.017	U		<0.012	U		<0.0059	U		<0.0052	U	
		VMP-15-5-013018	1/30/2018	<0.019	U		<0.014	U		<0.0057	U		<0.0048	U		<0.017	U		<0.011	U		<0.0057	U		<0.005	U	
	21.5 ft	VMP-15-21.5-050117	5/1/2017	<0.037	U		0.063			<0.011	U		<0.0094	U		<0.033	U		<0.022	U		<0.011	U		<0.0097	U	
		VMP-15-21.5-072617	7/26/2017	<0.084	U		0.13			<0.025	U		<0.021	U		<0.074	U		<0.051	U		<0.025	U		<0.022	U	
		VMP-15-21.5-110217	11/2/2017	<0.02	U		<0.014	U		<0.0059	U		<0.005	U		<0.017	U		<0.012	U		<0.0059	U		<0.0052	U	
		VMP-15-21.5-013018	1/30/2018	<0.019	U		0.005	J		<0.0057	U		<0.0048	U		<0.017	U		<0.011	U		<0.0057	U		<0.005	U	
	25.5 ft	VMP-15-25.5-020117	5/1/2017	<0.17	U		5.5			<0.05	U		<0.042	U		<0.037	U		<0.1	U		<0.05	U		<0.044	U	
		VMP-15-25.5-050117-DUP	5/1/2017	<0.17	U		6.3			<0.052	U		<0.044	U		<0.038	U		<0.1	U		<0.052	U		<0.045	U	
		VMP-15-25.5-072617	7/26/2017	<0.34	U		<0.25	U		0.0086	J		<0.086	U		<0.3	U		<0.2	U		<0.1	U		<0.089	U	
		VMP-15-25.5-110217	11/2/2017	<0.02	U		<0.014	U		<0.0059	U		<0.0049	U		<0.017	U		<0.012	U		<0.0059	U		<0.0051	U	
		VMP-15-25.5-013018	1/30/2018	<0.019	U		<0.014	U		<0.0057	U		<0.0048	U		<0.017	U		<0.011	U		<0.0057	U		<0.0049	U	
	29 ft	VMP-15-29-013018	1/30/2018	<0.019	U		0.0057	J		<0.0057	U		<0.0048	U		<0.017	U		<0.011	U		<0.0057	U		<0.0049	U	

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	2-Hexanone (Methyl N-Butyl Ketone)			Isopentane			Isopropylbenzene (Cumene)			4-Methyl-2-pentanone (Methyl Isobutyl Ketone)			Methyl tert-Butyl Ether (MTBE)			2-Propanol			n-Propylbenzene			Styrene		
										3500						24000									8500		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-16	5 ft	VMP-16-5-050217	5/2/2017	<0.019	U		0.002	J		<0.0057	U		<0.0048	U		<0.017	U		<0.011	U		<0.0057	U		<0.0049	U	
		VMP-16-5-072817	7/28/2017	<0.02	U		<0.014	U		<0.0059	U		<0.005	U		<0.017	U		<0.012	U		<0.0059	U		0.00049	J	
		VMP-16-5-110217	11/2/2017	<0.019	U		<0.014	U		<0.0058	U		<0.0049	U		<0.017	U		<0.012	U		<0.0058	U		<0.0051	U	
		VMP-16-5-013018	1/30/2018	<0.018	U		<0.013	U		<0.0055	U		<0.0046	U		<0.016	U		<0.011	U		<0.0055	U		<0.0047	U	
	13.5 ft	VMP-16-13.5-050217	5/2/2017	<6.7	U		2.4	J		0.53	J		<1.7	U		<1.5	U		<4	U		1.1	J		<1.7	U	
		VMP-16-13.5-072817	7/28/2017	<4	U		8.2			1.4			<0.99	U		<0.87	U		<2.4	U		2.1			<1	U	
		VMP-16-13.5-110217	11/2/2017	<6.6	U		25			2.7			<1.6	U		<1.4	U		<4	U		3.9			<1.7	U	
		VMP-16-13.5-013018	1/30/2018	<3.4	U		1.2	J		1			<0.86	U		<0.76	U		<2.1	U		1.7			<0.89	U	
	19 ft	VMP-16-13.5-013018-DUP	1/30/2018	<3.4	U		1.2	J		1.1			<0.86	U		<0.76	U		<2.1	U		1.8			<0.89	U	
		VMP-16-19-050217	5/2/2017	<1.6	U		270			41			<0.4	U		0.47			<0.96	U		91			<0.42	U	
		VMP-16-19-072817	7/28/2017	<4.2	U		210			45			<1	U		0.56	J		<2.5	U		94			<1.1	U	
		VMP-16-19-110217	11/2/2017	<6.6	U		310			52			<1.6	U		0.4	J		<4	U		100			<1.7	U	
	31 ft	VMP-16-19-013018	1/30/2018	<8.9	U		260			47			<2.2	U		<2	U		<5.4	U		93			<2.3	U	
		VMP-16-31-050217	5/2/2017	<2.5	U		750			65			<0.63	U		0.76			<1.5	U		150			<0.66	U	
		VMP-16-31-072817	7/28/2017	<5.2	U		700			63			<1.3	U		0.65	J		<3.1	U		150			<1.3	U	
		VMP-16-31-110217	11/2/2017	<6.4	U		990			71			<1.6	U		0.57	J		<3.8	U		190			<1.6	U	
	VMP-16-31-013018	1/30/2018	<6	U		900			54			<1.5	U		0.45	J		<3.6	U		120			<1.5	U		
VMP-17	5 ft	VMP-17-5-050217	5/2/2017	<0.019	U		<0.014	U		0.00093	J		<0.0048	U		<0.017	U		<0.012	U		0.0029	J		<0.005	U	
		VMP-17-5-071917	7/19/2017	<0.02	U		<0.014	U		<0.0061	U		<0.005	U		<0.018	U		0.021			<0.0061	U		<0.0053	U	
		VMP-17-5-110217	11/2/2017	<0.02	U		0.014	J		<0.0061	U		<0.005	U		<0.018	U		<0.012	U		<0.0061	U		<0.0053	U	
		VMP-17-5-012418	1/24/2018	<0.019	U		0.0081	J		<0.0057	U		<0.0048	U		<0.017	U		0.0052	J		<0.0057	U		<0.0049	U	
VMP-25	5 ft	VMP-25-5-050217	5/2/2017	0.0014	J		0.0032	J		<0.0057	U		<0.0048	U		<0.017	U		0.012			<0.0057	U		<0.005	U	
		VMP-25-5-080117	8/1/2017	<0.018	U		0.0025	J		<0.0054	U		<0.0045	U		<0.016	U		0.014			<0.0054	U		<0.0047	U	
		VMP-25-5-110217	11/2/2017	<0.019	U		<0.014	U		<0.0056	U		<0.0047	U		<0.016	U		<0.011	U		<0.0056	U		<0.0049	U	
		VMP-25-5-013018	1/30/2018	<0.017	U		0.012	J		0.024			<0.0042	U		<0.015	U		<0.01	U		0.036			<0.0043	U	
	21 ft	VMP-25-21-050217	5/2/2017	<0.019	U		0.15			<0.0058	U		<0.0049	U		<0.017	U		<0.012	U		<0.0058	U		<0.0051	U	
		VMP-25-21-080117	8/1/2017	<0.019	U		0.038			<0.0058	U		<0.0048	U		<0.017	U		0.013			<0.0058	U		<0.005	U	
		VMP-25-21-110217	11/2/2017	<0.018	U		0.0014	J		<0.0054	U		<0.0045	U		<0.016	U		<0.011	U		<0.0054	U		<0.0047	U	
		VMP-25-21-013018	1/30/2018	<0.018	U		0.0067	J		0.0026	J		<0.0045	U		<0.016	U		<0.011	U		0.0038	J		<0.0046	U	
	31 ft	VMP-25-21-013018-DUP	1/30/2018	<0.017	U		0.0074	J		0.0017	J		<0.0042	U		<0.015	U		<0.01	U		0.0027	J		<0.0044	U	
		VMP-25-31-050217	5/2/2017	<3.8	U		500			<1.1	U		<0.95	U		0.23	J		<2.3	U		<1.1	U		<0.99	U	
		VMP-25-31-050217-DUP	5/2/2017	<3.9	U		530			<1.2	U		<0.97	U		0.28	J		<2.3	U		<1.2	U		<1	U	
		VMP-25-31-080117	8/1/2017	<31	U		920			<9.3	U		<7.8	U		<27	U		<19	U		<9.3	U		<8.1	U	
		VMP-25-31-080117-DUP	8/1/2017	<35	U		1100			<10	U		<8.8	U		<31	U		<21	U		<10	U		<9.2	U	
		VMP-25-31-110217	11/2/2017	<6.6	U		1200			2			<1.6	U		0.52	J		<4	U		2.6			<1.7	U	
		VMP-25-31-110217-DUP	11/2/2017	<6.2	U		1300			2			<1.6	U		0.62	J		<3.8	U		2.1			<1.6	U	
		VMP-25-31-013018	1/30/2018	<5.5	U		1100			1.2	J		<1.4	U		0.59	J		<3.3	U		0.95	J		<1.4	U	
VMP-25-31-013018-DUP	1/30/2018	<5.8	U		1200			1.9			<1.4	U		0.68	J		<3.5	U		1.7	J		<1.5	U			
VMP-29	10 ft	VMP-29-10-050217	5/2/2017	0.0037	J		0.0043	J		0.0025	J		<0.0052	U		<0.018	U		<0.012	U		<0.0062	U		<0.0054	U	
		VMP-29-10-072717	7/27/2017	<0.039	U		<0.028	U		<0.012	U		<0.0097	U		<0.034	U		<0.023	U		<0.012	U		<0.01	U	
		VMP-29-10-102717	10/27/2017	<0.019	U		0.0025	J		0.00081	J		0.0018	J		<0.016	U		0.0029	J		0.0013	J		<0.0048	U	
		VMP-29-10-012518	1/25/2018	<0.02	U		<0.015	U		<0.0061	U		<0.0051	U		<0.018	U		0.0034	J		<0.0061	U		<0.0053	U	
	18 ft	VMP-29-18-050217	5/2/2017	0.0059	J		0.0046	J		0.0062			<0.005	U		<0.018	U		<0.012	U		<0.006	U		<0.0052	U	
		VMP-29-18-072717	7/27/2017	<0.041	U		0.015	J		0.0023	J																

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	2-Hexanone (Methyl N-Butyl Ketone)			Isopentane			Isopropylbenzene (Cumene)			4-Methyl-2-pentanone (Methyl Isobutyl Ketone)			Methyl tert-Butyl Ether (MTBE)			2-Propanol			n-Propylbenzene			Styrene		
										3500						24000									8500		
				Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals
VMP-30	10 ft	VMP-30-10-050217	5/2/2017	0.0046	J		0.0096	J		0.0027	J		<0.005	U		<0.018	U		<0.012	U		<0.006	U		<0.0052	U	
		VMP-30-10-072717	7/27/2017	<0.049	U		0.14			<0.015	U		<0.012	U		<0.044	U		<0.03	U		<0.015	U		<0.013	U	
		VMP-30-10-102717	10/27/2017	<0.019	U		0.0037	J		<0.0057	U		0.0025	J		<0.017	U		0.0026	J		<0.0057	U		<0.0049	U	
		VMP-30-10-012518	1/25/2018	<0.018	U		0.079			<0.0053	U		<0.0044	U		<0.016	U		0.022			<0.0053	U		<0.0046	U	
	18 ft	VMP-30-18-050217	5/2/2017	0.0053	J		0.01	J		0.0039	J		<0.0049	U		<0.017	U		0.0058	J		<0.0059	U		<0.0051	U	
		VMP-30-18-072717	7/27/2017	<0.16	U		<0.11	U		<0.047	U		<0.039	U		<0.14	U		<0.093	U		<0.047	U		<0.04	U	
		VMP-30-18-102717	10/27/2017	<0.02	U		0.0029	J		<0.0059	U		<0.0049	U		<0.017	U		0.0025	J		<0.0059	U		<0.0051	U	
		VMP-30-18-012518	1/25/2018	<0.018	U		0.044		J	<0.0055	U		<0.0046	U		<0.016	U		0.0098	J		<0.0055	U		<0.0047	U	
		VMP-30-18-012518-DUP	1/25/2018	<0.018	U		0.0058	J	J	<0.0055	U		<0.0046	U		<0.016	U		0.0024	J		<0.0055	U		<0.0047	U	
	26 ft	VMP-30-26-050217	5/2/2017	0.0043	J		0.003	J		0.0032	J		<0.0048	U		<0.017	U		0.017			<0.0058	U		<0.005	U	
		VMP-30-26-072717	7/27/2017	<0.04	U		0.014	J		<0.012	U		<0.0099	U		<0.035	U		0.022	J		<0.012	U		<0.01	U	
		VMP-30-26-102717	10/27/2017	<0.018	U		0.0056	J		0.0015	J		0.0021	J		<0.016	U		0.0027	J		0.0025	J		<0.0048	U	
		VMP-30-26-012518	1/25/2018	<0.018	U		0.01	J		<0.0056	U		<0.0046	U		<0.016	U		0.0038	J		<0.0056	U		<0.0048	U	
VMP-41	10 ft	VMP-41-10-050217	5/2/2017	<0.02	U		<0.014	U		<0.0059	U		<0.0049	U		<0.017	U		<0.012	U		<0.0059	U		<0.0051	U	
		VMP-41-10-072717	7/27/2017	<0.019	U		<0.014	U		<0.0057	U		<0.0047	U		<0.017	U		0.003	J		<0.0057	U		<0.0049	U	
		VMP-41-10-102717	10/27/2017	<0.018	U		<0.013	U		<0.0054	U		<0.0045	U		<0.016	U		0.0028	J		<0.0054	U		<0.0047	U	
		VMP-41-10-012418	1/24/2018	<0.018	U		<0.013	U		<0.0055	U		<0.0046	U		<0.016	U		0.0033	J		<0.0055	U		<0.0047	U	
	20 ft	VMP-41-20-050217	5/2/2017	<0.019	U		<0.014	U		<0.0057	U		<0.0048	U		<0.017	U		<0.011	U		<0.0057	U		<0.0049	U	
		VMP-41-20-072717	7/27/2017	<0.019	U		<0.014	U		<0.0058	U		<0.0049	U		<0.017	U		<0.012	U		<0.0058	U		<0.0051	U	
		VMP-41-20-102717	10/27/2017	<0.019	U		<0.014	U		<0.0056	U		<0.0047	U		<0.016	U		<0.011	U		<0.0056	U		<0.0049	U	
		VMP-41-20-012418	1/24/2018	<0.018	U		0.0047	J		<0.0056	U		<0.0046	U		<0.016	U		0.0048	J		<0.0056	U		<0.0048	U	
	26 ft	VMP-41-26-050217	5/2/2017	<0.019	U		<0.014	U		<0.0058	U		<0.0049	U		<0.017	U		<0.012	U		<0.0058	U		<0.0051	U	
		VMP-41-26-072717	7/27/2017	<0.018	U		<0.013	U		<0.0055	U		<0.0046	U		<0.016	U		<0.011	U		<0.0055	U		<0.0047	U	
		VMP-41-26-072717-DUP	7/27/2017	<0.02	U		0.0048	J		<0.0061	U		<0.0051	U		<0.018	U		<0.012	U		<0.0061	U		<0.0053	U	
		VMP-41-26-102717	10/27/2017	<0.019	U		<0.014	U		<0.0056	U		<0.0047	U		<0.016	U		<0.011	U		<0.0056	U		<0.0049	U	
VMP-55	5 ft	VMP-55-5-072617	7/26/2017	<0.036	U		<0.026	U		0.0027	J		<0.009	U		<0.032	U		0.0056	J		0.0027	J		<0.0094	U	
		VMP-55-5-110217	11/2/2017	<0.019	U		<0.014	U		0.0013	J		<0.0047	U		<0.016	U		<0.011	U		0.0019	J		<0.0049	U	
		VMP-55-5-013018	1/30/2018	<0.018	U		0.0054	J		<0.0054	U		<0.0045	U		<0.016	U		<0.011	U		<0.0054	U		<0.0047	U	
	20 ft	VMP-55-20-050117	5/1/2017	<9.7	U		980			<2.9	U		<2.4	U		<2.1	U		<5.8	U		<2.9	U		<2.5	U	
		VMP-55-20-072617	7/26/2017	<1	U		310		J	<0.3	U		<0.25	U		<0.22	U		<0.61	U		<0.3	U		<0.26	U	
		VMP-55-20-110217	11/2/2017	<4.9	U		690			<1.5	U		<1.2	U		<1.1	U		<2.9	U		<1.5	U		<1.3	U	
		VMP-55-20-013018	1/30/2018	<2	U		430		J	0.13	J	J	<0.5	U		<0.44	U		<1.2	U		<0.6	U		<0.52	U	

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	1,1,2,2-Tetrachloroethane			Tetrachloroethene			Tetrahydrofuran			Toluene			1,2,4-Trichlorobenzene			1,1,1-Trichloroethane (Methyl chloroform)			1,1,2-Trichloroethane			Trichloroethene		
							4						40000			25			41000			170000			12		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-10	5 ft	VMP-10-5-042717	4/27/2017	<0.0076	U		<0.0075	U		<0.0033	U		<0.0042	U		<0.033	U		<0.006	U		<0.006	U		<0.006	U	
		VMP-10-5-072717	7/27/2017	<0.0079	U		<0.0078	U		<0.0034	U		<0.0043	U		<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U	
		VMP-10-5-103017	10/30/2017	<0.0077	U		<0.0076	U		<0.0033	U		0.0012	J		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
		VMP-10-5-013118	1/31/2018	<0.0076	U		<0.0075	U		<0.0032	U		0.00063	J		<0.033	U		<0.006	U		<0.006	U		<0.0059	U	
	10 ft	VMP-10-10-042717	4/27/2017	<0.0083	U		<0.0082	U		<0.0036	U		<0.0045	U		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U	
		VMP-10-10-072717	7/27/2017	<0.0083	U		<0.0082	U		<0.0036	U		<0.0046	U		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U	
		VMP-10-10-103017	10/30/2017	<0.0076	U		<0.0075	U		<0.0033	U		<0.0042	U		<0.033	U		<0.006	U		<0.006	U		<0.006	U	
		VMP-10-10-013118	1/31/2018	<0.0079	U		<0.0078	U		<0.0034	U		<0.0043	U		<0.034	U		<0.0062	U		<0.0062	U		<0.0062	U	
	20 ft	VMP-10-20-042717	4/27/2017	0.002	J		<0.0078	U		<0.0034	U		<0.0043	U		<0.034	U		<0.0062	U		<0.0062	U		<0.0062	U	
		VMP-10-20-072717	7/27/2017	<0.0084	U		<0.0083	U		<0.0036	U		<0.0046	U		<0.036	U		<0.0066	U		<0.0066	U		<0.0066	U	
		VMP-10-20-103017	10/30/2017	<0.0073	U		<0.0072	U		<0.0031	U		<0.004	U		<0.032	U		<0.0058	U		<0.0058	U		<0.0057	U	
		VMP-10-20-013118	1/31/2018	<0.0078	U		<0.0077	U		<0.0034	U		<0.0043	U		<0.034	U		<0.0062	U		<0.0062	U		<0.0061	U	
	30 ft	VMP-10-30-042717	4/27/2017	<0.0072	U		<0.0071	U		<0.0031	U		<0.0039	U		<0.031	U		<0.0057	U		<0.0057	U		<0.0056	U	
		VMP-10-30-042717-DUP	4/27/2017	<0.0072	U		<0.0072	U		<0.0031	U		<0.004	U		<0.031	U		<0.0058	U		<0.0058	U		<0.0057	U	
		VMP-10-30-103017	10/30/2017	<0.0074	U		<0.0073	U		<0.0032	U		0.00091	J		<0.032	U		<0.0059	U		<0.0059	U		<0.0058	U	
		VMP-10-30-103017-DUP	10/30/2017	<0.0072	U		<0.0072	U		<0.0031	U		0.004			<0.031	U		<0.0058	U		<0.0058	U		<0.0057	U	
		VMP-10-30-013118	1/31/2018	<0.008	U		<0.0079	U		<0.0034	U		0.0017	J		<0.035	U		<0.0064	U		<0.0064	U		<0.0063	U	
		VMP-10-30-013118-DUP	1/31/2018	<0.0072	U		<0.0072	U		<0.0031	U		0.0017	J		<0.031	U		<0.0058	U		<0.0058	U		<0.0057	U	
VMP-11	5 ft	VMP-11-5-052217	5/22/2017	<0.0084	U		<0.0083	U		<0.0036	U		<0.0046	U		<0.036	U		<0.0067	U		<0.0067	U		<0.0066	U	
		VMP-11-5-072617	7/26/2017	<0.0085	U		<0.0084	U		<0.0036	U		0.00071	J		<0.037	U		<0.0068	U		<0.0068	U		<0.0067	U	
		VMP-11-5-110317	11/3/2017	<0.0082	U		<0.0081	U		<0.0035	U		<0.0045	U		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-11-5-012918	1/29/2018	<0.0076	U		<0.0075	U		<0.0033	U		<0.0042	U		<0.033	U		<0.006	U		<0.006	U		<0.006	U	
	8 ft	VMP-11-8-052217	5/22/2017	<0.0079	U		<0.0078	U		<0.0034	U		0.0015	J		<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U	
		VMP-11-8-072617	7/26/2017	<0.0084	U		<0.0083	U		<0.0036	U		<0.0046	U		<0.036	U		<0.0067	U		<0.0067	U		<0.0066	U	
		VMP-11-8-110317	11/3/2017	<0.0079	U		<0.0078	U		<0.0034	U		0.001	J		<0.034	U		<0.0062	U		<0.0062	U		<0.0062	U	
		VMP-11-8-012918	1/29/2018	<0.0072	U		<0.0072	U		<0.0031	U		0.00058	J		<0.031	U		<0.0058	U		<0.0058	U		<0.0057	U	
	29 ft	VMP-11-29-052217	5/22/2017	<0.0081	U		<0.008	U		<0.0035	U		0.00095	J		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-11-29-052217-DUP	5/22/2017	<0.0082	U		<0.0081	U		<0.0035	U		<0.0045	U		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-11-29-072617	7/26/2017	<0.0082	U		<0.0081	U		<0.0035	U		0.00033	J		<0.036	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-11-29-110317	11/3/2017	<0.0077	U		<0.0076	U		<0.0033	U		<0.0042	U		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
	38 ft	VMP-11-29-012918	1/29/2018	<0.0073	U		<0.0072	U		<0.0032	U		0.00063	J		<0.032	U		<0.0058	U		<0.0058	U		<0.0058	U	
		VMP-11-38-072617	7/26/2017	<0.0082	U		<0.0081	U		<0.0035	U		0.00071	J		<0.036	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-11-38-110317	11/3/2017	<0.0083	U		<0.0082	U		<0.0036	U		<0.0046	U		<0.036	U		<0.0066	U		<0.0066	U		0.00085	J	
		VMP-11-38-110317-DUP	11/3/2017	<0.0076	U		<0.0075	U		<0.0032	U		0.0056			<0.033	U		<0.006	U		<0.006	U		<0.0059	U	
VMP-11-38-012918	1/29/2018	<0.0075	U		<0.0074	U		<0.0032	U		0.003	J		<0.032	U		<0.0059	U		<0.0059	U		<0.0058	U			
VMP-12	5 ft	VMP-12-5-050217	5/2/2017	<0.0089	U		<0.0088	U		<0.0038	U		<0.0049	U		<0.038	U		<0.0071	U		<0.0071	U		<0.007	U	
		VMP-12-5-072817	7/28/2017	<0.0082	U		<0.0081	U		<0.0035	U		0.0052			<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-12-5-110217	11/2/2017	<0.0082	U		<0.0081	U		<0.0035	U		0.0054			<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-12-5-013018	1/30/2018	<0.0076	U		<0.0075	U		<0.0032	U		0.00098	J		<0.033	U		<0.006	U		<0.006	U		<0.0059	U	
	11.5 ft	VMP-																									

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	1,1,2,2-Tetrachloroethane			Tetrachloroethene			Tetrahydrofuran			Toluene			1,2,4-Trichlorobenzene			1,1,1-Trichloroethane (Methyl chloroform)			1,1,2-Trichloroethane			Trichloroethene		
							4						40000			25			41000			170000			12		
				Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals
VMP-13	5 ft	VMP-13-5-042817	4/28/2017	<0.0079	U		<0.0078	U		<0.0034	U		0.00086	J		<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U	
		VMP-13-5-072717	7/27/2017	<0.0078	U		<0.0077	U		<0.0033	U		0.0014	J		<0.034	U		<0.0062	U		<0.0062	U		<0.0061	U	
		VMP-13-5-103017	10/30/2017	<0.0077	U		<0.0076	U		<0.0033	U		0.0013	J		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
		VMP-13-5-012918	1/29/2018	<0.007	U		<0.0069	U		<0.003	U		0.002	J		<0.03	U		<0.0055	U		<0.0055	U		<0.0054	U	
	10.5 ft	VMP-13-10.5-042817	4/28/2017	<0.0083	U		<0.0082	U		<0.0036	U		<0.0046	U		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U	
		VMP-13-10.5-072717	7/27/2017	<0.0079	U		<0.0078	U		<0.0034	U		0.0011	J		<0.034	U		<0.0062	U		<0.0062	U		<0.0062	U	
		VMP-13-10.5-103017	10/30/2017	<0.0077	U		<0.0076	U		<0.0033	U		0.0028	J		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
		VMP-13-10.5-012918	1/29/2018	<0.0076	U		0.0025	J		<0.0032	U		0.00075	J		<0.033	U		<0.006	U		<0.006	U		<0.0059	U	
	21.5 ft	VMP-13-21.5-042817	4/28/2017	<0.0084	U		0.0014	J		<0.0036	U		<0.0046	U		<0.036	U		<0.0067	U		<0.0067	U		<0.0066	U	
		VMP-13-21.5-072717	7/27/2017	<0.0079	U		<0.0078	U		<0.0034	U		<0.0044	U		<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U	
		VMP-13-21.5-103017	10/30/2017	<0.0076	U		<0.0076	U		<0.0033	U		0.0014	J		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
		VMP-13-21.5-012918	1/29/2018	<0.0073	U		0.0018	J		<0.0032	U		0.00071	J		<0.032	U		<0.0058	U		<0.0058	U		<0.0058	U	
	29.5 ft	VMP-13-29.5-042817	4/28/2017	<0.0081	U		<0.008	U		<0.0035	U		<0.0044	U		<0.035	U		<0.0064	U		<0.0064	U		<0.0063	U	
		VMP-13-29.5-042817-DUP	4/28/2017	<0.0076	U		<0.0076	U		<0.0033	U		<0.0042	U		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
		VMP-13-29.5-072717	7/27/2017	<0.0089	U		<0.0088	U		<0.0038	U		0.0025	J		<0.038	U		<0.0071	U		<0.0071	U		<0.007	U	
		VMP-13-29.5-103017	10/30/2017	<0.0082	U		<0.0081	U		<0.0035	U		0.0012	J		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-13-29.5-012918	1/29/2018	<0.0076	U		0.002	J		<0.0032	U		0.0029	J		<0.033	U		<0.006	U		<0.006	U		<0.0059	U	
		VMP-13-29.5-012918-DUP	1/29/2018	<0.0078	U		0.002	J		<0.0034	U		<0.0043	U		<0.034	U		<0.0062	U		<0.0062	U		<0.0061	U	
VMP-14	5 ft	VMP-14-5-050117	5/1/2017	<0.0079	U		<0.0078	U		<0.0034	U		<0.0043	U		<0.034	U		<0.0062	U		<0.0062	U		<0.0062	U	
		VMP-14-5-071917	7/19/2017	<0.0086	U		<0.0085	U		<0.0037	U		<0.0047	U		<0.037	U		<0.0069	U		<0.0069	U		<0.0068	U	
		VMP-14-5-103017	10/30/2017	<0.0077	U		<0.0076	U		<0.0033	U		<0.0042	U		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
		VMP-14-5-012518	1/25/2018	<0.0081	U		<0.008	U		<0.0035	U		0.0014	J		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
	11.5 ft	VMP-14-11.5-050117	5/1/2017	<0.0076	U		<0.0075	U		<0.0032	U		0.0013	J		<0.033	U		<0.006	U		<0.006	U		<0.0059	U	
		VMP-14-11.5-071917	7/19/2017	<0.0086	U		<0.0085	U		<0.0037	U		<0.0047	U		<0.037	U		<0.0069	U		<0.0069	U		<0.0068	U	
		VMP-14-11.5-103017	10/30/2017	<0.0079	U		<0.0078	U		<0.0034	U		<0.0043	U		<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U	
		VMP-14-11.5-012518	1/25/2018	<0.0079	U		<0.0078	U		<0.0034	U		0.049			<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U	
	20 ft	VMP-14-20-050117	5/1/2017	<0.076	U		<0.075	U		<0.032	U		0.01	J		<0.33	U		<0.06	U		<0.06	U		<0.059	U	
		VMP-14-20-071917	7/19/2017	<0.088	U		<0.087	U		<0.038	U		0.0071	J		<0.38	U		<0.07	U		<0.07	U		<0.069	U	
		VMP-14-20-103017	10/30/2017	<0.0078	U		<0.0077	U		<0.0033	U		0.00094	J		<0.034	U		<0.0062	U		<0.0062	U		<0.0061	U	
		VMP-14-20-012518	1/25/2018	<0.0083	U		<0.0082	U		<0.0036	U		<0.0046	U		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U	
	29 ft	VMP-14-29-050117	5/1/2017	<0.008	U		<0.0079	U		<0.0034	U		0.0014	J		<0.034	U		<0.0064	U		<0.0064	U		<0.0063	U	
		VMP-14-29-103017	10/30/2017	<0.0077	U		<0.0076	U		<0.0033	U		<0.0042	U		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
		VMP-14-29-012518	1/25/2018	<0.0082	U		<0.0081	U		<0.0035	U		0.046			<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
VMP-15	5 ft	VMP-15-5-050117	5/1/2017	<0.0076	U		<0.0075	U		<0.0032	U		<0.0041	U		<0.033	U		<0.006	U		<0.006	U		<0.0059	U	
		VMP-15-5-072617	7/26/2017	<0.0085	U		<0.0084	U		<0.0036	U		0.00081	J		<0.037	U		<0.0067	U		<0.0067	U		<0.0066	U	
		VMP-15-5-110217	11/2/2017	<0.0083	U		<0.0082	U		<0.0036	U		<0.0046	U		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U	
		VMP-15-5-013018	1/30/2018	<0.008	U		<0.0079	U		<0.0034	U		0.00057	J		<0.034	U		<0.0064	U		<0.0064	U		<0.0063	U	
	21.5 ft	VMP-15-21.5-050117	5/1/2017	<0.016	U		<0.015	U		<0.0067	U		<0.0086	U		<0.068	U		<0.012	U		<0.012	U		<0.012	U	
		VMP-15-21.5-072617	7/26/2017	<0.035	U		<0.035	U		<0.015	U		<0.019	U		<0.15	U		<0.028	U		<0.028	U		<0.028	U	
		VMP-15-21.5-110217	11/2/2017	<0.0083	U		<0.0082	U		<0.0036	U		0.0012	J		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U	
		VMP-15-21.5-013018	1/30/2018	<0.008	U		<0.0079	U		<0.0034	U		0.00075	J		<0.034	U		<0.0064	U		<0.0064	U		<0.0063	U	
	25.5 ft	VMP-15-25.5-020117	5/1/2017	<0.07	U		<0.07	U		<0.03	U		<0.039	U		<0.3	U		<0.056	U		<0.056	U		<0.055	U	
		VMP-15-25.5-050117-DUP	5/1/2017	<0.073	U		<0.072	U		<0.031	U		<0.04	U		<0.32	U		<0.058	U		<0.058	U		<0.057	U	
		VMP-15-25.5-072617	7/26/2017	<0.14	U		<0.14	U		<0.062	U		<0.079	U		<0.62	U		<0.11	U		<0.11	U		<0.11	U	
		VMP-15-25.5-110217	11/2/2017	<0.0082	U		<0.0081	U		<0.0035	U		<0.0045	U		<0.036	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-15-25.5-013018	1/30/2018	<0.008	U		<0.0079	U		<0.0034	U		<0.0044	U		<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U	
	29 ft	VMP-15-29-013018	1/30/2018	<0.008	U		<0.0079	U		<0.0034	U		<0.0044	U		<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U	

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	1,1,2,2-Tetrachloroethane			Tetrachloroethene			Tetrahydrofuran			Toluene			1,2,4-Trichlorobenzene			1,1,1-Trichloroethane (Methyl chloroform)			1,1,2-Trichloroethane			Trichloroethene		
							4						40000			25			41000			170000			12		
				Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals	Result (mg/m³)	Lab Quals	AECOM Quals
VMP-16	5 ft	VMP-16-5-050217	5/2/2017	<0.008	U		<0.0079	U		<0.0034	U		<0.0044	U		<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U	
		VMP-16-5-072817	7/28/2017	<0.0083	U		<0.0082	U		<0.0036	U		0.00064	J		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U	
		VMP-16-5-110217	11/2/2017	<0.0082	U		<0.0081	U		<0.0035	U		<0.0045	U		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-16-5-013018	1/30/2018	<0.0076	U		<0.0076	U		<0.0033	U		0.00059	J		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
	13.5 ft	VMP-16-13.5-050217	5/2/2017	<2.8	U		<2.8	U		<1.2	U		<1.5	U		<12	U		<2.2	U		<2.2	U		<2.2	U	
		VMP-16-13.5-072817	7/28/2017	<1.7	U		<1.6	U		<0.71	U		0.2	J		<7.2	U		<1.3	U		<1.3	U		<1.3	U	
		VMP-16-13.5-110217	11/2/2017	<2.8	U		<2.7	U		<1.2	U		<1.5	U		<12	U		<2.2	U		<2.2	U		<2.2	U	
		VMP-16-13.5-013018	1/30/2018	<1.4	U		<1.4	U		<0.62	U		<0.79	U		<6.2	U		<1.1	U		<1.1	U		<1.1	U	
	19 ft	VMP-16-13.5-013018-DUP	1/30/2018	<1.4	U		<1.4	U		<0.62	U		<0.79	U		<6.2	U		<1.1	U		<1.1	U		<1.1	U	
		VMP-16-19-050217	5/2/2017	<0.67	U		<0.66	U		<0.29	U		<0.37	U		<2.9	U		<0.53	U		<0.53	U		<0.52	U	
		VMP-16-19-072817	7/28/2017	<1.8	U		<1.8	U		<0.76	U		0.82	J		<7.6	U		<1.4	U		<1.4	U		<1.4	U	
		VMP-16-19-110217	11/2/2017	<2.8	U		1.1	J		<1.2	U		<1.5	U		<12	U		<2.2	U		<2.2	U		<2.2	U	
	31 ft	VMP-16-19-013018	1/30/2018	<3.7	U		<3.7	U		<1.6	U		<2	U		<16	U		<3	U		<3	U		<2.9	U	
		VMP-16-31-050217	5/2/2017	<1.1	U		<1	U		<0.46	U		<0.58	U		<4.6	U		<0.84	U		<0.84	U		<0.83	U	
		VMP-16-31-072817	7/28/2017	<2.2	U		<2.1	U		<0.93	U		<1.2	U		<9.4	U		<1.7	U		<1.7	U		<1.7	U	
		VMP-16-31-110217	11/2/2017	<2.7	U		<2.6	U		<1.1	U		<1.5	U		<12	U		<2.1	U		<2.1	U		<2.1	U	
	VMP-16-31-013018	1/30/2018	<2.5	U		<2.5	U		<1.1	U		<1.4	U		<11	U		<2	U		<2	U		<2	U		
VMP-17	5 ft	VMP-17-5-050217	5/2/2017	<0.008	U		<0.0079	U		<0.0034	U		<0.0044	U		<0.035	U		<0.0064	U		<0.0064	U		<0.0063	U	
		VMP-17-5-071917	7/19/2017	<0.0085	U		<0.0084	U		<0.0036	U		<0.0046	U		<0.037	U		<0.0067	U		<0.0067	U		<0.0066	U	
		VMP-17-5-110217	11/2/2017	<0.0085	U		<0.0084	U		<0.0036	U		0.0042	J		<0.037	U		<0.0067	U		<0.0067	U		<0.0066	U	
		VMP-17-5-012418	1/24/2018	<0.008	U		<0.0079	U		<0.0034	U		0.0047			<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U	
VMP-25	5 ft	VMP-25-5-050217	5/2/2017	<0.008	U		<0.0079	U		<0.0034	U		<0.0044	U		<0.034	U		<0.0064	U		<0.0064	U		<0.0063	U	
		VMP-25-5-080117	8/1/2017	<0.0076	U		<0.0075	U		<0.0032	U		0.012			<0.033	U		<0.006	U		<0.006	U		<0.0059	U	
		VMP-25-5-110217	11/2/2017	<0.0079	U		<0.0078	U		<0.0034	U		0.00053	J		<0.034	U		<0.0062	U		<0.0062	U		<0.0062	U	
		VMP-25-5-013018	1/30/2018	<0.007	U		<0.0069	U		<0.003	U		0.00084	J		<0.03	U		<0.0055	U		<0.0055	U		<0.0054	U	
	21 ft	VMP-25-21-050217	5/2/2017	<0.0082	U		<0.0081	U		<0.0035	U		0.002	J		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-25-21-080117	8/1/2017	<0.0081	U		<0.008	U		0.0018	J		0.0013	J		<0.035	U		<0.0064	U		<0.0064	U		<0.0063	U	
		VMP-25-21-110217	11/2/2017	<0.0076	U		<0.0075	U		<0.0032	U		<0.0041	U		<0.033	U		<0.006	U		<0.006	U		<0.0059	U	
		VMP-25-21-013018	1/30/2018	<0.0075	U		<0.0074	U		<0.0032	U		0.0014	J		<0.032	U		<0.0059	U		<0.0059	U		<0.0058	U	
	31 ft	VMP-25-21-013018-DUP	1/30/2018	<0.0071	U		<0.007	U		<0.003	U		0.0013	J		<0.031	U		<0.0056	U		<0.0056	U		<0.0056	U	
		VMP-25-31-050217	5/2/2017	<1.6	U		<1.6	U		<0.69	U		<0.88	U		<6.9	U		<1.3	U		<1.3	U		<1.2	U	
		VMP-25-31-050217-DUP	5/2/2017	<1.6	U		<1.6	U		<0.7	U		<0.9	U		<7.1	U		<1.3	U		<1.3	U		<1.3	U	
		VMP-25-31-080117	8/1/2017	<13	U		<13	U		<5.6	U		<7.2	U		<56	U		<10	U		<10	U		<10	U	
		VMP-25-31-080117-DUP	8/1/2017	<15	U		<14	U		<6.3	U		<8.1	U		<64	U		<12	U		<12	U		<12	U	
		VMP-25-31-110217	11/2/2017	<2.8	U		0.5	J		<1.2	U		<1.5	U		<12	U		<2.2	U		<2.2	U		<2.2	U	
		VMP-25-31-110217-DUP	11/2/2017	<2.6	U		<2.6	U		<1.1	U		<1.4	U		<11	U		<2.1	U		<2.1	U		<2	U	
		VMP-25-31-013018	1/30/2018	<2.3	U		<2.3	U		<1	U		0.85	J		<10	U		<1.8	U		<1.8	U		<1.8	U	
	VMP-25-31-013018-DUP	1/30/2018	<2.4	U		<2.4	U		<1	U		0.84	J		<10	U		<1.9	U		<1.9	U		<1.9	U		
VMP-29	10 ft	VMP-29-10-050217	5/2/2017	<0.0086	U		<0.0085	U		0.024			0.0012	J		<0.037	U		<0.0069	U		<0.0069	U		<0.0068	U	
		VMP-29-10-072717	7/27/2017	<0.016	U		<0.016	U		0.14			<0.0089	U		<0.07	U		<0.013	U		<0.013	U		<0.013	U	
		VMP-29-10-102717	10/27/2017	<0.0078	U		<0.0077	U		0.0066			0.0059			<0.034	U		<0.0062	U		<0.0062	U		<0.0061	U	
		VMP-29-10-012518	1/25/2018	<0.0085	U		<0.0084	U		0.02			0.00067	J		<0.037	U		<0.0068	U		&					

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	1,1,2,2-Tetrachloroethane			Tetrachloroethene			Tetrahydrofuran			Toluene			1,2,4-Trichlorobenzene			1,1,1-Trichloroethane (Methyl chloroform)			1,1,2-Trichloroethane			Trichloroethene		
							4						40000			25			41000			170000			12		
				Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals
VMP-30	10 ft	VMP-30-10-050217	5/2/2017	<0.0084	U		<0.0083	U		0.029			0.00079	J		<0.036	U		<0.0066	U		<0.0066	U		<0.0066	U	
		VMP-30-10-072717	7/27/2017	<0.021	U		<0.02	U		2.7			0.0054	J		<0.09	U		<0.016	U		<0.016	U		<0.016	U	
		VMP-30-10-102717	10/27/2017	<0.0079	U		<0.0078	U		0.013			0.0033	J		<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U	
		VMP-30-10-012518	1/25/2018	<0.0074	U		0.0046	J		0.02			0.059			<0.032	U		<0.0059	U		<0.0059	U		<0.0058	U	
	18 ft	VMP-30-18-050217	5/2/2017	<0.0082	U		<0.0081	U		0.025			0.0026	J		<0.036	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-30-18-072717	7/27/2017	<0.065	U		<0.064	U		5.3			<0.036	U		<0.28	U		<0.052	U		<0.052	U		<0.051	U	
		VMP-30-18-102717	10/27/2017	<0.0083	U		<0.0082	U		0.042			0.0018	J		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U	
		VMP-30-18-012518	1/25/2018	<0.0076	U		0.0013	J		0.07			0.026		J	<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
		VMP-30-18-012518-DUP	1/25/2018	<0.0076	U		0.0016	J		0.075			0.0007	J	J	<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
	26 ft	VMP-30-26-050217	5/2/2017	<0.0081	U		<0.008	U		0.018			0.0015	J		<0.035	U		<0.0064	U		<0.0064	U		<0.0063	U	
		VMP-30-26-072717	7/27/2017	<0.017	U		<0.016	U		1			<0.0091	U		<0.072	U		<0.013	U		<0.013	U		<0.013	U	
		VMP-30-26-102717	10/27/2017	<0.0077	U		<0.0076	U		0.023			0.0064			<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
		VMP-30-26-012518	1/25/2018	<0.0078	U		<0.0077	U		0.072			0.00096	J		<0.034	U		<0.0062	U		<0.0062	U		<0.0061	U	
VMP-41	10 ft	VMP-41-10-050217	5/2/2017	<0.0083	U		<0.0082	U		<0.0036	U		<0.0045	U		<0.036	U		<0.0066	U		<0.0066	U		<0.0065	U	
		VMP-41-10-072717	7/27/2017	<0.0079	U		<0.0078	U		<0.0034	U		<0.0044	U		<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U	
		VMP-41-10-102717	10/27/2017	<0.0075	U		<0.0074	U		<0.0032	U		<0.0041	U		<0.032	U		<0.006	U		<0.006	U		<0.0059	U	
		VMP-41-10-012418	1/24/2018	<0.0076	U		<0.0076	U		<0.0033	U		0.00089	J		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
	20 ft	VMP-41-20-050217	5/2/2017	<0.008	U		<0.0079	U		<0.0034	U		<0.0044	U		<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U	
		VMP-41-20-072717	7/27/2017	<0.0082	U		<0.0081	U		<0.0035	U		0.001	J		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-41-20-102717	10/27/2017	<0.0079	U		<0.0078	U		<0.0034	U		<0.0043	U		<0.034	U		<0.0062	U		<0.0062	U		<0.0062	U	
		VMP-41-20-012418	1/24/2018	<0.0078	U		<0.0077	U		<0.0033	U		0.0034	J		<0.034	U		<0.0062	U		<0.0062	U		<0.0061	U	
	26 ft	VMP-41-26-050217	5/2/2017	<0.0082	U		<0.0081	U		<0.0035	U		0.00066	J		<0.035	U		<0.0065	U		<0.0065	U		<0.0064	U	
		VMP-41-26-072717	7/27/2017	<0.0076	U		<0.0076	U		<0.0033	U		<0.0042	U		<0.033	U		<0.0061	U		<0.0061	U		<0.006	U	
		VMP-41-26-072717-DUP	7/27/2017	<0.0085	U		<0.0084	U		<0.0036	U		0.0013	J		<0.037	U		<0.0068	U		<0.0068	U		<0.0067	U	
		VMP-41-26-102717	10/27/2017	<0.0079	U		<0.0078	U		<0.0034	U		<0.0043	U		<0.034	U		<0.0062	U		<0.0062	U		<0.0062	U	
VMP-55	5 ft	VMP-55-5-072617	7/26/2017	<0.015	U		<0.015	U		<0.0065	U		0.011			<0.065	U		<0.012	U		<0.012	U		<0.012	U	
		VMP-55-5-110217	11/2/2017	<0.0079	U		<0.0078	U		<0.0034	U		0.00082	J		<0.034	U		<0.0063	U		<0.0063	U		<0.0062	U	
		VMP-55-5-013018	1/30/2018	<0.0076	U		<0.0075	U		<0.0032	U		<0.0042	U		<0.033	U		<0.006	U		<0.006	U		<0.0059	U	
	20 ft	VMP-55-20-050117	5/1/2017	<4.1	U		<4	U		<1.8	U		<2.2	U		<18	U		<3.2	U		<3.2	U		<3.2	U	
		VMP-55-20-072617	7/26/2017	<0.42	U		<0.42	U		<0.18	U		<0.23	U		<1.8	U		<0.34	U		<0.34	U		<0.33	U	
		VMP-55-20-110217	11/2/2017	<2	U		<2	U		<0.88	U		<1.1	U		<8.8	U		<1.6	U		<1.6	U		<1.6	U	
		VMP-55-20-013018	1/30/2018	<0.84	U		<0.83	U		<0.36	U		<0.46	U		<3.6	U		<0.67	U		<0.67	U		<0.66	U	

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	Trichlorofluoromethane			1,2,4-Trimethylbenzene			1,3,5-Trimethylbenzene			2,2,4-Trimethylpentane			Vinyl chloride			m,p-Xylenes			o-Xylenes		
				5600												4.8			580			790		
				Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals
VMP-10	5 ft	VMP-10-5-042717	4/27/2017	0.0012	J		<0.0054	U		<0.0054	U		0.0055			<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-10-5-072717	7/27/2017	0.0014	J		<0.0056	U		<0.0056	U		0.0008	J		<0.0029	U		<0.005	U		<0.005	U	
		VMP-10-5-103017	10/30/2017	0.0012	J		<0.0055	U		<0.0055	U		0.00094	J		<0.0029	U		0.0057			0.0014	J	
		VMP-10-5-013118	1/31/2018	0.0015	J		<0.0054	U		<0.0054	U		<0.0051	U		<0.0028	U		<0.0048	U		<0.0048	U	
	10 ft	VMP-10-10-042717	4/27/2017	0.0015	J		<0.0059	U		<0.0059	U		0.0013	J		<0.0031	U		<0.0052	U		<0.0052	U	
		VMP-10-10-072717	7/27/2017	0.0016	J		<0.006	U		<0.006	U		<0.0057	U		<0.0031	U		<0.0053	U		<0.0053	U	
		VMP-10-10-103017	10/30/2017	0.0012	J		<0.0054	U		<0.0054	U		<0.0052	U		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-10-10-013118	1/31/2018	0.0017	J		<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		<0.005	U		<0.005	U	
	20 ft	VMP-10-20-042717	4/27/2017	0.0015	J		<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		<0.005	U		<0.005	U	
		VMP-10-20-072717	7/27/2017	0.0016	J		<0.006	U		<0.006	U		<0.0057	U		<0.0031	U		<0.0053	U		<0.0053	U	
		VMP-10-20-103017	10/30/2017	0.0011	J		<0.0052	U		<0.0052	U		<0.005	U		<0.0027	U		<0.0046	U		<0.0046	U	
		VMP-10-20-013118	1/31/2018	0.0014	J		<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		<0.005	U		<0.005	U	
	30 ft	VMP-10-30-042717	4/27/2017	0.0016	J		0.00086	J		<0.0051	U		0.0035	J		<0.0027	U		<0.0045	U		<0.0045	U	
		VMP-10-30-042717-DUP	4/27/2017	0.0012	J		0.00079	J		<0.0052	U		0.0042	J		<0.0027	U		<0.0046	U		<0.0046	U	
		VMP-10-30-103017	10/30/2017	0.0009	J		0.001	J		<0.0053	U		0.0017	J		<0.0027	U		0.0016	J		<0.0047	U	
		VMP-10-30-103017-DUP	10/30/2017	0.0014	J		<0.0052	U		<0.0052	U		<0.0049	U		<0.0027	U		<0.0046	U		<0.0046	U	
		VMP-10-30-013118	1/31/2018	0.0014	J		<0.0058	U		<0.0058	U		0.0098			<0.003	U		<0.0051	U		<0.0051	U	
		VMP-10-30-013118-DUP	1/31/2018	0.0013	J		<0.0052	U		<0.0052	U		0.012			<0.0027	U		<0.0046	U		<0.0046	U	
VMP-11	5 ft	VMP-11-5-052217	5/22/2017	0.0015	J		<0.006	U		<0.006	U		0.0053	J		<0.0031	U		<0.0053	U		<0.0053	U	
		VMP-11-5-072617	7/26/2017	0.0011	J		<0.0061	U		<0.0061	U		<0.0058	U		<0.0032	U		<0.0054	U		<0.0054	U	
		VMP-11-5-110317	11/3/2017	0.0014	J		<0.0058	U		<0.0058	U		<0.0056	U		<0.003	U		<0.0052	U		<0.0052	U	
		VMP-11-5-012918	1/29/2018	<0.0062	U		<0.0054	U		<0.0054	U		<0.0052	U		<0.0028	U		<0.0048	U		<0.0048	U	
	8 ft	VMP-11-8-052217	5/22/2017	0.001	J		<0.0056	J	U	<0.0056	U		0.0016	J		<0.0029	U		0.0026	J		<0.005	U	
		VMP-11-8-072617	7/26/2017	0.0011	J		<0.006	U		<0.006	U		<0.0057	U		<0.0031	U		<0.0053	U		<0.0053	U	
		VMP-11-8-110317	11/3/2017	0.0016	J		<0.0056	U		<0.0056	U		0.0085			<0.0029	U		<0.005	U		<0.005	U	
		VMP-11-8-012918	1/29/2018	0.0013	J		<0.0052	U		<0.0052	U		<0.0049	U		<0.0027	U		<0.0046	U		<0.0046	U	
	29 ft	VMP-11-29-052217	5/22/2017	0.001	J		<0.0058	J	U	<0.0058	U		0.0037	J		<0.003	U		0.0019	J		<0.0051	U	
		VMP-11-29-052217-DUP	5/22/2017	0.0012	J		<0.0059	J	U	<0.0059	U		0.0033	J		<0.003	U		<0.0052	U		<0.0052	U	
		VMP-11-29-072617	7/26/2017	0.0014	J		<0.0059	U		<0.0059	U		<0.0056	U		<0.0031	U		<0.0052	U		<0.0052	U	
		VMP-11-29-110317	11/3/2017	0.001	J		<0.0055	U		<0.0055	U		0.0048	J		<0.0029	U		<0.0049	U		<0.0049	U	
	38 ft	VMP-11-29-012918	1/29/2018	0.0012	J		<0.0052	U		<0.0053	U		<0.005	U		<0.0027	U		<0.0046	U		<0.0046	U	
		VMP-11-38-072617	7/26/2017	0.0013	J		<0.0059	U		<0.0059	U		0.00087	J		<0.0031	U		<0.0052	U		<0.0052	U	
		VMP-11-38-110317	11/3/2017	<0.0068	U		<0.0059	U		<0.0059	U		0.0065			<0.0031	U		<0.0052	U		<0.0052	U	
		VMP-11-38-110317-DUP	11/3/2017	0.0013	J		<0.0054	U		<0.0054	U		0.0074			<0.0028	U		0.00077	J		<0.0048	U	
VMP-12	5 ft	VMP-12-5-050217	5/2/2017	<0.0073	U		<0.0064	U		<0.0064	U		<0.006	U		<0.0033	U		<0.0056	U		<0.0056	U	
		VMP-12-5-072817	7/28/2017	0.0017	J		0.0041	J		0.002	J		0.0011	J		<0.003	U		0.041			0.012		
		VMP-12-5-110217	11/2/2017	0.0011	J		0.0098			0.0035	J		0.0015	J		<0.003	U		0.082			0.027		
		VMP-12-5-013018	1/30/2018	<0.0062	U		0.02			0.0024	J		0.046			<0.0028	U		0.0044	J		0.0013	J	
	11.5 ft	VMP-12-11.5-050217	5/2/2017	<0.0069	U		<0.006	U		<0.006	U		0.26			<0.0031	U		<0.0053	U		<0.0053	U	
		VMP-12-11.5-072817	7/28/2017	0.0015	J		<0.0062	U		<0.0062	U		0.0038	J		<0.0032	U		<0.0055	U		<0.0055	U	
		VMP-12-11.5-110217	11/2/2017	0.0011	J		<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		0.001	J		<0.005	U	
		VMP-12-11.5-013018	1/30/2018	0.0014	J		0.36			0.01			0.02			<0.0027	U		<0.0046	U		<0.0046	U	
	25 ft	VMP-12-25-050217	5/2/2017	<0.0076	U		0.35			0.012			0.89			<0.0035	U		0.004	J		0.00096	J	
		VMP-12-25-072817	7/28/2017	0.0014	J		<0.0058	U		<0.0058	U		0.0093			<0.003	U		<0.0052	U		<0.0052	U	
		VMP-12-25-110217	11/2/2017	0.0011	J		<0.0061	U		<0.0061	U		<0.0058	U		<0.0032	U		0.0033	J		0.0011	J	
		VMP-12-25-013018	1/30/2018	0.0013	J		0.0015	J		<0.0055	U		<0.0052	U		<0.0029	U		<0.0049	U		<0.0049	U	
	39 ft	VMP-12-39-050217	5/2/2017	<6.9	U		1.3	J		<6.1	U		6100			<3.2	U		<5.4	U		<5.4	U	
		VMP-12-39-072817	7/28/2017	<1.7	U		<1.5	U		<1.5	U		2200		J	<0.77	U		<1.3	U		<1.3	U	
		VMP-12-39-072817-DUP	7/28/2017	<3.2	U		<2.8	U		<2.8	U		3100		J	<1.4	U		<2.5	U		<2.5	U	
		VMP-12-39-110217	11/2/2017	<6.5	U		<5.7	U		<5.7	U		4400			<3	U		<5	U		<5	U	
		VMP-12-39-110217-DUP	11/2/2017	<6.5	U		<5.7	U		<5.7	U		4300			<3	U		<5	U		<5	U	
		VMP-12-39-013018	1/30/2018	<0.63	U		<0.55	U		<0.55	U		570			<0.29	U		<0.49	U		<0.49	U	

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	Trichlorofluoromethane			1,2,4-Trimethylbenzene			1,3,5-Trimethylbenzene			2,2,4-Trimethylpentane			Vinyl chloride			m,p-Xylenes			o-Xylenes		
				5600												4.8			580			790		
				Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals
VMP-13	5 ft	VMP-13-5-042817	4/28/2017	<0.0065	U		<0.0056	U		<0.0056	U		<0.0054	U		<0.0029	U		<0.005	U		<0.005	U	
		VMP-13-5-072717	7/27/2017	0.0016	J		<0.0056	U		<0.0056	U		0.0048	J		<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-13-5-103017	10/30/2017	0.0011	J		<0.0055	U		<0.0055	U		<0.0052	U		<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-13-5-012918	1/29/2018	0.0015	J		<0.005	U		<0.005	U		<0.0047	U		<0.0026	U		<0.0044	U		<0.0044	U	
	10.5 ft	VMP-13-10.5-042817	4/28/2017	<0.0068	U		<0.0059	U		<0.0059	U		<0.0056	U		<0.0031	U		<0.0052	U		<0.0052	U	
		VMP-13-10.5-072717	7/27/2017	0.002	J		<0.0056	U		<0.0056	U		0.024			<0.0029	U		0.002	J		<0.005	U	
		VMP-13-10.5-103017	10/30/2017	0.0017	J		<0.0055	U		<0.0055	U		<0.0052	U		<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-13-10.5-012918	1/29/2018	<0.0062	U		<0.0054	U		<0.0054	U		<0.0052	U		<0.0028	U		<0.0048	U		<0.0048	U	
	21.5 ft	VMP-13-21.5-042817	4/28/2017	<0.0069	U		<0.006	U		<0.006	U		<0.0057	U		<0.0031	U		0.00097	J		<0.0053	U	
		VMP-13-21.5-072717	7/27/2017	<0.0065	U		<0.0057	U		<0.0057	U		0.0011	J		<0.003	U		<0.005	U		<0.005	U	
		VMP-13-21.5-103017	10/30/2017	0.0012	J		<0.0055	U		<0.0055	U		<0.0052	U		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-13-21.5-012918	1/29/2018	0.0013	J		<0.0052	U		<0.0053	U		<0.005	U		<0.0027	U		<0.0046	U		<0.0046	U	
	29.5 ft	VMP-13-29.5-042817	4/28/2017	<0.0066	U		<0.0058	U		<0.0058	U		<0.0055	J	U	<0.003	U		<0.0051	U		<0.0051	U	
		VMP-13-29.5-042817-DUP	4/28/2017	<0.0063	U		<0.0055	U		<0.0055	U		<0.0052	J	U	<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-13-29.5-072717	7/27/2017	0.0017	J		<0.0064	U		<0.0064	U		0.0029	J		<0.0033	U		<0.0056	U		<0.0056	U	
		VMP-13-29.5-103017	10/30/2017	0.0017	J		<0.0059	U		<0.0059	U		<0.0056	J	U	<0.003	U		0.0025	J		<0.0052	U	
		VMP-13-29.5-012918	1/29/2018	0.0012	J		<0.0054	U		<0.0054	U		0.0016	J		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-13-29.5-012918-DUP	1/29/2018	<0.0064	U		<0.0056	U		<0.0056	U		0.0018	J		<0.0029	U		<0.005	U		<0.005	U	
VMP-14	5 ft	VMP-14-5-050117	5/1/2017	0.0015	J		<0.0056	U		<0.0056	U		0.0018	J		<0.0029	U		<0.005	U		<0.005	U	
		VMP-14-5-071917	7/19/2017	0.0017	J		<0.0062	U		<0.0062	U		0.0063			<0.0032	U		<0.0055	U		<0.0055	U	
		VMP-14-5-103017	10/30/2017	<0.0063	U		<0.0055	U		<0.0055	U		<0.0052	U		<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-14-5-012518	1/25/2018	0.0016	J		<0.0058	U		<0.0058	U		<0.0055	U		<0.003	U		<0.0051	U		<0.0051	U	
	11.5 ft	VMP-14-11.5-050117	5/1/2017	0.0011	J		<0.0054	U		<0.0054	U		<0.0051	U		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-14-11.5-071917	7/19/2017	0.0012	J		<0.0062	U		<0.0062	U		<0.0059	U		<0.0032	U		<0.0055	U		<0.0055	U	
		VMP-14-11.5-103017	10/30/2017	0.0012	J		<0.0056	U		<0.0056	U		<0.0054	U		<0.0029	U		<0.005	U		<0.005	U	
		VMP-14-11.5-012518	1/25/2018	<0.0065	U		<0.0056	U		<0.0056	U		<0.0054	U		<0.0029	U		0.0027	J		0.0013	J	
	20 ft	VMP-14-20-050117	5/1/2017	<0.062	U		0.012	J		<0.054	U		0.074			<0.028	U		<0.048	U		<0.048	U	
		VMP-14-20-071917	7/19/2017	<0.072	U		<0.063	U		<0.063	U		0.021	J		<0.033	U		<0.056	U		<0.056	U	
		VMP-14-20-103017	10/30/2017	<0.0063	U		<0.0056	U		<0.0056	U		0.0044	J		<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-14-20-012518	1/25/2018	<0.0068	U		<0.006	U		<0.006	U		<0.0057	U		<0.0031	U		<0.0053	U		<0.0053	U	
	29 ft	VMP-14-29-050117	5/1/2017	0.001	J		<0.0057	U		<0.0057	U		0.0021	J		<0.003	U		0.0028	J		<0.005	U	
		VMP-14-29-103017	10/30/2017	0.0013	J		<0.0055	U		<0.0055	U		<0.0052	J	U	<0.0029	U		<0.0049	U		<0.0049	U	
		VMP-14-29-012518	1/25/2018	<0.0067	U		<0.0058	U		<0.0058	U		<0.0056	U		<0.003	U		0.0012	J		<0.0052	U	
VMP-15	5 ft	VMP-15-5-050117	5/1/2017	0.0011	J		<0.0054	U		<0.0054	U		<0.0051	U		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-15-5-072617	7/26/2017	0.0014	J		<0.0061	U		<0.0061	U		<0.0058	U		<0.0032	U		<0.0054	U		<0.0054	U	
		VMP-15-5-110217	11/2/2017	0.0011	J		<0.0059	U		<0.0059	U		<0.0056	U		<0.0031	U		<0.0052	U		<0.0052	U	
		VMP-15-5-013018	1/30/2018	<0.0065	U		<0.0057	U		<0.0057	U		<0.0054	U		<0.003	U		<0.005	U		<0.005	U	
	21.5 ft	VMP-15-21.5-050117	5/1/2017	<0.013	U		<0.011	U		<0.011	U		2.7			<0.0058	U		<0.0099	U		<0.0099	U	
		VMP-15-21.5-072617	7/26/2017	<0.029	U		<0.025	U		<0.025	U		6.6			<0.013	U		<0.022	U		<0.022	U	
		VMP-15-21.5-110217	11/2/2017	0.0012	J		<0.0059	U		<0.0059	U		0.0008	J		<0.0031	U		<0.0052	U		<0.0052	U	
		VMP-15-21.5-013018	1/30/2018	<0.0065	U		<0.0057	U		<0.0057	U		0.0023	J		<0.003	U		<0.005	U		<0.005	U	
	25.5 ft	VMP-15-25.5-020117	5/1/2017	<0.058	U		<0.05	U		<0.05	U		25			<0.026	U		<0.044	U		<0.044	U	
		VMP-15-25.5-050117-DUP	5/1/2017	<0.06	U		<0.052	U		<0.052	U		28			<0.027	U		<0.046	U		<0.046	U	
		VMP-15-25.5-072617	7/26/2017	<0.12	U		<0.1	U		<0.1	U		22			<0.054	U		<0.091	U		<0.091	U	
		VMP-15-25.5-110217	11/2/2017	<0.0067	U		<0.0059	U		<0.0059	U		0.0012	J		<0.0031	U		<0.0052	U		<0.0052	U	
		VMP-15-25.5-013018	1/30/2018	<0.0065	U		<0.0057	U		<0.0057	U		<0.0054	U		<0.003	U		<0.005	U		<0.005	U	
	29 ft	VMP-15-29-013018	1/30/2018	<0.0065	U		<0.0057	U		<0.0057	U		0.0077			<0.003	U		<0.005	U		<0.005	U	

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	Trichlorofluoromethane			1,2,4-Trimethylbenzene			1,3,5-Trimethylbenzene			2,2,4-Trimethylpentane			Vinyl chloride			m,p-Xylenes			o-Xylenes		
				5600												4.8			580			790		
				Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals
VMP-16	5 ft	VMP-16-5-050217	5/2/2017	<0.0065	U		<0.0057	U		<0.0057	U		0.00088	J		<0.003	U		<0.005	U		<0.005	U	
		VMP-16-5-072817	7/28/2017	0.0013	J		<0.0059	U		<0.0059	U		<0.0056	U		<0.0031	U		0.00086	J		<0.0052	U	
		VMP-16-5-110217	11/2/2017	<0.0067	U		<0.0058	U		<0.0058	U		<0.0056	U		<0.003	U		<0.0052	U		<0.0052	U	
		VMP-16-5-013018	1/30/2018	0.0016	J		<0.0055	U		<0.0055	U		<0.0052	U		<0.0028	U		<0.0048	U		<0.0048	U	
	13.5 ft	VMP-16-13.5-050217	5/2/2017	<2.3	U		<2	U		<2	U		1700			<1	U		<1.8	U		<1.8	U	
		VMP-16-13.5-072817	7/28/2017	<1.4	U		<1.2	U		<1.2	U		1700			<0.62	U		<1	U		<1	U	
		VMP-16-13.5-110217	11/2/2017	<2.3	U		<2	U		<2	U		1800			<1	U		<1.8	U		<1.8	U	
		VMP-16-13.5-013018	1/30/2018	<1.2	U		<1	U		<1	U		970			<0.54	U		<0.91	U		<0.91	U	
	19 ft	VMP-16-13.5-013018-DUP	1/30/2018	<1.2	U		<1	U		<1	U		970			<0.54	U		<0.91	U		<0.91	U	
		VMP-16-19-050217	5/2/2017	<0.55	U		49			7.4			2700			<0.25	U		9.3			1		
		VMP-16-19-072817	7/28/2017	<1.4	U		41			6.4			2500			<0.66	U		6.8			0.83	J	
		VMP-16-19-110217	11/2/2017	<2.3	U		44			7.4			3000			<1	U		7.9			1.1	J	
	31 ft	VMP-16-19-013018	1/30/2018	<3.1	U		28			5			2900			<1.4	U		6.9			0.88	J	
		VMP-16-31-050217	5/2/2017	<0.87	U		70			2.5			2800			<0.4	U		2.2			0.6	J	
		VMP-16-31-072817	7/28/2017	<1.8	U		51			1.8			2100			<0.8	U		1.7			0.48	J	
		VMP-16-31-110217	11/2/2017	<2.2	U		61			2.2			2700			<0.99	U		1.7			<1.7	U	
		VMP-16-31-013018	1/30/2018	<2	U		26			<1.8	U		2800			<0.93	U		1.5	J		<1.6	U	
VMP-17	5 ft	VMP-17-5-050217	5/2/2017	<0.0066	U		0.0027	J		<0.0058	U		0.028			<0.003	U		<0.0051	U		<0.0051	U	
		VMP-17-5-071917	7/19/2017	<0.0069	U		<0.0061	U		<0.0061	U		<0.0058	U		<0.0032	U		<0.0054	U		<0.0054	U	
		VMP-17-5-110217	11/2/2017	0.0014	J		<0.0061	U		<0.0061	U		<0.0058	U		<0.0032	U		<0.0054	U		<0.0054	U	
		VMP-17-5-012418	1/24/2018	0.0014	J		<0.0057	U		<0.0057	U		<0.0054	U		<0.003	U		<0.005	U		<0.005	U	
VMP-25	5 ft	VMP-25-5-050217	5/2/2017	<0.0065	U		<0.0057	U		<0.0057	U		0.00094	J		<0.003	U		<0.005	U		<0.005	U	
		VMP-25-5-080117	8/1/2017	0.00094	J		<0.0054	U		<0.0054	U		0.0015	J		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-25-5-110217	11/2/2017	<0.0064	U		<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		<0.005	U		<0.005	U	
		VMP-25-5-013018	1/30/2018	<0.0057	U		0.01			0.006			0.09			<0.0026	U		0.0097			0.0043	J	
	21 ft	VMP-25-21-050217	5/2/2017	<0.0067	U		<0.0058	U		<0.0058	U		0.0049	J		<0.003	U		<0.0052	U		<0.0052	U	
		VMP-25-21-080117	8/1/2017	0.0012	J		0.00099	J		<0.0058	U		0.004	J		<0.003	U		0.0016	J		<0.0051	U	
		VMP-25-21-110217	11/2/2017	0.001	J		<0.0054	U		<0.0054	U		<0.0051	U		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-25-21-013018	1/30/2018	<0.0061	U		0.0016	J		0.00079	J		0.0064			<0.0028	U		0.0018	J		<0.0047	U	
		VMP-25-21-013018-DUP	1/30/2018	0.0015	J		0.0014	J		0.00061	J		0.0052			<0.0026	U		0.001	J		<0.0045	U	
	31 ft	VMP-25-31-050217	5/2/2017	<1.3	U		<1.1	U		<1.1	U		480			<0.6	U		<1	U		<1	U	
		VMP-25-31-050217-DUP	5/2/2017	<1.3	U		<1.2	U		<1.2	U		520			<0.61	U		<1	U		<1	U	
		VMP-25-31-080117	8/1/2017	<11	U		<9.3	U		<9.3	U		530			<4.8	U		<8.2	U		<8.2	U	
		VMP-25-31-080117-DUP	8/1/2017	<12	U		<10	U		<10	U		610			<5.5	U		<9.3	U		<9.3	U	
		VMP-25-31-110217	11/2/2017	<2.3	U		0.67	J		<2	U		660			<1	U		1.1	J		<1.8	U	
		VMP-25-31-110217-DUP	11/2/2017	<2.1	U		0.45	J		<1.9	U		710			<0.98	U		1.2	J		<1.6	U	
		VMP-25-31-013018	1/30/2018	<1.9	U		<1.7	U		<1.7	U		550			<0.86	U		1.4	J		<1.5	U	
		VMP-25-31-013018-DUP	1/30/2018	<2	U		<1.7	U		<1.7	U		620			<0.91	U		1.9			<1.5	U	
VMP-29	10 ft	VMP-29-10-050217	5/2/2017	<0.0071	U		<0.0062	U		<0.0062	U		0.0011	J		<0.0032	U		0.0018	J		<0.0055	U	
		VMP-29-10-072717	7/27/2017	<0.013	U		<0.012	U		<0.012	U		<0.011	U		<0.006	U		<0.01	U		<0.01	U	
		VMP-29-10-102717	10/27/2017	0.0014	J		0.0077			0.0034	J		0.0023	J		<0.0029	U		0.063			0.023		
		VMP-29-10-012518	1/25/2018	0.0014	J		<0.0061	U		<0.0061	U		<0.0058	U		<0.0032	U		<0.0054	U		<0.0054	U	
	18 ft	VMP-29-18-050217	5/2/2017	<0.0068	U		<0.006	U		<0.006	U		0.00068	J		<0.0031	U		0.0072			0.0019	J	
		VMP-29-18-072717	7/27/2017	<0.014	U		0.0086	J		0.0028	J		0.0046	J		<0.0063	U		0.072			0.025		
		VMP-29-18-102717	10/27/2017	0.0015	J		0.0099			0.0042	J		<0.0053	U		<0.0029	U		0.086			0.029		
		VMP-29-18-012518	1/25/2018	0.0014	J		<0.0058	U		<0.0058	U		<0.0055	U		<0.003	U		<0.0051	U		<0.0051	U	
	26 ft	VMP-29-26-050317	5/3/2017	<0.0061	U		<0.0054	U		<0.0054	U		<0.0051	J	U	<0.0028	U		0.0052			0.0011	J	
		VMP-29-26-072717	7/27/2017	<0.044	U		<0.038	U		<0.038	U		0.097			<0.02	U		0.022	J		<0.034	U	
		VMP-29-26-072717-DUP	7/27/2017	<0.041	U		<0.036	U		<0.036	U		0.1			<0.019	U		0.021	J		<0.032	U	
		VMP-29-26-102717	10/27/2017	0.0011	J		0.011			0.0068			0.0026	J		<0.0028	U		0.015			0.0053		
		VMP-29-26-102717-DUP	10/27/2017	0.0013	J		0.0059			0.0032	J		0.0018	J		<0.0028	U		0.011			0.0038	J	
		VMP-29-26-012518	1/25/2018	0.0014	J		<0.0057	U		<0.0057	U		<0.0054	U		<0.003	U		<0.005	U		<0.005	U	

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	Trichlorofluoromethane			1,2,4-Trimethylbenzene			1,3,5-Trimethylbenzene			2,2,4-Trimethylpentane			Vinyl chloride			m,p-Xylenes			o-Xylenes		
				5600												4.8			580			790		
				Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals
VMP-30	10 ft	VMP-30-10-050217	5/2/2017	<0.0068	U		<0.006	U		<0.006	U		0.0053	J		<0.0031	U		0.0031	J		0.00085	J	
		VMP-30-10-072717	7/27/2017	<0.017	U		<0.015	U		<0.015	U		0.73			<0.0077	U		0.0071	J		<0.013	U	
		VMP-30-10-102717	10/27/2017	0.0013	J		0.01			0.0034	J		<0.0054	U		<0.003	U		0.055			0.02		
		VMP-30-10-012518	1/25/2018	0.0013	J		<0.0053	U		<0.0053	U		<0.0051	U		<0.0028	U		<0.0047	U		<0.0047	U	
	18 ft	VMP-30-18-050217	5/2/2017	<0.0067	U		<0.0059	U		<0.0059	U		<0.0056	U		<0.0031	U		0.0016	J		<0.0052	U	
		VMP-30-18-072717	7/27/2017	<0.053	U		<0.047	U		<0.047	U		0.016	J		<0.024	U		<0.041	U		<0.041	U	
		VMP-30-18-102717	10/27/2017	0.0015	J		0.0063			0.002	J		<0.0056	U		<0.0031	U		0.04			0.013		
		VMP-30-18-012518	1/25/2018	0.0012	J		<0.0055	U		<0.0055	U		0.0017	J		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-30-18-012518-DUP	1/25/2018	0.0014	J		<0.0055	U		<0.0055	U		0.0017	J		<0.0028	U		<0.0048	U		<0.0048	U	
	26 ft	VMP-30-26-050217	5/2/2017	<0.0066	U		<0.0058	U		<0.0058	U		0.002	J		<0.003	U		0.002	J		<0.0051	U	
		VMP-30-26-072717	7/27/2017	<0.014	U		<0.012	U		<0.012	U		0.0081	J		<0.0062	U		<0.01	U		<0.01	U	
		VMP-30-26-102717	10/27/2017	0.0015	J		0.012			0.0036	J		0.0011	J		<0.0029	U		0.099			0.03		
		VMP-30-26-012518	1/25/2018	0.0017	J		<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		<0.0049	U		<0.0049	U	
VMP-41	10 ft	VMP-41-10-050217	5/2/2017	<0.0068	U		<0.0059	U		<0.0059	U		<0.0056	U		<0.0031	U		<0.0052	U		<0.0052	U	
		VMP-41-10-072717	7/27/2017	0.0014	J		<0.0057	U		<0.0057	U		<0.0054	U		<0.003	U		<0.005	U		<0.005	U	
		VMP-41-10-102717	10/27/2017	0.0015	J		<0.0054	U		<0.0054	U		<0.0051	U		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-41-10-012418	1/24/2018	0.0014	J		<0.0055	U		<0.0055	U		<0.0052	U		<0.0028	U		<0.0048	U		<0.0048	U	
	20 ft	VMP-41-20-050217	5/2/2017	<0.0065	U		<0.0057	U		<0.0057	U		0.00061	J		<0.003	U		<0.005	U		<0.005	U	
		VMP-41-20-072717	7/27/2017	0.0014	J		<0.0058	U		<0.0058	U		<0.0056	U		<0.003	U		<0.0052	U		<0.0052	U	
		VMP-41-20-102717	10/27/2017	0.0014	J		<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		<0.005	U		<0.005	U	
		VMP-41-20-012418	1/24/2018	0.0015	J		<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		<0.0049	U		<0.0049	U	
	26 ft	VMP-41-26-050217	5/2/2017	<0.0067	U		<0.0058	U		<0.0058	U		<0.0056	U		<0.003	U		<0.0052	U		<0.0052	U	
		VMP-41-26-072717	7/27/2017	0.0016	J		<0.0055	U		<0.0055	U		<0.0052	U		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-41-26-072717-DUP	7/27/2017	0.0019	J		<0.0061	U		<0.0061	U		<0.0058	U		<0.0032	U		<0.0054	U		<0.0054	U	
		VMP-41-26-102717	10/27/2017	0.0015	J		<0.0056	U		<0.0056	U		<0.0053	U		<0.0029	U		<0.005	U		<0.005	U	
		VMP-41-26-102717-DUP	10/27/2017	0.0015	J		<0.0055	U		<0.0055	U		0.00074	J		<0.0028	U		<0.0048	U		<0.0048	U	
		VMP-41-26-012418	1/24/2018	0.0013	J		<0.0052	U		<0.0052	U		<0.005	U		<0.0027	U		<0.0046	U		<0.0046	U	
VMP-55	5 ft	VMP-55-5-072617	7/26/2017	<0.012	U		0.0042	J		0.0021	J		0.026			<0.0056	U		0.083			0.022		
		VMP-55-5-110217	11/2/2017	<0.0065	U		<0.0056	U		<0.0056	U		0.026			<0.0029	U		0.0011	J		<0.005	U	
		VMP-55-5-013018	1/30/2018	<0.0062	U		<0.0054	U		<0.0054	U		0.02			<0.0028	U		<0.0048	U		<0.0048	U	
	20 ft	VMP-55-20-050117	5/1/2017	<3.3	U		<2.9	U		<2.9	U		330			<1.5	U		<2.6	U		<2.6	U	
		VMP-55-20-072617	7/26/2017	<0.35	U		<0.3	U		<0.3	U		250		J	<0.16	U		<0.27	U		<0.27	U	
		VMP-55-20-110217	11/2/2017	<1.7	U		<1.5	U		<1.5	U		270			<0.76	U		<1.3	U		<1.3	U	
		VMP-55-20-013018	1/30/2018	<0.69	U		<0.6	U		<0.6	U		210		J	<0.31	U		<0.53	U		<0.53	U	

Notes:
Yellow highlighted cells indicate readings that exceed industrial screening criterion.
* = Analytical results indicate anomalous readings compared to previous results. VMP location resampled to verify results from the laboratory.

Lab Qualifiers
J = Estimated value; results between the MDL and RL
U = Compound analyzed for but not detected above the RL

AECOM Qualifiers
J = Estimated detection
UJ = Estimated non-detect
U = Non-detect due to blank contamination
ND, UJ = Non-detected compound associated with low bias in the continuing calibration verification

TABLE 7
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL RESULTS - NATURAL GASES

Location	Depth	Sample ID	Sample Date	Carbon Dioxide			Carbon Monoxide			Ethane			Ethene			Helium			Methane			Nitrogen			Oxygen		
				Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
VMP-1	5 ft	VMP-1-5-042817	4/28/2017	0.24			<0.026	U		<0.0026	U		<0.0026	U		<0.13	U		<0.00026	U		80			20		
		VMP-1-5-072417	7/24/2017	1.2			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		0.00013	J		80			19		
		VMP-1-5-102617	10/26/2017	0.63			<0.023	U		<0.0023	U		<0.0023	U		0.38			<0.00023	U		78			21		
		VMP-1-5-012618	1/26/2018	0.14			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		0.00015	J		79			21		
	8.5 ft	VMP-1-8.5-042817	4/28/2017	0.32			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		80			20		
		VMP-1-8.5-072417	7/24/2017	0.91			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		80			19		
		VMP-1-8.5-102617	10/26/2017	0.46			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		78			21		
		VMP-1-8.5-012418	1/24/2018	0.14			<0.022	U		<0.0022	U		<0.0022	U		0.011	J		<0.00022	U		79			21		
	23.5 ft	VMP-1-23.5-042817	4/28/2017	0.64			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		79			20		
		VMP-1-23.5-042817-DUP	4/28/2017	0.66			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		79			20		
		VMP-1-23.5-072417	7/24/2017	0.91			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		80			19		
		VMP-1-23.5-102617	10/26/2017	0.62			<0.024	U		<0.0024	U		<0.0024	U		0.053	J		<0.00024	U		78			21		
VMP-2	5 ft	VMP-2-5-050317	5/3/2017	2.1			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		79			19		
		VMP-2-5-072417	7/24/2017	6.4			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		80			14		
		VMP-2-5-102617	10/26/2017	3.9			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		78			18		
		VMP-2-5-012918	1/29/2018	1.3			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			20		
	8.5 ft	VMP-2-8.5-050317	5/3/2017	2			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		79			19		
		VMP-2-8.5-072417	7/24/2017	4.1			<0.027	U		<0.0027	U		<0.0027	U		<0.14	U		<0.00027	U		80			16		
		VMP-2-8.5-102617	10/26/2017	4.4			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			17		
		VMP-2-8.5-012918	1/29/2018	2.2			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		78			20		
	22 ft	VMP-2-22-050317	5/3/2017	1.8			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		0.00032			79			19		
		VMP-2-22-072417	7/24/2017	2.4			<0.026	U		<0.0026	U		<0.0026	U		<0.13	U		<0.00026	U		80			18		
		VMP-2-22-072417-DUP	7/24/2017	2.2			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		80			18		
		VMP-2-22-102617	10/26/2017	3.6			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		78			18		
VMP-3	5 ft	VMP-3-5-042717	4/27/2017	0.033			<0.024	U		<0.0024	U		<0.0024	U		0.71			0.00023	J		79			20		
		VMP-3-5-072017	7/20/2017	1.4			<0.025	U		<0.0025	U		<0.0025	U		<0.13	U		<0.00025	U		80			19		
		VMP-3-5-102617	10/26/2017	0.076			<0.025	U		<0.0025	U		<0.0025	U		1.6			0.00017	J		77			21		
		VMP-3-5-012318	1/23/2018	0.13			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		0.00013	J		79			21		
	10 ft	VMP-3-10-042717	4/27/2017	0.087			<0.023	U		<0.0023	U		<0.0023	U		0.28			0.00011	J		80			20		
		VMP-3-10-072017	7/20/2017	1.3			<0.026	U		<0.0026	U		<0.0026	U		0.017	J		<0.00026	U		80			19		
		VMP-3-10-102617	10/26/2017	0.13			<0.025	U		<0.0025	U		<0.0025	U		0.18			0.00019	J		79			21		
		VMP-3-10-012318	1/23/2018	0.049			<0.022	U		<0.0022	U		<0.0022	U		0.39			0.00024			78			21		
	22 ft	VMP-3-22-042717	4/27/2017	0.59			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			20		
		VMP-3-22-072017	7/20/2017	1.3			<0.025	U		<0.0025	U		<0.0025	U		<0.13	U		<0.00025	U		79			20		
		VMP-3-22-102617	10/26/2017	0.84			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		78			21		
		VMP-3-22-012318	1/23/2018	0.62			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		78			21		
VMP-4	5 ft	VMP-3-31.5-042717	4/27/2017	3.3			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		0.00028			80			17		
		VMP-3-31.5-072017	7/20/2017	3			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		0.0011			80			17		
		VMP-3-31.5-102617	10/26/2017	3.7			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		0.021			78			18		
		VMP-3-31.5-102617-DUP	10/26/2017	3.8			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		0.021			78			18		
	12 ft	VMP-4-5-050317	5/3/2017	0.52			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			20		
		VMP-4-5-072517	7/25/2017	0.57			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		80			19		
		VMP-4-5-110117	11/1/2017	0.11			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			21		
		VMP-4-5-012318	1/23/2018	0.068			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		79			21		
	23.5 ft	VMP-4-12-050317	5/3/2017	1			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		0.00032			79			20		
		VMP-4-12-072517	7/25/2017	1.4			<0.024	U		<0.0024	U		<0.0024	U		0.032	J		<0.00024	U		80			19		
		VMP-4-12-110117	11/1/2017	1.1			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			20		
		VMP-4-12-012318	1/23/2018	0.48			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		78			21		
	23.5 ft	VMP-4-23.5-050317	5/3/2017	1.6			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		0.011			79			19		
		VMP-4-23.5-050317-DUP	5/3/2017	1.6			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		0.011			79			19		
		VMP-4-23.5-072517	7/25/2017	1.4			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		0.004			80			19		
		VMP-4-23.5-072517-DUP	7/25/2017	1.4			<0.026	U		<0.0026	U		<0.0026	U		<0.13	U		0.0042			80			19		
		VMP-4-23.5-110117	11/1/2017	1.9			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		0.0034			79			19		
		VMP-4-23.5-012318	1/23/2018	2			<0.025	U		<0.0025	U		<0.0025	U		<0.13	U		0.00028			79			19		

TABLE 7
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL RESULTS - NATURAL GASES

Location	Depth	Sample ID	Sample Date	Carbon Dioxide			Carbon Monoxide			Ethane			Ethene			Helium			Methane			Nitrogen			Oxygen		
				Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
VMP-5	5 ft	VMP-5-5-042617	4/26/2017	0.06			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		0.00013	J		80			20		
		VMP-5-5-072017	7/20/2017	0.11			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		0.00018	J		80			20		
		VMP-5-5-103017	10/30/2017	0.074			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		0.00024			79			21		
		VMP-5-5-012518	1/25/2018	0.092			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		0.00022			79			21		
	12.5 ft	VMP-5-12.5-042617	4/26/2017	0.17			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		80			20		
		VMP-5-12.5-072017	7/20/2017	0.43			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		80			20		
		VMP-5-12.5-102017	10/30/2017	0.31			<0.021	U		<0.0021	U		<0.0021	U		<0.11	U		0.00012	J		79			21		
		VMP-5-12.5-012518	1/25/2018	0.26			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		79			21		
	31 ft	VMP-5-31-042617	4/26/2017	0.48			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		80			20		
		VMP-5-31-072017	7/20/2017	0.71			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		79			20		
		VMP-5-31-072017-DUP	7/20/2017	0.7			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			20		
		VMP-5-31-103017	10/30/2017	0.59			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		78			21		
	40 ft	VMP-5-31-012518	1/25/2018	0.64			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		0.00026			79			20		
		VMP-5-40-042617	4/26/2017	0.86			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			20		
		VMP-5-40-042617-DUP	4/26/2017	0.86			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			20		
		VMP-5-40-012518	1/25/2018	0.82			<0.021	U		<0.0021	U		<0.0021	U		<0.1	U		0.00045			79			20		
VMP-6	5 ft	VMP-6-5-042417	4/24/2017	0.046			<0.023	U		<0.0023	U		<0.0023	U		6			0.00018	J		74			20		
		VMP-6-5-052217	5/22/2017	0.063			<0.024	U		<0.0024	U		<0.0024	U		3.8			0.00016	J		77			19		
		VMP-6-5-072117	7/21/2017	0.046			<0.024	U		<0.0024	U		<0.0024	U		0.59			0.00019	J		79			20		
		VMP-6-5-103117	10/31/2017	0.044			<0.021	U		<0.0021	U		<0.0021	U		0.61			<0.00022		U	78			21		
		VMP-6-5-012418	1/24/2018	0.046			<0.022	U		<0.0022	U		<0.0022	U		0.21			0.0002	J		79			21		
	10 ft	VMP-6-10-042417	4/24/2017	0.3			<0.024	U		<0.0024	U		<0.0024	U		0.63			<0.00024	U		79			20		
		VMP-6-10-072117	7/21/2017	0.57			<0.023	U		<0.0023	U		<0.0023	U		0.57			<0.00023	U		79			20		
		VMP-6-10-103117	10/31/2017	0.12			<0.021	U		<0.0021	U		<0.0021	U		0.065	J		<0.00021	U		79			21		
		VMP-6-10-012418	1/24/2018	0.091			<0.022	U		<0.0022	U		<0.0022	U		0.28			0.00015	J		79			21		
	31.5 ft	VMP-6-31.5-042417	4/24/2017	1.2			<0.024	U		<0.0024	U		<0.0024	U		0.013	J		<0.00024	U		79			20		
		VMP-6-31.5-072117	7/21/2017	1.2			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			20		
		VMP-6-31.5-072117-DUP	7/21/2017	1.2			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		80			19		
		VMP-6-31.5-103117	10/31/2017	1.2			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			20		
	39 ft	VMP-6-31.5-013118	1/31/2018	1.3			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			20		
		VMP-6-39-042417	4/24/2017	1.4			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			20		
		VMP-6-39-042417-DUP	4/24/2017	1.5			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		78			20		
		VMP-6-39-103117	10/31/2017	1.5			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		0.00052			78			20		
		VMP-6-39-103117-DUP	10/31/2017	1.5			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		0.00057			78			20		
		VMP-6-39-012418	1/24/2018	0.057			<0.022	U		<0.0022	U		<0.0022	U		0.94			0.00018	J		78			21		
		VMP-6-39-012418-DUP	1/24/2018	0.059			<0.023	U		<0.0023	U		<0.0023	U		1.1			0.0002	J		78			21		
VMP-7	5 ft	VMP-7-5-042417	4/24/2017	0.069			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		0.00015	J		80			20		
		VMP-7-5-072117	7/21/2017	0.14			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		0.00018	J		80			20		
		VMP-7-5-102517	10/25/2017	0.091			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		0.00015	J		79			21		
		VMP-7-5-012518	1/25/2018	0.054			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		0.00015	J		79			21		
	13.5 ft	VMP-7-13.5-042417	4/24/2017	0.15			<0.025	U		<0.0025	U		<0.0025	U		0.038	J		<0.00025	U		79			21		
		VMP-7-13.5-072117	7/21/2017	0.35			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		80			20		
		VMP-7-13.5-102517	10/25/2017	0.12			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		79			21		
		VMP-7-13.5-012518	1/25/2018	0.057			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		0.00015	J		79			21		
	29.5 ft	VMP-7-29.5-052217	5/22/2017	1.4			<0.026	U		<0.0026	U		<0.0026	U		0.01	J		<0.00026	U		81			18		
		VMP-7-29.5-072117	7/21/2017	1.7			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			19		
		VMP-7-29.5-102517	10/25/2017	1.2			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			20		
		VMP-7-29.5-012518	1/25/2018	0.75			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		79			20		
	38 ft	VMP-7-38-042417	4/24/2017	2			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			19		
		VMP-7-38-102517	10/25/2017	2.3			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		79			19		
		VMP-7-38-012518	1/25/2018	1.7			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		78			20		

TABLE 7
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL RESULTS - NATURAL GASES

Location	Depth	Sample ID	Sample Date	Carbon Dioxide			Carbon Monoxide			Ethane			Ethene			Helium			Methane			Nitrogen			Oxygen		
				Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
VMP-8	5 ft	VMP-8-5-042017	4/20/2017	1.8			<0.027	U		<0.0027	U		<0.0027	U		<0.13	U		<0.00027	U		79			19		
		VMP-8-5-071917	7/19/2017	1.6			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			19		
		VMP-8-5-103017	10/30/2017	1			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		79			20		
		VMP-8-5-012218	1/22/2018	0.37			<0.023	U		<0.0023	U		<0.0023	U		0.0098	J		<0.00023	U		80			20		
	9.5 ft	VMP-8-9.5-042117	4/21/2017	1.8			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			19		
		VMP-8-9.5-071917	7/19/2017	2.8			<0.024	U		<0.0024	U		<0.0024	U		0.0089	J		<0.00024	U		79			18		
		VMP-8-9.5-103017	10/30/2017	2.5			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		78			19		
		VMP-8-9.5-012218	1/22/2018	2			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		78			20		
	23.5 ft	VMP-8-23.5-042117	4/21/2017	2.7			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		79			18		
		VMP-8-23.5-071917	7/19/2017	3.2			<0.025	U		<0.0025	U		<0.0025	U		0.036	J		<0.00025	U		79			18		
		VMP-8-23.5-103017	10/30/2017	3.5			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		78			18		
		VMP-8-23.5-012218	1/22/2018	2.8			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		78			19		
	35.5 ft	VMP-8-23.5-012218-DUP	1/22/2018	2.8			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		78			19		
		VMP-8-35.5-042117	4/21/2017	1.5			<0.024	U		<0.0024	U		<0.0024	U		0.38			<0.00024	U		79			19		
		VMP-8-35.5-071917	7/19/2017	2.3			<0.044	U		<0.0044	U		<0.0044	U		0.22	J		<0.00044	U		80			18		
		VMP-8-35.5-071917-DUP	7/19/2017	2.3			<0.024	U		<0.0024	U		<0.0024	U		0.23			<0.00024	U		79			18		
VMP-9	5 ft	VMP-8-35.5-103017	10/30/2017	1.9			<0.023	U		<0.0023	U		<0.0023	U		0.048	J		<0.00023	U		79			19		
		VMP-9-5-042017	4/20/2017	0.12			<0.025	U		<0.0025	U		<0.0025	U		<0.13	U		0.00017	J	U	79			21		
		VMP-9-5-071917	7/19/2017	0.33			<0.025	U		<0.0025	U		<0.0025	U		0.023	J		0.00012	J		80			20		
		VMP-9-5-110117	11/1/2017	0.089			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	J		80			20		
	11.5 ft	VMP-9-5-012218	1/22/2018	0.059			<0.025	U		<0.0025	U		<0.0025	U		<0.13	U		<0.00025	U		79			21		
		VMP-9-11.5-042017	4/20/2017	0.28			<0.025	U		<0.0025	U		<0.0025	U		0.84			<0.00025	U		78			21		
		VMP-9-11.5-071917	7/19/2017	0.63			<0.024	U		<0.0024	U		<0.0024	U		0.49			<0.00024	U		79			20		
		VMP-9-11.5-110117	11/1/2017	0.15			<0.024	U		<0.0024	U		<0.0024	U		0.014	J		<0.00024	U		80			20		
	25.5 ft	VMP-9-11.5-012218	1/22/2018	0.076			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			21		
		VMP-9-25.5-042017	4/20/2017	0.32			<0.028	U		<0.0028	U		<0.0028	U		<0.14	U		<0.00028	U		80			20		
		VMP-9-25.5-071917	7/19/2017	1.2			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		79			20		
		VMP-9-25.5-110117	11/1/2017	0.5			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		78			21		
	38.5 ft	VMP-9-25.5-012218	1/22/2018	0.33			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			21		
		VMP-9-38.5-042017	4/20/2017	1.6			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			19		
		VMP-9-38.5-042017-DUP	4/20/2017	1.6			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		79			19		
		VMP-9-38.5-110117	11/1/2017	1.8			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		78			20		
VMP-10	5 ft	VMP-9-38.5-012218	1/22/2018	1.4			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			20		
		VMP-10-5-042717	4/27/2017	0.41			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		80			20		
		VMP-10-5-072717	7/27/2017	0.9			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		80			19		
		VMP-10-5-103017	10/30/2017	0.32			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			21		
	10 ft	VMP-10-5-013118	1/31/2018	0.13			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			21		
		VMP-10-10-042717	4/27/2017	0.55			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			20		
		VMP-10-10-072717	7/27/2017	1			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		80			19		
		VMP-10-10-103017	10/30/2017	0.49			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		78			21		
	20 ft	VMP-10-10-013118	1/31/2018	0.17			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		79			21		
		VMP-10-20-042717	4/27/2017	0.48			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		80			20		
		VMP-10-20-072717	7/27/2017	1.1			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			20		
		VMP-10-20-103017	10/30/2017	0.84			<0.021	U		<0.0021	U		<0.0021	U		<0.11	U		<0.00021	U		79			20		
	30 ft	VMP-10-20-013118	1/31/2018	0.35			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		79			21		
		VMP-10-30-042717	4/27/2017	0.64			<0.021	U		<0.0021	U		<0.0021	U		<0.1	U		<0.00021	U		79			20		
		VMP-10-30-042717-DUP	4/27/2017	0.64			<0.021	U		<0.0021	U		<0.0021	U		<0.1	U		<0.00021	U		79			20		
		VMP-10-30-103017	10/30/2017	1.1			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			20		
	30 ft	VMP-10-30-103017-DUP	10/30/2017	1.2			<0.021	U		<0.0021	U		<0.0021	U		0.0078	J		<0.00021	U		79			20		
		VMP-10-30-013118	1/31/2018	0.092			<0.023	U		<0.0023	U		<0.0023	U		0.78			0.00017	J		78			21		
	30 ft	VMP-10-30-013118-DUP	1/31/2018	0.094			<0.021	U		<0.0021	U		<0.0021	U		0.77			0.00016	J		78			21		

TABLE 7
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL RESULTS - NATURAL GASES

Location	Depth	Sample ID	Sample Date	Carbon Dioxide			Carbon Monoxide			Ethane			Ethene			Helium			Methane			Nitrogen			Oxygen		
				Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
VMP-11	5 ft	VMP-11-5-052217	5/22/2017	0.81			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		80			19		
		VMP-11-5-072617	7/26/2017	1.2			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		79			20		
		VMP-11-5-110317	11/3/2017	0.26			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			21		
		VMP-11-5-012918	1/29/2018	0.15			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			21		
	8 ft	VMP-11-8-052217	5/22/2017	0.88			<0.023	U		<0.0023	U		<0.0023	U		0.022	J		<0.00023	U		80			19		
		VMP-11-8-072617	7/26/2017	1.7			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			19		
		VMP-11-8-110317	11/3/2017	0.73			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		78			21		
		VMP-11-8-012918	1/29/2018	0.54			<0.021	U		<0.0021	U		<0.0021	U		<0.1	U		<0.00021	U		78			21		
	29 ft	VMP-11-29-052217	5/22/2017	1.3			<0.024	U		<0.0024	U		<0.0024	U		0.092	J		<0.00024	U		80			19		
		VMP-11-29-052217-DUP	5/22/2017	1.3			<0.024	U		<0.0024	U		<0.0024	U		0.098	J		<0.00024	U		81			18		
		VMP-11-29-072617	7/26/2017	1.8			<0.024	U		<0.0024	U		<0.0024	U		0.032	J		<0.00024	U		80			18		
		VMP-11-29-110317	11/3/2017	1.8			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		78			20		
	38 ft	VMP-11-29-012918	1/29/2018	1.4			<0.021	U		<0.0021	U		<0.0021	U		<0.11	U		<0.00021	U		79			20		
		VMP-11-38-072617	7/26/2017	1.4			<0.024	U		<0.0024	U		<0.0024	U		0.018	J		<0.00024	U		80			19		
		VMP-11-38-110317	11/3/2017	0.81			<0.024	U		<0.0024	U		<0.0024	U		0.014	J		<0.00024	U		79			20		
		VMP-11-38-110317-DUP	11/3/2017	0.8			<0.022	U		<0.0022	U		<0.0022	U		0.014	J		<0.00022	U		79			20		
VMP-12	5 ft	VMP-11-38-012918	1/29/2018	0.37			<0.022	U		<0.0022	U		<0.0022	U		0.016	J		0.000098	J		80			20		
		VMP-12-5-050217	5/2/2017	0.071			<0.026	U		<0.0026	U		<0.0026	U		0.014	J		<0.00026	U		80			20		
		VMP-12-5-072817	7/28/2017	0.066			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00017	J		80			20		
		VMP-12-5-110217	11/2/2017	0.044			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		0.0002	J		79			21		
	11.5 ft	VMP-12-5-013018	1/30/2018	0.044			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		0.00022			78			22		
		VMP-12-11.5-050217	5/2/2017	0.5			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		80			20		
		VMP-12-11.5-072817	7/28/2017	0.26			<0.025	U		<0.0025	U		<0.0025	U		<0.13	U		<0.00025	U		81			19		
		VMP-12-11.5-110217	11/2/2017	0.059			<0.023	U		<0.0023	U		<0.0023	U		0.05	J		0.0002	J		79			21		
	25 ft	VMP-12-11.5-013018	1/30/2018	0.044			<0.021	U		<0.0021	U		<0.0021	U		0.14			0.00017	J		79			21		
		VMP-12-25-050217	5/2/2017	1.1			<0.027	U		<0.0027	U		<0.0027	U		<0.14	U		0.00036			80			19		
		VMP-12-25-072817	7/28/2017	1.2			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		0.00015	J		81			18		
		VMP-12-25-110217	11/2/2017	0.62			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		0.00014	J		79			20		
	39 ft	VMP-12-25-013018	1/30/2018	0.42			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		0.00014	J		78			21		
		VMP-12-39-050217	5/2/2017	15			<0.025	U		0.00066	J		<0.0025	U		<0.12	U		17			66			1.2		
		VMP-12-39-072817	7/28/2017	10			<0.024	U		0.00035	J		<0.0024	U		<0.12	U		11			73			5.6		
		VMP-12-39-072817-DUP	7/28/2017	13			<0.046	U		0.00037	J		<0.0046	U		<0.23	U		14			70			2.5		
		VMP-12-39-110217	11/2/2017	14			<0.023	U		0.00048	J		<0.0023	U		<0.12	U		17			67			1.3		
		VMP-12-39-110217-DUP	11/2/2017	15			<0.023	U		0.00056	J		<0.0023	U		<0.12	U		17			66			1.4		
		VMP-12-39-013018	1/30/2018	15			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		4.2			79			1.4		
		VMP-13-5-042817	4/28/2017	0.26			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		80			20		
VMP-13	5 ft	VMP-13-5-072717	7/27/2017	0.68			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		80			19		
		VMP-13-5-103017	10/30/2017	0.35			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			21		
		VMP-13-5-012918	1/29/2018	0.13			<0.02	U		<0.002	U		<0.002	U		<0.1	U		<0.0002	U		79			21		
		VMP-13-10.5-042817	4/28/2017	0.19			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		80			20		
	10.5 ft	VMP-13-10.5-072717	7/27/2017	0.54			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		79			20		
		VMP-13-10.5-103017	10/30/2017	0.38			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		80			20		
		VMP-13-10.5-012918	1/29/2018	0.17			<0.022	U		<0.0022	U		<0.0022	U		0.037	J		<0.00022	U		79			21		
		VMP-13-21.5-042817	4/28/2017	0.19			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		79			21		
	21.5 ft	VMP-13-21.5-072717	7/27/2017	0.21			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		80			20		
		VMP-13-21.5-103017	10/30/2017	0.32			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			21		
		VMP-13-21.5-012918	1/29/2018	0.24			<0.021	U		<0.0021	U		<0.0021	U		<0.11	U		<0.00021	U		80			20		
		VMP-13-29.5-042817	4/28/2017	0.48			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		80			20		
	29.5 ft	VMP-13-29.5-042817-DUP	4/28/2017	0.48			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		80			20		
		VMP-13-29.5-072717	7/27/2017	0.52			<0.026	U		<0.0026	U		<0.0026	U		<0.13	U		<0.00026	U		79			20		
		VMP-13-29.5-103017	10/30/2017	0.65			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		0.00081			79			20		
		VMP-13-29.5-012918	1/29/2018	0.52			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		0.001			79			20		
		VMP-13-29.5-012918-DUP	1/29/2018	0.59			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		0.0012			78			21		

TABLE 7
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL RESULTS - NATURAL GASES

Location	Depth	Sample ID	Sample Date	Carbon Dioxide			Carbon Monoxide			Ethane			Ethene			Helium			Methane			Nitrogen			Oxygen		
				Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
VMP-14	5 ft	VMP-14-5-050117	5/1/2017	0.75			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		79			20		
		VMP-14-5-071917	7/19/2017	0.53			<0.025	U		<0.0025	U		<0.0025	U		0.065	J		<0.00025	U		79			20		
		VMP-14-5-103017	10/30/2017	0.12			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			21		
		VMP-14-5-012518	1/25/2018	0.081			<0.024	U		<0.0024	U		<0.0024	U		0.027	J		0.00014	J		79			21		
	11.5 ft	VMP-14-11.5-050117	5/1/2017	0.76			<0.022	U		<0.0022	U		<0.0022	U		0.23			<0.00022	U		79			20		
		VMP-14-11.5-071917	7/19/2017	0.55			<0.025	U		<0.0025	U		<0.0025	U		0.38			<0.00025	U		80			19		
		VMP-14-11.5-103017	10/30/2017	0.12			<0.023	U		<0.0023	U		<0.0023	U		0.028	J		<0.00023	U		79			21		
		VMP-14-11.5-012518	1/25/2018	0.078			<0.023	U		<0.0023	U		<0.0023	U		0.43			0.00014	J		78			21		
	20 ft	VMP-14-20-050117	5/1/2017	14			<0.022	U		<0.0022	U		<0.0022	U		0.016	J		0.0012			84			1.9		
		VMP-14-20-071917	7/19/2017	15			<0.026	U		<0.0026	U		<0.0026	U		0.11	J		0.00052			83			1.8		
		VMP-14-20-103017	10/30/2017	14			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		0.00035			84			1.7		
		VMP-14-20-012518	1/25/2018	13			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		0.00012	J		84			2.7		
VMP-15	5 ft	VMP-14-29-050117	5/1/2017	5.2			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		0.0069			82			13		
		VMP-14-29-103017	10/30/2017	3.6			<0.022	U		<0.0022	U		<0.0022	U		0.041	J		0.00036			80			16		
		VMP-14-29-012518	1/25/2018	4.2			<0.024	U		<0.0024	U		<0.0024	U		1.1			0.00046			80			15		
		VMP-15-5-050117	5/1/2017	0.79			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		84			15		
	21.5 ft	VMP-15-5-072617	7/26/2017	6			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		81			13		
		VMP-15-5-110217	11/2/2017	3.5			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		80			16		
		VMP-15-5-013018	1/30/2018	1.8			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		79			19		
		VMP-15-21.5-050117	5/1/2017	14			<0.023	U		0.00026	J		<0.0023	U		<0.11	U		1.6			83			1.4		
	25.5 ft	VMP-15-21.5-072617	7/26/2017	15			<0.026	U		0.00052	J		<0.0026	U		<0.13	U		7.2			76			1.3		
		VMP-15-21.5-110217	11/2/2017	4			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		83			13		
		VMP-15-21.5-013018	1/30/2018	13			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		81			5.8		
		VMP-15-25.5-020117	5/1/2017	14			<0.02	U		0.0016	J		<0.002	U		<0.1	U		4			79			2.9		
VMP-16	5 ft	VMP-15-25.5-050117-DUP	5/1/2017	16			<0.021	U		0.0017	J		<0.0021	U		<0.11	U		4.5			78			1.4		
		VMP-15-25.5-072617	7/26/2017	16			<0.025	U		0.0025	J		<0.0025	U		<0.13	U		6.7			76			1.5		
		VMP-15-25.5-110217	11/2/2017	15			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		82			2.8		
		VMP-15-25.5-013018	1/30/2018	12			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		80			7.6		
	29 ft	VMP-15-29-013018	1/30/2018	11			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		0.00035			81			8.2		
	13.5 ft	VMP-16-5-050217	5/2/2017	1			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		0.00016	J		79			20		
		VMP-16-5-072817	7/28/2017	4.4			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		81			15		
		VMP-16-5-110217	11/2/2017	3			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		81			16		
		VMP-16-5-013018	1/30/2018	0.83			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		78			21		
	19 ft	VMP-16-13.5-050217	5/2/2017	15			<0.024	U		<0.0024	U		<0.0024	U		0.019	J		0.019			83			1.5		
		VMP-16-13.5-072817	7/28/2017	16			<0.024	U		<0.0024	U		<0.0024	U		0.065	J		0.32			82			1.5		
		VMP-16-13.5-110217	11/2/2017	15			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		0.93			83			1.4		
		VMP-16-13.5-013018	1/30/2018	13			<0.021	U		<0.0021	U		<0.0021	U		<0.1	U		0.11			85			1.5		
	31 ft	VMP-16-13.5-013018-DUP	1/30/2018	13			<0.021	U		<0.0021	U		<0.0021	U		<0.1	U		0.11			85			1.5		
		VMP-16-19-050217	5/2/2017	15			<0.023	U		0.0001	J		<0.0023	U		<0.12	U		3.6			80			1.4		
		VMP-16-19-072817	7/28/2017	15			<0.026	U		0.00019	J		<0.0026	U		<0.13	U		4			78			2.1		
		VMP-16-19-110217	11/2/2017	15			<0.024	U		0.00014	J		<0.0024	U		<0.12	U		4.1			78			2.3		
VMP-17	5 ft	VMP-16-19-013018	1/30/2018	15			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		4.1			79			1.6		
		VMP-16-31-050217	5/2/2017	16			<0.025	U		0.00013	J		<0.0025	U		0.013	J		7			75			1.4		
		VMP-16-31-072817	7/28/2017	16			<0.025	U		0.00024	J		<0.0025	U		<0.13	U		6.9			75			1.4		
		VMP-16-31-110217	11/2/2017	17			<0.023	U		0.00023	J		<0.0023	U		<0.12	U		7.9			73			1.3		
VMP-18	8.5 ft	VMP-16-31-013018	1/30/2018	16			<0.022	U		0.00016	J		<0.0022	U		<0.11	U		8			74			1.3		
		VMP-17-5-050217	5/2/2017	0.5			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		80			20		
		VMP-17-5-071917	7/19/2017	1.2			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		80			19		
		VMP-17-5-110217	11/2/2017	0.16			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		79			21		
VMP-18	8.5 ft	VMP-17-5-012418	1/24/2018	0.085			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		78			22		
		VMP-18-8.5-050317	5/3/2017	2			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			19		
		VMP-18-8.5-072717	7/27/2017	2.9			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			18		
		VMP-18-8.5-110317	11/3/2017	1.2			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		78			21		
VMP-18	8.5 ft	VMP-18-8.5-110317-DUP	11/3/2017	1.2			<0.021	U		<0.0021	U		<0.0021	U		<0.1	U		<0.00021	U		78			21		
		VMP-18-8.5-012418	1/24/2018	0.39			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		0.00022	J		79			21		

TABLE 7
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL RESULTS - NATURAL GASES

Location	Depth	Sample ID	Sample Date	Carbon Dioxide			Carbon Monoxide			Ethane			Ethene			Helium			Methane			Nitrogen			Oxygen		
				Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
VMP-19	5 ft	VMP-19-5-042017	4/20/2017	0.29			<0.027	U		<0.0027	U		<0.0027	U		0.87			0.00014	J		79			20		
		VMP-19-5-072717	7/27/2017	0.39			<0.024	U		<0.0024	U		<0.0024	U		1.6			0.00027			79			19		
		VMP-19-5-102517	10/25/2017	0.14			<0.023	U		<0.0023	U		<0.0023	U		1.7			0.00012	J		78			20		
		VMP-19-5-012518	1/25/2018	0.06			<0.023	U		<0.0023	U		<0.0023	U		1.4			0.00098			78			21		
VMP-20	5 ft	VMP-20-5-042617	4/26/2017	5.2			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			16		
		VMP-20-5-072417	7/24/2017	11			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		77			12		
		VMP-20-5-103117	10/31/2017	4.6			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		77			18		
		VMP-20-5-012218	1/22/2018	4.5			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		78			17		
	10 ft	VMP-20-10-042617	4/26/2017	6.2			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			15		
		VMP-20-10-072417	7/24/2017	13			<0.023	U		<0.0023	U		<0.0023	U		0.014	J		<0.00023	U		77			9.6		
		VMP-20-10-103117	10/31/2017	7.5			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		78			15		
		VMP-20-10-012218	1/22/2018	5			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		78			17		
	25 ft	VMP-20-25-042617	4/26/2017	4.7			<0.025	U		<0.0025	U		<0.0025	U		0.012	J		<0.00025	U		78			17		
		VMP-20-25-072417	7/24/2017	4.8			<0.024	U		<0.0024	U		<0.0024	U		0.021	J		<0.00024	U		79			16		
		VMP-20-25-103117	10/31/2017	6.2			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			15		
		VMP-20-25-012218	1/22/2018	5.3			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		78			17		
VMP-21	5 ft	VMP-21-5-042417	4/24/2017	1.9			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		79			19		
		VMP-21-5-072017	7/20/2017	0.73			<0.026	U		<0.0026	U		<0.0026	U		<0.13	U		<0.00026	U		79			20		
		VMP-21-5-103117	10/31/2017	1.4			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			20		
		VMP-21-5-012318	1/23/2018	0.54			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		78			21		
	10 ft	VMP-21-10-042417	4/24/2017	2			<0.024	U		<0.0024	U		<0.0024	U		0.009	J		<0.00024	U		79			19		
		VMP-21-10-072017	7/20/2017	4			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			17		
		VMP-21-10-103117	10/31/2017	3.1			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			18		
		VMP-21-10-012318	1/23/2018	1.8			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		78			20		
	25 ft	VMP-21-25-042417	4/24/2017	1.9			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			19		
		VMP-21-25-072017	7/20/2017	2.8			<0.024	U		<0.0024	U		<0.0024	U		0.011	J		<0.00024	U		80			17		
		VMP-21-25-103117	10/31/2017	3.4			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		79			18		
		VMP-21-25-012318	1/23/2018	2.4			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		78			20		
	33 ft	VMP-21-33-042417	4/24/2017	2.6			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		78			19		
		VMP-21-33-042417-DUP	4/24/2017	2.6			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		78			19		
		VMP-21-33-072017	7/20/2017	2.7			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		80			17		
		VMP-21-33-072017-DUP	7/20/2017	2.8			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		80			17		
		VMP-21-33-103117	10/31/2017	3.7			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		78			18		
		VMP-21-33-012318	1/23/2018	2.8			<0.022	U		<0.0022	U		<0.0022	U		0.0087	J		<0.00022	U		78			19		
VMP-22	5 ft	VMP-21-33-012318-DUP	1/23/2018	2.7			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		78			19		
		VMP-22-5-042617	4/26/2017	0.43			<0.024	U		<0.0024	U		<0.0024	U		0.016	J		<0.00024	U		80			20		
		VMP-22-5-072617	7/26/2017	1.3			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		80			19		
		VMP-22-5-102617	10/26/2017	0.5			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		78			21		
	10 ft	VMP-22-5-013018	1/30/2018	0.16			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			21		
		VMP-22-10-042717	4/27/2017	0.37			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		80			20		
		VMP-22-10-072617	7/26/2017	1.2			<0.024	U		<0.0024	U		<0.0024	U		0.37			0.00018	J		79			19		
		VMP-22-10-102617	10/26/2017	0.47			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		78			21		
	18 ft	VMP-22-10-013018	1/30/2018	0.12			<0.021	U		<0.0021	U		<0.0021	U		0.009	J		0.00019	J		79			21		
		VMP-22-18-042717	4/27/2017	0.5			<0.026	U		<0.0026	U		<0.0026	U		<0.13	U		<0.00026	U		80			20		
		VMP-22-18-072617	7/26/2017	1.2			<0.027	U		<0.0027	U		<0.0027	U		0.18			<0.00027	U		80			19		
		VMP-22-18-102617	10/26/2017	0.45			<0.023	U		<0.0023	U		<0.0023	U		0.021	J		<0.00023	U		78			21		
	38 ft	VMP-22-18-013018	1/30/2018	0.18			<0.021	U		<0.0021	U		<0.0021	U		0.019	J		0.00019	J		79			21		
		VMP-22-38-042717	4/27/2017	1			<0.024	U		<0.0024	U		<0.0024	U		0.1	J		<0.00024	U		79			20		
		VMP-22-38-042717-DUP	4/27/2017	1.1			<0.024	U		<0.0024	U		<0.0024	U		0.11	J		<0.00024	U		79			20		
		VMP-22-38-072617	7/26/2017	1.4			<0.024	U		<0.0024	U		<0.0024	U		0.32			0.00012	J		79			19		
		VMP-22-38-072617-DUP	7/26/2017	1.4			<0.024	U		<0.0024	U		<0.0024	U		0.31			0.00013	J		79			19		
		VMP-22-38-102617	10/26/2017	0.41			<0.024	U		<0.0024	U		<0.0024	U		0.039	J		<0.00024	U		78			21		
		VMP-22-38-013018	1/30/2018	0.22			<0.023	U		<0.0023	U		<0.0023	U		0.045	J		0.00019	J		79			21		

TABLE 7
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL RESULTS - NATURAL GASES

Location	Depth	Sample ID	Sample Date	Carbon Dioxide			Carbon Monoxide			Ethane			Ethene			Helium			Methane			Nitrogen			Oxygen		
				Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
VMP-23	5 ft	VMP-23-5-042517	4/25/2017	0.93			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		79			20		
		VMP-23-5-072017	7/20/2017	1.7			<0.024	U		<0.0024	U		<0.0024	U		0.54			<0.00024	U		79			19		
		VMP-23-5-102517	10/25/2017	0.51			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		78			21		
		VMP-23-5-012318	1/23/2018	0.13			<0.026	U		<0.0026	U		<0.0026	U		<0.13	U		0.0002	J		79			21		
	10 ft	VMP-23-10-042517	4/25/2017	0.54			<0.026	U		<0.0026	U		<0.0026	U		<0.13	U		<0.00026	U		79			20		
		VMP-23-10-072017	7/20/2017	0.86			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			20		
		VMP-23-10-102517	10/25/2017	0.4			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		79			21		
		VMP-23-10-012318	1/23/2018	0.17			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			21		
	25 ft	VMP-23-25-042517	4/25/2017	0.77			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			20		
		VMP-23-25-072017	7/20/2017	1.6			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		79			19		
		VMP-23-25-102517	10/25/2017	1.5			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		78			20		
		VMP-23-25-012318	1/23/2018	1.2			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			20		
	40 ft	VMP-23-40-012318	1/23/2018	2			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		78			20		
VMP-24	5 ft	VMP-24-5-042117	4/21/2017	0.15			<0.027	U		<0.0027	U		<0.0027	U		0.021	J		0.00017	J		79			21		
		VMP-24-5-072117	7/21/2017	0.46			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		0.00018	J		80			20		
		VMP-24-5-102517	10/25/2017	1.3			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			20		
		VMP-24-5-012418	1/24/2018	0.28			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		0.00033			79			21		
	10 ft	VMP-24-10-042117	4/21/2017	0.4			<0.023	U		<0.0023	U		<0.0023	U		0.14			<0.00023	U		79			20		
		VMP-24-10-072117	7/21/2017	1.7			<0.024	U		<0.0024	U		<0.0024	U		0.075	J		<0.00024	U		79			19		
		VMP-24-10-102517	10/25/2017	3			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			18		
		VMP-24-10-012418	1/24/2018	0.93			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		0.00033			79			20		
	22 ft	VMP-24-22-042117	4/21/2017	0.12			<0.023	U		<0.0023	U		<0.0023	U		1.4			0.00023	J		78			20		
		VMP-24-22-072117	7/21/2017	0.092			<0.024	U		<0.0024	U		<0.0024	U		0.88			0.00021	J		80			20		
		VMP-24-22-102517	10/25/2017	1			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			20		
		VMP-24-22-013118	1/31/2018	0.48			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		0.0002	J		78			21		
	34 ft	VMP-24-34-042117	4/21/2017	0.49			<0.023	U		<0.0023	U		<0.0023	U		0.035	J		<0.00023	U		80			20		
		VMP-24-34-042117-DUP	4/21/2017	0.5			<0.024	U		<0.0024	U		<0.0024	U		0.042	J		<0.00024	U		80			20		
		VMP-24-34-072117	7/21/2017	1.7			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			19		
		VMP-24-34-072117-DUP	7/21/2017	1.7			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			19		
		VMP-24-34-102517	10/25/2017	3.2			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		79			18		
		VMP-24-34-012418	1/24/2018	1.3			<0.021	U		<0.0021	U		<0.0021	U		<0.11	U		0.00034			79			20		
VMP-25	5 ft	VMP-25-5-050217	5/2/2017	0.82			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		82			17		
		VMP-25-5-080117	8/1/2017	12			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		0.00057			85			2.8		
		VMP-25-5-110217	11/2/2017	7.7			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		84			8.4		
		VMP-25-5-013018	1/30/2018	3.7			<0.02	U		<0.002	U		<0.002	U		<0.1	U		<0.0002	U		85			11		
	21 ft	VMP-25-21-050217	5/2/2017	0.053			<0.024	U		<0.0024	U		<0.0024	U		0.57			0.00029			79			20		
		VMP-25-21-080117	8/1/2017	0.33			<0.024	U		<0.0024	U		<0.0024	U		3.8			0.00021	J		77			19		
		VMP-25-21-110217	11/2/2017	0.86			<0.022	U		<0.0022	U		<0.0022	U		2			0.0002	J		78			19		
		VMP-25-21-013018	1/30/2018	0.063			<0.022	U		<0.0022	U		<0.0022	U		0.23			0.00026			79			21		
		VMP-25-21-013018-DUP	1/30/2018	0.061			<0.021	U		<0.0021	U		<0.0021	U		0.23			0.00024			79			21		
	31 ft	VMP-25-31-050217	5/2/2017	10			<0.023	U		0.059			<0.0023	U		1.4			4.8			78			5.2		
		VMP-25-31-050217-DUP	5/2/2017	10			<0.024	U		0.06			<0.0024	U		1.4			5			78			5		
		VMP-25-31-080117	8/1/2017	12			<0.023	U		0.08			<0.0023	U		0.091	J		7.5			76			4		
		VMP-25-31-080117-DUP	8/1/2017	13			<0.026	U		0.086			<0.0026	U		0.091	J		8.2			77			1.9		
		VMP-25-31-110217	11/2/2017	14			<0.024	U		0.089			<0.0024	U		<0.12	U		9.9			74			1.4		
		VMP-25-31-110217-DUP	11/2/2017	14			<0.023	U		0.086			<0.0023	U		<0.11	U		9.7			74			1.4		
		VMP-25-31-013018	1/30/2018	14			<0.02	U		0.093			<0.002	U		<0.1	U		11			73			1.4		
		VMP-25-31-013018-DUP	1/30/2018	14			<0.021	U		0.09			<0.0021	U		<0.11	U		10			74			1.4		

TABLE 7
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL RESULTS - NATURAL GASES

Location	Depth	Sample ID	Sample Date	Carbon Dioxide			Carbon Monoxide			Ethane			Ethene			Helium			Methane			Nitrogen			Oxygen		
				Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
VMP-29	10 ft	VMP-29-10-050217	5/2/2017	0.11			<0.025	U		<0.0025	U		<0.0025	U		<0.13	U		0.00019	J		79			21		
		VMP-29-10-072717	7/27/2017	0.71			<0.047	U		<0.0047	U		<0.0047	U		<0.24	U		<0.00047	U		79			20		
		VMP-29-10-102717	10/27/2017	0.12			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		0.00016	J		79			21		
		VMP-29-10-012518	1/25/2018	0.16			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		79			21		
	18 ft	VMP-29-18-050217	5/2/2017	0.092			<0.024	U		<0.0024	U		<0.0024	U		3.3			0.00016	J		77			20		
		VMP-29-18-072717	7/27/2017	0.2			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		0.00017	J		80			20		
		VMP-29-18-102717	10/27/2017	0.1			<0.023	U		<0.0023	U		<0.0023	U		0.7			0.0002	J		79			20		
		VMP-29-18-012518	1/25/2018	0.23			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			21		
	26 ft	VMP-29-26-050317	5/3/2017	0.2			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		0.00012	J		80			20		
		VMP-29-26-072717	7/27/2017	0.37			<0.023	U		<0.0023	U		<0.0023	U		0.015	J		0.00021	J		80			20		
		VMP-29-26-072717-DUP	7/27/2017	0.39			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		0.00022	J		80			20		
		VMP-29-26-102717	10/27/2017	0.1			<0.022	U		<0.0022	U		<0.0022	U		2.3			0.00017	J		78			20		
		VMP-29-26-102717-DUP	10/27/2017	0.1			<0.022	U		<0.0022	U		<0.0022	U		2.3			0.00016	J		78			20		
		VMP-29-26-012518	1/25/2018	0.4			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		79			21		
VMP-30	10 ft	VMP-30-10-050217	5/2/2017	0.055			<0.024	U		<0.0024	U		<0.0024	U		0.015	J		0.00015	J		80			20		
		VMP-30-10-072717	7/27/2017	0.086			<0.024	U		<0.0024	U		<0.0024	U		0.08	J		<0.00024	U		80			20		
		VMP-30-10-102717	10/27/2017	0.057			<0.023	U		<0.0023	U		<0.0023	U		0.043	J		0.00015	J		79			21		
		VMP-30-10-012518	1/25/2018	0.056			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			21		
	18 ft	VMP-30-18-050217	5/2/2017	0.049			<0.024	U		<0.0024	U		<0.0024	U		0.37			0.00016	J		80			20		
		VMP-30-18-072717	7/27/2017	0.23			<0.024	U		<0.0024	U		<0.0024	U		0.28			<0.00024	U		79			20		
		VMP-30-18-102717	10/27/2017	0.12			<0.024	U		<0.0024	U		<0.0024	U		0.079	J		0.00014	J		79			21		
		VMP-30-18-012518	1/25/2018	0.14			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			21		
	26 ft	VMP-30-18-012518-DUP	1/25/2018	0.15			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			21		
		VMP-30-26-050217	5/2/2017	0.055			<0.024	U		<0.0024	U		<0.0024	U		0.28			0.0002	J		79			21		
		VMP-30-26-072717	7/27/2017	0.28			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		80			20		
		VMP-30-26-102717	10/27/2017	0.064			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		0.00016	J		79			21		
VMP-32	5 ft	VMP-32-5-042517	4/25/2017	0.95			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		79			20		
		VMP-32-5-052217	5/22/2017	1.3			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		80			19		
		VMP-32-5-072417	7/24/2017	1.7			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			19		
		VMP-32-5-103117	10/31/2017	1.4			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			20		
	10 ft	VMP-32-5-012918	1/29/2018	0.64			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			20		
		VMP-32-10-042517	4/25/2017	0.92			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		80			19		
		VMP-32-10-072417	7/24/2017	2.2			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		80			18		
		VMP-32-10-103117	10/31/2017	2			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			19		
	20 ft	VMP-32-10-012918	1/29/2018	1.1			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			20		
		VMP-32-20-042517	4/25/2017	0.058			<0.024	U		<0.0024	U		<0.0024	U		0.87			0.00015	J		79			20		
		VMP-32-20-072417	7/24/2017	0.12			<0.025	U		<0.0025	U		<0.0025	U		0.67			0.00015	J		79			20		
		VMP-32-20-103117	10/31/2017	0.076			<0.023	U		<0.0023	U		<0.0023	U		0.12			<0.00023	J	U	79			21		
	30 ft	VMP-32-20-012918	1/29/2018	0.053			<0.02	U		<0.002	U		<0.002	U		0.22			0.00018	J		79			21		
		VMP-32-30-042517	4/25/2017	0.32			<0.025	U		<0.0025	U		<0.0025	U		3.9			0.00014	J		77			19		
		VMP-32-30-042517-DUP	4/25/2017	0.31			<0.024	U		<0.0024	U		<0.0024	U		3.9			0.00014	J		77			19		
		VMP-32-30-072417	7/24/2017	0.58			<0.025	U		<0.0025	U		<0.0025	U		2.3			0.00018	J		78			19		
		VMP-32-30-072417-DUP	7/24/2017	0.63			<0.024	U		<0.0024	U		<0.0024	U		2.5			0.00016	J		78			19		
		VMP-32-30-103117	10/31/2017	0.05			<0.045	U		<0.0045	U		<0.0045	U		1.6			<0.00045	U		77			21		
		VMP-32-30-012918	1/29/2018	0.24			<0.022	U		<0.0022	U		<0.0022	U		0.35			0.0002	J		78			21		

TABLE 7
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL RESULTS - NATURAL GASES

Location	Depth	Sample ID	Sample Date	Carbon Dioxide			Carbon Monoxide			Ethane			Ethene			Helium			Methane			Nitrogen			Oxygen		
				Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
VMP-41	10 ft	VMP-41-10-050217	5/2/2017	0.69			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			20		
		VMP-41-10-072717	7/27/2017	1			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		79			20		
		VMP-41-10-102717	10/27/2017	0.43			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		78			21		
		VMP-41-10-012418	1/24/2018	0.21			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			21		
	20 ft	VMP-41-20-050217	5/2/2017	0.52			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		79			20		
		VMP-41-20-072717	7/27/2017	1.1			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		80			19		
		VMP-41-20-102717	10/27/2017	0.74			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		79			20		
		VMP-41-20-012418	1/24/2018	0.44			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		78			21		
	26 ft	VMP-41-26-050217	5/2/2017	0.54			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			20		
		VMP-41-26-072717	7/27/2017	1.1			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		80			19		
		VMP-41-26-072717-DUP	7/27/2017	1.1			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		80			19		
		VMP-41-26-102717	10/27/2017	1.1			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		79			20		
		VMP-41-26-102717-DUP	10/27/2017	1			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			20		
		VMP-41-26-012418	1/24/2018	0.74			<0.021	U		<0.0021	U		<0.0021	U		<0.11	U		<0.00021	U		79			20		
VMP-42	10 ft	VMP-42-10-050317	5/3/2017	0.56			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		79			20		
		VMP-42-10-072017	7/20/2017	1.6			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			19		
		VMP-42-10-110117	11/1/2017	0.99			<0.021	U		<0.0021	U		<0.0021	U		<0.1	U		<0.00021	U		79			20		
		VMP-42-10-012318	1/23/2018	0.42			<0.022	U		<0.0022	U		<0.0022	U		0.055	J		<0.00022	U		78			21		
	20 ft	VMP-42-20-050317	5/3/2017	0.96			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			20		
		VMP-42-20-072017	7/20/2017	2.1			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		80			18		
		VMP-42-20-110117	11/1/2017	2.6			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		78			19		
		VMP-42-20-012318	1/23/2018	1.4			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		79			20		
	30 ft	VMP-42-30-050317	5/3/2017	1			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			20		
		VMP-42-30-072017	7/20/2017	1.8			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		79			19		
		VMP-42-30-110117	11/1/2017	2.5			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		78			19		
		VMP-42-30-110117-DUP	11/1/2017	2.2			<0.021	U		<0.0021	U		<0.0021	U		<0.11	U		<0.00021	U		79			19		
VMP-43	10 ft	VMP-43-10-042717	4/27/2017	0.18			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		0.00017	J		80			20		
		VMP-43-10-072417	7/24/2017	0.25			<0.025	U		<0.0025	U		<0.0025	U		<0.13	U		0.00015	J		80			20		
		VMP-43-10-102717	10/27/2017	0.2			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		0.00016	J		79			21		
		VMP-43-10-012618	1/26/2018	0.096			<0.021	U		<0.0021	U		<0.0021	U		<0.11	U		0.00015	J		78			22		
	20 ft	VMP-43-20-042717	4/27/2017	0.18			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		80			20		
		VMP-43-20-072417	7/24/2017	0.32			<0.026	U		<0.0026	U		<0.0026	U		<0.13	U		0.0002	J		80			20		
		VMP-43-20-102717	10/27/2017	0.17			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		0.00017	J		79			21		
		VMP-43-20-012618	1/26/2018	0.11			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		0.00014	J		79			21		
	30 ft	VMP-43-30-042717	4/27/2017	0.26			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		80			20		
		VMP-43-30-072417	7/24/2017	0.44			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		0.00012	J		80			20		
		VMP-43-30-102717	10/27/2017	0.24			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		79			21		
		VMP-43-30-012618	1/26/2018	0.22			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		0.000095	J		79			21		
VMP-44	10 ft	VMP-44-10-042517	4/25/2017	0.55			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		0.00012	J		79			20		
		VMP-44-10-072517	7/25/2017	2.4			<0.025	U		<0.0025	U		<0.0025	U		<0.13	U		0.00082			80			17		
		VMP-44-10-102517	10/25/2017	1.2			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			20		
		VMP-44-10-012518	1/25/2018	0.2			<0.023	U		<0.0023	U		<0.0023	U		0.033	J		0.00036			79			21		
	20 ft	VMP-44-20-042517	4/25/2017	0.43			<0.026	U		<0.0026	U		<0.0026	U		0.25			0.00016	J		79			20		
		VMP-44-20-072517	7/25/2017	2.3			<0.026	U		<0.0026	U		<0.0026	U		0.092	J		0.00067			80			18		
		VMP-44-20-102517	10/25/2017	1.1			<0.024	U		<0.0024	U		<0.0024	U		0.1	J		0.00015	J		79			20		
		VMP-44-20-012518	1/25/2018	0.055			<0.023	U		<0.0023	U		<0.0023	U		0.2			0.00027			79			21		
	30 ft	VMP-44-30-042517	4/25/2017	0.56			<0.027	U		<0.0027	U		<0.0027	U		0.18			<0.00027	U		79			20		
		VMP-44-30-072517	7/25/2017	2.4			<0.025	U		<0.0025	U		<0.0025	U		0.055	J		0.0009			80			18		
		VMP-44-30-102517	10/25/2017	1.1			<0.024	U		<0.0024	U		<0.0024	U		0.047	J		0.00015	J		79			20		
		VMP-44-30-102517-DUP	10/25/2017	1.1			<0.023	U		<0.0023	U		<0.0023	U		0.05	J		0.00012	J		79			20		
		VMP-44-30-012518	1/25/2018	0.051			<0.023	U		<0.0023	U		<0.0023	U		0.071	J		0.00024			79			21		
		VMP-44-30-012518-DUP	1/25/2018	0.052			<0.023	U		<0.0023	U		<0.0023	U		0.072	J		0.00023			79			21		

TABLE 7
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL RESULTS - NATURAL GASES

Location	Depth	Sample ID	Sample Date	Carbon Dioxide			Carbon Monoxide			Ethane			Ethene			Helium			Methane			Nitrogen			Oxygen		
				Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
VMP-45	10 ft	VMP-45-10-042617	4/26/2017	0.081			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		0.00015	J		79			21		
		VMP-45-10-072517	7/25/2017	0.12			<0.025	U		<0.0025	U		<0.0025	U		<0.13	U		0.00015	J		80			20		
		VMP-45-10-103117	10/31/2017	0.058			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	J	U	79			21		
		VMP-45-10-012418	1/24/2018	0.055			<0.022	U		<0.0022	U		<0.0022	U		0.01	J		0.00014	J		79			21		
	20 ft	VMP-45-20-042617	4/26/2017	0.11			<0.027	U		<0.0027	U		<0.0027	U		0.14			0.00015	J		79			21		
		VMP-45-20-072517	7/25/2017	0.21			<0.025	U		<0.0025	U		<0.0025	U		0.015	J		0.00016	J		80			20		
		VMP-45-20-103117	10/31/2017	0.084			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	J	U	79			21		
		VMP-45-20-012418	1/24/2018	0.06			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		0.00011	J		79			21		
	30 ft	VMP-45-30-042617	4/26/2017	0.34			<0.025	U		<0.0025	U		<0.0025	U		0.81			<0.00025	U		79			20		
		VMP-45-30-042617-DUP	4/26/2017	0.34			<0.023	U		<0.0023	U		<0.0023	U		0.79			<0.00023	U		79			20		
		VMP-45-30-072517	7/25/2017	0.57			<0.025	U		<0.0025	U		<0.0025	U		0.78			<0.00025	U		79			20		
		VMP-45-30-103117	10/31/2017	0.39			<0.022	U		<0.0022	U		<0.0022	U		0.22			<0.00022	J	U	79			20		
		VMP-45-30-012418	1/24/2018	0.56			<0.023	U		<0.0023	U		<0.0023	U		0.088	J		0.00017	J		77			22		
VMP-47	5 ft	VMP-47-5-042717	4/27/2017	0.78			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		80			19		
		VMP-47-5-072417	7/24/2017	0.89			<0.024	U		<0.0024	U		<0.0024	U		0.009	J		0.00023	J		80			19		
		VMP-47-5-102617	10/26/2017	0.23			<0.024	U		<0.0024	U		<0.0024	U		0.0096	J		0.00018	J		79			21		
		VMP-47-5-012618	1/26/2018	0.14			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		0.0002	J		79			21		
	10 ft	VMP-47-10-042717	4/27/2017	0.61			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		79			20		
		VMP-47-10-072417	7/24/2017	1			<0.024	U		<0.0024	U		<0.0024	U		0.038	J		<0.00024	U		80			19		
		VMP-47-10-102617	10/26/2017	0.63			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		78			21		
		VMP-47-10-012618	1/26/2018	0.34			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			21		
	20 ft	VMP-47-20-042717	4/27/2017	0.54			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		79			20		
		VMP-47-20-072417	7/24/2017	0.59			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			20		
		VMP-47-20-102617	10/26/2017	0.61			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		78			21		
		VMP-47-20-012618	1/26/2018	0.28			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		78			22		
	30 ft	VMP-47-20-012618-DUP	1/26/2018	0.27			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		79			21		
		VMP-47-30-042717	4/27/2017	0.62			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		79			20		
		VMP-47-30-072417	7/24/2017	1.3			<0.025	U		<0.0025	U		<0.0025	U		0.18			<0.00025	U		80			19		
		VMP-47-30-102617	10/26/2017	1			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		79			20		
		VMP-47-30-012618	1/26/2018	0.73			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		78			21		
VMP-48	5 ft	VMP-48-5-042617	4/26/2017	1.3			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		80			19		
		VMP-48-5-072117	7/21/2017	6			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			15		
		VMP-48-5-103117	10/31/2017	1.7			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			19		
		VMP-48-5-012618	1/26/2018	0.53			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			20		
	10 ft	VMP-48-10-042617	4/26/2017	2.3			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		79			19		
		VMP-48-10-072117	7/21/2017	4.3			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		80			16		
		VMP-48-10-103117	10/31/2017	4.6			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		77			18		
		VMP-48-10-012618	1/26/2018	3.6			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		77			19		
	20 ft	VMP-48-20-042617	4/26/2017	3.2			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		79			18		
		VMP-48-20-072117	7/21/2017	3.4			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		80			17		
		VMP-48-20-103117	10/31/2017	4.7			<0.021	U		<0.0021	U		<0.0021	U		<0.11	U		<0.00021	U		78			17		
		VMP-48-20-012618	1/26/2018	3.4			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		78			19		
	30 ft	VMP-48-30-042617	4/26/2017	7			<0.025	U		<0.0025	U		<0.0025	U		0.016	J		<0.00025	U		78			15		
		VMP-48-30-072117	7/21/2017	7			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		77			16		
		VMP-48-30-103117	10/31/2017	7.4			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		78			15		
		VMP-48-30-103117-DUP	10/31/2017	7.4			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		78			15		
		VMP-48-30-012618	1/26/2018	7.9			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		77			15		

TABLE 7
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL RESULTS - NATURAL GASES

Location	Depth	Sample ID	Sample Date	Carbon Dioxide			Carbon Monoxide			Ethane			Ethene			Helium			Methane			Nitrogen			Oxygen		
				Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
VMP-49	5 ft	VMP-49-5-042417	4/24/2017	0.41			<0.029	U		<0.0029	U		<0.0029	U		<0.14	U		<0.00029	U		78			21		
		VMP-49-5-072617	7/26/2017	0.72			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			20		
		VMP-49-5-102717	10/27/2017	0.35			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		79			21		
		VMP-49-5-012618	1/26/2018	0.18			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		79			21		
	10 ft	VMP-49-10-042417	4/24/2017	0.84			<0.029	U		<0.0029	U		<0.0029	U		<0.14	U		<0.00029	U		79			20		
		VMP-49-10-072617	7/26/2017	1.5			<0.025	U		<0.0025	U		<0.0025	U		<0.13	U		0.00016	J		80			19		
		VMP-49-10-102717	10/27/2017	0.36			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		0.00016	J		80			20		
		VMP-49-10-012618	1/26/2018	0.11			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		79			21		
	20 ft	VMP-49-20-042417	4/24/2017	0.72			<0.028	U		<0.0028	U		<0.0028	U		0.45			<0.00028	U		79			20		
		VMP-49-20-072617	7/26/2017	1.4			<0.024	U		<0.0024	U		<0.0024	U		2.4			0.0002	J		78			18		
		VMP-49-20-102717	10/27/2017	0.21			<0.022	U		<0.0022	U		<0.0022	U		0.2			0.00018	J		78			21		
		VMP-49-20-012618	1/26/2018	0.066			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		0.00016	J		79			21		
	30 ft	VMP-49-30-042417	4/24/2017	10			<0.027	U		<0.0027	U		<0.0027	U		<0.14	U		<0.00027	U		78			12		
		VMP-49-30-072617	7/26/2017	9.7			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		78			12		
		VMP-49-30-072617-DUP	7/26/2017	9.8			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		78			12		
		VMP-49-30-102717	10/27/2017	9.8			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		80			10		
		VMP-49-30-012618	1/26/2018	9.8			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		77			13		
VMP-50	5 ft	VMP-50-5-050317	5/3/2017	1.8			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			19		
		VMP-50-5-072617	7/26/2017	7.5			<0.025	U		<0.0025	U		<0.0025	U		<0.13	U		<0.00025	U		80			12		
		VMP-50-5-110117	11/1/2017	4.4			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		80			16		
		VMP-50-5-013118	1/31/2018	1			<0.024	U		0.00017	J		<0.0024	U		<0.12	U		0.011			79			20		
	10 ft	VMP-50-10-050317	5/3/2017	2.5			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		80			18		
		VMP-50-10-072617	7/26/2017	5.4			<0.025	U		<0.0025	U		<0.0025	U		0.0092	J		<0.00025	U		81			14		
		VMP-50-10-110117	11/1/2017	6			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		80			14		
		VMP-50-10-013118	1/31/2018	2.6			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		0.00052			78			19		
	20 ft	VMP-50-20-050317	5/3/2017	2.9			<0.021	U		<0.0021	U		<0.0021	U		<0.11	U		<0.00021	U		79			18		
		VMP-50-20-072617	7/26/2017	4.2			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		80			16		
		VMP-50-20-110117	11/1/2017	4.6			<0.021	U		<0.0021	U		<0.0021	U		<0.11	U		<0.00021	U		79			16		
		VMP-50-20-013118	1/31/2018	5			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		0.00016	J		79			16		
	30 ft	VMP-50-20-013118-DUP	1/31/2018	5.6			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		0.00016	J		78			16		
		VMP-50-30-050317	5/3/2017	1.3			<0.021	U		<0.0021	U		<0.0021	U		<0.1	U		0.0021			79			20		
		VMP-50-30-050317-DUP	5/3/2017	1.2			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		0.0021			80			19		
		VMP-50-30-072617	7/26/2017	2			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		0.0018			79			19		
		VMP-50-30-110117	11/1/2017	1.9			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		0.0016			78			20		
		VMP-50-30-110117-DUP	11/1/2017	2			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		0.0017			79			19		
VMP-50-30-013118	1/31/2018	2			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		0.0007			79			19				
VMP-51	5 ft	VMP-51-5-042517	4/25/2017	0.32			<0.025	U		<0.0025	U		<0.0025	U		0.21			<0.00025	U		79			20		
		VMP-51-5-072017	7/20/2017	3			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		79			18		
		VMP-51-5-103017	10/30/2017	0.24			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		0.00019	J		79			21		
		VMP-51-5-012318	1/23/2018	0.14			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		0.00018	J		79			21		
	10 ft	VMP-51-10-042517	4/25/2017	0.64			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			20		
		VMP-51-10-072017	7/20/2017	1			<0.023	U		<0.0023	U		<0.0023	U		0.011	J		<0.00023	U		79			20		
		VMP-51-10-103017	10/30/2017	0.48			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		78			21		
		VMP-51-10-012318	1/23/2018	0.19			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		79			21		
	20 ft	VMP-51-20-042517	4/25/2017	0.66			<0.025	U		<0.0025	U		<0.0025	U		<0.12											

TABLE 7
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL RESULTS - NATURAL GASES

Location	Depth	Sample ID	Sample Date	Carbon Dioxide			Carbon Monoxide			Ethane			Ethene			Helium			Methane			Nitrogen			Oxygen		
				Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
VMP-52	5 ft	VMP-52-5-042417	4/24/2017	1.8			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		78			20		
		VMP-52-5-072117	7/21/2017	4.7			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		78			17		
		VMP-52-5-102517	10/25/2017	1.3			<0.023	U		<0.0023	U		<0.0023	U		0.0084	J		<0.00023	U		79			20		
		VMP-52-5-012418	1/24/2018	0.27			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		0.00015	J		79			21		
	10 ft	VMP-52-10-042417	4/24/2017	2.4			<0.024	U		<0.0024	U		<0.0024	U		0.012	J		<0.00024	U		80			18		
		VMP-52-10-072117	7/21/2017	4.6			<0.026	U		<0.0026	U		<0.0026	U		<0.13	U		<0.00026	U		79			16		
		VMP-52-10-102517	10/25/2017	2.9			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		78			19		
		VMP-52-10-012418	1/24/2018	0.76			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		78			21		
	20 ft	VMP-52-20-042417	4/24/2017	0.77			<0.026	U		<0.0026	U		<0.0026	U		<0.13	U		<0.00026	U		79			20		
		VMP-52-20-072117	7/21/2017	1.8			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		79			19		
		VMP-52-20-102517	10/25/2017	1.8			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		78			20		
		VMP-52-20-012418	1/24/2018	1.2			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			20		
	30 ft	VMP-52-20-012418-DUP	1/24/2018	1.2			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			20		
		VMP-52-30-042417	4/24/2017	1.4			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			20		
		VMP-52-30-072117	7/21/2017	1.9			<0.026	U		<0.0026	U		<0.0026	U		<0.13	U		<0.00026	U		79			19		
		VMP-52-30-102517	10/25/2017	2.2			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		79			19		
VMP-53	5 ft	VMP-52-30-102517-DUP	10/25/2017	2.1			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		78			20		
		VMP-52-30-012418	1/24/2018	1.5			<0.021	U		<0.0021	U		<0.0021	U		<0.1	U		<0.00021	U		78			20		
	10 ft	VMP-53-5-042017	4/20/2017	0.63			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			20		
		VMP-53-5-071917	7/19/2017	1.7			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		80			18		
		VMP-53-5-110117	11/1/2017	0.49			<0.021	U		<0.0021	U		<0.0021	U		<0.11	U		<0.00021	U		80			20		
		VMP-53-5-012218	1/22/2018	0.18			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		0.00012	J		79			21		
	20 ft	VMP-53-10-042017	4/20/2017	0.48			<0.024	U		<0.0024	U		<0.0024	U		0.019	J		<0.00024	U		80			20		
		VMP-53-10-071917	7/19/2017	1.3			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		80			19		
		VMP-53-10-110117	11/1/2017	0.52			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			20		
		VMP-53-10-012218	1/22/2018	0.2			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			21		
	30 ft	VMP-53-20-042017	4/20/2017	0.63			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			20		
		VMP-53-20-071917	7/19/2017	1.5			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		80			19		
		VMP-53-20-110117	11/1/2017	1.1			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			20		
		VMP-53-20-012218	1/22/2018	0.83			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		78			21		
VMP-54	5 ft	VMP-53-20-012218-DUP	1/22/2018	0.81			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		78			21		
		VMP-53-30-042017	4/20/2017	1.8			<0.023	U		<0.0023	U		<0.0023	U		0.017	J		<0.00023	U		79			19		
		VMP-53-30-042017-DUP	4/20/2017	1.8			<0.022	U		<0.0022	U		<0.0022	U		0.017	J		<0.00022	U		79			19		
		VMP-53-30-071917	7/19/2017	2			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		80			18		
	10 ft	VMP-53-30-071917-DUP	7/19/2017	2			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		80			18		
		VMP-53-30-110117	11/1/2017	2.5			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		78			19		
		VMP-53-30-012218	1/22/2018	1.9			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		78			20		
	20 ft	VMP-54-5-042017	4/20/2017	2.2			<0.025	U		<0.0025	U		<0.0025	U		<0.13	U		<0.00025	U		80			18		
		VMP-54-5-071917	7/19/2017	4.1			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		80			16		
		VMP-54-5-102617	10/26/2017	2			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			19		
		VMP-54-5-012218	1/22/2018	1			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		79			20		
	30 ft	VMP-54-10-042017	4/20/2017	2.2			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		80			18		
		VMP-54-10-071917	7/19/2017	3			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		80			17		
		VMP-54-10-102617	10/26/2017	2.8			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			18		
		VMP-54-10-012218	1/22/2018	1.9			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			19		
VMP-54	20 ft	VMP-54-20-042017	4/20/2017	2.5			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		80			18		
		VMP-54-20-071917	7/19/2017	2.4			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		81			17		
		VMP-54-20-102617	10/26/2017	2.6			<0.021	U		<0.0021	U		<0.0021	U		<0.11	U		<0.00021	U		79			18		
		VMP-54-20-012218	1/22/2018	3			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		79			18		
	30 ft	VMP-54-30-042017	4/20/2017	1.9			<0.024	U		<0.0024	U		<0.0024	U		0.85			<0.00024	U		79			18		
		VMP-54-30-071917	7/19/2017	3.3			<0.026	U		<0.0026	U		<0.0026	U		0.33			<0.00026	U		79			17		
		VMP-54-30-102617	10/26/2017	1.3			<0.022	U		<0.0022	U		<0.0022	U		1.1			0.00011	J		78			20		
		VMP-54-30-102617-DUP	10/26/2017	1.3			<0.022	U		<0.0022	U		<0.0022	U		1.1			0.00011	J		78			20		
		VMP-54-30-012218	1/22/2018	0.86			<0.024	U		<0.0024	U		<0.0024	U		0.41			0.00037			79			20		

TABLE 7
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL RESULTS - NATURAL GASES

Location	Depth	Sample ID	Sample Date	Carbon Dioxide			Carbon Monoxide			Ethane			Ethene			Helium			Methane			Nitrogen			Oxygen		
				Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
VMP-55	5 ft	VMP-55-5-072617	7/26/2017	16			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		0.00025			80			4.1		
		VMP-55-5-110217	11/2/2017	15			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		0.00047			80			4.8		
		VMP-55-5-013018	1/30/2018	14			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		0.00011	J		82			4.1		
	20 ft	VMP-55-20-050117	5/1/2017	19			<0.024	U		0.0021	J		<0.0024	U		<0.12	U		6.3			73			1.2		
		VMP-55-20-072617	7/26/2017	18			<0.025	U		0.0009	J		<0.0025	U		0.012	J		4.1			76			2		
		VMP-55-20-110217	11/2/2017	19			<0.024	U		0.0015	J		<0.0024	U		<0.12	U		5.4			74			1.8		
		VMP-55-20-013018	1/30/2018	18			<0.025	U		0.00079	J		<0.0025	U		<0.12	U		3.1			77			1.4		
VMP-56	10 ft	VMP-56-10-050117	5/1/2017	0.7			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		79			20		
		VMP-56-10-072117	7/21/2017	0.45			<0.026	U		<0.0026	U		<0.0026	U		<0.13	U		<0.00026	U		80			20		
		VMP-56-10-102717	10/27/2017	0.31			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		79			21		
		VMP-56-10-012918	1/29/2018	0.081			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			21		
	25 ft	VMP-56-25-050117	5/1/2017	0.64			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			20		
		VMP-56-25-072117	7/21/2017	0.9			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		79			20		
		VMP-56-25-102717	10/27/2017	0.37			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		80			20		
VMP-62	5 ft	VMP-62-5-042517	4/25/2017	2.3			<0.026	U		<0.0026	U		<0.0026	U		<0.13	U		<0.00026	U		79			19		
		VMP-62-5-072517	7/25/2017	4.7			<0.021	U		<0.0021	U		<0.0021	U		<0.11	U		<0.00021	U		79			16		
		VMP-62-5-083017	8/30/2017	3.9			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		79			17		
		VMP-62-5-110317	11/3/2017	1.4			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			20		
		VMP-62-5-012918	1/29/2018	0.68			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		0.0001	J		79			20		
	10 ft	VMP-62-10-042517	4/25/2017	1.7			<0.026	U		<0.0026	U		<0.0026	U		<0.13	U		<0.00026	U		79			19		
		VMP-62-10-072517	7/25/2017	4			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			17		
		VMP-62-10-110317	11/3/2017	2			<0.022	U		<0.0022	U		<0.0022	U		0.069	J		<0.00022	U		78			20		
		VMP-62-10-012918	1/29/2018	0.91			<0.021	U		<0.0021	U		<0.0021	U		<0.11	U		0.000077	J		79			20		
	20 ft	VMP-62-20-042517	4/25/2017	1.4			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		80			19		
		VMP-62-20-072517	7/25/2017	3			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		0.00014	J		79			18		
		VMP-62-20-110317	11/3/2017	1.8			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		78			20		
		VMP-62-20-012918	1/29/2018	0.95			<0.021	U		<0.0021	U		<0.0021	U		<0.1	U		0.00056			79			20		
	30 ft	VMP-62-30-042517	4/25/2017	0.71			<0.025	U		<0.0025	U		<0.0025	U		<0.13	U		<0.00025	U		80			19		
		VMP-62-30-072517	7/25/2017	1.7			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			19		
		VMP-62-30-072517-DUP	7/25/2017	1.6			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		79			19		
		VMP-62-30-110317	11/3/2017	1.3			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		<0.00023	U		79			20		
		VMP-62-30-110317-DUP	11/3/2017	1.2			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			20		
		VMP-62-30-012918	1/29/2018	0.046			<0.021	U		<0.0021	U		<0.0021	U		<0.1	U		0.00022			79			21		
VMP-63	5 ft	VMP-62-30-012918-DUP	1/29/2018	0.046			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		0.00027			79			21		
		VMP-63-5-042517	4/25/2017	0.21			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		80			20		
		VMP-63-5-072517	7/25/2017	0.34			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		0.00012	J		80			20		
		VMP-63-5-110117	11/1/2017	0.12			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			21		
	10 ft	VMP-63-5-012618	1/26/2018	0.093			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		0.00019	J		78			22		
		VMP-63-10-042517	4/25/2017	0.32			<0.025	U		<0.0025	U		<0.0025	U		<0.13	U		<0.00025	U		80			20		
		VMP-63-10-072517	7/25/2017	0.57			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		80			19		
		VMP-63-10-110117	11/1/2017	0.18			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			21		
	20 ft	VMP-63-10-012618	1/26/2018	0.1			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		0.0001	J		78			22		
		VMP-63-20-042517	4/25/2017	0.35			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		80			20		
		VMP-63-20-072517	7/25/2017	0.88			<0.025	U		<0.0025	U		<0.0025	U		0.055	J		<0.00025	U		80			19		
		VMP-63-20-110117	11/1/2017	0.38			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		79			21		
	30 ft	VMP-63-20-012618	1/26/2018	0.044			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		0.00021	J		78			22		
		VMP-63-30-042517	4/25/2017	0.39			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		80			20		
		VMP-63-30-072517	7/25/2017	1.1			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		80			19		
		VMP-63-30-110117	11/1/2017	0.65			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		<0.00022	U		78			21		
	30 ft	VMP-63-30-012618	1/26/2018	0.045			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		0.00024			78			22		
		VMP-63-30-012618-DUP	1/26/2018	0.045			<0.022	U		<0.0022	U		<0.0022	U		<0.11	U		0.00018	J		78			22		

TABLE 7
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL RESULTS - NATURAL GASES

Location	Depth	Sample ID	Sample Date	Carbon Dioxide			Carbon Monoxide			Ethane			Ethene			Helium			Methane			Nitrogen			Oxygen		
				Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
VMP-64	5 ft	VMP-64-5-042717	4/27/2017	0.17			<0.021	U		<0.0021	U		<0.0021	U		<0.1	U		0.000099	J		80			20		
		VMP-64-5-072517	7/25/2017	1.6			<0.025	U		<0.0025	U		<0.0025	U		<0.12	U		<0.00025	U		79			19		
		VMP-64-5-110317	11/3/2017	0.32			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		0.00014	J		79			21		
		VMP-64-5-012218	1/22/2018	0.14			<0.023	U		<0.0023	U		<0.0023	U		<0.11	U		0.00011	J		79			21		
	10 ft	VMP-64-10-042717	4/27/2017	1.7			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		79			19		
		VMP-64-10-072517	7/25/2017	3.9			<0.025	U		<0.0025	U		<0.0025	U		<0.13	U		<0.00025	U		80			16		
		VMP-64-10-110317	11/3/2017	1.5			<0.021	U		<0.0021	U		<0.0021	U		<0.11	U		0.00016	J		78			20		
		VMP-64-10-012218	1/22/2018	1.7			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		78			20		
	20 ft	VMP-64-20-042717	4/27/2017	2			<0.023	U		<0.0023	U		<0.0023	U		<0.12	U		<0.00023	U		79			19		
		VMP-64-20-072517	7/25/2017	3.6			<0.025	U		<0.0025	U		<0.0025	U		<0.13	U		<0.00025	U		80			16		
		VMP-64-20-110317	11/3/2017	3.7			<0.021	U		<0.0021	U		<0.0021	U		<0.11	U		<0.00021	U		77			19		
		VMP-64-20-012218	1/22/2018	3			<0.024	U		<0.0024	U		<0.0024	U		<0.12	U		<0.00024	U		78			19		

Notes:

Lab Qualifiers

J = Estimated value; results between the MDL and RL
U = Compound analyzed for but not detected above the RL

AECOM Qualifiers

J = Estimated detection
UJ = Estimated non-detect
U = Non-detect due to blank contamination
ND, UJ = Non-detected compound associated with low bias in the continuing calibration verification

TABLE 8
SVE SYSTEM MONTHLY MONITORING - SVE SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure	Groundwater	Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Depth to Water (feet)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
SVE-03R	4/19/2017	1149	-14.75	35.63	0.0	0	1.3	19.4	1.3	4.7	0.9	3.8	
SVE-03R	5/25/2017	1211	-16.43	34.73	0.1	2	1.5	19.2	18.6	123	0.0	123	
SVE-03R	6/22/2017	1223	-19.18	34.15	0.0	1	1.4	19.0	9.6	76.2	0.0	76.2	
SVE-03R	7/18/2017	1130	-18.40	33.86	0.0	1	1.4	19.5	19.7	79.6	0.0	79.6	
SVE-03R	8/16/2017	1533	-17.34	33.79	0.0	0	1.5	19.4	13.2	29.1	0.0	29.1	
SVE-03R	9/14/2017	1252	-16.56	33.65	0.0	0	1.3	19.5	1.6	2.2	0.0	2.2	
SVE-03R	10/24/2017	1410	-16.81	34.93	0.0	0	1.6	19.3	2.9	11.7	1.6	10.1	
SVE-03R	11/28/2017	1601	-18.11	35.93	0.0	0	1.3	19.4	2.7	28.5	0.0	28.5	
SVE-03R	12/19/2017	1337	-11.28	36.94	0.0	0	1.3	19.7	4.8	27.8	0.0	27.8	
SVE-03R	1/18/2018	1416	-11.26	37.33	0.0	1	1.6	18.7	7.9	144	69.7	74.3	
SVE-03R	2/22/2018	1150	-16.10	37.43	0.0	0	1.2	19.5	0.7	41.2	28.3	12.9	
SVE-03R	3/14/2018	1425	-17.00	36.97	0.0	1	1.3	19.4	1.8	63.5	31.7	31.8	
SVE-04	4/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-04	5/25/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-04	6/22/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-04	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-04	8/17/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-04	9/14/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-04	10/23/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-04	11/27/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-04	12/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-04	1/19/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-04	2/22/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-04	3/15/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-05	4/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-05	5/25/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-05	6/22/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-05	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-05	8/17/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-05	9/14/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-05	10/23/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-05	11/27/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-05	12/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-05	1/19/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-05	2/22/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-05	3/15/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.

TABLE 8
SVE SYSTEM MONTHLY MONITORING - SVE SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure	Groundwater	Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Depth to Water (feet)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
SVE-06	4/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-06	5/25/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-06	6/22/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-06	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-06	8/17/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-06	9/14/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-06	10/23/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-06	11/27/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-06	12/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-06	1/19/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-06	2/22/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-06	3/15/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-07	4/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-07	5/25/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-07	6/22/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-07	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-07	8/17/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-07	9/14/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-07	10/23/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-07	11/27/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-07	12/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-07	1/19/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-07	2/22/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-07	3/15/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-08	4/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-08	5/25/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-08	6/22/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-08	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-08	8/17/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-08	9/14/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-08	10/23/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-08	11/27/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-08	12/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-08	1/19/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-08	2/22/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-08	3/15/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.

TABLE 8
SVE SYSTEM MONTHLY MONITORING - SVE SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure	Groundwater	Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Depth to Water (feet)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
SVE-09	4/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-09	5/25/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-09	6/22/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-09	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-09	8/17/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-09	9/14/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-09	10/23/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-09	11/27/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-09	12/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-09	1/19/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-09	2/22/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-09	3/15/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-10	4/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-10	5/25/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-10	6/22/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-10	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-10	8/17/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-10	9/14/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-10	10/23/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-10	11/27/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-10	12/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-10	1/19/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-10	2/22/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-10	3/15/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-11	4/18/2017	1131	-30.70	19.46	0.3	7	2.9	17.1	62.7	518	129	389	
SVE-11	5/30/2017	1336	-31.30	18.08	0.0	0	3.1	17.1	1.7	21.8	16.4	5.4	
SVE-11	6/21/2017	1510	-31.52	19.47	0.5	10	3.5	16.6	79.5	751	189	562	
SVE-11	7/17/2017	1255	-29.29	19.61	1.5	30	4.4	15.6	261	1841	249	1592	
SVE-11	8/16/2017	1209	-30.01	18.89	1.3	26	4.5	15.3	227	1557	232	1325	
SVE-11	9/13/2017	1429	-31.14	20.29	0.3	7	3.9	15.9	43.6	529	166	363	
SVE-11	10/23/2017	1236	-32.50	18.33	0.3	7	3.3	16.6	48.7	419	115	304	
SVE-11	11/28/2017	1149	-30.02	18.91	0.6	13	3.6	15.9	103	862	169	693	
SVE-11	12/18/2017	1456	-33.92	19.21	0.6	13	3.6	15.6	110	848	172	676	
SVE-11	1/17/2018	1358	-21.00	21.62	1.3	26	4.7	13.5	149	1569	547	1022	
SVE-11	2/21/2018	1428	-41.80	17.61	0.3	5	2.8	16.8	28.7	438	153	285	
SVE-11	3/14/2018	1105	-31.90	17.68	0.4	8	3.0	16.6	33.6	742	286	456	

TABLE 8
SVE SYSTEM MONTHLY MONITORING - SVE SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure	Groundwater	Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Depth to Water (feet)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
SVE-12	4/18/2017	1248	-31.76	22.89	84.6	OVR	10.4	4.8	610	23660	446	23214	
SVE-12	5/25/2017	0945	-33.20	20.01	59.8	OVR	10.9	5.0	684	17370	442	16928	
SVE-12	6/21/2017	1600	-32.13	21.04	71.8	OVR	11.2	5.1	718	20470	394	20076	
SVE-12	7/17/2017	1225	-30.16	20.85	78.9	OVR	10.7	6.0	686	22110	462	22064	
SVE-12	8/16/2017	1142	-30.90	21.00	83.1	OVR	11.4	5.2	697	25720	737	24983	
SVE-12	9/14/2017	1125	-31.27	21.03	43.2	OVR	11.1	5.5	664	18480	832	17648	
SVE-12	10/23/2017	1258	-33.00	22.66	31.7	OVR	10.2	5.7	626	11630	714	10916	
SVE-12	11/27/2017	1503	-30.88	22.36	47.7	OVR	9.1	6.0	846	16530	565	15965	
SVE-12	12/18/2017	1434	-34.09	22.16	38.7	OVR	8.2	6.6	784	13820	454	13366	
SVE-12	1/17/2018	1334	-21.71	22.67	32.4	OVR	8.6	5.6	777	13290	1030	12260	
SVE-12	2/21/2018	1408	-44.20	17.25	2.0	41	9.3	4.8	297	2490	509	1981	
SVE-12	3/15/2018	1003	-40.40	21.2	36.0	OVR	9.3	7.2	779	14560	615	13945	
SVE-13	4/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-13	5/25/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-13	6/22/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-13	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-13	8/17/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-13	9/14/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-13	10/23/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-13	11/27/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-13	12/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-13	1/19/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-13	2/22/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-13	3/15/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-14	4/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-14	5/25/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-14	6/22/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-14	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-14	8/17/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-14	9/14/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-14	10/23/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-14	11/27/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-14	12/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-14	1/19/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-14	2/22/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-14	3/15/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.

TABLE 8
SVE SYSTEM MONTHLY MONITORING - SVE SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure	Groundwater	Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Depth to Water (feet)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
SVE-15	4/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-15	5/25/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-15	6/22/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-15	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-15	8/17/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-15	9/14/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-15	10/23/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-15	11/27/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-15	12/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-15	1/19/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-15	2/22/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-15	3/15/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-16	4/18/2017	1059	-24.31	22.72	0.0	0	2.0	19.0	2.1	12.5	0.8	11.7	
SVE-16	5/24/2017	1347	-25.78	22.58	0.0	0	1.9	19.2	1.7	8.6	0.0	8.6	
SVE-16	6/21/2017	1436	-26.00	22.70	0.0	0	2.3	18.4	1.1	9.2	1.2	8.0	
SVE-16	7/17/2017	1149	-24.19	22.67	0.0	0	2.5	18.4	2.6	9.5	1.4	8.1	
SVE-16	8/16/2017	1115	-24.21	22.62	0.0	0	2.6	18.1	4.2	10.2	1.8	8.4	
SVE-16	9/13/2017	1359	-24.35	22.68	0.0	0	2.6	18.1	0.2	4.1	0.0	4.1	
SVE-16	10/23/2017	1320	-25.90	22.72	0.0	0	2.5	18.3	0.9	2.4	0.0	2.4	
SVE-16	11/27/2017	1442	-23.83	22.72	0.0	0	1.8	19.1	0.9	1.8	1.1	0.7	
SVE-16	12/18/2017	1405	-24.16	22.71	0.0	0	1.9	18.8	0.5	2.1	1.8	0.3	
SVE-16	1/17/2018	1255	-16.19	22.92	0.0	0	2.6	17.5	1.0	2.2	0.6	1.6	
SVE-16	2/21/2018	1347	-6.50	22.94	0.0	0	1.8	19.1	0.2	0.0	0.0	0.0	
SVE-16	3/15/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-17	4/18/2017	1050	-24.85	22.37	0.1	3	2.1	18.1	45.8	176	22.0	154	
SVE-17	5/24/2017	1338	-25.96	27.32	0.9	18	2.8	17.3	76.7	4015	3481	534	
SVE-17	6/21/2017	1425	-26.37	22.29	0.6	13	2.8	17.2	62.9	2440	1941	499	
SVE-17	7/17/2017	1137	-24.53	22.44	0.2	4	2.7	17.7	49.4	423	165	258	
SVE-17	8/16/2017	1104	-24.43	22.48	0.1	2	2.5	17.8	31.2	148	35.9	112	
SVE-17	9/13/2017	1351	-24.33	22.57	0.0	1	2.5	17.9	7.1	49.1	10.1	39.0	
SVE-17	10/23/2017	1330	-25.10	22.48	0.0	0	2.3	18.2	6.4	31.2	8.8	22.4	
SVE-17	11/27/2017	1431	-23.83	22.51	0.0	0	2.2	18.5	8.0	27.7	4.9	22.8	
SVE-17	12/18/2017	1354	-24.21	22.54	0.0	0	2.0	18.0	6.8	25.9	3.4	22.5	
SVE-17	1/17/2018	1244	-16.16	22.61	0.1	2	3.5	16.5	17.1	165	105	60.0	
SVE-17	2/21/2018	1338	-6.10	22.56	0.0	0	1.8	19.1	5.9	23.9	3.0	20.9	
SVE-17	3/15/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.

TABLE 8
SVE SYSTEM MONTHLY MONITORING - SVE SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure	Groundwater	Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Depth to Water (feet)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
SVE-18	4/18/2017	1040	-26.87	20.59	6.5	OVR	3.4	15.5	83.7	25900	20921	4979	
SVE-18	5/24/2017	1322	-27.90	20.41	6.6	OVR	3.3	16.9	119	23300	18133	5167	
SVE-18	6/21/2017	1414	-28.19	20.04	7.4	OVR	4.1	15.1	92.7	31200	25600	5600	
SVE-18	7/17/2017	1120	-26.54	19.84	3.3	67	3.8	16.1	108	14800	12892	1908	
SVE-18	8/16/2017	1052	-26.45	19.57	2.5	51	3.4	16.4	92.1	10700	9024	1676	
SVE-18	9/13/2017	1340	-27.24	19.57	1.1	23	3.0	16.9	46.2	5285	4448	837	
SVE-18	10/23/2017	1339	-27.60	19.42	0.4	1	2.6	17.5	32.5	1217	975	242	
SVE-18	11/27/2017	1422	-26.37	20.05	0.2	4	2.2	18.4	30.0	678	494	184	
SVE-18	12/18/2017	1345	-27.53	19.76	0.1	2	2.0	18.3	19.6	271	145	126	
SVE-18	1/17/2018	1232	-17.74	20.82	0.0	1	3.3	16.5	7.6	62.9	36.2	26.7	
SVE-18	2/21/2018	1329	-5.90	16.81	0.0	0	1.1	19.8	0.5	1.7	0.0	1.7	
SVE-18	3/14/2018	1043	-46.20	17.89	0.9	19	2.7	17.1	23.9	7034	6457	577	
SVE-19	4/18/2017	1027	-30.36	22.89	2.4	48	3.7	15.6	91.5	7279	5704	1575	
SVE-19	5/24/2017	1310	-30.96	21.96	2.0	40	14.1	15.5	115	7876	6669	1207	
SVE-19	6/21/2017	1406	-31.21	22.78	1.3	27	4.0	15.5	96.7	5507	4643	864	
SVE-19	7/17/2017	1108	-29.46	22.86	0.7	14	3.8	16.2	80.7	3002	2491	511	
SVE-19	8/16/2017	1043	-29.93	22.31	0.6	12	3.5	16.5	46.1	2025	1573	452	
SVE-19	9/13/2017	1331	-30.74	21.68	0.6	12	3.2	16.6	26.5	2389	1077	1312	
SVE-19	10/23/2017	1353	-30.70	21.50	1.5	31	3.5	16.0	45.6	6432	4442	1990	
SVE-19	11/27/2017	1411	-30.30	21.91	1.2	25	3.0	16.7	54.2	5447	4635	812	
SVE-19	12/18/2017	1333	-31.09	21.71	0.6	13	2.7	17.1	41.2	2805	2479	326	
SVE-19	1/17/2018	1221	-20.01	23.77	0.3	7	3.2	16.4	44.6	952	699	253	
SVE-19	2/21/2018	1320	-6.30	23.52	0.0	1	2.1	18.3	8.4	177	114	63.0	
SVE-19	3/14/2018	1035	-47.70	22.43	3.4	68	3.2	16.2	43.4	21500	19398	2102	
SVE-20	4/18/2017	1005	-38.56	37.02	9.1	OVR	5.8	13.0	104	32770	26510	6260	
SVE-20	5/24/2017	1252	-43.42	38.40	3.8	76	6.0	12.7	105	18400	17067	1333	
SVE-20	6/21/2017	1355	-41.20	35.86	3.1	63	5.7	12.8	117	11900	10655	1245	
SVE-20	7/17/2017	1053	-45.20	37.74	5.0	OVR	6.0	12.9	155	19100	18267	833	
SVE-20	8/16/2017	1025	-40.70	NE	10.2	OVR	5.9	12.8	118	33600	30279	3321	
SVE-20	9/13/2017	1316	-35.49	NE	11.5	OVR	6.1	13.0	55.7	51160	41750	9410	
SVE-20	10/23/2017	1406	-36.70	NE	12.4	OVR	5.8	13.2	61.4	46270	37580	8690	
SVE-20	11/27/2017	1351	-37.26	NE	11.5	OVR	5.5	13.8	91.2	37230	29790	7440	
SVE-20	12/18/2017	1319	-43.10	NE	11.1	OVR	5.2	14.1	93.7	36760	29840	6920	
SVE-20	1/17/2018	1206	-19.99	NE	10.3	OVR	6.3	12.5	83.5	36470	29730	6740	
SVE-20	2/21/2018	1244	-48.20	37.35	12.6	OVR	5.0	14.5	50.7	45480	38510	6970	
SVE-20	3/14/2018	1019	-49.40	NE	17.0	OVR	5.4	13.7	67.6	51560	43620	7940	

TABLE 8
SVE SYSTEM MONTHLY MONITORING - SVE SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure	Groundwater	Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Depth to Water (feet)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
SVE-21	4/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-21	5/25/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-21	6/22/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-21	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-21	8/17/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-21	9/14/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-21	10/23/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-21	11/27/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-21	12/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-21	1/19/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-21	2/22/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-21	3/15/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-22	4/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-22	5/25/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-22	6/22/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-22	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-22	8/17/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-22	9/14/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-22	10/23/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-22	11/27/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-22	12/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-22	1/19/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-22	2/22/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-22	3/15/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-23	4/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-23	5/25/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-23	6/22/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-23	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-23	8/17/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-23	9/14/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-23	10/23/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-23	11/27/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-23	12/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-23	1/19/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-23	2/22/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-23	3/15/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.

TABLE 8
SVE SYSTEM MONTHLY MONITORING - SVE SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure	Groundwater	Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Depth to Water (feet)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
SVE-24	4/18/2017	1501	-29.07	19.42	0.5	11	3.0	17.0	65.9	3007	2662	345	
SVE-24	5/25/2017	1246	-37.04	17.82	0.8	17	3.8	15.7	793	4776	4555	221	
SVE-24	6/22/2017	1248	-40.18	16.39	0.3	6	3.9	15.4	34.7	1726	1558	168	
SVE-24	7/18/2017	1250	-36.86	20.18	0.3	6	3.5	16.8	89.4	1177	896	281	
SVE-24	8/16/2017	0804	-35.91	24.99	0.3	6	3.8	16.4	79.5	1266	1009	257	
SVE-24	9/14/2017	1344	-34.54	19.09	0.2	4	3.2	17.0	30.7	1128	997	131	
SVE-24	10/24/2017	1310	-31.17	19.97	0.3	6	3.4	16.8	25.5	1664	1628	36.0	
SVE-24	11/28/2017	1427	-24.94	20.33	0.3	7	3.0	17.1	32.5	1672	1602	70.0	
SVE-24	12/19/2017	1451	-29.56	21.04	0.4	8	3.1	17.0	42.6	1886	1701	185	
SVE-24	1/18/2018	1102	-17.33	22.34	0.4	9	3.9	15.3	66.2	2271	2103	168	
SVE-24	2/22/2018	1230	-30.20	19.63	0.4	9	3.1	16.6	35.6	2587	2391	196	
SVE-24	3/15/2018	1239	-37.50	21.12	1.1	23	3.5	16.0	58.2	8567	8276	291	
SVE-25	4/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-25	5/25/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-25	6/22/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-25	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-25	8/17/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-25	9/14/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-25	10/23/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-25	11/27/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-25	12/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-25	1/19/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-25	2/22/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-25	3/15/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-26	4/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-26	5/25/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-26	6/22/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-26	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-26	8/17/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-26	9/14/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-26	10/23/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-26	11/27/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-26	12/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-26	1/19/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-26	2/22/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-26	3/15/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.

TABLE 8
SVE SYSTEM MONTHLY MONITORING - SVE SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure	Groundwater	Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Depth to Water (feet)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
SVE-27	4/18/2017	1447	-28.68	27.38	0.3	7	2.4	18.1	19.7	2129	1993	136	
SVE-27	5/25/2017	1312	-38.25	26.82	0.3	6	2.4	17.6	19.3	1959	1931	28.0	
SVE-27	6/22/2017	1315	-39.84	26.61	0.5	11	2.7	17.3	25.6	3417	3218	199	
SVE-27	7/18/2017	1335	-36.65	26.92	0.5	11	2.8	17.4	45.1	3097	2917	180	
SVE-27	8/16/2017	0828	-36.04	27.03	0.4	8	3.0	17.4	28.7	2347	2279	68.0	
SVE-27	9/14/2017	1454	-34.37	27.08	0.2	4	2.6	17.8	19.7	1258	1225	33.0	
SVE-27	10/24/2017	1317	-31.11	27.21	0.2	3	2.9	17.6	8.1	1091	1091	0.0	
SVE-27	11/28/2017	1441	-25.30	28.05	0.1	3	2.5	18.0	6.5	1031	1031	0.0	
SVE-27	12/19/2017	1504	-27.99	27.96	0.2	4	2.6	17.9	10.8	1217	1214	3.0	
SVE-27	1/18/2018	1116	-17.00	30.06	0.4	8	3.1	16.9	13.9	3132	3104	28.0	
SVE-27	2/22/2018	1243	-28.80	27.91	0.1	3	2.3	18.1	7.2	1121	1087	34.0	
SVE-27	3/15/2018	1225	-35.50	27.27	0.2	5	2.2	18.0	11.8	1542	1487	55.0	
SVE-28	4/18/2017	1220	NM	41.67	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-28	5/24/2017	1530	NM	41.14	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-28	6/22/2017	1551	NM	40.50	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-28	7/18/2017	1359	NM	40.60	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-28	8/16/2017	1303	NM	40.39	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-28	9/14/2017	1117	NM	40.26	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-28	10/23/2017	1421	NM	40.55	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-28	11/28/2017	1244	-1.82	41.42	NM	NM	NM	NM	NM	NM	NM	NM	Well valve open 25% at well head. Sample not collected because well screen was occluded.
SVE-28	12/19/2017	1217	-23.44	40.54	1.5	30	0.1	20.8	44.7	3983	2778	1205	Well valve open 25% at well head. Well screen was occluded. Sample inadvertently screened; however results are not representative of formation in vicinity of well screen.
SVE-28	1/18/2018	1015	NM	42.24	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-28	2/22/2018	1509	NM	42.92	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-28	3/15/2018	1142	NM	43.23	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-29	4/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-29	5/25/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-29	6/22/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-29	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-29	8/17/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-29	9/14/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-29	10/23/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-29	11/27/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-29	12/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-29	1/19/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-29	2/22/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-29	3/15/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.

TABLE 8
SVE SYSTEM MONTHLY MONITORING - SVE SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure	Groundwater	Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Depth to Water (feet)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
SVE-30	4/18/2017	1200	-20.17	NE	3.1	63	6.6	13.2	234	4590	1760	2830	
SVE-30	5/24/2017	1518	-24.42	NE	3.3	67	6.3	13.8	228	4017	1596	2421	
SVE-30	6/21/2017	1542	-23.64	36.47	1.2	23	6.1	13.2	139	1384	388	996	
SVE-30	7/17/2017	1247	-22.26	36.32	0.7	15	6.1	13.1	139	888	125	763	
SVE-30	8/16/2017	1254	-22.45	36.59	2.0	41	6.5	12.3	208	2002	412	1590	
SVE-30	9/13/2017	1455	-23.34	37.18	1.8	36	6.9	12.0	124	2113	825	1288	
SVE-30	10/23/2017	1445	-22.20	NE	3.1	62	7.7	11.3	144	4850	2310	2540	
SVE-30	11/28/2017	1228	-23.42	NE	4.8	96	8.5	10.5	202	5830	2980	2850	
SVE-30	12/19/2017	1200	-23.93	NE	2.9	58	7.5	12.4	179	3013	1759	1254	
SVE-30	1/17/2018	1438	-13.24	NE	8.9	OVR	10.8	5.1	199	11120	5990	5130	
SVE-30	2/21/2018	1502	-13.70	NE	8.4	OVR	8.8	9.8	137	13610	8810	4800	
SVE-30	3/14/2018	1133	-26.10	NE	11.4	OVR	8.5	10.9	174	16540	9380	7160	
SVE-31	4/18/2017	1150	-20.33	35.10	10.0	OVR	3.6	16.0	359	8743	2389	6354	
SVE-31	5/24/2017	1505	-24.38	34.76	16.1	OVR	4.5	14.5	359	15600	4308	11292	
SVE-31	6/21/2017	1529	-23.60	35.51	10.5	OVR	4.3	14.6	297	9110	2588	6522	
SVE-31	7/17/2017	1332	-22.29	35.58	8.7	OVR	4.5	14.8	381	8039	1931	6108	
SVE-31	8/16/2017	1239	-22.48	36.97	10.6	OVR	4.4	14.9	341	9561	2522	7039	
SVE-31	9/13/2017	1445	-23.17	36.27	9.3	OVR	4.6	14.5	255	9742	3252	6490	
SVE-31	10/23/2017	1211	-23.40	35.27	8.0	OVR	4.5	14.8	274	8321	3451	4870	
SVE-31	11/28/2017	1504	-22.80	34.10	30.5	OVR	8.5	9.1	386	16350	3590	12760	
SVE-31	12/18/2017	1519	-23.12	34.61	9.4	OVR	3.9	15.5	359	8210	2860	5350	
SVE-31	1/17/2018	1427	-12.77	34.87	9.1	OVR	6.2	11.3	322	8670	3970	4700	
SVE-31	2/21/2018	1451	-13.40	35.43	0.9	19	2.6	17.6	94.9	1662	699	963	
SVE-31	3/14/2018	1125	-26.10	34.85	2.5	50	2.7	17.1	117	4668	2104	2564	
SVE-32	4/19/2017	1141	-20.42	36.76	OVR	OVR	5.4	12.5	167	86980	46320	40660	
SVE-32	5/24/2017	1453	-24.14	36.35	82.0	OVR	5.7	12.2	227	61430	37590	23840	
SVE-32	6/21/2017	1520	-23.67	36.04	67.9	OVR	4.0	15.3	241	92100	27368	64732	
SVE-32	7/17/2017	1314	-22.37	34.72	71.0	OVR	5.5	12.8	289	48270	24820	23450	
SVE-32	8/16/2017	1224	-22.90	34.58	81.7	OVR	5.6	12.7	267	61910	32350	29560	
SVE-32	9/13/2017	1437	-23.30	36.04	61.7	OVR	5.5	12.8	135	62360	36240	26120	
SVE-32	10/23/2017	1225	-23.50	35.55	OVR	OVR	5.9	11.9	142	82780	47110	35670	
SVE-32	11/28/2017	1208	-24.76	35.27	81.7	OVR	5.7	12.5	228	58740	31740	27000	
SVE-32	12/18/2017	1506	-23.17	35.74	OVR	OVR	5.7	12.3	226	73420	40470	32950	
SVE-32	1/17/2018	1410	-12.77	37.19	OVR	OVR	7.6	6.4	189	79680	46880	32800	
SVE-32	2/21/2018	1439	-13.00	37.19	61.4	OVR	5.9	11.7	134	60180	38850	21330	
SVE-32	3/14/2018	1113	-26.00	36.08	OVR	OVR	6.0	11.6	127	116000	67250	48750	

TABLE 8
SVE SYSTEM MONTHLY MONITORING - SVE SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure	Groundwater	Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Depth to Water (feet)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
SVE-33	4/18/2017	1122	-12.96	37.32	59.0	OVR	7.5	9.9	196	49530	29340	20190	
SVE-33	5/24/2017	1427	-24.39	37.03	OVR	OVR	7.7	9.1	192	90240	54150	36090	
SVE-33	6/21/2017	1501	-24.28	37.26	OVR	OVR	7.5	9.5	171	70570	41220	29350	
SVE-33	7/17/2017	1238	-23.17	37.18	82.6	OVR	7.8	9.5	246	64240	35460	28780	
SVE-33	8/16/2017	1158	-23.57	37.03	73.8	OVR	7.8	9.5	189	61980	35010	26970	
SVE-33	9/13/2017	1419	-23.60	36.88	34.3	OVR	7.1	10.7	161	40410	23570	16840	
SVE-33	10/23/2017	1249	-22.80	36.81	36.7	OVR	8.0	9.4	182	38810	23450	15360	
SVE-33	11/27/2017	1513	-25.73	36.64	45.3	OVR	7.6	10.0	262	36350	20200	16150	
SVE-33	12/18/2017	1417	-27.41	36.73	37.9	OVR	7.8	9.8	259	32610	18990	13620	
SVE-33	1/17/2018	1348	-12.82	37.61	5.3	OVR	7.8	9.7	180	10140	6360	3780	
SVE-33	2/21/2018	1418	-12.60	36.19	1.9	39	3.0	17.4	88.1	4318	2634	1684	
SVE-33	3/14/2018	1056	-27.30	36.63	13.7	OVR	5.4	13.6	109	26870	18540	8330	
SVE-34	4/18/2017	1111	-26.43	43.30	0.3	7	2.0	18.7	68.3	462	44.4	418	
SVE-34	5/24/2017	1418	-28.27	42.58	0.4	8	2.1	18.3	74.4	562	82.3	480	
SVE-34	6/21/2017	1451	-28.60	42.58	0.4	8	2.1	18.6	74.8	565	48.1	517	
SVE-34	7/17/2017	1205	-27.96	40.81	0.4	8	2.4	18.3	96.6	579	50.9	528	
SVE-34	8/16/2017	1130	-28.77	40.62	0.4	8	2.7	17.9	89.5	576	60.3	516	
SVE-34	9/13/2017	1408	-27.53	40.57	0.3	6	2.7	18.0	37.1	442	89.1	353	
SVE-34	10/23/2017	1309	-27.90	41.91	0.3	6	2.8	17.9	48.7	383	68.2	315	
SVE-34	11/27/2017	1450	-26.70	42.38	0.4	8	2.6	18.1	80.0	532	58.1	474	
SVE-34	12/18/2017	1417	-27.41	42.93	0.3	7	2.5	18.0	68.1	542	80.9	461	
SVE-34	1/18/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-34	2/22/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-34	3/15/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-35	4/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-35	5/25/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-35	6/22/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-35	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-35	8/17/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-35	9/14/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-35	10/23/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-35	11/27/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-35	12/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-35	1/19/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-35	2/22/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-35	3/15/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.

TABLE 8
SVE SYSTEM MONTHLY MONITORING - SVE SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure	Groundwater	Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Depth to Water (feet)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
SVE-36	4/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-36	5/25/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-36	6/22/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-36	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-36	8/17/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-36	9/14/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-36	10/23/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-36	11/27/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-36	12/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-36	1/19/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-36	2/22/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-36	3/15/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-37	4/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-37	5/25/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-37	6/22/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-37	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-37	8/17/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-37	9/14/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-37	10/23/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-37	11/27/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-37	12/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-37	1/19/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-37	2/22/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-37	3/15/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-38	4/18/2017	1229	-20.03	29.78	6.6	OVR	2.1	18.8	151	13100	8296	4804	
SVE-38	5/24/2017	1535	-22.08	28.67	1.1	22	1.9	19.1	61.6	3323	2412	911	
SVE-38	6/22/2017	1040	-21.60	28.98	0.0	0	1.3	19.3	0.2	0.0	0.0	0.0	Re-sampled due to low concentrations.
SVE-38	6/22/2017	1505	NM	28.98	0.0	0	1.4	19.3	0.8	0.0	0.0	0.0	Re-sample.
SVE-38	7/17/2017	1412	-20.30	29.27	0.0	0	1.5	19.3	3.6	128	84.4	43.6	
SVE-38	8/16/2017	1318	-20.50	28.73	0.7	15	1.8	18.8	48.5	2221	1567	654	
SVE-38	9/14/2017	1110	-21.27	29.07	0.0	0	1.8	18.7	0.0	0.0	0.0	0.0	
SVE-38	10/23/2017	1432	-21.10	29.11	0.0	0	2.0	18.7	0.2	0.0	0.0	0.0	
SVE-38	11/28/2017	1255	-19.29	29.44	0.2	5	2.1	18.8	15.2	761	507	254	
SVE-38	12/19/2017	1232	-20.46	29.31	0.0	0	1.9	19.1	0.3	0.0	0.0	0.0	
SVE-38	1/18/2018	1024	-16.78	29.48	0.0	0	2.2	18.8	0.1	0.0	0.0	0.0	
SVE-38	2/21/2018	1303	-29.20	28.63	1.4	27	20.0	19.2	84.5	3837	2603	1234	
SVE-38	3/14/2018	1149	-24.60	29.03	0.2	4	1.8	19.5	10.8	548	364	184	

TABLE 8
SVE SYSTEM MONTHLY MONITORING - SVE SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure	Groundwater	Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Depth to Water (feet)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
SVE-39	4/19/2017	0850	-20.02	31.90	2.0	40	3.0	17.1	117	4245	2679	1566	
SVE-39	5/30/2017	1438	-19.68	31.73	3.6	71	3.2	16.8	185	6697	3965	2732	
SVE-39	6/22/2017	1128	-20.05	31.77	3.1	61	3.0	16.8	117	5956	3608	2348	
SVE-39	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP in construction area.
SVE-39	8/16/2017	1433	-19.43	31.68	2.7	55	3.2	17.0	128	5860	3519	2341	
SVE-39	9/14/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
SVE-39	10/25/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
SVE-39	11/28/2017	1424	-19.19	31.68	2.2	45	3.2	17.2	94.9	5052	3392	1660	
SVE-39	12/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
SVE-39	1/18/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
SVE-39	2/22/2018	1120	-20.40	31.78	1.8	35	3.1	17.0	55.5	4864	3612	1252	
SVE-39	3/14/2018	1326	-22.30	31.69	2.7	54	3.1	16.8	70.4	7773	5152	2621	
SVE-40	4/21/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
SVE-40	5/25/2017	1104	-20.12	33.42	5.6	OVN	2.0	17.8	275	5569	1853	3716	
SVE-40	6/22/2017	1117	-19.85	33.46	4.2	84	2.0	17.8	194	4987	1547	3440	
SVE-40	7/18/2017	1107	-19.84	33.43	3.6	72	2.1	18.0	257	4237	1389	2848	
SVE-40	8/16/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
SVE-40	9/14/2017	1235	-19.62	33.42	3.0	60	2.2	18.0	220	3762	1170	2592	
SVE-40	10/25/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
SVE-40	11/28/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
SVE-40	12/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
SVE-40	1/18/2018	1150	-14.68	33.41	2.0	41	2.0	18.1	174	2917	1091	1826	
SVE-40	2/21/2018	1607	-23.70	33.18	1.8	37	1.5	18.9	168	2936	1097	1839	
SVE-40	3/15/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
SVE-41	4/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-41	5/25/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-41	6/22/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-41	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-41	8/17/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-41	9/14/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-41	10/23/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-41	11/27/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-41	12/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-41	1/19/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-41	2/22/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-41	3/15/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.

TABLE 8
SVE SYSTEM MONTHLY MONITORING - SVE SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure	Groundwater	Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Depth to Water (feet)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
SVE-42	4/18/2017	1413	-28.06	34.04	0.1	2	2.8	18.1	7.2	82.3	20.8	61.5	
SVE-42	5/25/2017	1116	-30.48	NE	0.0	1	2.6	17.9	6.3	117	59.3	57.7	
SVE-42	6/22/2017	1143	-29.67	31.86	0.0	1	2.9	17.1	4.7	202	128	74.0	
SVE-42	7/18/2017	1204	-28.34	31.96	0.1	2	2.9	17.5	11.2	328	199	129	
SVE-42	8/16/2017	1450	-27.29	31.92	0.2	4	2.9	17.5	12.4	606	421	185	
SVE-42	9/14/2017	1325	-27.82	31.30	0.1	3	2.6	17.8	6.1	389	283	106	
SVE-42	10/24/2017	1433	-30.05	34.18	0.2	5	2.9	17.5	16.7	786	632	154	
SVE-42	11/28/2017	1433	-26.74	34.40	0.1	3	2.9	17.5	8.6	292	143	149	
SVE-42	12/19/2017	1414	-16.73	NE	0.0	1	3.1	17.6	6.1	102	26.2	75.8	
SVE-42	1/18/2018	1252	-19.11	34.38	1.5	30	4.7	14.2	36.2	2996	1905	1091	
SVE-42	2/21/2018	1624	-36.20	NE	0.2	4	3.4	17.2	12.3	405	193	212	
SVE-42	3/14/2018	1343	-35.00	33.69	0.2	5	3.2	17.0	14.4	424	114	310	
SVE-43	4/18/2017	1425	-28.11	32.71	0.0	1	0.8	20.1	1.4	60.7	39.2	21.5	
SVE-43	5/25/2017	1158	-30.15	31.14	0.0	0	1.1	19.5	0.5	0.0	0.0	0.0	
SVE-43	6/22/2017	1152	-29.51	30.53	0.0	0	1.3	19.4	0.2	1.8	1.8	0.0	
SVE-43	7/18/2017	1223	-28.13	30.94	0.0	0	1.3	19.7	0.1	3.3	3.3	0.0	
SVE-43	8/16/2017	1509	-26.84	31.38	0.0	0	1.3	19.7	1.9	21.6	11.3	10.3	
SVE-43	9/14/2017	1314	-27.99	31.58	0.0	0	1.1	19.8	0.7	21.3	13.7	7.6	
SVE-43	10/24/2017	1425	-28.79	32.11	0.0	0	1.1	19.9	0.4	56.5	46.2	10.3	
SVE-43	11/28/2017	1444	-26.53	32.50	0.0	0	0.8	20.3	3.7	109	76.9	32.1	
SVE-43	12/19/2017	1428	-16.16	32.83	0.0	1	0.8	20.2	3.5	246	172	74.0	
SVE-43	1/18/2018	1302	-18.90	33.34	0.2	5	1.1	19.7	15.7	792	589	203	
SVE-43	2/21/2018	1631	-36.00	31.95	0.1	2	0.7	20.6	2.8	277	204	73.0	
SVE-43	3/14/2018	1355	-34.50	32.26	0.1	2	0.8	20.0	3.7	384	278	106	
SVE-44	4/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-44	5/25/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-44	6/22/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-44	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-44	8/17/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-44	9/14/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-44	10/23/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-44	11/27/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-44	12/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-44	1/19/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-44	2/22/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-44	3/15/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.

TABLE 8
SVE SYSTEM MONTHLY MONITORING - SVE SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure	Groundwater	Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Depth to Water (feet)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
SVE-45	4/19/2017	1438	NM	37.40	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-45	5/25/2017	1233	NM	37.24	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-45	6/22/2017	1243	NM	37.13	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-45	7/18/2017	1142	NM	37.00	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-45	8/16/2017	1542	NM	37.04	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-45	9/14/2017	1331	NM	36.81	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-45	9/14/2017	NM	NM	36.81	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-45	10/23/2017	NM	NM	38.08	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-45	11/28/2017	1423	-10.95	38.13	1.9	39	0.3	20.5	161	2715	632	2083	
SVE-45	12/19/2017	1357	-7.43	38.58	1.2	24	0.3	20.6	174	1945	584	1361	
SVE-45	1/18/2018	1437	-7.85	38.93	0.6	12	0.5	20.2	96.7	1323	591	732	
SVE-45	2/21/2018	1642	-15.00	39.23	0.5	11	0.2	20.7	37.8	1212	299	913	
SVE-45	3/14/2018	1407	-28.70	38.46	0.2	4	0.2	20.6	13.2	447	186	261	
SVE-46	4/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-46	5/25/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-46	6/22/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-46	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-46	8/17/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-46	9/14/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-46	10/23/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-46	11/27/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-46	12/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-46	1/19/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-46	2/22/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-46	3/15/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-47	4/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-47	5/25/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-47	6/22/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-47	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-47	8/17/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-47	9/14/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-47	10/23/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-47	11/27/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-47	12/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-47	1/19/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-47	2/22/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-47	3/15/2018	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.

Notes:

1) NM = Not Measured; NA = Not Applicable; NE = Not Encountered; PID = Photo Ionization Detector; THC = Total Hydrocarbon Concentration; PHC = Petroleum Hydrocarbon Concentration;
 OVR = Over-range; ppmv = Parts Per Million By Volume.

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-1-5	4/19/2017	0952	-1.20	-0.85	0.0	0	0.2	20.6	0.2	0.0	0.0	0.0	
VMP-1-5	5/25/2017	1128	-1.12	-0.94	0.0	0	0.4	19.3	0.6	0.0	0.0	0.0	
VMP-1-5	6/21/2017	1547	-2.26	-0.98	0.0	0	1.1	19.1	0.6	0.0	0.0	0.0	
VMP-1-5	7/18/2017	0853	-0.84	-0.79	0.0	0	0.8	20.2	0.3	0.0	0.0	0.0	
VMP-1-5	8/17/2017	0955	-0.85	-0.44	0.0	0	1.5	19.4	0.8	0.0	0.0	0.0	
VMP-1-5	9/14/2017	0939	-0.67	-0.35	0.0	0	1.1	19.9	0.2	0.0	0.0	0.0	
VMP-1-5	10/24/2017	1032	-0.68	-0.44	0.0	0	0.7	20.1	0.2	0.0	0.0	0.0	
VMP-1-5	11/28/2017	840	-0.80	-0.61	0.0	0	0.2	20.6	0.3	0.0	0.0	0.0	
VMP-1-5	12/19/2017	0913	-0.57	-0.34	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	
VMP-1-5	1/19/2018	1042	-0.30	0.00	0.0	0	0.0	20.8	0.2	4.4	4.4	0.0	
VMP-1-5	2/22/2018	1539	-1.29	-0.16	0.0	0	0.0	20.5	0.3	0.0	0.0	0.0	
VMP-1-5	3/15/2018	1245	-0.44	-0.67	0.0	0	0.1	20.7	0.2	0.0	0.0	0.0	
VMP-1-8.5	4/19/2017	0953	-0.84	-0.86	0.0	0	0.2	20.7	0.4	0.0	0.0	0.0	
VMP-1-8.5	5/25/2017	1130	-1.14	-1.12	0.0	0	0.3	20.4	0.4	0.0	0.0	0.0	
VMP-1-8.5	6/21/2017	1548	-3.07	-0.82	0.0	0	0.7	20.3	0.4	0.0	0.0	0.0	
VMP-1-8.5	7/18/2017	0855	-0.84	-0.79	0.0	0	1.3	19.4	0.7	0.8	0.0	0.8	
VMP-1-8.5	8/17/2017	0956	-0.76	-0.59	0.0	0	0.8	20.2	0.5	0.0	0.0	0.0	
VMP-1-8.5	9/14/2017	0941	-0.68	-0.61	0.0	0	0.6	20.3	0.2	0.0	0.0	0.0	
VMP-1-8.5	10/24/2017	1034	-0.68	-0.72	0.0	0	0.4	20.5	0.4	0.0	0.0	0.0	
VMP-1-8.5	11/28/2017	841	0.00	-0.24	0.0	0	0.2	20.6	0.2	0.0	0.0	0.0	
VMP-1-8.5	12/19/2017	0914	-0.55	0.00	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	
VMP-1-8.5	1/19/2018	1043	-0.46	-0.27	0.0	0	0.1	20.6	0.7	1.2	1.2	0.0	
VMP-1-8.5	2/22/2018	1540	-0.51	-0.58	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-1-8.5	3/15/2018	1246	-0.71	-0.69	0.0	0	0.1	20.7	0.5	0.0	0.0	0.0	
VMP-1-23.5	4/19/2017	0954	-0.86	-1.23	0.0	0	0.4	20.5	0.7	0.0	0.0	0.0	
VMP-1-23.5	5/25/2017	1132	-1.60	-1.72	0.0	0	0.8	19.9	1.2	0.0	0.0	0.0	
VMP-1-23.5	6/21/2017	1549	-2.31	-1.15	0.0	0	0.9	20.0	1.3	0.0	0.0	0.0	
VMP-1-23.5	7/18/2017	0857	-1.16	-1.01	0.0	0	1.0	19.9	1.2	0.3	0.0	0.3	
VMP-1-23.5	8/17/2017	0957	-0.81	-0.66	0.0	0	0.7	20.2	1.4	0.0	0.0	0.0	
VMP-1-23.5-Dup	8/17/2017	0957	NM	NM	0.0	0	0.7	20.2	1.4	0.0	0.0	0.0	Duplicate sample.
VMP-1-23.5	9/14/2017	0943	-0.67	-0.61	0.0	0	0.4	20.4	0.1	0.0	0.0	0.0	
VMP-1-23.5	10/24/2017	1036	-0.64	-0.71	0.0	0	0.3	20.6	0.2	0.0	0.0	0.0	
VMP-1-23.5	11/28/2017	842	-0.36	-0.93	0.0	0	0.2	20.6	0.1	1.5	1.5	0.0	
VMP-1-23.5	12/19/2017	0915	-0.32	-0.59	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	
VMP-1-23.5	1/19/2018	1044	0.00	0.00	0.0	0	0.0	20.9	0.3	2.5	0.7	1.8	
VMP-1-23.5	2/22/2018	1541	-1.16	-0.45	0.0	0	0.1	20.8	0.3	0.0	0.0	0.0	
VMP-1-23.5	3/15/2018	1247	-2.76	-0.84	0.0	0	0.1	20.6	0.5	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-1-38.5	4/19/2017	0955	-0.58	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-1-38.5	5/25/2017	1133	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-1-38.5	6/21/2017	1550	-39.10	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-1-38.5	7/18/2017	0859	-11.94	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-1-38.5	8/17/2017	0958	-0.51	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-1-38.5	9/14/2017	0944	-0.87	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-1-38.5	10/24/2017	1038	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-1-38.5	11/28/2017	843	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-1-38.5	12/19/2017	0916	0.52	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-1-38.5	1/19/2018	1045	0.40	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-1-38.5	2/22/2018	1342	-2.27	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-1-38.5	3/15/2018	1249	-6.38	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-2-5	4/19/2017	1130	-0.38	0.00	0.0	0	2.0	18.4	1.1	0.2	0.0	0.2	
VMP-2-5	5/25/2017	1228	0.00	0.00	0.0	0	3.1	17.1	0.3	0.0	0.0	0.0	
VMP-2-5	6/22/2017	0910	0.00	0.00	0.0	0	5.4	15.6	0.4	0.0	0.0	0.0	
VMP-2-5	7/18/2017	0910	0.00	0.00	0.0	0	7.4	13.5	0.6	0.0	0.0	0.0	
VMP-2-5	8/17/2017	1018	0.00	0.00	0.0	0	7.6	13.4	0.3	0.0	0.0	0.0	
VMP-2-5	9/14/2017	1028	0.00	0.00	0.0	0	6.8	14.6	0.3	0.0	0.0	0.0	
VMP-2-5	10/24/2017	1107	0.00	0.00	0.0	0	4.3	17.1	0.1	0.0	0.0	0.0	
VMP-2-5	11/28/2017	929	0.00	0.34	0.0	0	2.0	19.2	0.4	0.0	0.0	0.0	
VMP-2-5	12/19/2017	0949	0.00	0.00	0.0	0	1.9	19.5	0.2	0.0	0.0	0.0	
VMP-2-5	1/19/2018	1026	0.00	0.00	0.0	0	1.3	19.9	0.4	0.0	0.0	0.0	
VMP-2-5	2/22/2018	1500	0.00	0.00	0.0	0	1.3	19.9	0.2	0.0	0.0	0.0	
VMP-2-5	3/15/2018	1303	0.00	0.00	0.0	0	1.3	19.6	0.3	0.0	0.0	0.0	
VMP-2-8.5	4/19/2017	1131	0.00	0.00	0.0	0	1.7	19.3	0.1	0.0	0.0	0.0	
VMP-2-8.5	5/25/2017	1230	-0.12	-0.12	0.0	0	2.1	18.4	0.3	0.0	0.0	0.0	
VMP-2-8.5	6/22/2017	0911	0.00	0.00	0.0	0	3.1	16.9	0.4	0.0	0.0	0.0	
VMP-2-8.5	7/18/2017	0912	0.00	0.00	0.0	0	4.0	16.4	0.6	0.0	0.0	0.0	
VMP-2-8.5	8/17/2017	1019	0.00	0.00	0.0	0	4.9	15.6	0.7	0.0	0.0	0.0	
VMP-2-8.5	9/14/2017	1030	0.00	0.00	0.0	0	5.1	15.9	0.3	0.0	0.0	0.0	
VMP-2-8.5	10/24/2017	1109	-0.13	0.00	0.0	0	4.7	16.7	0.2	0.0	0.0	0.0	
VMP-2-8.5	11/28/2017	930	-0.10	-0.15	0.0	0	3.3	18.3	0.1	0.0	0.0	0.0	
VMP-2-8.5	12/19/2017	0950	0.00	0.00	0.0	0	2.9	19.0	0.2	0.0	0.0	0.0	
VMP-2-8.5	1/19/2018	1027	0.00	0.00	0.0	0	2.7	19.0	0.1	0.0	0.0	0.0	
VMP-2-8.5	2/22/2018	1501	-0.15	-0.11	0.0	0	2.0	19.6	0.4	0.0	0.0	0.0	
VMP-2-8.5	3/15/2018	1305	0.00	0.00	0.0	0	1.7	19.4	0.5	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-2-22	4/19/2017	1132	-0.16	-0.14	0.0	0	1.7	19.3	0.2	0.0	0.0	0.0	
VMP-2-22	5/25/2017	1232	-0.38	-0.41	0.0	0	1.9	18.7	0.3	0.0	0.0	0.0	
VMP-2-22	6/22/2017	0912	-0.18	-0.13	0.0	0	2.1	18.0	0.4	0.0	0.0	0.0	
VMP-2-22	7/18/2017	0914	-0.26	-0.30	0.0	0	2.2	18.2	0.4	0.0	0.0	0.0	
VMP-2-22	8/17/2017	1020	-0.25	0.00	0.0	0	3.2	17.2	0.6	0.0	0.0	0.0	
VMP-2-22	9/14/2017	1032	-0.15	0.00	0.0	0	3.2	17.7	0.0	0.0	0.0	0.0	
VMP-2-22	10/24/2017	1111	-0.40	-0.43	0.0	0	3.5	17.8	0.1	0.0	0.0	0.0	
VMP-2-22	11/28/2017	931	0.00	-0.12	0.0	0	2.7	18.2	0.1	0.0	0.0	0.0	
VMP-2-22	12/19/2017	0951	-0.26	-0.25	0.0	0	2.1	19.4	0.3	0.0	0.0	0.0	
VMP-2-22-Dup	12/19/2017	0951	NM	NM	0.0	0	2.2	19.4	0.4	0.0	0.0	0.0	Duplicate sample.
VMP-2-22	1/19/2018	1028	-0.11	0.13	0.0	0	2.3	19.3	0.2	0.0	0.0	0.0	
VMP-2-22	2/22/2018	1502	-0.40	-0.35	0.0	0	1.9	19.6	0.3	0.0	0.0	0.0	
VMP-2-22	3/15/2018	1306	-0.11	0.00	0.0	0	1.7	19.3	0.6	0.0	0.0	0.0	
VMP-2-42	4/19/2017	1133	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-2-42	5/25/2017	1233	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-2-42	6/22/2017	0913	-0.26	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-2-42	7/18/2017	0916	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-2-42	8/17/2017	1021	-0.18	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-2-42	9/14/2017	1034	0.35	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-2-42	10/24/2017	1113	13.11	-0.21	OVR	OVR	7.4	0.6	15.6	1000000	1000000	0.0	Flame-out occurred on FID and methane scrubber.
VMP-2-42	11/28/2017	932	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-2-42	12/19/2017	0952	1.39	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-2-42	1/19/2018	1029	4.22	-0.22	OVR	OVR	7.1	1.4	13.4	1000000	1000000	NM	Flame-out occurred on FID and methane scrubber. 10:1 dilution probe was used.
VMP-2-42	2/22/2018	1503	10.43	1.02	OVR	OVR	8.0	0.6	16.2	1000000	1000000	0.0	Flame-out occurred on FID and methane scrubber. 10:1 dilution probe was used.
VMP-2-42	3/15/2018	1307	6.07	8.19	0.2	4	0.0	20.6	23.6	14.7	14.7	0.0	Water encountered during attempted re-sample; re-sample tedlar not screened.
VMP-3-5	4/19/2017	1423	-0.12	0.00	0.0	0	0.0	20.9	0.8	0.8	0.0	0.8	
VMP-3-5	5/25/2017	1415	-1.53	-0.69	0.0	0	0.2	17.8	0.8	0.0	0.0	0.0	
VMP-3-5	6/22/2017	1125	-1.48	-0.68	0.0	0	0.9	19.3	0.7	0.0	0.0	0.0	
VMP-3-5	7/18/2017	1052	-0.10	0.00	0.0	0	1.0	19.8	0.4	0.0	0.0	0.0	
VMP-3-5	8/17/2017	1151	0.47	-0.42	0.0	0	1.1	19.7	0.6	0.0	0.0	0.0	
VMP-3-5	9/14/2017	1203	0.00	0.00	0.0	0	0.5	20.4	1.3	0.6	0.0	0.6	
VMP-3-5	10/24/2017	1239	-0.12	-0.15	0.0	0	0.1	20.8	0.1	0.0	0.0	0.0	
VMP-3-5	11/28/2017	1225	0.00	0.00	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	
VMP-3-5	12/19/2017	1148	0.00	0.00	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-3-5	1/19/2018	0837	-0.12	-0.15	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-3-5	2/22/2018	1106	-0.19	-0.17	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	
VMP-3-5	3/15/2018	1028	-0.10	-0.15	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-3-10	4/19/2017	1424	-1.07	-0.97	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-3-10	5/25/2017	1417	-1.56	-1.51	0.0	0	0.2	20.5	0.3	0.0	0.0	0.0	
VMP-3-10	6/22/2017	1126	-1.47	-1.20	0.0	0	0.8	19.8	0.6	0.8	0.8	0.0	
VMP-3-10	7/18/2017	1054	-0.76	-0.78	0.0	0	0.8	20.0	0.5	0.0	0.0	0.0	
VMP-3-10	8/17/2017	1152	0.77	-0.79	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	
VMP-3-10	9/14/2017	1205	-0.66	-0.61	0.0	0	0.5	20.3	0.8	0.0	0.0	0.0	
VMP-3-10	10/24/2017	1241	-0.96	-0.98	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	
VMP-3-10	11/28/2017	1226	-0.69	-0.67	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	
VMP-3-10	12/19/2017	1149	-0.49	-0.49	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-3-10	1/19/2018	0838	-0.47	-0.58	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-3-10	2/22/2018	1107	-1.29	-1.24	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	
VMP-3-10	3/15/2018	1029	-1.04	-0.98	0.0	0	0.0	20.8	0.3	0.0	0.0	0.0	
VMP-3-22	4/19/2017	1425	1.55	-1.61	0.0	0	0.4	20.4	0.6	0.0	0.0	0.0	
VMP-3-22	5/25/2017	1419	-1.98	-2.00	0.0	0	0.6	20.1	0.5	0.0	0.0	0.0	
VMP-3-22	6/22/2017	1127	-1.47	-1.75	0.0	0	1.4	19.5	0.2	0.0	0.0	0.0	
VMP-3-22	7/18/2017	1056	-1.40	-1.39	0.0	0	1.2	19.9	0.4	0.0	0.0	0.0	
VMP-3-22	8/17/2017	1153	1.34	-1.37	0.0	0	0.0	20.9	0.6	0.0	0.0	0.0	
VMP-3-22	9/14/2017	1207	-1.17	-1.19	0.0	0	1.2	19.9	0.3	0.0	0.0	0.0	
VMP-3-22	10/24/2017	1243	-1.44	-1.59	0.0	0	0.8	20.2	0.1	0.0	0.0	0.0	
VMP-3-22	11/28/2017	1227	-1.06	-1.02	0.0	0	0.4	20.5	0.8	0.0	0.0	0.0	
VMP-3-22	12/19/2017	1150	-0.80	-0.78	0.0	0	0.5	20.3	0.1	0.0	0.0	0.0	
VMP-3-22	1/19/2018	0839	-0.71	-0.87	0.0	0	0.7	20.1	0.2	0.0	0.0	0.0	
VMP-3-22	2/22/2018	1108	-1.52	-1.47	0.0	0	0.4	20.7	0.0	0.0	0.0	0.0	
VMP-3-22	3/15/2018	1030	-1.73	-1.79	0.0	0	0.4	20.5	0.8	0.0	0.0	0.0	
VMP-3-31.5	4/19/2017	1426	-9.49	-9.27	0.0	0	2.7	18.7	0.2	0.0	0.0	0.0	
VMP-3-31.5	5/25/2017	1421	-9.97	-9.95	0.0	0	2.3	18.6	0.3	0.7	0.7	0.0	
VMP-3-31.5	6/22/2017	1128	-8.09	-8.07	0.0	0	4.0	16.7	0.6	8.2	8.2	0.0	
VMP-3-31.5	7/18/2017	1058	-8.24	-8.34	0.0	0	2.2	18.8	0.3	3.9	3.9	0.0	
VMP-3-31.5	8/17/2017	1154	-8.25	-6.70	0.0	0	4.1	16.5	0.5	18.9	18.9	0.0	
VMP-3-31.5	9/14/2017	1209	-8.22	-8.18	0.0	0	4.1	16.4	0.4	23.9	23.9	0.0	
VMP-3-31.5	10/24/2017	1245	-9.99	-9.82	0.0	0	4.5	17.1	0.6	161	161	0.0	
VMP-3-31.5-Dup	10/24/2017	1245	NM	NM	0.0	0	4.5	17.2	0.6	145	145	0.0	Duplicate sample.
VMP-3-31.5	11/28/2017	1228	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-3-31.5	12/19/2017	1332	-5.83	-4.94	0.0	0	4.8	17.0	0.1	4.8	4.8	0.0	
VMP-3-31.5	1/19/2018	0840	-5.73	-6.32	0.0	0	5.5	16.2	0.0	4.3	4.3	0.0	
VMP-3-31.5	2/22/2018	1109	-8.65	-8.49	0.0	0	3.1	18.9	0.1	0.0	0.0	0.0	
VMP-3-31.5	3/15/2018	1031	-9.26	-9.24	0.0	0	4.3	18.0	0.5	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-3-39	4/19/2017	1427	0.56	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-3-39	5/25/2017	1425	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-3-39	6/22/2017	1129	0.65	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-3-39	7/18/2017	1059	-0.19	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-3-39	8/17/2017	1155	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-3-39	9/14/2017	1210	0.87	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-3-39	10/24/2017	1247	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-3-39	11/28/2017	1229	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-3-39	12/19/2017	1152	0.47	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-3-39	1/19/2018	0841	-0.16	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-3-39	2/22/2018	1110	-3.29	-3.04	0.5	11	4.9	13.2	47.8	2590	1810	780	
VMP-3-39	3/15/2018	1032	-3.36	-3.37	4.0	80	9.2	8.0	189	4330	778	3552	
VMP-4-5	4/19/2017	1121	-0.22	-0.14	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-4-5	5/25/2017	1215	-0.40	-0.40	0.0	0	0.1	20.6	0.3	0.0	0.0	0.0	
VMP-4-5	6/22/2017	1120	-0.42	-0.38	0.0	0	0.6	20.2	0.7	0.0	0.0	0.0	
VMP-4-5	7/18/2017	1050	-0.36	0.00	0.0	0	0.2	20.7	0.1	0.0	0.0	0.0	
VMP-4-5	8/17/2017	1324	-0.34	-0.32	0.0	0	0.2	20.7	0.6	0.0	0.0	0.0	
VMP-4-5	9/14/2017	1016	-0.10	-0.16	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-4-5	10/24/2017	1303	-0.15	-0.16	0.0	0	0.2	20.7	0.1	0.0	0.0	0.0	
VMP-4-5	11/28/2017	1227	0.00	0.00	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	
VMP-4-5	12/19/2017	1105	-0.12	-0.10	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-4-5	1/18/2018	1527	0.00	0.00	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-4-5	2/22/2018	0959	-0.13	-0.26	0.0	0	0.1	20.8	0.4	0.0	0.0	0.0	
VMP-4-5	3/15/2018	0846	-0.14	-0.17	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	
VMP-4-12	4/19/2017	1122	-0.25	-0.16	0.0	0	0.7	20.2	0.3	0.0	0.0	0.0	
VMP-4-12	5/25/2017	1217	-0.42	-0.42	0.0	0	1.1	19.4	0.3	0.0	0.0	0.0	
VMP-4-12	6/22/2017	1121	-0.42	-0.42	0.0	0	1.5	19.1	0.2	0.0	0.0	0.0	
VMP-4-12	7/18/2017	1051	-0.40	-0.39	0.0	0	1.5	19.6	0.2	0.0	0.0	0.0	
VMP-4-12	8/17/2017	1325	-0.38	-0.36	0.0	0	1.7	19.7	1.3	0.0	0.0	0.0	
VMP-4-12	9/14/2017	1017	-0.15	-0.21	0.0	0	1.3	19.7	0.3	0.0	0.0	0.0	
VMP-4-12	10/24/2017	1304	-0.30	-0.34	0.0	0	1.1	19.8	0.1	0.0	0.0	0.0	
VMP-4-12	11/28/2017	1228	-0.10	-0.16	0.0	0	0.7	20.5	0.3	0.0	0.0	0.0	
VMP-4-12	12/19/2017	1106	-0.22	-0.21	0.0	0	0.5	20.6	0.1	0.0	0.0	0.0	
VMP-4-12	1/18/2018	1528	-0.16	-0.14	0.0	0	0.6	20.3	0.1	0.0	0.0	0.0	
VMP-4-12	2/22/2018	1000	-0.31	-0.34	0.0	0	0.3	20.7	0.1	0.0	0.0	0.0	
VMP-4-12	3/15/2018	0847	-0.66	-0.40	0.0	0	0.3	20.6	0.0	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-4-23.5	4/19/2017	1123	-5.54	-5.84	0.0	1	1.4	19.6	3.4	114	102	12.0	
VMP-4-23.5	5/25/2017	1219	-6.68	-6.66	0.0	0	1.4	19.0	1.8	112	112	0.0	
VMP-4-23.5-Dup	5/25/2017	1219	NM	NM	0.0	0	1.5	19.0	1.8	119	117	2.0	Duplicate sample.
VMP-4-23.5	6/22/2017	1122	-6.29	-6.22	0.0	0	1.9	18.4	3.2	137	123	14.0	
VMP-4-23.5	7/18/2017	1052	-6.39	-6.30	0.0	0	1.8	19.1	1.2	50.1	48.4	1.7	
VMP-4-23.5	8/17/2017	1326	-5.90	-5.88	0.0	0	2.3	18.6	1.3	46.2	46.2	0.0	
VMP-4-23.5	9/14/2017	1018	-5.88	-5.81	0.0	0	2.0	18.8	0.4	22.3	22.3	0.0	
VMP-4-23.5	10/24/2017	1305	-6.44	-6.52	0.0	0	0.9	20.0	0.3	9.2	9.2	0.0	
VMP-4-23.5	11/28/2017	1229	-4.80	-4.97	0.0	0	1.5	19.8	0.6	3.7	2.0	1.7	
VMP-4-23.5	12/19/2017	1107	-5.42	-5.24	0.0	0	1.8	19.5	1.2	1.1	0.4	0.7	
VMP-4-23.5	1/18/2018	1529	-2.00	-2.02	0.0	0	3.1	16.9	0.1	0.0	0.0	0.0	
VMP-4-23.5	2/22/2018	1001	-4.46	-4.61	0.0	0	1.3	19.7	0.2	0.0	0.0	0.0	
VMP-4-23.5	3/15/2018	0848	-5.15	-5.32	0.0	0	1.9	18.9	1.2	17.4	0.0	17.4	
VMP-4-39	4/19/2017	1124	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-4-39	5/25/2017	1221	0.74	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-4-39	6/22/2017	1123	0.20	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-4-39	7/18/2017	1053	-0.43	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-4-39	8/17/2017	1327	3.99	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-4-39	9/14/2017	1019	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-4-39	10/24/2017	1306	1.21	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-4-39	11/28/2017	1230	1.40	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-4-39	12/19/2017	1108	1.13	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-4-39	1/18/2018	1530	0.42	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-4-39	2/22/2018	1002	1.47	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-4-39	3/15/2018	0849	1.67	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-5-5	4/19/2017	0951	0.00	0.00	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-5-5	5/25/2017	1015	0.00	0.00	0.0	0	0.1	20.8	0.4	0.0	0.0	0.0	
VMP-5-5	6/22/2017	0928	0.00	0.00	0.0	0	0.1	20.8	0.3	0.0	0.0	0.0	
VMP-5-5	7/18/2017	0932	0.00	0.00	0.0	0	0.1	20.8	0.1	0.0	0.0	0.0	
VMP-5-5	8/17/2017	1129	0.00	0.00	0.0	0	0.0	20.9	1.2	0.2	0.0	0.2	
VMP-5-5	9/14/2017	0834	0.00	0.00	0.0	0	0.1	20.7	0.6	0.0	0.0	0.0	
VMP-5-5	10/24/2017	1033	-0.10	-0.10	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-5-5	11/28/2017	925	0.00	0.00	0.0	0	0.0	20.9	0.1	0.9	0.9	0.0	
VMP-5-5	12/19/2017	0911	-0.14	-0.11	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-5-5	1/18/2018	1415	0.00	0.00	0.0	0	0.1	20.7	0.1	0.0	0.0	0.0	
VMP-5-5	2/21/2018	1613	-0.09	0.00	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	
VMP-5-5	3/15/2018	0752	0.00	0.00	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-5-12.5	4/19/2017	0953	-0.54	-0.60	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-5-12.5	5/25/2017	1017	-0.66	-0.67	0.0	0	0.2	20.8	0.3	0.0	0.0	0.0	
VMP-5-12.5	6/22/2017	0929	-0.64	-0.61	0.0	0	0.3	20.5	0.4	0.0	0.0	0.0	
VMP-5-12.5	7/18/2017	0933	-0.60	-0.57	0.0	0	0.4	20.4	0.2	0.0	0.0	0.0	
VMP-5-12.5	8/17/2017	1130	-0.53	-0.49	0.0	0	0.5	20.5	0.4	0.0	0.0	0.0	
VMP-5-12.5	9/14/2017	0835	-0.56	-0.47	0.0	0	0.4	20.4	0.3	0.0	0.0	0.0	
VMP-5-12.5	10/24/2017	1034	-0.57	-0.58	0.0	0	0.3	20.6	0.3	0.0	0.0	0.0	
VMP-5-12.5	11/28/2017	926	-0.39	-0.41	0.0	0	0.2	20.6	0.1	0.0	0.0	0.0	
VMP-5-12.5	12/19/2017	0912	-0.59	-0.59	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	
VMP-5-12.5	1/18/2018	1416	0.00	0.00	0.0	0	0.3	20.5	0.0	0.0	0.0	0.0	
VMP-5-12.5	2/21/2018	1614	-0.16	0.00	0.0	0	0.3	20.6	0.4	0.0	0.0	0.0	
VMP-5-12.5	3/15/2018	0753	-0.19	-0.14	0.0	0	0.2	20.6	0.2	0.0	0.0	0.0	
VMP-5-31	4/19/2017	0955	-2.63	-2.68	0.0	0	0.4	20.5	0.2	0.0	0.0	0.0	
VMP-5-31	5/25/2017	1020	-3.14	-3.14	0.0	0	0.6	20.2	0.3	0.0	0.0	0.0	
VMP-5-31	6/22/2017	0930	-2.93	-2.90	0.0	0	0.7	20.1	0.5	0.0	0.0	0.0	
VMP-5-31-Dup	6/22/2017	0930	NM	NM	0.0	0	0.7	19.9	0.2	0.0	0.0	0.0	Duplicate sample.
VMP-5-31	7/18/2017	0934	-2.90	-2.84	0.0	0	0.7	20.2	0.2	0.0	0.0	0.0	
VMP-5-31	8/17/2017	1131	-2.68	-2.59	0.0	0	0.7	20.3	0.3	0.0	0.0	0.0	
VMP-5-31	9/14/2017	0836	-2.69	-2.46	0.0	0	0.6	20.3	0.5	0.0	0.0	0.0	
VMP-5-31-Dup	9/14/2017	0836	NM	NM	0.0	0	0.6	20.3	0.5	0.0	0.0	0.0	Duplicate sample.
VMP-5-31	10/24/2017	1035	-2.71	-2.79	0.0	0	0.5	20.4	0.2	0.0	0.0	0.0	
VMP-5-31	11/28/2017	927	-2.31	-2.39	0.0	0	0.4	20.5	0.1	0.0	0.0	0.0	
VMP-5-31	12/19/2017	0913	-2.62	-2.65	0.0	0	0.3	20.7	0.2	0.0	0.0	0.0	
VMP-5-31	1/18/2018	1417	0.00	-0.12	0.0	0	0.6	20.3	0.1	2.5	2.5	0.0	
VMP-5-31	2/21/2018	1615	-0.70	-0.34	0.0	0	0.7	20.3	0.3	0.0	0.0	0.0	
VMP-5-31	3/15/2018	0754	-1.05	-0.96	0.0	0	0.6	20.4	0.2	0.0	0.0	0.0	
VMP-5-40	4/19/2017	0957	-2.70	-2.70	0.0	0	0.8	20.1	0.2	0.0	0.0	0.0	
VMP-5-40-Dup	4/19/2017	0957	NM	NM	0.0	0	0.8	20.1	0.4	0.0	0.0	0.0	Duplicate sample.
VMP-5-40	5/25/2017	1015	1.23	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-5-40	6/22/2017	0931	0.22	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-5-40	7/18/2017	0935	-0.22	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-5-40	8/17/2017	1132	0.46	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-5-40	9/14/2017	0837	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-5-40	10/24/2017	1036	-4.44	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-5-40	11/28/2017	928	-2.37	-2.41	0.0	0	1.0	19.9	0.3	0.0	0.0	0.0	
VMP-5-40	12/19/2017	0914	-2.66	-2.68	0.0	0	0.9	20.3	0.1	0.0	0.0	0.0	
VMP-5-40	1/18/2018	1418	0.00	-0.11	0.0	0	0.8	20.1	0.1	6.8	6.8	0.0	
VMP-5-40-Dup	1/18/2018	1418	NM	NM	0.0	0	0.8	20.2	0.1	7.9	7.9	0.0	Duplicate sample.
VMP-5-40	2/21/2018	1616	-0.71	-0.40	0.0	0	1.0	19.9	0.2	6.8	6.8	0.0	
VMP-5-40	3/15/2018	0755	-1.05	-0.97	0.0	0	0.8	20.2	0.1	12.8	11.4	1.4	
VMP-5-40-Dup	3/15/2018	0755	NM	NM	0.0	0	0.8	20.2	0.1	15.0	11.8	3.2	Duplicate sample.

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-6-5	4/19/2017	0830	-0.32	-0.27	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-6-5	5/25/2017	0846	-0.29	-0.29	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-6-5	6/21/2017	1552	-0.26	-0.31	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-6-5	7/18/2017	0831	-0.17	-0.22	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-6-5	8/17/2017	0941	-0.24	-0.22	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	
VMP-6-5	9/13/2017	1434	-0.14	-0.12	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-6-5	10/24/2017	0905	-0.27	-0.25	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-6-5	11/28/2017	805	0.00	0.00	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-6-5	12/19/2017	0808	-0.23	-0.25	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-6-5	1/18/2018	1032	0.00	0.00	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-6-5	2/21/2018	1446	-0.13	-0.16	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-6-5	3/14/2018	1358	0.00	0.00	0.0	0	0.0	20.8	0.0	0.0	0.0	0.0	
VMP-6-10	4/19/2017	0832	-0.95	-0.86	0.0	0	0.2	20.8	0.0	0.0	0.0	0.0	
VMP-6-10	5/25/2017	0848	-1.00	-1.02	0.0	0	0.3	20.7	0.4	0.0	0.0	0.0	
VMP-6-10	6/21/2017	1553	-0.83	-0.66	0.0	0	0.5	20.4	0.2	0.0	0.0	0.0	
VMP-6-10	7/18/2017	0832	-0.22	-0.71	0.0	0	0.5	20.5	0.2	0.0	0.0	0.0	
VMP-6-10	8/17/2017	0942	-0.75	-0.68	0.0	0	0.4	20.4	0.4	0.0	0.0	0.0	
VMP-6-10	9/13/2017	1435	0.00	-0.27	0.0	0	0.1	20.9	0.5	0.0	0.0	0.0	
VMP-6-10	10/24/2017	0906	-0.12	-0.73	0.0	0	0.1	20.7	0.0	0.0	0.0	0.0	
VMP-6-10	11/28/2017	806	-0.66	-0.54	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-6-10	12/19/2017	0809	-0.71	-0.74	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-6-10	1/18/2018	1033	-0.37	-0.32	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-6-10	2/21/2018	1447	-0.33	-0.33	0.0	0	0.1	20.7	0.1	0.0	0.0	0.0	
VMP-6-10	3/14/2018	1359	0.09	0.00	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	
VMP-6-31.5	4/19/2017	0834	-1.76	-1.72	0.0	0	1.1	20.0	0.2	0.0	0.0	0.0	
VMP-6-31.5	5/25/2017	0850	-2.13	-2.16	0.0	0	1.0	19.9	0.3	0.0	0.0	0.0	
VMP-6-31.5	6/21/2017	1554	-1.59	-1.84	0.0	0	1.0	19.9	0.0	0.0	0.0	0.0	
VMP-6-31.5	7/18/2017	0833	-1.60	-0.65	0.0	0	1.2	19.8	0.1	0.0	0.0	0.0	
VMP-6-31.5	8/17/2017	0943	-1.65	-1.60	0.0	0	1.4	19.5	0.2	0.0	0.0	0.0	
VMP-6-31.5-Dup	8/17/2017	0943	NM	NM	0.0	0	1.4	19.5	0.2	0.0	0.0	0.0	Duplicate sample.
VMP-6-31.5	9/13/2017	1436	-1.11	-1.33	0.0	0	1.3	20.2	0.1	0.0	0.0	0.0	
VMP-6-31.5	10/24/2017	0907	-1.46	-1.54	0.0	0	1.3	19.9	0.0	0.0	0.0	0.0	
VMP-6-31.5	11/28/2017	807	-1.15	-1.23	0.0	0	1.0	19.9	0.1	0.0	0.0	0.0	
VMP-6-31.5	12/19/2017	0810	-1.53	-1.58	0.0	0	0.9	20.2	0.1	0.0	0.0	0.0	
VMP-6-31.5	1/18/2018	1034	-0.84	-0.66	0.0	0	1.2	19.8	0.1	0.0	0.0	0.0	
VMP-6-31.5	2/21/2018	1448	-0.66	-0.70	0.0	0	1.2	19.9	0.2	0.0	0.0	0.0	
VMP-6-31.5	3/14/2018	1400	-0.27	0.11	0.0	0	1.0	19.8	0.0	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-6-39	4/19/2017	0836	-1.88	-1.79	0.0	0	1.5	19.9	0.1	0.0	0.0	0.0	
VMP-6-39	5/25/2017	0850	-0.15	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-6-39	6/21/2017	1555	1.66	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-6-39	7/18/2017	0834	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-6-39	8/17/2017	0944	0.43	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-6-39	9/13/2017	1437	1.26	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-6-39	10/24/2017	0908	-1.61	-1.60	0.0	0	1.7	19.8	0.1	0.0	0.0	0.0	
VMP-6-39	11/28/2017	808	-1.44	-1.27	0.0	0	1.4	19.7	0.0	0.0	0.0	0.0	
VMP-6-39	12/19/2017	0811	-1.55	-1.59	0.0	0	1.4	19.9	0.0	0.0	0.0	0.0	
VMP-6-39	1/18/2018	1035	-0.83	-0.66	0.0	0	1.8	19.2	0.2	0.0	0.0	0.0	
VMP-6-39	2/21/2018	1449	-0.70	-0.70	0.0	0	1.6	19.3	0.1	0.0	0.0	0.0	
VMP-6-39	3/14/2018	1401	0.18	0.19	0.0	0	1.7	19.2	0.1	0.0	0.0	0.0	
VMP-7-5	4/18/2017	1442	-0.51	0.00	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	
VMP-7-5	5/25/2017	0823	-0.74	-0.68	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-7-5	6/21/2017	1530	0.00	-0.47	0.0	0	0.1	20.8	0.4	62.6	62.6	0.0	Re-sampled due to elevated THC.
VMP-7-5	6/22/2017	1203	-1.40	NM	0.0	0	0.1	20.6	1.6	3.1	3.1	0.0	Re-sample.
VMP-7-5	7/17/2017	1500	-0.53	-1.57	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-7-5	8/17/2017	0905	-1.04	-0.89	0.0	0	0.1	20.7	4.5	4.8	0.0	4.8	
VMP-7-5	9/13/2017	1348	-1.24	-0.81	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-7-5	10/24/2017	0813	-1.99	-3.74	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-7-5	11/27/2017	1411	-0.85	-0.44	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	
VMP-7-5	12/18/2017	1401	-0.57	-0.49	0.0	0	0.0	20.9	0.7	1.3	1.3	0.0	
VMP-7-5	1/18/2018	1011	4.37	-0.23	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-7-5	2/21/2018	1426	-0.75	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-7-5	3/14/2018	1340	-0.33	-0.13	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-7-13.5	4/18/2017	1444	-0.45	0.00	0.0	0	0.0	20.8	0.4	0.0	0.0	0.0	
VMP-7-13.5	5/25/2017	1501	1.60	NM	0.0	0	0.2	20.7	0.6	0.0	0.0	0.0	
VMP-7-13.5	6/21/2017	1531	-1.36	-1.38	0.0	0	0.3	20.6	0.3	26.3	26.3	0.0	Re-sampled due to elevated THC.
VMP-7-13.5	6/22/2017	1204	-1.24	NM	0.0	0	0.3	20.5	0.4	3.9	3.9	0.0	Re-sample.
VMP-7-13.5	7/17/2017	1501	-1.20	-1.18	0.0	0	0.3	20.7	0.1	0.0	0.0	0.0	
VMP-7-13.5	8/17/2017	0906	-1.56	-1.28	0.0	0	0.2	20.5	0.4	0.0	0.0	0.0	
VMP-7-13.5	9/13/2017	1349	-0.75	-1.07	0.0	0	0.1	20.8	0.1	0.0	0.0	0.0	
VMP-7-13.5	10/24/2017	0814	-1.32	-1.24	0.0	0	0.1	20.8	0.1	0.0	0.0	0.0	
VMP-7-13.5	11/27/2017	1412	-0.78	-0.91	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-7-13.5	12/18/2017	1402	-1.03	-1.10	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-7-13.5	1/18/2018	1012	-0.70	-0.56	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-7-13.5	2/21/2018	1427	-0.42	-0.68	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-7-13.5	3/14/2018	1341	-0.43	-0.23	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-7-29.5	4/18/2017	1446	-0.29	-1.72	0.0	0	0.9	19.5	0.9	0.0	0.0	0.0	
VMP-7-29.5	5/25/2017	0825	-1.35	-1.93	0.0	0	1.4	19.3	0.2	0.0	0.0	0.0	
VMP-7-29.5	6/21/2017	1532	-1.38	-0.96	0.1	1	1.7	18.9	0.4	724	724	0.0	Re-sampled due to elevated THC.
VMP-7-29.5	6/22/2017	1205	-1.68	NM	0.0	0	1.7	18.7	0.6	0.0	0.0	0.0	Re-sample.
VMP-7-29.5	7/17/2017	1502	-1.85	-0.28	0.0	0	1.7	19.4	0.1	0.0	0.0	0.0	
VMP-7-29.5-Dup	7/17/2017	1502	NM	NM	0.0	0	1.7	19.3	0.1	0.0	0.0	0.0	Duplicate sample.
VMP-7-29.5	8/17/2017	0907	-1.85	-1.57	0.0	0	1.7	19.3	0.2	0.0	0.0	0.0	
VMP-7-29.5	9/13/2017	1350	-0.99	-1.36	0.0	0	1.3	19.7	0.0	8.5	8.5	0.0	
VMP-7-29.5-Dup	9/13/2017	1350	NM	NM	0.0	0	1.4	19.7	0.0	0.8	0.8	0.0	Duplicate sample.
VMP-7-29.5	9/14/2017	1450	-1.30	NM	0.0	0	1.4	19.8	0.3	0.0	0.0	0.0	Re-sample.
VMP-7-29.5	10/24/2017	0815	-1.68	-1.52	0.0	0	1.1	19.9	0.1	0.0	0.0	0.0	
VMP-7-29.5	11/27/2017	1413	-1.61	-1.23	0.0	0	0.7	20.4	0.4	0.0	0.0	0.0	
VMP-7-29.5	12/18/2017	1403	-1.08	-1.40	0.0	0	0.7	20.3	0.3	0.0	0.0	0.0	
VMP-7-29.5	1/18/2018	1013	-0.88	-0.74	0.0	0	0.9	20.1	0.3	0.0	0.0	0.0	
VMP-7-29.5	2/21/2018	1428	-0.54	-0.78	0.0	0	0.6	20.5	0.2	0.0	0.0	0.0	
VMP-7-29.5	3/14/2018	1342	-0.64	0.00	0.0	0	0.5	20.3	0.2	0.0	0.0	0.0	
VMP-7-38	4/18/2017	1448	-1.47	-1.47	0.0	0	2.0	19.0	0.3	0.0	0.0	0.0	
VMP-7-38	5/25/2017	0828	-1.91	-1.91	0.0	0	2.0	18.7	0.4	12.4	12.4	0.0	Re-sampled due to elevated THC.
VMP-7-38	5/25/2017	1440	NM	NM	0.0	0	2.2	18.4	0.2	0.0	0.0	0.0	Re-sample.
VMP-7-38	6/21/2017	1533	-23.42	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-7-38	7/17/2017	1503	-24.38	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-7-38	8/17/2017	0908	-27.20	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-7-38	9/13/2017	1351	-21.70	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-7-38	10/24/2017	0816	-2.04	-1.51	0.0	0	2.4	19.2	0.1	0.0	0.0	0.0	
VMP-7-38-Dup	10/24/2017	0816	NM	NM	0.0	0	2.5	19.2	0.1	0.0	0.0	0.0	Duplicate sample.
VMP-7-38	11/27/2017	1414	-1.27	-1.16	0.0	0	1.9	19.9	0.2	0.0	0.0	0.0	
VMP-7-38	12/18/2017	1404	-1.29	-1.39	0.0	0	1.8	19.4	0.2	0.0	0.0	0.0	
VMP-7-38	1/18/2018	1014	-0.87	-0.11	0.0	0	1.6	19.6	0.2	0.0	0.0	0.0	
VMP-7-38	2/21/2018	1429	-1.21	-0.81	0.0	0	1.7	19.7	0.1	0.0	0.0	0.0	
VMP-7-38-Dup	2/21/2018	1429	NM	NM	0.0	0	1.7	19.7	0.1	0.0	0.0	0.0	Duplicate sample.
VMP-7-38	3/14/2018	1343	-0.82	0.09	0.0	0	1.4	19.5	0.3	0.0	0.0	0.0	
VMP-7-38-Dup	3/14/2018	1343	NM	NM	0.0	0	1.4	19.5	0.1	0.0	0.0	0.0	Duplicate sample.

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-9-5	4/18/2017	1316	-0.10	-0.11	0.0	0	0.1	20.8	0.6	0.0	0.0	0.0	
VMP-9-5	5/24/2017	1423	-0.25	-0.21	0.0	0	0.2	20.7	0.1	0.0	0.0	0.0	
VMP-9-5	6/21/2017	1402	0.00	-0.27	0.0	0	0.2	20.6	0.4	0.0	0.0	0.0	
VMP-9-5	7/17/2017	1335	-0.26	0.00	0.0	0	0.3	20.6	0.3	0.0	0.0	0.0	
VMP-9-5	8/16/2017	1447	-0.10	-0.12	0.0	0	0.3	20.6	0.4	0.0	0.0	0.0	
VMP-9-5	9/13/2017	1331	-0.11	-0.09	0.0	0	0.2	20.8	0.0	0.0	0.0	0.0	
VMP-9-5	10/23/2017	1358	0.00	0.00	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	
VMP-9-5	11/27/2017	1315	0.00	-0.11	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-9-5	12/18/2017	1334	-0.11	-0.13	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-9-5	1/18/2018	0832	-0.12	-0.10	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	
VMP-9-5	2/21/2018	1318	-0.17	-0.10	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	
VMP-9-5	3/14/2018	1235	-0.20	-0.20	0.0	0	0.0	20.9	0.8	0.0	0.0	0.0	
VMP-9-11.5	4/18/2017	1318	-0.28	-0.31	0.0	0	0.2	20.7	0.3	0.0	0.0	0.0	
VMP-9-11.5	5/24/2017	1426	-0.49	-0.48	0.0	0	0.5	20.5	0.2	0.0	0.0	0.0	
VMP-9-11.5	6/21/2017	1403	-0.45	-0.49	0.0	0	0.6	20.3	0.1	0.0	0.0	0.0	
VMP-9-11.5	7/17/2017	1336	-0.32	-0.29	0.0	0	0.6	20.3	0.2	0.0	0.0	0.0	
VMP-9-11.5	8/16/2017	1448	-0.26	-0.36	0.0	0	0.5	20.4	0.3	0.0	0.0	0.0	
VMP-9-11.5	9/13/2017	1332	-0.34	-0.30	0.0	0	0.3	20.7	0.0	0.0	0.0	0.0	
VMP-9-11.5	10/23/2017	1359	-0.24	-0.27	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	
VMP-9-11.5	11/27/2017	1316	-0.25	-0.32	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-9-11.5	12/18/2017	1335	-0.31	-0.33	0.0	0	0.0	20.9	0.7	0.0	0.0	0.0	
VMP-9-11.5	1/18/2018	0833	-0.31	-0.32	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	
VMP-9-11.5	2/21/2018	1319	-0.33	-0.25	0.0	0	0.0	20.9	0.6	0.0	0.0	0.0	
VMP-9-11.5	3/14/2018	1236	-0.42	-0.33	0.0	0	0.1	20.8	0.4	0.0	0.0	0.0	
VMP-9-25.5	4/18/2017	1320	-0.24	-0.72	0.0	0	0.3	20.6	0.5	0.0	0.0	0.0	
VMP-9-25.5	5/24/2017	1428	-1.08	-1.09	0.0	0	0.6	20.1	0.2	0.0	0.0	0.0	
VMP-9-25.5-Dup	5/24/2017	1428	NM	NM	0.0	0	0.7	19.9	0.2	0.0	0.0	0.0	Duplicate sample.
VMP-9-25.5	6/21/2017	1404	-0.91	-0.99	0.0	0	1.0	19.7	0.3	0.0	0.0	0.0	
VMP-9-25.5	7/17/2017	1337	-0.41	-0.70	0.0	0	1.2	19.8	0.2	0.0	0.0	0.0	
VMP-9-25.5-Dup	7/17/2017	1337	NM	NM	0.0	0	1.2	19.8	0.2	0.0	0.0	0.0	Duplicate sample.
VMP-9-25.5	8/16/2017	1449	-0.61	-0.78	0.0	0	1.2	19.9	0.7	0.0	0.0	0.0	
VMP-9-25.5	9/13/2017	1333	-0.73	-0.69	0.0	0	0.7	20.3	0.2	0.0	0.0	0.0	
VMP-9-25.5	10/23/2017	1400	-0.57	-0.61	0.0	0	0.5	20.6	0.3	0.0	0.0	0.0	
VMP-9-25.5	11/27/2017	1317	-0.56	-0.65	0.0	0	0.3	20.8	0.6	0.0	0.0	0.0	
VMP-9-25.5	12/18/2017	1336	-0.65	-0.66	0.0	0	0.3	20.7	0.6	0.0	0.0	0.0	
VMP-9-25.5	1/18/2018	0834	-2.29	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged
VMP-9-25.5	2/21/2018	1320	-0.72	-0.53	0.0	0	0.2	20.7	0.6	0.0	0.0	0.0	
VMP-9-25.5	3/14/2018	1237	-0.77	-0.61	0.0	0	0.1	20.8	0.5	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-9-38.5	4/18/2017	1322	-0.57	-0.68	0.0	0	1.6	19.3	0.7	0.0	0.0	0.0	
VMP-9-38.5-Dup	4/18/2017	1322	NM	NM	0.0	0	1.5	19.4	0.4	0.0	0.0	0.0	Duplicate sample.
VMP-9-38.5	5/24/2017	1432	-1.02	-1.02	0.0	0	1.7	19.4	1.2	0.0	0.0	0.0	
VMP-9-38.5	6/22/2017	1023	-2.28	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-9-38.5	7/17/2017	1338	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-9-38.5	8/16/2017	1450	-0.54	-0.69	0.0	0	2.2	19.1	0.7	0.0	0.0	0.0	
VMP-9-38.5	9/13/2017	1334	-0.65	-0.63	0.0	0	1.2	19.9	0.2	0.0	0.0	0.0	
VMP-9-38.5	10/23/2017	1401	-0.48	-0.55	0.0	0	1.9	19.7	0.3	0.0	0.0	0.0	
VMP-9-38.5	11/27/2017	1318	-0.48	-0.59	0.0	0	1.1	20.0	0.5	0.0	0.0	0.0	
VMP-9-38.5	12/18/2017	1337	-0.59	-0.58	0.0	0	1.4	19.7	0.4	0.0	0.0	0.0	
VMP-9-38.5	1/18/2018	0835	-0.65	-0.64	0.0	0	1.4	19.9	0.1	0.0	0.0	0.0	
VMP-9-38.5-Dup	1/18/2018	0835	NM	NM	0.0	0	1.4	19.9	0.1	0.0	0.0	0.0	Duplicate sample
VMP-9-38.5	2/21/2018	1321	-1.22	-0.50	0.0	0	1.5	19.8	0.5	0.0	0.0	0.0	
VMP-9-38.5	3/14/2018	1238	-0.73	-0.53	0.0	0	1.4	19.9	0.1	0.0	0.0	0.0	
VMP-10-5	4/18/2017	0900	0.00	0.00	0.0	0	0.5	20.5	0.3	0.0	0.0	0.0	
VMP-10-5	5/24/2017	0939	0.00	0.00	0.0	0	1.0	20.4	0.0	0.0	0.0	0.0	
VMP-10-5	6/21/2017	1055	0.00	0.00	0.0	0	1.0	19.8	0.7	0.0	0.0	0.0	
VMP-10-5	7/17/2017	1018	0.00	0.00	0.0	0	0.8	20.2	0.8	0.0	0.0	0.0	
VMP-10-5	8/16/2017	1146	0.00	0.00	0.0	0	0.7	20.4	0.5	0.0	0.0	0.0	
VMP-10-5	9/13/2017	0919	0.00	0.00	0.0	0	0.4	20.5	0.4	0.0	0.0	0.0	
VMP-10-5	10/23/2017	1113	0.00	0.00	0.0	0	0.5	20.4	0.2	0.0	0.0	0.0	
VMP-10-5	11/27/2017	956	0.00	0.00	0.0	0	0.2	20.8	0.7	0.0	0.0	0.0	
VMP-10-5	12/18/2017	1018	0.00	0.00	0.0	0	0.1	20.8	0.1	0.0	0.0	0.0	
VMP-10-5	1/17/2018	1247	0.00	0.00	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-10-5	2/21/2018	1244	0.00	0.00	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	
VMP-10-5	3/14/2018	1009	0.00	0.00	0.0	0	0.0	20.9	0.7	0.0	0.0	0.0	
VMP-10-10	4/18/2017	0902	0.00	0.00	0.0	0	0.4	20.4	0.8	0.0	0.0	0.0	
VMP-10-10	5/24/2017	0942	0.00	0.00	0.0	0	0.9	20.5	0.2	0.0	0.0	0.0	
VMP-10-10	6/21/2017	1056	0.00	0.00	0.0	0	1.0	19.8	0.5	0.8	0.0	0.8	
VMP-10-10	7/17/2017	1019	0.00	0.00	0.0	0	0.9	20.1	0.2	0.0	0.0	0.0	
VMP-10-10	8/16/2017	1147	0.00	0.00	0.0	0	1.0	20.0	0.5	0.0	0.0	0.0	
VMP-10-10	9/13/2017	0920	-0.10	0.00	0.0	0	0.7	20.2	0.1	0.0	0.0	0.0	
VMP-10-10	10/23/2017	1114	0.00	0.00	0.0	0	0.5	20.3	0.2	0.0	0.0	0.0	
VMP-10-10	11/27/2017	957	0.00	0.00	0.0	0	0.3	20.7	0.2	0.0	0.0	0.0	
VMP-10-10	12/18/2017	1019	0.00	0.00	0.0	0	0.2	20.8	0.1	0.0	0.0	0.0	
VMP-10-10	1/17/2018	1248	0.00	0.00	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-10-10	2/21/2018	1245	0.00	0.00	0.0	0	0.1	20.8	0.1	0.0	0.0	0.0	
VMP-10-10	3/14/2018	1010	0.00	0.00	0.0	0	0.0	20.9	0.8	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-10-20	4/18/2017	0904	0.00	0.00	0.0	0	0.4	20.5	0.0	0.0	0.0	0.0	
VMP-10-20	5/24/2017	0945	0.00	-0.17	0.0	0	0.6	20.7	0.4	0.0	0.0	0.0	
VMP-10-20	6/21/2017	1057	0.00	0.00	0.0	0	0.9	20.0	0.6	0.0	0.0	0.0	
VMP-10-20	7/17/2017	1020	0.00	0.00	0.0	0	1.0	20.0	0.1	0.0	0.0	0.0	
VMP-10-20	8/16/2017	1148	0.00	0.00	0.0	0	1.3	19.7	0.6	0.0	0.0	0.0	
VMP-10-20	9/13/2017	0921	-0.12	0.00	0.0	0	1.1	20.0	0.1	0.0	0.0	0.0	
VMP-10-20	10/23/2017	1115	0.00	0.00	0.0	0	0.9	19.9	0.2	0.0	0.0	0.0	
VMP-10-20	11/27/2017	958	0.00	0.00	0.0	0	0.6	20.5	0.3	0.0	0.0	0.0	
VMP-10-20	12/18/2017	1020	0.00	0.00	0.0	0	0.6	20.4	0.2	0.0	0.0	0.0	
VMP-10-20	1/17/2018	1249	0.00	0.00	0.0	0	0.5	20.4	0.1	0.0	0.0	0.0	
VMP-10-20	2/21/2018	1246	-0.18	-0.18	0.0	0	0.2	20.8	0.2	0.0	0.0	0.0	
VMP-10-20	3/14/2018	1011	0.00	0.00	0.0	0	0.2	20.7	0.4	0.0	0.0	0.0	
VMP-10-30	4/18/2017	0906	0.00	0.00	0.0	0	0.6	20.3	0.6	0.0	0.0	0.0	
VMP-10-30	5/24/2017	0946	1.21	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-10-30	6/21/2017	1058	0.49	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-10-30	7/17/2017	1021	-0.23	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-10-30	8/16/2017	1149	-0.43	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-10-30	9/13/2017	0922	-0.25	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-10-30	10/23/2017	1116	-0.34	0.00	0.0	0	1.4	19.4	0.6	0.0	0.0	0.0	
VMP-10-30	11/27/2017	959	0.00	0.00	0.0	0	1.0	20.0	0.4	0.0	0.0	0.0	
VMP-10-30-Dup	11/27/2017	959	NM	NM	0.0	0	1.1	20.0	0.4	0.0	0.0	0.0	Duplicate sample.
VMP-10-30	12/18/2017	1021	0.00	-0.11	0.0	0	1.1	19.9	0.2	0.0	0.0	0.0	
VMP-10-30	1/17/2018	1250	0.00	0.00	0.0	0	0.8	20.0	0.2	0.0	0.0	0.0	
VMP-10-30	2/21/2018	1247	0.00	0.00	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	Re-sampled due to elevated oxygen.
VMP-10-30	2/22/2018	1359	0.00	-0.11	0.0	0	0.2	20.2	0.2	0.0	0.0	0.0	Re-sample.
VMP-10-30	3/14/2018	1012	0.00	0.00	0.0	0	0.2	20.1	0.6	0.0	0.0	0.0	
VMP-11-5	4/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP in construction area.
VMP-11-5	5/24/2017	1318	-0.19	0.00	0.0	0	1.0	19.9	0.9	0.0	0.0	0.0	
VMP-11-5	6/21/2017	1320	0.00	0.00	0.0	0	1.4	19.6	0.5	0.0	0.0	0.0	
VMP-11-5	7/17/2017	1131	-0.18	-0.11	0.0	0	1.1	19.8	0.0	0.0	0.0	0.0	
VMP-11-5	8/16/2017	1330	0.00	0.00	0.0	0	0.9	20.0	1.4	0.0	0.0	0.0	
VMP-11-5	9/13/2017	1102	0.00	0.00	0.0	0	0.7	20.3	0.2	0.0	0.0	0.0	
VMP-11-5	10/23/2017	1305	0.45	0.00	0.0	0	0.5	20.5	0.6	0.0	0.0	0.0	
VMP-11-5	11/27/2017	1231	0.00	0.00	0.0	0	0.2	20.8	0.1	0.0	0.0	0.0	
VMP-11-5	12/18/2017	1158	0.00	0.00	0.0	0	0.1	20.8	0.4	0.0	0.0	0.0	
VMP-11-5	1/17/2018	1432	0.00	0.00	0.0	0	0.3	20.5	0.7	0.0	0.0	0.0	
VMP-11-5	2/21/2018	1136	-0.17	0.00	0.0	0	0.1	20.8	0.4	0.0	0.0	0.0	
VMP-11-5	3/14/2018	1108	0.00	0.00	0.0	0	0.1	20.8	0.5	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-11-8	4/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP in construction area.
VMP-11-8	5/24/2017	1320	0.00	-0.10	0.0	0	1.2	19.5	0.7	0.0	0.0	0.0	
VMP-11-8	6/21/2017	1321	0.00	0.00	0.0	0	1.9	18.9	0.8	0.0	0.0	0.0	
VMP-11-8	7/17/2017	1132	0.00	0.00	0.0	0	1.7	19.2	0.5	0.0	0.0	0.0	
VMP-11-8	8/16/2017	1331	0.00	0.00	0.0	0	1.5	19.5	0.4	0.0	0.0	0.0	
VMP-11-8	9/13/2017	1103	-0.09	0.00	0.0	0	1.2	19.8	0.3	0.0	0.0	0.0	
VMP-11-8	10/23/2017	1306	0.00	0.00	0.0	0	1.0	20.0	0.0	0.0	0.0	0.0	
VMP-11-8	11/27/2017	1232	0.00	0.00	0.0	0	0.6	20.3	0.5	0.0	0.0	0.0	
VMP-11-8	12/18/2017	1159	-0.09	0.00	0.0	0	0.5	20.3	0.0	0.0	0.0	0.0	
VMP-11-8	1/17/2018	1433	0.00	0.00	0.0	0	0.4	20.4	0.1	0.0	0.0	0.0	
VMP-11-8	2/21/2018	1137	-0.09	0.00	0.0	0	0.4	20.5	0.2	0.0	0.0	0.0	
VMP-11-8	3/14/2018	1109	0.00	0.00	0.0	0	0.4	20.6	0.7	0.0	0.0	0.0	
VMP-11-29	4/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP in construction area.
VMP-11-29	5/24/2017	1322	-0.46	-0.54	0.0	0	1.4	19.3	0.3	0.0	0.0	0.0	
VMP-11-29	6/21/2017	1322	-0.92	-0.41	0.0	0	1.7	18.8	0.9	0.0	0.0	0.0	
VMP-11-29	7/17/2017	1133	-0.38	-0.36	0.0	0	2.1	18.5	0.3	0.0	0.0	0.0	
VMP-11-29	8/16/2017	1332	-0.34	-0.26	0.0	0	2.1	18.7	0.4	0.0	0.0	0.0	
VMP-11-29	9/13/2017	1104	-0.44	-0.37	0.0	0	2.1	19.1	0.7	0.0	0.0	0.0	
VMP-11-29	10/23/2017	1307	-0.18	-0.23	0.0	0	1.0	20.2	0.4	0.0	0.0	0.0	
VMP-11-29	11/27/2017	1233	-0.27	-0.26	0.0	0	1.8	19.4	0.7	0.0	0.0	0.0	
VMP-11-29	12/18/2017	1200	-0.30	-0.27	0.0	0	1.5	19.6	0.0	0.0	0.0	0.0	
VMP-11-29	1/17/2018	1434	-0.17	-0.13	0.0	0	1.1	19.8	0.7	0.0	0.0	0.0	
VMP-11-29	2/21/2018	1138	-0.66	-0.56	0.0	0	1.2	19.8	0.5	0.0	0.0	0.0	
VMP-11-29	3/14/2018	1110	-0.48	-0.50	0.0	0	1.1	20.1	0.6	0.0	0.0	0.0	
VMP-11-38	4/19/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP in construction area.
VMP-11-38	5/24/2017	1324	0.00	0.00	0.0	0	0.9	20.0	0.7	0.0	0.0	0.0	
VMP-11-38	6/21/2017	1323	0.00	0.00	0.0	0	1.3	19.5	0.4	0.0	0.0	0.0	
VMP-11-38	7/17/2017	1134	0.00	0.00	0.0	0	1.3	19.6	0.5	0.0	0.0	0.0	
VMP-11-38	8/16/2017	1333	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-11-38	9/13/2017	1105	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-11-38	10/23/2017	1308	0.00	0.00	0.0	0	1.3	19.8	0.5	0.0	0.0	0.0	
VMP-11-38	11/27/2017	1234	0.00	0.00	0.0	0	1.2	19.8	0.3	0.0	0.0	0.0	
VMP-11-38-Dup	11/27/2017	1234	NM	NM	0.0	0	1.2	19.8	0.3	0.0	0.0	0.0	Duplicate sample.
VMP-11-38	12/18/2017	1201	-0.10	0.00	0.0	0	1.2	19.6	0.3	0.0	0.0	0.0	
VMP-11-38-Dup	12/18/2017	1201	NM	NM	0.0	0	1.3	19.6	0.2	0.0	0.0	0.0	Duplicate sample.
VMP-11-38	1/17/2018	1435	0.00	0.00	0.0	0	1.2	19.5	0.2	0.0	0.0	0.0	
VMP-11-38	2/21/2018	1139	-0.17	-0.13	0.0	0	0.9	20.0	0.1	0.0	0.0	0.0	
VMP-11-38	3/14/2018	1111	0.00	0.00	0.0	0	0.8	20.3	0.5	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-12-5	4/18/2017	0847	-1.31	-1.30	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-12-5	5/24/2017	0941	-1.03	-1.01	0.0	0	0.1	20.7	0.4	0.0	0.0	0.0	
VMP-12-5	6/21/2017	0916	-1.07	-0.86	0.0	0	0.1	20.7	0.1	0.0	0.0	0.0	
VMP-12-5	7/17/2017	0905	-1.13	-1.02	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-12-5	8/16/2017	0849	-0.91	-0.86	0.0	0	0.0	20.0	0.3	0.0	0.0	0.0	
VMP-12-5	9/13/2017	0838	-1.05	-0.86	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-12-5	10/23/2017	0836	-1.60	-2.05	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-12-5	11/27/2017	0842	-1.40	-1.05	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-12-5	12/18/2017	09325	-0.69	-0.80	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	
VMP-12-5	1/19/2018	0828	-0.43	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-12-5	2/22/2018	1150	-2.01	-3.49	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-12-5	3/14/2018	0837	-3.38	-0.34	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	
VMP-12-11.5	4/18/2017	0848	-3.20	-1.33	0.0	0	0.4	20.4	0.2	0.0	0.0	0.0	
VMP-12-11.5	5/24/2017	0945	-1.39	-0.89	0.0	0	0.0	20.9	0.5	1.2	0.4	0.8	
VMP-12-11.5	6/21/2017	0917	-1.21	-1.00	0.0	0	0.1	20.9	0.0	0.0	0.0	0.0	
VMP-12-11.5	7/17/2017	0907	-1.14	-1.04	0.0	0	0.2	20.5	0.4	0.0	0.0	0.0	
VMP-12-11.5	8/16/2017	0850	-1.35	-1.29	0.0	0	0.8	19.9	0.3	0.0	0.0	0.0	
VMP-12-11.5	9/13/2017	0840	-1.41	-1.22	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-12-11.5	10/23/2017	0838	-1.67	-0.72	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	
VMP-12-11.5	11/27/2017	0843	-0.30	-3.53	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-12-11.5	12/18/2017	0936	0.00	-1.07	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-12-11.5	1/19/2018	0829	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-12-11.5	2/22/2018	1151	-15.58	-1.19	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-12-11.5	3/14/2018	0839	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-12-25	4/18/2017	0849	-1.65	-1.67	0.0	0	0.9	19.5	0.2	0.0	0.0	0.0	
VMP-12-25	5/24/2017	0947	-1.12	-1.39	0.0	0	1.8	18.7	1.2	0.0	0.0	0.0	
VMP-12-25	6/21/2017	0918	-1.51	-1.28	0.0	0	1.1	19.3	0.3	0.0	0.0	0.0	
VMP-12-25	7/17/2017	0909	-1.45	-1.47	0.0	0	1.1	19.6	0.5	0.0	0.0	0.0	
VMP-12-25	8/16/2017	0851	-1.73	-1.87	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	Re-sampled due to elevated oxygen.
VMP-12-25	8/17/2017	1259	-1.78	NM	0.0	0	1.0	19.7	1.1	0.0	0.0	0.0	Re-sample.
VMP-12-25	9/13/2017	0842	-2.01	-1.79	0.0	0	0.8	19.9	0.2	0.0	0.0	0.0	
VMP-12-25	10/23/2017	0840	-2.19	-3.40	0.0	0	0.7	20.2	0.3	0.0	0.0	0.0	
VMP-12-25	11/27/2017	0844	-2.40	-1.93	0.0	0	0.5	20.5	0.2	0.0	0.0	0.0	
VMP-12-25	12/18/2017	0937	-1.21	-1.66	0.0	0	0.4	20.5	0.2	5.6	4.1	1.5	
VMP-12-25	1/19/2018	0830	-1.23	-1.40	0.0	0	0.8	19.9	0.1	0.0	0.0	0.0	
VMP-12-25	2/22/2018	1152	-2.70	-2.92	0.0	0	0.3	20.6	0.2	0.0	0.0	0.0	
VMP-12-25	3/14/2018	0840	-2.55	-0.63	0.0	0	0.3	20.5	0.2	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-12-39	4/18/2017	0850	-1.76	-1.81	OVR	OVR	15.1	0.5	77.8	386000	274000	112000	
VMP-12-39	5/24/2017	0948	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-12-39	6/21/2017	0919	-1.56	-1.34	OVR	OVR	14.7	0.3	101	346000	246000	100000	
VMP-12-39	7/17/2017	0911	-1.53	-1.43	68.3	OVR	14.2	0.6	65.1	289000	193000	96000	
VMP-12-39-Dup	7/17/2017	0911	NM	NM	72.8	OVR	14.9	0.1	65.1	259000	191000	68000	Duplicate sample.
VMP-12-39	8/16/2017	0852	-2.08	-2.02	OVR	OVR	14.7	0.4	101	655000	456000	199000	
VMP-12-39-Dup	8/16/2017	0852	NM	NM	OVR	OVR	14.7	0.6	101	518000	345000	173000	Duplicate sample.
VMP-12-39	9/13/2017	0844	-2.17	-1.97	OVR	OVR	14.6	0.4	49.1	881000	577000	304000	
VMP-12-39	10/23/2017	0842	-2.36	-2.73	OVR	OVR	14.2	0.6	57.1	687000	479000	208000	
VMP-12-39-Dup	10/23/2017	0842	NM	NM	OVR	OVR	14.2	0.7	57.1	573000	379000	194000	Duplicate sample.
VMP-12-39	11/27/2017	845	-3.72	-2.12	50.7	OVR	15.1	0.8	124	176000	142000	34000	
VMP-12-39-Dup	11/27/2017	845	NM	NM	59.9	OVR	15.0	0.8	124	171000	127000	44000	Duplicate sample.
VMP-12-39	12/18/2017	0938	-1.95	-1.83	40.3	OVR	14.2	1.6	91.7	139000	110000	29000	
VMP-12-39-Dup	12/18/2017	0938	NM	NM	53.1	OVR	14.6	1.7	123	140000	110000	30000	Duplicate sample.
VMP-12-39	1/19/2018	0831	-1.43	-1.56	24.1	OVR	14.4	1.4	99.3	113000	95000	18000	
VMP-12-39-Dup	1/19/2018	0831	NM	NM	33.7	OVR	15.3	0.6	99.3	128000	102000	26000	Duplicate sample.
VMP-12-39	2/22/2018	1153	-2.62	-2.77	3.5	71	14.2	1.5	31.4	29060	27510	1550	
VMP-12-39-Dup	2/22/2018	1153	NM	NM	3.8	77	14.5	1.1	31.4	30370	27850	2520	Duplicate sample.
VMP-12-39	3/14/2018	0842	0.43	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-13-5	4/18/2017	1022	0.00	0.00	0.0	0	0.3	20.6	0.4	0.0	0.0	0.0	
VMP-13-5	5/24/2017	1040	0.00	-0.11	0.0	0	0.3	20.7	0.1	0.0	0.0	0.0	
VMP-13-5	6/21/2017	0945	0.00	-0.14	0.0	0	0.6	20.3	0.4	0.0	0.0	0.0	
VMP-13-5	7/17/2017	0844	-0.11	0.00	0.0	0	0.7	20.2	0.2	0.0	0.0	0.0	
VMP-13-5	8/16/2017	1045	0.00	0.00	0.0	0	0.3	20.6	0.8	0.0	0.0	0.0	
VMP-13-5	9/13/2017	0831	-0.19	-0.13	0.0	0	0.5	20.3	0.0	0.0	0.0	0.0	
VMP-13-5	10/23/2017	0927	0.00	0.00	0.0	0	0.5	20.4	0.0	0.0	0.0	0.0	
VMP-13-5	11/27/2017	901	-0.43	-0.50	0.0	0	0.2	20.7	0.4	0.0	0.0	0.0	
VMP-13-5	12/18/2017	0929	0.00	0.00	0.0	0	0.1	20.8	0.1	0.0	0.0	0.0	
VMP-13-5	1/17/2018	1135	0.00	0.00	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	
VMP-13-5	2/21/2018	0856	-0.24	-0.16	0.0	0	0.0	20.8	0.2	0.0	0.0	0.0	
VMP-13-5	3/14/2018	0859	-0.13	-0.12	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-13-10.5	4/18/2017	1024	-0.44	-0.55	0.0	0	0.2	20.7	0.3	0.0	0.0	0.0	
VMP-13-10.5	5/24/2017	1043	0.00	-0.20	0.0	0	0.1	20.9	0.1	0.0	0.0	0.0	
VMP-13-10.5	6/21/2017	0946	-0.64	-0.64	0.0	0	0.3	20.6	0.3	0.0	0.0	0.0	
VMP-13-10.5	7/17/2017	0845	-0.59	-0.52	0.0	0	0.4	20.4	0.1	0.0	0.0	0.0	
VMP-13-10.5	8/16/2017	1046	-0.50	-0.52	0.0	0	0.5	20.4	0.9	0.0	0.0	0.0	
VMP-13-10.5	9/13/2017	0832	-0.68	-0.53	0.0	0	0.4	20.4	0.1	0.0	0.0	0.0	
VMP-13-10.5	10/23/2017	0928	-0.45	-0.26	0.0	0	0.4	20.4	0.2	0.0	0.0	0.0	
VMP-13-10.5	11/27/2017	902	-0.47	-0.36	0.0	0	0.2	20.8	0.5	0.0	0.0	0.0	
VMP-13-10.5	12/18/2017	0930	-0.49	-0.42	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	
VMP-13-10.5	1/17/2018	1136	-0.20	-0.27	0.0	0	0.2	20.7	0.3	0.0	0.0	0.0	
VMP-13-10.5	2/21/2018	0857	-0.68	-0.56	0.0	0	0.1	20.8	0.4	0.0	0.0	0.0	
VMP-13-10.5	3/14/2018	0900	-0.59	-0.56	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	
VMP-13-21.5	4/18/2017	1026	-0.54	-0.64	0.0	0	0.2	20.7	0.2	0.0	0.0	0.0	
VMP-13-21.5	5/24/2017	1047	-0.45	-0.36	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-13-21.5-Dup	5/24/2017	1047	NM	NM	0.0	0	0.1	20.9	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-13-21.5	6/21/2017	0947	-0.77	-0.76	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	
VMP-13-21.5	7/17/2017	0846	-0.74	-0.65	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	
VMP-13-21.5	8/16/2017	1047	-0.60	-0.66	0.0	0	0.2	20.7	0.5	0.0	0.0	0.0	
VMP-13-21.5	9/13/2017	0833	-0.76	-0.68	0.0	0	0.3	20.6	0.0	0.0	0.0	0.0	
VMP-13-21.5	10/23/2017	0929	-0.59	-0.37	0.0	0	0.3	20.6	0.1	0.0	0.0	0.0	
VMP-13-21.5	11/27/2017	903	-0.52	-0.44	0.0	0	0.2	20.8	0.4	0.0	0.0	0.0	
VMP-13-21.5	12/18/2017	0931	-0.62	-0.52	0.0	0	0.1	20.8	0.1	0.0	0.0	0.0	
VMP-13-21.5	1/17/2018	1137	-0.29	-0.35	0.0	0	0.3	20.4	0.2	0.0	0.0	0.0	
VMP-13-21.5	2/21/2018	0858	-0.91	-0.69	0.0	0	0.2	20.7	0.4	0.0	0.0	0.0	
VMP-13-21.5	3/14/2018	0901	-0.72	-0.69	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	
VMP-13-29.5	4/18/2017	1028	-0.44	-0.47	0.0	0	0.6	20.3	0.3	0.0	0.0	0.0	
VMP-13-29.5	5/24/2017	1050	0.00	0.51	0.0	0	0.4	20.9	0.2	0.0	0.0	0.0	
VMP-13-29.5	6/21/2017	0948	-0.23	-0.23	0.0	0	0.3	20.5	0.3	0.0	0.0	0.0	
VMP-13-29.5	7/17/2017	0847	-0.53	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-13-29.5	8/16/2017	1048	-0.34	-0.39	0.0	0	0.5	20.3	0.6	0.0	0.0	0.0	
VMP-13-29.5	9/13/2017	0834	-0.50	-0.43	0.0	0	0.7	20.0	46.0	101	0.0	101	Re-sampled due to elevated THC.
VMP-13-29.5	9/14/2017	0809	-0.48	NM	0.0	0	0.7	20.1	26.2	76.9	0.0	76.9	Re-sample.
VMP-13-29.5	10/23/2017	0930	-0.35	-0.17	0.0	0	1.0	19.9	11.1	11.5	2.7	8.8	
VMP-13-29.5-Dup	10/23/2017	0930	NM	NM	0.0	0	1.0	19.9	11.1	17.9	4.0	13.9	Duplicate sample.
VMP-13-29.5	11/27/2017	904	-0.24	-0.23	0.0	0	0.9	20.1	0.3	12.6	11.4	1.2	
VMP-13-29.5	12/18/2017	0932	-0.41	-0.35	0.0	0	0.8	20.2	0.1	20.8	20.3	0.5	
VMP-13-29.5-Dup	12/18/2017	0932	NM	NM	0.0	0	0.8	20.1	0.2	22.7	21.6	1.1	Duplicate sample.
VMP-13-29.5	1/17/2018	1138	-0.15	-0.21	0.0	0	1.1	19.3	0.5	16.8	16.3	0.5	
VMP-13-29.5-Dup	1/17/2018	1138	NM	NM	0.0	0	1.3	19.2	0.5	20.3	19.8	0.5	Duplicate sample.
VMP-13-29.5	2/21/2018	0859	-0.54	-0.45	0.0	0	0.4	20.6	0.4	18.6	18.6	0.0	
VMP-13-29.5	3/14/2018	0902	-0.31	-0.43	0.0	0	0.2	20.7	0.4	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-14-5	4/18/2017	1045	0.00	0.00	0.0	0	0.2	20.7	0.5	0.0	0.0	0.0	
VMP-14-5	5/24/2017	1130	-0.50	0.00	0.0	0	0.7	20.3	1.1	0.0	0.0	0.0	
VMP-14-5	6/21/2017	0859	0.00	0.00	0.0	0	1.3	19.8	0.8	0.0	0.0	0.0	
VMP-14-5	7/17/2017	0818	0.00	0.00	0.0	0	0.6	20.3	0.4	0.0	0.0	0.0	
VMP-14-5	8/16/2017	1020	0.00	0.00	0.0	0	0.3	20.6	0.8	0.4	0.0	0.4	
VMP-14-5	9/13/2017	0813	0.00	0.00	0.0	0	0.2	20.7	0.5	0.0	0.0	0.0	
VMP-14-5	10/23/2017	0907	0.00	0.00	0.0	0	0.3	20.6	0.5	0.0	0.0	0.0	
VMP-14-5	11/27/2017	840	0.00	-0.23	0.0	0	0.1	20.7	0.3	0.0	0.0	0.0	
VMP-14-5	12/18/2017	0912	-0.41	0.34	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	
VMP-14-5	1/19/2018	1403	-0.20	-0.24	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-14-5	2/21/2018	0834	0.00	0.00	0.0	0	0.4	20.6	0.2	0.0	0.0	0.0	
VMP-14-5	3/14/2018	0842	0.00	0.00	0.0	0	0.0	20.9	0.7	0.0	0.0	0.0	
VMP-14-11.5	4/18/2017	1047	0.00	0.00	0.0	0	0.2	20.7	0.4	0.0	0.0	0.0	
VMP-14-11.5	5/24/2017	1133	-0.23	0.00	0.0	0	0.7	20.3	0.4	0.0	0.0	0.0	
VMP-14-11.5	6/21/2017	0900	-0.17	0.00	0.0	0	1.3	19.9	0.8	0.0	0.0	0.0	
VMP-14-11.5	7/17/2017	0819	-0.29	0.00	0.0	0	0.6	20.3	0.1	0.0	0.0	0.0	
VMP-14-11.5	8/16/2017	1021	0.00	0.00	0.0	0	0.3	20.6	0.6	0.0	0.0	0.0	
VMP-14-11.5	9/13/2017	0814	0.00	0.00	0.0	0	0.2	20.6	0.4	0.0	0.0	0.0	
VMP-14-11.5	10/23/2017	0908	0.00	0.00	0.0	0	0.2	20.6	0.6	0.0	0.0	0.0	
VMP-14-11.5	11/27/2017	841	0.20	0.00	0.0	0	0.1	20.9	0.1	0.0	0.0	0.0	
VMP-14-11.5	12/18/2017	0913	0.00	0.11	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-14-11.5	1/19/2018	1404	0.19	0.00	0.0	0	0.0	20.9	0.6	0.0	0.0	0.0	
VMP-14-11.5	2/21/2018	0835	-0.44	0.00	0.0	0	0.4	20.6	0.6	0.0	0.0	0.0	
VMP-14-11.5	3/14/2018	0843	-0.75	-0.27	0.0	0	0.0	20.9	0.8	0.0	0.0	0.0	
VMP-14-20	4/18/2017	1049	-0.63	-0.51	0.1	2	15.1	1.3	28.1	52.3	2.6	49.7	
VMP-14-20	5/24/2017	1136	-0.20	-0.39	0.0	0	14.1	1.4	21.8	139	99.8	39.2	
VMP-14-20	6/21/2017	0901	-0.87	-0.30	0.0	1	14.6	1.5	19.8	61.2	6.2	55.0	
VMP-14-20-Dup	6/21/2017	0901	NM	NM	0.0	1	15.7	0.2	33.5	87.2	6.9	80.3	Duplicate sample.
VMP-14-20	7/17/2017	0820	-0.67	-0.54	0.0	0	15.2	2.0	16.8	21.2	5.1	16.1	
VMP-14-20	8/16/2017	1022	-0.62	-0.59	0.0	1	15.5	1.1	32.4	42.8	17.1	25.7	
VMP-14-20-Dup	8/16/2017	1022	NM	NM	0.0	1	16.2	0.6	32.4	73.9	23.4	50.5	Duplicate sample.
VMP-14-20	9/13/2017	0815	-0.52	-0.61	0.0	0	15.8	0.5	12.6	27.8	4.5	23.3	
VMP-14-20	10/23/2017	0909	-0.60	-0.47	0.0	0	13.2	1.9	3.8	2.5	0.0	2.5	
VMP-14-20	11/27/2017	842	-0.42	-0.35	0.0	0	14.3	0.5	4.0	0.0	0.0	0.0	
VMP-14-20	12/18/2017	0914	-1.32	-1.07	0.0	0	13.4	1.2	4.4	0.0	0.0	0.0	
VMP-14-20	1/17/2018	1118	-1.78	-0.31	0.0	0	14.2	0.5	2.4	0.0	0.0	0.0	
VMP-14-20	2/21/2018	0836	-0.91	-0.83	0.0	0	9.4	5.1	0.7	0.0	0.0	0.0	
VMP-14-20	3/14/2018	0844	-0.67	-0.56	0.0	0	13.6	2.6	2.5	2.0	0.0	2.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-14-29	4/18/2017	1051	-0.44	-0.66	0.0	0	4.0	15.3	0.6	0.0	0.0	0.0	
VMP-14-29	5/24/2017	1139	-0.15	-0.34	0.0	0	7.7	6.5	1.0	42.4	41.4	1.0	
VMP-14-29	6/21/2017	0902	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-14-29	7/17/2017	0821	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-14-29	8/16/2017	1023	-0.53	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-14-29	9/13/2017	0816	-0.64	-0.58	0.0	0	5.0	14.6	0.0	0.9	0.9	0.0	
VMP-14-29	10/23/2017	0910	-0.59	-0.44	0.0	0	4.4	15.6	0.8	0.0	0.0	0.0	
VMP-14-29	11/27/2017	843	-0.40	-0.34	0.0	0	4.5	14.9	0.1	0.0	0.0	0.0	
VMP-14-29	12/18/2017	0915	0.00	-0.44	0.0	0	4.0	15.9	0.1	2.1	2.1	0.0	
VMP-14-29	1/17/2018	1119	-0.43	-0.36	0.0	0	7.1	9.4	0.5	0.0	0.0	0.0	
VMP-14-29	2/21/2018	0837	-0.12	-0.75	0.0	0	3.3	16.8	0.1	0.0	0.0	0.0	
VMP-14-29	3/14/2018	0845	-3.44	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-17-5	4/18/2017	1218	-0.12	0.00	0.0	0	0.6	20.3	0.4	0.0	0.0	0.0	
VMP-17-5	5/24/2017	1310	0.00	0.00	0.0	0	1.1	20.0	0.2	0.0	0.0	0.0	
VMP-17-5	6/21/2017	1312	0.00	0.00	0.0	0	1.2	19.9	0.0	0.0	0.0	0.0	
VMP-17-5	7/17/2017	1144	0.00	0.00	0.0	0	1.3	19.6	0.2	0.0	0.0	0.0	
VMP-17-5	8/16/2017	1341	0.00	0.00	0.0	0	0.6	20.4	0.3	0.0	0.0	0.0	
VMP-17-5	9/13/2017	1113	0.00	0.00	0.0	0	0.4	20.6	0.2	0.0	0.0	0.0	
VMP-17-5	10/23/2017	1254	0.00	0.00	0.0	0	0.4	20.6	0.3	0.0	0.0	0.0	
VMP-17-5-Dup	10/23/2017	1254	NM	NM	0.0	0	0.4	20.5	0.3	0.0	0.0	0.0	Duplicate sample.
VMP-17-5	11/27/2017	1247	0.00	0.00	0.0	0	0.1	20.7	0.1	0.0	0.0	0.0	
VMP-17-5	12/18/2017	1211	0.00	0.00	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-17-5	1/17/2018	1422	0.00	0.00	0.0	0	0.1	20.9	0.1	0.0	0.0	0.0	
VMP-17-5	2/21/2018	1128	0.00	0.00	0.0	0	0.1	20.8	0.3	0.0	0.0	0.0	
VMP-17-5	3/14/2018	1100	0.00	0.00	0.0	0	0.0	20.8	0.4	0.0	0.0	0.0	
VMP-18-8.5	4/18/2017	1159	-0.10	0.00	0.0	0	1.2	19.1	0.4	0.0	0.0	0.0	
VMP-18-8.5-Dup	4/18/2017	1159	NM	NM	0.0	0	1.2	19.1	0.6	0.0	0.0	0.0	Duplicate sample.
VMP-18-8.5	5/24/2017	1333	0.00	0.00	0.0	0	1.7	19.3	0.2	0.0	0.0	0.0	
VMP-18-8.5	6/21/2017	1343	0.00	-0.09	0.0	0	3.0	18.2	0.7	0.0	0.0	0.0	
VMP-18-8.5	7/17/2017	1311	0.00	0.00	0.0	0	3.1	18.7	0.2	0.0	0.0	0.0	
VMP-18-8.5	8/16/2017	1402	0.00	0.00	0.0	0	2.2	19.2	0.5	0.0	0.0	0.0	
VMP-18-8.5	9/13/2017	1119	0.00	0.00	0.0	0	2.1	19.5	0.2	0.0	0.0	0.0	
VMP-18-8.5	10/23/2017	1325	0.00	0.00	0.0	0	1.6	19.8	0.2	0.0	0.0	0.0	
VMP-18-8.5	11/27/2017	1222	0.00	0.00	0.0	0	0.9	20.2	0.6	0.0	0.0	0.0	
VMP-18-8.5	12/18/2017	1227	0.00	0.00	0.0	0	0.6	20.4	0.5	0.0	0.0	0.0	
VMP-18-8.5	1/17/2018	1451	0.00	0.00	0.0	0	0.5	20.5	0.1	0.0	0.0	0.0	
VMP-18-8.5	2/21/2018	1113	0.00	0.00	0.0	0	0.3	20.7	0.4	0.0	0.0	0.0	
VMP-18-8.5	3/14/2018	1046	-0.83	0.00	0.0	0	0.4	20.5	0.6	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-19-5	4/18/2017	1209	0.00	0.00	0.0	0	0.3	20.5	0.4	0.0	0.0	0.0	
VMP-19-5	5/24/2017	1340	0.00	-0.09	0.0	0	0.5	20.0	0.4	3.1	3.1	0.0	
VMP-19-5	6/21/2017	1351	0.00	-0.10	0.0	0	0.6	20.1	0.2	6.5	6.5	0.0	
VMP-19-5-Dup	6/21/2017	1351	NM	NM	0.0	0	0.6	20.0	0.1	7.3	7.3	0.0	Duplicate sample.
VMP-19-5	7/17/2017	1322	0.00	0.00	0.0	0	0.6	19.8	0.5	19.6	19.6	0.0	
VMP-19-5	8/16/2017	1411	0.00	0.00	0.0	0	0.3	20.5	0.7	0.0	0.0	0.0	
VMP-19-5	9/13/2017	1123	0.00	0.00	0.0	0	0.1	20.8	0.1	0.0	0.0	0.0	
VMP-19-5	10/23/2017	1320	0.00	0.00	0.0	0	0.3	20.5	0.7	2.5	2.5	0.0	
VMP-19-5	11/27/2017	1219	0.00	0.00	0.0	0	0.1	20.8	0.4	0.0	0.0	0.0	
VMP-19-5	12/18/2017	1220	0.00	0.00	0.0	0	0.1	20.8	0.3	0.0	0.0	0.0	
VMP-19-5	1/17/2018	1447	0.00	0.00	0.0	0	0.0	20.9	0.8	11.2	11.2	0.0	
VMP-19-5	2/21/2018	1119	-0.14	0.55	NM	NM	NM	NM	NM	NM	NM	NM	Water in Tedlar. Sample not screened.
VMP-19-5	3/14/2018	1053	0.00	0.00	0.0	0	0.0	20.9	0.8	0.3	0.3	0.0	
VMP-29-10	4/18/2017	0920	0.00	0.00	0.0	0	0.2	20.7	0.2	0.0	0.0	0.0	
VMP-29-10	5/24/2017	1005	-0.17	-0.18	0.0	0	0.4	20.9	0.4	0.0	0.0	0.0	
VMP-29-10	6/21/2017	1030	-0.42	-0.11	0.0	0	0.6	20.2	0.8	0.0	0.0	0.0	
VMP-29-10	7/17/2017	0941	0.00	-0.09	0.0	0	0.7	20.4	0.8	0.0	0.0	0.0	
VMP-29-10	8/16/2017	1122	-0.10	-0.11	0.0	0	0.7	20.4	0.8	0.0	0.0	0.0	
VMP-29-10	9/13/2017	0904	-0.22	-0.20	0.0	0	0.2	20.7	0.1	0.0	0.0	0.0	
VMP-29-10	10/23/2017	1054	-0.15	0.00	0.0	0	0.4	20.5	0.2	0.0	0.0	0.0	
VMP-29-10	11/27/2017	936	0.00	0.00	0.0	0	0.2	20.8	0.1	0.0	0.0	0.0	
VMP-29-10	12/18/2017	1005	-0.25	0.00	0.0	0	0.1	20.8	0.1	0.0	0.0	0.0	
VMP-29-10	1/19/2018	1411	-0.23	-0.42	0.0	0	0.1	20.8	0.6	0.0	0.0	0.0	
VMP-29-10	2/21/2018	0943	-0.77	-0.32	0.0	0	0.1	20.8	0.3	0.0	0.0	0.0	
VMP-29-10	3/14/2018	0950	-0.15	-0.09	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	
VMP-29-18	4/18/2017	0922	0.00	-0.09	0.0	0	0.2	20.7	0.3	0.0	0.0	0.0	
VMP-29-18	5/24/2017	1010	-0.16	-0.16	0.0	0	0.4	20.8	2.3	1.3	0.0	1.3	
VMP-29-18	6/21/2017	1031	-0.44	-0.12	0.0	0	0.6	20.2	0.8	0.0	0.0	0.0	
VMP-29-18	7/17/2017	0942	0.00	-0.10	0.0	0	0.7	20.3	1.1	0.0	0.0	0.0	
VMP-29-18	8/16/2017	1123	-0.11	-0.12	0.0	0	0.8	20.2	2.8	0.7	0.0	0.7	
VMP-29-18	9/13/2017	0905	-0.23	-0.20	0.0	0	0.4	20.5	3.1	3.3	0.0	3.3	
VMP-29-18	10/23/2017	1055	0.00	0.00	0.0	0	0.2	20.7	0.6	0.4	0.0	0.4	
VMP-29-18	11/27/2017	937	0.00	0.00	0.0	0	0.3	20.6	0.9	0.0	0.0	0.0	
VMP-29-18	12/18/2017	1006	-0.17	-0.15	0.0	0	0.2	20.8	0.5	0.0	0.0	0.0	
VMP-29-18	1/19/2018	1412	0.52	0.00	0.0	0	0.3	20.6	0.6	0.0	0.0	0.0	
VMP-29-18	2/21/2018	0944	-0.15	-0.34	0.0	0	0.2	20.8	0.5	0.0	0.0	0.0	
VMP-29-18	3/14/2018	0951	-0.15	-0.10	0.0	0	0.1	20.8	0.5	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-29-26	4/18/2017	0924	0.00	0.00	0.0	0	0.4	20.5	0.3	0.0	0.0	0.0	
VMP-29-26	5/24/2017	1015	-0.25	-0.16	0.0	0	0.4	20.6	1.4	0.0	0.0	0.0	
VMP-29-26	6/21/2017	1032	-0.75	-0.10	0.0	0	0.6	19.9	4.2	8.2	0.0	8.2	
VMP-29-26	7/17/2017	0943	0.00	-0.11	0.0	0	0.8	20.2	1.6	1.3	0.0	1.3	
VMP-29-26	8/16/2017	1124	-0.12	-0.11	0.0	0	1.0	19.9	3.8	4.1	0.0	4.1	
VMP-29-26	9/13/2017	0906	-0.24	-0.20	0.0	0	0.5	20.3	1.1	1.0	0.0	1.0	
VMP-29-26	10/23/2017	1056	-0.15	0.00	0.0	0	0.3	20.6	0.4	0.5	0.0	0.5	
VMP-29-26	11/27/2017	938	0.00	0.00	0.0	0	0.4	20.5	0.8	0.0	0.0	0.0	
VMP-29-26	12/18/2017	1007	-0.19	-0.14	0.0	0	0.4	20.5	0.3	0.0	0.0	0.0	
VMP-29-26	1/19/2018	1413	0.00	0.00	0.0	0	0.4	20.5	0.5	0.0	0.0	0.0	
VMP-29-26	2/21/2018	0945	-0.48	-0.35	0.0	0	0.3	20.7	0.5	0.0	0.0	0.0	
VMP-29-26	3/14/2018	0952	-0.15	-0.11	0.0	0	0.3	20.7	0.6	0.0	0.0	0.0	
VMP-29-40	4/18/2017	0925	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-29-40	5/24/2017	1016	7.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-29-40	6/21/2017	1033	-0.64	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-29-40	7/17/2017	0944	-0.32	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-29-40	8/16/2017	1125	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-29-40	9/13/2017	0907	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-29-40	10/23/2017	1057	-11.62	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-29-40	11/27/2017	939	-0.75	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-29-40	12/18/2017	1008	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-29-40	1/19/2018	1414	-0.43	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-29-40	2/21/2018	0946	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-29-40	3/14/2018	0953	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-30-10	4/18/2017	0947	0.00	-0.14	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-30-10	5/24/2017	1020	0.00	-0.19	0.0	0	0.0	20.9	1.1	1.2	0.0	1.2	
VMP-30-10	6/21/2017	1000	-0.21	-0.16	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	
VMP-30-10	7/17/2017	0903	-0.19	-0.14	0.0	0	0.0	20.9	0.8	0.0	0.0	0.0	
VMP-30-10	8/16/2017	1102	-0.10	-0.16	0.0	0	0.1	20.8	5.7	7.7	0.0	7.7	
VMP-30-10	9/13/2017	0843	-0.26	-0.22	0.0	0	0.1	20.8	0.1	0.0	0.0	0.0	
VMP-30-10	10/23/2017	1016	-0.13	0.00	0.0	0	0.1	20.8	0.4	0.0	0.0	0.0	
VMP-30-10	11/27/2017	916	-0.13	0.00	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-30-10	12/18/2017	0943	-0.22	-0.19	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-30-10	1/17/2018	1207	0.00	-0.12	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	
VMP-30-10	2/21/2018	0918	-0.29	-0.62	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-30-10	3/14/2018	0917	-0.42	0.00	0.0	0	0.0	20.9	0.8	0.0	0.0	NM	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-30-18	4/18/2017	0949	-0.20	-0.32	0.0	0	0.1	20.8	0.5	0.0	0.0	0.0	
VMP-30-18	5/24/2017	1023	-0.19	-0.35	0.0	0	0.0	20.9	2.9	4.1	0.0	4.1	
VMP-30-18	6/21/2017	1001	-0.41	-0.32	0.0	0	0.1	20.8	1.7	2.3	0.0	2.3	
VMP-30-18	7/17/2017	0904	-0.40	-0.34	0.0	0	0.3	20.6	6.5	9.7	0.0	9.7	
VMP-30-18	8/16/2017	1103	-0.27	-0.32	0.0	0	0.2	20.7	6.6	6.9	0.0	6.9	
VMP-30-18	9/13/2017	0844	-0.47	-0.39	0.0	0	0.2	20.7	1.7	0.5	0.0	0.5	
VMP-30-18	10/23/2017	1017	-0.26	-0.15	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-30-18	11/27/2017	917	-0.26	-0.19	0.0	0	0.1	20.9	0.2	0.8	0.0	0.8	
VMP-30-18	12/18/2017	0944	-0.36	-0.32	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-30-18	1/17/2018	1208	-0.14	-0.23	0.0	0	0.1	20.7	0.0	0.0	0.0	0.0	
VMP-30-18	2/21/2018	0919	-0.58	-0.47	0.0	0	0.1	20.9	0.6	0.0	0.0	0.0	
VMP-30-18	3/14/2018	0918	-0.45	-0.42	0.0	0	0.0	20.9	0.8	0.0	0.0	0.0	
VMP-30-26	4/18/2017	0951	-0.18	-1.06	0.0	0	0.2	20.1	0.6	0.0	0.0	0.0	
VMP-30-26	5/24/2017	1025	-0.17	-0.37	0.0	0	0.0	20.9	1.2	1.6	0.0	1.6	
VMP-30-26	6/21/2017	1002	-0.41	-0.33	0.0	0	0.2	20.6	10.5	17.3	0.0	17.3	
VMP-30-26	7/17/2017	0905	0.41	-0.35	0.0	0	0.2	20.7	1.3	1.5	0.0	1.5	
VMP-30-26	8/16/2017	1104	-0.28	-0.34	0.0	0	0.2	20.7	18.7	24.1	0.0	24.1	
VMP-30-26	9/13/2017	0845	-0.30	-0.40	0.0	0	0.0	20.9	0.9	0.0	0.0	0.0	
VMP-30-26-Dup	9/13/2017	0845	NM	NM	0.0	0	0.0	20.9	0.9	0.0	0.0	0.0	Duplicate sample.
VMP-30-26	10/23/2017	1018	0.00	-0.16	0.0	0	0.1	20.8	0.1	0.0	0.0	0.0	
VMP-30-26-Dup	10/23/2017	1018	NM	NM	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	Duplicate sample.
VMP-30-26	11/27/2017	918	-0.28	-0.20	0.0	0	0.1	20.8	0.5	0.0	0.0	0.0	
VMP-30-26-Dup	11/27/2017	918	NM	NM	0.0	0	0.2	20.8	0.5	0.0	0.0	0.0	Duplicate sample.
VMP-30-26	12/18/2017	0945	-0.38	-0.34	0.0	0	0.1	20.8	0.3	0.0	0.0	0.0	
VMP-30-26	1/17/2018	1209	-0.15	-0.23	0.0	0	0.2	20.6	0.0	0.0	0.0	0.0	
VMP-30-26	2/21/2018	0920	-0.51	-0.49	0.0	0	0.1	20.8	0.4	0.0	0.0	0.0	
VMP-30-26-Dup	2/21/2018	0920	NM	NM	0.0	0	0.1	20.8	0.4	0.0	0.0	0.0	Duplicate sample.
VMP-30-26	3/14/2018	0919	-0.47	-0.45	0.0	0	0.1	20.8	0.8	0.0	0.0	0.0	
VMP-30-40	4/18/2017	0952	-3.35	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-30-40	5/24/2017	1025	3.61	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-30-40	6/21/2017	1003	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-30-40	7/17/2017	0906	-2.52	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-30-40	8/16/2017	1105	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-30-40	9/13/2017	0846	-1.04	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-30-40	10/23/2017	1019	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-30-40	11/27/2017	919	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-30-40	12/18/2017	0946	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-30-40	1/19/2018	1210	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-30-40	2/21/2018	0921	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-30-40	3/14/2018	0920	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-32-5	4/19/2017	1356	-0.10	-0.15	0.0	0	0.8	19.9	0.0	0.0	0.0	0.0	
VMP-32-5	5/25/2017	1355	-0.12	-0.11	0.0	0	1.4	19.3	0.7	0.0	0.0	0.0	
VMP-32-5	6/22/2017	1040	-0.57	0.00	0.0	0	1.8	19.1	0.2	0.0	0.0	0.0	
VMP-32-5	7/18/2017	1126	-0.16	0.00	0.0	0	1.9	18.9	0.8	0.0	0.0	0.0	
VMP-32-5	8/17/2017	1358	-0.71	-0.15	0.0	0	2.2	18.7	0.9	0.0	0.0	0.0	
VMP-32-5	9/14/2017	1058	-0.22	0.00	0.0	0	1.5	19.6	1.1	0.0	0.0	0.0	
VMP-32-5	10/24/2017	1340	0.48	0.00	0.0	0	1.6	19.2	0.2	0.0	0.0	0.0	
VMP-32-5	11/28/2017	1305	0.00	0.00	0.0	0	1.1	19.9	0.4	1.2	1.2	0.0	
VMP-32-5	12/19/2017	1137	0.00	0.00	0.0	0	0.9	20.1	0.3	0.0	0.0	0.0	
VMP-32-5	1/19/2018	0912	-0.25	0.00	0.0	0	0.8	19.9	0.6	1.6	0.8	0.8	
VMP-32-5	2/22/2018	0850	-0.10	0.00	0.0	0	0.5	20.3	0.0	0.0	0.0	0.0	
VMP-32-5	3/15/2018	0929	-1.32	-0.18	0.0	0	0.5	20.5	0.2	0.0	0.0	0.0	
VMP-32-10	4/19/2017	1358	-0.15	-0.19	0.0	0	0.8	19.9	0.2	0.0	0.0	0.0	
VMP-32-10	5/25/2017	1200	-0.17	-0.16	0.0	0	1.2	19.4	0.5	0.0	0.0	0.0	
VMP-32-10	6/22/2017	1041	-0.21	-0.14	0.0	0	1.8	18.6	0.2	0.0	0.0	0.0	
VMP-32-10	7/18/2017	1127	-0.10	0.00	0.0	0	2.1	18.9	0.4	0.0	0.0	0.0	
VMP-32-10	8/17/2017	1359	-0.15	-0.10	0.0	0	2.5	18.6	0.7	0.0	0.0	0.0	
VMP-32-10	9/14/2017	1059	0.00	0.00	0.0	0	2.4	18.8	0.1	0.0	0.0	0.0	
VMP-32-10	10/24/2017	1341	-0.17	-0.14	0.0	0	2.2	18.6	0.2	0.0	0.0	0.0	
VMP-32-10	11/28/2017	1306	0.00	-0.40	0.0	0	1.6	19.3	0.2	0.0	0.0	0.0	
VMP-32-10	12/19/2017	1138	0.00	-0.24	0.0	0	1.4	19.6	0.2	0.0	0.0	0.0	
VMP-32-10	1/19/2018	0913	0.00	0.00	0.0	0	1.4	19.5	2.3	0.0	0.0	0.0	
VMP-32-10	2/22/2018	0851	-0.16	-0.14	0.0	0	0.9	20.0	0.2	0.0	0.0	0.0	
VMP-32-10	3/15/2018	0930	-0.17	-0.13	0.0	0	0.9	20.0	0.1	0.0	0.0	0.0	
VMP-32-20	4/19/2017	1400	-0.36	-0.47	0.0	0	0.2	20.6	0.2	0.0	0.0	0.0	
VMP-32-20	5/25/2017	1202	-0.65	-0.48	0.0	0	0.2	20.6	0.7	0.0	0.0	0.0	
VMP-32-20	6/22/2017	1042	-0.90	-0.64	0.0	0	0.4	20.5	0.3	0.0	0.0	0.0	
VMP-32-20	7/18/2017	1128	-0.80	-0.48	0.0	0	0.3	20.6	0.5	0.0	0.0	0.0	
VMP-32-20	8/17/2017	1400	-0.56	-0.57	0.0	0	0.2	20.7	0.5	0.0	0.0	0.0	
VMP-32-20	9/14/2017	1100	-0.42	-0.44	0.0	0	0.3	20.6	0.6	0.0	0.0	0.0	
VMP-32-20	10/24/2017	1342	-0.82	-0.76	0.0	0	0.8	20.1	0.1	0.0	0.0	0.0	
VMP-32-20	11/28/2017	1307	-0.27	-0.30	0.0	0	0.4	20.5	0.3	0.5	0.5	0.0	
VMP-32-20	12/19/2017	1139	-0.25	-0.29	0.0	0	0.2	20.7	0.1	0.0	0.0	0.0	
VMP-32-20	1/19/2018	0914	-0.14	-0.14	0.0	0	0.2	20.6	1.2	4.2	0.7	3.5	
VMP-32-20	2/22/2018	0852	-0.33	-0.30	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	
VMP-32-20	3/15/2018	0931	-0.41	-0.32	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-32-30	4/19/2017	1402	-0.10	-0.13	0.0	0	0.4	20.5	0.6	0.0	0.0	0.0	
VMP-32-30	5/25/2017	1204	0.00	0.00	0.0	0	0.2	20.6	0.4	0.0	0.0	0.0	
VMP-32-30	6/22/2017	1043	0.00	0.00	0.0	0	0.3	20.6	0.3	0.0	0.0	0.0	
VMP-32-30	7/18/2017	1129	0.00	0.00	0.0	0	0.8	20.0	0.6	0.0	0.0	0.0	
VMP-32-30	8/17/2017	1401	0.00	0.00	0.0	0	0.9	20.0	0.5	0.0	0.0	0.0	
VMP-32-30	9/14/2017	1101	0.00	0.00	0.0	0	0.3	20.6	0.4	0.0	0.0	0.0	
VMP-32-30	10/24/2017	1343	3.44	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-32-30	11/28/2017	1308	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-32-30	11/29/2017	1255	-0.10	NM	0.0	0	0.8	20.5	0.0	0.0	0.0	0.0	
VMP-32-30	12/19/2017	1140	0.00	0.00	0.0	0	0.7	20.2	0.2	0.0	0.0	0.0	
VMP-32-30	1/19/2018	0915	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-32-30	2/22/2018	0853	0.00	0.00	0.0	0	0.4	20.4	0.2	0.0	0.0	0.0	
VMP-32-30	3/15/2018	0932	-0.14	0.00	0.0	0	0.4	20.5	0.1	0.0	0.0	0.0	
VMP-32-30-Dup	3/15/2018	0932	NM	NM	0.0	0	0.4	20.5	0.1	0.0	0.0	0.0	Duplicate sample.
VMP-33-10	4/18/2017	1224	0.00	0.00	0.0	0	0.1	20.8	0.4	0.0	0.0	0.0	
VMP-33-10	5/24/2017	1019	0.00	-0.09	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-33-10	6/21/2017	0950	0.00	0.00	0.0	0	0.2	20.6	0.1	0.0	0.0	0.0	
VMP-33-10	7/17/2017	1201	0.00	0.00	0.0	0	0.4	20.3	0.3	0.0	0.0	0.0	
VMP-33-10	8/16/2017	1151	0.00	0.00	0.0	0	0.6	20.0	0.3	0.0	0.0	0.0	
VMP-33-10	9/13/2017	0857	-0.10	-0.11	0.0	0	0.7	19.9	0.4	0.0	0.0	0.0	
VMP-33-10	10/23/2017	0926	-0.11	0.00	0.0	0	0.6	20.3	0.1	0.0	0.0	0.0	
VMP-33-10	11/27/2017	0921	0.00	0.00	0.0	0	0.4	20.6	0.1	0.0	0.0	0.0	
VMP-33-10	12/18/2017	1007	0.00	0.00	0.0	0	0.3	20.6	0.3	0.0	0.0	0.0	
VMP-33-10	1/19/2018	0908	0.00	0.00	0.0	0	0.4	20.4	0.1	0.0	0.0	0.0	
VMP-33-10	2/22/2018	0855	-0.09	-0.12	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-33-10	3/14/2018	0941	0.00	0.00	0.0	0	0.1	20.8	0.6	0.0	0.0	0.0	
VMP-33-20	4/18/2017	1225	0.00	0.00	0.0	0	0.5	20.4	0.7	0.0	0.0	0.0	
VMP-33-20	5/24/2017	1021	-0.11	-0.22	0.0	0	0.5	20.3	0.1	0.0	0.0	0.0	
VMP-33-20	6/21/2017	0951	-0.32	-0.23	0.0	0	0.5	20.1	0.2	0.0	0.0	0.0	
VMP-33-20	7/17/2017	1203	-0.10	-0.15	0.0	0	0.6	19.7	0.2	0.0	0.0	0.0	
VMP-33-20	8/16/2017	1152	0.00	0.00	0.0	0	0.5	19.6	0.5	0.0	0.0	0.0	
VMP-33-20	9/13/2017	0859	-0.15	0.00	0.0	0	0.7	19.7	0.4	0.0	0.0	0.0	
VMP-33-20	10/23/2017	0928	-0.15	0.00	0.0	0	0.7	19.6	0.0	0.0	0.0	0.0	
VMP-33-20	11/27/2017	0922	-0.10	0.00	0.0	0	0.8	20.0	0.2	0.0	0.0	0.0	
VMP-33-20	12/18/2017	1008	0.00	0.00	0.0	0	0.7	20.1	0.6	0.0	0.0	0.0	
VMP-33-20	1/19/2018	0909	0.00	0.00	0.0	0	0.8	19.9	0.2	0.0	0.0	0.0	
VMP-33-20	2/22/2018	0856	-0.10	-0.14	0.0	0	0.5	20.5	0.3	0.0	0.0	0.0	
VMP-33-20-Dup	2/22/2018	0856	NM	NM	0.0	0	0.5	20.4	0.3	0.0	0.0	0.0	Duplicate sample.
VMP-33-20	3/14/2018	0942	-0.09	0.00	0.0	0	0.4	20.6	0.5	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-33-30	4/18/2017	1226	0.00	0.00	0.0	0	0.3	20.6	0.6	0.0	0.0	0.0	
VMP-33-30	5/24/2017	1023	0.00	0.00	0.0	0	0.7	20.6	0.3	0.0	0.0	0.0	
VMP-33-30	6/21/2017	0952	0.00	0.00	0.0	0	0.6	20.3	0.5	0.0	0.0	0.0	
VMP-33-30-Dup	6/21/2017	0952	NM	NM	0.0	0	0.6	20.3	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-33-30	7/17/2017	1205	0.00	0.00	0.0	0	0.7	20.1	0.3	0.0	0.0	0.0	
VMP-33-30	8/16/2017	1153	0.00	0.00	0.0	0	0.7	20.1	0.6	0.0	0.0	0.0	
VMP-33-30	9/13/2017	0901	-0.12	0.00	0.0	0	0.5	20.4	0.2	0.0	0.0	0.0	
VMP-33-30	10/23/2017	0930	-0.10	0.00	0.0	0	0.7	20.3	0.0	0.0	0.0	0.0	
VMP-33-30	11/27/2017	0923	0.00	0.00	0.0	0	0.6	20.3	0.4	0.0	0.0	0.0	
VMP-33-30	12/18/2017	1009	0.00	0.00	0.0	0	0.6	20.3	0.3	0.0	0.0	0.0	
VMP-33-30	1/19/2018	0910	0.00	0.00	0.0	0	1.0	20.0	0.2	0.0	0.0	0.0	
VMP-33-30	2/22/2018	0857	0.00	-0.11	0.0	0	0.4	20.6	0.1	0.0	0.0	0.0	
VMP-33-30	3/14/2018	0943	0.00	0.00	0.0	0	0.3	20.6	0.7	0.0	0.0	0.0	
VMP-34-10	4/18/2017	1145	-0.35	-0.12	0.0	0	0.1	20.8	0.6	0.7	0.0	0.7	
VMP-34-10	5/24/2017	1106	-0.35	-0.30	0.0	0	0.8	20.0	0.0	0.0	0.0	0.0	
VMP-34-10	6/21/2017	1018	-0.78	-0.57	0.0	0	0.1	20.7	0.2	0.0	0.0	0.0	
VMP-34-10	7/17/2017	1132	-0.47	-0.33	0.0	0	0.5	20.2	0.6	0.0	0.0	0.0	
VMP-34-10	8/16/2017	1118	-0.36	-0.31	0.0	0	0.7	20.0	0.4	0.0	0.0	0.0	
VMP-34-10	9/13/2017	0934	-0.56	-0.44	0.0	0	1.0	19.2	1.1	0.0	0.0	0.0	
VMP-34-10	10/23/2017	0955	-0.66	0.00	0.0	0	0.7	19.9	0.2	0.0	0.0	0.0	
VMP-34-10	11/27/2017	0946	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-34-10	12/18/2017	1031	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-34-10	1/19/2018	0946	-0.23	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-34-10	2/22/2018	0924	-0.20	-0.29	0.0	0	0.2	20.6	0.1	0.0	0.0	0.0	
VMP-34-10	3/14/2018	1026	-0.21	-0.11	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	
VMP-34-20	4/18/2017	1146	0.00	-0.62	0.0	0	1.7	19.0	0.4	0.0	0.0	0.0	
VMP-34-20	5/24/2017	1108	-0.94	-0.96	0.0	0	1.8	19.7	0.1	0.0	0.0	0.0	
VMP-34-20	6/21/2017	1019	-2.21	-1.17	0.0	0	1.9	18.7	0.4	0.0	0.0	0.0	
VMP-34-20	7/17/2017	1134	-0.15	-0.37	0.0	0	1.6	19.2	0.3	0.0	0.0	0.0	
VMP-34-20	8/16/2017	1119	-0.44	0.00	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	
VMP-34-20	9/13/2017	0936	-0.53	-0.83	0.0	0	4.1	16.6	0.8	0.0	0.0	0.0	
VMP-34-20	10/23/2017	0957	-1.15	-0.83	0.0	0	4.5	16.6	0.5	0.0	0.0	0.0	
VMP-34-20	11/27/2017	0947	-0.72	-0.75	0.0	0	3.6	18.0	0.2	0.0	0.0	0.0	
VMP-34-20	12/18/2017	1032	-0.86	-0.72	0.0	0	3.2	18.4	0.9	0.0	0.0	0.0	
VMP-34-20	1/19/2018	0947	-0.42	-0.42	0.0	0	3.6	17.6	0.2	0.0	0.0	0.0	
VMP-34-20	2/22/2018	0925	-1.01	-0.84	0.0	0	2.6	18.4	0.0	0.0	0.0	0.0	
VMP-34-20	3/14/2018	1027	-0.81	-0.16	0.0	0	1.4	19.8	1.1	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-34-30	4/18/2017	1147	-1.07	-0.55	0.0	0	3.3	18.3	0.4	0.0	0.0	0.0	
VMP-34-30	5/24/2017	1110	-1.05	-1.07	0.0	0	3.2	18.7	0.4	0.0	0.0	0.0	
VMP-34-30-Dup	5/24/2017	1110	NM	NM	0.0	0	3.3	19.0	0.4	0.0	0.0	0.0	Duplicate sample.
VMP-34-30	6/21/2017	1020	-1.44	-1.33	0.0	0	3.2	18.5	0.2	0.0	0.0	0.0	
VMP-34-30-Dup	6/21/2017	1020	NM	NM	0.0	0	3.1	18.6	0.2	0.0	0.0	0.0	Duplicate sample.
VMP-34-30	7/17/2017	1136	-0.99	-1.05	0.0	0	2.9	18.5	0.9	0.0	0.0	0.3	
VMP-34-30	8/16/2017	1120	-0.86	-0.76	0.0	0	3.3	17.8	0.6	1.3	1.3	0.0	
VMP-34-30-Dup	8/16/2017	1120	NM	NM	0.0	0	3.3	17.9	0.6	1.8	1.8	0.0	Duplicate sample.
VMP-34-30	9/13/2017	0938	-1.13	-0.98	0.0	0	3.7	17.2	0.1	0.0	0.0	0.0	
VMP-34-30	10/23/2017	0959	-1.11	-0.94	0.0	0	4.5	16.6	0.2	0.0	0.0	0.0	
VMP-34-30	11/27/2017	0948	-0.88	-0.86	0.0	0	4.5	17.2	0.4	0.6	0.6	0.0	
VMP-34-30	12/18/2017	1033	-0.93	-0.84	0.0	0	4.6	17.2	0.2	0.0	0.0	0.0	
VMP-34-30	1/19/2018	0947	-0.48	-0.47	0.0	0	4.8	17.2	0.3	0.0	0.0	0.0	
VMP-34-30-Dup	1/19/2018	0947	NM	NM	0.0	0	5.1	16.3	0.3	0.0	0.0	0.0	Duplicate sample.
VMP-34-30	2/22/2018	0926	-1.07	-0.97	0.0	0	4.0	17.5	0.1	0.0	0.0	0.0	
VMP-34-30	3/14/2018	1028	-0.90	-0.18	0.0	0	4.1	17.9	0.2	0.0	0.0	0.0	
VMP-34-30-Dup	3/14/2018	1028	NM	NM	0.0	0	4.4	17.7	0.5	0.0	0.0	0.0	Duplicate sample.
VMP-35-10	4/18/2017	1120	-1.53	-1.22	0.0	0	0.0	20.9	0.6	0.0	0.0	0.0	
VMP-35-10	5/24/2017	1144	-1.77	-1.66	0.0	0	0.1	20.9	0.3	0.0	0.0	0.0	
VMP-35-10	6/21/2017	1048	-1.58	-1.82	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-35-10	7/17/2017	1106	-1.29	-1.34	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-35-10	8/16/2017	1036	-1.08	-1.07	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	
VMP-35-10	9/13/2017	0949	-1.14	-1.02	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-35-10	10/23/2017	1040	-1.38	-1.20	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-35-10	11/27/2017	1010	-0.83	-0.76	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-35-10	12/18/2017	1045	-0.81	-0.78	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-35-10	1/19/2018	1015	-0.53	-0.41	0.0	0	0.0	20.9	1.3	5.6	0.8	4.8	
VMP-35-10	2/22/2018	0952	-1.17	-1.17	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-35-10	3/14/2018	1139	-0.29	-0.29	0.0	0	0.0	20.9	0.6	0.0	0.0	0.0	
VMP-35-20	4/18/2017	1121	-0.53	-0.43	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-35-20	5/24/2017	1146	-0.76	-0.65	0.0	0	0.0	20.9	0.7	0.0	0.0	0.0	
VMP-35-20	6/21/2017	1049	-0.79	-0.69	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	
VMP-35-20	7/17/2017	1108	-0.47	-0.54	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	
VMP-35-20	8/16/2017	1037	-0.30	-0.33	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	
VMP-35-20	9/13/2017	0951	-0.35	-0.27	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-35-20	10/23/2017	1042	-0.60	-0.56	0.0	0	0.0	20.9	0.6	0.0	0.0	0.0	
VMP-35-20	11/27/2017	1011	-0.35	-0.31	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	
VMP-35-20	12/18/2017	1046	-0.25	-0.23	0.0	0	0.0	20.4	0.4	0.0	0.0	0.0	
VMP-35-20	1/19/2018	1016	-0.16	-0.11	0.0	0	0.0	20.9	1.5	4.5	0.5	4.0	
VMP-35-20	2/22/2018	0953	-0.56	-0.58	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-35-20	3/14/2018	1141	-0.13	-0.12	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-35-30	4/18/2017	1122	-0.42	-0.31	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-35-30-Dup	4/18/2017	1122	NM	NM	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	Duplicate sample.
VMP-35-30	5/24/2017	1148	-0.44	-0.58	0.0	0	0.0	20.9	1.2	0.0	0.0	0.0	
VMP-35-30	6/21/2017	1050	-0.45	-0.36	0.0	0	0.0	20.9	0.6	0.0	0.0	0.0	
VMP-35-30	7/17/2017	1110	-0.14	-0.24	0.0	0	0.0	20.9	0.8	0.0	0.0	0.0	
VMP-35-30	8/16/2017	1038	0.00	0.00	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	
VMP-35-30	9/13/2017	0953	-0.13	0.00	0.0	0	0.0	20.9	0.8	0.7	0.0	0.7	
VMP-35-30	10/23/2017	1044	-0.26	-0.22	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	
VMP-35-30	11/27/2017	1012	-0.19	-0.17	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	
VMP-35-30	12/18/2017	1047	-0.09	0.00	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	
VMP-35-30	1/19/2018	1017	0.00	0.00	0.0	0	0.0	20.9	0.0	3.8	0.4	3.4	
VMP-35-30	2/22/2018	0954	-0.22	-0.26	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-35-30	3/14/2018	1143	-0.06	-0.06	0.0	0	0.0	20.9	0.7	0.0	0.0	0.0	
VMP-36-10	4/18/2017	1100	0.00	0.00	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-36-10	5/24/2017	1206	0.00	0.00	0.0	0	0.0	20.8	0.3	0.0	0.0	0.0	
VMP-36-10	6/21/2017	1103	0.00	0.00	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-36-10	7/17/2017	1052	0.00	0.00	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	
VMP-36-10	8/16/2017	1022	0.00	0.00	0.0	0	0.0	20.9	0.6	0.0	0.0	0.0	
VMP-36-10	9/13/2017	1006	-1.14	0.00	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-36-10	10/23/2017	1056	-1.56	-0.76	0.0	0	0.0	20.9	0.6	0.0	0.0	0.0	
VMP-36-10	11/27/2017	1021	0.00	-0.27	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-36-10	12/18/2017	1111	0.19	0.00	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	
VMP-36-10	1/19/2018	1026	0.00	0.00	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-36-10	2/22/2018	1018	-0.09	0.00	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-36-10	3/14/2018	1123	0.04	0.00	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-36-20	4/18/2017	1101	-0.60	-0.10	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-36-20	5/24/2017	1208	-0.30	-0.27	0.0	0	0.0	20.9	1.0	0.0	0.0	0.0	
VMP-36-20	6/21/2017	1104	-0.43	-0.35	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	
VMP-36-20	7/17/2017	1054	-0.17	-0.24	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	
VMP-36-20	8/16/2017	1023	-0.15	-0.15	0.0	0	0.0	20.9	0.8	0.0	0.0	0.0	
VMP-36-20	9/13/2017	1008	-0.20	-0.13	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-36-20	10/23/2017	1058	-0.41	-0.23	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-36-20	11/27/2017	1022	-0.18	-0.15	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-36-20	12/18/2017	1112	-0.10	0.00	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	
VMP-36-20	1/19/2018	1027	-0.10	0.00	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-36-20	2/22/2018	1019	-5.72	-0.36	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-36-20	3/14/2018	1125	-0.07	-0.07	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-36-30	4/18/2017	1102	-0.38	-0.18	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-36-30	5/24/2017	1210	-0.32	0.00	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	
VMP-36-30-Dup	5/24/2017	1210	NM	NM	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	Duplicate sample.
VMP-36-30	6/21/2017	1105	0.00	-0.36	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-36-30	7/17/2017	1056	-0.21	-0.28	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-36-30	8/16/2017	1024	-0.16	-0.14	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	
VMP-36-30	9/13/2017	1010	-0.22	-0.12	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	
VMP-36-30	10/23/2017	1100	-0.40	-0.09	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-36-30	11/27/2017	1023	0.00	0.00	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-36-30	12/18/2017	1113	0.00	0.00	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-36-30	1/19/2018	1028	0.00	0.00	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-36-30	2/22/2018	1020	-0.41	-0.12	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-36-30	3/14/2018	1127	0.00	-0.03	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-37-10	4/18/2017	1002	-0.88	-0.93	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-37-10	5/24/2017	1226	-0.93	-0.92	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-37-10	6/21/2017	1120	-1.09	-1.06	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-37-10	7/17/2017	1035	-0.66	-0.58	0.0	0	0.0	20.9	0.6	0.0	0.0	0.0	
VMP-37-10	8/16/2017	1007	-0.55	-0.52	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	
VMP-37-10	9/13/2017	1023	-0.55	-0.52	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-37-10	10/23/2017	1107	-0.97	-0.68	0.0	0	7.6	5.0	0.5	0.0	0.0	0.0	
VMP-37-10	11/27/2017	1035	-0.54	-0.46	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-37-10	12/18/2017	1128	-0.35	-0.35	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-37-10	1/19/2018	1050	0.00	0.00	0.0	0	4.3	13.3	0.1	0.0	0.0	0.0	
VMP-37-10	2/22/2018	1031	-0.58	-0.44	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-37-10	3/14/2018	1151	0.00	-0.05	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-37-20	4/18/2017	1003	-2.88	-3.03	1.3	27	3.9	15.8	177	1303	10.5	1293	
VMP-37-20	5/24/2017	1228	-3.11	-3.09	2.5	51	4.5	15.0	312	2257	13.8	2243	
VMP-37-20	6/21/2017	1121	-3.52	-3.42	1.5	30	5.7	13.3	222	1368	19.4	1349	
VMP-37-20	7/18/2017	1220	-3.19	-3.18	0.6	13	6.7	12.3	138	696	25.7	670	
VMP-37-20	8/16/2017	1008	-2.85	-2.77	0.2	5	8.6	10.5	46.2	377	35.2	342	
VMP-37-20	9/13/2017	1025	-2.80	-2.78	0.2	5	7.9	11.2	35.1	355	72.5	283	
VMP-37-20	10/23/2017	1109	-2.99	-2.60	1.1	23	10.1	5.6	159	1260	112	1148	
VMP-37-20	11/27/2017	1036	-2.53	-2.39	0.2	4	5.5	13.6	39.0	250	25.0	225	
VMP-37-20	12/18/2017	1129	-2.28	-2.24	0.1	2	5.0	14.7	27.7	153	16.4	137	
VMP-37-20	1/19/2018	1051	-0.33	-0.23	0.0	0	0.0	20.9	0.2	2.5	0.0	2.5	Re-sampled due to elevated oxygen.
VMP-37-20	1/19/2018	1439	-0.09	NA	0.0	0	12.8	2.3	8.3	42.5	0.0	42.5	Re-sample.
VMP-37-20	2/22/2018	1032	-1.01	-1.14	0.0	0	7.9	10.5	2.5	0.0	0.0	0.0	
VMP-37-20	3/14/2018	1152	-0.23	-0.20	0.0	0	5.1	14.4	1.0	6.5	2.0	4.5	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-37-30	4/18/2017	1004	-4.20	-4.40	0.0	0	1.7	19.3	0.3	0.0	0.0	0.0	
VMP-37-30-Dup	4/18/2017	1004	NM	NM	0.0	0	1.8	19.1	0.3	0.0	0.0	0.0	Duplicate sample.
VMP-37-30	5/24/2017	1230	-4.63	-4.54	0.0	0	1.5	20.2	0.3	0.0	0.0	0.0	
VMP-37-30	6/21/2017	1122	-5.04	-4.95	0.0	0	1.6	18.3	0.3	0.0	0.0	0.0	
VMP-37-30	7/17/2017	1039	-4.40	-4.16	0.0	0	1.5	19.1	0.5	0.0	0.0	0.0	
VMP-37-30	8/16/2017	1009	-3.97	-4.20	0.0	0	1.7	18.9	0.6	0.0	0.0	0.0	
VMP-37-30	9/13/2017	1027	-4.21	-4.19	0.0	0	2.0	18.6	0.1	0.0	0.0	0.0	
VMP-37-30	10/23/2017	1111	-4.28	-3.82	0.0	0	2.3	19.1	0.9	0.0	0.0	0.0	
VMP-37-30	11/27/2017	1037	-3.42	-3.26	0.0	0	1.3	19.5	0.2	0.0	0.0	0.0	
VMP-37-30	12/18/2017	1130	-3.25	-3.17	0.0	0	1.2	19.7	0.3	0.0	0.0	0.0	
VMP-37-30	1/19/2018	1052	-0.50	-0.34	0.0	0	4.2	14.4	0.1	0.0	0.0	0.0	
VMP-37-30	2/22/2018	1033	-1.60	-1.37	0.0	0	2.8	17.3	0.1	0.0	0.0	0.0	
VMP-37-30-Dup	2/22/2018	1033	NM	NM	0.0	0	2.9	17.2	0.1	0.0	0.0	0.0	Duplicate sample.
VMP-37-30	3/14/2018	1153	-0.34	0.00	0.0	0	1.9	19.1	0.5	0.0	0.0	0.0	
VMP-38-10	4/18/2017	0947	-0.53	-0.70	0.0	0	1.2	19.5	0.2	0.0	0.0	0.0	
VMP-38-10	5/24/2017	1258	-0.57	-0.75	0.0	0	1.5	19.9	0.5	0.0	0.0	0.0	
VMP-38-10	6/21/2017	1135	-0.71	-0.79	0.0	0	1.3	19.1	0.5	0.0	0.0	0.0	
VMP-38-10	7/17/2017	0954	-0.58	-0.63	0.0	0	2.5	17.6	0.7	1.0	0.8	0.2	
VMP-38-10	8/16/2017	0952	-0.48	-0.59	0.0	0	1.8	18.6	0.5	0.0	0.0	0.0	
VMP-38-10	9/13/2017	1112	-0.50	-0.62	0.0	0	1.7	18.6	0.2	0.0	0.0	0.0	
VMP-38-10	10/23/2017	1123	-2.55	-2.53	0.0	0	1.8	18.0	0.6	0.0	0.0	0.0	
VMP-38-10	11/27/2017	1101	-0.52	-0.44	0.0	0	1.1	19.7	0.3	0.0	0.0	0.0	
VMP-38-10	12/18/2017	1142	-0.45	-0.41	0.0	0	0.5	20.4	0.3	0.0	0.0	0.0	
VMP-38-10	1/19/2018	1129	-0.15	-0.11	0.0	0	0.4	20.5	0.1	0.0	0.0	0.0	
VMP-38-10	2/22/2018	1047	-1.09	NM	NM	NM	NM	NM	NM	NM	NM	NM	Water encountered during purge.
VMP-38-10	3/14/2018	1212	0.09	0.00	0.0	0	0.6	20.0	0.1	0.0	0.0	0.0	
VMP-38-20	4/18/2017	0948	-1.97	-2.20	0.0	0	0.4	20.6	1.6	10.4	0.0	10.4	
VMP-38-20	5/24/2017	1300	-2.21	-2.19	0.0	0	0.2	20.9	0.4	0.0	0.0	0.0	
VMP-38-20	6/21/2017	1136	-2.27	-2.29	0.0	0	0.5	20.3	0.8	0.0	0.0	0.0	
VMP-38-20	7/17/2017	0956	-2.00	-0.86	0.0	0	0.5	20.4	0.5	0.0	0.0	0.0	
VMP-38-20	8/16/2017	0953	-0.81	-1.32	0.0	0	0.6	20.2	0.2	0.0	0.0	0.0	
VMP-38-20	9/13/2017	1114	-1.94	-1.81	0.0	0	0.7	20.1	0.3	0.0	0.0	0.0	
VMP-38-20	10/23/2017	1125	-5.50	-4.23	0.0	0	0.7	20.0	0.4	0.0	0.0	0.0	
VMP-38-20	11/27/2017	1102	-1.73	-1.60	0.0	0	0.7	20.2	4.8	26.2	0.0	26.2	
VMP-38-20	12/18/2017	1143	-1.73	-1.56	0.0	0	0.2	20.7	0.9	2.5	0.0	2.5	
VMP-38-20	1/19/2018	1130	1.25	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-38-20	2/22/2018	1048	-1.84	-2.02	0.0	0	0.4	20.5	2.3	25.9	0.0	25.9	
VMP-38-20	3/14/2018	1214	-0.03	0.00	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-38-27	4/18/2017	0949	-2.04	-2.22	0.1	2	0.6	20.3	10.8	62.4	0.0	62.4	
VMP-38-27	5/24/2017	1302	-2.19	-2.21	0.0	0	0.3	20.9	0.5	0.0	0.0	0.0	
VMP-38-27	6/21/2017	1137	-2.28	-2.31	0.0	0	0.4	20.4	0.6	0.0	0.0	0.0	
VMP-38-27	7/17/2017	0958	-1.98	-1.97	0.0	0	0.6	20.3	0.5	0.0	0.0	0.0	
VMP-38-27	8/16/2017	0954	-2.02	-1.98	0.0	0	0.8	20.0	0.4	0.0	0.0	0.0	
VMP-38-27	9/13/2017	1116	-2.01	-1.97	0.0	0	0.9	19.8	0.2	0.0	0.0	0.0	
VMP-38-27	10/23/2017	1127	-2.07	-1.83	0.0	0	1.3	19.5	0.3	0.0	0.0	0.0	
VMP-38-27	11/27/2017	1103	-1.71	-1.52	0.0	0	1.1	19.7	11.1	49.7	0.0	49.7	
VMP-38-27	12/18/2017	1144	-1.66	-1.75	0.0	0	0.2	20.7	1.1	2.3	0.0	2.3	
VMP-38-27	1/19/2018	1131	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well port encased in ice.
VMP-38-27	2/22/2018	1049	-2.32	-2.04	0.0	0	0.0	20.9	0.2	1.6	1.6	0.0	
VMP-38-27	3/14/2018	1216	0.00	-0.07	0.0	0	1.2	18.9	0.3	0.6	0.0	0.6	
VMP-39-10	4/18/2017	0929	-1.43	-1.42	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-39-10	5/24/2017	1313	-1.46	-1.44	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-39-10	6/21/2017	1145	-1.46	-1.57	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-39-10	7/17/2017	0940	-1.31	-1.27	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-39-10	8/16/2017	0923	-1.25	-1.25	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-39-10	9/13/2017	1126	-1.22	-1.18	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-39-10	10/23/2017	1138	-1.29	-1.25	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	
VMP-39-10	11/27/2017	1117	-1.11	-1.08	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-39-10	12/18/2017	1152	-1.05	-1.04	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	
VMP-39-10	1/19/2018	1142	-0.79	-0.73	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-39-10	2/22/2018	1112	-1.75	-1.56	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-39-10	3/14/2018	1227	-0.99	-0.30	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-39-20	4/18/2017	0930	-0.26	-0.57	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-39-20	5/24/2017	1315	-0.62	-0.60	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-39-20	6/21/2017	1146	-0.74	-0.83	0.0	0	0.1	20.8	0.3	0.0	0.0	0.0	
VMP-39-20	7/17/2017	0942	-0.65	-0.61	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	
VMP-39-20	8/16/2017	0924	-0.49	-0.48	0.0	0	0.0	20.9	0.7	0.0	0.0	0.0	
VMP-39-20	9/13/2017	1128	-0.45	-0.50	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-39-20	10/23/2017	1140	-0.62	-0.55	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	
VMP-39-20	11/27/2017	1118	-0.43	-0.39	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-39-20	12/18/2017	1153	-0.34	-0.37	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	
VMP-39-20	1/19/2018	1143	-0.31	-0.27	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-39-20	2/22/2018	1113	-0.97	-0.83	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-39-20	3/14/2018	1228	-0.11	-0.11	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-39-30	4/18/2017	0931	-0.62	-0.61	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-39-30	5/24/2017	1317	-0.65	-0.65	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-39-30-Dup	5/24/2017	1317	NM	NM	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	Duplicate sample.
VMP-39-30	6/21/2017	1147	-0.62	-0.73	0.0	0	0.0	20.9	0.9	0.0	0.0	0.0	
VMP-39-30	7/17/2017	0944	-0.52	-0.49	0.0	0	0.0	20.9	0.6	0.0	0.0	0.0	
VMP-39-30	8/16/2017	0925	-0.43	-0.40	0.0	0	0.0	20.9	0.7	0.0	0.0	0.0	
VMP-39-30	9/13/2017	1130	-0.34	-0.32	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-39-30	10/23/2017	1142	-0.52	-0.48	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	
VMP-39-30	11/27/2017	1119	-0.37	-0.35	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	
VMP-39-30	12/18/2017	1154	-0.30	-0.28	0.0	0	0.0	20.9	0.7	0.6	0.0	0.6	
VMP-39-30	1/19/2018	1144	-0.30	-0.26	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	
VMP-39-30	2/22/2018	1114	-0.94	-0.73	0.1	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-39-30	3/14/2018	1229	-0.10	-0.10	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	
VMP-40-10	4/18/2017	0915	0.00	0.00	0.0	0	0.0	20.9	0.6	0.0	0.0	0.0	
VMP-40-10	5/24/2017	1328	0.00	0.00	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	
VMP-40-10	6/21/2017	1200	0.00	0.00	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-40-10	7/17/2017	0928	0.00	0.00	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-40-10	8/16/2017	0908	0.00	0.00	0.0	0	0.0	20.9	1.3	0.0	0.0	0.0	
VMP-40-10	9/13/2017	1136	0.00	0.00	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-40-10	10/23/2017	1152	0.00	0.00	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	
VMP-40-10	11/27/2017	1125	0.00	0.00	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-40-10	12/18/2017	1204	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-40-10	1/19/2018	1156	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-40-10	2/22/2018	1127	-0.17	0.00	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-40-10	3/14/2018	1240	0.00	0.00	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-40-20	4/18/2017	0916	-0.37	-0.37	0.0	0	0.1	20.7	0.4	0.5	0.5	0.0	
VMP-40-20	5/24/2017	1330	-0.33	-0.39	0.0	0	1.5	19.7	0.3	5.8	5.0	0.8	
VMP-40-20	6/21/2017	1201	-1.48	-1.82	0.0	0	9.7	5.7	0.4	0.0	0.0	0.0	
VMP-40-20	7/17/2017	0930	-1.64	-1.15	0.0	0	4.4	15.3	0.3	0.0	0.0	0.0	
VMP-40-20	8/16/2017	0909	-1.72	-1.28	0.0	0	5.4	14.0	2.3	0.0	0.0	0.0	
VMP-40-20	9/13/2017	1138	-1.20	-1.19	0.0	0	5.0	13.8	0.1	0.0	0.0	0.0	
VMP-40-20	10/23/2017	1154	-1.19	-1.10	0.1	3	8.3	6.7	6.5	862	717	145	Re-sampled due to elevated THC.
VMP-40-20	10/24/2017	1230	-1.52	NM	0.1	2	7.3	10.1	5.6	591	489	102	Re-sample.
VMP-40-20	11/27/2017	1126	-0.88	-0.82	0.1	3	7.2	10.4	11.6	409	249	160	
VMP-40-20	12/18/2017	1205	-0.83	-0.77	0.0	0	4.5	14.8	0.2	0.0	0.0	0.0	
VMP-40-20	1/19/2018	1157	-0.62	-0.73	0.0	0	8.4	5.1	0.4	31.5	31.5	0.0	
VMP-40-20	2/22/2018	1128	-2.14	-1.76	0.0	0	6.1	11.6	0.2	0.0	0.0	0.0	
VMP-40-20	3/14/2018	1242	-0.51	-0.48	5.0	OVR	10.0	6.5	37.9	25680	21470	4210	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-40-30	4/18/2017	0917	-0.24	-0.25	0.0	0	0.0	20.9	0.2	0.2	0.2	0.0	
VMP-40-30	5/24/2017	1332	-0.21	-0.26	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-40-30	6/21/2017	1202	0.00	-0.18	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	
VMP-40-30	7/17/2017	0932	0.00	0.00	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	
VMP-40-30	8/16/2017	0910	-0.12	-0.10	0.0	0	0.0	20.9	0.7	0.0	0.0	0.0	
VMP-40-30	9/13/2017	1140	0.00	0.00	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-40-30	10/23/2017	1156	-0.11	-0.23	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-40-30	11/27/2017	1127	0.00	0.00	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-40-30	12/18/2017	1206	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-40-30	1/19/2018	1158	0.00	0.00	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	
VMP-40-30	2/22/2018	1129	-0.20	-0.12	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-40-30	3/14/2018	1244	-0.03	-0.03	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-41-10	4/18/2017	0838	0.00	0.00	0.0	0	0.4	20.5	0.5	0.0	0.0	0.0	
VMP-41-10	5/24/2017	0900	0.00	0.00	0.0	0	0.9	20.6	0.3	0.0	0.0	0.0	
VMP-41-10	6/21/2017	1118	0.00	0.00	0.0	0	1.1	19.8	0.5	0.0	0.0	0.0	
VMP-41-10	7/17/2017	1036	0.00	0.00	0.0	0	1.1	20.2	0.3	0.0	0.0	0.0	
VMP-41-10	8/16/2017	0955	0.00	0.00	0.0	0	0.9	20.1	0.9	0.0	0.0	0.0	
VMP-41-10	9/13/2017	0934	0.00	0.00	0.0	0	0.7	20.4	0.4	0.0	0.0	0.0	
VMP-41-10	10/23/2017	1125	0.00	0.00	0.0	0	0.5	20.3	0.3	0.0	0.0	0.0	
VMP-41-10	11/27/2017	1013	0.00	0.00	0.0	0	0.3	20.7	0.3	0.0	0.0	0.0	
VMP-41-10	12/18/2017	1033	0.00	0.00	0.0	0	0.3	20.6	0.1	0.0	0.0	0.0	
VMP-41-10	1/17/2018	1232	0.00	0.00	0.0	0	0.2	20.5	0.1	0.0	0.0	0.0	
VMP-41-10	2/21/2018	1016	0.00	-0.16	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	
VMP-41-10	3/14/2018	1022	0.00	0.00	0.0	0	0.2	20.7	0.1	0.0	0.0	0.0	
VMP-41-20	4/18/2017	0840	0.00	0.00	0.0	0	0.4	20.5	0.3	0.0	0.0	0.0	
VMP-41-20	5/24/2017	0906	0.00	0.00	0.0	0	0.6	20.6	0.1	0.0	0.0	0.0	
VMP-41-20	6/21/2017	1119	0.00	0.00	0.0	0	0.9	19.8	0.4	0.0	0.0	0.0	
VMP-41-20	7/17/2017	1037	0.00	0.00	0.0	0	1.1	20.0	0.3	0.0	0.0	0.0	
VMP-41-20	8/16/2017	0956	-0.45	0.00	0.0	0	1.1	19.9	0.5	0.0	0.0	0.0	
VMP-41-20	9/13/2017	0935	-0.09	0.00	0.0	0	1.0	20.1	0.2	0.0	0.0	0.0	
VMP-41-20	10/23/2017	1126	0.00	0.00	0.0	0	0.8	20.0	0.6	0.0	0.0	0.0	
VMP-41-20	11/27/2017	1014	0.00	0.00	0.0	0	0.6	20.4	0.1	0.0	0.0	0.0	
VMP-41-20	12/18/2017	1034	0.00	0.00	0.0	0	0.6	20.5	0.1	0.0	0.0	0.0	
VMP-41-20	1/17/2018	1233	0.00	0.00	0.0	0	0.5	20.3	0.0	0.0	0.0	0.0	
VMP-41-20	2/21/2018	1017	-0.09	-0.25	0.0	0	0.2	20.8	0.2	0.0	0.0	0.0	
VMP-41-20	3/14/2018	1023	0.00	0.00	0.0	0	0.3	20.6	0.5	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-41-26	4/18/2017	0842	0.00	0.00	0.0	0	0.5	20.4	0.3	0.0	0.0	0.0	
VMP-41-26-Dup	4/18/2017	0842	NM	NM	0.0	0	0.5	20.4	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-41-26	5/24/2017	0909	0.00	0.00	0.0	0	0.6	20.5	0.3	0.0	0.0	0.0	
VMP-41-26-Dup	5/24/2017	0909	NM	NM	0.0	0	0.7	20.5	0.3	0.0	0.0	0.0	Duplicate sample.
VMP-41-26	6/21/2017	1120	0.00	0.00	0.0	0	0.8	19.7	0.3	0.0	0.0	0.0	
VMP-41-26	7/17/2017	1038	0.00	0.00	0.0	0	1.1	19.8	0.0	0.0	0.0	0.0	
VMP-41-26	8/16/2017	0957	0.00	0.00	0.0	0	1.2	19.7	0.8	0.0	0.0	0.0	
VMP-41-26	9/13/2017	0936	-0.10	0.00	0.0	0	1.3	19.8	0.2	0.0	0.0	0.0	
VMP-41-26	10/23/2017	1127	0.00	0.00	0.0	0	1.1	19.7	0.2	0.0	0.0	0.0	
VMP-41-26	11/27/2017	1015	0.00	0.00	0.0	0	0.9	20.0	0.3	0.0	0.0	0.0	
VMP-41-26	12/18/2017	1035	0.00	0.00	0.0	0	0.9	20.1	0.1	0.0	0.0	0.0	
VMP-41-26-Dup	12/18/2017	1035	NM	NM	0.0	0	0.9	20.1	0.2	0.0	0.0	0.0	Duplicate sample.
VMP-41-26	1/17/2018	1234	0.00	-0.21	0.0	0	0.8	19.8	0.0	0.0	0.0	0.0	
VMP-41-26-Dup	1/17/2018	1234	NM	NM	0.0	0	0.9	19.8	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-41-26	2/21/2018	1018	-0.11	-0.17	0.0	0	0.5	20.5	0.2	0.0	0.0	0.0	
VMP-41-26-Dup	2/21/2018	1018	NM	NM	0.0	0	0.5	20.5	0.2	0.0	0.0	0.0	Duplicate sample.
VMP-41-26	3/14/2018	1024	0.00	-0.09	0.0	0	0.5	20.3	0.9	0.0	0.0	0.0	
VMP-41-26-Dup	3/14/2018	1024	NM	NM	0.0	0	0.5	20.3	1.0	0.0	0.0	0.0	Duplicate sample.
VMP-42-10	4/19/2017	1338	0.00	0.00	0.0	0	0.3	20.4	0.2	0.0	0.0	0.0	
VMP-42-10	5/25/2017	1248	-0.13	-0.13	0.0	0	0.6	20.2	0.3	0.0	0.0	0.0	
VMP-42-10	6/22/2017	1020	0.00	0.00	0.0	0	1.1	19.7	0.1	0.0	0.0	0.0	
VMP-42-10	7/18/2017	1023	-0.21	-0.15	0.0	0	1.5	19.6	0.1	0.0	0.0	0.0	
VMP-42-10	8/17/2017	1058	0.00	0.00	0.0	0	1.7	19.4	0.3	0.0	0.0	0.0	
VMP-42-10	9/14/2017	1115	0.00	0.00	0.0	0	1.6	19.6	0.2	0.0	0.0	0.0	
VMP-42-10	10/24/2017	1125	0.00	-0.09	0.0	0	1.3	19.8	0.1	0.0	0.0	0.0	
VMP-42-10	11/28/2017	951	0.00	0.00	0.0	0	0.7	20.4	0.5	0.0	0.0	0.0	
VMP-42-10	12/19/2017	1102	0.00	0.00	0.0	0	0.5	20.5	0.2	0.0	0.0	0.0	
VMP-42-10	1/19/2018	0950	0.00	0.00	0.0	0	0.3	20.5	0.2	0.0	0.0	0.0	
VMP-42-10	2/22/2018	1130	0.00	0.00	0.0	0	0.3	20.8	0.1	0.0	0.0	0.0	
VMP-42-10	3/15/2018	1236	0.00	0.00	0.0	0	0.3	20.5	0.1	0.0	0.0	0.0	
VMP-42-20	4/19/2017	1339	-0.14	0.00	0.0	0	0.8	19.9	0.6	0.0	0.0	0.0	
VMP-42-20	5/25/2017	1250	-0.39	-0.37	0.0	0	1.2	19.5	0.6	0.0	0.0	0.0	
VMP-42-20	6/22/2017	1021	-0.19	-0.13	0.0	0	1.7	18.9	0.1	0.0	0.0	0.0	
VMP-42-20	7/18/2017	1025	-0.21	-0.15	0.0	0	2.3	18.7	0.2	0.0	0.0	0.0	
VMP-42-20	8/17/2017	1059	-0.18	-0.15	0.0	0	3.0	18.1	0.7	0.0	0.0	0.0	
VMP-42-20	9/14/2017	1117	-0.12	-0.12	0.0	0	3.1	18.3	0.2	0.0	0.0	0.0	
VMP-42-20	10/24/2017	1127	-0.32	-0.33	0.0	0	2.9	18.8	0.3	0.0	0.0	0.0	
VMP-42-20	11/28/2017	952	-0.14	-0.22	0.0	0	2.0	19.6	0.6	0.0	0.0	0.0	
VMP-42-20	12/19/2017	1103	-0.21	-0.09	0.0	0	1.7	19.9	0.2	0.0	0.0	0.0	
VMP-42-20	1/19/2018	0951	-0.14	0.00	0.0	0	1.4	20.0	0.2	0.0	0.0	0.0	
VMP-42-20	2/22/2018	1131	-0.10	-0.15	0.0	0	1.0	20.5	0.6	0.0	0.0	0.0	
VMP-42-20	3/15/2018	1237	-0.12	-0.17	0.0	0	0.8	20.1	0.3	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-42-30	4/19/2017	1340	-0.40	-0.34	0.0	0	0.9	20.0	0.4	0.0	0.0	0.0	
VMP-42-30-Dup	4/19/2017	1340	NM	NM	0.0	0	0.9	20.1	0.4	0.0	0.0	0.0	Duplicate sample.
VMP-42-30	5/25/2017	1252	-0.90	-0.88	0.0	0	1.0	19.8	0.5	0.0	0.0	0.0	
VMP-42-30	6/22/2017	1022	-0.47	-0.38	0.0	0	1.3	19.1	0.0	0.0	0.0	0.0	
VMP-42-30	7/18/2017	1027	-0.55	-0.46	0.0	0	1.7	19.0	0.9	0.0	0.0	0.0	
VMP-42-30-Dup	7/18/2017	1027	NM	NM	0.0	0	1.8	18.9	0.9	0.0	0.0	0.0	Duplicate sample.
VMP-42-30	8/17/2017	1100	-0.50	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-42-30	9/14/2017	1119	-0.43	-0.40	0.0	0	2.8	18.6	0.3	0.0	0.0	0.0	
VMP-42-30	10/24/2017	1129	-0.81	-0.80	0.0	0	3.1	18.6	0.1	0.0	0.0	0.0	
VMP-42-30	11/28/2017	953	-0.60	-0.59	0.0	0	2.5	19.4	0.3	0.0	0.0	0.0	
VMP-42-30-Dup	11/28/2017	953	NM	NM	0.0	0	2.4	19.5	0.3	0.0	0.0	0.0	Duplicate sample.
VMP-42-30	12/19/2017	1104	-0.55	-0.45	0.0	0	2.0	19.7	0.1	0.0	0.0	0.0	
VMP-42-30	1/19/2018	0952	-0.37	0.00	0.0	0	2.1	19.8	0.2	0.0	0.0	0.0	
VMP-42-30	2/22/2018	1132	-0.48	-0.36	0.0	0	1.4	20.2	0.1	0.0	0.0	0.0	
VMP-42-30	3/15/2018	1238	-0.51	-0.61	0.0	0	1.2	19.9	0.2	0.0	0.0	0.0	
VMP-43-10	4/19/2017	1422	-3.23	-3.18	0.0	0	0.1	20.8	1.1	2.3	0.0	2.3	
VMP-43-10	5/25/2017	1422	-3.72	-3.78	0.0	0	0.3	20.6	0.7	0.0	0.0	0.0	
VMP-43-10	6/22/2017	1201	-3.68	-3.73	0.0	0	0.3	20.5	0.3	0.0	0.0	0.0	
VMP-43-10	7/18/2017	1202	-3.19	-1.63	0.0	0	0.3	20.7	0.2	0.0	0.0	0.0	
VMP-43-10	8/17/2017	1350	-3.20	-3.08	0.0	0	0.4	20.6	0.6	0.0	0.0	0.0	
VMP-43-10	9/14/2017	1129	-2.81	-2.77	0.0	0	0.2	20.6	0.3	0.0	0.0	0.0	
VMP-43-10	10/24/2017	1337	-3.24	-3.26	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	
VMP-43-10	11/28/2017	1312	-2.29	-2.42	0.0	0	0.1	20.8	0.3	1.3	1.3	0.0	
VMP-43-10	12/19/2017	1120	-2.15	-2.10	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	
VMP-43-10	1/19/2018	0904	-1.54	-0.65	0.0	0	0.1	20.8	1.2	7.5	1.2	6.3	
VMP-43-10	2/22/2018	0929	-2.50	-2.77	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-43-10	3/15/2018	1003	-3.04	-2.96	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	
VMP-43-20	4/19/2017	1424	-4.69	-4.71	0.0	0	0.1	20.8	0.3	0.0	0.0	0.0	
VMP-43-20	5/25/2017	1424	-5.52	-5.64	0.0	0	0.3	20.5	0.5	0.0	0.0	0.0	
VMP-43-20	6/22/2017	1202	-5.51	-5.57	0.0	0	0.4	20.4	0.3	0.0	0.0	0.0	
VMP-43-20	7/18/2017	1203	-5.29	-5.16	0.0	0	0.2	20.7	0.3	0.0	0.0	0.0	
VMP-43-20	8/17/2017	1351	-5.02	-5.08	0.0	0	0.2	20.7	0.7	0.0	0.0	0.0	
VMP-43-20	9/14/2017	1130	-4.71	-4.69	0.0	0	0.2	20.7	0.7	0.0	0.0	0.0	
VMP-43-20	10/24/2017	1339	-5.17	-5.18	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	
VMP-43-20	11/28/2017	1313	-3.94	-4.10	0.0	0	0.1	20.8	0.3	1.8	1.8	0.0	
VMP-43-20	12/19/2017	1121	-3.73	-3.66	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-43-20	1/19/2018	0905	-2.77	-2.97	0.0	0	0.1	20.8	0.9	4.8	1.0	3.8	
VMP-43-20	2/22/2018	0930	-4.38	-4.28	0.0	0	0.0	20.9	0.6	0.0	0.0	0.0	
VMP-43-20	3/15/2018	1004	-4.81	-4.72	0.0	0	0.1	20.9	0.2	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-43-30	4/19/2017	1426	-6.72	-6.70	0.0	0	0.2	20.6	0.7	0.0	0.0	0.0	
VMP-43-30	5/25/2017	1426	-7.60	-7.63	0.0	0	0.4	20.4	0.4	0.0	0.0	0.0	
VMP-43-30	6/22/2017	1203	-7.89	-7.92	0.0	0	0.3	20.5	0.8	0.0	0.0	0.0	
VMP-43-30	7/18/2017	1204	-7.70	-6.13	0.0	0	0.4	20.5	0.7	0.0	0.0	0.0	
VMP-43-30	8/17/2017	1352	-7.44	-7.45	0.0	0	0.4	20.6	0.8	0.0	0.0	0.0	
VMP-43-30	9/14/2017	1131	-6.70	-6.94	0.0	0	0.3	20.6	0.8	0.0	0.0	0.0	
VMP-43-30	10/24/2017	1341	-7.44	-7.46	0.0	0	0.1	20.7	0.3	0.0	0.0	0.0	
VMP-43-30	11/28/2017	1314	-6.15	-6.31	0.0	0	0.2	20.7	0.6	2.8	2.8	2.8	
VMP-43-30	12/19/2017	1122	-5.24	-5.14	0.0	0	0.0	20.8	0.2	0.0	0.0	0.0	
VMP-43-30	1/19/2018	1327	-3.94	-3.94	0.0	0	0.2	20.5	0.2	0.0	0.0	0.0	
VMP-43-30	2/22/2018	0931	-6.66	-6.54	0.0	0	0.1	20.7	0.5	0.0	0.0	0.0	
VMP-43-30	3/15/2018	1005	-6.93	-7.13	0.0	0	0.2	20.7	0.3	0.0	0.0	0.0	
VMP-44-10	4/19/2017	1048	0.00	0.00	0.0	0	0.5	20.3	0.5	0.0	0.0	0.0	
VMP-44-10	5/25/2017	1125	0.00	0.00	0.0	0	1.0	19.7	0.4	0.0	0.0	0.0	
VMP-44-10	6/22/2017	1033	0.00	0.00	0.0	0	1.7	18.9	0.3	0.0	0.0	0.0	
VMP-44-10	7/18/2017	0947	0.00	0.00	0.0	0	2.3	18.1	0.6	0.0	0.0	0.0	
VMP-44-10	8/17/2017	1249	0.00	-0.12	0.0	0	2.0	18.6	0.8	0.0	0.0	0.0	
VMP-44-10	9/14/2017	0913	0.00	0.00	0.0	0	1.4	19.2	0.5	0.0	0.0	0.0	
VMP-44-10	10/24/2017	1245	-0.14	-0.14	0.0	0	1.2	19.5	0.2	0.0	0.0	0.0	
VMP-44-10	11/28/2017	1012	0.00	0.00	0.0	0	0.6	20.3	0.1	0.0	0.0	0.0	
VMP-44-10	12/19/2017	1026	-0.12	0.00	0.0	0	0.2	20.6	0.1	0.0	0.0	0.0	
VMP-44-10	1/18/2018	1450	0.00	0.00	0.0	0	0.7	17.6	0.1	32.7	32.7	0.0	Re-sampled due to elevated methane.
VMP-44-10	1/19/2018	1447	0.00	NM	0.0	0	0.5	18.7	0.3	36.7	36.7	0.0	Re-sample.
VMP-44-10	2/22/2018	0813	0.00	0.00	0.0	0	0.2	20.5	0.1	0.0	0.0	0.0	
VMP-44-10	3/15/2018	0829	0.00	0.00	0.0	0	0.2	20.7	0.1	0.0	0.0	0.0	
VMP-44-20	4/19/2017	1049	-0.35	-0.17	0.0	0	0.5	20.3	0.7	0.0	0.0	0.0	
VMP-44-20	5/25/2017	1127	0.00	-0.13	0.0	0	0.9	19.8	0.5	0.0	0.0	0.0	
VMP-44-20	6/22/2017	1034	-0.16	-0.09	0.0	0	1.7	18.9	0.5	0.0	0.0	0.0	
VMP-44-20	7/18/2017	0948	-0.17	-0.13	0.0	0	2.2	18.2	0.6	0.0	0.0	0.0	
VMP-44-20	8/17/2017	1250	-0.21	-0.29	0.0	0	2.1	18.3	0.5	0.0	0.0	0.0	
VMP-44-20	9/14/2017	0914	-0.10	-0.12	0.0	0	1.1	19.6	0.4	0.0	0.0	0.0	
VMP-44-20	10/24/2017	1246	-2.88	-0.21	0.0	0	1.4	19.3	0.1	0.0	0.0	0.0	
VMP-44-20	11/28/2017	1013	0.00	0.00	0.0	0	0.4	20.4	0.0	0.0	0.0	0.0	
VMP-44-20	12/19/2017	1027	-0.16	-0.11	0.0	0	0.1	20.7	0.1	0.0	0.0	0.0	
VMP-44-20	1/18/2018	1451	0.00	0.00	0.0	0	0.4	18.4	0.2	29.7	29.7	0.0	Re-sampled due to elevated methane.
VMP-44-20	1/19/2018	1448	0.00	NM	0.0	0	0.2	19.4	0.2	47.0	47.0	0.0	Re-sample.
VMP-44-20	2/22/2018	0814	-0.37	0.00	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-44-20	3/15/2018	0830	0.00	0.00	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-44-30	4/19/2017	1050	-0.09	0.00	0.0	0	0.5	20.3	0.4	0.0	0.0	0.0	
VMP-44-30	5/25/2017	1129	0.00	-0.10	0.0	0	0.9	19.8	0.3	0.0	0.0	0.0	
VMP-44-30	6/22/2017	1035	0.00	0.00	0.0	0	1.6	19.3	0.3	0.0	0.0	0.0	
VMP-44-30-Dup	6/22/2017	1035	NM	NM	0.0	0	1.6	19.3	0.4	0.0	0.0	0.0	Duplicate sample.
VMP-44-30	7/18/2017	0949	0.00	0.00	0.0	0	2.0	18.5	0.2	0.0	0.0	0.0	
VMP-44-30-Dup	7/18/2017	0949	NM	NM	0.0	0	2.1	18.4	0.2	0.0	0.0	0.0	Duplicate sample.
VMP-44-30	8/17/2017	1251	0.00	-0.14	0.0	0	1.8	18.8	0.7	1.7	1.7	0.0	
VMP-44-30	9/14/2017	0915	-0.27	0.00	0.0	0	1.3	19.4	0.3	0.0	0.0	0.0	
VMP-44-30	10/24/2017	1247	-0.13	-0.16	0.0	0	1.1	19.5	0.1	0.0	0.0	0.0	
VMP-44-30	11/28/2017	1014	0.00	0.00	0.0	0	0.5	20.3	0.0	0.0	0.0	0.0	
VMP-44-30-Dup	11/28/2017	1014	NM	NM	0.0	0	0.5	20.3	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-44-30	12/19/2017	1028	-0.15	-0.10	0.0	0	0.3	20.6	0.1	0.0	0.0	0.0	
VMP-44-30-Dup	12/19/2017	1028	NM	NM	0.0	0	0.3	20.6	0.2	0.0	0.0	0.0	Duplicate sample.
VMP-44-30	1/18/2018	1452	0.00	0.00	0.0	0	0.6	17.2	0.2	36.5	36.5	0.0	Re-sampled due to elevated methane.
VMP-44-30	1/19/2018	1449	0.00	NM	0.0	0	0.3	18.9	0.2	48.3	48.3	0.0	Resample.
VMP-44-30	2/22/2018	0815	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-44-30	3/15/2018	0831	0.00	0.00	0.0	0	0.3	20.6	0.2	0.0	0.0	0.0	
VMP-45-10	4/19/2017	0906	-0.15	0.00	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-45-10	5/25/2017	0938	-0.16	-0.15	0.0	0	0.2	20.7	0.3	0.0	0.0	0.0	
VMP-45-10	6/22/2017	0811	-0.33	-0.12	0.0	0	0.2	20.6	0.0	0.0	0.0	0.0	
VMP-45-10	7/18/2017	0848	0.00	0.00	0.0	0	0.3	20.7	0.2	0.0	0.0	0.0	
VMP-45-10	8/17/2017	1041	-0.13	-0.09	0.0	0	0.2	20.7	0.4	0.0	0.0	0.0	
VMP-45-10	9/14/2017	0819	-0.18	-0.10	0.0	0	0.2	20.6	0.3	0.0	0.0	0.0	
VMP-45-10	10/24/2017	0921	-0.21	-0.17	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-45-10	11/28/2017	836	-0.11	0.00	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-45-10	12/19/2017	0827	-0.20	-0.18	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-45-10	1/18/2018	1103	0.00	0.00	0.0	0	0.1	20.7	0.2	0.0	0.0	0.0	
VMP-45-10	2/21/2018	1539	0.00	0.00	0.0	0	0.0	20.9	0.7	0.0	0.0	0.0	
VMP-45-10	3/14/2018	1434	0.00	0.00	0.0	0	0.1	20.7	0.1	0.0	0.0	0.0	
VMP-45-20	4/19/2017	0908	-0.12	0.00	0.0	0	0.1	20.9	0.0	0.0	0.0	0.0	
VMP-45-20	5/25/2017	0940	-0.14	-0.13	0.0	0	0.2	20.8	0.3	0.0	0.0	0.0	
VMP-45-20	6/22/2017	0812	-0.29	-0.12	0.0	0	0.2	20.6	0.2	0.0	0.0	0.0	
VMP-45-20	7/18/2017	0849	0.00	0.00	0.0	0	0.2	20.7	0.1	0.0	0.0	0.0	
VMP-45-20	8/17/2017	1042	-0.14	0.00	0.0	0	0.2	20.7	0.4	0.0	0.0	0.0	
VMP-45-20	9/14/2017	0820	-0.18	0.00	0.0	0	0.2	20.6	0.2	0.0	0.0	0.0	
VMP-45-20	10/24/2017	0922	-0.21	-0.18	0.0	0	0.2	20.7	0.1	0.0	0.0	0.0	
VMP-45-20	11/28/2017	837	-0.10	0.00	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	
VMP-45-20	12/19/2017	0828	-0.21	-0.20	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-45-20	1/18/2018	1104	0.00	0.00	0.0	0	0.4	20.4	0.1	0.0	0.0	0.0	
VMP-45-20	2/21/2018	1540	0.00	0.00	0.0	0	0.1	20.8	0.3	0.0	0.0	0.0	
VMP-45-20	3/14/2018	1435	0.00	0.00	0.0	0	0.3	20.5	0.1	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-45-30	4/19/2017	0910	-0.62	-0.50	0.0	0	0.3	20.6	0.3	0.0	0.0	0.0	
VMP-45-30	5/25/2017	0942	-0.17	-0.65	0.0	0	0.4	20.4	0.4	0.0	0.0	0.0	
VMP-45-30-Dup	5/25/2017	0942	NM	NM	0.0	0	0.4	20.4	0.4	0.0	0.0	0.0	Duplicate sample.
VMP-45-30	6/22/2017	0813	-0.80	-0.50	0.0	0	0.6	20.2	0.2	0.0	0.0	0.0	
VMP-45-30-Dup	6/22/2017	0813	NM	NM	0.0	0	0.6	20.1	0.4	0.0	0.0	0.0	Duplicate sample.
VMP-45-30	7/18/2017	0850	-0.50	0.00	0.0	0	0.7	20.1	0.2	0.0	0.0	0.0	
VMP-45-30	8/17/2017	1043	-0.53	-0.44	0.0	0	0.8	20.2	0.5	0.0	0.0	0.0	
VMP-45-30-Dup	8/17/2017	1043	NM	NM	0.0	0	0.8	20.2	0.5	0.0	0.0	0.0	Duplicate sample.
VMP-45-30	9/14/2017	0821	-0.53	-0.43	0.0	0	0.8	20.1	0.4	0.0	0.0	0.0	
VMP-45-30	10/24/2017	0923	-0.59	-0.53	0.0	0	0.7	20.2	0.0	0.0	0.0	0.0	
VMP-45-30	11/28/2017	838	-0.44	-0.31	0.0	0	0.5	20.4	0.0	0.0	0.0	0.0	
VMP-45-30	12/19/2017	0829	-0.56	-0.51	0.0	0	0.4	20.6	0.1	0.0	0.0	0.0	
VMP-45-30-Dup	12/19/2017	0829	NM	NM	0.0	0	0.4	20.6	0.1	0.0	0.0	0.0	Duplicate sample.
VMP-45-30	1/18/2018	1105	0.00	0.11	0.0	0	1.0	19.5	0.1	0.0	0.0	0.0	
VMP-45-30	2/21/2018	1541	0.00	-0.15	0.0	0	0.6	20.4	0.3	0.0	0.0	0.0	
VMP-45-30	3/14/2018	1436	0.00	0.00	0.0	0	0.5	20.3	0.0	0.0	0.0	0.0	
VMP-46-10	4/18/2017	1209	-0.11	0.00	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-46-10	5/24/2017	1044	-0.11	-0.18	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-46-10	6/21/2017	1004	-0.24	-0.18	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-46-10	7/17/2017	1144	0.00	-0.15	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	
VMP-46-10	8/16/2017	1139	0.00	0.00	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	
VMP-46-10	9/13/2017	0920	0.00	0.00	0.0	0	0.0	20.9	0.6	0.0	0.0	0.0	
VMP-46-10	10/23/2017	0940	-0.19	0.00	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-46-10	11/27/2017	0935	-0.12	-0.09	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-46-10	12/18/2017	1020	0.21	0.00	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	
VMP-46-10	1/19/2018	0925	0.00	0.00	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-46-10	2/22/2018	0910	-0.25	-0.11	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-46-10	3/14/2018	1003	-0.11	0.00	0.0	0	0.0	20.9	0.9	0.0	0.0	0.0	
VMP-46-20	4/18/2017	1210	-0.13	0.00	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-46-20	5/24/2017	1046	-0.12	-0.17	0.0	0	0.1	20.9	0.1	0.0	0.0	0.0	
VMP-46-20	6/21/2017	1005	-0.25	-0.31	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-46-20	7/17/2017	1146	0.00	-0.15	0.0	0	0.0	20.9	0.4	0.2	0.0	0.2	
VMP-46-20	8/16/2017	1140	0.00	0.00	0.0	0	0.0	20.9	0.6	0.0	0.0	0.0	
VMP-46-20	9/13/2017	0922	-0.11	0.00	0.0	0	0.0	20.9	0.7	0.0	0.0	0.0	
VMP-46-20	10/23/2017	0942	-0.14	0.00	0.0	0	0.2	20.6	0.1	0.0	0.0	0.0	
VMP-46-20	11/27/2017	0936	-0.13	-0.17	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-46-20	12/18/2017	1021	0.00	0.00	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-46-20	1/19/2018	0926	0.00	0.00	0.0	0	0.1	20.8	0.5	2.2	0.0	2.2	
VMP-46-20	2/22/2018	0911	-0.30	0.16	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-46-20	3/14/2018	1005	-0.10	0.00	0.0	0	0.0	20.9	0.9	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-46-30	4/18/2017	1211	-0.20	0.00	0.0	0	0.2	20.7	0.2	0.0	0.0	0.0	
VMP-46-30	5/24/2017	1048	-0.21	-0.28	0.0	0	0.4	20.6	0.4	0.0	0.0	0.0	
VMP-46-30	6/21/2017	1006	-0.45	-0.29	0.0	0	0.2	20.6	0.2	0.0	0.0	0.0	
VMP-46-30	7/17/2017	1148	-0.17	-0.23	0.0	0	0.4	20.5	0.5	0.0	0.0	0.0	
VMP-46-30-Dup	7/17/2017	1148	NM	NM	0.0	0	0.5	20.4	0.5	0.0	0.0	0.0	Duplicate sample.
VMP-46-30	8/16/2017	1141	-0.15	0.00	0.0	0	0.3	20.6	0.4	0.0	0.0	0.0	
VMP-46-30	9/13/2017	0924	-0.31	-0.17	0.0	0	0.5	20.3	0.7	0.0	0.0	0.0	
VMP-46-30	10/23/2017	0944	-0.34	-0.17	0.0	0	1.0	19.9	0.4	0.0	0.0	0.0	
VMP-46-30	11/27/2017	0937	-0.17	-0.14	0.0	0	0.5	20.5	0.6	0.0	0.0	0.0	
VMP-46-30-Dup	11/27/2017	0937	NM	NM	0.0	0	0.5	20.5	0.6	0.0	0.0	0.0	Duplicate sample.
VMP-46-30	12/18/2017	1022	0.00	0.00	0.0	0	0.3	20.6	0.5	0.0	0.0	0.0	
VMP-46-30	1/19/2018	0927	0.00	0.00	0.0	0	0.6	20.3	0.3	2.6	0.0	2.6	
VMP-46-30	2/22/2018	0912	-0.17	-0.24	0.0	0	0.3	20.6	0.3	0.0	0.0	0.0	
VMP-46-30	3/14/2018	1007	-0.17	0.00	0.0	0	0.1	20.8	0.7	0.0	0.0	0.0	
VMP-47-5	4/19/2017	0930	-0.12	-0.09	0.0	0	0.7	20.2	0.4	0.0	0.0	0.0	
VMP-47-5	5/25/2017	1042	-0.13	-0.37	0.0	0	1.1	19.8	1.1	0.0	0.0	0.0	
VMP-47-5	6/22/2017	1000	0.00	0.00	0.0	0	1.3	19.8	0.1	0.0	0.0	0.0	
VMP-47-5	7/17/2017	1545	0.00	-0.12	0.0	0	1.1	19.9	0.2	0.0	0.0	0.0	
VMP-47-5	8/17/2017	0837	0.00	0.00	0.0	0	0.5	20.3	0.3	0.0	0.0	0.0	
VMP-47-5	9/14/2017	0901	0.00	0.00	0.0	0	0.2	20.6	0.6	0.0	0.0	0.0	
VMP-47-5	10/24/2017	0950	0.00	0.00	0.0	0	0.3	20.6	0.2	0.0	0.0	0.0	
VMP-47-5	11/28/2017	804	-0.12	-0.38	0.0	0	0.1	20.7	0.3	0.0	0.0	0.0	
VMP-47-5	12/19/2017	0836	0.00	-0.24	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-47-5	1/19/2018	1108	0.00	0.00	0.0	0	0.2	20.7	0.2	0.0	0.0	0.0	
VMP-47-5	2/22/2018	1556	-0.18	-0.12	0.0	0	0.4	20.4	0.0	0.0	0.0	0.0	
VMP-47-5	3/15/2018	1017	0.00	0.00	0.0	0	0.0	20.9	0.9	0.0	0.0	0.0	
VMP-47-10	4/19/2017	0931	-0.31	-0.28	0.0	0	0.5	20.3	0.4	0.0	0.0	0.0	
VMP-47-10	5/25/2017	1044	-0.36	-0.37	0.0	0	0.8	20.0	0.7	0.0	0.0	0.0	
VMP-47-10	6/22/2017	1001	-0.28	-0.23	0.0	0	0.9	20.0	0.2	0.0	0.0	0.0	
VMP-47-10	7/17/2017	1547	-0.23	-0.29	0.0	0	0.9	20.0	0.5	0.0	0.0	0.0	
VMP-47-10	8/17/2017	0838	-0.21	-0.22	0.0	0	0.9	20.1	0.4	0.0	0.0	0.0	
VMP-47-10	9/14/2017	0903	-0.18	-0.17	0.0	0	0.7	20.1	0.6	0.0	0.0	0.0	
VMP-47-10	10/24/2017	0952	-0.19	-0.18	0.0	0	0.8	20.2	0.2	0.0	0.0	0.0	
VMP-47-10	11/28/2017	805	-0.26	-0.11	0.0	0	0.4	20.5	0.3	0.0	0.0	0.0	
VMP-47-10	12/19/2017	0837	-0.16	-0.14	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	
VMP-47-10	1/19/2018	1109	0.00	-0.09	0.0	0	0.4	20.6	0.1	0.0	0.0	0.0	
VMP-47-10	2/22/2018	1557	-0.24	-0.15	0.0	0	0.3	20.5	0.0	0.0	0.0	0.0	
VMP-47-10	3/15/2018	1018	-0.17	-0.17	0.0	0	0.4	20.5	0.5	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-47-20	4/19/2017	0932	-2.88	-2.78	0.0	0	0.4	20.5	0.4	0.0	0.0	0.0	
VMP-47-20	5/25/2017	1046	-3.30	-3.25	0.0	0	0.8	20.0	0.8	0.0	0.0	0.0	
VMP-47-20	6/22/2017	1002	-2.97	-2.83	0.0	0	1.0	19.9	0.1	0.0	0.0	0.0	
VMP-47-20	7/17/2017	1549	-2.73	-2.78	0.0	0	1.1	19.9	0.6	0.0	0.0	0.0	
VMP-47-20	8/17/2017	0839	-2.99	-2.98	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-47-20	9/14/2017	0905	-3.01	-2.92	0.0	0	0.6	20.2	0.8	0.0	0.0	0.0	
VMP-47-20	10/24/2017	0954	-2.95	-2.88	0.0	0	0.7	20.3	0.2	0.0	0.0	0.0	
VMP-47-20	11/28/2017	806	-2.62	-2.50	0.0	0	0.3	20.6	0.2	0.0	0.0	0.0	
VMP-47-20-Dup	11/28/2017	806	NM	NM	0.0	0	0.3	20.5	0.2	0.0	0.0	0.0	Duplicate sample.
VMP-47-20	12/19/2017	1406	-2.34	-2.29	0.0	0	0.3	20.6	0.1	0.0	0.0	0.0	
VMP-47-20	1/19/2018	1110	-1.57	-1.49	0.0	0	0.3	20.6	0.1	0.0	0.0	0.0	
VMP-47-20	2/22/2018	1558	-2.59	-2.23	0.0	0	0.2	20.6	0.0	0.0	0.0	0.0	
VMP-47-20	3/15/2018	1019	-2.67	-2.59	0.0	0	0.3	20.7	0.0	0.0	0.0	0.0	
VMP-47-30	4/19/2017	0933	-3.89	-3.79	0.0	0	0.6	20.3	0.5	0.0	0.0	0.0	
VMP-47-30	5/25/2017	1048	-4.34	-4.30	0.0	0	0.7	19.8	0.5	0.0	0.0	0.0	
VMP-47-30	6/22/2017	1003	-3.96	-3.82	0.0	0	1.2	19.4	0.2	0.0	0.0	0.0	
VMP-47-30	7/17/2017	1551	-3.71	-3.73	0.0	0	1.2	19.7	0.1	0.0	0.0	0.0	
VMP-47-30	8/17/2017	0840	-4.16	-4.08	0.0	0	1.2	19.8	0.1	0.0	0.0	0.0	
VMP-47-30	9/14/2017	0907	-4.20	-4.11	0.0	0	1.3	19.6	1.0	0.0	0.0	0.0	
VMP-47-30-Dup	9/14/2017	0907	NM	NM	0.0	0	1.3	19.6	1.0	0.0	0.0	0.0	Duplicate sample.
VMP-47-30	10/24/2017	0956	-4.05	-4.01	0.0	0	1.3	19.7	0.1	0.0	0.0	0.0	
VMP-47-30	11/28/2017	807	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-47-30	12/19/2017	1407	-3.39	-3.16	0.0	0	0.7	20.3	0.0	0.0	0.0	0.0	
VMP-47-30	1/19/2018	1111	-2.23	-2.10	0.0	0	0.8	20.2	0.5	0.0	0.0	0.0	
VMP-47-30	2/22/2018	1559	-3.68	-3.13	0.0	0	0.6	20.2	0.1	0.0	0.0	0.0	
VMP-47-30	3/15/2018	1020	-3.38	-3.50	0.0	0	0.5	20.4	0.2	0.0	0.0	0.0	
VMP-48-5	4/19/2017	1119	0.00	0.00	0.0	0	1.1	19.1	0.6	0.0	0.0	0.0	
VMP-48-5	5/25/2017	1212	0.00	0.00	0.0	0	2.5	16.0	0.2	0.0	0.0	0.0	
VMP-48-5	6/22/2017	0925	0.00	0.00	0.0	0	4.5	14.1	0.3	0.0	0.0	0.0	
VMP-48-5	7/18/2017	0945	0.00	0.00	0.0	0	5.6	15.2	0.1	0.0	0.0	0.0	
VMP-48-5	8/17/2017	1037	0.00	0.00	0.0	0	3.1	17.6	0.5	0.0	0.0	0.0	
VMP-48-5	9/14/2017	1006	0.00	0.00	0.0	0	4.1	17.7	0.2	0.0	0.0	0.0	
VMP-48-5	10/24/2017	1046	0.00	0.00	0.0	0	2.2	18.1	0.2	0.0	0.0	0.0	
VMP-48-5	11/28/2017	915	0.00	0.00	0.0	0	1.2	20.0	0.0	0.0	0.0	0.0	
VMP-48-5	12/19/2017	0934	0.00	0.00	0.0	0	0.9	20.2	0.3	0.0	0.0	0.0	
VMP-48-5	1/19/2018	1011	0.00	0.00	0.0	0	1.1	19.9	0.3	0.0	0.0	0.0	
VMP-48-5	2/22/2018	1431	0.00	0.00	0.0	0	0.5	19.5	0.3	0.0	0.0	0.0	
VMP-48-5	3/15/2018	1252	0.00	0.00	0.0	0	0.6	19.5	0.3	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-48-10	4/19/2017	1120	0.00	0.00	0.0	0	1.9	18.9	0.3	0.0	0.0	0.0	
VMP-48-10	5/25/2017	1214	0.00	0.00	0.0	0	2.4	17.3	0.0	0.0	0.0	0.0	
VMP-48-10	6/22/2017	0926	0.00	0.00	0.0	0	3.3	16.5	0.2	0.0	0.0	0.0	
VMP-48-10	7/18/2017	0947	0.00	0.00	0.0	0	4.1	16.1	0.0	0.0	0.0	0.0	
VMP-48-10	8/17/2017	1038	0.00	0.00	0.0	0	5.2	15.2	0.2	0.0	0.0	0.0	
VMP-48-10	9/14/2017	1008	0.00	0.00	0.0	0	5.6	15.8	0.4	0.0	0.0	0.0	
VMP-48-10	10/24/2017	1048	0.00	0.00	0.0	0	5.5	16.1	0.3	0.0	0.0	0.0	
VMP-48-10	11/28/2017	916	-0.34	-0.15	0.0	0	4.5	17.3	0.1	0.0	0.0	0.0	
VMP-48-10	12/19/2017	0935	0.00	0.00	0.0	0	4.0	18.0	0.2	0.0	0.0	0.0	
VMP-48-10	1/19/2018	1012	0.00	0.00	0.0	0	4.0	18.1	0.2	0.0	0.0	0.0	
VMP-48-10	2/22/2018	1432	0.00	0.00	0.0	0	2.9	18.7	0.0	0.0	0.0	0.0	
VMP-48-10	3/15/2018	1253	0.00	0.00	0.0	0	2.4	18.8	0.4	0.0	0.0	0.0	
VMP-48-20	4/19/2017	1121	0.00	0.00	0.0	0	3.1	18.6	0.8	0.0	0.0	0.0	
VMP-48-20	5/25/2017	1215	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-48-20	6/22/2017	0927	-0.17	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-48-20	7/18/2017	0948	-0.69	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-48-20	8/17/2017	1039	0.00	0.00	0.0	0	4.2	15.9	0.3	0.0	0.0	0.0	
VMP-48-20	9/14/2017	1010	0.00	0.00	0.0	0	4.9	15.8	0.3	0.0	0.0	0.0	
VMP-48-20	10/24/2017	1050	0.00	0.00	0.0	0	5.5	16.0	0.1	0.0	0.0	0.0	
VMP-48-20	11/28/2017	917	0.00	-0.20	0.0	0	5.0	16.8	0.5	0.0	0.0	0.0	
VMP-48-20	12/19/2017	1346	-0.26	-0.15	0.0	0	4.9	17.0	0.2	0.0	0.0	0.0	
VMP-48-20	1/19/2018	1013	-0.21	-0.20	0.0	0	4.4	17.9	0.2	0.0	0.0	0.0	
VMP-48-20	2/22/2018	1433	0.00	0.00	0.0	0	3.7	18.3	0.1	0.0	0.0	0.0	
VMP-48-20	3/15/2018	1254	-0.12	0.00	0.0	0	3.2	18.4	0.8	0.0	0.0	0.0	
VMP-48-30	4/19/2017	1122	-0.12	-0.13	0.0	0	6.4	14.6	0.2	0.0	0.0	0.0	
VMP-48-30	5/25/2017	1216	-0.41	-0.50	0.0	0	7.1	14.8	0.3	0.0	0.0	0.0	
VMP-48-30-Dup	5/25/2017	1216	NM	NM	0.0	0	7.2	14.7	0.3	0.0	0.0	0.0	Duplicate sample.
VMP-48-30	6/22/2017	0927	-0.13	0.00	0.0	0	7.1	14.9	0.2	0.0	0.0	0.0	
VMP-48-30-Dup	6/22/2017	0927	NM	NM	0.0	0	7.2	14.9	0.2	0.0	0.0	0.0	Duplicate sample.
VMP-48-30	7/18/2017	0949	-0.31	-0.15	0.0	0	6.8	15.5	0.0	0.0	0.0	0.0	
VMP-48-30	8/17/2017	1040	-0.27	-0.12	0.0	0	7.0	15.2	0.6	0.0	0.0	0.0	
VMP-48-30	9/14/2017	1012	-0.25	-0.14	0.0	0	7.0	15.3	0.1	0.0	0.0	0.0	
VMP-48-30-Dup	9/14/2017	1012	NM	NM	0.0	0	7.2	15.2	0.1	0.0	0.0	0.0	Duplicate sample.
VMP-48-30	10/24/2017	1052	-0.32	-0.43	0.0	0	7.2	14.9	0.2	0.0	0.0	0.0	
VMP-48-30	11/28/2017	918	-0.20	-0.22	0.0	0	7.2	14.9	0.0	0.0	0.0	0.0	
VMP-48-30	12/19/2017	1347	0.00	0.00	0.0	0	7.4	14.8	0.1	0.0	0.0	0.0	
VMP-48-30	1/19/2018	1014	-0.12	0.16	0.0	0	7.6	14.8	0.1	0.0	0.0	0.0	
VMP-48-30	2/22/2018	1434	-0.24	-0.38	0.0	0	7.5	14.7	0.0	0.0	0.0	0.0	
VMP-48-30-Dup	2/22/2018	1434	NM	NM	0.0	0	7.6	14.6	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-48-30	3/15/2018	1255	-0.11	0.00	0.0	0	7.9	14.5	0.4	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-49-5	4/19/2017	1444	-1.38	-1.32	0.0	0	0.3	20.5	0.3	0.0	0.0	0.0	
VMP-49-5	5/25/2017	1352	-1.42	-1.34	0.0	0	0.6	20.2	0.4	0.0	0.0	0.0	
VMP-49-5	6/22/2017	1055	-1.80	-1.69	0.0	0	0.7	20.2	0.1	0.0	0.0	0.0	
VMP-49-5	7/18/2017	1108	-1.42	-1.40	0.0	0	0.7	20.3	0.1	0.0	0.0	0.0	
VMP-49-5	8/17/2017	1217	-1.25	-1.27	0.0	0	0.5	20.4	0.4	0.0	0.0	0.0	
VMP-49-5	9/14/2017	1142	-1.09	-1.07	0.0	0	0.4	20.5	0.3	0.0	0.0	0.0	
VMP-49-5	10/24/2017	1259	-1.05	-0.53	0.0	0	0.3	20.5	0.3	0.0	0.0	0.0	
VMP-49-5	11/28/2017	1241	-0.74	-0.86	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	
VMP-49-5	12/19/2017	1124	-0.58	-0.51	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-49-5	1/19/2018	0823	-0.36	-0.63	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-49-5	2/22/2018	1412	-0.87	-1.04	0.0	0	0.1	20.8	0.3	0.0	0.0	0.0	
VMP-49-5	3/15/2018	1052	-1.10	-1.16	0.0	0	0.1	20.8	0.4	0.0	0.0	0.0	
VMP-49-10	4/19/2017	1445	-0.98	-0.94	0.0	0	0.7	20.1	0.3	0.0	0.0	0.0	
VMP-49-10	5/25/2017	1354	-0.64	-1.12	0.0	0	1.4	19.1	0.4	0.0	0.0	0.0	
VMP-49-10	6/22/2017	1056	-0.35	-0.78	0.0	0	1.7	18.8	0.5	0.0	0.0	0.0	
VMP-49-10	7/18/2017	1110	-0.67	-0.22	0.0	0	0.9	20.1	0.1	0.0	0.0	0.0	
VMP-49-10	8/17/2017	1218	-0.61	0.00	0.0	0	1.3	19.6	0.5	0.0	0.0	0.0	
VMP-49-10	9/14/2017	1144	-0.60	-0.79	0.0	0	0.7	20.2	0.1	0.0	0.0	0.0	
VMP-49-10	10/24/2017	1301	-0.61	-0.60	0.0	0	0.3	20.5	0.3	0.0	0.0	0.0	
VMP-49-10	11/28/2017	1242	-0.39	-0.44	0.0	0	0.1	2.1	0.2	0.0	0.0	0.0	
VMP-49-10	12/19/2017	1125	-0.28	-0.29	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-49-10	1/19/2018	0824	-0.21	-0.19	0.0	0	0.2	20.8	0.1	0.0	0.0	0.0	
VMP-49-10	2/22/2018	1413	-0.63	-0.70	0.0	0	0.1	20.7	0.3	0.0	0.0	0.0	
VMP-49-10	3/15/2018	1053	-0.79	-0.82	0.0	0	0.1	20.8	0.7	0.0	0.0	0.0	
VMP-49-20	4/19/2017	1446	-0.10	0.00	0.0	0	0.7	20.1	0.4	0.0	0.0	0.0	
VMP-49-20	5/25/2017	1356	-0.10	0.00	0.0	0	1.4	19.1	0.5	0.0	0.0	0.0	
VMP-49-20	6/22/2017	1057	-0.10	0.00	0.0	0	1.6	18.9	0.2	0.0	0.0	0.0	
VMP-49-20	7/18/2017	1112	0.00	0.00	0.0	0	1.6	19.4	0.0	0.0	0.0	0.0	
VMP-49-20	8/17/2017	1219	0.00	0.00	0.0	0	1.2	19.6	0.4	0.0	0.0	0.0	
VMP-49-20	9/14/2017	1146	0.00	0.00	0.0	0	0.6	20.3	0.2	0.0	0.0	0.0	
VMP-49-20	10/24/2017	1303	0.00	-0.10	0.0	0	0.1	20.7	0.2	0.0	0.0	0.0	
VMP-49-20	11/28/2017	1243	0.00	0.00	0.0	0	0.1	20.8	0.3	1.1	1.1	0.0	
VMP-49-20	12/19/2017	1126	0.00	0.00	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-49-20	1/19/2018	0825	0.00	0.00	0.0	0	0.1	20.9	0.0	0.0	0.0	0.0	
VMP-49-20	2/22/2018	1414	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-49-20	3/15/2018	1054	0.00	0.00	0.0	0	0.1	20.8	0.1	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-49-30	4/19/2017	1447	-8.60	-8.57	0.0	0	9.9	11.9	0.3	0.0	0.0	0.0	
VMP-49-30	5/25/2017	1358	-9.85	-9.69	0.0	0	9.9	11.9	0.0	0.0	0.0	0.0	
VMP-49-30	6/22/2017	1058	-8.83	-8.59	0.0	0	10.0	11.6	0.6	0.0	0.0	0.0	
VMP-49-30	7/18/2017	1114	-8.52	-8.45	0.0	0	9.5	11.9	0.2	0.0	0.0	0.0	
VMP-49-30	8/17/2017	1220	-8.40	-8.18	0.0	0	5.5	15.6	0.2	0.0	0.0	0.0	
VMP-49-30	9/14/2017	1148	-8.47	-8.36	0.0	0	9.0	11.7	0.7	0.0	0.0	0.0	
VMP-49-30	10/24/2017	1305	-9.26	-9.16	0.0	0	10.1	9.8	0.1	0.0	0.0	0.0	
VMP-49-30	11/28/2017	1244	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-49-30	12/19/2017	1339	-5.47	-4.76	0.0	0	8.8	12.0	0.7	0.0	0.0	0.0	
VMP-49-30	1/19/2018	0826	-5.14	-6.55	0.0	0	8.5	13.6	0.2	0.0	0.0	0.0	
VMP-49-30-Dup	1/19/2018	0826	NM	NM	0.0	0	8.8	13.3	0.2	0.0	0.0	0.0	Duplicate sample.
VMP-49-30	2/22/2018	1415	-8.37	-8.94	0.0	0	9.9	11.6	0.1	0.0	0.0	0.0	
VMP-49-30	3/15/2018	1055	-9.91	-9.93	0.0	0	9.8	12.5	0.5	0.0	0.0	0.0	
VMP-50-5	4/19/2017	1334	0.00	0.00	0.0	0	1.5	18.1	0.3	0.0	0.0	0.0	
VMP-50-5	5/25/2017	1151	0.00	0.00	0.0	0	2.7	16.8	0.3	0.0	0.0	0.0	
VMP-50-5	6/22/2017	1100	0.00	0.00	0.0	0	3.3	16.5	0.3	0.0	0.0	0.0	
VMP-50-5	7/18/2017	1026	0.00	0.00	0.0	0	6.9	12.2	0.0	0.0	0.0	0.0	
VMP-50-5	8/17/2017	1306	0.00	0.00	0.0	0	7.4	11.8	0.4	0.0	0.0	0.0	
VMP-50-5	9/14/2017	1032	0.00	0.00	0.0	0	6.9	11.8	0.4	0.0	0.0	0.0	
VMP-50-5	10/24/2017	1318	0.00	0.00	0.0	0	5.6	13.7	0.1	0.0	0.0	0.0	
VMP-50-5	11/28/2017	1241	0.00	0.00	0.0	0	2.7	17.9	0.1	0.0	0.0	0.0	
VMP-50-5	12/19/2017	1047	0.00	0.00	0.0	0	1.8	19.1	0.1	0.0	0.0	0.0	
VMP-50-5	1/18/2018	1513	0.00	0.00	0.0	0	1.3	19.5	0.0	379	368	11.0	Re-sampled due to elevated methane.
VMP-50-5	1/19/2018	1457	0.00	NM	0.0	0	1.2	19.6	0.2	363	363	0.0	Re-sample.
VMP-50-5	2/22/2018	1017	0.00	0.00	0.0	0	0.1	20.8	0.3	46.7	42.1	4.6	Re-sampled due to elevated oxygen.
VMP-50-5	2/22/2018	1616	0.00	NM	0.0	0	1.0	19.1	0.2	39.5	39.5	0.0	Re-sample.
VMP-50-5	3/15/2018	0859	0.00	0.00	0.0	0	0.8	19.9	0.4	0.0	0.0	0.0	
VMP-50-10	4/19/2017	1336	0.00	0.00	0.0	0	2.3	17.9	0.1	0.0	0.0	0.0	
VMP-50-10	5/25/2017	1156	0.00	0.00	0.0	0	2.9	16.6	0.4	0.0	0.0	0.0	
VMP-50-10	6/22/2017	1101	0.00	0.00	0.0	0	3.6	15.5	0.2	0.0	0.0	0.0	
VMP-50-10	7/18/2017	1027	0.00	0.00	0.0	0	5.1	13.8	0.4	0.0	0.0	0.0	
VMP-50-10	8/17/2017	1307	0.00	0.00	0.0	0	5.7	13.3	1.1	0.0	0.0	0.0	
VMP-50-10	9/14/2017	1033	0.00	0.00	0.0	0	6.4	12.6	0.2	0.0	0.0	0.0	
VMP-50-10	10/24/2017	1319	0.00	0.00	0.0	0	6.5	13.2	0.1	0.0	0.0	0.0	
VMP-50-10	11/28/2017	1242	0.00	0.00	0.0	0	4.8	15.8	0.0	0.0	0.0	0.0	
VMP-50-10	12/19/2017	1048	0.00	0.00	0.0	0	4.0	17.0	0.2	0.0	0.0	0.0	
VMP-50-10	1/18/2018	1514	0.00	0.00	0.0	0	3.3	18.1	0.1	7.6	7.6	0.0	Re-sampled due to elevated methane.
VMP-50-10	1/19/2018	1458	0.00	NM	0.0	0	3.1	18.0	0.3	11.1	11.1	0.0	Re-sample.
VMP-50-10	2/22/2018	1018	0.00	0.00	0.0	0	2.2	19.1	0.1	0.0	0.0	0.0	
VMP-50-10	3/15/2018	0900	0.00	0.00	0.0	0	2.2	18.7	0.1	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-50-20	4/19/2017	1338	0.00	-0.27	0.0	0	3.4	17.9	0.3	0.0	0.0	0.0	
VMP-50-20	5/25/2017	1158	-0.11	-0.13	0.0	0	3.9	17.1	0.6	0.0	0.0	0.0	
VMP-50-20	6/22/2017	1102	0.00	0.00	0.0	0	3.7	16.4	0.4	0.0	0.0	0.0	
VMP-50-20	7/18/2017	1028	-0.32	-4.90	0.0	0	4.0	16.2	0.2	0.0	0.0	0.0	
VMP-50-20	8/17/2017	1308	0.00	-0.90	0.0	0	4.6	15.3	0.6	0.0	0.0	0.0	
VMP-50-20	9/14/2017	1034	0.00	0.00	0.0	0	5.1	14.7	0.2	0.0	0.0	0.0	
VMP-50-20	10/24/2017	1320	-0.14	-0.18	0.0	0	5.9	14.6	0.2	0.0	0.0	0.0	
VMP-50-20	11/28/2017	1243	0.00	0.00	0.0	0	5.9	15.2	0.1	0.0	0.0	0.0	
VMP-50-20	12/19/2017	1049	0.00	0.00	0.0	0	5.7	15.8	0.2	0.0	0.0	0.0	
VMP-50-20	1/18/2018	1515	0.00	0.00	0.0	0	6.1	15.2	0.1	0.0	0.0	0.0	Re-sampled due to elevated methane at other depths.
VMP-50-20	1/19/2018	1459	0.00	NM	0.0	0	5.8	14.9	0.1	0.0	0.0	0.0	Re-sample.
VMP-50-20	2/22/2018	1019	-0.21	-0.10	0.0	0	4.5	17.2	0.3	0.0	0.0	0.0	
VMP-50-20	3/15/2018	0901	-0.13	-0.12	0.0	0	4.3	17.5	0.4	0.0	0.0	0.0	
VMP-50-30	4/19/2017	1340	-3.85	-3.98	0.1	2	1.2	19.5	30.4	153	23.2	130	
VMP-50-30	5/25/2017	1200	-4.80	-4.77	0.0	0	1.1	19.4	15.2	83.5	16.4	67.1	
VMP-50-30	6/22/2017	1103	-4.61	-4.42	0.1	2	1.4	19.0	17.8	112	14.3	97.7	
VMP-50-30	7/18/2017	1029	-4.64	-4.54	0.1	2	1.7	19.3	23.2	106	12.8	93.2	
VMP-50-30	8/17/2017	1309	-4.13	-4.13	0.1	2	2.1	18.8	24.5	136	16.3	120	
VMP-50-30	9/14/2017	1035	-4.06	-4.02	0.1	1	2.0	19.2	44.0	99.3	15.9	83.4	
VMP-50-30-Dup	9/14/2017	1035	NM	NM	0.1	2	2.2	19.0	44.0	152	17.7	134	Duplicate sample.
VMP-50-30	10/24/2017	1321	-4.60	-4.69	0.0	1	1.8	19.2	10.5	68.3	13.8	54.5	
VMP-50-30	11/28/2017	1244	-3.42	-3.45	0.0	1	1.6	19.6	14.3	88.0	2.8	85.2	
VMP-50-30	12/19/2017	1050	-3.70	-3.56	0.0	0	1.5	19.6	13.5	76.9	6.1	70.8	
VMP-50-30	1/18/2018	1516	-1.29	-1.38	0.1	3	3.1	16.6	29.9	302	52.4	250	Re-sampled due to elevated methane at other depths.
VMP-50-30	1/19/2018	1500	-1.28	NM	0.2	4	3.2	16.9	40.1	295	19.1	276	Re-sample.
VMP-50-30	2/22/2018	1020	-3.21	-3.18	0.0	1	1.3	19.9	10.3	91.2	7.1	84.1	
VMP-50-30	3/15/2018	0902	-3.57	-3.53	0.1	2	1.7	19.3	12.5	124	2.3	122	
VMP-51-5	4/19/2017	10005	0.00	0.00	0.0	0	0.4	20.6	0.2	0.0	0.0	0.0	
VMP-51-5	5/25/2017	1000	0.00	0.00	0.0	0	0.6	20.4	0.4	0.0	0.0	0.0	
VMP-51-5	6/22/2017	0835	0.00	0.00	0.0	0	0.8	20.2	0.4	0.0	0.0	0.0	
VMP-51-5	7/18/2017	0913	0.00	0.00	0.0	0	0.7	20.2	0.0	0.0	0.0	0.0	
VMP-51-5	8/17/2017	1100	0.00	0.00	0.0	0	0.6	20.2	0.4	0.0	0.0	0.0	
VMP-51-5	9/14/2017	0851	0.00	0.00	0.0	0	0.5	20.4	0.7	0.0	0.0	0.0	
VMP-51-5	10/24/2017	1015	-0.09	-0.09	0.0	0	0.3	20.4	0.4	0.0	0.0	0.0	
VMP-51-5	11/28/2017	909	0.00	0.00	0.0	0	0.1	20.8	0.1	0.0	0.0	0.0	
VMP-51-5	12/19/2017	0858	-0.13	-0.12	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-51-5	1/18/2018	1428	0.00	0.00	0.0	0	0.1	20.7	0.1	0.0	0.0	0.0	
VMP-51-5	2/21/2018	1601	-0.16	0.00	0.0	0	0.2	20.4	0.4	0.0	0.0	0.0	
VMP-51-5	3/15/2018	0813	0.00	0.00	0.0	0	0.2	20.7	0.2	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-51-10	4/19/2017	1006	-0.18	-0.17	0.0	0	0.7	20.3	0.2	0.0	0.0	0.0	
VMP-51-10	5/25/2017	1003	-0.18	-0.18	0.0	0	1.0	20.1	0.2	0.0	0.0	0.0	
VMP-51-10	6/22/2017	0836	-0.20	-0.15	0.0	0	1.3	19.7	0.1	0.0	0.0	0.0	
VMP-51-10	7/18/2017	0914	-0.17	-0.14	0.0	0	0.9	19.9	0.0	0.0	0.0	0.0	
VMP-51-10	8/17/2017	1101	-0.14	-0.10	0.0	0	1.0	19.9	0.3	0.0	0.0	0.0	
VMP-51-10	9/14/2017	0852	-0.16	-0.12	0.0	0	0.8	20.1	0.9	0.0	0.0	0.0	
VMP-51-10	10/24/2017	1016	-0.18	-0.23	0.0	0	0.5	20.2	0.1	0.0	0.0	0.0	
VMP-51-10-Dup	10/24/2017	1016	NM	NM	0.0	0	0.6	20.2	0.1	0.0	0.0	0.0	Duplicate sample.
VMP-51-10	11/28/2017	910	-0.10	-0.10	0.0	0	0.2	20.6	0.0	0.0	0.0	0.0	
VMP-51-10	12/19/2017	0859	-0.23	-0.24	0.0	0	0.1	20.8	0.1	0.0	0.0	0.0	
VMP-51-10	1/18/2018	1429	0.00	0.00	0.0	0	0.2	20.6	0.1	0.0	0.0	0.0	
VMP-51-10	2/21/2018	1602	-0.20	-0.29	0.0	0	0.2	20.6	0.6	0.0	0.0	0.0	
VMP-51-10	3/15/2018	0814	0.00	0.00	0.0	0	0.3	20.7	0.3	0.0	0.0	0.0	
VMP-51-20	4/19/2017	1007	-0.61	-0.44	0.0	0	0.6	20.2	0.1	0.0	0.0	0.0	
VMP-51-20	5/25/2017	1004	-0.60	-0.56	0.0	0	0.7	19.8	0.3	0.0	0.0	0.0	
VMP-51-20	6/22/2017	0837	-0.51	-0.43	0.0	0	1.4	19.4	0.1	0.0	0.0	0.0	
VMP-51-20	7/18/2017	0915	-0.50	-0.41	0.0	0	1.5	19.6	0.0	0.0	0.0	0.0	
VMP-51-20	8/17/2017	1102	-0.38	-0.34	0.0	0	1.7	19.6	0.2	0.0	0.0	0.0	
VMP-51-20	9/14/2017	0853	-0.39	-0.26	0.0	0	1.3	19.7	0.9	0.0	0.0	0.0	
VMP-51-20	10/24/2017	1017	-0.20	-0.28	0.0	0	0.8	20.2	0.1	0.0	0.0	0.0	
VMP-51-20	11/28/2017	911	-0.30	-0.32	0.0	0	0.6	20.3	0.0	0.0	0.0	0.0	
VMP-51-20	12/19/2017	0900	-0.43	-0.45	0.0	0	0.4	20.6	0.1	0.0	0.0	0.0	
VMP-51-20	1/18/2018	1430	0.00	0.00	0.0	0	0.7	20.0	0.0	0.0	0.0	0.0	
VMP-51-20	2/21/2018	1603	-0.34	-0.31	0.0	0	1.2	20.0	1.2	0.0	0.0	0.0	
VMP-51-20	3/15/2018	0815	0.00	-0.15	0.0	0	0.5	20.5	0.1	0.0	0.0	0.0	
VMP-51-30	4/19/2017	1008	-0.16	-0.46	0.0	0	1.0	19.9	0.5	0.0	0.0	0.0	
VMP-51-30	5/25/2017	1006	0.15	-0.59	0.0	0	1.1	19.7	0.4	0.0	0.0	0.0	
VMP-51-30	6/22/2017	0838	-0.53	-0.50	0.0	0	1.0	19.8	0.2	0.0	0.0	0.0	
VMP-51-30	7/18/2017	0916	-0.60	-0.45	0.0	0	1.8	19.3	0.0	0.0	0.0	0.0	
VMP-51-30	8/17/2017	1103	-0.40	-0.35	0.0	0	1.8	19.4	0.3	0.0	0.0	0.0	
VMP-51-30-Dup	8/17/2017	1103	NM	NM	0.0	0	1.9	19.4	0.3	0.0	0.0	0.0	Duplicate sample.
VMP-51-30	9/14/2017	0854	-0.45	-0.38	0.0	0	1.9	19.2	0.3	0.0	0.0	0.0	
VMP-51-30	10/24/2017	1018	-0.40	-0.48	0.0	0	1.8	19.6	0.1	0.0	0.0	0.0	
VMP-51-30	11/28/2017	912	-0.30	-0.32	0.0	0	1.4	19.8	0.1	0.0	0.0	0.0	
VMP-51-30	12/19/2017	0901	-0.45	-0.47	0.0	0	1.1	20.0	0.2	0.0	0.0	0.0	
VMP-51-30	1/18/2018	1431	0.00	0.00	0.0	0	1.2	19.9	0.0	0.0	0.0	0.0	
VMP-51-30	2/21/2018	1604	-0.37	-0.15	0.0	0	0.6	20.4	1.2	0.0	0.0	0.0	
VMP-51-30	3/15/2018	0816	-0.21	-0.21	0.0	0	1.0	20.0	0.1	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-52-5	4/19/2017	0846	0.00	0.00	0.0	0	1.6	18.5	0.3	0.0	0.0	0.0	
VMP-52-5	5/25/2017	0858	0.00	0.00	0.0	0	2.2	17.2	0.4	0.0	0.0	0.0	
VMP-52-5	6/21/2017	1615	0.00	0.00	0.0	0	3.3	15.1	0.3	0.0	0.0	0.0	
VMP-52-5	7/18/2017	0813	0.00	0.00	0.0	0	4.2	17.2	0.0	0.0	0.0	0.0	
VMP-52-5	8/17/2017	0925	0.00	0.00	0.0	0	3.8	17.5	0.5	0.0	0.0	0.0	
VMP-52-5	9/13/2017	1446	0.00	0.00	0.0	0	1.8	19.8	0.2	0.0	0.0	0.0	
VMP-52-5	10/24/2017	0838	0.00	0.00	0.0	0	1.5	19.4	0.3	0.0	0.0	0.0	
VMP-52-5	11/28/2017	819	-0.34	-0.21	0.0	0	0.5	20.4	0.2	0.0	0.0	0.0	
VMP-52-5	12/18/2017	1430	-0.43	-0.40	0.0	0	0.4	20.5	0.2	0.0	0.0	0.0	
VMP-52-5	1/18/2018	1047	-0.35	-0.36	0.0	0	0.2	20.8	0.1	0.0	0.0	0.0	
VMP-52-5	2/21/2018	1506	-0.80	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-52-5	3/14/2018	1416	-1.04	-0.69	0.0	0	0.4	19.9	0.1	0.0	0.0	0.0	
VMP-52-10	4/19/2017	0848	0.00	0.00	0.0	0	2.2	17.7	0.8	0.0	0.0	0.0	
VMP-52-10	5/25/2017	0900	0.00	0.00	0.0	0	2.3	16.4	0.5	0.0	0.0	0.0	
VMP-52-10	6/21/2017	1617	0.00	0.00	0.0	0	2.9	16.5	0.3	0.0	0.0	0.0	
VMP-52-10	7/18/2017	0814	0.00	0.00	0.0	0	4.3	16.6	0.0	0.0	0.0	0.0	
VMP-52-10	8/17/2017	0926	0.00	0.00	0.0	0	4.9	16.8	0.4	0.0	0.0	0.0	
VMP-52-10	9/13/2017	1447	0.00	0.00	0.0	0	5.0	17.8	0.1	0.0	0.0	0.0	
VMP-52-10	10/24/2017	0839	-0.14	-0.11	0.0	0	3.5	18.5	0.2	0.0	0.0	0.0	
VMP-52-10	11/28/2017	820	-0.40	0.00	0.0	0	1.2	19.8	0.1	0.0	0.0	0.0	
VMP-52-10	12/18/2017	1431	0.00	0.00	0.0	0	0.9	20.1	0.6	0.0	0.0	0.0	
VMP-52-10	1/18/2018	1048	0.25	-0.17	0.0	0	0.9	20.2	0.1	0.0	0.0	0.0	
VMP-52-10	2/21/2018	1507	-0.10	0.00	0.0	0	0.6	20.2	0.1	0.0	0.0	0.0	
VMP-52-10	3/14/2018	1417	0.00	0.00	0.0	0	0.8	18.7	0.2	0.0	0.0	0.0	
VMP-52-20	4/19/2017	0850	-0.74	-0.64	0.0	0	0.7	20.2	0.1	0.0	0.0	0.0	
VMP-52-20	5/25/2017	0902	-1.01	-0.94	0.0	0	0.8	19.8	0.3	0.0	0.0	0.0	
VMP-52-20	6/21/2017	1618	-0.67	-0.69	0.0	0	1.4	19.3	0.2	0.0	0.0	0.0	
VMP-52-20	7/18/2017	0815	-0.56	-0.63	0.0	0	1.7	19.4	0.0	0.0	0.0	0.0	
VMP-52-20	8/17/2017	0927	-0.63	-0.56	0.0	0	2.1	19.0	0.2	0.0	0.0	0.0	
VMP-52-20	9/13/2017	1448	-0.42	-0.40	0.0	0	2.1	19.4	0.3	0.0	0.0	0.0	
VMP-52-20	10/24/2017	0840	-0.58	-0.56	0.0	0	1.8	19.6	0.1	0.0	0.0	0.0	
VMP-52-20	11/28/2017	821	-0.58	-0.35	0.0	0	1.3	19.7	0.1	0.0	0.0	0.0	
VMP-52-20	12/18/2017	1432	-0.44	-0.46	0.0	0	1.1	19.8	0.8	0.0	0.0	0.0	
VMP-52-20	1/18/2018	1049	0.00	0.00	0.0	0	1.3	19.7	0.1	0.0	0.0	0.0	
VMP-52-20	2/21/2018	1508	0.00	-0.26	0.0	0	0.8	20.1	0.0	0.0	0.0	0.0	
VMP-52-20	3/14/2018	1418	0.00	0.17	0.0	0	0.8	20.0	0.1	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-52-30	4/19/2017	0852	-0.75	-0.67	0.0	0	1.4	19.7	0.2	0.0	0.0	0.0	
VMP-52-30-Dup	4/19/2017	0852	NM	NM	0.0	0	1.4	19.7	0.2	0.0	0.0	0.0	Duplicate sample.
VMP-52-30	5/25/2017	0904	-1.02	-0.93	0.0	0	1.4	19.3	0.3	0.0	0.0	0.0	
VMP-52-30	6/21/2017	1619	-0.69	-0.70	0.0	0	1.6	19.1	0.0	0.0	0.0	0.0	
VMP-52-30	7/18/2017	0816	-0.45	-0.63	0.0	0	1.8	19.3	0.2	0.0	0.0	0.0	
VMP-52-30-Dup	7/18/2017	0816	NM	NM	0.0	0	1.9	19.0	0.2	0.0	0.0	0.0	Duplicate sample.
VMP-52-30	8/17/2017	0928	-0.64	-0.57	0.0	0	2.0	18.9	0.1	0.0	0.0	0.0	
VMP-52-30	9/13/2017	1449	-0.43	-0.41	0.0	0	2.2	19.4	0.1	0.0	0.0	0.0	
VMP-52-30	10/24/2017	0841	-0.61	-0.58	0.0	0	2.1	19.5	0.1	0.0	0.0	0.0	
VMP-52-30	11/28/2017	822	-0.58	-0.37	0.0	0	1.8	19.5	0.0	0.0	0.0	0.0	
VMP-52-30-Dup	11/28/2017	822	NM	NM	0.0	0	1.9	19.3	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-52-30	12/18/2017	1433	-0.45	-0.46	0.0	0	1.7	19.3	0.1	0.0	0.0	0.0	
VMP-52-30	1/18/2018	1050	0.00	0.00	0.0	0	1.8	19.5	0.1	0.0	0.0	0.0	
VMP-52-30	2/21/2018	1509	0.00	-0.26	0.0	0	1.4	19.8	1.1	0.0	0.0	0.0	
VMP-52-30	3/14/2018	1419	0.20	0.18	0.0	0	1.4	19.4	0.2	0.0	0.0	0.0	
VMP-53-5	4/18/2017	1336	0.00	0.00	0.0	0	0.6	20.2	0.5	0.0	0.0	0.0	
VMP-53-5	5/24/2017	1454	0.00	0.00	0.0	0	1.2	19.6	0.2	0.0	0.0	0.0	
VMP-53-5	6/21/2017	1430	0.00	0.00	0.0	0	1.7	19.2	0.2	0.0	0.0	0.0	
VMP-53-5	7/17/2017	1358	0.00	0.00	0.0	0	1.8	19.3	0.6	0.0	0.0	0.0	
VMP-53-5	8/16/2017	1530	0.00	0.00	0.0	0	1.5	19.9	0.8	0.0	0.0	0.0	
VMP-53-5	9/13/2017	1316	0.00	0.00	0.0	0	1.1	20.0	0.1	0.0	0.0	0.0	
VMP-53-5	10/23/2017	1421	0.00	0.00	0.0	0	0.6	20.4	0.5	0.0	0.0	0.0	
VMP-53-5	11/27/2017	1331	0.00	0.00	0.0	0	0.3	20.7	0.5	0.0	0.0	0.0	
VMP-53-5	12/18/2017	1320	0.00	0.00	0.0	0	0.2	20.7	0.6	0.0	0.0	0.0	
VMP-53-5	1/18/2018	0857	0.00	0.00	0.0	0	0.2	20.8	0.0	0.0	0.0	0.0	
VMP-53-5	2/21/2018	1332	0.00	0.00	0.0	0	0.2	20.7	0.3	0.0	0.0	0.0	
VMP-53-5	3/14/2018	1255	0.00	0.00	0.0	0	0.2	20.6	0.2	0.0	0.0	0.0	
VMP-53-10	4/18/2017	1338	0.00	0.00	0.0	0	0.4	20.5	0.4	0.0	0.0	0.0	
VMP-53-10	5/24/2017	1456	0.00	0.00	0.0	0	0.8	20.1	0.3	0.0	0.0	0.0	
VMP-53-10	6/21/2017	1431	0.00	0.00	0.0	0	1.1	19.6	0.3	0.0	0.0	0.0	
VMP-53-10	7/17/2017	1359	0.00	0.00	0.0	0	1.4	19.4	0.2	0.0	0.0	0.0	
VMP-53-10	8/16/2017	1531	0.00	0.00	0.0	0	1.2	20.1	0.9	0.0	0.0	0.0	
VMP-53-10	9/13/2017	1317	0.00	0.00	0.0	0	1.0	20.0	0.3	0.0	0.0	0.0	
VMP-53-10	10/23/2017	1422	0.00	0.00	0.0	0	0.6	20.4	0.3	0.0	0.0	0.0	
VMP-53-10	11/27/2017	1332	0.00	0.00	0.0	0	0.3	20.8	0.1	0.0	0.0	0.0	
VMP-53-10	12/18/2017	1321	0.00	0.00	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-53-10	1/18/2018	0858	0.00	0.00	0.0	0	0.2	20.8	0.1	0.0	0.0	0.0	
VMP-53-10	2/21/2018	1333	-0.13	0.00	0.0	0	0.1	20.8	0.1	0.0	0.0	0.0	
VMP-53-10	3/14/2018	1256	0.21	0.00	0.0	0	0.2	20.7	0.2	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-53-20	4/18/2017	1340	-0.14	-0.20	0.0	0	0.6	20.2	0.6	0.0	0.0	0.0	
VMP-53-20	5/24/2017	1459	-0.51	-0.46	0.0	0	0.9	19.9	0.2	0.0	0.0	0.0	
VMP-53-20	6/21/2017	1432	-0.25	-0.35	0.0	0	1.1	19.6	0.4	0.0	0.0	0.0	
VMP-53-20	7/17/2017	1400	-0.12	0.00	0.0	0	1.2	19.8	0.7	0.0	0.0	0.0	
VMP-53-20	8/16/2017	1532	-0.21	-0.20	0.0	0	1.6	19.6	0.5	0.0	0.0	0.0	
VMP-53-20	9/13/2017	1318	-0.19	-0.15	0.0	0	1.4	19.8	0.5	0.0	0.0	0.0	
VMP-53-20	10/23/2017	1423	0.00	-0.11	0.0	0	1.2	19.9	0.2	0.0	0.0	0.0	
VMP-53-20	11/27/2017	1333	0.00	0.00	0.0	0	0.7	20.4	0.3	0.0	0.0	0.0	
VMP-53-20	12/18/2017	1322	-0.25	-0.18	0.0	0	0.6	20.3	0.1	0.0	0.0	0.0	
VMP-53-20	1/18/2018	0859	-0.16	-0.20	0.0	0	0.8	20.3	0.1	0.0	0.0	0.0	
VMP-53-20	2/21/2018	1334	-0.18	-0.10	0.0	0	0.6	20.2	0.2	0.0	0.0	0.0	
VMP-53-20	3/14/2018	1257	-0.21	0.00	0.0	0	0.3	20.6	0.1	0.0	0.0	0.0	
VMP-53-30	4/18/2017	1342	-0.16	-0.21	0.0	0	1.7	19.2	0.4	0.0	0.0	0.0	
VMP-53-30	5/24/2017	1501	-0.54	-0.49	0.0	0	1.4	19.4	0.1	0.0	0.0	0.0	
VMP-53-30	6/21/2017	1433	-0.25	-0.37	0.0	0	1.8	18.5	0.3	0.0	0.0	0.0	
VMP-53-30	7/17/2017	1401	-0.25	0.00	0.0	0	2.0	18.5	0.4	0.0	0.0	0.0	
VMP-53-30	8/16/2017	1533	-0.23	-0.22	0.0	0	2.3	18.6	0.5	0.0	0.0	0.0	
VMP-53-30	9/13/2017	1319	-0.11	-0.09	0.0	0	2.5	18.7	0.0	0.0	0.0	0.0	
VMP-53-30	10/23/2017	1424	0.00	-0.12	0.0	0	2.7	19.0	0.8	0.0	0.0	0.0	
VMP-53-30	11/27/2017	1334	-0.09	-0.17	0.0	0	2.3	19.3	0.2	0.0	0.0	0.0	
VMP-53-30	12/18/2017	1323	-0.26	-0.20	0.0	0	2.1	19.5	0.3	0.0	0.0	0.0	
VMP-53-30	1/18/2018	0900	-0.18	-0.23	0.0	0	1.8	19.7	0.3	0.0	0.0	0.0	
VMP-53-30-Dup	1/18/2018	0900	NM	NM	0.0	0	1.8	19.7	0.3	0.0	0.0	0.0	Duplicate sample.
VMP-53-30	2/21/2018	1335	-0.21	-0.12	0.0	0	1.4	19.9	0.1	0.0	0.0	0.0	
VMP-53-30	3/14/2018	1258	-0.24	-0.09	0.0	0	1.2	20.1	0.2	0.0	0.0	0.0	
VMP-54-5	4/18/2017	1358	0.00	0.00	0.0	0	2.1	18.3	0.3	0.0	0.0	0.0	
VMP-54-5	5/24/2017	1510	0.00	0.00	0.0	0	2.6	19.9	0.2	0.0	0.0	0.0	
VMP-54-5	6/21/2017	1455	0.00	0.00	0.0	0	3.8	16.9	0.2	0.0	0.0	0.0	
VMP-54-5	7/17/2017	1436	0.00	0.00	0.0	0	4.2	16.6	0.1	0.0	0.0	0.0	
VMP-54-5	8/17/2017	0837	0.00	0.00	0.0	0	4.0	16.8	0.5	0.0	0.0	0.0	
VMP-54-5	9/13/2017	1252	0.00	0.00	0.0	0	3.9	17.1	0.0	0.0	0.0	0.0	
VMP-54-5	10/23/2017	1453	0.00	0.00	0.0	0	2.7	18.3	0.1	0.0	0.0	0.0	
VMP-54-5	11/27/2017	1350	0.00	0.00	0.0	0	1.9	19.2	0.3	0.0	0.0	0.0	
VMP-54-5	12/18/2017	1258	0.00	0.00	0.0	0	1.6	19.3	0.2	0.0	0.0	0.0	
VMP-54-5	1/18/2018	0919	0.00	0.00	0.0	0	1.1	19.7	0.1	0.0	0.0	0.0	
VMP-54-5	2/21/2018	1351	0.00	0.00	0.0	0	1.2	19.7	0.2	0.0	0.0	0.0	
VMP-54-5	3/14/2018	1314	0.00	0.00	0.0	0	1.2	19.3	0.1	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-54-10	4/18/2017	1400	0.00	0.00	0.0	0	2.1	18.1	0.6	0.0	0.0	0.0	
VMP-54-10	5/24/2017	1512	0.00	0.00	0.0	0	2.1	18.5	0.2	0.0	0.0	0.0	
VMP-54-10	6/21/2017	1456	0.00	0.00	0.0	0	2.8	17.7	0.2	0.0	0.0	0.0	
VMP-54-10	7/17/2017	1437	0.00	0.00	0.0	0	3.1	17.4	0.1	0.0	0.0	0.0	
VMP-54-10	8/17/2017	0838	0.00	0.00	0.0	0	3.3	17.2	0.3	0.0	0.0	0.0	
VMP-54-10	9/13/2017	1253	0.00	0.00	0.0	0	2.9	17.9	0.0	0.0	0.0	0.0	
VMP-54-10	10/23/2017	1454	0.00	0.00	0.0	0	3.2	17.7	0.2	0.0	0.0	0.0	
VMP-54-10	11/27/2017	1351	0.00	0.00	0.0	0	1.8	19.2	0.0	0.0	0.0	0.0	
VMP-54-10	12/18/2017	1259	0.00	0.00	0.0	0	2.3	18.4	0.3	0.0	0.0	0.0	
VMP-54-10	1/18/2018	0920	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-54-10	2/21/2018	1352	0.00	0.00	0.0	0	1.6	19.4	0.1	0.0	0.0	0.0	
VMP-54-10	3/14/2018	1315	-0.13	0.00	0.0	0	1.7	18.7	0.1	0.0	0.0	0.0	
VMP-54-20	4/18/2017	1402	0.00	0.00	0.0	0	2.5	17.4	0.3	0.0	0.0	0.0	
VMP-54-20	5/24/2017	1515	0.00	0.00	0.0	0	2.2	17.5	0.4	0.0	0.0	0.0	
VMP-54-20	6/21/2017	1457	0.00	0.00	0.0	0	2.4	17.7	0.7	0.0	0.0	0.0	
VMP-54-20	7/17/2017	1438	0.00	0.00	0.0	0	2.5	17.4	0.1	0.0	0.0	0.0	
VMP-54-20	8/17/2017	0839	0.00	0.00	0.0	0	2.8	17.1	0.3	0.0	0.0	0.0	
VMP-54-20	9/13/2017	1254	0.00	0.00	0.0	0	3.1	16.9	0.2	0.0	0.0	0.0	
VMP-54-20	10/23/2017	1455	0.00	0.00	0.0	0	3.5	16.8	0.3	0.0	0.0	0.0	
VMP-54-20	11/27/2017	1352	0.00	0.00	0.0	0	3.4	17.0	0.7	0.0	0.0	0.0	
VMP-54-20	12/18/2017	1300	0.00	0.00	0.0	0	3.1	17.1	0.4	0.0	0.0	0.0	
VMP-54-20	1/18/2018	0921	0.00	0.00	0.0	0	3.0	17.4	0.2	0.0	0.0	0.0	
VMP-54-20	2/21/2018	1353	-0.43	0.00	0.0	0	2.7	18.0	0.4	0.0	0.0	0.0	
VMP-54-20	3/14/2018	1316	0.00	0.00	0.0	0	2.4	17.7	0.0	0.0	0.0	0.0	
VMP-54-30	4/18/2017	1402	0.00	0.00	0.0	0	1.9	18.5	0.4	0.0	0.0	0.0	
VMP-54-30	5/24/2017	1517	0.00	0.00	0.0	0	2.2	18.1	0.1	0.0	0.0	0.0	
VMP-54-30	6/21/2017	1458	0.00	0.00	0.0	0	2.9	17.9	0.7	0.0	0.0	0.0	
VMP-54-30	7/17/2017	1439	0.00	0.00	0.0	0	2.8	17.6	0.1	0.0	0.0	0.0	
VMP-54-30-Dup	7/17/2017	1439	NM	NM	0.0	0	2.9	17.5	0.1	0.0	0.0	0.0	Duplicate sample.
VMP-54-30	8/17/2017	0840	0.00	0.00	0.0	0	1.6	17.6	0.6	0.0	0.0	0.0	
VMP-54-30-Dup	8/17/2017	0840	NM	NM	0.0	0	2.1	17.4	0.6	0.0	0.0	0.0	Duplicate sample.
VMP-54-30	9/13/2017	1255	0.00	0.00	0.0	0	2.8	18.7	0.4	0.0	0.0	0.0	
VMP-54-30	10/23/2017	1456	0.00	0.00	0.0	0	1.0	19.1	0.2	0.0	0.0	0.0	
VMP-54-30	11/27/2017	1353	0.00	0.00	0.0	0	1.1	19.7	0.2	0.0	0.0	0.0	
VMP-54-30	12/18/2017	1301	0.00	0.00	0.0	0	0.6	20.2	0.3	0.0	0.0	0.0	
VMP-54-30	1/18/2018	0922	0.00	0.00	0.0	0	0.5	20.3	0.1	0.0	0.0	0.0	
VMP-54-30	2/21/2018	1354	0.00	0.00	0.0	0	0.7	19.8	0.1	0.0	0.0	0.0	
VMP-54-30	3/14/2018	1317	0.00	0.00	0.0	0	0.4	19.7	0.1	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-55-5	4/18/2017	1141	-0.25	0.00	0.0	0	16.6	2.3	0.9	0.0	0.0	0.0	
VMP-55-5	5/24/2017	1203	-2.19	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-5	6/21/2017	1143	1.11	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-5	7/18/2017	1215	-0.95	0.00	0.0	0	18.5	2.5	8.9	8.1	7.1	1.0	
VMP-55-5	8/17/2017	0813	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-5	9/13/2017	1045	-0.13	-0.76	0.0	0	18.0	2.7	3.1	1.2	0.0	1.2	
VMP-55-5	10/24/2017	1206	-0.53	-0.28	0.0	0	16.4	2.9	0.6	0.0	0.0	0.0	
VMP-55-5	11/27/2017	823	0.00	0.00	0.0	0	14.8	3.0	0.1	0.0	0.0	0.0	
VMP-55-5	12/18/2017	0836	0.00	0.00	0.0	0	9.0	10.0	0.5	5.4	2.8	2.6	
VMP-55-5	1/17/2018	1101	0.00	0.00	0.0	0	13.4	2.8	0.4	0.0	0.0	0.0	
VMP-55-5	2/21/2018	1058	2.02	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-5	3/14/2018	0820	-2.04	-0.12	0.0	0	14.4	4.8	4.8	8.9	3.0	5.9	
VMP-55-10	4/18/2017	1142	-0.40	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-10	5/24/2017	1203	-0.12	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-10	6/21/2017	1144	1.27	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-10	7/18/2017	1216	-0.70	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-10	8/17/2017	0814	-0.20	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-10	9/13/2017	1046	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-10	10/24/2017	1206	1.04	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-10	11/27/2017	824	-0.16	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-10	12/18/2017	0837	0.95	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-10	1/17/2018	1102	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-10	2/21/2018	1059	0.24	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-10	3/14/2018	0821	-8.60	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-20	4/18/2017	1143	0.00	0.00	27.1	OVR	20.0	0.4	85.4	91450	73340	18110	
VMP-55-20	5/24/2017	1203	0.95	0.87	7.8	OVR	20.1	0.7	54.6	53690	45550	8140	
VMP-55-20	6/21/2017	1145	-0.12	-0.13	10.1	OVR	20.2	0.6	71.4	57460	49210	8250	
VMP-55-20	7/18/2017	1217	-0.41	-0.28	10.1	OVR	19.2	1.5	76.2	53380	45370	8010	
VMP-55-20	8/17/2017	0815	-0.43	-0.43	16.8	OVR	20.3	0.6	78.1	85260	70420	14840	
VMP-55-20	9/13/2017	1047	-0.58	-0.18	19.8	OVR	20.6	0.6	133	104000	87260	16740	
VMP-55-20-Dup	9/13/2017	1047	NM	NM	54.9	OVR	18.9	0.3	133	134000	98000	36000	Duplicate sample.
VMP-55-20	10/24/2017	1207	-0.83	-0.80	13.3	OVR	18.3	2.2	54.6	79790	67500	12290	
VMP-55-20	11/27/2017	825	-0.16	0.00	13.3	OVR	18.0	2.5	71.0	40430	31240	9190	
VMP-55-20	12/18/2017	0838	-0.43	-0.46	12.4	OVR	18.1	2.5	72.6	56130	47250	8880	
VMP-55-20	1/17/2018	1103	-0.30	-0.24	4.1	83	19.5	0.4	58.9	29980	26570	3410	
VMP-55-20	2/21/2018	1100	-0.84	-0.88	9.0	OVR	19.4	0.4	31.3	56970	51150	5820	
VMP-55-20	3/14/2018	0822	-0.25	-0.19	37.2	OVR	18.9	0.8	23.4	123000	107000	16000	
VMP-55-20-Dup	3/14/2018	0822	NM	NM	46.7	OVR	16.9	1.0	58.6	166000	134000	32000	Duplicate sample.

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-55-30	4/18/2017	1144	0.26	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-30	5/24/2017	1203	1.12	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-30	6/21/2017	1146	-0.62	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-30	7/18/2017	1220	-0.19	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-30	8/17/2017	0816	-1.05	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-30	9/13/2017	1048	0.59	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-30	10/24/2017	1208	0.58	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-30	11/27/2017	826	-0.76	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-30	12/18/2017	0839	0.45	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-30	1/17/2018	1104	-0.09	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-30	2/21/2018	1101	-6.55	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-30	3/14/2018	0823	-2.56	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-56-10	4/19/2017	1412	-2.40	-2.42	0.0	0	0.4	20.5	0.1	0.0	0.0	0.0	
VMP-56-10	5/25/2017	1413	-2.72	-2.75	0.0	0	0.7	20.3	0.0	0.0	0.0	0.0	
VMP-56-10	6/22/2017	1143	-2.84	-2.82	0.0	0	0.8	19.7	0.4	0.0	0.0	0.0	
VMP-56-10	7/18/2017	1205	-1.55	-2.13	0.0	0	0.4	20.6	0.7	0.0	0.0	0.0	
VMP-56-10	8/17/2017	1342	-2.20	-2.24	0.0	0	0.4	20.6	0.8	0.0	0.0	0.0	
VMP-56-10	9/14/2017	1118	-2.02	-1.95	0.0	0	0.4	20.6	0.7	0.0	0.0	0.0	
VMP-56-10	10/24/2017	1354	-2.35	-2.30	0.0	0	0.3	20.5	0.1	0.0	0.0	0.0	
VMP-56-10	11/28/2017	1302	-1.61	-1.70	0.0	0	0.1	20.8	0.3	0.0	0.0	0.0	
VMP-56-10	12/19/2017	1127	-1.49	-1.44	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-56-10	1/19/2018	0852	-1.05	-1.21	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-56-10	2/22/2018	0916	0.00	-2.17	0.0	0	0.1	20.7	0.2	0.0	0.0	0.0	
VMP-56-10	3/15/2018	0947	-2.40	-2.33	0.0	0	0.1	20.8	0.1	0.0	0.0	0.0	
VMP-56-25	4/19/2017	1414	-4.39	-4.39	0.0	0	0.5	20.4	0.0	0.0	0.0	0.0	
VMP-56-25	5/25/2017	1415	-5.30	-5.34	0.0	0	0.8	20.0	0.3	0.0	0.0	0.0	
VMP-56-25	6/22/2017	1144	-5.33	-5.25	0.0	0	1.3	19.2	0.9	3.1	0.0	3.1	
VMP-56-25	7/18/2017	1206	-4.97	-4.80	0.0	0	0.9	20.1	0.2	0.0	0.0	0.0	
VMP-56-25	8/17/2017	1343	-4.71	-4.75	0.0	0	0.6	20.4	4.1	7.5	0.0	7.5	
VMP-56-25	9/14/2017	1119	-4.49	-4.36	0.0	0	0.4	20.6	5.0	14.2	0.0	14.2	
VMP-56-25	10/24/2017	1355	-4.87	-4.73	0.0	0	0.4	20.5	0.3	0.0	0.0	0.0	
VMP-56-25	11/28/2017	1303	-3.68	-3.86	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	
VMP-56-25	12/19/2017	1128	-3.36	-3.28	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-56-25	1/19/2018	0853	-2.46	-2.78	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-56-25	2/22/2018	0917	0.00	-4.01	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	
VMP-56-25-Dup	2/22/2018	0917	NM	NM	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	Duplicate sample.
VMP-56-25	3/15/2018	0948	-4.36	-4.61	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-56-38.5	4/19/2017	1415	-0.90	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-56-38.5	5/25/2017	1417	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-56-38.5	6/22/2017	1145	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-56-38.5	7/18/2017	1207	-3.44	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-56-38.5	8/17/2017	1344	36.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-56-38.5	9/14/2017	1120	-0.19	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-56-38.5	10/24/2017	1356	0.20	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-56-38.5	11/28/2017	1304	-0.36	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-56-38.5	12/19/2017	1129	-2.99	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-56-38.5	1/19/2018	0854	-3.58	-3.83	OVR	OVR	4.8	12.8	319	804000	2570	801430	
VMP-56-38.5-Dup	1/19/2018	0854	NM	NM	OVR	OVR	3.9	14.9	319	887000	1480	885520	Duplicate sample.
VMP-56-38.5	2/22/2018	0918	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	
VMP-56-38.5	3/15/2018	0949	-6.02	-5.86	OVR	OVR	0.4	19.4	639	131000	557	130443	Re-sampled due to elevated oxygen.
VMP-56-38.5	3/15/2018	1450	-5.64	NM	OVR	OVR	1.2	17.6	477	467000	736	466264	Re-sample.
VMP-57-5A	4/18/2017	1519	-0.25	-0.25	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-57-5A	5/24/2017	1514	-0.20	-0.20	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-57-5A	6/21/2017	1405	-0.31	-0.52	0.0	0	0.9	20.2	0.3	0.0	0.0	0.0	
VMP-57-5A	7/17/2017	1415	-0.20	0.00	0.0	0	0.6	20.4	0.2	0.0	0.0	0.0	
VMP-57-5A	8/16/2017	1433	0.00	-0.32	0.0	0	0.6	20.4	0.8	0.0	0.0	0.0	
VMP-57-5A	9/13/2017	1335	-0.34	-0.86	0.0	0	0.4	20.5	0.1	0.0	0.0	0.0	
VMP-57-5A	10/23/2017	1335	-0.89	-0.30	0.0	0	0.2	20.7	0.3	0.0	0.0	0.0	
VMP-57-5A	11/27/2017	1300	-0.17	-0.04	0.0	0	0.1	20.8	3.5	6.8	0.0	6.8	
VMP-57-5A	12/18/2017	1342	-0.25	-0.13	0.0	0	0.1	20.8	0.4	0.0	0.0	0.0	
VMP-57-5A	1/19/2018	1329	28.57	0.00	0.0	0	0.0	20.9	0.2	2.3	2.3	0.0	
VMP-57-5A	2/21/2018	0905	-0.77	-0.60	0.0	0	0.1	20.8	0.3	0.0	0.0	0.0	
VMP-57-5A	3/14/2018	1443	-0.64	-0.14	0.0	0	0.1	20.8	0.3	0.0	0.0	0.0	
VMP-57-10	4/18/2017	1520	-0.25	-0.91	0.0	0	0.2	20.8	0.2	0.0	0.0	0.0	
VMP-57-10	5/24/2017	1516	-1.74	-1.70	0.0	0	0.7	20.2	0.3	0.0	0.0	0.0	
VMP-57-10	6/21/2017	1406	-2.01	-1.33	0.0	0	0.9	20.1	0.2	0.0	0.0	0.0	
VMP-57-10	7/17/2017	1417	-1.75	-1.04	0.0	0	1.1	19.8	0.2	0.0	0.0	0.0	
VMP-57-10	8/16/2017	1439	-0.88	0.00	0.0	0	1.1	19.8	0.6	0.0	0.0	0.0	
VMP-57-10	9/13/2017	1337	-1.09	-0.78	0.0	0	0.4	20.5	0.3	0.0	0.0	0.0	
VMP-57-10	10/23/2017	1337	-0.34	-0.54	0.0	0	0.2	20.8	0.5	0.0	0.0	0.0	
VMP-57-10	11/27/2017	1301	-0.45	-0.10	0.0	0	0.1	20.8	0.1	0.0	0.0	0.0	
VMP-57-10	12/18/2017	1343	-0.47	-0.45	0.0	0	0.1	20.8	0.1	0.0	0.0	0.0	
VMP-57-10	1/19/2018	1330	-4.30	0.17	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-57-10	2/21/2018	0857	-0.41	-1.04	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-57-10	3/14/2018	1445	0.00	0.00	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-57-20	4/18/2017	1521	-1.04	-1.07	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-57-20	5/24/2017	1518	-1.90	-1.88	0.0	0	1.5	19.0	0.2	0.0	0.0	0.0	
VMP-57-20	6/21/2017	1407	-1.94	-1.48	0.0	0	1.6	19.2	0.4	0.0	0.0	0.0	
VMP-57-20	7/17/2017	1419	-1.25	-1.23	0.0	0	1.4	19.5	0.1	0.0	0.0	0.0	
VMP-57-20	8/16/2017	1434	-0.10	-0.81	0.0	0	1.9	19.0	0.6	0.0	0.0	0.0	
VMP-57-20	9/13/2017	1339	-0.69	-1.12	0.0	0	1.9	19.5	0.4	0.0	0.0	0.0	
VMP-57-20-Dup	9/13/2017	1339	NM	NM	0.0	0	1.7	19.5	0.4	0.0	0.0	0.0	Duplicate sample.
VMP-57-20	10/23/2017	1339	-0.76	-0.74	0.0	0	1.7	19.5	0.2	0.0	0.0	0.0	
VMP-57-20	11/27/2017	1302	-0.58	-0.14	0.0	0	1.3	19.8	0.8	0.0	0.0	0.0	
VMP-57-20	12/19/2017	1332	-0.46	-0.34	0.0	0	1.2	19.8	0.2	0.0	0.0	0.0	
VMP-57-20	1/19/2018	1331	0.52	0.00	0.0	0	1.3	19.8	0.1	0.0	0.0	0.0	
VMP-57-20	2/21/2018	0900	-1.06	-1.47	0.0	0	0.6	20.4	0.2	0.0	0.0	0.0	
VMP-57-20	3/14/2018	1447	-0.66	0.22	0.0	0	0.6	20.4	0.1	0.0	0.0	0.0	
VMP-58-5	4/18/2017	1442	-1.89	-1.96	0.0	0	0.0	20.9	1.0	2.0	0.0	2.0	
VMP-58-5	5/25/2017	0832	-2.92	-2.85	0.0	0	0.1	20.8	0.4	0.0	0.0	0.0	
VMP-58-5	6/21/2017	1354	-2.61	-2.33	0.0	0	0.1	20.8	0.1	0.0	0.0	0.0	
VMP-58-5	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP in construction area.
VMP-58-5	8/16/2017	1406	-1.65	-1.67	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-58-5	9/13/2017	1357	-1.93	-1.93	0.0	0	0.0	20.9	0.6	0.0	0.0	0.0	
VMP-58-5	10/24/2017	0759	-2.25	-2.13	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-58-5	11/27/2017	1312	-1.40	-0.34	0.0	0	0.0	20.9	0.1	0.3	0.3	0.0	
VMP-58-5	12/18/2017	1356	-1.42	-1.39	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-58-5	1/19/2018	1319	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Port encased in ice.
VMP-58-5	2/21/2018	0917	-2.76	-2.58	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-58-5	3/15/2018	0835	-2.49	-2.37	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	
VMP-58-10	4/19/2017	1443	-2.54	-2.51	0.0	0	0.0	20.9	1.0	1.1	0.0	1.1	
VMP-58-10	5/25/2017	0834	-3.58	-3.51	0.0	0	0.1	20.8	0.5	0.0	0.0	0.0	
VMP-58-10	6/21/2017	1355	-2.94	-2.96	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-58-10	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP in construction area.
VMP-58-10	8/16/2017	1407	-2.39	-2.19	0.0	0	0.0	20.9	0.8	0.0	0.0	0.0	
VMP-58-10	9/13/2017	1359	-2.81	-2.55	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-58-10	10/24/2017	0801	-2.76	-2.75	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-58-10	11/27/2017	1313	-1.86	-0.46	0.0	0	0.0	20.9	0.1	0.3	0.3	0.0	
VMP-58-10	12/18/2017	1357	-1.92	-1.90	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-58-10	1/19/2018	1320	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Port encased in ice.
VMP-58-10	2/21/2018	0918	-3.41	-3.21	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-58-10	3/15/2018	0837	-3.09	-2.95	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-58-20	4/18/2017	1444	-3.95	-4.04	0.0	0	0.1	20.8	0.4	0.0	0.0	0.0	
VMP-58-20	5/25/2017	0836	-5.35	-5.20	0.0	0	0.2	20.6	0.3	0.0	0.0	0.0	
VMP-58-20	6/21/2017	1356	-4.60	-4.61	0.0	0	0.3	20.6	0.1	0.0	0.0	0.0	
VMP-58-20	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP in construction area.
VMP-58-20	8/16/2017	1408	-3.99	-3.38	0.0	0	0.3	20.7	1.7	2.9	0.0	2.9	
VMP-58-20-Dup	8/16/2017	1408	NM	NM	0.0	0	0.3	20.7	1.7	3.4	0.0	3.4	Duplicate sample.
VMP-58-20	9/13/2017	1401	-4.24	-4.60	0.0	0	0.2	20.7	0.6	3.3	0.0	3.3	
VMP-58-20	10/24/2017	0803	-4.40	-4.71	0.0	0	0.1	20.8	0.3	0.0	0.0	0.0	
VMP-58-20	11/27/2017	1314	-3.38	-0.82	0.0	0	0.0	20.8	0.1	0.0	0.0	0.0	
VMP-58-20	12/19/2017	1340	-5.71	-3.49	0.0	0	0.1	20.7	0.2	0.0	0.0	0.0	
VMP-58-20	1/19/2018	1321	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Port encased in ice.
VMP-58-20	2/21/2018	0919	-5.69	-5.01	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-58-20	3/15/2018	0839	-5.50	-2.66	0.0	0	0.0	20.9	0.4	0.0	0.0	0.0	
VMP-58-30	4/18/2017	1445	-9.31	-6.94	8.4	OVR	12.8	0.7	412	6020	743	5277	
VMP-58-30-Dup	4/18/2017	1445	NM	NM	8.7	OVR	13.1	0.3	441	6090	741	5349	Duplicate sample.
VMP-58-30	5/25/2017	0838	-8.33	-8.14	58.4	OVR	8.2	6.3	489	24220	6620	17600	
VMP-58-30-Dup	5/25/2017	0838	NM	NM	OVR	OVR	11.1	2.4	489	35160	8940	26220	Duplicate sample.
VMP-58-30	6/21/2017	1357	-8.00	-7.54	OVR	OVR	12.2	0.5	458	99860	24760	75100	
VMP-58-30-Dup	6/21/2017	1357	NM	NM	OVR	OVR	12.0	0.7	419	102000	23960	78040	Duplicate sample.
VMP-58-30	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP in construction area.
VMP-58-30	8/16/2017	1409	-6.10	-5.41	83.3	OVR	7.6	8.9	381	36630	10920	25710	
VMP-58-30	9/13/2017	1403	-6.74	-5.30	5.1	OVR	1.8	16.9	211	6119	2218	3901	
VMP-58-30	10/24/2017	0805	-12.37	-7.46	16.3	OVR	12.9	0.6	513	9910	2360	7550	
VMP-58-30-Dup	10/24/2017	0805	NM	NM	18.6	OVR	12.9	0.6	513	10870	2390	8480	Duplicate sample.
VMP-58-30	11/27/2017	1315	-5.90	-1.46	1.5	31	8.1	9.8	255	860	50.2	810	
VMP-58-30-Dup	11/27/2017	1315	NM	NM	2.4	48	11.5	3.1	255	1920	66.4	1854	Duplicate sample.
VMP-58-30	12/19/2017	1341	-6.42	-6.32	3.9	79	13.4	0.8	269	3220	125	3095	
VMP-58-30	1/19/2018	1322	-4.32	5.46	0.0	0	10.2	3.7	6.4	10.5	0.0	10.5	
VMP-58-30	2/21/2018	0920	-0.24	-7.97	0.0	1	11.2	2.4	13.1	126	0.0	126	
VMP-58-30	3/15/2018	0840	-7.79	-7.58	0.0	0	3.4	15.1	0.6	8.7	8.7	0.0	
VMP-58-30-Dup	3/15/2018	0840	NM	NM	0.0	0	7.0	9.0	1.4	32.4	32.4	0.0	Duplicate sample.

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-59-5	4/18/2017	1420	-0.85	-0.94	0.0	0	0.1	20.8	0.4	0.0	0.0	0.0	
VMP-59-5	5/25/2017	0855	-1.27	-1.27	0.0	0	0.1	20.8	0.7	0.0	0.0	0.0	
VMP-59-5	6/21/2017	1333	-1.21	-1.07	0.0	0	0.1	20.8	0.8	0.0	0.0	0.0	
VMP-59-5	7/17/2017	1432	-0.93	-0.92	0.0	0	0.3	20.6	0.2	0.0	0.0	0.0	
VMP-59-5	8/17/2017	0813	-1.18	-1.07	0.0	0	0.4	20.5	0.6	0.0	0.0	0.0	
VMP-59-5	9/14/2017	1420	-0.78	-0.79	0.0	0	0.2	20.7	0.2	0.0	0.0	0.0	
VMP-59-5	10/24/2017	0818	-1.04	-1.01	0.0	0	0.1	20.8	0.3	0.0	0.0	0.0	
VMP-59-5	11/27/2017	1330	-0.23	-0.13	0.0	0	0.1	20.8	0.3	3.4	2.7	0.7	
VMP-59-5	12/18/2017	1407	-0.51	-0.53	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-59-5	1/19/2018	1304	-0.31	-0.27	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-59-5	2/21/2018	0943	-1.37	-1.32	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-59-5	3/15/2018	0855	-1.15	-1.08	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-59-10	4/18/2017	1421	-0.95	-1.03	0.0	0	0.1	20.9	0.3	0.0	0.0	0.0	
VMP-59-10	5/25/2017	0857	-1.56	-1.42	0.0	0	0.1	20.8	1.0	0.0	0.0	0.0	
VMP-59-10	6/21/2017	1334	-1.23	-1.21	0.0	0	0.0	20.9	0.8	0.0	0.0	0.0	
VMP-59-10	7/17/2017	1434	-1.04	-1.02	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-59-10	8/17/2017	0814	-0.84	-1.21	0.0	0	0.1	20.7	0.5	0.0	0.0	0.0	
VMP-59-10	9/13/2017	1422	-0.42	-0.92	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-59-10	10/24/2017	0820	-4.51	-4.42	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-59-10	11/27/2017	1331	-0.62	-0.15	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-59-10	12/18/2017	1408	-0.60	-0.61	0.0	0	0.0	20.9	0.3	0.0	0.0	0.0	
VMP-59-10	1/19/2018	1305	-0.36	-0.40	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-59-10	2/21/2018	0944	-1.49	-1.43	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-59-10	3/15/2018	0857	-1.28	-1.20	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-59-20	4/18/2017	1422	-3.69	-3.85	0.0	0	0.2	20.8	0.7	0.5	0.0	0.5	
VMP-59-20	5/25/2017	0859	-4.49	-4.73	0.0	0	0.3	20.6	0.6	0.0	0.0	0.0	
VMP-59-20	6/21/2017	1335	-3.83	-4.33	0.0	0	0.3	20.6	0.1	0.0	0.0	0.0	
VMP-59-20	7/17/2017	1436	-3.97	-4.03	0.0	0	0.3	20.6	0.5	0.0	0.0	0.0	
VMP-59-20	8/17/2017	0815	-0.60	-4.47	0.0	0	0.4	20.6	0.7	0.0	0.0	0.0	
VMP-59-20	9/13/2017	1424	-4.05	-4.13	0.0	0	0.4	20.6	0.1	0.0	0.0	0.0	
VMP-59-20	10/24/2017	0822	-4.51	-4.42	0.0	0	0.4	20.5	0.4	0.0	0.0	0.0	
VMP-59-20	11/27/2017	1332	-3.16	-0.80	0.0	0	0.2	20.7	0.4	0.0	0.0	0.0	
VMP-59-20	12/18/2017	1409	-3.25	-3.25	0.0	0	0.0	20.9	0.1	0.0	0.0	0.0	
VMP-59-20-Dup	12/18/2017	1409	NM	NM	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-59-20	1/19/2018	1306	-2.17	-2.11	0.0	0	0.2	20.7	0.1	0.0	0.0	0.0	
VMP-59-20	2/21/2018	0945	-4.85	-1.75	0.0	0	0.2	20.8	0.3	0.0	0.0	0.0	
VMP-59-20	3/15/2018	0858	-4.53	-4.40	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-59-30	4/18/2017	1423	-4.43	-4.61	0.0	0	2.6	17.1	0.5	1.7	0.0	1.7	
VMP-59-30	5/25/2017	0901	-5.87	-5.61	0.0	0	3.8	15.5	1.7	6.2	0.0	6.2	
VMP-59-30	6/21/2017	1336	-5.29	-5.18	0.0	0	2.2	18.2	0.3	0.0	0.0	0.0	
VMP-59-30	7/17/2017	1438	-4.77	-4.83	0.0	0	1.9	18.5	0.3	0.0	0.0	0.0	
VMP-59-30-Dup	7/17/2017	1438	NM	NM	0.0	0	1.9	18.4	0.3	0.0	0.0	0.0	Duplicate sample.
VMP-59-30	8/17/2017	0816	-6.45	-5.60	0.0	0	1.9	18.5	0.7	0.0	0.0	0.0	
VMP-59-30-Dup	8/17/2017	0816	NM	NM	0.0	0	1.9	18.5	0.7	0.0	0.0	0.0	Duplicate sample.
VMP-59-30	9/13/2017	1426	-4.95	-4.78	0.0	0	1.8	19.1	0.3	0.0	0.0	0.0	
VMP-59-30	10/24/2017	0824	-5.44	-5.33	0.0	0	2.4	18.0	0.7	0.0	0.0	0.0	
VMP-59-30	11/27/2017	1333	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-59-30	12/19/2017	1358	-4.31	-4.26	0.0	0	3.5	16.4	0.1	0.0	0.0	0.0	
VMP-59-30	1/19/2018	1307	-2.63	-2.57	0.0	0	2.9	16.6	0.1	0.0	0.0	0.0	
VMP-59-30	2/21/2018	0946	-5.65	-5.55	0.0	0	3.0	17.7	0.3	0.0	0.0	0.0	
VMP-59-30	3/15/2018	0859	-5.32	-5.18	0.0	0	3.1	17.1	0.2	0.0	0.0	0.0	
VMP-60-5	4/18/2017	1241	-0.42	-0.29	0.0	0	0.2	20.6	0.4	0.0	0.0	0.0	
VMP-60-5	5/24/2017	1000	-0.60	-0.66	0.0	0	0.5	20.4	0.4	0.0	0.0	0.0	
VMP-60-5	6/21/2017	0932	-0.63	-0.56	0.0	0	0.7	20.1	0.3	0.0	0.0	0.0	
VMP-60-5	7/17/2017	1216	-0.28	-0.38	0.0	0	0.9	19.6	0.9	0.0	0.0	0.0	
VMP-60-5	8/16/2017	1214	-0.27	-0.29	0.0	0	1.1	19.6	0.6	0.0	0.0	0.0	
VMP-60-5	9/13/2017	1037	-0.41	-0.22	0.0	0	0.8	19.9	0.2	0.0	0.0	0.0	
VMP-60-5	10/23/2017	0902	-0.44	-0.36	0.0	0	0.7	20.2	0.3	0.0	0.0	0.0	
VMP-60-5	11/27/2017	0903	-0.31	-0.30	0.0	0	0.3	20.7	0.2	0.0	0.0	0.0	
VMP-60-5	12/18/2017	0953	-0.42	-0.22	0.0	0	0.2	20.7	0.4	0.0	0.0	0.0	
VMP-60-5	1/19/2018	0852	-0.09	-0.18	0.0	0	0.3	20.5	0.3	0.0	0.0	0.0	
VMP-60-5	2/22/2018	0838	-0.45	-0.54	0.0	0	0.1	20.7	0.0	0.0	0.0	0.0	
VMP-60-5	3/14/2018	0916	-0.62	-0.47	0.0	0	0.1	20.8	0.1	0.0	0.0	0.0	
VMP-60-10	4/18/2017	1242	-0.13	-0.39	0.0	0	0.3	20.5	0.3	0.0	0.0	0.0	
VMP-60-10	5/24/2017	1002	-3.52	-0.57	0.0	0	0.5	20.3	0.9	0.0	0.0	0.0	
VMP-60-10	6/21/2017	0933	-1.05	-0.67	0.0	0	0.7	20.0	0.5	0.0	0.0	0.0	
VMP-60-10	7/17/2017	1218	0.00	-0.17	0.0	0	1.0	19.7	0.5	0.0	0.0	0.0	
VMP-60-10	8/16/2017	1215	-0.37	-0.37	0.0	0	1.1	19.6	0.8	0.0	0.0	0.0	
VMP-60-10	9/13/2017	1039	-0.34	-1.27	0.0	0	1.2	19.5	0.7	0.0	0.0	0.0	
VMP-60-10	10/23/2017	0904	-0.39	-0.37	0.0	0	1.0	20.0	0.4	0.0	0.0	0.0	
VMP-60-10	11/27/2017	0904	-0.28	-0.27	0.0	0	0.6	20.3	0.2	0.0	0.0	0.0	
VMP-60-10	12/18/2017	0954	-0.58	-0.30	0.0	0	0.5	20.5	0.3	0.0	0.0	0.0	
VMP-60-10	1/19/2018	0853	-0.09	-0.15	0.0	0	0.6	20.2	0.6	0.8	0.7	0.1	
VMP-60-10	2/22/2018	0839	-0.45	-0.53	0.0	0	0.3	20.6	0.2	0.0	0.0	0.0	
VMP-60-10	3/14/2018	0917	-0.69	-0.57	0.0	0	0.3	20.7	0.2	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-60-20	4/18/2017	1243	-1.90	-1.64	0.0	0	0.4	20.5	0.3	0.0	0.0	0.0	
VMP-60-20	5/24/2017	1004	-2.27	-11.46	0.0	0	0.6	20.3	0.2	0.0	0.0	0.0	
VMP-60-20	6/21/2017	0934	-2.68	-2.39	0.0	0	0.7	20.1	0.2	0.0	0.0	0.0	
VMP-60-20	7/17/2017	1220	-2.00	-2.03	0.0	0	1.0	19.9	0.7	0.0	0.0	0.0	
VMP-60-20	8/16/2017	1216	-1.96	-1.92	0.0	0	1.3	19.5	0.5	0.0	0.0	0.0	
VMP-60-20	9/13/2017	1041	-2.19	-2.15	0.0	0	1.4	19.7	0.5	0.0	0.0	0.0	
VMP-60-20	10/23/2017	0906	-2.19	-2.06	0.0	0	1.3	20.1	0.3	0.0	0.0	0.0	
VMP-60-20	11/27/2017	0905	-1.87	-1.83	0.0	0	1.1	20.0	0.1	0.0	0.0	0.0	
VMP-60-20	12/18/2017	0955	-1.97	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-60-20	1/19/2018	0854	-0.58	-1.39	0.0	0	0.9	19.9	0.2	0.0	0.0	0.0	
VMP-60-20	2/22/2018	0840	-2.02	-2.12	0.0	0	0.6	20.5	0.0	0.0	0.0	NM	
VMP-60-20	3/14/2018	0919	-2.36	-2.13	0.0	0	0.4	20.5	0.5	0.0	0.0	0.0	
VMP-60-33.5	4/18/2017	1244	-0.92	-0.69	0.0	0	0.2	20.7	0.8	0.0	0.0	0.0	
VMP-60-33.5	5/24/2017	1006	-9.90	-4.80	0.0	0	0.5	20.2	5.1	25.6	0.0	25.6	
VMP-60-33.5	6/21/2017	0935	-3.98	-1.32	40.7	OVR	2.4	17.4	201	103100	41756	61344	
VMP-60-33.5	7/17/2017	1222	-1.58	-1.22	80.9	OVR	3.8	15.3	176	80240	49220	31020	
VMP-60-33.5	8/16/2017	1217	-1.24	-0.81	0.0	0	1.0	19.7	0.8	0.0	0.0	0.0	
VMP-60-33.5	9/13/2017	1043	-0.77	-6.03	0.0	0	0.9	19.8	0.3	0.0	0.0	0.0	
VMP-60-33.5	10/23/2017	0908	-3.89	-5.12	0.0	0	0.7	20.3	0.7	4.7	0.0	4.7	
VMP-60-33.5-Dup	10/23/2017	0908	NM	NM	0.0	0	0.7	20.3	0.7	3.2	0.0	3.2	Duplicate sample.
VMP-60-33.5	11/27/2017	0906	-0.73	-0.73	5.8	OVR	1.3	19.4	172	13100	8538	4562	
VMP-60-33.5	12/18/2017	0956	-0.50	-0.63	0.7	14	0.4	20.4	47.5	2677	1999	678	
VMP-60-33.5-Dup	12/18/2017	0956	NM	NM	2.0	40	0.7	20.1	118	5919	4224	1695	Duplicate sample.
VMP-60-33.5	1/19/2018	0855	-0.29	-0.32	0.0	0	0.3	20.6	1.6	18.2	8.8	9.4	
VMP-60-33.5-Dup	1/19/2018	0855	NM	NM	0.0	0	0.3	20.6	1.6	18.8	9.5	9.3	Duplicate sample.
VMP-60-33.5	2/22/2018	0841	-0.53	-0.78	0.0	0	0.1	20.7	4.4	27.2	2.7	24.5	
VMP-60-33.5	3/14/2018	0922	-0.94	-0.83	0.0	0	0.1	20.8	0.1	0.0	0.0	0.0	
VMP-60-33.5-Dup	3/14/2018	0922	NM	NM	0.0	0	0.1	20.8	0.7	0.0	0.0	0.0	Duplicate sample.
VMP-61-5	4/19/2017	1533	-0.11	-0.10	0.0	0	0.7	20.3	0.1	0.0	0.0	0.0	
VMP-61-5	5/24/2017	1454	-0.38	-0.37	0.0	0	0.7	20.1	0.1	0.0	0.0	0.0	
VMP-61-5	6/21/2017	1450	-0.25	-0.25	0.0	0	1.1	19.8	0.4	0.0	0.0	0.0	
VMP-61-5	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP in construction area.
VMP-61-5	8/16/2017	1450	0.00	0.00	0.0	0	1.9	19.1	0.8	0.0	0.0	0.0	
VMP-61-5	9/13/2017	1253	-0.72	0.00	0.0	0	1.7	19.2	0.3	0.0	0.0	0.0	
VMP-61-5	10/23/2017	1318	0.09	0.00	0.0	0	1.7	19.4	0.3	0.0	0.0	0.0	
VMP-61-5	11/27/2017	1240	0.00	0.00	0.0	0	0.9	20.2	0.2	0.0	0.0	0.0	
VMP-61-5	12/18/2017	1331	0.00	0.00	0.0	0	0.7	20.3	0.1	0.0	0.0	0.0	
VMP-61-5	1/19/2018	1343	0.13	0.15	0.0	0	0.5	20.3	0.1	0.0	0.0	0.0	
VMP-61-5	2/21/2018	0837	-0.45	-0.30	0.0	0	0.4	20.6	0.3	0.0	0.0	0.0	
VMP-61-5	3/14/2018	1426	0.13	0.00	0.0	0	0.4	20.6	0.4	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-61-10	4/19/2017	1534	-0.21	-0.20	0.0	0	0.0	20.9	0.3	0.3	0.0	0.3	
VMP-61-10	5/24/2017	1456	-0.71	-0.66	0.0	0	0.4	20.5	0.6	0.0	0.0	0.0	
VMP-61-10	6/21/2017	1451	-0.39	-0.47	0.0	0	0.6	20.3	0.7	0.0	0.0	0.0	
VMP-61-10	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP in construction area.
VMP-61-10	8/16/2017	1451	0.00	0.00	0.0	0	1.0	19.7	0.9	0.0	0.0	0.0	
VMP-61-10	9/13/2017	1255	-0.25	-0.19	0.0	0	0.9	19.7	0.1	0.0	0.0	0.0	
VMP-61-10	10/23/2017	1320	0.00	0.00	0.0	0	1.1	19.6	0.4	0.0	0.0	0.0	
VMP-61-10	11/27/2017	1241	0.00	0.00	0.0	0	0.7	20.0	0.4	0.0	0.0	0.0	
VMP-61-10	12/19/2017	1321	-0.09	-0.10	0.0	0	0.7	20.1	0.1	0.0	0.0	0.0	
VMP-61-10	1/19/2018	1344	0.17	0.17	0.0	0	0.6	19.7	0.2	0.0	0.0	0.0	
VMP-61-10	2/21/2018	0838	-0.68	-0.49	0.0	0	0.4	20.5	0.0	0.0	0.0	0.0	
VMP-61-10	3/14/2018	1428	0.13	0.00	0.0	0	0.4	20.5	0.8	0.0	0.0	0.0	
VMP-61-20	4/18/2017	1535	-11.33	-0.27	0.0	0	0.7	20.3	0.2	0.0	0.0	0.0	
VMP-61-20	5/24/2017	1458	-0.42	-0.39	0.0	0	0.5	20.4	1.2	25.4	21.7	3.7	Re-sampled due to elevated THC.
VMP-61-20	5/25/2017	1430	-0.32	NM	0.0	0	0.7	19.9	0.2	0.0	0.0	0.0	Re-sample.
VMP-61-20	6/21/2017	1452	-0.33	-0.27	0.0	0	1.1	19.7	0.6	0.0	0.0	0.0	
VMP-61-20	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP in construction area.
VMP-61-20	8/16/2017	1452	0.00	0.00	0.0	0	1.7	19.2	1.4	0.0	0.0	0.0	
VMP-61-20	9/13/2017	1257	-0.12	-0.09	0.0	0	1.5	19.4	0.1	0.0	0.0	0.0	
VMP-61-20	10/23/2017	1322	0.09	0.00	0.0	0	1.7	19.3	0.4	0.0	0.0	0.0	
VMP-61-20-Dup	10/23/2017	1322	NM	NM	0.0	0	1.6	19.4	0.4	0.0	0.0	0.0	Duplicate sample.
VMP-61-20	11/27/2017	1242	0.00	0.00	0.0	0	0.8	20.1	0.3	0.0	0.0	0.0	
VMP-61-20	12/18/2017	1333	0.00	0.00	0.0	0	0.6	20.4	0.2	0.0	0.0	0.0	
VMP-61-20	1/19/2018	1345	0.14	0.13	0.0	0	0.5	20.2	0.1	0.0	0.0	0.0	
VMP-61-20	2/21/2018	0839	-0.48	-0.33	0.0	0	0.4	20.6	0.0	0.0	0.0	0.0	
VMP-61-20	3/14/2018	1430	0.13	0.00	0.0	0	0.6	20.4	0.9	0.0	0.0	0.0	
VMP-61-30	4/18/2017	1536	-0.25	-0.31	0.0	0	3.0	18.1	4.1	8.2	0.0	8.2	
VMP-61-30	5/24/2017	1500	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-61-30	6/21/2017	1453	-23.18	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-61-30	7/18/2017	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP in construction area.
VMP-61-30	8/16/2017	NM	-1.19	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-61-30	9/13/2017	1258	-18.61	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-61-30	10/23/2017	1324	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-61-30	11/27/2017	1243	-0.24	NM	0.0	0	3.4	17.3	0.1	0.0	0.0	0.0	Water in sample while attempting to collect duplicate sample. Did not measure stabilized vacuum.
VMP-61-30	12/19/2017	1322	0.00	-0.76	0.0	0	3.6	17.6	0.2	0.0	0.0	0.0	
VMP-61-30	1/19/2018	1346	0.35	0.20	0.0	0	3.4	17.7	0.1	0.0	0.0	0.0	
VMP-61-30	2/21/2018	0840	-0.89	-0.60	0.0	0	3.0	18.4	0.2	0.0	0.0	0.0	
VMP-61-30	3/14/2018	1443	0.13	0.00	0.0	0	2.3	19.2	0.3	0.0	0.0	0.0	
VMP-61-30-Dup	3/14/2018	1443	NM	NM	0.0	0	2.8	18.9	0.2	0.0	0.0	0.0	Duplicate sample.

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-62-5	4/19/2017	0905	0.00	0.00	0.0	0	1.0	19.5	0.7	0.0	0.0	0.0	
VMP-62-5	5/25/2017	1021	-0.50	-0.49	0.0	0	4.1	16.1	0.7	0.0	0.0	0.0	
VMP-62-5	6/22/2017	0850	-2.08	0.00	0.0	0	5.4	14.9	0.5	0.0	0.0	0.0	
VMP-62-5	7/18/2017	0826	-0.55	0.36	0.0	0	3.1	18.4	0.5	0.0	0.0	0.0	
VMP-62-5	8/17/2017	0901	0.00	0.00	0.0	0	4.0	17.4	1.0	0.0	0.0	0.0	
VMP-62-5	9/14/2017	0842	-0.36	0.00	0.0	0	3.0	18.2	0.4	0.0	0.0	0.0	
VMP-62-5	10/24/2017	0932	-0.32	-0.11	0.0	0	0.8	20.2	0.2	0.0	0.0	0.0	
VMP-62-5	11/28/2017	824	0.00	0.00	0.0	0	1.0	19.9	0.5	0.0	0.0	0.0	
VMP-62-5	12/19/2017	0822	0.00	0.00	0.0	0	0.5	20.4	0.2	0.7	0.7	0.0	
VMP-62-5	1/19/2018	1054	0.00	0.00	0.0	0	0.6	20.3	0.2	0.0	0.0	0.0	
VMP-62-5	2/21/2018	1115	0.00	0.00	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-62-5	3/15/2018	1036	0.00	0.00	0.0	0	0.7	20.4	0.1	0.0	0.0	0.0	
VMP-62-10	4/19/2017	0906	-0.94	-0.11	0.0	0	1.3	19.2	0.5	0.0	0.0	0.0	
VMP-62-10	5/25/2017	1023	-0.34	-0.24	0.0	0	1.2	19.3	1.1	0.0	0.0	0.0	
VMP-62-10	6/22/2017	0851	-0.68	0.00	0.0	0	3.7	16.9	0.4	0.0	0.0	0.0	
VMP-62-10	7/18/2017	0828	0.00	0.00	0.0	0	4.0	17.7	0.5	0.0	0.0	0.0	
VMP-62-10	8/17/2017	0902	-0.19	-0.11	0.0	0	3.2	18.2	0.4	0.0	0.0	0.0	
VMP-62-10	9/14/2017	0844	-0.59	0.00	0.0	0	3.0	18.3	0.3	0.0	0.0	0.0	
VMP-62-10	10/24/2017	0934	-0.39	-0.15	0.0	0	0.8	20.2	0.3	0.0	0.0	0.0	
VMP-62-10	11/28/2017	825	-0.14	0.00	0.0	0	1.3	19.6	0.2	0.0	0.0	0.0	
VMP-62-10	12/19/2017	0823	0.00	0.00	0.0	0	0.9	20.1	0.0	0.0	0.0	0.0	
VMP-62-10	1/19/2018	1055	0.00	0.00	0.0	0	1.0	19.9	0.2	0.0	0.0	0.0	
VMP-62-10	2/21/2018	1116	-0.13	-0.13	0.0	0	0.8	20.3	0.1	0.0	0.0	0.0	
VMP-62-10	3/15/2018	1037	0.00	0.00	0.0	0	0.8	20.2	0.3	0.0	0.0	0.0	
VMP-62-20	4/19/2017	0907	-1.47	-1.33	0.0	0	1.1	19.5	0.5	0.0	0.0	0.0	
VMP-62-20	5/25/2017	1025	-1.41	-1.63	0.0	0	2.2	18.1	0.9	0.0	0.0	0.0	
VMP-62-20	6/22/2017	0852	-1.42	-1.28	0.0	0	2.9	17.9	0.3	0.4	0.4	0.0	
VMP-62-20	7/18/2017	0830	-1.31	-1.39	0.0	0	3.2	18.1	0.3	0.0	0.0	0.0	
VMP-62-20	8/17/2017	0903	-1.01	-1.29	0.0	0	3.0	18.3	0.4	0.0	0.0	0.0	
VMP-62-20	9/14/2017	0846	-1.37	-1.24	0.0	0	2.4	18.7	0.4	0.0	0.0	0.0	
VMP-62-20	10/24/2017	0936	-1.78	-1.22	0.0	0	2.2	19.1	0.2	0.0	0.0	0.0	
VMP-62-20	11/28/2017	826	-0.14	0.00	0.0	0	1.4	19.5	0.1	0.0	0.0	0.0	
VMP-62-20	12/19/2017	0824	-1.16	-1.09	0.0	0	1.1	19.9	0.1	4.7	4.6	0.1	
VMP-62-20	1/19/2018	1056	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-62-20	2/21/2018	1117	-1.35	-1.35	0.0	0	0.8	20.3	0.6	12.5	0.0	12.5	
VMP-62-20	3/15/2018	1038	-0.80	-1.11	0.0	0	0.1	20.0	0.1	0.6	0.6	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-62-30	4/19/2017	0908	-2.53	-2.33	0.0	0	0.5	20.3	0.1	0.0	0.0	0.0	
VMP-62-30-Dup	4/19/2017	0908	NM	NM	0.0	0	0.5	20.2	0.1	0.0	0.0	0.0	Duplicate sample.
VMP-62-30	5/25/2017	1027	-2.83	-2.77	0.0	0	1.0	19.3	1.3	0.0	0.0	0.0	
VMP-62-30	6/22/2017	0853	-2.59	-2.33	0.0	0	1.6	18.9	0.3	0.0	0.0	0.0	
VMP-62-30	7/18/2017	0832	-2.69	-2.58	0.0	0	1.7	19.4	0.3	0.0	0.0	0.0	
VMP-62-30-Dup	7/18/2017	0832	NM	NM	0.0	0	1.7	19.4	0.3	0.0	0.0	0.0	Duplicate sample.
VMP-62-30	8/17/2017	0904	-2.47	-2.54	0.0	0	1.7	19.4	0.6	0.0	0.0	0.0	
VMP-62-30	9/14/2017	0848	-2.61	-2.54	0.0	0	1.6	19.4	0.8	0.0	0.0	0.0	
VMP-62-30	10/24/2017	0938	-3.06	-2.44	0.0	0	1.5	19.6	0.1	0.0	0.0	0.0	
VMP-62-30-Dup	10/24/2017	0938	NM	NM	0.0	0	1.5	19.6	0.1	0.0	0.0	0.0	Duplicate sample.
VMP-62-30	11/28/2017	827	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-62-30	12/19/2017	1358	-1.94	-1.82	0.0	0	0.9	20.1	0.2	0.0	0.0	0.0	
VMP-62-30	1/19/2018	1057	-1.29	0.00	0.0	0	1.0	19.9	0.3	0.0	0.0	0.0	
VMP-62-30	2/21/2018	1118	-2.23	-2.59	0.0	0	0.8	20.1	0.6	0.0	0.0	0.0	
VMP-62-30-Dup	2/21/2018	1118	NM	NM	0.0	0	0.8	20.1	0.6	0.0	0.0	0.0	Duplicate sample.
VMP-62-30	3/15/2018	1039	-1.04	-0.66	0.0	0	0.1	20.8	0.1	0.0	0.0	0.0	Re-sampled due to elevated oxygen.
VMP-62-30	3/15/2018	1357	-1.83	NM	0.0	0	0.5	19.7	0.8	0.0	0.0	0.0	Re-sample
VMP-62-30-Dup	3/15/2018	1039	NM	NM	0.0	0	0.1	2.1	0.2	0.0	0.0	0.0	Duplicate sample.
VMP-62-30-Dup	3/15/2018	1357	NM	NM	0.0	0	0.5	19.7	0.8	0.0	0.0	0.0	Duplicate sample.
VMP-63-5	4/19/2017	0847	-0.39	-0.33	0.0	0	0.2	20.7	0.5	0.0	0.0	0.0	
VMP-63-5	5/25/2017	0959	-0.46	-0.42	0.0	0	0.3	0.6	0.4	0.0	0.0	0.0	
VMP-63-5	6/21/2017	1528	-0.29	-0.26	0.0	0	0.3	20.7	0.0	0.0	0.0	0.0	
VMP-63-5	7/17/2017	1527	-0.25	-0.24	0.0	0	0.3	20.6	0.1	0.0	0.0	0.0	
VMP-63-5	8/16/2017	0845	-0.28	0.00	0.0	0	0.3	20.7	0.4	0.0	0.0	0.0	
VMP-63-5	9/14/2017	0809	-0.25	-0.16	0.0	0	0.2	20.6	0.2	0.0	0.0	0.0	
VMP-63-5	10/24/2017	0911	-0.28	-0.20	0.0	0	0.2	20.8	0.3	0.0	0.0	0.0	
VMP-63-5	11/27/2017	1427	0.00	-0.24	0.0	0	0.1	20.7	0.2	0.0	0.0	0.0	
VMP-63-5	12/19/2017	0804	-0.18	-0.16	0.0	0	0.0	20.8	0.2	0.0	0.0	0.0	
VMP-63-5	1/19/2018	1304	0.00	0.00	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-63-5	2/21/2018	1050	-0.28	-0.31	0.0	0	0.0	20.9	0.6	0.0	0.0	0.0	
VMP-63-5	3/15/2018	0954	0.00	-0.25	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-63-10	4/19/2017	0848	-0.91	-0.81	0.0	0	0.2	20.7	0.4	0.0	0.0	0.0	
VMP-63-10	5/25/2017	1001	-1.07	-1.05	0.0	0	0.5	20.4	0.4	0.0	0.0	0.0	
VMP-63-10	6/21/2017	1529	-0.62	-0.60	0.0	0	0.6	20.4	0.6	0.0	0.0	0.0	
VMP-63-10	7/17/2017	1529	-0.49	-0.47	0.0	0	0.6	20.4	0.4	0.0	0.0	0.0	
VMP-63-10	8/16/2017	0846	-0.53	-0.50	0.0	0	0.5	20.5	0.4	0.0	0.0	0.0	
VMP-63-10	9/14/2017	0811	-0.48	-0.37	0.0	0	0.3	20.5	0.1	0.0	0.0	0.0	
VMP-63-10	10/24/2017	0913	-0.46	-0.37	0.0	0	0.3	20.7	0.2	0.0	0.0	0.0	
VMP-63-10	11/27/2017	1428	-0.33	-0.18	0.0	0	0.1	20.7	0.1	0.0	0.0	0.0	
VMP-63-10	12/19/2017	0805	0.00	-0.32	0.0	0	0.0	20.8	0.2	0.0	0.0	0.0	
VMP-63-10	1/19/2018	1305	-0.22	0.00	0.0	0	0.0	20.9	0.5	0.0	0.0	0.0	
VMP-63-10	2/21/2018	1051	-0.10	-0.35	0.0	0	0.1	20.8	0.5	0.0	0.0	0.0	
VMP-63-10	3/15/2018	0955	-0.42	-0.35	0.0	0	0.1	20.9	0.2	0.0	0.0	0.0	
VMP-63-20	4/19/2017	0849	-1.88	-1.72	0.0	0	0.2	20.6	0.1	0.0	0.0	0.0	
VMP-63-20	5/25/2017	1003	-1.99	-1.78	0.0	0	0.5	20.3	0.3	0.0	0.0	0.0	
VMP-63-20	6/21/2017	1530	-1.77	-1.74	0.0	0	0.7	20.2	0.6	0.0	0.0	0.0	
VMP-63-20	7/17/2017	1531	-1.62	-1.59	0.0	0	0.8	20.2	0.5	0.0	0.0	0.0	
VMP-63-20	8/16/2017	0847	-1.84	-1.71	0.0	0	0.8	20.2	0.4	0.0	0.0	0.0	
VMP-63-20	9/14/2017	0813	-1.78	-1.64	0.0	0	0.6	20.3	0.2	0.0	0.0	0.0	
VMP-63-20	10/24/2017	0915	-1.68	-1.59	0.0	0	0.5	20.5	0.3	0.0	0.0	0.0	
VMP-63-20	11/27/2017	1429	-1.00	-1.04	0.0	0	0.2	20.7	0.1	0.0	0.0	0.0	
VMP-63-20	12/19/2017	0806	-1.31	-1.38	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	
VMP-63-20-Dup	12/19/2017	0806	NM	NM	0.0	0	0.1	20.8	0.1	0.0	0.0	0.0	Duplicate sample.
VMP-63-20	1/19/2018	1306	-0.55	-0.55	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	
VMP-63-20	2/21/2018	1052	-1.69	-1.72	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	
VMP-63-20	3/15/2018	0957	-1.47	-1.37	0.0	0	0.1	20.8	0.1	0.0	0.0	0.0	
VMP-63-30	4/19/2017	0850	-2.19	-2.02	0.0	0	0.3	20.5	0.6	0.0	0.0	0.0	
VMP-63-30	5/25/2017	1005	-2.52	-2.45	0.0	0	0.5	20.0	0.4	0.0	0.0	0.0	
VMP-63-30	6/21/2017	1531	-2.04	-2.01	0.0	0	0.8	20.1	0.6	0.0	0.0	0.0	
VMP-63-30	7/17/2017	1533	-1.89	-1.88	0.0	0	1.1	20.0	0.4	0.0	0.0	NM	
VMP-63-30	8/16/2017	0848	-2.16	-2.02	0.0	0	1.1	20.0	0.8	0.0	0.0	0.0	
VMP-63-30	9/14/2017	0815	-1.90	-1.96	0.0	0	0.9	20.1	0.3	0.0	0.0	0.0	
VMP-63-30-Dup	9/14/2017	0815	NM	NM	0.0	0	0.9	20.1	0.3	0.0	0.0	0.0	Duplicate sample.
VMP-63-30	10/24/2017	0917	-1.99	-2.07	0.0	0	0.7	20.3	0.2	0.0	0.0	0.0	
VMP-63-30	11/27/2017	1430	-1.23	-1.27	0.0	0	0.4	20.5	0.3	0.0	0.0	0.0	
VMP-63-30	12/19/2017	1418	-1.36	-1.36	0.0	0	0.4	20.5	0.0	0.0	0.0	0.0	
VMP-63-30	1/19/2018	1307	-0.73	-0.72	0.0	0	0.4	20.6	0.4	0.0	0.0	0.0	
VMP-63-30	2/21/2018	1053	-1.74	-1.73	0.0	0	0.1	20.8	0.3	0.0	0.0	0.0	
VMP-63-30	3/15/2018	0958	-6.84	-0.41	0.0	0	0.1	20.9	0.4	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-64-5	4/19/2017	0830	0.00	0.00	0.0	0	0.1	20.7	0.5	0.0	0.0	0.0	
VMP-64-5	5/25/2017	0918	0.00	0.00	0.0	0	0.4	20.1	0.3	0.0	0.0	0.0	
VMP-64-5	6/22/2017	0831	0.00	0.00	0.0	0	1.3	16.7	0.4	0.0	0.0	0.0	
VMP-64-5	7/17/2017	1507	0.00	0.00	0.0	0	2.1	19.3	0.2	0.0	0.0	0.0	
VMP-64-5	8/16/2017	0918	0.00	0.00	0.0	0	0.7	20.2	0.0	0.0	0.0	0.0	
VMP-64-5	9/13/2017	1448	0.00	0.00	0.0	0	0.6	20.3	0.7	0.0	0.0	0.0	
VMP-64-5	10/24/2017	0838	0.00	0.00	0.0	0	0.5	20.4	0.4	0.0	0.0	0.0	
VMP-64-5	11/27/2017	1412	0.00	-0.36	0.0	0	0.1	20.6	0.1	0.0	0.0	0.0	
VMP-64-5	12/18/2017	1435	0.00	0.00	0.0	0	0.1	20.8	0.2	0.0	0.0	0.0	
VMP-64-5	1/19/2018	1316	0.00	0.00	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-64-5	2/21/2018	1026	0.00	0.00	0.0	0	0.1	20.8	0.1	0.0	0.0	0.0	
VMP-64-5-Dup	2/21/2018	1026	NM	NM	0.0	0	0.1	20.8	0.1	0.0	0.0	0.0	Duplicate sample.
VMP-64-5	3/15/2018	0934	0.00	0.00	0.0	0	0.0	20.9	0.2	0.0	0.0	0.0	
VMP-64-10	4/19/2017	0831	0.00	-0.40	0.0	0	1.4	19.4	0.6	0.0	0.0	0.0	
VMP-64-10	5/25/2017	0920	-0.51	-0.34	0.0	0	1.8	18.3	0.7	0.0	0.0	0.0	
VMP-64-10	6/22/2017	0832	-0.26	-0.09	0.0	0	3.3	16.2	0.7	0.0	0.0	0.0	
VMP-64-10	7/17/2017	1509	-0.15	-0.15	0.0	0	3.7	17.3	0.5	0.0	0.0	0.0	
VMP-64-10	8/16/2017	0919	-0.20	-0.15	0.0	0	3.9	17.3	0.7	0.0	0.0	0.0	
VMP-64-10	9/13/2017	1450	0.00	0.00	0.0	0	3.5	18.0	0.2	0.0	0.0	0.0	
VMP-64-10	10/24/2017	0840	-0.16	-0.14	0.0	0	3.4	17.9	0.3	0.0	0.0	0.0	
VMP-64-10	11/27/2017	1413	0.00	-0.13	0.0	0	2.5	18.7	0.2	0.0	0.0	0.0	
VMP-64-10	12/18/2017	1436	-0.36	0.00	0.0	0	1.9	19.3	0.2	0.0	0.0	0.0	
VMP-64-10	1/19/2018	1317	0.22	0.00	0.0	0	1.9	19.3	0.2	0.0	0.0	0.0	
VMP-64-10	2/21/2018	1027	-0.13	-0.55	0.0	0	1.0	20.1	0.9	0.0	0.0	0.0	
VMP-64-10	3/15/2018	0935	0.32	-0.13	0.0	0	0.1	20.0	0.5	0.0	0.0	0.0	
VMP-64-20	4/19/2017	0832	-0.31	-0.35	0.0	0	1.7	19.1	0.2	0.0	0.0	0.0	
VMP-64-20	5/25/2017	0922	-0.44	-1.07	0.0	0	2.6	17.8	0.5	0.0	0.0	0.0	
VMP-64-20	6/22/2017	0833	-0.35	-0.21	0.0	0	2.7	17.0	0.4	0.0	0.0	0.0	
VMP-64-20-Dup	6/22/2017	0833	NM	NM	0.0	0	2.7	17.0	0.4	0.0	0.0	0.0	Duplicate sample.
VMP-64-20	7/17/2017	1511	-0.26	-0.31	0.0	0	3.3	17.7	0.7	0.0	0.0	0.0	
VMP-64-20	8/16/2017	0920	-0.34	-0.26	0.0	0	4.4	16.5	0.3	0.0	0.0	0.0	
VMP-64-20-Dup	8/16/2017	0920	NM	NM	0.0	0	4.4	16.5	0.3	0.0	0.0	0.0	Duplicate sample.
VMP-64-20	9/13/2017	1452	-0.10	-0.09	0.0	0	4.1	17.4	0.3	0.0	0.0	0.0	
VMP-64-20-Dup	9/13/2017	1452	NM	NM	0.0	0	4.2	17.4	0.3	0.0	0.0	0.0	Duplicate sample.
VMP-64-20	10/24/2017	0842	-0.33	-0.29	0.0	0	4.0	17.6	0.5	0.0	0.0	0.0	
VMP-64-20	11/27/2017	1414	0.00	0.00	0.0	0	3.3	17.8	0.4	0.0	0.0	0.0	
VMP-64-20	12/18/2017	1437	0.00	0.00	0.0	0	3.0	18.4	0.2	0.0	0.0	0.0	
VMP-64-20	1/19/2018	1318	0.14	0.14	0.0	0	3.0	18.0	0.4	0.0	0.0	0.0	
VMP-64-20	2/21/2018	1028	-0.25	-0.32	0.0	0	1.8	19.6	0.2	0.0	0.0	0.0	
VMP-64-20	3/15/2018	0936	-0.84	-0.28	0.0	0	1.6	19.6	0.3	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-64-28	4/19/2017	0833	0.28	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-64-28	5/25/2017	0923	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-64-28	6/22/2017	0834	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-64-28	7/17/2017	1513	-0.30	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-64-28	8/16/2017	0921	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-64-28	9/13/2017	1453	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-64-28	10/24/2017	0844	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-64-28	11/27/2017	1429	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-64-28	12/18/2017	1438	1.31	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-64-28	1/19/2018	1319	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-64-28	2/21/2018	1029	-1.36	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-64-28	3/15/2018	0938	0.27	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.

Notes:

1) NM = Not Measured; NA = Not Applicable; NE = Not Encountered; PID = Photo Ionization Detector; THC = Total Hydrocarbon Concentration; PHC = Petroleum Hydrocarbon Concentration; OVR = Over-range; ppmv = Parts Per Million By Volume.

TABLE 10
SVE SYSTEM HEADER AND EXHAUST ANALYTICAL DATA

Location	Sample ID	Sample Date	Acetone			Allyl chloride (3-Chloropropene)			Benzene			Bromodichloromethane			Bromoform			Bromomethane		
			Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
SVE Public Works Header	PW-Header-SVE-040617	4/6/2017	5.5	J		3.1	U		16			1.6	U		2.5	U		9.5	U	
SVE Public Works Header	PW-Header-SVE-050217	5/2/2017	0.63	U		0.83	U		16			0.44	U		0.68	U		1	U	
SVE Public Works Header	PW-Header-060517	6/5/2017	0.091	J		0.33	U		15			0.18	U		0.27	U		0.41	U	
SVE Public Works Header	PW-Header-SVE-070517	7/5/2017	0.13	J		0.32	U		14			0.17	U		0.27	U		0.4	U	
SVE Public Works Header	Pw Header-SVE-080917	8/9/2017	0.4	U		0.52	U		17			0.28	U		0.43	U		0.65	U	
SVE Public Works Header	PW-Header-SVE-090117	9/1/2017	0.61	U		0.8	U		22			0.43	U		0.66	U		0.99	U	
SVE Public Works Header	PW-Header-SVE-100317	10/3/2017	3.2			1.1	U		30			0.6	U		0.93	U		1.4	U	
SVE Public Works Header	PW-Header-SVE-110117	11/1/2017	0.8	U		1	U		20			0.56	U		0.87	U		1.3	U	
SVE Public Works Header	PW-Header-SVE-120617	12/6/2017	0.72	U		0.95	U		13			0.51	U		0.78	U		1.2	U	
SVE Public Works Header	PW-Header-SVE-011118	1/11/2018	5.8			1.5	U		50			0.83	U		1.3	U		1.9	U	
SVE Public Works Header	PW-Header-SVE-020118	2/1/2018	1.9	U		2.5	U		73			1.4	U		2.1	U		3.2	U	
SVE Public Works Header	PW-Header-SVE-030118	3/1/2018	0.38	J		2	U		58			1.1	U		1.7	U		2.5	U	
SVE Refinery Header	WFL-Header-SVE-040617	4/6/2017	22	J		20	U		17			10	U		16	U		60	U	
SVE Refinery Header	WFL-Header-SVE-050217	5/2/2017	4.2	U		5.5	U		14			2.9	U		4.5	U		6.8	U	
SVE Refinery Header	WFL-Header-SVE-060517	6/5/2017	4	U		5.2	U		27			2.8	U		4.3	U		6.5	U	
SVE Refinery Header	WFL-Header-SVE-070517	7/5/2017	2.4	U		3.1	U		19			1.7	U		2.6	U		3.9	U	
SVE Refinery Header	WFL Header-SVE-080917	8/9/2017	1.2	U		1.5	U		18			0.82	U		1.3	U		1.9	U	
SVE Refinery Header	WFL-Header-SVE-090117	9/1/2017	1.2	U		1.6	U		19			0.84	U		1.3	U		2	U	
SVE Refinery Header	WFL-Header-SVE-100317	10/3/2017	2	U		2.6	U		22			1.4	U		2.2	U		3.3	U	
SVE Refinery Header	WFL-Header-SVE-110117	11/1/2017	2	U		2.6	U		16			1.4	U		2.2	U		3.3	U	
SVE Refinery Header	WFL-Header-SVE-120617	12/6/2017	1.4	U		1.8	U		17			0.98	U		1.5	U		2.3	U	
SVE Refinery Header	WFL-Header-SVE-011118	1/11/2018	7.6			2.6	U		28			1.4	U		2.2	U		3.3	U	
SVE Refinery Header	WFL-Header-SVE-020118	2/1/2018	1.9	U		2.6	U		23			1.4	U		2.1	U		3.2	U	
SVE Refinery Header	WFL-Header-SVE-030118	3/1/2018	2.1	U		2.7	U		21			1.5	U		2.2	U		3.4	U	
SVE RTO Exhaust	EXH-SVE-040617	4/6/2017	2.6			0.11	U		0.17			0.059	U		0.09	U		0.34	U	
SVE RTO Exhaust	Exh-SVE-050217	5/2/2017	0.61			0.038	U		0.032			0.02	U		0.032	U		0.12	U	
SVE RTO Exhaust	Exh-SVE-060517	6/5/2017	4.9			0.12	U		0.16			0.064	U		0.099	U		0.37	U	
SVE RTO Exhaust	Exh-SVE-070517	7/5/2017	1.7			0.063	U		0.94			0.034	U		0.052	U		0.2	U	
SVE RTO Exhaust	Exh-SVE-080917	8/9/2017	0.047	J		0.064	U		0.13			0.034	U		0.053	U		0.2	U	
SVE RTO Exhaust	Exh-SVE-090117	9/1/2017	0.017	J		0.032	U		0.041			0.017	U		0.026	U		0.098	U	
SVE RTO Exhaust	Exh-SVE-100317	10/3/2017	0.059	J		0.034	U		0.076			0.018	U		0.028	U		0.1	U	
SVE RTO Exhaust	Exh-SVE-110117	11/1/2017	0.14			0.064	U		0.14			0.034	U		0.053	U		0.2	U	
SVE RTO Exhaust	Exh-SVE-120617	12/6/2017	0.75			0.064	U		0.16			0.034	U		0.053	U		0.2	U	
SVE RTO Exhaust	Exh-SVE-011118	1/11/2018	3	E	J	0.036	U		0.18			0.019	U		0.03	U		0.11	ND,UJ	UJ
SVE RTO Exhaust	Exh-SVE-020118	2/1/2018	1.5			0.074	U		0.23			0.04	U		0.062	U		0.23	U	
SVE RTO Exhaust	Exh-SVE-030118	3/1/2018	2.6			0.12	U		0.23			0.063	U		0.097	U		0.36	U	

TABLE 10
SVE SYSTEM HEADER AND EXHAUST ANALYTICAL DATA

Location	Sample ID	Sample Date	1,3-Butadiene			Butane			2-Butanone			Carbon disulfide			Carbon tetrachloride			Chlorobenzene		
			Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
SVE Public Works Header	PW-Header-SVE-040617	4/6/2017	0.54	U		50			2.9	U		1.4	J		1.5	U		1.1	U	
SVE Public Works Header	PW-Header-SVE-050217	5/2/2017	0.15	U		47			0.78	U		0.82	U		0.42	U		0.3	U	
SVE Public Works Header	PW-Header-060517	6/5/2017	0.059	U		17			0.31	U		0.33	U		0.17	U		0.12	U	
SVE Public Works Header	PW-Header-SVE-070517	7/5/2017	0.057	U		23			0.3	U		0.32	U		0.16	U		0.12	U	
SVE Public Works Header	Pw Header-SVE-080917	8/9/2017	0.092	U		96			0.49	U		0.52	U		0.26	U		0.19	U	
SVE Public Works Header	PW-Header-SVE-090117	9/1/2017	0.14	U		150			0.75	U		0.8	U		0.4	U		0.29	U	
SVE Public Works Header	PW-Header-SVE-100317	10/3/2017	0.2	U		140			1.1	U		1.1	U		0.57	U		0.41	U	
SVE Public Works Header	PW-Header-SVE-110117	11/1/2017	0.18	U		140			0.99	U		1	U		0.53	U		0.39	U	
SVE Public Works Header	PW-Header-SVE-120617	12/6/2017	0.17	U		120			0.9	U		0.95	U		0.48	U		0.35	U	
SVE Public Works Header	PW-Header-SVE-011118	1/11/2018	0.27	U		300			1.4	U		1.5	U		0.78	U		0.57	U	
SVE Public Works Header	PW-Header-SVE-020118	2/1/2018	0.45	U		430			2.4	U		2.5	U		1.3	U		0.93	U	
SVE Public Works Header	PW-Header-SVE-030118	3/1/2018	0.36	U		290			1.9	U		2	U		0.5	J		0.75	U	
SVE Refinery Header	WFL-Header-SVE-040617	4/6/2017	3.4	U		470			18	U		4.1	J		9.8	U		7.2	U	
SVE Refinery Header	WFL-Header-SVE-050217	5/2/2017	0.97	U		480			5.2	U		5.5	U		2.8	U		2	U	
SVE Refinery Header	WFL-Header-SVE-060517	6/5/2017	0.92	U		520			4.9	U		5.2	U		2.6	U		1.9	U	
SVE Refinery Header	WFL-Header-SVE-070517	7/5/2017	0.55	U		440			2.9	U		3.1	U		1.6	U		1.1	U	
SVE Refinery Header	WFL Header-SVE-080917	8/9/2017	0.27	U		350			1.4	U		1.5	U		0.77	U		0.56	U	
SVE Refinery Header	WFL-Header-SVE-090117	9/1/2017	0.28	U		420			1.5	U		1.6	U		0.79	U		0.58	U	
SVE Refinery Header	WFL-Header-SVE-100317	10/3/2017	0.46	U		480			2.5	U		2.6	U		1.3	U		0.97	U	
SVE Refinery Header	WFL-Header-SVE-110117	11/1/2017	0.47	U		390			2.5	U		2.6	U		1.3	U		0.97	U	
SVE Refinery Header	WFL-Header-SVE-120617	12/6/2017	0.32	U		330			1.7	U		1.8	U		0.92	U		0.67	U	
SVE Refinery Header	WFL-Header-SVE-011118	1/11/2018	0.47	U		760			2.5	U		2.6	U		1.3	U		0.97	U	
SVE Refinery Header	WFL-Header-SVE-020118	2/1/2018	0.45	U		580			2.4	U		2.6	U		1.3	U		0.94	U	
SVE Refinery Header	WFL-Header-SVE-030118	3/1/2018	0.48	U		450			2.6	U		2.7	U		1.4	U		1	U	
SVE RTO Exhaust	EXH-SVE-040617	4/6/2017	0.019	U		4.4			0.4			0.11	U		0.055	U		0.04	U	
SVE RTO Exhaust	Exh-SVE-050217	5/2/2017	0.0068	U		0.88			0.09			0.0031	J		0.019	U		0.014	U	
SVE RTO Exhaust	Exh-SVE-060517	6/5/2017	0.021	U		2.1			0.86			0.12	U		0.06	U		0.044	U	
SVE RTO Exhaust	Exh-SVE-070517	7/5/2017	0.0058	J		2.5			0.19			0.063	U		0.032	U		0.023	U	
SVE RTO Exhaust	Exh-SVE-080917	8/9/2017	0.011	U		2.3			0.066			0.064	U		0.032	U		0.024	U	
SVE RTO Exhaust	Exh-SVE-090117	9/1/2017	0.0056	U		0.48			0.02	J		0.0054	J		0.016	U		0.012	U	
SVE RTO Exhaust	Exh-SVE-100317	10/3/2017	0.006	U		1.3			0.08			0.034	J	U	0.017	U		0.012	U	
SVE RTO Exhaust	Exh-SVE-110117	11/1/2017	0.011	U		2.9			0.018	J		0.064	U		0.032	U		0.023	U	
SVE RTO Exhaust	Exh-SVE-120617	12/6/2017	0.011	U		2.3			0.12		J	0.064	U		0.032	U		0.023	U	
SVE RTO Exhaust	Exh-SVE-011118	1/11/2018	0.0063	U		2			0.42			0.036	U		0.018	U		0.013	U	
SVE RTO Exhaust	Exh-SVE-020118	2/1/2018	0.013	U		3.4			0.15			0.074	U		0.037	U		0.027	U	
SVE RTO Exhaust	Exh-SVE-030118	3/1/2018	0.021	U		4.1			0.3			0.12	U		0.059	U		0.043	U	

TABLE 10
SVE SYSTEM HEADER AND EXHAUST ANALYTICAL DATA

Location	Sample ID	Sample Date	Chlorodibromomethane			Chloroethane			Chloroform			Chloromethane			alpha-Chlorotoluene			Cyclohexane		
			Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
SVE Public Works Header	PW-Header-SVE-040617	4/6/2017	2.1	U		2.6	U		1.2	U		5.1	U		1.3	U		8.6		
SVE Public Works Header	PW-Header-SVE-050217	5/2/2017	0.56	U		0.7	U		0.32	U		0.54	U		0.34	U		10		J
SVE Public Works Header	PW-Header-060517	6/5/2017	0.22	U		0.28	U		0.13	U		0.22	U		0.14	U		0.091	U	
SVE Public Works Header	PW-Header-SVE-070517	7/5/2017	0.22	U		0.27	U		0.13	U		0.21	U		0.13	U		5.3		
SVE Public Works Header	Pw Header-SVE-080917	8/9/2017	0.35	U		0.44	U		0.2	U		0.34	U		0.22	U		9.5		
SVE Public Works Header	PW-Header-SVE-090117	9/1/2017	0.54	U		0.68	U		0.31	U		0.53	U		0.33	U		12		
SVE Public Works Header	PW-Header-SVE-100317	10/3/2017	0.77	U		0.95	U		0.44	U		0.74	U		0.46	U		18		
SVE Public Works Header	PW-Header-SVE-110117	11/1/2017	0.72	U		0.89	U		0.41	U		0.69	U		0.43	U		13		
SVE Public Works Header	PW-Header-SVE-120617	12/6/2017	0.65	U		0.8	U		0.37	U		0.63	U		0.39	U		9.7		
SVE Public Works Header	PW-Header-SVE-011118	1/11/2018	1	U		1.3	U		0.6	U		1	U		0.64	U		29		
SVE Public Works Header	PW-Header-SVE-020118	2/1/2018	1.7	U		2.1	U		0.99	U		1.7	U		1	U		33		
SVE Public Works Header	PW-Header-SVE-030118	3/1/2018	1.4	U		1.7	U		0.79	U		1.3	U		0.84	U		21		
SVE Refinery Header	WFL-Header-SVE-040617	4/6/2017	13	U		16	U		7.6	U		32	U		8.1	U		31		
SVE Refinery Header	WFL-Header-SVE-050217	5/2/2017	3.7	U		4.6	U		2.1	U		3.6	U		2.3	U		34		J
SVE Refinery Header	WFL-Header-SVE-060517	6/5/2017	3.6	U		4.4	U		2	U		3.4	U		2.2	U		1.4	U	
SVE Refinery Header	WFL-Header-SVE-070517	7/5/2017	2.1	U		2.6	U		1.2	U		2	U		1.3	U		34		
SVE Refinery Header	WFL Header-SVE-080917	8/9/2017	1	U		1.3	U		0.6	U		1	U		0.63	U		31		
SVE Refinery Header	WFL-Header-SVE-090117	9/1/2017	1.1	U		1.3	U		0.62	U		1	U		0.65	U		33		
SVE Refinery Header	WFL-Header-SVE-100317	10/3/2017	1.8	U		2.2	U		1	U		1.7	U		1.1	U		49		
SVE Refinery Header	WFL-Header-SVE-110117	11/1/2017	1.8	U		2.2	U		1	U		1.7	U		1.1	U		30		
SVE Refinery Header	WFL-Header-SVE-120617	12/6/2017	1.2	U		1.5	U		0.71	U		1.2	U		0.76	U		28		
SVE Refinery Header	WFL-Header-SVE-011118	1/11/2018	1.8	U		2.2	U		1	U		1.7	U		1.1	U		58		
SVE Refinery Header	WFL-Header-SVE-020118	2/1/2018	1.7	U		2.2	U		1	U		1.7	U		1.1	U		42		
SVE Refinery Header	WFL-Header-SVE-030118	3/1/2018	1.9	U		2.3	U		1.1	U		1.8	U		1.1	U		32		
SVE RTO Exhaust	EXH-SVE-040617	4/6/2017	0.074	U		0.092	U		0.043	U		0.18	U		0.045	U		0.31		
SVE RTO Exhaust	Exh-SVE-050217	5/2/2017	0.026	U		0.032	U		0.015	U		0.063	U		0.016	U		0.048		
SVE RTO Exhaust	Exh-SVE-060517	6/5/2017	0.081	U		0.1	U		0.047	U		0.2	U		0.049	U		0.033	U	
SVE RTO Exhaust	Exh-SVE-070517	7/5/2017	0.043	U		0.053	U		0.025	U		0.1	U		0.026	U		0.2		
SVE RTO Exhaust	Exh-SVE-080917	8/9/2017	0.044	U		0.054	U		0.025	U		0.11	U		0.027	U		0.18		
SVE RTO Exhaust	Exh-SVE-090117	9/1/2017	0.021	U		0.026	U		0.012	U		0.052	U		0.013	U		0.037		
SVE RTO Exhaust	Exh-SVE-100317	10/3/2017	0.023	U		0.029	U		0.013	U		0.056	U		0.014	U		0.093		
SVE RTO Exhaust	Exh-SVE-110117	11/1/2017	0.043	U		0.054	U		0.025	U		0.1	U		0.026	U		0.19		
SVE RTO Exhaust	Exh-SVE-120617	12/6/2017	0.043	U		0.054	U		0.025	U		0.1	U		0.026	U		0.16		
SVE RTO Exhaust	Exh-SVE-011118	1/11/2018	0.024	U		0.03	U		0.014	U		0.059	U		0.015	U		0.16		
SVE RTO Exhaust	Exh-SVE-020118	2/1/2018	0.051	U		0.063	U		0.029	U		0.12	U		0.031	U		0.21		
SVE RTO Exhaust	Exh-SVE-030118	3/1/2018	0.08	U		0.099	U		0.046	U		0.19	U		0.048	U		0.25		

TABLE 10
SVE SYSTEM HEADER AND EXHAUST ANALYTICAL DATA

Location	Sample ID	Sample Date	1,2-Dibromoethane			1,2-Dichlorobenzene			1,3-Dichlorobenzene			1,4-Dichlorobenzene			Dichlorodifluoromethane			1,1-Dichloroethane		
			Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
SVE Public Works Header	PW-Header-SVE-040617	4/6/2017	1.9	U		1.5	U		1.5	U		1.5	U		1.2	U		0.99	U	
SVE Public Works Header	PW-Header-SVE-050217	5/2/2017	0.51	U		0.4	U		0.4	U		0.4	U		0.33	U		0.27	U	
SVE Public Works Header	PW-Header-060517	6/5/2017	0.2	U		0.16	U		0.16	U		0.16	U		0.13	U		0.11	U	
SVE Public Works Header	PW-Header-SVE-070517	7/5/2017	0.2	U		0.16	U		0.16	U		0.16	U		0.13	U		0.1	U	
SVE Public Works Header	Pw Header-SVE-080917	8/9/2017	0.32	U		0.25	U		0.25	U		0.25	U		0.2	U		0.17	U	
SVE Public Works Header	PW-Header-SVE-090117	9/1/2017	0.49	U		0.38	U		0.081	J		0.38	U		0.32	U		0.26	U	
SVE Public Works Header	PW-Header-SVE-100317	10/3/2017	0.69	U		0.54	U		0.54	U		0.54	U		0.44	U		0.11	J	
SVE Public Works Header	PW-Header-SVE-110117	11/1/2017	0.64	U		0.5	U		0.5	U		0.5	U		0.42	U		0.34	U	
SVE Public Works Header	PW-Header-SVE-120617	12/6/2017	0.58	U		0.46	U		0.46	U		0.46	U		0.38	U		0.31	U	
SVE Public Works Header	PW-Header-SVE-011118	1/11/2018	0.95	U		0.74	U		0.74	U		0.74	U		0.61	U		0.5	U	
SVE Public Works Header	PW-Header-SVE-020118	2/1/2018	1.6	U		1.2	U		1.2	U		1.2	U		1	U		0.82	U	
SVE Public Works Header	PW-Header-SVE-030118	3/1/2018	1.2	U		0.98	U		0.98	U		0.98	U		0.8	U		0.66	U	
SVE Refinery Header	WFL-Header-SVE-040617	4/6/2017	12	U		9.4	U		9.4	U		9.4	U		7.7	U		6.3	U	
SVE Refinery Header	WFL-Header-SVE-050217	5/2/2017	3.4	U		2.6	U		2.6	U		2.6	U		2.2	U		1.8	U	
SVE Refinery Header	WFL-Header-SVE-060517	6/5/2017	3.2	U		2.5	U		2.5	U		2.5	U		2.1	U		1.7	U	
SVE Refinery Header	WFL-Header-SVE-070517	7/5/2017	1.9	U		1.5	U		1.5	U		1.5	U		1.2	U		1	U	
SVE Refinery Header	WFL Header-SVE-080917	8/9/2017	0.94	U		0.74	U		0.74	U		0.74	U		0.6	U		0.5	U	
SVE Refinery Header	WFL-Header-SVE-090117	9/1/2017	0.97	U		0.76	U		0.76	U		0.76	U		0.62	U		0.51	U	
SVE Refinery Header	WFL-Header-SVE-100317	10/3/2017	1.6	U		1.3	U		1.3	U		1.3	U		1	U		0.85	U	
SVE Refinery Header	WFL-Header-SVE-110117	11/1/2017	1.6	U		1.3	U		1.3	U		1.3	U		1	U		0.86	U	
SVE Refinery Header	WFL-Header-SVE-120617	12/6/2017	1.1	U		0.88	U		0.88	U		0.88	U		0.72	U		0.59	U	
SVE Refinery Header	WFL-Header-SVE-011118	1/11/2018	1.6	U		1.3	U		1.3	U		1.3	U		1	U		0.86	U	
SVE Refinery Header	WFL-Header-SVE-020118	2/1/2018	1.6	U		1.2	U		1.2	U		1.2	U		1	U		0.83	U	
SVE Refinery Header	WFL-Header-SVE-030118	3/1/2018	1.7	U		1.3	U		1.3	U		1.3	U		1.1	U		0.88	U	
SVE RTO Exhaust	EXH-SVE-040617	4/6/2017	0.067	U		0.053	U		0.053	U		0.053	U		0.043	U		0.035	U	
SVE RTO Exhaust	Exh-SVE-050217	5/2/2017	0.023	U		0.018	U		0.018	U		0.018	U		0.015	U		0.012	U	
SVE RTO Exhaust	Exh-SVE-060517	6/5/2017	0.073	U		0.057	U		0.057	U		0.057	U		0.047	U		0.039	U	
SVE RTO Exhaust	Exh-SVE-070517	7/5/2017	0.039	U		0.03	U		0.03	U		0.03	U		0.025	U		0.02	U	
SVE RTO Exhaust	Exh-SVE-080917	8/9/2017	0.04	U		0.031	U		0.031	U		0.031	U		0.025	U		0.021	U	
SVE RTO Exhaust	Exh-SVE-090117	9/1/2017	0.019	U		0.015	U		0.015	U		0.015	U		0.012	U		0.01	U	
SVE RTO Exhaust	Exh-SVE-100317	10/3/2017	0.021	U		0.016	U		0.016	U		0.016	U		0.013	U		0.011	U	
SVE RTO Exhaust	Exh-SVE-110117	11/1/2017	0.039	U		0.031	U		0.031	U		0.031	U		0.025	U		0.021	U	
SVE RTO Exhaust	Exh-SVE-120617	12/6/2017	0.039	U		0.031	U		0.031	U		0.031	U		0.025	U		0.021	U	
SVE RTO Exhaust	Exh-SVE-011118	1/11/2018	0.022	U		0.017	U		0.017	U		0.017	U		0.014	U		0.012	U	
SVE RTO Exhaust	Exh-SVE-020118	2/1/2018	0.046	U		0.036	U		0.036	U		0.036	U		0.029	U		0.024	U	
SVE RTO Exhaust	Exh-SVE-030118	3/1/2018	0.072	U		0.056	U		0.056	U		0.056	U		0.046	U		0.038	U	

TABLE 10
SVE SYSTEM HEADER AND EXHAUST ANALYTICAL DATA

Location	Sample ID	Sample Date	1,2-Dichloroethane			1,1-Dichloroethene			cis-1,2-Dichloroethene			trans-1,2-Dichloroethene			Dichloromethane (Methylene chloride)			1,2-Dichloropropane		
			Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
SVE Public Works Header	PW-Header-SVE-040617	4/6/2017	0.99	U		0.97	U		0.97	U		0.97	U		1.6	J		1.1	U	
SVE Public Works Header	PW-Header-SVE-050217	5/2/2017	0.27	U		0.26	U		0.26	U		0.26	U		0.92	U		0.3	U	
SVE Public Works Header	PW-Header-060517	6/5/2017	0.11	U		0.1	U		0.1	U		0.1	U		0.37	U		0.12	U	
SVE Public Works Header	PW-Header-SVE-070517	7/5/2017	0.1	U		0.1	U		0.1	U		0.1	U		0.36	U		0.12	U	
SVE Public Works Header	Pw Header-SVE-080917	8/9/2017	0.17	U		0.16	U		0.16	U		0.16	U		0.58	U		0.19	U	
SVE Public Works Header	PW-Header-SVE-090117	9/1/2017	0.26	U		0.25	U		0.25	U		0.25	U		0.89	U		0.3	U	
SVE Public Works Header	PW-Header-SVE-100317	10/3/2017	0.36	U		0.36	U		0.36	U		0.36	U		1.2	U		0.42	U	
SVE Public Works Header	PW-Header-SVE-110117	11/1/2017	0.34	U		0.33	U		0.33	U		0.33	U		1.2	U		0.39	U	
SVE Public Works Header	PW-Header-SVE-120617	12/6/2017	0.31	U		0.3	U		0.3	U		0.3	U		1	U		0.35	U	
SVE Public Works Header	PW-Header-SVE-011118	1/11/2018	0.5	U		0.49	U		0.49	U		0.49	U		1.7	U		0.57	U	
SVE Public Works Header	PW-Header-SVE-020118	2/1/2018	0.82	U		0.8	U		0.8	U		0.8	U		2.8	U		0.94	U	
SVE Public Works Header	PW-Header-SVE-030118	3/1/2018	0.66	U		0.64	U		0.64	U		0.64	U		2.2	U		0.75	U	
SVE Refinery Header	WFL-Header-SVE-040617	4/6/2017	6.3	U		6.2	U		6.2	U		6.2	U		4.4	J		7.2	U	
SVE Refinery Header	WFL-Header-SVE-050217	5/2/2017	1.8	U		1.7	U		1.7	U		1.7	U		6.1	U		2	U	
SVE Refinery Header	WFL-Header-SVE-060517	6/5/2017	1.7	U		1.6	U		1.6	U		1.6	U		5.8	U		1.9	U	
SVE Refinery Header	WFL-Header-SVE-070517	7/5/2017	1	U		0.99	U		0.99	U		0.99	U		3.5	U		1.2	U	
SVE Refinery Header	WFL Header-SVE-080917	8/9/2017	0.5	U		0.48	U		0.48	U		0.48	U		1.7	U		0.57	U	
SVE Refinery Header	WFL-Header-SVE-090117	9/1/2017	0.51	U		0.5	U		0.5	U		0.5	U		1.8	U		0.58	U	
SVE Refinery Header	WFL-Header-SVE-100317	10/3/2017	0.85	U		0.83	U		0.83	U		0.83	U		2.9	U		0.97	U	
SVE Refinery Header	WFL-Header-SVE-110117	11/1/2017	0.86	U		0.84	U		0.84	U		0.84	U		2.9	U		0.98	U	
SVE Refinery Header	WFL-Header-SVE-120617	12/6/2017	0.59	U		0.58	U		0.58	U		0.58	U		2	U		0.67	U	
SVE Refinery Header	WFL-Header-SVE-011118	1/11/2018	0.86	U		0.84	U		0.84	U		0.84	U		2.9	U		0.98	U	
SVE Refinery Header	WFL-Header-SVE-020118	2/1/2018	0.83	U		0.81	U		0.81	U		0.81	U		2.8	U		0.95	U	
SVE Refinery Header	WFL-Header-SVE-030118	3/1/2018	0.88	U		0.87	U		0.87	U		0.87	U		3	U		1	U	
SVE RTO Exhaust	EXH-SVE-040617	4/6/2017	0.035	U		0.035	U		0.035	U		0.035	U		0.3	U		0.04	U	
SVE RTO Exhaust	Exh-SVE-050217	5/2/2017	0.012	U		0.012	U		0.012	U		0.012	U		0.11	U		0.014	U	
SVE RTO Exhaust	Exh-SVE-060517	6/5/2017	0.039	U		0.038	U		0.038	U		0.038	U		0.33	U		0.044	U	
SVE RTO Exhaust	Exh-SVE-070517	7/5/2017	0.02	U		0.02	U		0.02	U		0.02	U		0.18	U		0.023	U	
SVE RTO Exhaust	Exh-SVE-080917	8/9/2017	0.021	U		0.02	U		0.02	U		0.02	U		0.18	U		0.024	U	
SVE RTO Exhaust	Exh-SVE-090117	9/1/2017	0.01	U		0.01	U		0.01	U		0.01	U		0.088	U		0.012	U	
SVE RTO Exhaust	Exh-SVE-100317	10/3/2017	0.011	U		0.011	U		0.011	U		0.011	U		0.095	U		0.012	U	
SVE RTO Exhaust	Exh-SVE-110117	11/1/2017	0.021	U		0.02	U		0.02	U		0.02	U		0.18	U		0.024	U	
SVE RTO Exhaust	Exh-SVE-120617	12/6/2017	0.021	U		0.02	U		0.02	U		0.02	U		0.18	U		0.024	U	
SVE RTO Exhaust	Exh-SVE-011118	1/11/2018	0.012	U		0.011	U		0.011	U		0.011	U		0.099	U		0.013	U	
SVE RTO Exhaust	Exh-SVE-020118	2/1/2018	0.024	U		0.024	U		0.024	U		0.024	U		0.21	U		0.027	U	
SVE RTO Exhaust	Exh-SVE-030118	3/1/2018	0.038	U		0.037	U		0.037	U		0.037	U		0.32	U		0.043	U	

TABLE 10
SVE SYSTEM HEADER AND EXHAUST ANALYTICAL DATA

Location	Sample ID	Sample Date	cis-1,3-Dichloropropene			trans-1,3-Dichloropropene			1,4-Dioxane			Ethanol			Ethylbenzene			4-Ethyltoluene		
			Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
SVE Public Works Header	PW-Header-SVE-040617	4/6/2017	1.1	U		1.1	U		3.5	U		2.1			0.74	J		1.2	U	
SVE Public Works Header	PW-Header-SVE-050217	5/2/2017	0.3	U		0.3	U		0.95	U		0.5	U		1.5			0.24	J	
SVE Public Works Header	PW-Header-060517	6/5/2017	0.12	U		0.12	U		0.38	U		0.2	U		1.4			0.46		
SVE Public Works Header	PW-Header-SVE-070517	7/5/2017	0.12	U		0.12	U		0.37	U		0.2	U		1.1			0.36		
SVE Public Works Header	Pw Header-SVE-080917	8/9/2017	0.19	U		0.19	U		0.6	U		0.31	U		1.9			0.34		
SVE Public Works Header	PW-Header-SVE-090117	9/1/2017	0.29	U		0.29	U		0.92	U		0.48	U		2.5			0.37		
SVE Public Works Header	PW-Header-SVE-100317	10/3/2017	0.41	U		0.41	U		1.3	U		0.68	U		3.4			0.42	J	
SVE Public Works Header	PW-Header-SVE-110117	11/1/2017	0.38	U		0.38	U		1.2	U		0.63	U		2.1			0.28	J	
SVE Public Works Header	PW-Header-SVE-120617	12/6/2017	0.34	U		0.34	U		1.1	U		0.51	J		1.1			0.1	J	
SVE Public Works Header	PW-Header-SVE-011118	1/11/2018	0.56	U		0.56	U		1.8	U		0.93	U		3.1			0.17	J	
SVE Public Works Header	PW-Header-SVE-020118	2/1/2018	0.92	U		0.92	U		2.9	U		1.5	U		5.1			0.4	J	
SVE Public Works Header	PW-Header-SVE-030118	3/1/2018	0.74	U		0.74	U		2.3	U		1.2	U		7.1			0.82		
SVE Refinery Header	WFL-Header-SVE-040617	4/6/2017	7.1	U		7.1	U		22	U		7.5	J		4.5	J		7.7	U	
SVE Refinery Header	WFL-Header-SVE-050217	5/2/2017	2	U		2	U		6.3	U		3.3	U		2.1			2.2	U	
SVE Refinery Header	WFL-Header-SVE-060517	6/5/2017	1.9	U		1.9	U		6	U		3.2	U		13			2.2		
SVE Refinery Header	WFL-Header-SVE-070517	7/5/2017	1.1	U		1.1	U		3.6	U		1.9	U		6.8			0.93	J	
SVE Refinery Header	WFL Header-SVE-080917	8/9/2017	0.56	U		0.56	U		1.8	U		0.92	U		8.1			1.7		
SVE Refinery Header	WFL-Header-SVE-090117	9/1/2017	0.57	U		0.57	U		1.8	U		0.95	U		10			1.9		
SVE Refinery Header	WFL-Header-SVE-100317	10/3/2017	0.95	U		0.95	U		3	U		1.6	U		10			1.2		
SVE Refinery Header	WFL-Header-SVE-110117	11/1/2017	0.96	U		0.96	U		3	U		1.6	U		6.4			1.4		
SVE Refinery Header	WFL-Header-SVE-120617	12/6/2017	0.66	U		0.66	U		2.1	U		1.1	U		6.4			1.1		J
SVE Refinery Header	WFL-Header-SVE-011118	1/11/2018	0.96	U		0.96	U		3	U		1.6	U		8.2			0.9	J	
SVE Refinery Header	WFL-Header-SVE-020118	2/1/2018	0.93	U		0.93	U		3	U		1.5	U		7.7			0.71	J	
SVE Refinery Header	WFL-Header-SVE-030118	3/1/2018	0.99	U		0.99	U		3.1	U		1.6	U		5.6			0.98	J	
SVE RTO Exhaust	EXH-SVE-040617	4/6/2017	0.04	U		0.04	U		0.13	U		0.056	J		0.0077	J		0.043	U	
SVE RTO Exhaust	Exh-SVE-050217	5/2/2017	0.014	U		0.014	U		0.044	U		0.018	J		0.0024	J		0.015	U	
SVE RTO Exhaust	Exh-SVE-060517	6/5/2017	0.043	U		0.043	U		0.14	U		0.1			0.077			0.024	J	
SVE RTO Exhaust	Exh-SVE-070517	7/5/2017	0.023	U		0.023	U		0.073	U		0.051			0.039			0.011	J	
SVE RTO Exhaust	Exh-SVE-080917	8/9/2017	0.023	U		0.023	U		0.074	U		0.067			0.032			0.025	U	
SVE RTO Exhaust	Exh-SVE-090117	9/1/2017	0.011	U		0.011	U		0.036	U		0.064			0.013			0.012	U	
SVE RTO Exhaust	Exh-SVE-100317	10/3/2017	0.012	U		0.012	U		0.039	U		0.078			0.036			0.016		
SVE RTO Exhaust	Exh-SVE-110117	11/1/2017	0.023	U		0.023	U		0.074	U		0.053			0.037			0.017	J	
SVE RTO Exhaust	Exh-SVE-120617	12/6/2017	0.023	U		0.023	U		0.074	U		0.028	J		0.04			0.018	J	
SVE RTO Exhaust	Exh-SVE-011118	1/11/2018	0.013	U		0.013	U		0.041	U		0.079			0.054			0.019		
SVE RTO Exhaust	Exh-SVE-020118	2/1/2018	0.027	U		0.027	U		0.086	U		0.069			0.041			0.011	J	
SVE RTO Exhaust	Exh-SVE-030118	3/1/2018	0.042	U		0.042	U		0.13	U		0.052	J		0.052			0.014	J	

TABLE 10
SVE SYSTEM HEADER AND EXHAUST ANALYTICAL DATA

Location	Sample ID	Sample Date	Freon 113			Freon 114			Heptane			Hexachlorobutadiene			Hexane			2-Hexanone (Methyl N-Butyl Ketone)		
			Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
SVE Public Works Header	PW-Header-SVE-040617	4/6/2017	1.9	U		1.7	U		13			10	U		22			4	U	
SVE Public Works Header	PW-Header-SVE-050217	5/2/2017	0.5	U		0.46	U		13			2.8	ND,UJ	UJ	23			1.1	U	
SVE Public Works Header	PW-Header-060517	6/5/2017	0.2	U		0.18	U		7.6			1.1	U		9.3			0.43	U	
SVE Public Works Header	PW-Header-SVE-070517	7/5/2017	0.2	U		0.18	U		8.7			1.1	U		10			0.42	U	
SVE Public Works Header	Pw Header-SVE-080917	8/9/2017	0.32	U		0.29	U		12			1.8	U		14			0.68	U	
SVE Public Works Header	PW-Header-SVE-090117	9/1/2017	0.49	U		0.45	U		12			2.7	U		22			1	U	
SVE Public Works Header	PW-Header-SVE-100317	10/3/2017	0.69	U		0.63	U		14			3.8	U		32			1.5	U	
SVE Public Works Header	PW-Header-SVE-110117	11/1/2017	0.64	U		0.59	U		13			3.6	U		33			1.4	U	
SVE Public Works Header	PW-Header-SVE-120617	12/6/2017	0.58	U		0.53	U		11			3.2	U		28			1.2	U	
SVE Public Works Header	PW-Header-SVE-011118	1/11/2018	0.95	U		0.86	U		25			5.3	U		79			2	U	
SVE Public Works Header	PW-Header-SVE-020118	2/1/2018	1.6	U		1.4	U		28			8.7	U		95			3.3	U	
SVE Public Works Header	PW-Header-SVE-030118	3/1/2018	1.2	U		1.1	U		26			6.9	U		81			2.7	U	
SVE Refinery Header	WFL-Header-SVE-040617	4/6/2017	12	U		11	U		40			66	U		210			26	U	
SVE Refinery Header	WFL-Header-SVE-050217	5/2/2017	3.4	U		3.1	U		29			19	ND,UJ	UJ	200			7.2	U	
SVE Refinery Header	WFL-Header-SVE-060517	6/5/2017	3.2	U		2.9	U		48			18	U		260			6.8	U	
SVE Refinery Header	WFL-Header-SVE-070517	7/5/2017	1.9	U		1.7	U		39			11	U		200			4.1	U	
SVE Refinery Header	WFL Header-SVE-080917	8/9/2017	0.94	U		0.86	U		36			5.2	U		160			2	U	
SVE Refinery Header	WFL-Header-SVE-090117	9/1/2017	0.96	U		0.88	U		35			5.4	U		180			2.1	U	
SVE Refinery Header	WFL-Header-SVE-100317	10/3/2017	1.6	U		1.5	U		43			9	U		220			3.4	U	
SVE Refinery Header	WFL-Header-SVE-110117	11/1/2017	1.6	U		1.5	U		31			9	U		170			3.5	U	
SVE Refinery Header	WFL-Header-SVE-120617	12/6/2017	1.1	U		1	U		31			6.2	U		160			2.4	U	
SVE Refinery Header	WFL-Header-SVE-011118	1/11/2018	1.6	U		1.5	U		49			9	U		280			3.5	U	
SVE Refinery Header	WFL-Header-SVE-020118	2/1/2018	1.6	U		1.4	U		37			8.7	U		220			3.4	U	
SVE Refinery Header	WFL-Header-SVE-030118	3/1/2018	1.7	U		1.5	U		33			9.3	U		180			3.6	U	
SVE RTO Exhaust	EXH-SVE-040617	4/6/2017	0.067	U		0.061	U		0.42			0.031	J		2.1			0.025	J	
SVE RTO Exhaust	Exh-SVE-050217	5/2/2017	0.023	U		0.021	U		0.075			0.13	U		0.38			0.05	U	
SVE RTO Exhaust	Exh-SVE-060517	6/5/2017	0.073	U		0.067	U		0.26			0.41	U		1			0.14	J	
SVE RTO Exhaust	Exh-SVE-070517	7/5/2017	0.039	U		0.035	U		0.28			0.22	U		1.3			0.042	J	
SVE RTO Exhaust	Exh-SVE-080917	8/9/2017	0.039	U		0.036	U		0.22			0.22	U		0.94			0.084	U	
SVE RTO Exhaust	Exh-SVE-090117	9/1/2017	0.019	U		0.018	U		0.056			0.11	U		0.2			0.041	U	
SVE RTO Exhaust	Exh-SVE-100317	10/3/2017	0.021	U		0.019	U		0.12			0.12	U		0.48			0.045	U	
SVE RTO Exhaust	Exh-SVE-110117	11/1/2017	0.039	U		0.036	U		0.24			0.22	U		1.2			0.084	U	
SVE RTO Exhaust	Exh-SVE-120617	12/6/2017	0.039	U		0.036	U		0.25			0.22	U		1			0.018	J	
SVE RTO Exhaust	Exh-SVE-011118	1/11/2018	0.022	U		0.02	U		0.25			0.12	U		0.96			0.05		
SVE RTO Exhaust	Exh-SVE-020118	2/1/2018	0.046	U		0.042	U		0.31			0.25	U		1.4			0.097	U	
SVE RTO Exhaust	Exh-SVE-030118	3/1/2018	0.072	U		0.065	U		0.36			0.4	U		1.8			0.15	U	

TABLE 10
SVE SYSTEM HEADER AND EXHAUST ANALYTICAL DATA

Location	Sample ID	Sample Date	Isopentane			Isopropylbenzene (Cumene)			4-Methyl-2-pentanone (Methyl Isobutyl Ketone)			Methyl tert-Butyl Ether (MTBE)			2-Propanol			n-Propylbenzene		
			Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
SVE Public Works Header	PW-Header-SVE-040617	4/6/2017	120			0.31	J		4.1			3.5	U		2.4	U		0.32	J	
SVE Public Works Header	PW-Header-SVE-050217	5/2/2017	140			0.54			0.27	U		0.24	U		0.65	U		0.74		
SVE Public Works Header	PW-Header-060517	6/5/2017	70			0.75			0.11	U		0.096	U		0.26	U		1.1		
SVE Public Works Header	PW-Header-SVE-070517	7/5/2017	85			0.82			0.11	U		0.022	J		0.25	U		1.2		
SVE Public Works Header	Pw Header-SVE-080917	8/9/2017	160			0.99			0.17	U		0.15	U		0.41	U		1.3		
SVE Public Works Header	PW-Header-SVE-090117	9/1/2017	270			0.9			0.26	U		0.23	U		0.63	U		1.3		
SVE Public Works Header	PW-Header-SVE-100317	10/3/2017	360			1.3			0.37	U		0.32	U		0.88	U		2.1		
SVE Public Works Header	PW-Header-SVE-110117	11/1/2017	350			0.76			0.34	U		0.3	U		0.82	U		1.2		
SVE Public Works Header	PW-Header-SVE-120617	12/6/2017	310			0.32	J		0.31	U		0.27	U		0.75	U		0.43		
SVE Public Works Header	PW-Header-SVE-011118	1/11/2018	700			1.4			0.5	U		0.44	U		1.2	U		2		
SVE Public Works Header	PW-Header-SVE-020118	2/1/2018	930			1.3			0.83	U		0.73	U		2	U		1.7		
SVE Public Works Header	PW-Header-SVE-030118	3/1/2018	750			2			0.66	U		0.58	U		1.6	U		3.2		
SVE Refinery Header	WFL-Header-SVE-040617	4/6/2017	750			7.7	U		14			22	U		2.7	J		7.7	U	
SVE Refinery Header	WFL-Header-SVE-050217	5/2/2017	800			2.2	U		1.8	U		1.6	U		4.3	U		2.2	U	
SVE Refinery Header	WFL-Header-SVE-060517	6/5/2017	880			1	J		1.7	U		1.5	U		4.1	U		1.7	J	
SVE Refinery Header	WFL-Header-SVE-070517	7/5/2017	780			0.61	J		1	U		0.9	U		2.4	U		0.7	J	
SVE Refinery Header	WFL Header-SVE-080917	8/9/2017	600			1			0.5	U		0.44	U		1.2	U		1.3		
SVE Refinery Header	WFL-Header-SVE-090117	9/1/2017	670			1.1			0.52	U		0.45	U		1.2	U		1.3		
SVE Refinery Header	WFL-Header-SVE-100317	10/3/2017	860			1.2			0.86	U		0.76	U		2.1	U		1.6		
SVE Refinery Header	WFL-Header-SVE-110117	11/1/2017	680			0.71	J		0.87	U		0.76	U		2.1	U		0.97	J	
SVE Refinery Header	WFL-Header-SVE-120617	12/6/2017	600			0.66	J		0.6	U		0.53	U		1.4	U		0.87		
SVE Refinery Header	WFL-Header-SVE-011118	1/11/2018	1100			1.1			0.87	U		0.76	U		2.1	U		1.3		
SVE Refinery Header	WFL-Header-SVE-020118	2/1/2018	810			0.81	J		0.84	U		0.74	U		2	U		1.2		
SVE Refinery Header	WFL-Header-SVE-030118	3/1/2018	750			0.69	J		0.9	U		0.79	U		2.1	U		1	J	
SVE RTO Exhaust	EXH-SVE-040617	4/6/2017	7.6			0.043	U		0.036	U		0.13	U		0.086	U		0.0074	J	
SVE RTO Exhaust	Exh-SVE-050217	5/2/2017	1.4			0.015	U		0.012	U		0.044	U		0.03	U		0.015	U	
SVE RTO Exhaust	Exh-SVE-060517	6/5/2017	3.4			0.011	J		0.039	U		0.14	U		0.094	U		0.019	J	
SVE RTO Exhaust	Exh-SVE-070517	7/5/2017	4.8			0.0082	J		0.023			0.073	U		0.069			0.0087	J	
SVE RTO Exhaust	Exh-SVE-080917	8/9/2017	3.6			0.0063	J		0.021	U		0.074	U		0.051	U		0.0035	J	
SVE RTO Exhaust	Exh-SVE-090117	9/1/2017	0.75			0.0017	J		0.01	U		0.036	U		0.025	J	U	0.0017	J	
SVE RTO Exhaust	Exh-SVE-100317	10/3/2017	1.6			0.0077	J		0.011	U		0.039	U		0.064			0.013	J	
SVE RTO Exhaust	Exh-SVE-110117	11/1/2017	3.9			0.007	J		0.021	U		0.074	U		0.024	J		0.014	J	
SVE RTO Exhaust	Exh-SVE-120617	12/6/2017	3.6			0.0077	J		0.021	U		0.074	U		0.023	J		0.013	J	
SVE RTO Exhaust	Exh-SVE-011118	1/11/2018	2.5			0.0098	J		0.012	U		0.041	U		0.049			0.014		
SVE RTO Exhaust	Exh-SVE-020118	2/1/2018	5.9			0.0075	J		0.024	U		0.086	U		0.075			0.011	J	
SVE RTO Exhaust	Exh-SVE-030118	3/1/2018	7.1			0.01	J		0.038	U		0.13	U		0.056	J		0.015	J	

TABLE 10
SVE SYSTEM HEADER AND EXHAUST ANALYTICAL DATA

Location	Sample ID	Sample Date	Styrene			1,1,2,2-Tetrachloroethane			Tetrachloroethene			Tetrahydrofuran			Toluene			1,2,4-Trichlorobenzene		
			Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
SVE Public Works Header	PW-Header-SVE-040617	4/6/2017	0.12	J	J	1.7	U		1.7	U		0.72	U		0.36	J		7.3	U	
SVE Public Works Header	PW-Header-SVE-050217	5/2/2017	0.28	U		0.45	U		0.45	U		0.19	U		0.25	U		2	ND,UJ	UJ
SVE Public Works Header	PW-Header-060517	6/5/2017	0.11	U		0.18	U		0.18	U		0.078	U		0.24			0.79	U	
SVE Public Works Header	PW-Header-SVE-070517	7/5/2017	0.11	U		0.18	U		0.18	U		0.076	U		0.26			0.77	U	
SVE Public Works Header	Pw Header-SVE-080917	8/9/2017	0.18	U		0.28	U		0.28	U		0.12	U		0.085	J		1.2	U	
SVE Public Works Header	PW-Header-SVE-090117	9/1/2017	0.27	U		0.44	U		0.43	U		0.19	U		0.24	U		0.47	J	J
SVE Public Works Header	PW-Header-SVE-100317	10/3/2017	0.38	U		0.62	U		0.61	U		0.26	U		0.14	J		2.7	U	
SVE Public Works Header	PW-Header-SVE-110117	11/1/2017	0.36	U		0.58	U		0.57	U		0.25	U		0.12	J		2.5	U	
SVE Public Works Header	PW-Header-SVE-120617	12/6/2017	0.32	U		0.52	U		0.52	U		0.22	U		0.086	J		2.2	U	
SVE Public Works Header	PW-Header-SVE-011118	1/11/2018	0.53	U		0.85	U		0.84	U		0.36	U		0.13	J		3.7	U	
SVE Public Works Header	PW-Header-SVE-020118	2/1/2018	0.86	U		1.4	U		1.4	U		0.6	U		0.22	J		6	U	
SVE Public Works Header	PW-Header-SVE-030118	3/1/2018	0.69	U		1.1	U		1.1	U		0.48	U		0.33	J		4.8	U	
SVE Refinery Header	WFL-Header-SVE-040617	4/6/2017	0.48	J	J	11	U		10	U		4.6	U		9			46	U	
SVE Refinery Header	WFL-Header-SVE-050217	5/2/2017	1.9	U		3	U		3	U		1.3	U		4.6			13	ND,UJ	UJ
SVE Refinery Header	WFL-Header-SVE-060517	6/5/2017	1.8	U		2.9	U		2.8	U		1.2	U		13			12	U	
SVE Refinery Header	WFL-Header-SVE-070517	7/5/2017	1.1	U		1.7	U		1.7	U		0.73	U		8			7.4	U	
SVE Refinery Header	WFL Header-SVE-080917	8/9/2017	0.52	U		0.84	U		0.83	U		0.36	U		8.6			3.6	U	
SVE Refinery Header	WFL-Header-SVE-090117	9/1/2017	0.54	U		0.86	U		0.85	U		0.37	U		9.5			0.9	J	J
SVE Refinery Header	WFL-Header-SVE-100317	10/3/2017	0.89	U		1.4	U		1.4	U		0.62	U		11			6.2	U	
SVE Refinery Header	WFL-Header-SVE-110117	11/1/2017	0.9	U		1.4	U		1.4	U		0.62	U		5.2			6.3	U	
SVE Refinery Header	WFL-Header-SVE-120617	12/6/2017	0.62	U		1	U		0.99	U		0.43	U		5.8			4.3	U	
SVE Refinery Header	WFL-Header-SVE-011118	1/11/2018	0.9	U		1.4	U		1.4	U		0.62	U		9.5			6.3	U	
SVE Refinery Header	WFL-Header-SVE-020118	2/1/2018	0.87	U		1.4	U		1.4	U		0.6	U		8.5			6.1	U	
SVE Refinery Header	WFL-Header-SVE-030118	3/1/2018	0.93	U		1.5	U		1.5	U		0.64	U		5.4			6.5	U	
SVE RTO Exhaust	EXH-SVE-040617	4/6/2017	0.037	U		0.06	U		0.059	U		0.026	U		0.028	J		0.26	U	
SVE RTO Exhaust	Exh-SVE-050217	5/2/2017	0.013	U		0.021	U		0.021	U		0.009	U		0.0061	J		0.091	U	
SVE RTO Exhaust	Exh-SVE-060517	6/5/2017	0.041	U		0.066	U		0.065	U		0.028	U		0.076			0.28	U	
SVE RTO Exhaust	Exh-SVE-070517	7/5/2017	0.022	U		0.035	U		0.034	U		0.015	U		0.043			0.15	U	
SVE RTO Exhaust	Exh-SVE-080917	8/9/2017	0.022	U		0.035	U		0.035	U		0.015	U		0.065			0.15	U	
SVE RTO Exhaust	Exh-SVE-090117	9/1/2017	0.011	U		0.017	U		0.017	U		0.0074	U		0.028			0.075	U	
SVE RTO Exhaust	Exh-SVE-100317	10/3/2017	0.012	U		0.019	U		0.018	U		0.008	U		0.052			0.081	U	
SVE RTO Exhaust	Exh-SVE-110117	11/1/2017	0.022	U		0.035	U		0.034	U		0.015	U		0.027			0.15	U	
SVE RTO Exhaust	Exh-SVE-120617	12/6/2017	0.022	U		0.035	U		0.034	U		0.015	U		0.031			0.15	U	UJ
SVE RTO Exhaust	Exh-SVE-011118	1/11/2018	0.012	U		0.02	U		0.019	U		0.0084	U		0.052			0.085	U	
SVE RTO Exhaust	Exh-SVE-020118	2/1/2018	0.025	U		0.041	U		0.0082	J		0.018	U		0.05			0.18	U	
SVE RTO Exhaust	Exh-SVE-030118	3/1/2018	0.04	U		0.064	U		0.063	U		0.028	U		0.045			0.28	U	

TABLE 10
SVE SYSTEM HEADER AND EXHAUST ANALYTICAL DATA

Location	Sample ID	Sample Date	1,1,1-Trichloroethane (Methyl chloroform)			1,1,2-Trichloroethane			Trichloroethene			Trichlorofluoromethane			1,2,4-Trimethylbenzene			1,3,5-Trimethylbenzene		
			Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
SVE Public Works Header	PW-Header-SVE-040617	4/6/2017	1.3	U		1.3	U		1.3	U		1.4	U		1.2	U		1.2	U	
SVE Public Works Header	PW-Header-SVE-050217	5/2/2017	0.36	U		0.36	U		0.35	U		0.37	U		0.1	J		0.15	J	
SVE Public Works Header	PW-Header-060517	6/5/2017	0.14	U		0.14	U		0.14	U		0.15	U		0.36			0.27		
SVE Public Works Header	PW-Header-SVE-070517	7/5/2017	0.14	U		0.14	U		0.14	U		0.14	U		0.25			0.23		
SVE Public Works Header	Pw Header-SVE-080917	8/9/2017	0.23	U		0.23	U		0.22	U		0.23	U		0.13	J		0.19	J	
SVE Public Works Header	PW-Header-SVE-090117	9/1/2017	0.35	U		0.35	U		0.34	U		0.36	U		0.22	J		0.23	J	
SVE Public Works Header	PW-Header-SVE-100317	10/3/2017	0.49	U		0.49	U		0.48	U		0.5	U		0.56			0.44	U	
SVE Public Works Header	PW-Header-SVE-110117	11/1/2017	0.46	U		0.46	U		0.45	U		0.47	U		0.13	J		0.19	J	
SVE Public Works Header	PW-Header-SVE-120617	12/6/2017	0.41	U		0.41	U		0.41	U		0.43	U		0.37	U		0.08	J	
SVE Public Works Header	PW-Header-SVE-011118	1/11/2018	0.67	U		0.67	U		0.66	U		0.69	U		0.19	J		0.2	J	
SVE Public Works Header	PW-Header-SVE-020118	2/1/2018	1.1	U		1.1	U		1.1	U		1.1	U		0.4	J		0.21	J	
SVE Public Works Header	PW-Header-SVE-030118	3/1/2018	0.89	U		0.89	U		0.87	U		0.91	U		0.97			0.6	J	
SVE Refinery Header	WFL-Header-SVE-040617	4/6/2017	8.5	U		8.5	U		8.4	U		8.8	U		7.7	U		7.7	U	
SVE Refinery Header	WFL-Header-SVE-050217	5/2/2017	2.4	U		2.4	U		2.4	U		2.5	U		2.2	U		2.2	U	
SVE Refinery Header	WFL-Header-SVE-060517	6/5/2017	2.3	U		2.3	U		2.2	U		2.3	U		2.3			1.2	J	
SVE Refinery Header	WFL-Header-SVE-070517	7/5/2017	1.4	U		1.4	U		1.3	U		1.4	U		0.85	J		0.48	J	
SVE Refinery Header	WFL Header-SVE-080917	8/9/2017	0.67	U		0.67	U		0.66	U		0.69	U		1.8			0.93		
SVE Refinery Header	WFL-Header-SVE-090117	9/1/2017	0.69	U		0.69	U		0.68	U		0.71	U		2.1			0.99		
SVE Refinery Header	WFL-Header-SVE-100317	10/3/2017	1.1	U		1.1	U		1.1	U		1.2	U		2.5			1.2		
SVE Refinery Header	WFL-Header-SVE-110117	11/1/2017	1.2	U		1.2	U		1.1	U		1.2	U		1.4			0.77	J	
SVE Refinery Header	WFL-Header-SVE-120617	12/6/2017	0.8	U		0.8	U		0.78	U		0.82	U		1.1			0.66	J	
SVE Refinery Header	WFL-Header-SVE-011118	1/11/2018	1.2	U		1.2	U		1.1	U		1.2	U		1.9			0.99	J	
SVE Refinery Header	WFL-Header-SVE-020118	2/1/2018	1.1	U		1.1	U		1.1	U		1.2	U		1.6			0.79	J	
SVE Refinery Header	WFL-Header-SVE-030118	3/1/2018	1.2	U		1.2	U		1.2	U		1.2	U		1	J		0.61	J	
SVE RTO Exhaust	EXH-SVE-040617	4/6/2017	0.048	U		0.048	U		0.047	U		0.049	U		0.0094	J		0.0086	J	
SVE RTO Exhaust	Exh-SVE-050217	5/2/2017	0.017	U		0.017	U		0.016	U		0.017	U		0.015	U		0.015	U	
SVE RTO Exhaust	Exh-SVE-060517	6/5/2017	0.052	U		0.052	U		0.051	U		0.054	U		0.032	J		0.012	J	
SVE RTO Exhaust	Exh-SVE-070517	7/5/2017	0.028	U		0.028	U		0.027	U		0.028	U		0.014	J		0.0066	J	
SVE RTO Exhaust	Exh-SVE-080917	8/9/2017	0.028	U		0.028	U		0.028	U		0.029	U		0.025	J	U	0.025	U	
SVE RTO Exhaust	Exh-SVE-090117	9/1/2017	0.014	U		0.014	U		0.014	U		0.014	U		0.0018	J		0.012	U	
SVE RTO Exhaust	Exh-SVE-100317	10/3/2017	0.015	U		0.015	U		0.015	U		0.015	U		0.025			0.01	J	
SVE RTO Exhaust	Exh-SVE-110117	11/1/2017	0.028	U		0.028	U		0.027	U		0.029	U		0.024	J		0.01	J	
SVE RTO Exhaust	Exh-SVE-120617	12/6/2017	0.028	U		0.028	U		0.027	U		0.029	U		0.023	J		0.011	J	
SVE RTO Exhaust	Exh-SVE-011118	1/11/2018	0.016	U		0.016	U		0.015	U		0.016	U		0.022			0.0099	J	
SVE RTO Exhaust	Exh-SVE-020118	2/1/2018	0.032	U		0.032	U		0.032	U		0.033	U		0.013	J		0.0067	J	
SVE RTO Exhaust	Exh-SVE-030118	3/1/2018	0.051	U		0.051	U		0.05	U		0.052	U		0.017	J		0.007	J	

TABLE 10
SVE SYSTEM HEADER AND EXHAUST ANALYTICAL DATA

Location	Sample ID	Sample Date	2,2,4-Trimethylpentane			Vinyl chloride			m,p-Xylenes			o-Xylenes			TPH (C2-C10)			Butane		
			Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
SVE Public Works Header	PW-Header-SVE-040617	4/6/2017	210			0.63	U		1	J		1.1	U		3200			0.0027		
SVE Public Works Header	PW-Header-SVE-050217	5/2/2017	240			0.17	U		1.8			0.29	U		3000		J	0.0024	J	
SVE Public Works Header	PW-Header-060517	6/5/2017	190			0.068	U		2.8			0.36			1600			0.00072	J	
SVE Public Works Header	PW-Header-SVE-070517	7/5/2017	220			0.066	U		2.2			0.29			1400			0.00088	J	
SVE Public Works Header	Pw Header-SVE-080917	8/9/2017	190			0.11	U		2.1			0.085	J		3000		J	0.0043		
SVE Public Works Header	PW-Header-SVE-090117	9/1/2017	210			0.16	U		3			0.28	U		3500		J	0.0063		
SVE Public Works Header	PW-Header-SVE-100317	10/3/2017	260			0.23	U		3.6			0.16	J		3200			0.0051		
SVE Public Works Header	PW-Header-SVE-110117	11/1/2017	200			0.21	U		2.8			0.36	U		3700		J	0.0074		
SVE Public Works Header	PW-Header-SVE-120617	12/6/2017	150			0.19	U		1.3			0.33	U		3200			0.0068		
SVE Public Works Header	PW-Header-SVE-011118	1/11/2018	320	E	J	0.32	U		3.1			0.54	U		5000			0.0099		
SVE Public Works Header	PW-Header-SVE-020118	2/1/2018	340			0.52	U		5.4			0.88	U		5900		J	0.014		
SVE Public Works Header	PW-Header-SVE-030118	3/1/2018	250			0.42	U		7.5			0.15	J		6000			0.016		
SVE Refinery Header	WFL-Header-SVE-040617	4/6/2017	350			4	U		6.8			6.8	U		9400			0.025		
SVE Refinery Header	WFL-Header-SVE-050217	5/2/2017	310			1.1	U		3.2			1.9	U		8400			0.024		
SVE Refinery Header	WFL-Header-SVE-060517	6/5/2017	420			1.1	U		20			3.8			9800			0.026		
SVE Refinery Header	WFL-Header-SVE-070517	7/5/2017	350			0.64	U		10			1.6			7000			0.02		
SVE Refinery Header	WFL Header-SVE-080917	8/9/2017	310			0.31	U		15			2.4			7300			0.019		
SVE Refinery Header	WFL-Header-SVE-090117	9/1/2017	340			0.32	U		17			2.9			7200			0.017		
SVE Refinery Header	WFL-Header-SVE-100317	10/3/2017	490			0.54	U		18			3.3			6600			0.018		
SVE Refinery Header	WFL-Header-SVE-110117	11/1/2017	340			0.54	U		12			2			6800			0.022		
SVE Refinery Header	WFL-Header-SVE-120617	12/6/2017	320			0.37	U		12			1.7			7100			0.019		
SVE Refinery Header	WFL-Header-SVE-011118	1/11/2018	560	E	J	0.54	U		16			2.2			7600			0.026		
SVE Refinery Header	WFL-Header-SVE-020118	2/1/2018	410			0.52	U		14			1.9			6100			0.02		
SVE Refinery Header	WFL-Header-SVE-030118	3/1/2018	290			0.56	U		9.6			0.99			6700			0.024		
SVE RTO Exhaust	EXH-SVE-040617	4/6/2017	4			0.022	U		0.017	J		0.038	U		120			0.00021	J	
SVE RTO Exhaust	Exh-SVE-050217	5/2/2017	0.63			0.0078	U		0.0048	J		0.013	U		21			0.0028	U	
SVE RTO Exhaust	Exh-SVE-060517	6/5/2017	1.8			0.024	U		0.14			0.025	J		64			0.0029	U	
SVE RTO Exhaust	Exh-SVE-070517	7/5/2017	2.5			0.013	U		0.069			0.012	J		56			0.003	U	
SVE RTO Exhaust	Exh-SVE-080917	8/9/2017	2.2			0.013	U		0.051			0.0091	J		47			0.0026	U	
SVE RTO Exhaust	Exh-SVE-090117	9/1/2017	0.48			0.0064	U		0.019			0.0038	J		22			0.0049	U	
SVE RTO Exhaust	Exh-SVE-100317	10/3/2017	1.2			0.007	U		0.064			0.014			22			0.0027	U	
SVE RTO Exhaust	Exh-SVE-110117	11/1/2017	2.8			0.013	U		0.079			0.014	J		51			0.0026	U	
SVE RTO Exhaust	Exh-SVE-120617	12/6/2017	2.4			0.013	U		0.083			0.012	J		56			0.0026	U	
SVE RTO Exhaust	Exh-SVE-011118	1/11/2018	2.3			0.0073	U		0.097			0.014			60			0.0029	U	
SVE RTO Exhaust	Exh-SVE-020118	2/1/2018	2.8			0.015	U		0.065			0.0082	J		65			0.00014	J	
SVE RTO Exhaust	Exh-SVE-030118	3/1/2018	3.5			0.024	U		0.092			0.0088	J		84			0.00019	J	

TABLE 10
SVE SYSTEM HEADER AND EXHAUST ANALYTICAL DATA

Location	Sample ID	Sample Date	Isopentane			Acetylene			C6+			Carbon Dioxide			Carbon Monoxide			Ethane		
			Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
SVE Public Works Header	PW-Header-SVE-040617	4/6/2017	0.0056			0.0024	U		0.03			3.7			0.024	U		0.000078	J	
SVE Public Works Header	PW-Header-SVE-050217	5/2/2017	0.0052			0.0026	U		0.03			3.7			0.026	U		0.0026	U	
SVE Public Works Header	PW-Header-060517	6/5/2017	0.0024	J		0.0026	U		0.018	J		3.3			0.026	U		0.0026	U	
SVE Public Works Header	PW-Header-SVE-070517	7/5/2017	0.0025	J		0.0026	U		0.019	J		3.5			0.026	U		0.0026	U	
SVE Public Works Header	Pw Header-SVE-080917	8/9/2017	0.0062			0.0025	U		0.032			4			0.025	U		0.0025	U	
SVE Public Works Header	PW-Header-SVE-090117	9/1/2017	0.0097			0.0026	U		0.037			4.1			0.026	U		0.0026	U	
SVE Public Works Header	PW-Header-SVE-100317	10/3/2017	0.0089			0.0025	U		0.032			3.9			0.025	U		0.0025	U	
SVE Public Works Header	PW-Header-SVE-110117	11/1/2017	0.013			0.0025	U		0.038			4.1			0.025	U		0.00012	J	
SVE Public Works Header	PW-Header-SVE-120617	12/6/2017	0.012			0.0024	U		0.028			3.7			0.024	U		0.000087	J	
SVE Public Works Header	PW-Header-SVE-011118	1/11/2018	0.018			0.0025	U		0.049			4.6			0.025	U		0.0025	U	
SVE Public Works Header	PW-Header-SVE-020118	2/1/2018	0.025			0.0024	U		0.056			4.2			0.024	U		0.0024	U	
SVE Public Works Header	PW-Header-SVE-030118	3/1/2018	0.028			0.0026	U		0.065			3.9			0.026	U		0.0026	U	
SVE Refinery Header	WFL-Header-SVE-040617	4/6/2017	0.034			0.0025	U		0.098			3.2			0.025	U		0.0001	J	
SVE Refinery Header	WFL-Header-SVE-050217	5/2/2017	0.032			0.0026	U		0.091			3			0.026	U		0.00011	J	
SVE Refinery Header	WFL-Header-SVE-060517	6/5/2017	0.037			0.0025	U		0.1			3.4			0.025	U		0.00012	J	
SVE Refinery Header	WFL-Header-SVE-070517	7/5/2017	0.029			0.0033	U		0.078			3.2			0.033	U		0.0033	U	
SVE Refinery Header	WFL Header-SVE-080917	8/9/2017	0.027			0.0024	U		0.091			3.4			0.024	U		0.000079	J	
SVE Refinery Header	WFL-Header-SVE-090117	9/1/2017	0.023			0.0025	U		0.084			3.3			0.025	U		0.000084	J	
SVE Refinery Header	WFL-Header-SVE-100317	10/3/2017	0.023			0.0025	U		0.067			3.4			0.025	U		0.000078	J	
SVE Refinery Header	WFL-Header-SVE-110117	11/1/2017	0.027			0.0025	U		0.073			3.2			0.025	U		0.00011	J	
SVE Refinery Header	WFL-Header-SVE-120617	12/6/2017	0.024			0.0023	U		0.068			3.1			0.023	U		0.0001	J	
SVE Refinery Header	WFL-Header-SVE-011118	1/11/2018	0.03			0.0025	U		0.093			4			0.025	U		0.0025	U	
SVE Refinery Header	WFL-Header-SVE-020118	2/1/2018	0.022			0.0025	U		0.075			3.2			0.025	U		0.0025	U	
SVE Refinery Header	WFL-Header-SVE-030118	3/1/2018	0.028			0.0026	U		0.072			3.1			0.026	U		0.0026	U	
SVE RTO Exhaust	EXH-SVE-040617	4/6/2017	0.00029	J		0.0026	U		0.00075	J		2.7			0.026	U		0.0026	U	
SVE RTO Exhaust	Exh-SVE-050217	5/2/2017	0.0028	U		0.0028	U		0.028	U		0.99			0.028	U		0.0028	U	
SVE RTO Exhaust	Exh-SVE-060517	6/5/2017	0.0029	U		0.0029	U		0.00034	J		1.2			0.029	U		0.0029	U	
SVE RTO Exhaust	Exh-SVE-070517	7/5/2017	0.003	U		0.003	U		0.00031	J		1.2			0.03	U		0.003	U	
SVE RTO Exhaust	Exh-SVE-080917	8/9/2017	0.00015	J		0.0026	U		0.00024	J		1.3			0.026	U		0.0026	U	
SVE RTO Exhaust	Exh-SVE-090117	9/1/2017	0.0049	U		0.0049	U		0.049	U		1.3			0.049	U		0.0049	U	
SVE RTO Exhaust	Exh-SVE-100317	10/3/2017	0.0027	U		0.0027	U		0.027	U		1.3			0.027	U		0.0027	U	
SVE RTO Exhaust	Exh-SVE-110117	11/1/2017	0.00015	J		0.0026	U		0.00024	J		1.2			0.026	U		0.0026	U	
SVE RTO Exhaust	Exh-SVE-120617	12/6/2017	0.0026	U		0.0026	U		0.00031	J		1.1			0.026	U		0.0026	U	
SVE RTO Exhaust	Exh-SVE-011118	1/11/2018	0.0029	U		0.0029	U		0.00045	J		1.3			0.029	U		0.0029	U	
SVE RTO Exhaust	Exh-SVE-020118	2/1/2018	0.00019	J		0.0024	U		0.00037	J		1.2			0.024	U		0.0024	U	
SVE RTO Exhaust	Exh-SVE-030118	3/1/2018	0.00024	J		0.0028	U		0.00047	J		1.2			0.028	U		0.0028	U	

TABLE 10
SVE SYSTEM HEADER AND EXHAUST ANALYTICAL DATA

Location	Sample ID	Sample Date	Ethene			Hydrogen			Isobutane			Methane			Neopentane			Nitrogen		
			Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
SVE Public Works Header	PW-Header-SVE-040617	4/6/2017	0.0024	U		0.024	U		0.00026	J		0.94			0.0024	U		79		
SVE Public Works Header	PW-Header-SVE-050217	5/2/2017	0.0026	U		0.026	U		0.00022	J		0.79			0.0026	U		79		
SVE Public Works Header	PW-Header-060517	6/5/2017	0.0026	U		0.026	U		0.0026	U		0.42			0.0026	U		80		
SVE Public Works Header	PW-Header-SVE-070517	7/5/2017	0.0026	U		0.026	U		0.00013	J		0.47			0.0026	U		79		
SVE Public Works Header	Pw Header-SVE-080917	8/9/2017	0.0025	U		0.025	U		0.00039	J		0.96			0.0025	U		79		
SVE Public Works Header	PW-Header-SVE-090117	9/1/2017	0.0026	U		0.026	U		0.00055	J		1.1			0.0026	U		79		
SVE Public Works Header	PW-Header-SVE-100317	10/3/2017	0.0025	U		0.025	U		0.00044	J		1			0.0025	U		79		
SVE Public Works Header	PW-Header-SVE-110117	11/1/2017	0.0025	U		0.025	U		0.00076	J		1.5			0.0025	U		77		
SVE Public Works Header	PW-Header-SVE-120617	12/6/2017	0.0024	U		0.024	U		0.00061	J		1.3			0.0024	U		78		
SVE Public Works Header	PW-Header-SVE-011118	1/11/2018	0.0025	U		0.025	U		0.00087	J		1.8			0.0025	U		78		
SVE Public Works Header	PW-Header-SVE-020118	2/1/2018	0.0024	U		0.024	U		0.0012	J		2.2			0.0024	U		77		
SVE Public Works Header	PW-Header-SVE-030118	3/1/2018	0.0026	U		0.026	U		0.0015	J		2.2			0.0026	U		78		
SVE Refinery Header	WFL-Header-SVE-040617	4/6/2017	0.0025	U		0.025	U		0.0027			0.72			0.0025	U		79		
SVE Refinery Header	WFL-Header-SVE-050217	5/2/2017	0.0026	U		0.026	U		0.0026			0.66			0.00012	J		79		
SVE Refinery Header	WFL-Header-SVE-060517	6/5/2017	0.0025	U		0.025	U		0.0028			0.8			0.00012	J		80		
SVE Refinery Header	WFL-Header-SVE-070517	7/5/2017	0.0033	U		0.033	U		0.0023	J		0.59			0.0033	U		78		
SVE Refinery Header	WFL Header-SVE-080917	8/9/2017	0.0024	U		0.024	U		0.0021	J		0.51			0.0024	U		80		
SVE Refinery Header	WFL-Header-SVE-090117	9/1/2017	0.0025	U		0.025	U		0.0018	J		0.42			0.0025	U		79		
SVE Refinery Header	WFL-Header-SVE-100317	10/3/2017	0.0025	U		0.025	U		0.0018	J		0.4			0.0025	U		80		
SVE Refinery Header	WFL-Header-SVE-110117	11/1/2017	0.0025	U		0.025	U		0.0023	J		0.52			0.0025	U		78		
SVE Refinery Header	WFL-Header-SVE-120617	12/6/2017	0.0023	U		0.023	U		0.002	J		0.44			0.0023	U		78		
SVE Refinery Header	WFL-Header-SVE-011118	1/11/2018	0.0025	U		0.025	U		0.0028			0.6			0.0025	U		79		
SVE Refinery Header	WFL-Header-SVE-020118	2/1/2018	0.0025	U		0.025	U		0.002	J		0.45			0.0025	U		79		
SVE Refinery Header	WFL-Header-SVE-030118	3/1/2018	0.0026	U		0.026	U		0.0025	J		0.61			0.0026	U		79		
SVE RTO Exhaust	EXH-SVE-040617	4/6/2017	0.0026	U		0.026	U		0.0026	U		0.0084			0.0026	U		80		
SVE RTO Exhaust	Exh-SVE-050217	5/2/2017	0.0028	U		0.028	U		0.0028	U		0.0017			0.0028	U		80		
SVE RTO Exhaust	Exh-SVE-060517	6/5/2017	0.0029	U		0.029	U		0.0029	U		0.0033			0.0029	U		80		
SVE RTO Exhaust	Exh-SVE-070517	7/5/2017	0.003	U		0.03	U		0.003	U		0.0037			0.003	U		80		
SVE RTO Exhaust	Exh-SVE-080917	8/9/2017	0.0026	U		0.026	U		0.0026	U		0.0038			0.0026	U		81		
SVE RTO Exhaust	Exh-SVE-090117	9/1/2017	0.0049	U		0.049	U		0.0049	U		0.002			0.0049	U		80		
SVE RTO Exhaust	Exh-SVE-100317	10/3/2017	0.0027	U		0.027	U		0.0027	U		0.0015			0.0027	U		80		
SVE RTO Exhaust	Exh-SVE-110117	11/1/2017	0.0026	U		0.026	U		0.0026	U		0.0032			0.0026	U		79		
SVE RTO Exhaust	Exh-SVE-120617	12/6/2017	0.0026	U		0.026	U		0.0026	U		0.0032			0.0026	U		79		
SVE RTO Exhaust	Exh-SVE-011118	1/11/2018	0.0029	U		0.029	U		0.0029	U		0.003			0.0029	U		79		
SVE RTO Exhaust	Exh-SVE-020118	2/1/2018	0.0024	U		0.024	U		0.0024	U		0.0054			0.0024	U		79		
SVE RTO Exhaust	Exh-SVE-030118	3/1/2018	0.0028	U		0.028	U		0.0028	U		0.0068			0.0028	U		79		

TABLE 10
SVE SYSTEM HEADER AND EXHAUST ANALYTICAL DATA

Location	Sample ID	Sample Date	Oxygen			Pentane			Propane		
			Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
SVE Public Works Header	PW-Header-SVE-040617	4/6/2017	16			0.002	J		0.0024	U	
SVE Public Works Header	PW-Header-SVE-050217	5/2/2017	16			0.0016	J		0.0026	U	
SVE Public Works Header	PW-Header-060517	6/5/2017	16			0.00066	J		0.0026	U	
SVE Public Works Header	PW-Header-SVE-070517	7/5/2017	17			0.00071	J		0.0026	U	
SVE Public Works Header	Pw Header-SVE-080917	8/9/2017	16			0.0019	J		0.0025	U	
SVE Public Works Header	PW-Header-SVE-090117	9/1/2017	16			0.0038			0.0026	U	
SVE Public Works Header	PW-Header-SVE-100317	10/3/2017	16			0.0035			0.0025	U	
SVE Public Works Header	PW-Header-SVE-110117	11/1/2017	17			0.0054			0.0025	U	
SVE Public Works Header	PW-Header-SVE-120617	12/6/2017	17			0.0048			0.0024	U	
SVE Public Works Header	PW-Header-SVE-011118	1/11/2018	15			0.0074			0.0025	U	
SVE Public Works Header	PW-Header-SVE-020118	2/1/2018	16			0.01			0.0024	U	
SVE Public Works Header	PW-Header-SVE-030118	3/1/2018	16			0.012			0.0026	U	
SVE Refinery Header	WFL-Header-SVE-040617	4/6/2017	17			0.015			0.0025	U	
SVE Refinery Header	WFL-Header-SVE-050217	5/2/2017	17			0.015			0.00018	J	
SVE Refinery Header	WFL-Header-SVE-060517	6/5/2017	16			0.017			0.00018	J	
SVE Refinery Header	WFL-Header-SVE-070517	7/5/2017	18			0.013			0.0033	U	
SVE Refinery Header	WFL Header-SVE-080917	8/9/2017	16			0.012			0.00013	J	
SVE Refinery Header	WFL-Header-SVE-090117	9/1/2017	17			0.01			0.0025	U	
SVE Refinery Header	WFL-Header-SVE-100317	10/3/2017	16			0.0097			0.00011	J	
SVE Refinery Header	WFL-Header-SVE-110117	11/1/2017	18			0.012			0.0025	U	
SVE Refinery Header	WFL-Header-SVE-120617	12/6/2017	18			0.011			0.00014	J	
SVE Refinery Header	WFL-Header-SVE-011118	1/11/2018	16			0.014			0.00017	J	
SVE Refinery Header	WFL-Header-SVE-020118	2/1/2018	17			0.01			0.0025	U	
SVE Refinery Header	WFL-Header-SVE-030118	3/1/2018	17			0.013			0.00016	J	
SVE RTO Exhaust	EXH-SVE-040617	4/6/2017	17			0.0026	U		0.0026	U	
SVE RTO Exhaust	Exh-SVE-050217	5/2/2017	19			0.0028	U		0.0028	U	
SVE RTO Exhaust	Exh-SVE-060517	6/5/2017	19			0.0029	U		0.0029	U	
SVE RTO Exhaust	Exh-SVE-070517	7/5/2017	19			0.003	U		0.003	U	
SVE RTO Exhaust	Exh-SVE-080917	8/9/2017	18			0.0026	U		0.0026	U	
SVE RTO Exhaust	Exh-SVE-090117	9/1/2017	19			0.0049	U		0.0049	U	
SVE RTO Exhaust	Exh-SVE-100317	10/3/2017	19			0.0027	U		0.0027	U	
SVE RTO Exhaust	Exh-SVE-110117	11/1/2017	20			0.0026	U		0.0026	U	
SVE RTO Exhaust	Exh-SVE-120617	12/6/2017	20			0.0026	U		0.0026	U	
SVE RTO Exhaust	Exh-SVE-011118	1/11/2018	20			0.0029	U		0.0029	U	
SVE RTO Exhaust	Exh-SVE-020118	2/1/2018	20			0.0024	U		0.0024	U	
SVE RTO Exhaust	Exh-SVE-030118	3/1/2018	20			0.00012	J		0.0028	U	

Notes:**Lab Qualifiers**

J = Estimated value; results between the MDL and RL

U = Compound analyzed for but not detected above the RL

AECOM Qualifiers

J = Estimated detection

UJ = Estimated non-detect

U = Non-detect due to blank contamination

ND, UJ = Non-detected compound associated with low bias in the continuing calibration verification

Figures

The following EVS descriptions and assumptions apply to **Figures 9** through **12**:



Plan View Model Output – The data input for the plan view model was not limited by depth and was modeled in three dimensions (3D). The bottom surface of the resulting model was limited to the potentiometric groundwater surface elevation. The two dimensional (2D) appearance of the figures created from the 3D model was achieved by displaying an aerial view of horizontal slices through the model. The horizontal slices were taken parallel to the ground surface that was created from GPS survey data, rather than at single elevation plane. The result of this is a surface that accurately represents soil vapor concentrations at discrete depths measured from ground surface.

Inward Kriging / Boundary Cut-off – This method of Kriging limits the horizontal extent of data modeling to the extent of the data on the x/y plane in a convex hull. The model is bounded by the VMPs.

Vertical Cut-off – The bottom surface of this model is based on the current quarter's groundwater gauging data collected in Roxana. The groundwater gauging data was used to model a 2D surface that represents the interface between the top surface of groundwater and the bottom surface of soil vapor.

Duplicate Samples – In locations and depths where duplication samples were collected, the higher concentration was used.

Detection Limits – In cases where the lab reported a non-detect, half the value of the lab detection limit was used in the model. This conservative method is based on the assumption that the soil is likely not free of benzene but the quantity contained is lower than detectable at the analyzed dilution. Data are posted where non-detect.



LEGEND

- WOOD RIVER REFINERY PROPERTY BOUNDARY
- INVESTIGATION AREA

SOURCE:
ELECTRONIC USGS DIGITAL RASTER GRAPHIC 7.5
MINUTE TOPOGRAPHIC MAP OF WOOD RIVER,
IL-MO REVISED 1994.

CONTOUR INTERVAL = 5 FT

0 2000
SCALE FEET

EQUILON ENTERPRISES LLC dba SHELL OIL PRODUCTS US
SOIL VAPOR MONITORING PROGRAM
ROXANA, ILLINOIS


PROJECT NO.
60527968

AECOM


DRN. BY: djd April 2018
DSGN. BY: djd
CHKD. BY: smf

Investigation Area
Location Map

FIG. NO.
1




- NOTES:
- 1. CONTOUR LINES PRIMARILY GENERATED BY SURFER VERSION 14 MODELING OF GROUNDWATER ELEVATIONS. SOME INTERPRETATION WAS DONE UTILIZING PROFESSIONAL JUDGMENT AND CONTOUR LINES WERE MODIFIED BY HAND.
 - 2. ELEVATIONS ARE RELATIVE TO NAVD 88.
 - 3. COMPREHENSIVE GROUNDWATER ELEVATIONS WERE MEASURED JANUARY 2-4, 2018.



LEGEND

- GROUNDWATER MONITORING WELL LOCATION USED TO GENERATE GROUNDWATER CONTOURS
- GROUNDWATER MONITORING WELL LOCATION NOT USED TO GENERATE GROUNDWATER CONTOURS
- GROUNDWATER PIEZOMETER LOCATION USED TO GENERATE GROUNDWATER CONTOURS
- GROUNDWATER PIEZOMETER LOCATION NOT USED TO GENERATE GROUNDWATER CONTOURS
- WRR GROUNDWATER PRODUCTION WELL
- 407— GROUNDWATER SURFACE CONTOUR NAVD 88 (CONTOUR INTERVAL 0.5 FT.)
- >— GROUNDWATER GRADIENT



EQUILON ENTERPRISES LLC dba SHELL OIL PRODUCTS US
SOIL VAPOR MONITORING PROGRAM
ROXANA, ILLINOIS

PROJECT NO.
60527968



DRN. BY:djd April 2018
DSGN. BY:djd
CHKD. BY:smf

1Q18
Groundwater Contours

FIG. NO.
3


NOTES:


1. COMPREHENSIVE GROUNDWATER ELEVATIONS WERE MEASURED JANUARY 2-4, 2018.
2. CONTOUR LINES PRIMARILY GENERATED BY SURFER VERSION 8 MODELING OF GROUNDWATER ELEVATIONS. SOME INTERPRETATION WAS DONE UTILIZING PROFESSIONAL JUDGMENT AND CONTOUR LINES WERE MODIFIED BY HAND.
3. ELEVATIONS ARE RELATIVE TO NAVD 88.

* INDICATES THAT THE LNAPL AND/OR WATER LEVEL IS ABOVE THE TOP OF THE GROUNDWATER MONITORING WELL SCREEN OR THE DEEPEST VAPOR MONITORING POINT SCREEN.

LEGEND

- GROUNDWATER MONITORING WELL LOCATION USED TO GENERATE GROUNDWATER CONTOURS
- VAPOR MONITORING POINT (VMP) LOCATION (ELEVATION OF TOP OF THE DEEPEST VAPOR MONITORING POINT SCREEN)
- WRR GROUNDWATER PRODUCTION WELL
- GROUNDWATER MONITORING WELL LOCATION NOT USED TO GENERATE GROUNDWATER CONTOURS
- VMP LOCATION (NOT USED FOR QUARTERLY SAMPLING)
- GROUNDWATER SURFACE CONTOUR NAVD 88 (CONTOUR INTERVAL 0.5 FT)
- GROUNDWATER GRADIENT







LEGEND

- VAPOR MONITORING POINT (VMP) LOCATION
- VMP LOCATION (NOT USED FOR QUARTERLY SAMPLING)
- BENZENE CONCENTRATION
> SCREENING CRITERION (2.8 mg/m³),
FOR INDUSTRIAL/COMMERCIAL.



NOTES:

- Not Sampled¹ = VMP SCREEN SUBMERGED BELOW WATER TABLE OR A TEMPORARY WATER CONDITION. NO SAMPLE COLLECTED.
- J = RESULT IS ESTIMATED
< = NOT DETECTED AT INDICATED REPORTING LIMIT. DETECTED RESULTS AND ESTIMATED RESULTS ARE BOLD.
- MULTIPLE RESULTS (e.g., 440/410) INDICATE DUPLICATE SAMPLES.








FILE: \\PROJECTS\ENVIRONMENTAL\ROXANA\60527968\ROXANA_2018_03_05_RELEASES\1018\1018_CROSS-SECTION WITH BENZENE SOIL VAPOR ANALYTICAL RESULTS (UPDATED) Dwg Set - 1018.dwg, APR 18, 2018 4:18 pm, by: smf





EQUILON ENTERPRISES LLC dba SHELL OIL PRODUCTS US SOIL VAPOR MONITORING PROGRAM ROXANA, ILLINOIS		PROJECT NO. 60527968
AECOM		
DRN. BY: djd April 2018 DSGN. BY: djd CHKD. BY: smf	1Q18 Cross-Section with Benzene Soil Vapor Analytical Results - Chaffer Avenue	FIG. NO. 8












Appendix A

Benzene and Methane Charts

VMP-1


Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).

Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-2

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-3

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-4

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-5

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-6

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-7

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-8

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-9

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-10

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-11

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-12

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-13

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.



VMP-14


Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.



VMP-15

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).


Gap in plot line indicates sample not able to be collected due to site conditions.



VMP-16


Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).

Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-17

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-18

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-19

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-20

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-21

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-22

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-23

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-24

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-25

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-29

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-30

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-31

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL). Gap in plot line indicates sample not able to be collected due to site conditions. VMP-31 was abandoned in 2Q14 after persistent helium issues and replaced by VMP-56.




VMP-32

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-41

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-42

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-43

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-44

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-45

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-47

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-48

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-49

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-50

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-51

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-52

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-53

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-54

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-55

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-56

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.



VMP-62


Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.



VMP-63


Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).

Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-64

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-1

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-2

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-3

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-4

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-5

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-6

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-7

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-8

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-9

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-10

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-11

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-12

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-13

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-14

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-15

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-16

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-17

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-18

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-19

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-20

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-21

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-22

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-23

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-24

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-25

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-29

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-30

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-31

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL). Gap in plot line indicates sample not able to be collected due to site conditions. VMP-31 was abandoned in 2Q14 after persistent helium issues and replaced by VMP-56.




VMP-32

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-41

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-42

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-43

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-44

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-45

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-47

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-48

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-49

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-50

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-51

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-52

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-53

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-54

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-55

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-56

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-62

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.




VMP-63

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.



VMP-64

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL).
Gap in plot line indicates sample not able to be collected due to site conditions.



Appendix B

SVE System Leg Flow Rates

APPENDIX B
SVE SYSTEM LEG FLOW RATES

Date	Red Leg Flow ¹ (SCFM)	Blue Leg Flow ¹ (SCFM)	Green Leg Flow ¹ (SCFM)	Teal Leg Flow ¹ (SCFM)	Purple Leg Flow ¹ (SCFM)	Brown Leg Flow ¹ (SCFM)
4/6/2017	124	108	296	162	146	135
4/12/2017	123	106	291	187	160	126
4/19/2017	113	88	278	185	155	140
4/26/2017	113	95	286	180	158	129
5/1/2017	131	94	279	178	149	134
5/10/2017	120	96	282	174	153	137
5/17/2017	124	93	277	163	156	134
5/24/2017	120	94	275	157	152	129
5/31/2017	120	84	275	156	153	131
6/5/2017	106	90	240	164	135	108
6/14/2017	114	97	288	157	147	125
6/21/2017	117	107	270	141	151	128
6/28/2017	121	103	283	150	159	129
7/5/2017	119	103	282	159	145	128
7/12/2017	117	100	278	165	152	121
7/19/2017	115	101	272	160	147	122
7/26/2017	145	101	269	174	130	119
8/2/2017	114	103	273	183	151	123
8/9/2017	115	104	275	189	151	120
8/17/2017	117	105	277	188	154	122
8/24/2017	116	107	281	195	146	109
8/29/2017	118	106	282	185	149	121
9/1/2017	124	89	289	187	150	119
9/6/2017	113	110	306	196	152	124
9/13/2017	123	108	294	186	136	124
9/28/2017	112	108	301	209	155	120
10/3/2017	116	105	304	215	153	112
10/11/2017	127	110	304	204	151	110
10/17/2017	120	104	289	202	152	121
10/24/2017	120	110	289	218	147	123
11/1/2017	119	110	304	172	147	137
11/8/2017	108	106	305	213	162	125
11/14/2017	114	121	309	223	156	137
11/21/2017	112	96	301	203	141	132
11/28/2017	108	113	299	219	135	129
12/6/2017	116	104	315	207	157	135
12/13/2017	117	105	306	227	162	124
12/19/2017	105	84	313	198	152	133
12/26/2017	104	136	384	215	176	0

APPENDIX B
SVE SYSTEM LEG FLOW RATES

Date	Red Leg Flow ¹ (SCFM)	Blue Leg Flow ¹ (SCFM)	Green Leg Flow ¹ (SCFM)	Teal Leg Flow ¹ (SCFM)	Purple Leg Flow ¹ (SCFM)	Brown Leg Flow ¹ (SCFM)
1/11/2018	84	94	249	172	142	0
1/19/2018	92	89	228	189	120	0
1/25/2018	114	103	303	226	157	0
2/1/2018	114	116	309	238	156	0
2/7/2018	112	109	285	253	162	0
2/13/2018	134	29	363	296	34	0
2/20/2018	106	108	287	207	146	0
3/1/2018	103	111	279	219	159	0
3/6/2018	121	108	303	237	172	0
3/13/2018	126	120	284	243	201	0
3/21/2018	140	114	171	255	209	0
3/27/2018	148	94	157	264	204	0

¹USEPA Method 2 "Determination of Stack Gas Velocity and Volumetric Flow Rate (Type S Pitot Tube)" specifies that a default pitot tube coefficient of 0.99 shall be used to calculate flow if the coefficient is unknown and the tube is designed according to the criteria of Sections 6.7.1 to 6.7.5 of this method. During the 2nd Quarter 2013, a review of the calculation was performed and it was noted that a 0.67 coefficient should be used for the specific pitot tubes used to collect data at the site. AECOM has corrected the previously calculated mass removal to reflect the 0.67 pitot tube coefficient.

²SVE System was shut down for maintenance from 9/19/17 to 9/27/17.

³The Brown Leg was shut off on December 20, 2017.

Appendix C

SVE System Operating Efficiency and Maintenance Chronology

APPENDIX C
SVE SYSTEM OPERATING EFFICIENCY AND MAINTENANCE CHRONOLOGY

January-18		Hours of Operation	February-18		Hours of Operation	March-18		Hours of Operation
Date	Hours		Date	Hours		Date	Hours	
1	24	0	1	24	24	1	24	24
2	24	0	2	24	24	2	24	24
3	24	0	3	24	24	3	24	24
4	24	0	4	24	24	4	24	24
5	24	0	5	24	24	5	24	24
6	24	0	6	24	24	6	24	24
7	24	0	7	24	23.25	7	24	22.62
8	24	12.58	8	24	23.98	8	24	24
9	24	24	9	24	24	9	24	24
10	24	24	10	24	24	10	24	24
11	24	24	11	24	24	11	24	24
12	24	13.02	12	24	24	12	24	24
13	24	0	13	24	24	13	24	24
14	24	0	14	24	23.4	14	24	24
15	24	4.38	15	24	23.12	15	24	24
16	24	6.04	16	24	24	16	24	24
17	24	17.19	17	24	24	17	24	24
18	24	24	18	24	24	18	24	24
19	24	24	19	24	24	19	24	24
20	24	24	20	24	24	20	24	24
21	24	24	21	24	24	21	24	24
22	24	24	22	24	24	22	24	24
23	24	23.49	23	24	24	23	24	24
24	24	24	24	24	24	24	24	24
25	24	23.84	25	24	24	25	24	24
26	24	24	26	24	24	26	24	24
27	24	24	27	24	24	27	24	24
28	24	24	28	24	24	28	24	24
29	24	24				29	24	24
30	24	24				30	24	24
31	24	24				31	24	24
Totals	744	460.54	Totals	672	669.75	Totals	744	742.62
% Up Time		61.90%	% Up Time		99.67%	% Up Time		99.81%

APPENDIX C
SVE SYSTEM OPERATING EFFICIENCY AND MAINTENANCE CHRONOLOGY

- **January 2, 2018**– Drained condensate from both system compressors and performed bubble test on natural gas line.
- **January 8, 2018**– Drained condensate from both system compressors and performed bubble test on natural gas line. Process room portion of system brought back online after being shut down on December 27, 2017.
- **January 11, 2018**– Closed well SVE-28 at the well valve.
- **January 12, 2018**– Process room portion of system was shut down due to ice formation in WFL VLS unit caused by extreme cold ambient air temperatures.
- **January 15, 2018**– Drained condensate from both system compressors and performed bubble test on natural gas line. Process room portion of system brought back online. Manual dilution valve adjusted from 25% to 35% open. Process room portion of system was shut down again due to ice formation in WFL VLS unit caused by extreme cold ambient air temperatures.
- **January 16, 2018**– Replaced WFL VLS filter and replaced system data card. Process room portion of system was shut down due to ice formation in WFL VLS unit caused by extreme cold ambient air temperatures.
- **January 17, 2018**– Process room portion of system brought back online.
- **January 18, 2018**– Tightened SVE-43 valve body.
- **January 22, 2018**– Drained condensate from both system compressors and performed bubble test on natural gas line. Adjusted manual dilution valve from 35% open to 30% open.
- **January 23, 2018**– Installed battery backup system to remote camera, laptop, and modem. Manual dilution valve adjusted from 30% to 25% open.
- **January 25, 2018**– Greased all system fittings and replaced system data card. Tested AST, VLS and process room floats.
- **January 29, 2018**– Drained condensate from both system compressors and performed bubble test on natural gas line.
- **February 2, 2018**– Cleaned both WFL and PW VLS float systems and housings.
- **February 5, 2018**– Drained condensate from both system compressors and performed bubble test on natural gas line.
- **February 7, 2018–800 hour maintenance** - Replaced WFL VLS filter, replaced blower pre-filter, replaced combustion filter, greased all system fittings, replaced system data card. Tested AST, VLS and process room floats.
- **February 8, 2018**– Performed a bake out of the RTO unit.

APPENDIX C
SVE SYSTEM OPERATING EFFICIENCY AND MAINTENANCE CHRONOLOGY

- **February 9, 2018**– Cleaned WFL VLS float system and housing.
- **February 12, 2018**– Drained condensate from both system compressors and performed bubble test on natural gas line.
- **February 14, 2018**– Replaced Anguil HMI light bulbs for alarm and power on.
- **February 15, 2018**– Inspected system belts.
- **February 19, 2018**– Drained condensate from both system compressors and performed bubble test on natural gas line. Cleaned both WFL and PW VLS float systems and housings.
- **February 22, 2018**– Replaced SVE-39 sample port.
- **February 26, 2018**– Drained condensate from both system compressors and performed bubble test on natural gas line. Cleaned both WFL and PW VLS float systems and housings.
- **February 28, 2018**– Cleaned both WFL and PW VLS float systems and housings.
- **March 5, 2018**– Drained condensate from both system compressors and performed bubble test on natural gas line. Manual dilution valve adjusted from 25% to 23% open.
- **March 6, 2018**– Opened well SVE-3R from 50% to 75% at the well valve. Opened well SVE-45 from 25% to 50% at the well valve.
- **March 7, 2018**– **800 hour maintenance** - Replaced WFL VLS filter, replaced PW VLS filter, replaced blower filter and pre-filter, replaced combustion filter, greased all system fittings, replaced system data card. Tested AST, VLS and process room floats. Blower oil changed, poppet valve oiler checked, rotary air compressor coolant changed, air-oil separator replaced, coolant filter replaced, and air filter replaced.
- **March 9, 2018**– Cleaned both WFL and PW VLS float systems and housings.
- **March 12, 2018**– Drained condensate from both system compressors and performed bubble test on natural gas line. Closed well SVE-16 at the well valve.
- **March 13, 2018**– Closed well SVE-17 at the well valve.
- **March 16, 2018**– Cleaned both WFL and PW VLS float systems and housings.
- **March 19, 2018**– Drained condensate from both system compressors and performed bubble test on natural gas line.
- **March 22, 2018**– Cleaned both WFL and PW VLS float systems and housings.
- **March 26, 2018**– Drained condensate from both system compressors and performed bubble test on natural gas line.

APPENDIX C
SVE SYSTEM OPERATING EFFICIENCY AND MAINTENANCE CHRONOLOGY

- **March 30, 2018**– Cleaned both WFL and PW VLS float systems and housings.

Appendix D

Total Header Hydrocarbon Concentrations

APPENDIX D
TOTAL HEADER HYDROCARBON CONCENTRATIONS

Date	West Fenceline Concentration (ppmv)	Public Works Concentration (ppmv)
4/6/17	14,600	9,611
4/12/17	16,000	10,500
4/19/17	14,100	12,800
4/26/17	13,200	12,900
5/1/17	15,400	12,500
5/10/17	16,600	8,612
5/17/17	16,400	9,415
5/24/17	20,500	6,738
5/31/17	16,900	5,432
6/5/17	16,500	5,160
6/14/17	16,200	6,101
6/21/17	16,200	5,487
6/28/17	14,600	4,405
7/5/2017	13,100	5,677
7/12/2017	11,900	6,412
7/19/2017	11,700	7,346
7/26/2017	11,100	10,300
8/2/2017	10,800	12,500
8/9/2017	10,800	13,500
8/17/2017	10,100	14,100
8/24/2017	9,160	16,700
8/29/2017	9,194	15,400
9/1/2017	8,944	16,200
9/6/2017	9,313	18,700
9/13/2017	9,044	18,800
9/28/2017	9,688	13,800
10/3/2017	8,245	15,800
10/11/2017	8,070	20,000
10/17/2017	10,200	22,400
10/24/2017	10,600	19,200
11/1/2017	11,300	25,300
11/8/2017	9,900	20,500
11/14/2017	9,650	20,600
11/21/2017	8,742	24,200
11/28/2017	8,342	21,100
12/6/2017	9,080	20,400
12/13/2017	10,900	24,100
12/19/2017	8,516	19,300
12/26/2017	8,899	16,500
1/11/2018	12,100	33,400
1/19/2018	8,876	31,100
1/25/2018	9,317	39,400
2/1/2018	8,605	42,200
2/7/2018	7,547	36,500
2/13/2018	9,760	34,200
2/20/2018	9,145	34,300
3/1/2018	12,300	48,000
3/6/2018	14,900	44,300
3/13/2018	24,800	35,900
3/21/2018	22,500	41,400
3/27/2018	25,600	49,000

*SVE System was shut down for maintenance from 9/19/17 to 9/27/17.

Appendix E

SVE System Flow Rates

APPENDIX E
SVE SYSTEM FLOW RATES

Date	West Fenceline Header ¹ (SCFM)	Public Works Header ¹ (SCFM)
4/6/17	809	162
4/12/17	807	187
4/19/17	774	185
4/26/17	780	180
5/1/17	787	178
5/10/17	787	174
5/17/17	784	163
5/24/17	770	157
5/31/17	763	156
6/5/17	680	164
6/14/17	772	157
6/21/17	773	141
6/28/17	794	150
7/5/17	777	159
7/12/17	768	165
7/19/17	757	160
7/26/17	764	174
8/2/17	764	183
8/9/17	765	189
8/17/17	775	188
8/24/17	758	195
8/29/17	775	185
9/1/17	771	187
9/6/17	805	196
9/13/17	784	186
9/28/17	796	209
10/3/17	791	215
10/11/17	802	204
10/17/17	786	202
10/24/17	789	218
11/1/17	817	172
11/8/17	806	213
11/14/17	837	223
11/21/17	781	203
11/28/17	784	219
12/6/17	826	207
12/13/17	815	227
12/19/17	787	198
12/26/17	800	215
1/11/18	568	172
1/19/18	529	189
1/25/18	677	226
2/1/18	696	238
2/7/18	668	253
2/13/18	561	296
2/20/18	648	207
3/1/18	653	219
3/6/18	703	237
3/13/18	730	243
3/21/18	634	255
3/27/18	603	264

¹USEPA Method 2 "Determination of Stack Gas Velocity and Volumetric Flow Rate (Type S Pitot Tube)" specifies that a default pitot tube coefficient of 0.99 shall be used to calculate flow if the coefficient is unknown and the tube is designed according to the criteria of Sections 6.7.1 to 6.7.5 of this method. During the 2nd Quarter 2013, a review of the calculation was performed and it was noted that a 0.67 coefficient should be used for the specific pitot tubes used to collect data at the site. AECOM has corrected the previously calculated mass removal to reflect the 0.67 pitot tube coefficient.

²SVE System was shut down for maintenance from 9/19/17 to 9/27/17.

