



Illinois Environmental Protection Agency

Bureau of Land • 1021 North Grand Avenue East • P.O. Box 19276 • Springfield • Illinois • 62794-9276

ILLINOIS EPA RCRA CORRECTIVE ACTION CERTIFICATION

This certification must accompany any document submitted to Illinois EPA in accordance with the corrective action requirements set forth in a facility's RCRA permit. The original and two copies of all documents submitted must be provided.

1.0 Facility Identification

Name Equilon Enterprises LLC d/b/a/ Shell County Madison
 Street Address 900 South Central Ave Site No. (IEPA) 1191150002
 City Roxana Site No. (USEPA) ILD080 012 305

2.0 Owner Information

Name Not Applicable
 Mail Address _____
 City _____
 State _____ Zip Code _____
 Contact Name _____
 Contact Title _____
 Phone _____

3.0 Operator Information

Name Equilon Enterprises LLC d/b/a/ Shell
 Mail Address 128 East Center Street
 City Nazareth
 State PA Zip Code 18064
 Contact Name Leroy Bealer
 Contact Title Senior Program Manager
 Phone 484-632-7955

4.0 Type of Submission (check applicable item and provide requested information, as applicable)

- RFI Phase I Workplan/Report IEPA Permit Log No. B-43R
 RFI Phase II Workplan/Report Date of Last IEPA Letter on Project June 21, 2024
 CMP Report; Log No. of Last IEPA Letter on Project B-43R--M-52 and B-43R-M-52
 Other (describe): Soil Vapor Sampling and SVE Monitoring Report - 2nd Quarter 2024 Does this submittal include groundwater information: Yes No

Date of Submittal August 8, 2024

5.0 Description of Submittal: (briefly describe what is being submitted and its purpose)

Soil Vapor Sampling and SVE Monitoring Report for the 2nd Quarter 2024 in the project area located in the Village of Roxana, Illinois.

6.0 Documents Submitted (identify all documents in submittal, including cover letter; give dates of all documents)

Cover letter, RCRA Corrective Action Certification, and Report dated 8/8/2024. Copy of submittal also sent directly to V. Poornaka, T. Halteman, and A. Al-Janabi of IEPA.

7.0 Certification Statement

(This statement is part of the overall certification being provided by the owner/operator, professional and laboratory in Items 7.1, 7.2 and 7.3 below). The activities described in the subject submittals have been carried out in accordance with procedures approved by Illinois EPA. I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

7.1 Owner/Operator Certification

(Must be completed for all submittals. Certification and signature requirements are set forth in 35 IAC 702.126.) All submittals pertaining to the corrective action requirements set forth in a RCRA Permit must be signed by the person designated below (or by a duly authorized representative of that person):

1. For a Corporation, by a principal executive officer of at least the level of vice president.
2. For a Partnership or Sole Proprietorship, by a general partner or the proprietor, respectively.
3. For a Governmental Entity, by either a principal executive officer or a ranking elected official.

A person is a duly authorized representative only if:

1. the authorization is made in writing by a person described above; and
2. the written authorization is provided with this submittal (a copy of a previously submitted authorization can be used).

Owner Signature: _____ Date: _____
Title: _____
Operator Signature: _____ Date: 7/19/2024
Title: Senior Program Manager

7.2 Professional Certification (if necessary)

Work carried out in this submittal or the regulations may also be subject to other laws governing professional services, such as the Illinois Professional Land Surveyor Act of 1989, the Professional Engineering Practice Act of 1989, the Professional Geologist Licensing Act, and the Structural Engineering Licensing Act of 1989. No one is relieved from compliance with these laws and the regulations adopted pursuant to these laws. All work that falls within the scope and definitions of these laws must be performed in compliance with them. The Illinois EPA may refer any discovered violation of these laws to the appropriate regulating authority.

Any person who knowingly makes a false, fictitious, or fraudulent material statement, orally or in writing, to the Illinois EPA commits a Class 4 felony. A second or subsequent offense after conviction is a Class 3 felony. (415 ILCS 5/44 (h))

Professional's Signature: Wendy Pennington Date: 7/30/2024
Professional's Name Wendy Pennington
Address 100 N Broadway, 20th Floor Professional's Seal:
City St. Louis
State MO Zip Code 63002
Phone 314-452-8929



August 8, 2024

Ms. Jacqueline M. Cooperider, PE
Manager, Permit Section
Illinois Environmental Protection Agency
Division of Land Pollution Control
Bureau of Land
1021 North Grand Avenue East
Springfield, Illinois 62702

Soil Vapor Sampling and SVE Monitoring Report – 2nd Quarter 2024
Roxana, Illinois
1191150002 – Madison County
Equilon Enterprises LLC d/b/a Shell Oil Products US
Log No. B-43R

Dear Ms. Cooperider:

On behalf of Equilon Enterprises LLC d/b/a Shell Oil Products US (Shell), AECOM Technical Services, Inc. (AECOM) is submitting the enclosed report for your review. This report includes information required by Condition 11 of the Illinois Environmental Protection Agency's (IEPA) letter dated May 28, 2015.

Electronic copies of this submittal are being sent separately directly to Visal Poornaka and Ali Al-Janabi with the IEPA.

If you have any questions during your review, please contact Leroy Bealer, Shell Senior Program Manager, at leroy.bealer@shell.com (484-632-7955), or Wendy Pennington at wendy.pennington@aecom.com (314-452-8929).

Sincerely,

AECOM, on behalf of Shell Oil Products US



Joe Mayer
Environmental Engineer



Wendy Pennington, PE
Project Manager

Enclosures: RCRA Corrective Action Certification Form and Report

cc:

Leroy Bealer, Shell
Megan Lipscomb, Phillips 66
Visal Poornaka, IEPA, Springfield
Ali Al-Janabi, IEPA, Collinsville
Yuping Ding, Illinois Department of Public Health
Ryan Mohr, Fox Smith LLC
Repositories – Roxana Public Library, website

2nd Quarter 2024 Report

Soil Vapor Sampling and SVE Monitoring Report Roxana, IL

Prepared for:
Equilon Enterprises LLC dba Shell Oil Products US

Project number: 60721927

August 2024

Table of Contents

1	Introduction.....	1
2	Description of Subsurface Conditions.....	2
2.1	Geology	2
2.2	Hydrogeology.....	2
3	Soil Vapor Sampling and Analytical Procedures	4
3.1	Vapor Monitoring Port Sampling	4
3.2	Health & Safety, Decontamination, and Investigation Derived Waste	5
3.3	Sample Handling and Laboratory Testing	5
3.4	Data Quality Review and Data Management	6
4	Soil Vapor Sampling Results	7
4.1	Data Quality Review Results	7
4.2	Soil Vapor Analytical Results	7
4.3	Conceptual Site Model.....	8
5	Soil Vapor Extraction System Monitoring.....	10
5.1	SVE System Operations	10
5.2	SVE Maintenance Activities and Modifications	10
5.3	SVE System Monitoring Results	11
5.4	SVE System Operation Evaluation	12
5.5	SVE System Modification Recommendations.....	17
6	Conclusions.....	18
7	References	19

Tables

Table 1	Quarterly Groundwater Monitoring Well Gauging Results
Table 2	Soil VMP Depths
Table 3	Soil Vapor Sampling – Tedlar® Sampling Data
Table 4	Soil Vapor Screening Criteria
Table 5	Historical Summary of Soil Vapor Analytical Detections and Screening Results: Village – VOCs
Table 6	Historical Summary of Soil Vapor Analytical Detections and Screening Results: Public Works Yard and WRR – VOCs
Table 7	Historical Summary of Soil Vapor Analytical Results – Natural Gases
Table 8	SVE System Monthly Monitoring – SVE Sampling Data
Table 9	SVE System Monthly Monitoring – VMP Sampling Data
Table 10	SVE System Header and Exhaust Analytical Data

Figures

Figure 1	Investigation Area Location Map
Figure 2	Vapor Monitoring Point Sampling Locations
Figure 3	2Q24 Groundwater Contours
Figure 4	2Q24 Vapor Port Screen Comparison to Groundwater Elevations
Figure 5	2Q24 Vapor Port Analytical Exceedances
Figure 6	2Q24 Cross-Section with Benzene Soil Vapor Analytical Results – Chaffer Avenue
Figure 7	2Q24 Benzene Soil Vapor Distribution – 5 ft bgs
Figure 8	2Q24 Benzene Soil Vapor Distribution – 10 ft bgs
Figure 9	2Q24 Benzene Soil Vapor Distribution – 25 ft bgs
Figure 10	2Q24 Dissolved Phase Benzene Concentrations in Groundwater
Figure 11	SVE System Layout

Appendices

Appendix A	Site Background and Regulatory History
Appendix B	Benzene and Methane Charts
Appendix C	SVE System Operating Efficiency and Maintenance Chronology
Appendix D	SVE System Leg Flow Rates
Appendix E	Total Header Hydrocarbon Concentrations
Appendix F	SVE System Flow Rate

1 Introduction

AECOM Technical Services, Inc. (AECOM) is submitting this 2nd Quarter 2024 Soil Vapor Sampling and SVE Monitoring Report on behalf of Equilon Enterprises LLC dba Shell Oil Products US (Shell). Shell has been conducting a subsurface investigation in the Village of Roxana in the area generally bounded by the alley north of East 1st Street, the Roxana Public Works Yard, Illinois Route 111, and the property boundary (a/k/a West Fenceline [WFL]) of the WRB Refining, LP (WRB) Wood River Refinery (WRR) (**Figure 1**). Additional investigation has been conducted inside the WRR; this work was conducted in cooperation with WRB/Phillips 66 (P66). For the purposes of presentation in this report only, the combined area is collectively referred to as the “Investigation Area.” The Investigation Area includes a portion of a residential area in the Village of Roxana, Roxana Public Works Yard, and the adjoining portions of the WRR. For the purposes of this report, the term “Village” is used to denote the residential area generally bounded by the alley north of East 1st Street (north), 8th Street (south), Chaffer Avenue (east), and Illinois Route 111 (South Central Avenue) (west). The Investigation Area and locations of VMPs in the soil vapor sampling network are presented on **Figure 2**. Site background information and regulatory history are presented in **Appendix A**.

2 Description of Subsurface Conditions

This section summarizes the current understanding of the Investigation Area geology and hydrogeology.

2.1 Geology

The Investigation Area is located approximately 1.5 miles east of the Mississippi River within the American Bottoms floodplain. The surface topography is generally flat; however, it slopes downward to the west-southwest in the southwestern portion of the Village, with a total drop in elevation of approximately 15 feet across the area.

The ground surface in the Village within the Investigation Area, where not developed with structures, is primarily grass covered with paved (i.e., chip and seal, asphalt, etc.) alleys and streets. Beneath any man-made fill material, the subsurface conditions generally consist of silty clay underlain by sands to the depths investigated.

Subsurface stratigraphy within the Investigation Area generally consists of the following materials, from the ground surface down.

- Fill – (mainly clay, some gravel and cinders, etc.) Extends from the surface to approximately six feet below ground surface (bgs).
- Clay/Silt – (primarily silty clay) Where present, the clay generally extends from the base of the fill to approximately 12 feet bgs.
- Sand – (consisting primarily of fine to medium grained (which coarsens with depth) sand with some silt and clay, especially at the shallower depths). The sand begins at the base of the clay (or base of the fill if the clay is not present) and extends to the total depth of the borings.

Discontinuous lower permeability lenses of clay with some silt and sand are occasionally present. These lenses vary in thickness from 1 inch to a few feet and do not appear to be laterally (or vertically) extensive.

Cross-sections depicting the underlying geology were previously presented in the Dissolved Phase Groundwater Investigation and P-60 Free Phase Product Delineation Report (URS, 2010a). These cross-sections were developed based on information provided on cone penetration test (CPT) logs and soil boring logs. A modified cross-section presenting analytical data is discussed in **Section 4.3** of this report.

2.2 Hydrogeology

Groundwater in the sand underlying the Investigation Area is the primary source for large volume water production in the area (e.g., industrial and municipal supply). Prior to development in the area, the natural movement of groundwater was toward the west (toward the Mississippi River). Since development in the area, groundwater pumping has altered the groundwater flow in the area to flow toward nearby pumping wells (e.g., WRR, British Petroleum [BP], etc.).

The water table encountered during the 2nd Quarter 2024 (2Q24) was at a depth of approximately 29 to 45 feet bgs (approximate elevation of 400.0 to 402.2 North American Vertical Datum [NAVD 88]). The variation in depth of groundwater from the ground surface is partially due to a change in surface elevation across the Investigation Area. As a result, there is generally a 25 to 40 foot thick vadose (unsaturated) zone in the sand. Groundwater levels in most wells in the vicinity of the West Fenceline have fallen approximately 0.6 ft since the 1Q24 gauging event. Water level measurements collected during the 2Q24 groundwater gauging event and historical water level measurements collected over the current quarter and previous three quarters are provided in **Table 1**. Depth to product (if present)

and depth to water were noted in electronic format using Dell Rugged laptop computers (computer), or similar, and on groundwater field gauging sheets.

There are discontinuous low permeability silt and clay lenses above the water table (approximately 20 to 30 feet bgs) mixed with silt and sand. These lenses are isolated and limited in occurrence. There are additional discontinuous clay lenses at a depth of approximately 35 to 45 feet bgs localized in the area between East 2nd and 4th Street and Chaffer Avenue. These may be above or below the water table depending on groundwater conditions. As a result, the groundwater contours displayed on **Figures 3 and 4** show a slight mounding in this area.

The potentiometric surface observed during the 2Q24 comprehensive groundwater monitoring well gauging¹ (**Figure 3**) illustrates groundwater flow within the Village and WRR. **Figure 4** provides the groundwater potentiometric surface for the Investigation Area in 2Q24.

¹ 2Q24 comprehensive groundwater monitoring well gauging performed April 1-3, 2024.

3 Soil Vapor Sampling and Analytical Procedures

The 2Q24 soil vapor sampling event was performed in accordance with ASTM D-7663-18 and applicable site-specific Standard Operating Procedures (SOPs) that incorporate previous IEPA comments, conditions, and/or modifications. Current SOPs are provided to the IEPA as updates are made. The 2Q24 soil vapor sampling event was conducted April 25 – May 6, 2024, and was the 56th quarterly sampling event performed since the IEPA requirement for quarterly soil vapor sampling began in 3rd Quarter 2010.

3.1 Vapor Monitoring Port Sampling

The soil vapor sampling network currently consists of 61 VMP locations (**Figure 2**), of which 44 locations are currently being utilized for quarterly sampling. VMPs in the quarterly sampling program are generally screened at four depths² at each location. The individual VMPs are labeled and color-coded in the field from shallow to deep by using the color scheme of yellow (1st interval), blue (2nd interval), green (3rd interval), and red (4th interval). Additional VMPs installed as part of a supplemental sampling event in 2nd Quarter 2010 (2Q10) are color-coded white (10-foot depth). Vapor ports installed during 3Q11 and 4Q11 do not have the shallow (5-foot depth) port included and begin with the blue interval port. Soil VMP depths are provided in **Table 2**.

Saturated VMP Screens – The groundwater monitoring well gauging results suggested that 10 of the VMP screens were submerged beneath the water table (or a temporary water condition) during 2Q24; details are provided below.

- Two 1st interval VMPs, VMP-25-5 and VMP-55-5, held vacuum during the attempted purge and were most likely submerged. The screen for VMP-55-5 is within fill material, and it is not unusual for shallow water to be trapped in the fill.
- Two 2nd interval VMPs, VMP-25-9.5 and VMP-55-10, held vacuum during the attempted purge and were most likely submerged. The screens for VMP-25-9.5 and VMP-55-10 are within fill material, and it is not unusual for shallow water to be trapped in the fill.
- One 3rd interval VMP, VMP-25-21 held vacuum during the attempted purge and were most likely submerged.
- Five 4th interval VMPs, VMP-2-42, VMP-4-39, VMP-11-38, VMP-55-30, and VMP-64-28 held vacuum during the attempted purge and were most likely submerged.

VMP Screens within Capillary Fringe Soil Layer – Condition 3.d of IEPA's March 13, 2023 letter states soil vapor samples must be collected "above the capillary fringe soil layer located 37.5 cm [1.23 ft] above the top of the groundwater." 2Q24 groundwater gauging results were compared to VMP screen elevations and it was determined that none of the VMP screens were within the capillary fringe in 2Q24.

VMPs that were submerged or within the capillary fringe and were not sampled during 2Q24 are identified on **Figure 4**.

Field measurements from this event and the previous three quarterly events are provided on **Table 3**.

² With the exception of single shallow ports at VMP-17, 18, 19, three ports at VMP-41 through VMP-45, VMP-56, and five ports at VMP-3.

3.2 Health & Safety, Decontamination, and Investigation Derived Waste

Health & Safety

The quarterly sampling activities were performed in accordance with the project-specific Health and Safety Plan (HASP), dated February 2, 2022 (AECOM, 2022d).

Prior to beginning site work and at the start of work each day, a daily safety meeting was held. The purpose of this meeting was to discuss the day's planned activities and to address any potential health and safety concerns. As a part of the daily safety meeting, job safety analyses (now known as Task Hazard Assessments [THAs]) were prepared to address task specific safety concerns.

Field personnel primarily wore U.S. Environmental Protection Agency (USEPA) modified Level D personal protective equipment (PPE), which included hard hat, steel-toed boots, safety glasses, etc. In addition, work within the WRR was performed wearing flame retardant clothing (FRCs) per WRR requirements (in areas where required).

A PID with a 10.6 electron volt (eV) probe, combustible gas indicator (CGI), UltraRAE 3000 with benzene specific measuring tubes, and individual hydrogen sulfide gas detectors (for locations inside WRR) were used as needed during the field activities to monitor air quality. Field instruments were calibrated prior to use each day in accordance with the manufacturer's specifications.

Decontamination

Field personnel and equipment underwent decontamination procedures to ensure the health and safety of those present, to maintain sample integrity, and to minimize cross-contamination. Non-disposable/reusable sampling equipment (e.g., compression fittings) was decontaminated prior to the collection of each analytical sample by spraying with Liquinox® and distilled water. For stainless steel vapor sampling equipment, a 60 mL syringe was attached to the sampling apparatus and ambient air was pumped into the sampling apparatus to remove any internal dust particles or moisture. Personnel and small equipment decontamination were performed at the sample locations.

Investigation Derived Waste

Investigation derived waste (IDW) for this sampling event included PPE and expendable materials (e.g., gloves and tubing), which have a low probability of impact. The expendable materials were collected in trash bags and disposed with municipal waste.

3.3 Sample Handling and Laboratory Testing

Sample Handling

Stainless-steel canisters were labeled with a sample ID, site name, sampler initials, sample date and time, the parameters that were to be analyzed, and pre- and post- vacuum readings. After collection, the samples were logged on a chain-of-custody (COC) form and packaged in an UN-certified box to prevent damage during shipment. The samples were then delivered under the proper COC documentation to the laboratory. Due to the potential flammable nature of the vapor in the stainless-steel canisters, some soil vapor samples were shipped as hazardous materials according to applicable regulations.

Laboratory Testing

Eurofins Air Toxics, Inc. (Eurofins) of Folsom, California conducted the laboratory testing and the following test methods were utilized during this scope of work.

- Volatile Organic Compounds (VOCs) via Modified USEPA Total Organic-15 (TO-15) (including butane and isopentane) for soil vapor, and
- Natural gases (defined for purposes of this report as oxygen, nitrogen, carbon monoxide, methane, carbon dioxide, ethane, and ethene) via Modified ASTM D-1946 + Helium for soil vapor.

AECOM worked with the laboratory to attain reporting limits for compounds that have screening criteria so that, to the extent possible, the reporting limits were less than the screening criteria. In some cases, this necessitated reporting results between the method detection limit (MDL) and reporting limit (RL). Although results reported in this range are "J"-flagged as estimated, these data may be beneficial in cases where analytes would otherwise be reported as non-detect at RLs above screening levels. The laboratory provided AECOM with a list of their "base" RL capability for target analytes. Sample RLs are a product of base RL, pressurization dilution factor, and analytical dilution factor. Thus, the sample RL will increase with increases in the dilution factor. Results that were reported below the RLs but above the MDL were "J"-flagged as estimated concentrations by the laboratory.

3.4 Data Quality Review and Data Management

Laboratory data were provided in electronic form, and analytical data were independently reviewed and qualified by AECOM. One hundred percent of the data were subjected to a data quality review. Evaluation of the data followed procedures outlined in the USEPA National Functional Guidelines for Superfund Organic Methods Data Review (USEPA, 2020). Specific criteria reviewed included sample receipt condition and holding times, method blanks, surrogate spike recoveries, laboratory control samples, results reported from dilutions, and field duplicate results. The laboratory assigned data qualifiers on the basis of their quality control or to indicate sample analysis information (e.g., dilutions). Data qualifiers were also added by AECOM, as appropriate, and are included on the data tables and laboratory result pages. Laboratory reports are included in the project files.

The screening values used were presented in the IEPA's Tiered Approach to Corrective Action Objectives (TACO) Title 35 – Part 742; Appendix B, Table H: Tier 1 Soil Gas and Groundwater Remediation Objectives for the Indoor Inhalation Exposure Route – Diffusion and Advection for soil vapor effective July 15, 2013 (IEPA, 2013) and are shown on **Table 4**. Not all TO-15 Method constituents have TACO Tier 1 screening criteria.

Field data and documentation collected as part of this scope of work became part of the project file. AECOM maintains the files for the site and the database management system.

4 Soil Vapor Sampling Results

4.1 Data Quality Review Results

A total of 147 investigative samples and 16 field duplicate samples were collected from VMPs for analysis of VOCs (TO-15 analytes) and natural gases. Results qualified by AECOM due to method blank contamination, field duplicate results, and quality control sample recoveries are specified in the data reviews, which are retained in the project file. Based on method blanks, laboratory control sample recoveries, results reported from dilutions, and field duplicate results, soil vapor results reported for the analyses performed were accepted for their intended use.

4.2 Soil Vapor Analytical Results

The following TO-15 analytes were detected at concentrations at or above the reporting limit in soil vapor during the 2Q24 sampling event:

TO-15 Detections	
1,2,4-Trimethylbenzene	Ethanol
1,3,5-Trimethylbenzene	Ethylbenzene
2,2,4-Trimethylpentane	Heptane
2-Propanol	Hexane
4-Ethyltoluene	Isopentane
Benzene	m,p-Xylene
Bromodichloromethane	o-Xylene
Butane	Tetrachloroethene
Chloroform	Trichloroethene
Dichlorodifluoromethane	

No analytes were detected at or above the reporting limit for the first time at any VMP in 2Q24. In addition to this list, several analytes were detected at estimated concentrations below the reporting limit. A cumulative tabular summary of the analytical results for the Village is presented in **Table 5**. A cumulative tabular summary of data for the Roxana Public Works Yard and WRR is presented in **Table 6**. Analytical results were compared to the previously mentioned screening values. Sample results from VMP-1 through VMP-9, VMP-18 through VMP-24, VMP-32, VMP-42 through VMP-45, VMP-47 through VMP-54, VMP-56, and VMP-62 through VMP-64 (located near residences in the Village) were compared against the residential screening criteria. Samples from VMP-10 through VMP-17, VMP-25, VMP-29, VMP-30, VMP-41, and VMP-55 (located at or near the Roxana Public Works Yard or WRR) were compared against the industrial/commercial screening criteria. A cumulative tabular summary of the results for natural gases is presented in **Table 7**. **Tables 5, 6, and 7** present results for the reporting quarter plus three previous quarters.

Benzene was selected as the key analyte to characterize soil vapor in the paragraphs below.

Village

Benzene was not detected in 122 of 129 samples. Benzene was detected above the RL in 2 of 129 samples and was estimated between the MDL and RL in 5 of 129 samples collected in the Village. Concentrations of benzene from locations within the Village ranged from an estimated 0.00092 mg/m³ (VMP-53-30) to an estimated 0.0064 mg/m³ (VMP-48-10), with one outlier result of 42 mg/m³ (VMP-56-38.5; 38.5 ft bgs). The results for samples collected in the Village indicate that one sample, VMP-56-38.5 had a benzene concentration above the residential screening criterion (0.37 mg/m³).

Roxana Public Works Yard Area

Benzene was not detected in 24 of 26 samples. Benzene was not detected above the RL in any of the samples and was estimated between the MDL and RL in 2 of 26 samples collected in the Roxana Public Works Yard and the area along Illinois Route 111 and Rand Avenue. Concentrations of benzene from locations within the Public Works Yard Area ranged from an estimated 0.0013 mg/m³ (VMP-14-29) to an estimated 0.0021 mg/m³ (VMP-13-29.5). The results of samples collected from the Roxana Public Works Yard and area along Illinois Route 111 and Rand Avenue indicate that no samples exceeded the commercial/industrial screening criterion (2.8 mg/m³) for benzene.

Wood River Refinery

Benzene was not detected in 4 of 8 samples collected in the WRR. Benzene was detected above the RL in 4 of 8 samples, and in none of the samples was benzene estimated between the MDL and RL in the WRR. Concentrations of benzene ranged from 7.9 mg/m³ (VMP-16-13.5) to 330 mg/m³ (VMP-12-39). The results of samples collected in the WRR indicate that 4 samples exceeded the commercial/industrial screening criterion (2.8 mg/m³) for benzene (VMP-12-39, VMP-16-13.5, VMP-16-19 and VMP-16-31; 39 ft, 13.5 ft, 19 ft, and 31 ft bgs, respectively).

2Q24 analytical exceedances for benzene and other TO-15 analytes in soil vapor for samples collected in all areas are depicted on **Figure 5**.

Benzene and Methane Charts

Charts of historical analytical benzene and methane concentrations for each VMP are depicted in **Appendix B**.

Natural Gas (Biogenic) Data

Natural gas data indicate that, where petroleum impacts are present, the concentration of methane increases from shallow to deep sample depths, while oxygen concentrations decrease from shallow to deep sample depths (methane and oxygen are generally inversely correlated in soil vapor). Over time, the trend in oxygen levels in most VMPs has been generally increasing since the SVE system has been operating. Higher oxygen levels (>5%) with lower methane levels indicate an environment capable of supporting aerobic biodegradation (Ririe et al., 1998). 2Q24 oxygen levels were within the range of historical values. A summary of the natural gas results is presented in **Table 7**.

4.3 Conceptual Site Model

Vapor Intrusion

The primary concern for shallow soil gas is the potential for intrusion through basement and/or building slabs. In September 2011, Shell began installation of a full scale SVE system to address the source of these vapors. The system became operational on January 31, 2012, following the completion of the 1st Quarter 2012 (1Q12) sampling effort. The objective of the SVE system is to mitigate vapors along the WFL of the WRR and in the vicinity of the Roxana Public Works Yard. Construction of the Roxana Public Works Yard portion of the SVE system was completed during 4Q12, and this portion became operational on December 3, 2012. Construction of the Red Line Extension portion of the SVE system was completed during 4Q13, and this portion became operational on October 23, 2013. Construction of the Blue Line Extension portion of the SVE system was completed during 4Q14, and this portion became operational on

November 5, 2014. Refer to **Section 5** for further discussion on SVE system operation. **Figure 6** presents a cross-section along Chaffer Avenue with a vertical distribution of the benzene concentrations superimposed.

At most locations, oxygen is present in the shallow depths and little or no aromatic hydrocarbons (e.g., BTEX) are present. Carbon dioxide levels are relatively high throughout the soil column at many locations, which supports that degradation of petroleum hydrocarbons is occurring via aerobic biodegradation. Depending on groundwater fluctuations there can be up to 40 feet of open vadose zone which allows for biodegradation of constituents in soil vapor as they slowly diffuse upwards.

C Tech Development Corporation's Mining Visualization System PRO, Version 9.94 (MVS-PRO) was used to model the estimated distribution of benzene in the soil vapor above IEPA TACO screening criteria for 2Q24. **Figures 7, 8, and 9** present a horizontal distribution of benzene at 5, 10, and 25 ft. bgs, respectively. Contour lines are not depicted on **Figure 7** as sample concentrations at the 5 ft. depth across the study area were below the residential screening criterion (0.37 mg/m³).

Groundwater Monitoring Well Gauging and Sampling

The results for groundwater monitoring well gauging and sampling are presented in the Interim Groundwater Monitoring Program – 2nd Quarter 2024 Report (AECOM, 2024a). **Figure 10** presents the estimated distribution of dissolved phase benzene in the groundwater. Light non-aqueous phase liquid (LNAPL) thicknesses, observed during the 2Q24 comprehensive monitoring well gauging, are presented in **Table 1** and shown on **Figure 10**.

VMP-54

Concentrations of chloroform at VMP-54 have increased since the summer of 2020, which coincided with the installation of a pool in the residents' backyard immediately northeast of VMP-54. Increased concentrations of chloroform were not observed at monitoring wells MW-3 or MW-4, which are to the west and east, respectively, of VMP-54 (AECOM, 2024a). Chloroform is a common disinfectant byproduct in municipal water and can be present in higher concentrations in chlorinated pool water.

Buckeye Pipeline Release

In November 2020 a gasoline release was discovered at a pipeline owned and operated by Buckeye Partners LP. The release is associated with IEPA Violation Notice L-2021-00084, LPC #1190905036 – Madison County. The release site was located within the Investigation Area off the southeast corner of the Public Works Yard, between WRR North and Main Properties. In the vicinity of the release site, increased petroleum hydrocarbon (PHC) concentrations have been observed at extraction well SVE-27 in the Public Works Yard (see **Table 8**), and increased gasoline-range hydrocarbons have been observed at VMP-12 and VMP-16 (see **Table 6** and **Appendix B**), and groundwater monitoring well P-66 on WRR Main Property (see Interim Groundwater Monitoring Program – 2nd Quarter 2024 Report; AECOM, 2024a). The approximate location of the release is shown on **Figures 2, 4, 5, 7 to 9, and 11**. In May 2022 AECOM began collecting monthly Tedlar[®] samples at VMP-16 during SVE effectiveness monitoring, and the results of these samples are included in **Table 9**. Effective March 2024, AECOM discontinued monthly sampling at VMP-16. Quarterly sampling at VMP-16 will continue in accordance with IEPA requirements.

5 Soil Vapor Extraction System Monitoring

As requested in IEPA's September 13, 2012 letter (IEPA, 2012), this section addresses operation of the SVE system. As such, the discussion in this section will address operation of the SVE system during 2Q24. SVE system history is further discussed in **Appendix A**.

5.1 SVE System Operations

The removal of hydrocarbons at the Investigation Area has continued due to daily operation of the SVE system. Natural gas continues to be used as a supplemental fuel for the RTO. Trends related to hydrocarbon concentrations monitored in the field are expected to continue, and these numbers are expected to improve as the system is operated and/or optimized.

5.2 SVE Maintenance Activities and Modifications

Scheduled system maintenance was performed as outlined in the manufacturers' suggested operations and maintenance (O&M) documents in the SVE Operations and Maintenance Plan – WRB Refining LP, Wood River Refinery & Roxana Public Works Site (AECOM, 2021). The scheduled maintenance includes routine lubrication, inspection of belts, oil levels, and emergency cutoffs, along with water levels and associated switches with the VLS units. The SVE system is shut down during periods of maintenance as a safety precaution. Timing and frequency of maintenance activities is dependent on the specific item. Checking and cleaning of filters and components exposed to dirt and/or the elements were performed as part of a routine weekly inspection. System SVE wells and associated vault inspections were also conducted on a monthly basis. The filters associated with the different system components are changed, as needed.

A chronology of maintenance and operation activities associated with the system during 2Q24 can be found in **Appendix C**.

Activities associated with system maintenance, modifications, and testing were appropriately documented both in the field maintenance log maintained on-site and, in the office central (electronic) file.

Steam Enhanced Extraction (SEE) System

The Former Public Works Yard SEE System began partial operation in 2Q24. Steam injection did not begin in 2Q24. On June 12, 2024 the SVE wells on the Public Works (Teal) header line, SVE-20, SVE-24 and SVE-27, were closed to allow for increased flow to the RTO from SEE system extraction wells, and so that existing SVE wells in the vicinity would not interfere with SEE extraction wells. On the same day vapor from the SEE system began flowing to the RTO for destruction. During 2Q24 SEE system operation was not continuous due to troubleshooting of various system components. The majority of information regarding the SEE system will be included in the construction completion report and in monthly progress reports. Some SEE system information will be included in the quarterly SV-SVE reports when applicable and in relation to the routine contents of the quarterly reports.

5.3 SVE System Monitoring Results

The results of field screening samples collected during monthly effectiveness monitoring of the SVE wells and VMPs can be found in **Tables 8 and 9**, respectively. The results of the header and RTO exhaust analytical data can be found in **Table 10**. The data required pursuant to Condition Number 11 of the September 13, 2012 letter are contained in those tables.

SVE Well & VMP Tedlar® Sampling Details:

SVE and VMP well locations sampled during 2Q24 (listed below) are shown on **Figure 11**.

- SVE wells operating during at least one effectiveness monitoring event in 2Q24 were:
 - SVE-20, SVE-28, SVE-30 through SVE-33, SVE-37 and SVE-39 located on WRR North Property.
 - SVE-24 and SVE-27 located in the Roxana Public Works Yard.
 - SVE-3R, SVE-45 and SVE-47 located in the Village.
 - Samples were collected from all operating SVE wells during 2Q24 effectiveness monitoring events.
- Forty-nine VMP locations were sampled monthly during 2Q24 with one duplicate sample taken per twenty samples.
 - VMP-1 through VMP-7, VMP-9, VMP-18, VMP-19, VMP-32, VMP-42, VMP-43, VMP-45, VMP-47 through VMP-54, VMP-56, and VMP-62 through VMP-64 are located in the Village.
 - VMP-12, VMP-33 through VMP-39, VMP-46, VMP-57 through VMP-61, and VMP-65 are located on WRR North Property.
 - VMP-16 is located on WRR Main Property.
 - VMP-10, VMP-11, VMP-13, VMP-14, VMP-17, and VMP-41 are located in the Roxana Public Works Yard.
 - VMP-55 is located on an IDOT right-of-way west of the Roxana Public Works Yard.

With the exception of VMP-3, VMP-17, VMP-18, and VMP-19, VMP locations contain either 3 or 4 screen depths between 5 feet and 42 feet bgs. Location VMP-3 contains 5 screen depths, and locations VMP-17, VMP-18, and VMP-19 contain only one. VMP depths are provided in **Table 2**. The April, May and June 2024 Monthly SVE Effectiveness Monitoring events were the 147th, 148th and 149th monthly SVE & VMP sampling events, respectively, performed since monthly monitoring began in 1st Quarter 2012.

SVE System Monitoring Results:

- Natural gas is used as supplemental fuel for the RTO. See hydrocarbon mass removal calculation discussion details in **Section 5.4**.
- Vacuum measurements are collected monthly at the operating SVE wells and selected VMPs within the Village and WRR. Vacuum influence from the SVE system has been observed at VMP locations along the WFL and in the Roxana Public Works Yard. Vacuum data can be found in **Tables 8 and 9**.
- Air flow data collected from each operating SVE leg located at the RTO were obtained and can be found in **Appendix D**.
- WFL and PW header concentrations and mass removal increased in 2Q24 compared to 1Q24. For the purposes of this report, the mass contribution from PWY SEE system vapor extraction was included in the total for the PW header, although it should be noted that the SEE vapor does not pass through the PW header and is integrated into the SVE system downstream of the PW header. System downtime and hydrocarbon mass removal calculation discussion details in **Section 5.4**.
- During 2Q24, LNAPL was observed in SVE-45. The screened interval for this location was installed in the vadose zone above the groundwater table. During 2Q24 no LNAPL was recovered from SVE-45 because LNAPL thickness was below the recovery criterion.

5.4 SVE System Operation Evaluation

April			May			June		
Total Time	Total Uptime	Percentage Uptime	Total Time	Total Uptime	Percentage Uptime	Total Time	Total Uptime	Percentage Uptime
720 hours	693.45 hours	96.31%	744 hours	701.26 hours	94.26%	720 hours	672.26 hours	93.37%

During 2Q24 the SVE system experienced six periods of unplanned downtime:

- April 19, 2024, the system shut down due to a power outage. Total downtime was 6 hours and 27 minutes.
- April 23-24, 2024, the system shut down due to a variable frequency drive (VFD) alarm. Total down time was 18 hours and 15 minutes.
- May 26-28, 2024, the system was shut down due to a power outage and inclement weather. System was not restarted on May 27 due to Memorial Day holiday. Total downtime was 39 hours and 25 minutes.
- June 3, 2024, the system shut down due to a power outage. Total downtime was 1 hour and 52 minutes.
- June 15, 2024, the system shut down due to a VFD alarm. Total down time was 6 hours and 45 minutes.
- June 23-24, 2024, the system shut down due to a VFD alarm. Total down time was 24 hours and 51 minutes.

The remainder of downtime in 2Q24 was associated with routine (planned) maintenance activities. A summary table of system downtime by date for 2Q24 and the maintenance log can be found in **Appendix C**.

Due to changing system and environmental conditions, the amount of water introduced into the system varies and can accumulate in the piping which can inhibit air flow. Because water accumulates in the system piping, a periodic “sweeping” of the lines is required to purge the piping of accumulated water. By opening the well cap at the extraction well, ambient air is introduced to the piping at a high rate of flow forcing the water through the piping and sweeping it into the VLS units.

The three supplementary dilution lines associated with the system intake are typically closed. The manual dilution valve is also typically adjusted in small increments (usually <5%) and the system is closely monitored following system adjustments. SVE System blower speed was adjusted during 2Q24. Blower speed adjustments, manual dilution valve adjustments, and supplemental dilution utilization are noted in **Appendix C**.

Hydrocarbon Mass Removal

The total hydrocarbon mass of soil vapor removed by the SVE system was estimated by measuring the total hydrocarbon concentrations of the extracted soil vapors and the soil vapor flow rates into the SVE system. The results of the header and RTO exhaust analytical data can be found in **Table 10**. An FID calibrated with methane gas was used to measure total hydrocarbon concentrations in samples collected from the WFL Header and the Public Works Header. Total header hydrocarbon concentrations are included in **Appendix E**.

Total soil vapor flow rates were determined by calculating flow rates for the individual SVE legs that carry vapors from the SVE wells to the treatment system. Pressure, differential pressure, and temperature were measured in each leg. This data and Equation 2.7 and Equation 2.8 from USEPA Test Method 2 “Determination of Stack Gas Velocity and Volumetric Flow Rate (Type S Pitot Tube)” (Method 2) were used to calculate flow rates for each leg³. The flow rates for the appropriate legs were summed to determine flow rates in the WFL Header and the Public Works Header. Flow

³ USEPA Method 2 “Determination of Stack Gas Velocity and Volumetric Flow Rate (Type S Pitot Tube)” specifies that a default pitot tube coefficient of 0.99 shall be used to calculate flow if the coefficient is unknown and the tube is designed according to the criteria of Sections 6.7.1 to 6.7.5 of this method. During the 2nd Quarter 2013 (2Q13), a review of the calculation was performed, and it was noted that a 0.67 coefficient should be used for the specific pitot tubes used to collect data at the site. AECOM has corrected the previously calculated mass removal to reflect the 0.67 pitot tube coefficient.

rates are included in **Appendix F**. Only flow rates and concentrations samples taken on the same day were used to calculate mass removal.

Hydrocarbon mass removed for the period between each concentration sample was calculated using the following equation:

$$M_{THC} = Q \times 60 \times \varphi \times \frac{M_c}{385.1 \times 10^6} \times h \div 2000$$

Where:

M_{THC} = Hydrocarbon mass removed for the period (tons)

Q = Total header flowrate (SCFM)

φ = Total hydrocarbon concentration (ppmv)

M_c = Molecular weight of total hydrocarbons (lb/lb-mole)

h = Period SVE operating hours (hours)

Unit conversions:

60 minutes per hour


$\frac{M_c}{385.1 \times 10^6}$ converts (ppmv) to (lb/SCF)

2000 pounds per tons

Header analytical results from **Table 10** were used to estimate vapor molecular weights in the WFL and Public Works headers. Based on the soil vapor analytical results of the WFL and Public Works header samples, the calculated molecular weights for this reporting period, 22.2 lb/lb-mole and 18.8 lb/lb-mole for the WFL and Public Works headers, respectively, were used to convert header hydrocarbon volume concentrations (ppmv) to mass concentrations (lb/SCF) in 2Q24.

For the purposes of this report, the contribution from SEE system vapor mass removal was included in the total for Public Works, although it should be noted that the SEE vapor does not pass through the PW header and is integrated into the SVE system downstream of the PW header.

The molecular weights, which are recalculated every quarter, are the average weight of all samples taken during a given quarter. The conversion from volume concentration (ppmv) to mass concentrations (lb/SCF) was taken from the USEPA document AP-42 Compilation of Air Pollutant Emission Factors, Volume 1: Stationary Point and Area Sources, Fifth Edition, Appendix A (USEPA, 1995). The total hydrocarbon mass removed during each period was summed to determine the quarterly total hydrocarbon mass removed. The mass removed is summarized in the graph and table below.



Quarterly Total Hydrocarbon Mass Removed				
Quarter	West Fenceline Mass (tons)	Public Works Mass (tons)	Quarterly Mass (tons)	Cumulative Mass (tons)
2Q12	124	36	160	160
3Q12	96	23	119	279
4Q12	53	22	75	354
1Q13	39	12	51	405
2Q13	60	17	77	482
3Q13	68	26	94	576
4Q13	89	37	126	702
1Q14	72	22	94	796
2Q14	83	36	119	915
3Q14	94	34	128	1,043
4Q14	106	33	139	1,182
1Q15	167	42	209	1,391
2Q15	174	52	226	1,617
3Q15	137	48	185	1,802
4Q15	111	35	146	1,948
1Q16	91	23	114	2,062
2Q16	78	24	102	2,164
3Q16	57	24	81	2,245
4Q16	32	7	39	2,284
1Q17	38	6	44	2,328
2Q17	51	4	55	2,383
3Q17	33	6	39	2,422
4Q17	33	12	45	2,467
1Q18	36	25	61	2,528
2Q18	54	25	79	2,607
3Q18	59	21	80	2,687
4Q18	50	17	67	2,754
1Q19	52	25	77	2,831
2Q19	69	13	79	2,913
3Q19	31	4	35	2,948
4Q19	25	7	32	2,980
1Q20	15	5	20	3,000
2Q20	32	6	38	3,038
3Q20	8	2	10	3,048
4Q20	18	30	48	3,096
1Q21	22	18	40	3,136
2Q21	22	13	35	3,171
3Q21	17	10	27	3,198
4Q21	15	8	23	3,221
1Q22	15	4	19	3,240
2Q22	29	10	39	3,279
3Q22	23	10	33	3,312
4Q22	20	9	29	3,341
1Q23	39	10	49	3,390
2Q23	25	10	35	3,425
3Q23	18	15	33	3,458
4Q23	19	13	32	3,490
1Q24	25	12	37	3,527
2Q24	29	16 ⁴	45	3,572


Carbon Footprint

Total carbon dioxide (CO₂) mass emitted from operation of the SVE system RTO and SEE system in 2Q24 was approximately 192.7 tons. Based on a total of 45 tons of total hydrocarbons (THC) removed from the subsurface and treated by the RTO, the CO₂ mass emissions rate in 2Q24 was approximately 4.2 tons per ton THC removed.

Total CO₂ emissions are based on the sum of CO₂ mass emitted from the RTO stack and CO₂ mass emitted by the public utility to provide electricity required for RTO operation. The CO₂ mass emitted from the RTO stack is the sum of CO₂ emitted from combustion of extracted soil vapor and supplemental natural gas required for operation. The breakdown for CO₂ emissions in 2Q24 is as follows:

- 112.8 tons CO₂ from soil vapor combustion
- 32.5 tons CO₂ from combustion of 5,528 therms of supplemental natural gas⁵
- 47.4 tons CO₂ from 89,557 kWh of electricity assuming 0.480 metric tons (0.529 tons) CO₂ emitted per Net MWh (Ameren, 2024)
- **192.7 tons CO₂ Total**

Total CO₂ emissions resulting from operation of the SVE and SEE systems in 2Q24 are equivalent to annual CO₂ emissions due to energy use of 21.1 average American households⁶. Historical quarterly and cumulative CO₂ emissions are depicted in the graph below.



⁴ Contribution from SEE system vapor mass removal included in the Public Works quarterly total.

⁵ US Environmental Protection Agency (USEPA), July 1998; (USEPA, 1998); AP-42 Compilation of Air Emissions Factors, Volume 1, Chapter 1: External Combustion Sources, Table 1.4-2, Fifth Edition, Supplement D.

⁶ Based on annual emissions of 8.3 metric tons of CO₂ associated with the energy use of an average American household (USEPA, 2021).

5.5 SVE System Modification Recommendations

A key focus of the system operators is public and worker safety. Operation of the SVE system will continue with maintenance and system optimization activities. Future monitoring and sampling results from data points associated with the SVE system will be the primary driver of optimization efforts. Optimization efforts could include reduction in dilution air, blower speed adjustment, valve adjustment of individual SVE wells and legs of the SVE system to direct more vacuum to areas with higher hydrocarbon concentrations.

6 Conclusions

AECOM conducted the 2Q24 soil vapor sampling and SVE monitoring efforts on behalf of Shell in the Village, Roxana Public Works Yard, and adjoining portions of the WRR. The following conclusions are based on the data collected during 2Q24:

- Soil vapor samples were collected from 43 locations and 147 ports in the Village, Public Works Yard, and WRR during 2Q24. Due to subsurface water conditions, 10 ports were submerged or within the capillary fringe soil layer and were not sampled.
 - One sample exceeded the benzene residential screening criterion (0.37 mg/m³) in the Village, at VMP-56 (38.5 ft bgs). Benzene concentrations ranged from an estimated 0.00092 mg/m³ to an estimated 0.0064 mg/m³, with one outlier result of 42 mg/m³ (VMP-56-38.5).
 - No sample results exceeded the benzene commercial/industrial screening criterion (2.8 mg/m³) in the Public Works Yard or the area along Illinois Route 111 and Rand Avenue. Benzene concentrations ranged from an estimated 0.0013 mg/m³ to an estimated 0.0021 mg/m³.
 - Sample results exceeded the benzene commercial/industrial screening criterion (2.8 mg/m³) in the WRR at VMP-12 (39 ft bgs) and VMP-16 (13.5, 19 and 31 ft bgs). Benzene concentrations ranged from 7.9 mg/m³ to 330 mg/m³.
- The 2Q24 soil vapor sampling event was the 56th quarterly sampling event performed since the IEPA requirement for quarterly soil vapor sampling began in 3rd Quarter 2010.
- The April, May and June 2024 Monthly SVE Effectiveness Monitoring events were the 147th, 148th and 149th monthly SVE & VMP sampling events, respectively, performed since monthly monitoring began in 1st Quarter 2012.
- Soil vapor concentrations of petroleum hydrocarbons in the Village have been below Tier 1 criteria from 5 to 30 ft bgs since 1st Quarter 2017.
- Increased PHC concentrations at SVE-27 and increased gasoline-range hydrocarbons at VMP-12 and VMP-16 have been observed in the vicinity of a Buckeye Partners LP pipeline gasoline release (see **Section 4.3**).
- As presented in detail in this report, the SVE system continues to operate with supplemental fuel and has been effective. SVE System operations continue to focus on the Fourth & Chaffer and Public Works Yard areas, in alignment with the IEPA letter dated October 1, 2020 (Log No. B-43R-CA-95, CA-98).
- Assessment of SVE system operations with a focus on Sustainability continued during 2Q24. Preliminary carbon footprint analysis indicates that operating the SVE system in 2Q24, including the contribution from electricity generation, resulted in the emissions of approximately 192.7 tons of CO₂, compared to 45 tons of THC removed from the subsurface.

Limitations:

Shell shall have the right to make and retain copies and use all Work Product provided. However, such use shall be limited to the particular Site and project for which the Work Product is provided. Shell and its agents may release the Work Product to third parties at its sole risk and discretion. This report is based on data, site conditions, and other information that is generally applicable as of the date of this report, and the conclusions and recommendations herein are therefore applicable only to that time frame and to the report in its entirety.

Data may have been provided to AECOM by Shell or a third party and used in preparing this report. AECOM has relied on this information as furnished, and is neither responsible for, nor has confirmed the accuracy of this information.

7 References

AECOM, 2017 (AECOM, 2017a); TACO Tier 3 Demonstration Part 1: Site Characterization Summary; Prepared for Shell Oil Products US (Shell); dated April 6, 2017.

AECOM, 2017 (AECOM, 2017b); TACO Tier 3 Demonstration Part 2: Tier 3 Proposal; Prepared for Shell Oil Products US (Shell); dated April 6, 2017.

AECOM, 2017 (AECOM, 2017c); Supplement to TACO Tier 3 Demonstration; Prepared for Shell Oil Products US (Shell); dated July 14, 2017.

AECOM, 2017 (AECOM, 2017d); TACO Tier 3 Demonstration: Response to Agency Comments Provided between June 30 and October 6, 2017; Prepared for Shell Oil Products US (Shell); dated November 22, 2017.

AECOM, 2021; (AECOM, 2021); SVE Operations and Maintenance Plan – WRB Refining LP, Wood River Refinery & Roxana Public Works Site; Prepared for Shell Oil Products US (Shell); dated March 2021.

AECOM, 2022; (AECOM, 2022a); TACO Tier 3 Demonstration: Response to 10/1/2020 IEPA Comment Letter; Prepared for Shell Oil Products US (Shell); dated January 4, 2022.

AECOM, 2022; (AECOM, 2022b); Public Works Yard Steam Enhanced Extraction Workplan. Prepared for Shell Oil Products US (Shell); dated January 31, 2022.

AECOM, 2022; (AECOM, 2022c); Old Public Works Yard Steam Enhanced Extraction Final Design Report & Construction Work Plan. Prepared for Shell Oil Products US (Shell); dated December 16, 2022.

AECOM, 2022 (AECOM, 2022d); Shell Project HAZWOPER Health and Safety Plan - Rand Avenue, Roxana/Route 111, and WRR Investigation and Remediation; Prepared for Shell Oil Products US (Shell); dated February 2, 2022.

AECOM, 2023; (AECOM, 2023a); Former Public Works Yard Steam Enhanced Extraction – Response to 5/5/2023 IEPA Letter. Prepared on behalf of Shell Oil Products US (Shell); dated August 3, 2023.

AECOM, 2023; (AECOM, 2023b); Former Public Works Yard Steam Enhanced Extraction – Additional Information to Final Design Report and Construction Work Plan (Area C). Prepared for Shell Oil Products US (Shell); dated September 22, 2023.

AECOM, 2023; (AECOM, 2023c); Former Public Works Yard Steam Enhanced Extraction – Additional Information to Final Design Report and Construction Work Plan (SEE System Startup Plan). Prepared for Shell Oil Products US (Shell); dated November 29, 2023.

AECOM, 2024; (AECOM, 2024a); Interim Groundwater Monitoring Program – 2nd Quarter 2024 – Roxana, Illinois; Prepared for Shell Oil Products US (Shell); dated July 2024.

AECOM, 2024; (AECOM, 2024b); *Former Public Works Yard Steam Enhanced Extraction – Response to 1/26/2024 IEPA Letter*. Prepared on behalf of Shell Oil Products US (Shell); dated February 23, 2024.

AECOM, 2024; (AECOM, 2024c); *Former Public Works Yard Steam Enhanced Extraction – Pre-SEE Additional Sampling Results*. Prepared on behalf of Shell Oil Products US (Shell); dated March 4, 2024.

Ameren Corporation, 2024 (Ameren, 2024) EEI-AGA ESG/Sustainability Template. May 2024.

Illinois Environmental Protection Agency (IEPA), 2009; (IEPA, 2009); Letter providing approval with comments and modifications of the Shell, 2009 work plan. Issued to Shell Oil Products US (Shell), dated May 12, 2009.

Illinois Environmental Protection Agency (IEPA), 2010; (IEPA, 2010); Letter providing approval with comments the Shell 2010 Delineation Report. Issued to Shell Oil Products US (Shell), dated August 5, 2010.

Illinois Environmental Protection Agency (IEPA), 2011; (IEPA, 2011); Response to December 31, 2010 submittal. Issued to Shell Oil Products US (Shell), dated March 16, 2011.

Illinois Environmental Protection Agency (IEPA), 2012; (IEPA, 2012); Response to June 13, 2011; July 20, 2011; September 28, 2011, and May 31, 2012 submittals. Issued to Shell Oil Products US (Shell), dated September 13, 2012.

Illinois Environmental Protection Agency (IEPA), 2013; (IEPA, 2013); Tiered Approach to Corrective Action Objectives Title 35 – Part 742; Appendix B, Table H: Tier 1 Soil Gas and Groundwater Remediation Objectives for the Indoor Inhalation Exposure Route – Diffusion and Advection. Effective July 15, 2013 from www.ipcb.state.il.us/documents/dsweb/Get/Document-38408.

Illinois Environmental Protection Agency (IEPA), 2014; (IEPA, 2014); Response to August 21, 2013; September 13, 2013, and September 19, 2013 submittals. Issued to Shell Oil Products US (Shell), dated April 9, 2014.

Illinois Environmental Protection Agency (IEPA), 2015; (IEPA, 2015); Response to August 16, 2013 and March 4, 2015 submittals. Issued to Shell Oil Products US (Shell), dated May 28, 2015.

Illinois Environmental Protection Agency (IEPA), 2020; (IEPA, 2020); Response to April 6, 2017, July 14, 2017, and November 22, 2017 submittals. Issued to Shell Oil Products US (Shell), dated October 1, 2020.

Illinois Environmental Protection Agency (IEPA), 2022; (IEPA, 2022); Response to Public Works Yard Steam Enhanced Extraction Workplan. Issued to Shell Oil Products US (Shell), dated August 22, 2022.

Illinois Environmental Protection Agency (IEPA), 2023; (IEPA, 2023a); Approval with Conditions of Recent SOP Submittals. Issued to Shell Oil Products US (Shell), dated March 13, 2023.

Illinois Environmental Protection Agency (IEPA), 2023; (IEPA, 2023b); Approval with Conditions of Old Public Works Yard Steam Enhanced Extraction Final Design Report & Construction Work Plan. Issued to Shell Oil Products US (Shell), dated May 5, 2023.

Illinois Environmental Protection Agency (IEPA), 2024; (IEPA, 2024a); *Approval with Conditions of Three Recent Former Public Works Yard Steam Enhanced Extraction Submittals*. Issued to Shell Oil Products US (Shell), dated January 26, 2024.

Illinois Environmental Protection Agency (IEPA), 2024; (IEPA, 2024b); *Approval with Conditions of Two Recent Former Public Works Yard Steam Enhanced Extraction Submittals*. Issued to Shell Oil Products US (Shell), dated April 22, 2024.

Ririe, G. T., R. Sweeney, S. Daugherty, and P. Peuron. 1998. A Vapor Transport Model That is Consistent with Field and Laboratory Data. In: Proceedings of the Petroleum Hydrocarbons and Organic Chemicals in Ground Water Conference, American Petroleum Institute and the National Ground Water Association, Houston, TX.

URS Corporation (URS), 2010; (URS, 2010a); Dissolved Phase Groundwater Investigation and P-60 Free Phase Product Delineation Report - Roxana, Illinois; Prepared for Shell Oil Products US (Shell); dated February 18, 2010.

URS Corporation (URS), 2010; (URS, 2010b); Addendum to February 2010 Report - Supplemental Investigation Activities - Roxana, Illinois; Prepared for Shell Oil Products US (Shell); dated September 20, 2010.

URS Corporation (URS), 2011; (URS, 2011a); Soil Vapor Sampling – 1st Quarter 2011 - Roxana, Illinois; Prepared for Shell Oil Products US (Shell); dated June 2011.

URS Corporation (URS), 2011; (URS, 2011b); Conceptual/Final Design Report – Roxana, Illinois; Prepared for Shell Oil Products US (Shell); dated June 2011.

URS Corporation (URS), 2012; (URS, 2012); SVE System Construction Completion Report – Roxana, Illinois; Prepared for Shell Oil Products US (Shell); dated May 2012.

URS Corporation (URS), 2013; (URS, 2013); SVE System Construction Completion Report Addendum – Roxana, Illinois; Prepared for Shell Oil Products US (Shell); dated February 2013.

URS Corporation (URS), 2014; (URS, 2014); SVE System Construction Completion Report Addendum No. 2 – Roxana, Illinois; Prepared for Shell Oil Products US (Shell); dated January 2014.

URS Corporation (URS), 2015; (URS, 2015); SVE System Construction Completion Report Addendum No. 3 – Roxana, Illinois; Prepared for Shell Oil Products US (Shell); dated March 4, 2015.

US Environmental Protection Agency (USEPA), January 1995; (USEPA, 1995); AP-42 Compilation of Air Pollutant Emission Factors, Volume 1: Stationary Point and Area Sources, Fifth Edition, Appendix A.

US Environmental Protection Agency (USEPA), July 1998; (USEPA, 1998); AP-42 Compilation of Air Emissions Factors, Volume 1, Chapter 1: External Combustion Sources, Table 1.4-2, Fifth Edition, Supplement D.

US Environmental Protection Agency (USEPA), November 2020; (USEPA, 2020); Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review.

US Environmental Protection Agency (USEPA), June 2021; (USEPA, 2021); Greenhouse Gases Equivalencies Calculator – Calculations and References. Accessed June 14, 2021 from <https://www.epa.gov/energy/greenhouse-gases-equivalencies-calculator-calculations-and-references>.

Tables

**TABLE 1
QUARTERLY GROUNDWATER MONITORING WELL GAUGING RESULTS**

WELL ID	TOP OF CASING (elev.)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev.)	PRODUCT (elev.)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL (elev.)	SCREENED INTERVAL (elev.) (ft btoc)	WELL HEAD PID (ppm)	COMMENTS
MW-01											
3Q23	442.83	7/6/2023	NE	40.51	NA	NA	NA	402.32	394.03 - 384.03 (48.80 - 58.80)	0.0	*
4Q23		10/2/2023	NE	41.06	NA	NA	NA	401.77		0.0	*
1Q24		1/3/2024	NE	42.11	NA	NA	NA	400.72		0.0	*
2Q24		4/1/2024	NE	42.63	NA	NA	NA	400.20		0.0	*
MW-02											
3Q23	443.93	7/5/2023	NE	41.71	NA	NA	NA	402.22	394.06 - 384.06 (49.87 - 59.87)	0.0	*
4Q23		10/2/2023	NE	42.27	NA	NA	NA	401.66		28.6	*
1Q24		1/2/2024	NE	43.38	NA	NA	NA	400.55		66.0	*
2Q24		4/1/2024	NE	43.83	NA	NA	NA	400.10		149.6	*
MW-03											
3Q23	430.23	7/6/2023	NE	27.75	NA	NA	NA	402.48	395.56 - 385.56 (34.67 - 44.67)	0.0	*
4Q23		10/2/2023	NE	28.48	NA	NA	NA	401.75		0.0	*
1Q24		1/3/2024	NE	29.46	NA	NA	NA	400.77		0.0	*
2Q24		4/1/2024	NE	29.97	NA	NA	NA	400.26		0.0	*
MW-04											
3Q23	441.31	7/6/2023	NE	38.96	NA	NA	NA	402.35	396.25 - 386.25 (45.06 - 55.06)	0.0	*
4Q23		10/2/2023	NE	39.57	NA	NA	NA	401.74		0.0	*
1Q24		1/3/2024	NE	40.55	NA	NA	NA	400.76		0.0	*
2Q24		4/1/2024	NE	41.08	NA	NA	NA	400.23		0.0	*
MW-05											
3Q23	429.98	7/6/2023	NE	27.53	NA	NA	NA	402.45	396.01 - 386.01 (33.97 - 43.97)	0.0	*
4Q23		10/2/2023	NE	28.16	NA	NA	NA	401.82		0.0	*
1Q24		1/3/2024	NE	29.11	NA	NA	NA	400.87		0.0	*
2Q24		4/1/2024	NE	29.60	NA	NA	NA	400.38		0.0	*
MW-06A											
3Q23	432.33	7/6/2023	NE	29.64	NA	NA	NA	402.69	398.48 - 388.48 (33.85 - 43.85)	0.0	*
4Q23		10/2/2023	NE	30.39	NA	NA	NA	401.94		0.0	*
1Q24		1/3/2024	NE	31.36	NA	NA	NA	400.97		0.0	*
2Q24		4/1/2024	NE	31.73	NA	NA	NA	400.60		0.0	*
MW-06B											
3Q23	432.37	7/6/2023	NE	29.71	NA	NA	NA	402.66	388.32 - 383.32 (64.05 - 69.05)	0.0	*
4Q23		10/2/2023	NE	30.41	NA	NA	NA	401.96		0.0	*
1Q24		1/3/2024	NE	31.30	NA	NA	NA	401.07		0.0	*
2Q24		4/1/2024	NE	31.76	NA	NA	NA	400.61		0.0	*
MW-06C											
3Q23	432.18	7/6/2023	NE	29.52	NA	NA	NA	402.66	347.23 - 342.23 (84.95 - 89.95)	0.0	*
4Q23		10/2/2023	NE	30.20	NA	NA	NA	401.98		0.0	*
1Q24		1/3/2024	NE	31.10	NA	NA	NA	401.08		0.0	*
2Q24		4/1/2024	NE	31.55	NA	NA	NA	400.63		0.0	*
MW-06D											
3Q23	432.06	7/6/2023	NE	29.37	NA	NA	NA	402.69	327.34 - 322.34 (104.72 - 109.72)	0.0	*
4Q23		10/2/2023	NE	30.07	NA	NA	NA	401.99		0.0	*
1Q24		1/3/2024	NE	30.30	NA	NA	NA	401.76		0.0	*
2Q24		4/1/2024	NE	31.43	NA	NA	NA	400.63		0.0	*
MW-07											
3Q23	443.31	7/5/2023	NE	40.97	NA	NA	NA	402.34	400.39 - 390.39 (42.92 - 52.92)	33.8	*
4Q23		10/2/2023	NE	41.63	NA	NA	NA	401.68		0.0	*
1Q24		1/2/2024	NE	42.58	NA	NA	NA	400.73		0.0	*
2Q24		4/1/2024	NE	43.03	NA	NA	NA	400.28		0.0	*
MW-09											
3Q23	445.28	7/5/2023	NE	42.43	NA	NA	NA	402.85	399.24 - 389.24 (46.04 - 56.04)	0.0	*
4Q23		10/2/2023	NE	43.11	NA	NA	NA	402.17		0.0	*
1Q24		1/2/2024	NE	44.07	NA	NA	NA	401.21		0.0	*
2Q24		4/1/2024	NE	44.77	NA	NA	NA	400.51		0.0	*
MW-10											
3Q23	445.06	7/5/2023	NE	42.43	NA	NA	NA	402.63	400.63 - 390.63 (44.43 - 54.43)	0.0	*
4Q23		10/2/2023	NE	42.98	NA	NA	NA	402.08		0.0	*
1Q24		1/2/2024	NE	43.93	NA	NA	NA	401.13		0.0	*
2Q24		4/1/2024	NE	44.68	NA	NA	NA	400.38		0.0	*

TABLE 1
QUARTERLY GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID	TOP OF CASING (elev.)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev.)	PRODUCT (elev.)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL (elev.)	SCREENED INTERVAL (elev.) (ft btoc)	WELL HEAD PID (ppm)	COMMENTS
MW-11											
3Q23	442.38	7/5/2023	NE	39.86	NA	NA	NA	402.52	400.72 - 390.72 (41.66 - 51.66)	0.0	*
4Q23		10/2/2023	NE	40.67	NA	NA	NA	401.71		0.0	*
1Q24		1/2/2024	NE	41.73	NA	NA	NA	400.65		0.0	
2Q24		4/2/2024	NE	42.33	NA	NA	NA	400.05		0.0	
MW-12											
3Q23	442.64	7/6/2023	NE	40.24	NA	NA	NA	402.40	400.72 - 390.72 (41.92 - 51.92)	0.0	*
4Q23		10/2/2023	NE	40.81	NA	NA	NA	401.83		0.0	*
1Q24		1/3/2024	NE	41.88	NA	NA	NA	400.76		0.0	*
2Q24		4/1/2024	NE	42.41	NA	NA	NA	400.23		0.0	
MW-13											
3Q23	430.30	7/6/2023	NE	27.46	NA	NA	NA	402.84	405.50 - 395.50 (24.80 - 34.80)	0.0	
4Q23		10/3/2023	NE	28.36	NA	NA	NA	401.94		0.0	
1Q24		1/3/2024	NE	29.21	NA	NA	NA	401.09		0.0	
2Q24		4/2/2024	NE	29.53	NA	NA	NA	400.77		0.0	
MW-14											
3Q23	434.61	7/7/2023	NE	31.86	NA	NA	NA	402.75	401.19 - 391.19 (33.42 - 43.42)	52.1	*
4Q23		10/4/2023	NE	32.52	NA	NA	NA	402.09		28.8	*
1Q24		1/4/2024	NE	33.47	NA	NA	NA	401.14		26.9	
2Q24		4/3/2024	NE	33.85	NA	NA	NA	400.76		19.0	
MW-16											
3Q23	443.60	7/7/2023	NE	41.33	NA	NA	NA	402.27	406.10 - 396.10 (37.50 - 47.50)	0.0	
4Q23		10/2/2023	NE	41.76	NA	NA	NA	401.84		0.0	
1Q24		1/3/2024	NE	42.88	NA	NA	NA	400.72		0.0	
2Q24		4/1/2024	NE	43.42	NA	NA	NA	400.18		0.0	
MW-17											
3Q23	441.78	7/5/2023	NE	39.52	NA	NA	NA	402.26	407.49 - 392.49 (34.29 - 49.29)	0.0	
4Q23		10/2/2023	NE	39.91	NA	NA	NA	401.87		0.0	
1Q24		1/2/2024	NE	41.07	NA	NA	NA	400.71		0.0	
2Q24		4/1/2024	NE	41.65	NA	NA	NA	400.13		0.0	
MW-18											
3Q23	442.24	7/5/2023	NE	40.08	NA	NA	NA	402.16	407.32 - 392.32 (34.92 - 49.92)	0.0	
4Q23		10/2/2023	NE	40.43	NA	NA	NA	401.81		0.0	
1Q24		1/2/2024	NE	41.63	NA	NA	NA	400.61		0.0	
2Q24		4/1/2024	NE	42.18	NA	NA	NA	400.06		0.0	
MW-19											
3Q23	442.98	7/5/2023	NE	40.74	NA	NA	NA	402.24	406.64 - 391.64 (36.34 - 51.34)	0.0	
4Q23		10/2/2023	NE	41.20	NA	NA	NA	401.78		0.0	
1Q24		1/2/2024	NE	42.43	NA	NA	NA	400.55		0.0	
2Q24		4/1/2024	NE	42.93	NA	NA	NA	400.05		0.0	
MW-20											
3Q23	443.86	7/5/2023	NE	41.72	NA	NA	NA	402.14	407.98 - 392.98 (35.88 - 50.88)	0.0	
4Q23		10/2/2023	NE	42.15	NA	NA	NA	401.71		0.0	
1Q24		1/2/2024	NE	43.34	NA	NA	NA	400.52		0.0	
2Q24		4/1/2024	NE	43.83	NA	NA	NA	400.03		0.0	
MW-21											
3Q23	444.01	7/5/2023	NE	41.91	NA	NA	NA	402.10	409.00 - 394.00 (35.01 - 50.01)	0.0	
4Q23		10/2/2023	NE	42.37	NA	NA	NA	401.64		0.0	
1Q24		1/2/2024	NE	43.39	NA	NA	NA	400.62		0.0	
2Q24		4/1/2024	NE	43.85	NA	NA	NA	400.16		0.0	
MW-22											
3Q23	442.38	7/6/2023	NE	40.04	NA	NA	NA	402.34	403.95 - 393.95 (38.43 - 48.43)	0.0	
4Q23		10/2/2023	NE	40.53	NA	NA	NA	401.85		0.0	
1Q24		1/11/2024	NE	41.71	NA	NA	NA	400.67		0.0	
2Q24		4/1/2024	NE	42.15	NA	NA	NA	400.23		0.0	
MW-23											
3Q23	431.57	7/6/2023	NE	29.00	NA	NA	NA	402.57	402.55 - 392.55 (29.02 - 39.02)	0.2	*
4Q23		10/3/2023	NE	29.81	NA	NA	NA	401.76		0.0	
1Q24		1/3/2024	NE	30.71	NA	NA	NA	400.86		0.0	
2Q24		4/1/2024	NE	31.17	NA	NA	NA	400.40		0.0	

TABLE 1
QUARTERLY GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID	TOP OF CASING (elev.)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev.)	PRODUCT (elev.)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL (elev.)	SCREENED INTERVAL (elev.) (ft btoc)	WELL HEAD PID (ppm)	COMMENTS
MW-24											
3Q23	443.65	7/5/2023	NE	41.12	NA	NA	NA	402.53	404.04 - 394.04 (39.61 - 49.61)	0.0	
4Q23		10/2/2023	NE	41.76	NA	NA	NA	401.89		0.0	
1Q24		1/2/2024	NE	42.77	NA	NA	NA	400.88		0.0	
2Q24		4/1/2024	NE	43.38	NA	NA	NA	400.27		0.0	
MW-25											
3Q23	438.53	7/6/2023	NE	36.11	NA	NA	NA	402.42	402.94 - 392.94 (35.59 - 45.59)	141.2	
4Q23		10/2/2023	NE	36.74	NA	NA	NA	401.79		82.3	
1Q24		1/3/2024	NE	37.71	NA	NA	NA	400.82		88.4	
2Q24		4/1/2024	NE	38.22	NA	NA	NA	400.31		0.0	
MW-26											
3Q23	441.23	7/6/2023	NE	38.88	NA	NA	NA	402.35	403.08 - 393.08 (38.15 - 48.15)	0.0	
4Q23		10/2/2023	NE	39.45	NA	NA	NA	401.78		0.0	
1Q24		1/3/2024	NE	40.47	NA	NA	NA	400.76		0.0	
2Q24		4/1/2024	NE	40.98	NA	NA	NA	400.25		0.0	
MW-27											
3Q23	443.60	7/5/2023	NE	40.32	NA	NA	NA	403.28	403.81 - 393.81 (39.79 - 49.79)	0.0	
4Q23		10/2/2023	NE	40.70	NA	NA	NA	402.90		0.0	
1Q24		1/2/2024	NE	41.70	NA	NA	NA	401.90		0.0	
2Q24		4/1/2024	NE	42.55	NA	NA	NA	401.05		0.0	
MW-28											
3Q23	443.55	7/5/2023	NE	39.82	NA	NA	NA	403.73	409.94 - 399.94 (33.61 - 43.61)	0.0	
4Q23		10/2/2023	NE	39.98	NA	NA	NA	403.57		0.0	
1Q24		1/2/2024	NE	40.72	NA	NA	NA	402.83		0.0	
2Q24		4/1/2024	NE	41.57	NA	NA	NA	401.98		0.0	
P-01											
3Q23	442.98	7/7/2023	NE	34.40	NA	NA	NA	408.58	380.76 - 375.76 (62.22 - 67.22)	0.0	*
4Q23		10/3/2023	NE	35.76	NA	NA	NA	407.22		0.0	*
1Q24		1/4/2024	NE	37.34	NA	NA	NA	405.64		0.0	*
2Q24		4/10/2024	NE	37.74	NA	NA	NA	405.24		0.0	*
P-4U											
3Q23	442.74	7/6/2023	NE	35.70	NA	NA	NA	407.04	361.59 - 359.59 (81.15 - 83.15)	0.0	*
4Q23		10/3/2023	NE	36.88	NA	NA	NA	405.86		0.0	*
1Q24		1/4/2024	NE	38.46	NA	NA	NA	404.28		0.0	*
2Q24		4/3/2024	NE	39.30	NA	NA	NA	403.44		0.0	*
P-5L											
3Q23	444.01	7/7/2023	NE	35.75	NA	NA	NA	408.26	303.61 - 301.61 (140.40 - 142.40)	0.0	*
4Q23		10/3/2023	NE	37.12	NA	NA	NA	406.89		0.0	*
1Q24		1/4/2024	NE	38.57	NA	NA	NA	405.44		0.0	*
2Q24		4/3/2024	NE	39.15	NA	NA	NA	404.86		0.0	*
P-5U											
3Q23	444.42	7/7/2023	NE	36.85	NA	NA	NA	407.57	313.79 - 311.79 (130.63 - 132.63)	0.0	*
4Q23		10/3/2023	NE	38.22	NA	NA	NA	406.20		0.0	*
1Q24		1/4/2024	NE	39.94	NA	NA	NA	404.48		0.0	*
2Q24		4/3/2024	NE	40.32	NA	NA	NA	404.10		0.0	*
P-6U											
3Q23	443.63	7/6/2023	NE	36.46	NA	NA	NA	407.17	363.13 - 361.13 (80.50 - 82.50)	0.0	*
4Q23		10/3/2023	NE	37.56	NA	NA	NA	406.07		0.0	*
1Q24		1/4/2024	NE	39.11	NA	NA	NA	404.52		0.0	*
2Q24		4/3/2024	NE	39.95	NA	NA	NA	403.68		0.0	*
P-7U											
3Q23	444.08	7/7/2023	NE	36.70	NA	NA	NA	407.38	383.00 - 381.00 (61.08 - 63.08)	0.0	*
4Q23		10/3/2023	NE	37.83	NA	NA	NA	406.25		0.0	*
1Q24		1/4/2024	NE	39.32	NA	NA	NA	404.76		0.0	*
2Q24		4/3/2024	NE	40.18	NA	NA	NA	403.90		0.0	*
P-8U											
3Q23	442.07	7/7/2023	NE	36.75	NA	NA	NA	405.32	382.72 - 380.72 (59.35 - 61.35)	0.0	*
4Q23		10/3/2023	NE	37.71	NA	NA	NA	404.36		0.0	*
1Q24		1/2/2024	NE	39.04	NA	NA	NA	403.03		0.0	*
2Q24		4/3/2024	NE	40.18	NA	NA	NA	401.89		0.0	*

TABLE 1
QUARTERLY GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID	TOP OF CASING (elev.)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev.)	PRODUCT (elev.)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL (elev.)	SCREENED INTERVAL (elev.) (ft btoc)	WELL HEAD PID (ppm)	COMMENTS	
P-9U												
3Q23	445.20	7/7/2023	NE	41.42	NA	NA	NA	403.78	344.61 - 342.61 (100.59 - 102.59)	0.0	*	
4Q23		10/3/2023	NE	42.19	NA	NA	NA	403.01		0.0	*	
1Q24		1/2/2024	NE	43.68	NA	NA	NA	401.52		0.0	*	
2Q24		4/2/2024	NE	44.61	NA	NA	NA	400.59		0.0	*	
P-11L												
3Q23	442.76	7/6/2023	NE	37.50	NA	NA	NA	405.26	332.55 - 330.55 (110.21 - 112.21)	0.0	*	
4Q23		10/3/2023	NE	38.56	NA	NA	NA	404.20		0.0	*	
1Q24		1/4/2024	NE	40.10	NA	NA	NA	402.66		0.0	*	
2Q24		4/3/2024	NE	41.08	NA	NA	NA	401.68		0.0	*	
P-11U												
3Q23	443.38	7/6/2023	NE	38.13	NA	NA	NA	405.25	343.46 - 341.46 (99.92 - 101.92)	0.0	*	
4Q23		10/3/2023	NE	39.17	NA	NA	NA	404.21		0.0	*	
1Q24		1/4/2024	NE	40.74	NA	NA	NA	402.64		0.0	*	
2Q24		4/3/2024	NE	41.68	NA	NA	NA	401.70		0.0	*	
P-14												
3Q23	443.01	7/7/2023	NE	34.50	NA	NA	NA	408.51	395.54 - 385.54 (47.47 - 57.47)	0.0	*	
4Q23		10/3/2023	NE	35.85	NA	NA	NA	407.16		4.1	*	
1Q24		1/4/2024	NE	37.39	NA	NA	NA	405.62		0.0	*	
2Q24		4/10/2024	NE	37.81	NA	NA	NA	405.20		0.0	*	
P-15												
3Q23	443.88	7/6/2023	NE	36.30	NA	NA	NA	407.58	398.43 - 388.43 (45.45 - 55.45)	0.0	*	
4Q23		10/3/2023	NE	37.52	NA	NA	NA	406.36		0.0	*	
1Q24		1/4/2024	NE	39.04	NA	NA	NA	404.84		0.0	*	
2Q24		4/3/2024	NE	39.88	NA	NA	NA	404.00		0.0	*	
P-16												
3Q23	442.84	7/6/2023	NE	35.36	NA	NA	NA	407.48	397.10 - 387.10 (45.74 - 55.74)	0.0	*	
4Q23		10/3/2023	NE	36.50	NA	NA	NA	406.34		0.0	*	
1Q24		1/4/2024	NE	38.03	NA	NA	NA	404.81		0.0	*	
2Q24		4/3/2024	NE	38.85	NA	NA	NA	403.99		0.0	*	
P-43												
3Q23	444.62	7/6/2023	NE	39.00	NA	NA	NA	405.62	381.06 - 371.06 (63.56 - 73.56)	0.0	*	
4Q23		10/3/2023	NE	40.73	NA	NA	NA	403.89		0.0	*	
1Q24		1/4/2024	NE	41.60	NA	NA	NA	403.02		0.0	*	
2Q24		4/3/2024	NE	42.55	NA	NA	NA	402.07		0.0	*	
P-53												
3Q23	446.57	7/6/2023	NE	42.50	NA	NA	NA	404.07	406.26 - 381.26 (40.31 - 65.31)	0.0	*	
4Q23		10/3/2023	NE	43.10	NA	NA	NA	403.47		0.0	*	
1Q24		1/2/2024	NE	43.97	NA	NA	NA	402.60		0.0	*	
2Q24		4/1/2024	NE	44.83	NA	NA	NA	401.74		0.0	*	
P-54												
3Q23	442.52	7/5/2023	NE	39.90	NA	NA	NA	402.62	404.52 - 379.52 (38.00 - 63.00)	0.0	*	
4Q23		10/2/2023	NE	40.60	NA	NA	NA	401.92		0.0	*	
1Q24		1/5/2024	NE	41.60	NA	NA	NA	400.92		0.0	*	
2Q24		4/1/2024	NE	42.22	NA	NA	NA	400.30		0.0	*	
P-55R												
3Q23	444.01	7/5/2023		39.91	39.92	404.09	404.10	0.01	404.10	403.58 - 393.58 (40.43 - 50.43)	74.4	*
4Q23		10/2/2023		40.35	40.37	403.64	403.66	0.02	403.66		119.6	*
1Q24		1/2/2024		41.11	41.13	402.88	402.90	0.02	402.90		114.7	*
2Q24		4/1/2024		41.74	41.96	402.05	402.27	0.22	402.23		58.4	*
P-56												
3Q23	446.32	7/5/2023	NE	44.20	NA	NA	NA	402.12	405.50 - 380.50 (40.82 - 65.82)	0.0	*	
4Q23		10/2/2023	NE	44.54	NA	NA	NA	401.78		13.8	*	
1Q24		1/2/2024	NE	45.87	NA	NA	NA	400.45		5.2	*	
2Q24		4/1/2024	NE	46.26	NA	NA	NA	400.06		0.4	*	
P-57												
3Q23	447.15	7/5/2023	NE	44.92	NA	NA	NA	402.23	402.96 - 392.96 (44.19 - 54.19)	8.1	*	
4Q23		10/2/2023	NE	45.43	NA	NA	NA	401.72		0.5	*	
1Q24		1/2/2024	NE	46.53	NA	NA	NA	400.62		0.0	*	
2Q24		4/1/2024	NE	46.96	NA	NA	NA	400.19		0.2	*	

TABLE 1
QUARTERLY GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID	TOP OF CASING (elev.)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev.)	PRODUCT (elev.)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL (elev.)	SCREENED INTERVAL (elev.) (ft btoc)	WELL HEAD PID (ppm)	COMMENTS
P-58											
3Q23	445.16	7/5/2023	NE	42.82	NA	NA	NA	402.34	404.95 - 379.95 (40.21 - 65.21)	0.0	
4Q23		10/2/2023	NE	43.42	NA	NA	NA	401.74		0.0	
1Q24		1/2/2024	NE	44.42	NA	NA	NA	400.74		0.0	
2Q24		4/1/2024	NE	44.83	NA	NA	NA	400.33		0.0	
P-59											
3Q23	447.07	7/5/2023	NE	44.91	NA	NA	NA	402.16	399.16 - 374.16 (47.91 - 72.91)	161.8	*
4Q23		10/2/2023	NE	45.22	NA	NA	NA	401.85		205.6	*
1Q24		1/2/2024	NE	46.53	NA	NA	NA	400.54		302.5	*
2Q24		4/1/2024	NE	47.04	NA	NA	NA	400.03		82.1	*
P-60											
3Q23	446.88	7/5/2023	NE	44.60	NA	NA	NA	402.28	402.23 - 382.23 (44.65 - 64.65)	0.0	*
4Q23		10/2/2023	NE	44.97	NA	NA	NA	401.91		0.4	
1Q24		1/2/2024	NE	46.13	NA	NA	NA	400.75		20.8	
2Q24		4/1/2024	NE	46.75	NA	NA	NA	400.13		31.4	
P-61											
3Q23	444.66	7/5/2023	NE	43.19	NA	NA	NA	401.47	398.99 - 373.99 (45.68 - 70.68)	19.5	*
4Q23		10/3/2023	NE	43.22	NA	NA	NA	401.44		24.5	*
1Q24		1/3/2024	44.25	46.50	398.16	400.41	2.25	399.96		392.8	*
2Q24		4/2/2024	44.64	47.06	397.60	400.02	2.42	399.54		13.2	*
P-62											
3Q23	442.60	7/6/2023	NE	41.60	NA	NA	NA	401.00	401.13 - 376.13 (41.47 - 66.47)	0.0	
4Q23		10/2/2023	40.95	42.01	400.59	401.65	1.06	401.44		0.0	
1Q24		1/3/2024	42.06	43.34	399.26	400.54	1.28	400.28		3.8	
2Q24		4/2/2024	42.56	43.74	398.86	400.04	1.18	399.80		132.6	
P-63											
3Q23	446.06	7/6/2023	NE	45.10	NA	NA	NA	400.96	398.77 - 373.77 (47.29 - 72.29)	1.4	*
4Q23		10/2/2023	45.41	45.56	400.50	400.65	0.15	400.62		0.0	*
1Q24		1/3/2024	NE	46.19	NA	NA	NA	399.87		45.2	*
2Q24		4/2/2024	NE	46.70	NA	NA	NA	399.36		36.3	*
P-64											
3Q23	446.78	7/6/2023	44.09	44.12	402.66	402.69	0.03	402.68	399.55 - 374.55 (47.23 - 72.23)	72.0	* Results anomalous
4Q23		10/3/2023	46.71	46.85	399.93	400.07	0.14	400.04		264.4	*
1Q24		1/3/2024	47.34	47.45	399.33	399.44	0.11	399.42		420.5	
2Q24		4/3/2024	47.96	49.33	397.45	398.82	1.37	398.55		20.1	
P-65											
3Q23	444.77	7/5/2023	NE	43.32	NA	NA	NA	401.45	397.75 - 372.75 (47.02 - 72.02)	3.4	*
4Q23		10/2/2023	44.00	44.06	400.71	400.77	0.06	400.76		0.0	*
1Q24		1/3/2024	NE	44.82	NA	NA	NA	399.95		38.2	*
2Q24		4/1/2024	NE	45.45	NA	NA	NA	399.32		3.2	*
P-66											
3Q23	437.00	7/7/2023	34.52	35.02	401.98	402.48	0.50	402.38	402.28 - 377.28 (34.72 - 59.72)	21.3	*
4Q23		10/4/2023	34.91	36.35	400.65	402.09	1.44	401.80		0.0	
1Q24		1/4/2024	35.97	37.00	400.00	401.03	1.03	400.82		197.7	
2Q24		4/3/2024	36.50	37.07	399.93	400.50	0.57	400.39		2.5	
P-67											
3Q23	444.30	7/7/2023	41.07	41.11	403.19	403.23	0.04	403.22	402.33 - 377.33 (41.98 - 66.98)	0.7	*
4Q23		10/4/2023	41.75	41.76	402.54	402.55	0.01	402.55		0.0	*
1Q24		1/4/2024	NE	42.73	NA	NA	NA	401.57		0.9	
2Q24		4/3/2024	NE	43.13	NA	NA	NA	401.17		0.0	
P-68											
3Q23	445.38	7/5/2023	43.17	43.19	402.19	402.21	0.02	402.21	401.62 - 376.62 (43.76 - 68.76)	114.3	*
4Q23		10/2/2023	43.41	43.47	401.91	401.97	0.06	401.96		0.0	*
1Q24		1/3/2024	44.57	44.64	400.74	400.81	0.07	400.80		202.7	
2Q24		4/1/2024	45.18	45.33	400.05	400.20	0.15	400.17		172.6	
P-69											
3Q23	443.77	7/5/2023	NE	42.87	NA	NA	NA	400.90	402.95 - 377.95 (40.82 - 65.82)	0.0	
4Q23		10/2/2023	NE	42.06	NA	NA	NA	401.71		0.0	
1Q24		1/3/2024	NE	43.56	NA	NA	NA	400.21		0.0	
2Q24		4/1/2024	NE	43.97	NA	NA	NA	399.80		0.0	

TABLE 1
 QUARTERLY GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID	TOP OF CASING (elev.)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev.)	PRODUCT (elev.)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL (elev.)	SCREENED INTERVAL (elev.) (ft btoc)	WELL HEAD PID (ppm)	COMMENTS
P-70											
3Q23	443.11	7/5/2023	41.00	41.40	401.71	402.11	0.40	402.03	398.44 - 373.44 (44.67 - 69.67)	55.7	*
4Q23		10/3/2023	NE	41.53	NA	NA	NA	401.56		171.8	*
1Q24		1/3/2024	NE	42.82	NA	NA	NA	400.29		160.1	*
2Q24		4/2/2024	NE	43.31	NA	NA	NA	399.80		113.2	*
P-71											
3Q23	445.09	7/5/2023	NE	40.91	NA	NA	NA	404.18	402.48 - 377.48 (42.61 - 67.61)	46.9	*
4Q23		10/2/2023	NE	43.14	NA	NA	NA	401.95		0.0	*
1Q24		1/3/2024	NE	44.17	NA	NA	NA	400.92		112.5	*
2Q24		4/1/2024	NE	44.52	NA	NA	NA	400.57		0.0	*
P-72											
3Q23	444.70	7/5/2023	NE	42.20	NA	NA	NA	402.50	398.93 - 373.93 (45.77 - 70.77)	0.1	*
4Q23		10/2/2023	NE	42.73	NA	NA	NA	401.97		0.0	*
1Q24		1/3/2024	NE	43.71	NA	NA	NA	400.99		82.6	*
2Q24		4/1/2024	NE	44.11	NA	NA	NA	400.59		2.3	*
P-73											
3Q23	444.02	7/6/2023	NE	42.25	NA	NA	NA	401.77	402.43 - 377.43 (41.60 - 66.60)	25.3	*
4Q23		10/3/2023	NE	42.56	NA	NA	NA	401.46		0.0	*
1Q24		1/3/2024	NE	43.56	NA	NA	NA	400.46		0.0	*
2Q24		4/2/2024	NE	43.89	NA	NA	NA	400.13		20.9	*
P-74											
3Q23	442.93	7/5/2023	NE	40.91	NA	NA	NA	402.02	399.10 - 374.10 (43.83 - 68.83)	10.6	*
4Q23		10/2/2023	NE	41.11	NA	NA	NA	401.82		0.0	*
1Q24		1/3/2024	NE	42.44	NA	NA	NA	400.49		0.0	*
2Q24		4/1/2024	NE	43.00	NA	NA	NA	399.93		0.0	*
P-75											
3Q23	446.68	7/7/2023	NE	44.65	NA	NA	NA	402.03	403.55 - 378.55 (43.13 - 68.13)	0.2	*
4Q23		10/4/2023	NE	44.95	NA	NA	NA	401.73		0.0	*
1Q24		1/4/2024	NE	45.93	NA	NA	NA	400.75		0.7	*
2Q24		4/3/2024	NE	46.38	NA	NA	NA	400.30		0.0	*
P-82A											
3Q23	434.94	7/6/2023	NE	26.11	NA	NA	NA	408.83	401.73 - 386.73 (33.21 - 48.21)	0.0	*
4Q23		10/3/2023	NE	30.05	NA	NA	NA	404.89		0.0	*
1Q24		1/4/2024	NE	31.02	NA	NA	NA	403.92		0.0	*
2Q24		4/2/2024	NE	31.20	NA	NA	NA	403.74		0.0	*
P-82B											
3Q23	434.68	7/6/2023	NE	25.83	NA	NA	NA	408.85	371.88 - 369.88 (62.80 - 64.80)	0.0	*
4Q23		10/3/2023	NE	29.76	NA	NA	NA	404.92		0.0	*
1Q24		1/4/2024	NE	30.74	NA	NA	NA	403.94		0.0	*
2Q24		4/2/2024	NE	30.93	NA	NA	NA	403.75		0.0	*
P-82C											
3Q23	434.41	7/6/2023	NE	25.54	NA	NA	NA	408.87	351.64 - 349.64 (62.77 - 84.77)	0.0	*
4Q23		10/3/2023	NE	29.48	NA	NA	NA	404.93		0.0	*
1Q24		1/4/2024	NE	30.45	NA	NA	NA	403.96		0.0	*
2Q24		4/2/2024	NE	30.85	NA	NA	NA	403.56		0.0	*
P-82D											
3Q23	435.09	7/6/2023	NE	29.31	NA	NA	NA	405.78	323.55 - 321.55 (111.54 - 113.54)	0.0	*
4Q23		10/3/2023	NE	30.25	NA	NA	NA	404.84		0.0	*
1Q24		1/4/2024	NE	31.21	NA	NA	NA	403.88		0.0	*
2Q24		4/2/2024	NE	31.40	NA	NA	NA	403.69		0.0	*
P-83A											
3Q23	445.54	7/6/2023	NE	43.46	NA	NA	NA	402.08	398.14 - 383.14 (47.40 - 62.40)	0.0	*
4Q23		10/3/2023	NE	43.94	NA	NA	NA	401.60		0.0	*
1Q24		1/2/2024	NE	44.82	NA	NA	NA	400.72		0.0	*
2Q24		4/2/2024	NE	45.44	NA	NA	NA	400.10		0.0	*
P-83B											
3Q23	445.77	7/6/2023	NE	43.73	NA	NA	NA	402.04	371.97 - 369.97 (73.80 - 75.80)	0.0	*
4Q23		10/3/2023	NE	44.20	NA	NA	NA	401.57		0.0	*
1Q24		1/2/2024	NE	44.90	NA	NA	NA	400.87		0.0	*
2Q24		4/2/2024	NE	45.71	NA	NA	NA	400.06		0.0	*

TABLE 1
QUARTERLY GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID	TOP OF CASING (elev.)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev.)	PRODUCT (elev.)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL (elev.)	SCREENED INTERVAL (elev.) (ft btoc)	WELL HEAD PID (ppm)	COMMENTS
P-83C											
3Q23	445.95	7/6/2023	NE	43.87	NA	NA	NA	402.08	353.56 - 351.56 (92.39 - 94.39)	0.0	*
4Q23		10/3/2023	NE	44.35	NA	NA	NA	401.60		0.0	*
1Q24		1/2/2024	NE	45.20	NA	NA	NA	400.75		0.0	*
2Q24		4/2/2024	NE	45.83	NA	NA	NA	400.12		0.0	*
P-83D											
3Q23	445.86	7/6/2023	NE	43.85	NA	NA	NA	402.01	312.06 - 310.06 (133.80 - 135.80)	0.0	*
4Q23		10/3/2023	NE	45.30	NA	NA	NA	400.56		0.0	*
1Q24		1/2/2024	NE	44.98	NA	NA	NA	400.88		0.0	*
2Q24		4/2/2024	NE	46.81	NA	NA	NA	399.05		0.0	*
P-84A											
3Q23	446.63	7/7/2023	NE	43.51	NA	NA	NA	403.12	397.71 - 382.71 (48.92 - 63.92)	0.0	*
4Q23		10/3/2023	NE	44.44	NA	NA	NA	402.19		0.0	*
1Q24		1/3/2024	NE	44.84	NA	NA	NA	401.79		0.0	*
2Q24		4/3/2024	NE	45.78	NA	NA	NA	400.85		0.0	*
P-84B											
3Q23	446.35	7/7/2023	NE	43.23	NA	NA	NA	403.12	372.85 - 370.85 (73.50 - 75.50)	0.0	*
4Q23		10/3/2023	NE	43.78	NA	NA	NA	402.57		0.0	*
1Q24		1/3/2024	NE	44.57	NA	NA	NA	401.78		0.0	*
2Q24		4/3/2024	NE	45.40	NA	NA	NA	400.95		0.0	*
P-84C											
3Q23	446.37	7/7/2023	NE	43.26	NA	NA	NA	403.11	352.32 - 350.32 (94.05 - 96.05)	0.0	*
4Q23		10/3/2023	NE	43.78	NA	NA	NA	402.59		0.0	*
1Q24		1/3/2024	NE	44.57	NA	NA	NA	401.80		0.0	*
2Q24		4/3/2024	NE	45.42	NA	NA	NA	400.95		0.0	*
P-84D											
3Q23	446.38	7/7/2023	NE	43.24	NA	NA	NA	403.14	325.55 - 323.55 (120.83 - 122.83)	0.0	*
4Q23		10/3/2023	NE	43.78	NA	NA	NA	402.60		0.0	*
1Q24		1/3/2024	NE	44.57	NA	NA	NA	401.81		0.0	*
2Q24		4/3/2024	NE	45.42	NA	NA	NA	400.96		0.0	*
P-88A											
3Q23	443.27	7/7/2023	NE	35.08	NA	NA	NA	408.19	404.87 - 389.87 (38.40 - 53.40)	0.0	*
4Q23		10/3/2023	NE	35.86	NA	NA	NA	407.41		0.0	*
1Q24		1/4/2024	NE	36.97	NA	NA	NA	406.30		0.0	*
2Q24		4/3/2024	NE	37.75	NA	NA	NA	405.52		0.0	*
P-88B											
3Q23	443.35	7/7/2023	NE	35.11	NA	NA	NA	408.24	371.70 - 369.70 (71.65 - 73.65)	0.0	*
4Q23		10/3/2023	NE	35.93	NA	NA	NA	407.42		0.0	*
1Q24		1/4/2024	NE	37.03	NA	NA	NA	406.32		0.0	*
2Q24		4/3/2024	NE	37.83	NA	NA	NA	405.52		0.0	*
P-88C											
3Q23	443.31	7/7/2023	NE	35.09	NA	NA	NA	408.22	351.01 - 349.01 (92.30 - 94.30)	0.0	*
4Q23		10/3/2023	NE	35.88	NA	NA	NA	407.43		0.0	*
1Q24		1/4/2024	NE	36.99	NA	NA	NA	406.32		0.0	*
2Q24		4/3/2024	NE	37.80	NA	NA	NA	405.51		0.0	*
P-88D											
3Q23	443.38	7/7/2023	NE	35.20	NA	NA	NA	408.18	331.21 - 329.21 (112.17 - 114.17)	0.0	*
4Q23		10/3/2023	NE	35.97	NA	NA	NA	407.41		0.0	*
1Q24		1/4/2024	NE	37.10	NA	NA	NA	406.28		0.0	*
2Q24		4/3/2024	NE	37.85	NA	NA	NA	405.53		0.0	*
P-89B											
3Q23	447.64	7/6/2023	NE	44.16	NA	NA	NA	403.48	370.28 - 368.28 (77.36 - 79.36)	0.0	*
4Q23		10/3/2023	NE	44.98	NA	NA	NA	402.66		0.6	*
1Q24		1/3/2024	NE	46.47	NA	NA	NA	401.17		0.0	*
2Q24		4/2/2024	NE	47.62	NA	NA	NA	400.02		0.0	*
P-89C											
3Q23	447.96	7/6/2023	NE	44.50	NA	NA	NA	403.46	351.56 - 349.56 (96.40 - 98.40)	0.0	*
4Q23		10/3/2023	NE	45.34	NA	NA	NA	402.62		103.6	*
1Q24		1/3/2024	NE	46.86	NA	NA	NA	401.10		0.0	*
2Q24		4/2/2024	NE	47.98	NA	NA	NA	399.98		0.0	*

TABLE 1
QUARTERLY GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID	TOP OF CASING (elev.)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev.)	PRODUCT (elev.)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL (elev.)	SCREENED INTERVAL (elev.) (ft btoc)	WELL HEAD PID (ppm)	COMMENTS	
P-89D												
3Q23	447.83	7/6/2023	NE	44.60	NA	NA	NA	403.23	309.33 - 307.33 (138.50 - 140.50)	0.0	*	
4Q23		10/3/2023	NE	45.36	NA	NA	NA	402.47		0.0	*	
1Q24		1/3/2024	NE	46.88	NA	NA	NA	400.95		0.0	*	
2Q24		4/2/2024	NE	47.99	NA	NA	NA	399.84		0.0	*	
P-91A												
3Q23	447.43	7/6/2023	NE	48.30	NA	NA	NA	399.13	395.92 - 380.92 (51.52 - 66.52)	8.4	*	
4Q23		10/3/2023	NE	47.99	48.06	399.37	399.44	0.07		399.43	3.2	*
1Q24		1/2/2024	NE	48.75	48.76	398.67	398.68	0.01		398.68	1.7	*
2Q24		4/2/2024	NE	49.31	49.33	398.10	398.12	0.02		398.12	2.8	*
P-91B												
3Q23	447.47	7/6/2023	NE	48.45	NA	NA	NA	399.02	372.78 - 370.78 (74.69 - 76.69)	0.1	*	
4Q23		10/3/2023	NE	48.02	NA	NA	NA	399.45		3.3	*	
1Q24		1/2/2024	NE	48.78	NA	NA	NA	398.69		0.0	*	
2Q24		4/2/2024	NE	49.31	NA	NA	NA	398.16		0.0	*	
P-91C												
3Q23	447.27	7/6/2023	NE	48.20	NA	NA	NA	399.07	352.54 - 350.54 (94.73 - 96.73)	0.0	*	
4Q23		10/3/2023	NE	47.76	NA	NA	NA	399.51		0.0	*	
1Q24		1/2/2024	NE	48.54	NA	NA	NA	398.73		0.0	*	
2Q24		4/2/2024	NE	49.11	NA	NA	NA	398.16		0.0	*	
P-91D												
3Q23	447.26	7/6/2023	NE	48.20	NA	NA	NA	399.06	278.94 - 276.94 (168.32 - 170.32)	0.0	*	
4Q23		10/3/2023	NE	47.76	NA	NA	NA	399.50		2.2	*	
1Q24		1/2/2024	NE	48.81	NA	NA	NA	398.45		8.2	*	
2Q24		4/2/2024	NE	49.14	NA	NA	NA	398.12		0.0	*	
P-92A												
3Q23	446.39	7/6/2023	NE	45.61	45.76	400.63	400.78	0.15	400.75	398.82 - 383.82 (47.57 - 62.57)	55.8	*
4Q23		10/2/2023	NE	46.16	NA	NA	NA	400.23	0.0		*	
1Q24		1/3/2024	NE	46.84	46.87	399.52	399.55	0.03	399.54		132.9	*
2Q24		4/1/2024	NE	47.56	47.59	398.80	398.83	0.03	398.82		88.6	*
P-92B												
3Q23	446.33	7/6/2023	NE	45.54	NA	NA	NA	400.79	371.92 - 369.92 (74.41 - 76.41)	0.0	*	
4Q23		10/2/2023	NE	46.10	NA	NA	NA	400.23		0.0	*	
1Q24		1/3/2024	NE	46.81	NA	NA	NA	399.52		0.0	*	
2Q24		4/1/2024	NE	47.51	NA	NA	NA	398.82		0.2	*	
P-92C												
3Q23	446.34	7/6/2023	NE	45.52	NA	NA	NA	400.82	353.38 - 348.38 (92.96 - 97.96)	1.5	*	
4Q23		10/2/2023	NE	46.12	NA	NA	NA	400.22		0.0	*	
1Q24		1/3/2024	NE	46.79	NA	NA	NA	399.55		0.0	*	
2Q24		4/1/2024	NE	47.55	NA	NA	NA	398.79		0.3	*	
P-92D												
3Q23	446.15	7/6/2023	NE	45.42	NA	NA	NA	400.73	305.15 - 303.15 (141.00 - 143.00)	0.6	*	
4Q23		10/2/2023	NE	45.99	NA	NA	NA	400.16		0.0	*	
1Q24		1/3/2024	NE	45.68	NA	NA	NA	400.47		0.0	*	
2Q24		4/1/2024	NE	47.41	NA	NA	NA	398.74		0.0	*	
P-93A												
3Q23	445.37	7/5/2023	NE	43.10	NA	NA	NA	402.27	402.30 - 392.30 (43.07 - 53.07)	0.0	*	
4Q23		10/2/2023	NE	43.64	NA	NA	NA	401.73		0.0	*	
1Q24		1/2/2024	NE	46.07	NA	NA	NA	399.30		0.4	*	
2Q24		4/1/2024	NE	45.12	NA	NA	NA	400.25		0.0	*	
P-93B												
3Q23	446.70	7/5/2023	NE	44.43	NA	NA	NA	402.27	371.92 - 369.92 (74.78 - 76.78)	0.0	*	
4Q23		10/2/2023	NE	44.98	NA	NA	NA	401.72		0.0	*	
1Q24		1/2/2024	NE	46.07	NA	NA	NA	400.63		0.0	*	
2Q24		4/1/2024	NE	46.49	NA	NA	NA	400.21		0.0	*	
P-93C												
3Q23	446.55	7/5/2023	NE	44.30	NA	NA	NA	402.25	353.67 - 348.67 (92.88 - 97.88)	0.0	*	
4Q23		10/2/2023	NE	44.83	NA	NA	NA	401.72		0.0	*	
1Q24		1/2/2024	NE	45.90	NA	NA	NA	400.65		99.2	*	
2Q24		4/1/2024	NE	46.33	NA	NA	NA	400.22		5.8	*	

TABLE 1
QUARTERLY GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID	TOP OF CASING (elev.)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev.)	PRODUCT (elev.)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL (elev.)	SCREENED INTERVAL (elev.) (ft btoc)	WELL HEAD PID (ppm)	COMMENTS
P-93D											
3Q23	446.97	7/5/2023	NE	44.64	NA	NA	NA	402.33	321.31 - 319.31 (125.66 - 127.66)	0.0	*
4Q23		10/2/2023	NE	45.21	NA	NA	NA	401.76		0.0	*
1Q24		1/2/2024	NE	46.26	NA	NA	NA	400.71		0.0	*
2Q24		4/1/2024	NE	46.70	NA	NA	NA	400.27		0.0	*
P-94											
3Q23	445.04	7/6/2023	NE	40.34	NA	NA	NA	404.70	398.80 - 383.80 (46.24 - 61.24)	0.0	*
4Q23		10/3/2023	NE	41.17	NA	NA	NA	403.87		0.0	*
1Q24		1/2/2024	NE	42.39	NA	NA	NA	402.65		0.0	*
2Q24		4/2/2024	NE	43.26	NA	NA	NA	401.78		0.0	*
P-95											
3Q23	443.95	7/7/2023	NE	33.21	NA	NA	NA	410.74	407.43 - 392.43 (36.52 - 51.52)	0.0	*
4Q23		10/3/2023	NE	34.04	NA	NA	NA	409.91		0.0	*
1Q24		1/4/2024	NE	35.25	NA	NA	NA	408.70		0.0	*
2Q24		4/2/2024	NE	36.15	NA	NA	NA	407.80		0.0	*
P-102											
3Q23	445.14	7/7/2023	NE	37.07	NA	NA	NA	408.07	402.39 - 382.39 (42.75 - 62.75)	19.1	*
4Q23		10/3/2023	NE	38.18	NA	NA	NA	406.96		2.9	*
1Q24		1/4/2024	NE	39.48	NA	NA	NA	405.66		2.3	*
2Q24		4/2/2024	NE	40.37	NA	NA	NA	404.77		0.0	*
P-114R											
3Q23	429.48	7/6/2023	NE	26.50	NA	NA	NA	402.98	406.47 - 396.47 (23.01 - 33.01)	0.0	*
4Q23		10/3/2023	NE	27.65	NA	NA	NA	401.83		0.0	*
1Q24		1/3/2024	NE	28.45	NA	NA	NA	401.03		37.0	*
2Q24		4/2/2024	NE	28.71	NA	NA	NA	400.77		16.8	*
P-115											
3Q23	433.54	7/6/2023	NE	30.61	NA	NA	NA	402.93	401.24 - 381.24 (32.30 - 52.30)	0.0	*
4Q23		10/3/2023	NE	31.71	NA	NA	NA	401.83		0.0	*
1Q24		1/4/2024	NE	32.65	NA	NA	NA	400.89		0.0	*
2Q24		4/2/2024	NE	32.65	NA	NA	NA	400.89		24.9	*
P-116											
3Q23	436.79	7/6/2023	NE	34.00	NA	NA	NA	402.79	399.35 - 379.35 (37.44 - 57.44)	0.1	*
4Q23		10/3/2023	NE	35.16	NA	NA	NA	401.63		0.0	*
1Q24		1/4/2024	NE	36.09	NA	NA	NA	400.70		0.0	*
2Q24		4/2/2024	NE	36.08	NA	NA	NA	400.71		0.0	*
P-117											
3Q23	432.87	7/6/2023	NE	30.22	NA	NA	NA	402.65	399.94 - 379.94 (32.93 - 52.93)	0.0	*
4Q23		10/3/2023	NE	31.38	NA	NA	NA	401.49		0.0	*
1Q24		1/3/2024	NE	32.15	NA	NA	NA	400.72		0.0	*
2Q24		4/2/2024	NE	32.32	NA	NA	NA	400.55		0.0	*
P-118											
3Q23	431.48	7/6/2023	NE	29.10	NA	NA	NA	402.38	400.36 - 384.43 (31.12 - 47.05)	0.2	*
4Q23		10/3/2023	NE	30.41	NA	NA	NA	401.07		0.0	*
1Q24		1/4/2024	NE	31.33	NA	NA	NA	400.15		0.0	*
2Q24		4/2/2024	NE	31.28	NA	NA	NA	400.20		0.0	*
P-119											
3Q23	432.11	7/6/2023	NE	28.90	NA	NA	NA	403.21	401.44 - 385.51 (30.67 - 46.60)	0.0	*
4Q23		10/3/2023	NE	29.85	NA	NA	NA	402.26		0.0	*
1Q24		1/4/2024	NE	30.79	NA	NA	NA	401.32		0.0	*
2Q24		4/2/2024	NE	30.95	NA	NA	NA	401.16		0.0	*
P-120											
3Q23	433.00	7/6/2023	NE	29.31	NA	NA	NA	403.69	401.62 - 385.69 (31.38 - 47.31)	0.0	*
4Q23		10/3/2023	NE	30.38	NA	NA	NA	402.62		0.0	*
1Q24		1/4/2024	NE	31.32	NA	NA	NA	401.68		0.0	*
2Q24		4/2/2024	NE	31.30	NA	NA	NA	401.70		0.0	*
P-129											
3Q23	432.66	7/6/2023	NE	31.41	NA	NA	NA	401.25	400.69 - 384.76 (31.97 - 47.90)	0.0	*
4Q23		10/3/2023	NE	32.78	NA	NA	NA	399.88		1.3	*
1Q24		1/3/2024	NE	33.41	NA	NA	NA	399.25		5.7	*
2Q24		4/2/2024	NE	33.32	NA	NA	NA	399.34		63.1	*

**TABLE 1
QUARTERLY GROUNDWATER MONITORING WELL GAUGING RESULTS**

WELL ID	TOP OF CASING (elev.)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev.)	PRODUCT (elev.)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL (elev.)	SCREENED INTERVAL (elev.) (ft btoc)	WELL HEAD PID (ppm)	COMMENTS	
ROST-3-MW												
3Q23	442.52	7/5/2023	NE	40.00	NA	NA	NA	402.52	404.71 - 394.71 (37.81 - 47.81)	0.0		
4Q23		10/2/2023	NE	40.44	NA	NA	NA	402.06		0.0		
1Q24		1/2/2024	NE	41.47	NA	NA	NA	401.05		0.0		
2Q24		4/2/2024	NE	42.12	NA	NA	NA	400.40		0.0		
ROST-4-PZ												
3Q23	442.15	7/5/2023	NE	39.10	NA	NA	NA	403.05	407.22 - 397.22 (34.93 - 44.93)	0.0		
4Q23		10/2/2023	NE	39.48	NA	NA	NA	402.67		0.0		
1Q24		1/2/2024	NE	40.10	NA	NA	NA	402.05		0.0		
2Q24		4/1/2024	NE	41.02	NA	NA	NA	401.13		0.0		
ROST-4-PZ(A)												
3Q23	442.15	7/5/2023	NE	38.56	NA	NA	NA	403.59	407.38 - 397.38 (34.77 - 44.77)	0.0		
4Q23		10/2/2023	NE	39.06	NA	NA	NA	403.09		0.0		
1Q24		1/2/2024	NE	40.34	NA	NA	NA	401.81		0.0		
2Q24		4/1/2024	NE	41.20	NA	NA	NA	400.95		0.0		
ROST-4-PZ(B)												
3Q23	442.40	7/5/2023	NE	39.15	NA	NA	NA	403.25	407.35 - 397.35 (35.05 - 45.05)	0.0		
4Q23		10/2/2023	NE	39.50	NA	NA	NA	402.90		0.0		
1Q24		1/2/2024	NE	40.35	NA	NA	NA	402.05		0.0		
2Q24		4/1/2024	NE	41.05	NA	NA	NA	401.35		0.0		
ROST-4-PZ(C)												
3Q23	442.97	7/5/2023	NE	40.10	NA	NA	NA	402.87	408.02 - 398.02 (34.95 - 44.95)	0.0		
4Q23		10/2/2023	NE	39.55	NA	NA	NA	403.42		0.0		
1Q24		1/2/2024	NE	41.36	NA	NA	NA	401.61		0.0		
2Q24		4/2/2024	NE	42.03	NA	NA	NA	400.94		0.0		
ROST-4-PZ(D)												
3Q23	442.92	7/5/2023	NE	40.05	NA	NA	NA	402.87	407.95 - 397.95 (34.97 - 44.97)	0.0		
4Q23		10/2/2023	NE	40.30	NA	NA	NA	402.62		0.0		
1Q24		1/2/2024	NE	41.10	NA	NA	NA	401.82		0.0		
2Q24		4/2/2024	NE	41.80	NA	NA	NA	401.12		0.0		
ROST-4-PZ(E)												
3Q23	441.98	7/5/2023	NE	38.96	NA	NA	NA	403.02	407.23 - 397.23 (34.75 - 44.75)	0.0		
4Q23		10/2/2023	NE	39.29	NA	NA	NA	402.69		0.0		
1Q24		1/2/2024	NE	39.80	NA	NA	NA	402.18		0.0		
2Q24		4/1/2024	NE	40.35	NA	NA	NA	401.63		0.0		
ROST-4-PZ(F)												
3Q23	442.12	7/5/2023	NE	39.07	NA	NA	NA	403.05	407.59 - 397.59 (34.53 - 44.53)	0.0		
4Q23		10/2/2023	NE	39.35	NA	NA	NA	402.77		0.0		
1Q24		1/2/2024	NE	39.80	NA	NA	NA	402.32		0.0		
2Q24		4/1/2024	NE	40.23	NA	NA	NA	401.89		0.0		
ROST-4-PZ(G)												
3Q23	442.20	7/5/2023	NE	39.82	NA	NA	NA	402.38	407.92 - 397.92 (34.28 - 44.28)	0.0		
4Q23		10/2/2023	NE	40.26	NA	NA	NA	401.94		0.0		
1Q24		1/2/2024	NE	41.35	NA	NA	NA	400.85		0.0		
2Q24		4/2/2024	NE	41.95	NA	NA	NA	400.25		0.0		
S-1												
3Q23	444.06	7/5/2023		42.18	42.20	401.86	401.88	0.02	Unknown	102.3		
4Q23		10/2/2023		42.67	42.71	401.35	401.39	0.04		401.38	0.0	
1Q24		1/3/2024		43.66	43.68	400.38	400.40	0.02		400.40	274.6	
2Q24		4/1/2024		44.22	44.34	399.72	399.84	0.12		399.82	96.8	
T-1												
3Q23	445.61	7/5/2023	NE	42.90	NA	NA	NA	402.71	398.61 - 388.61 (47.00 - 57.00)	0.0	*	
4Q23		10/2/2023	NE	43.33	NA	NA	NA	402.28		0.0	*	
1Q24		1/2/2024	NE	44.33	NA	NA	NA	401.28		0.0	*	
2Q24		4/1/2024	NE	45.06	NA	NA	NA	400.55		0.0	*	
T-2												
3Q23	443.40	7/6/2023	NE	41.35	NA	NA	NA	402.05	392.91 - 372.76 (50.50 - 70.65)	0.2	*	
4Q23		10/2/2023	NE	41.66	NA	NA	NA	401.74		0.0	*	
1Q24		1/2/2024	NE	42.49	NA	NA	NA	400.91		0.0	*	
2Q24		4/2/2024	NE	43.14	NA	NA	NA	400.26		0.0	*	

TABLE 1
QUARTERLY GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID	TOP OF CASING (elev.)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev.)	PRODUCT (elev.)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL (elev.)	SCREENED INTERVAL (elev.) (ft btoc)	WELL HEAD PID (ppm)	COMMENTS
T-3											
3Q23	449.21	7/6/2023	NE	48.60	NA	NA	NA	400.61	403.99 - 388.99 (45.22 - 60.22)	0.0	
4Q23		10/3/2023	NE	48.85	NA	NA	NA	400.36		0.0	
1Q24		1/2/2024	NE	49.59	NA	NA	NA	399.62		0.0	
2Q24		4/2/2024	NE	50.14	NA	NA	NA	399.07		0.0	
T-4											
3Q23	446.82	7/6/2023	NE	47.45	NA	NA	NA	399.37	396.80 - 381.80 (50.02 - 65.02)	0.0	*
4Q23		10/3/2023	NE	48.07	NA	NA	NA	398.75		0.0	*
1Q24		1/2/2024	NE	48.21	NA	NA	NA	398.61		0.0	*
2Q24		4/2/2024	NE	50.09	NA	NA	NA	396.73		0.0	
T-5											
3Q23	443.66	7/5/2023	NE	41.31	NA	NA	NA	402.35	395.33 - 378.78 (48.33 - 64.88)	5.6	*
4Q23		10/2/2023	NE	42.13	NA	NA	NA	401.53		0.0	*
1Q24		1/3/2024	NE	43.01	NA	NA	NA	400.65		54.8	*
2Q24		4/2/2024	NE	43.49	NA	NA	NA	400.17		2.0	*
T-6											
3Q23	446.78	7/5/2023	NE	44.61	NA	NA	NA	402.17	394.27 - 380.02 (52.51 - 66.76)	0.0	*
4Q23		10/2/2023	NE	45.07	NA	NA	NA	401.71		2.4	*
1Q24		1/2/2024	NE	46.19	NA	NA	NA	400.59		0.7	*
2Q24		4/1/2024	NE	46.82	NA	NA	NA	399.96		1.4	*
T-7											
3Q23	444.26	7/7/2023	NE	41.50	NA	NA	NA	402.76	395.54 - 380.54 (48.72 - 63.72)	1.3	*
4Q23		10/4/2023	NE	41.73	NA	NA	NA	402.53		3.2	*
1Q24		1/4/2024	NE	42.70	NA	NA	NA	401.56		12.0	*
2Q24		4/3/2024	NE	43.13	NA	NA	NA	401.13		1.2	*
T-12											
3Q23	444.99	7/5/2023	NE	42.74	NA	NA	NA	402.25	398.16 - 372.16 (46.83 - 72.83)	0.0	*
4Q23		10/2/2023	NE	43.09	NA	NA	NA	401.90		0.3	*
1Q24		1/2/2024	NE	44.32	NA	NA	NA	400.67		1.7	*
2Q24		4/1/2024	NE	44.87	NA	NA	NA	400.12		0.3	*
T-13											
3Q23	443.76	7/5/2023	NE	40.81	NA	NA	NA	402.95	399.95 - 373.95 (43.81 - 69.81)	0.0	*
4Q23		10/2/2023	NE	41.41	NA	NA	NA	402.35		0.0	*
1Q24		1/2/2024	NE	42.31	NA	NA	NA	401.45		0.0	*
2Q24		4/1/2024	NE	43.08	NA	NA	NA	400.68		0.0	*
T-15											
3Q23	445.35	7/6/2023	NE	43.45	NA	NA	NA	401.90	396.95 - 370.95 (48.40 - 74.40)	0.1	*
4Q23		10/3/2023	NE	43.79	NA	NA	NA	401.56		0.0	*
1Q24		1/2/2024	NE	44.56	NA	NA	NA	400.79		0.0	*
2Q24		4/2/2024	NE	45.21	NA	NA	NA	400.14		0.0	*
T-17											
3Q23	446.19	7/7/2023	NE	43.35	NA	NA	NA	402.84	401.72 - 375.72 (44.47 - 70.47)	0.0	*
4Q23		10/3/2023	NE	44.00	NA	NA	NA	402.19		0.0	*
1Q24		1/2/2024	NE	45.11	NA	NA	NA	401.08		0.0	
2Q24		4/2/2024	NE	46.00	NA	NA	NA	400.19		0.0	
T-19											
3Q23	446.99	7/6/2023	NE	47.46	NA	NA	NA	399.53	396.22 - 370.22 (50.77 - 76.77)	14.8	*
4Q23		10/3/2023	NE	48.06	NA	NA	NA	398.93		92.6	*
1Q24		1/2/2024	NE	48.38	NA	NA	NA	398.61		55.2	*
2Q24		4/2/2024	NE	50.06	NA	NA	NA	396.93		24.7	*
T-21											
3Q23	444.22	7/7/2023	NE	33.54	NA	NA	NA	410.68	412.26 - 386.26 (31.96 - 57.96)	0.0	
4Q23		10/3/2023	NE	34.42	NA	NA	NA	409.80		0.0	
1Q24		1/4/2024	NE	35.67	NA	NA	NA	408.55		0.0	
2Q24		4/3/2024	NE	36.63	NA	NA	NA	407.59		0.0	
T-22											
3Q23	442.37	7/7/2023	NE	34.96	NA	NA	NA	407.41	410.82 - 385.12 (31.55 - 57.25)	0.0	
4Q23		10/3/2023	NE	35.73	NA	NA	NA	406.64		0.0	
1Q24		1/4/2024	NE	36.77	NA	NA	NA	405.60		0.0	
2Q24		4/2/2024	NE	37.35	NA	NA	NA	405.02		0.0	

**TABLE 1
QUARTERLY GROUNDWATER MONITORING WELL GAUGING RESULTS**

WELL ID	TOP OF CASING (elev.)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev.)	PRODUCT (elev.)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL (elev.)	SCREENED INTERVAL (elev.) (ft btoc)	WELL HEAD PID (ppm)	COMMENTS
T-23											
3Q23	432.90	7/6/2023	NE	27.53	NA	NA	NA	405.37	405.67 - 379.67 (27.23 - 53.23)	0.0	
4Q23		10/3/2023	NE	28.43	NA	NA	NA	404.47		0.0	
1Q24		1/4/2024	NE	29.42	NA	NA	NA	403.48		0.0	
2Q24		4/2/2024	NE	29.55	NA	NA	NA	403.35		0.0	
T-24											
3Q23	444.00	7/5/2023	NE	42.21	NA	NA	NA	401.79	402.50 - 376.85 (41.50 - 67.15)	0.0	
4Q23		10/2/2023	NE	42.40	NA	NA	NA	401.60		0.0	
1Q24		1/3/2024	43.17	45.03	398.97	400.83	1.86	400.46		25.6	
2Q24		4/2/2024	43.60	45.76	398.24	400.40	2.16	399.97		0.8	
T-28											
3Q23	444.56	7/6/2023	NE	42.65	NA	NA	NA	401.91	Unknown	0.0	
4Q23		10/3/2023	NE	43.14	NA	NA	NA	401.42		0.0	
1Q24		1/2/2024	NE	43.90	NA	NA	NA	400.66		0.0	
2Q24		4/2/2024	NE	44.81	NA	NA	NA	399.75		0.0	
T-37											
3Q23	447.44	7/6/2023	NE	44.00	NA	NA	NA	403.44	398.59 - 378.59 (48.86 - 68.86)	0.0	*
4Q23		10/6/2023	NE	44.97	NA	NA	NA	402.47		0.6	*
1Q24		1/3/2024	NE	46.33	NA	NA	NA	401.11		0.0	*
2Q24		4/2/2024	NE	47.46	NA	NA	NA	399.98		0.1	*
T-38											
3Q23	445.89	7/7/2023	NE	40.74	NA	NA	NA	405.15	396.75 - 376.75 (49.14 - 69.14)	0.0	*
4Q23		10/3/2023	NE	42.02	NA	NA	NA	403.87		1.2	*
1Q24		1/3/2024	NE	43.44	NA	NA	NA	402.45		0.0	*
2Q24		4/2/2024	NE	44.36	NA	NA	NA	401.53		0.0	*
T-62											
3Q23	432.16	7/6/2023	NE	28.68	NA	NA	NA	403.48	412.45 - 382.45 (19.71 - 49.71)	0.2	
4Q23		10/3/2023	NE	29.68	NA	NA	NA	402.48		0.0	
1Q24		1/4/2024	NE	30.86	NA	NA	NA	401.30		0.0	
2Q24		4/2/2024	NE	30.90	NA	NA	NA	401.26		0.0	
T-63											
3Q23	431.55	7/6/2023	NE	28.34	NA	NA	NA	403.21	411.57 - 381.57 (19.98 - 49.98)	0.1	
4Q23		10/3/2023	NE	29.36	NA	NA	NA	402.19		0.0	
1Q24		1/4/2024	NE	30.53	NA	NA	NA	401.02		0.0	
2Q24		4/2/2024	NE	30.30	NA	NA	NA	401.25		0.0	
T-64											
3Q23	429.10	7/6/2023	NE	26.32	NA	NA	NA	402.78	409.29 - 379.29 (19.81 - 49.81)	0.0	
4Q23		10/3/2023	NE	27.50	NA	NA	NA	401.60		0.0	
1Q24		1/4/2024	NE	27.58	NA	NA	NA	401.52		0.0	
2Q24		4/2/2024	NE	28.25	NA	NA	NA	400.85		0.0	

NOTES:

- Elevations presented in this table are relative to the 1988 NAVD datum.
- The corrected water level elevations presented in this table were corrected by a specific gravity of 0.80 for the wells in which LNAPL was identified.
- PID values measured with a 10.6 electron volt (eV) lamp photolization detector.
- btoc = Below Top of Casing; ppm = parts per million; NA = Not Applicable; NE = Not Encountered; NM = Not Measured
- * Indicates that the LNAPL and/or water level is above the top of the screened zone of the well.
- Table includes comprehensive groundwater monitoring well gauging data for the last 4 quarters from the combined Village of Roxana Interim Groundwater Monitoring Program and the WRB Refining LP Wood River Refinery Program.
- The screened interval for certain monitoring wells was adjusted based on an evaluation of the results of annual bottom depth gauging conducted in the first quarter of each year.
- Top of casing and screened interval for the groundwater monitoring wells in the Roxana Interim Groundwater Monitoring Program and the WRR Program were adjusted based on surveying conducted in 2Q19, in accordance with Permit Condition IV.J.9, which requires wells be surveyed every five (5) years.

**TABLE 2
SOIL VMP DEPTHS**

Location	Yellow 1st Interval	White 10 foot Depth	Blue 2nd Interval	Green 3rd Interval	Red 4th Interval	Notes:
VMP-1	5		8.5	23.5	38.5	Village of Roxana - 1st Street
VMP-2	5		8.5	22	42	Village of Roxana - Alley Between 3rd and 4th Street
VMP-3	5	10	22	31.5	39	Village of Roxana - Alley Between 2nd and 3rd Street
VMP-4	5		12	23.5	39	Village of Roxana - Alley Between 4th and 5th Street
VMP-5	5		12.5	31	40	Village of Roxana - Alley Between 5th and 6th Street
VMP-6	5		10	31.5	39	Village of Roxana - Alley Between 6th and 7th Street
VMP-7	5		13.5	29.5	38	Village of Roxana - 7th Street
VMP-8	5		9.5	23.5	35.5	Village of Roxana - Alley Between 7th and 8th Street
VMP-9	5		11.5	25.5	38.5	Village of Roxana - Alley Between 7th and 8th Street
VMP-10	5		10	20	30	Public Works Yard
VMP-11	5		8	29	38	Public Works Yard
VMP-12	5		11.5	25	39	WRR- North Property
VMP-13	5		10.5	21.5	29.5	Public Works Yard
VMP-14	5		11.5	20	29	Public Works Yard
VMP-15	5		21.5	25.5	29	Village of Roxana - SE of Route 111 and Rand Avenue
VMP-16	5		13.5	19	31	WRR- Main Property
VMP-17	5					Public Works Yard
VMP-18	8.5					Village of Roxana - 8th Street
VMP-19	5					Village of Roxana - 8th Street
VMP-20	5		10	25	39.5	Village of Roxana - Alley Between 2nd and 3rd Street
VMP-21	5		10	25	33	Village of Roxana - Alley Between 3rd and 4th Street
VMP-22	5		10	18	38	Village of Roxana - Alley Between 4th and 5th Street
VMP-23	5		10	25	40	Village of Roxana - Alley Between 5th and 6th Street
VMP-24	5		10	22	34	Village of Roxana - 7th Street
VMP-25	5		9.5	21	31	Village of Roxana - Corner of Rand Avenue and Route 111
VMP-26	10		20	30	38	WRR - North Property
VMP-27	10		20	30	38	WRR - North Property
VMP-28	10		20	30	37	WRR - North Property
VMP-29	10		18	26	40	Public Works Yard (Abandoned in January 2023)
VMP-30	10		18	26	40	Public Works Yard (Abandoned in January 2023)
VMP-31	5		10	20	30	Village of Roxana - Chaffer Avenue (Abandoned in June 2014)
VMP-32	5		10	20	30	Village of Roxana - 4th Street
VMP-33			10	20	30	WRR - North Property
VMP-34			10	20	30	WRR - North Property
VMP-35			10	20	30	WRR - North Property
VMP-36			10	20	30	WRR - North Property
VMP-37			10	20	30	WRR - North Property
VMP-38			10	20	27	WRR - North Property
VMP-39			10	20	30	WRR - North Property
VMP-40			10	20	30	WRR - North Property (Abandoned in November 2020)
VMP-41			10	20	26	Public Works Yard
VMP-42			10	20	30	Village of Roxana - Corner of Chaffer Avenue and 3rd Street
VMP-43			10	20	30	Village of Roxana - Corner of Chaffer Avenue and 4th Street
VMP-44			10	20	30	Village of Roxana - Corner of Chaffer Avenue and 5th Street
VMP-45			10	20	30	Village of Roxana - Corner of Chaffer Avenue and 6th Street
VMP-46			10	20	30	WRR - North Property
VMP-47	5		10	20	30	Village of Roxana - Corner of Chaffer Avenue and Alley Between 1st and 2nd Street
VMP-48	5		10	20	30	Village of Roxana - Alley Between 2nd and 3rd Street
VMP-49	5		10	20	30	Village of Roxana - Alley Between 3rd and 4th Street
VMP-50	5		10	20	30	Village of Roxana - Alley Between 4th and 5th Street
VMP-51	5		10	20	30	Village of Roxana - Alley Between 5th and 6th Street
VMP-52	5		10	20	30	Village of Roxana - Alley Between 6th and 7th Street
VMP-53	5		10	20	30	Village of Roxana - Alley Between 7th and 8th Street
VMP-54	5		10	20	30	Village of Roxana - Alley Between 7th and 8th Street
VMP-55	5		10	20	30	Public Works Yard Area; Route 111 Right-of-Way
VMP-56			10	25	38.5	Village of Roxana - Corner of Chaffer Avenue and 4th Street
VMP-57	5		10	20		WRR - North Property
VMP-58	5		10	20	30	WRR - North Property
VMP-59	5		10	20	30	WRR - North Property
VMP-60	5		10	20	33.5	WRR - North Property
VMP-61	5		10	20	30	WRR - North Property
VMP-62	5		10	20	30	Village of Roxana - Alley Between 1st and 2nd Street
VMP-63	5		10	20	30	Village of Roxana - Corner of Chaffer Avenue and 1st Street
VMP-64	5		10	20	28	Village of Roxana - Corner of Chaffer Avenue and Alley Between 1st and Tydeman
VMP-65			10	20	30	WRR - North Property (Installed November 2020 to replace VMP-40)

**TABLE 3
SOIL VAPOR SAMPLING - TEDLAR® SAMPLING DATA**

Reading Location			Shroud	Tedlar® Bag 1		Shroud	Tedlar® Bag 2						
Instrument			Dielectric		Landtec	Dielectric		FID	PID	Landtec			
Location	Depth	Date	Helium in Shroud Before (%)	Helium Before (%)	CH ₄ (%)	Helium in Shroud After (%)	Helium After (%)	FID (ppmv)	PID (ppmv)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)
VMP-1	5	7/31/2023	50.6	1.0	N/A	65.4	0.6	0.0	0.0	0.0	0	0.2	19.6
VMP-1	5	10/27/2023	50.1	0.0	N/A	51.1	0.0	0.0	0.0	0.0	0	0.1	19.9
VMP-1	5	1/30/2024	50.4	0.0	N/A	53.5	0.0	0.0	0.0	0.0	0	0.2	20.9
VMP-1	5	5/3/2024	53.8	0.0	N/A	65.1	0.0	7.8	10.2	0.0	0	0.2	20.6
VMP-1	8.5	7/31/2023	50.3	0.2	N/A	52.2	0.1	0.0	0.0	0.0	0	0.2	19.3
VMP-1	8.5	10/27/2023	50.1	0.1	N/A	51.7	0.1	0.0	0.0	0.0	0	0.1	19.9
VMP-1	8.5	1/30/2024	50.2	0.0	N/A	50.0	0.0	0.0	0.0	0.0	0	0.2	20.9
VMP-1	8.5	5/3/2024	52.0	0.1	N/A	62.2	0.3	10.2	16.8	0.0	0	0.1	20.4
VMP-1 ⁷	23.5	7/31/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-1 ⁷	23.5	10/27/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-1 ⁷	23.5	1/30/2024	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-1 ⁷	23.5	5/3/2024	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-1 ⁸	38.5	7/31/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-1 ⁸	38.5	10/27/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-1	38.5	1/30/2024	50.4	0.0	N/A	59.7	0.0	0.0	0.0	0.0	0	0.2	20.9
VMP-1	38.5	5/3/2024	50.2	0.0	N/A	60.5	0.5	18.5	27.4	0.0	0	0.1	20.3
VMP-2	5	8/2/2023	51.7	0.0	N/A	63.2	0.0	0.0	0.0	0.0	0	0.7	20.4
VMP-2	5	10/30/2023	50.5	0.0	N/A	51.6	0.0	0.0	0.0	0.0	0	0.3	20.9
VMP-2	5	1/31/2024	50.1	0.0	N/A	58.5	0.0	0.0	0.0	0.0	0	0.2	20.9
VMP-2	5	5/6/2024	50.9	0.0	N/A	50.3	0.0	0.0	0.0	0.0	0	0.3	20.7
VMP-2	8.5	8/2/2023	54.4	0.0	N/A	53.9	0.0	0.0	0.0	0.0	0	0.9	20.0
VMP-2	8.5	10/30/2023	50.1	0.0	N/A	54.7	0.0	0.0	0.0	0.0	0	0.6	20.9
VMP-2	8.5	1/31/2024	50.1	0.0	N/A	63.9	0.0	0.0	0.0	0.0	0	0.3	20.9
VMP-2	8.5	5/6/2024	50.6	0.0	N/A	52.2	0.0	0.0	0.0	0.0	0	0.3	20.7
VMP-2	22	8/2/2023	56.6	0.0	N/A	53.0	0.0	0.0	0.0	0.0	0	0.9	20.2
VMP-2	22	10/30/2023	53.7	0.0	N/A	47.5	0.0	0.0	0.0	0.0	0	0.8	20.9
VMP-2	22	1/31/2024	50.1	0.0	N/A	53.4	0.0	0.0	0.0	0.0	0	0.4	20.9
VMP-2	22	5/6/2024	52.7	0.0	N/A	50.6	0.0	0.0	0.0	0.0	0	0.4	20.6
VMP-2 ⁸	42	8/2/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-2 ⁸	42	10/30/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-2 ⁸	42	1/31/2024	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-2 ⁸	42	5/6/2024	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-3	5	8/2/2023	50.2	0.0	N/A	55.9	1.9	0.0	0.0	0.0	0	1.7	18.2
VMP-3	5	11/2/2023	50.1	0.0	N/A	61.2	0.0	0.0	0.0	0.0	0	0.1	20.9
VMP-3 ¹¹	5	2/29/2024	50.8	1.1	N/A	55.5	2.2	0.0	0.0	0.0	0	0.1	20.3
VMP-3	5	5/2/2024	53.3	0.1	N/A	59.7	0.7	0.0	0.0	0.0	0	0.3	19.1
VMP-3	10	8/2/2023	50.1	0.0	N/A	52.3	0.0	0.0	0.0	0.0	0	1.6	18.3
VMP-3	10	11/2/2023	50.1	0.0	N/A	52.3	0.0	0.0	0.0	0.0	0	0.3	20.9
VMP-3	10	2/2/2024	52.4	0.0	N/A	50.0	2.2	0.0	0.0	0.0	0	0.2	20.0
VMP-3	10	5/2/2024	50.1	0.1	N/A	59.0	1.3	0.0	0.0	0.0	0	0.2	19.9
VMP-3	22	8/3/2023	50.4	0.0	N/A	58.5	0.0	0.0	0.0	0.0	0	2.0	18.0
VMP-3	22	11/2/2023	50.1	0.0	N/A	54.6	0.0	0.0	0.0	0.0	0	1.9	20.5
VMP-3	22	2/2/2024	51.4	0.0	N/A	50.7	0.0	0.0	0.0	0.0	0	1.0	20.3
VMP-3	22	5/2/2024	50.4	0.0	N/A	57.3	0.0	0.0	0.0	0.0	0	0.9	19.4
VMP-3	31.5	8/3/2023	50.1	0.0	N/A	60.7	0.0	0.0	0.0	0.0	0	3.1	16.0
VMP-3	31.5	11/2/2023	50.1	0.0	N/A	57.0	0.0	0.0	0.0	0.0	0	3.5	16.7
VMP-3	31.5	2/2/2024	54.8	0.0	N/A	50.9	0.0	0.0	0.0	0.0	0	2.9	18.0
VMP-3	31.5	5/2/2024	50.6	0.0	N/A	62.9	0.0	0.0	0.0	0.0	0	1.9	18.0
VMP-3 ⁸	39	8/2/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-3 ⁸	39	11/2/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-3 ⁸	39	2/2/2024	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-3	39	5/2/2024	52.1	0.0	N/A	58.1	0.0	309	13.7	0.0	0	9.5	6.0
VMP-4	5	8/2/2023	52.8	0.0	N/A	52.5	0.0	0.0	0.0	0.0	0	1.3	19.8
VMP-4	5	10/31/2023	51.4	0.0	N/A	52.5	0.0	0.0	0.0	0.0	0	0.4	20.5
VMP-4	5	2/2/2024	53.1	0.0	N/A	58.9	1.8	0.0	0.0	0.0	0	0.2	20.4
VMP-4	5	5/6/2024	51.4	0.0	N/A	50.2	1.1	0.0	0.0	0.0	0	0.2	20.6
VMP-4	12	8/2/2023	52.2	0.0	N/A	56.2	0.0	0.0	0.0	0.0	0	2.4	18.6
VMP-4	12	10/31/2023	56.7	0.0	N/A	50.8	0.0	0.0	0.0	0.0	0	2.8	18.4
VMP-4	12	2/2/2024	50.1	0.0	N/A	59.3	0.0	0.0	0.0	0.0	0	0.5	20.8
VMP-4	12	5/6/2024	52.0	0.0	N/A	50.9	0.0	0.0	0.0	0.0	0	0.4	20.5
VMP-4	23.5	8/2/2023	52.8	0.0	N/A	52.8	0.0	0.0	0.0	0.0	0	1.8	18.4
VMP-4	23.5	10/31/2023	55.7	0.0	N/A	57.4	0.0	0.0	0.0	0.0	0	3.1	18.2
VMP-4	23.5	2/2/2024	50.3	0.0	N/A	59.8	0.0	0.0	0.0	0.0	0	3.8	18.1
VMP-4	23.5	5/6/2024	55.1	0.0	N/A	50.6	0.0	0.0	0.0	0.0	0	2.4	18.0
VMP-4 ⁸	39	8/2/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-4 ⁸	39	10/31/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-4 ⁸	39	2/2/2024	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-4 ⁸	39	5/6/2024	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

**TABLE 3
SOIL VAPOR SAMPLING - TEDLAR® SAMPLING DATA**

Reading Location			Shroud	Tedlar® Bag 1		Shroud	Tedlar® Bag 2						
Instrument			Dielectric		Landtec	Dielectric		FID	PID	Landtec			
Location	Depth	Date	Helium in Shroud Before (%)	Helium Before (%)	CH ₄ (%)	Helium in Shroud After (%)	Helium After (%)	FID (ppmv)	PID (ppmv)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)
VMP-5	5	8/2/2023	57.1	0.0	N/A	54.0	0.0	0.0	0.0	0.0	0	1.6	19.4
VMP-5	5	10/30/2023	52.3	0.0	N/A	53.8	0.0	0.0	0.0	0.0	0	0.4	20.4
VMP-5	5	1/29/2024	50.8	0.0	N/A	56.7	0.0	0.0	0.0	0.0	0	0.2	20.2
VMP-5	5	5/1/2024	51.3	0.0	N/A	51.3	0.0	0.0	0.0	0.0	0	0.4	20.6
VMP-5	12.5	8/2/2023	56.7	0.0	N/A	56.6	0.0	0.0	0.0	0.0	0	2.6	18.5
VMP-5	12.5	10/30/2023	51.4	0.0	N/A	51.2	0.0	0.0	0.0	0.0	0	1.8	19.1
VMP-5	12.5	1/29/2024	54.6	0.0	N/A	51.8	0.0	0.0	0.0	0.0	0	0.6	20.2
VMP-5	12.5	5/1/2024	56.8	0.0	N/A	50.7	0.0	0.0	0.0	0.0	0	1.1	19.3
VMP-5	31	8/2/2023	56.6	0.0	N/A	52.3	0.0	0.0	0.0	0.0	0	2.2	18.3
VMP-5	31	10/30/2023	53.7	0.0	N/A	52.2	0.0	0.0	0.0	0.0	0	2.7	18.6
VMP-5	31	1/29/2024	53.3	0.0	N/A	51.5	0.0	0.0	0.0	0.0	0	2.5	18.5
VMP-5	31	5/1/2024	59.8	0.0	N/A	52.1	0.0	0.0	0.0	0.0	0	1.6	18.9
VMP-5	40	8/2/2023	52.7	0.0	N/A	56.4	0.0	0.0	0.0	0.0	0	2.1	18.4
VMP-5	40	10/31/2023	53.6	0.0	N/A	50.3	0.0	0.0	0.0	0.0	0	2.9	18.5
VMP-5	40	1/29/2024	50.3	0.0	N/A	58.5	0.0	0.4	0.0	0.0	0	2.5	18.5
VMP-5	40	5/1/2024	51.7	0.5	N/A	51.2	0.0	0.0	0.0	0.0	0	1.8	18.7
VMP-6	5	8/1/2023	50.4	0.9	N/A	64.2	0.9	0.0	0.0	0.0	0	1.3	18.4
VMP-6	5	11/1/2023	50.1	0.0	N/A	62.3	0.0	0.0	0.0	0.0	0	2.5	20.0
VMP-6	5	2/1/2024	51.1	0.0	N/A	60.1	0.0	0.0	0.0	0.0	0	2.1	19.0
VMP-6	5	4/30/2024	50.3	0.0	N/A	63.4	0.0	0.0	0.0	0.0	0	0.4	18.3
VMP-6	10	8/1/2023	50.2	0.0	N/A	57.5	0.0	0.0	0.0	0.0	0	4.0	15.6
VMP-6	10	11/1/2023	50.1	0.0	N/A	63.0	0.0	0.0	0.0	0.0	0	3.3	19.2
VMP-6	10	2/1/2024	50.0	0.2	N/A	50.7	0.2	0.0	0.0	0.0	0	2.8	18.2
VMP-6	10	4/30/2024	53.0	0.0	N/A	59.4	0.0	0.0	0.0	0.0	0	0.5	18.9
VMP-6	31.5	8/1/2023	50.3	0.0	N/A	58.8	0.0	0.0	0.0	0.0	0	5.0	13.9
VMP-6	31.5	11/1/2023	50.2	0.0	N/A	53.7	0.0	0.0	0.0	0.0	0	6.1	15.4
VMP-6	31.5	2/1/2024	52.0	0.0	N/A	56.2	0.0	0.0	0.0	0.0	0	6.1	14.0
VMP-6	31.5	4/30/2024	50.4	0.0	N/A	57.4	0.0	0.0	0.0	0.0	0	3.1	16.4
VMP-6	39	8/1/2023	50.2	0.0	N/A	65.7	0.0	8172	269	5.7	OVR	5.9	12.3
VMP-6	39	11/1/2023	50.5	0.0	N/A	59.1	0.0	339	71.5	0.3	6	6.9	13.3
VMP-6	39	2/1/2024	51.2	0.0	N/A	52.4	0.0	0.0	0.0	0.0	0	6.8	12.8
VMP-6	39	4/30/2024	50.2	0.0	N/A	65.2	0.0	0.0	0.0	0.0	0	4.7	15.7
VMP-7	5	7/31/2023	54.9	0.0	N/A	57.7	0.0	0.0	0.0	0.0	0	3.3	16.2
VMP-7	5	10/26/2023	53.7	0.0	N/A	51.2	0.0	0.0	0.0	0.0	0	3.0	17.2
VMP-7	5	1/30/2024	52.7	0.0	N/A	50.6	0.0	0.0	0.0	0.0	0	2.0	18.8
VMP-7	5	5/3/2024	58.7	0.0	N/A	50.2	0.0	7.9	13.4	0.0	0	0.7	19.6
VMP-7	13.5	7/31/2023	59.2	0.1	N/A	59.2	0.3	0.0	0.0	0.0	0	2.8	16.7
VMP-7	13.5	10/26/2023	53.2	0.0	N/A	53.4	0.0	0.0	0.0	0.0	0	3.5	16.5
VMP-7	13.5	1/30/2024	52.2	0.0	N/A	50.9	0.0	0.0	0.0	0.0	0	2.5	18.5
VMP-7	13.5	5/3/2024	50.6	0.0	N/A	50.2	0.0	8.9	14.9	0.0	0	0.7	19.4
VMP-7	29.5	7/31/2023	52.3	0.0	N/A	59.7	0.0	0.0	0.0	0.0	0	4.3	14.5
VMP-7	29.5	10/26/2023	53.2	0.0	N/A	55.6	0.0	0.0	0.0	0.0	0	4.9	14.6
VMP-7	29.5	1/30/2024	50.6	0.0	N/A	54.3	0.0	0.0	0.0	0.0	0	5.7	14.1
VMP-7	29.5	5/3/2024	51.0	0.0	N/A	50.8	0.0	6.9	12.8	0.0	0	3.3	16.7
VMP-7	38	7/31/2023	51.6	0.0	N/A	57.8	0.0	0.0	0.0	0.0	0	4.2	14.5
VMP-7	38	10/26/2023	59.6	0.0	N/A	51.7	0.0	0.0	0.0	0.0	0	4.1	15.8
VMP-7	38	1/30/2024	50.5	0.0	N/A	52.9	0.0	0.0	0.0	0.0	0	4.4	15.8
VMP-7	38	5/3/2024	54.9	0.0	N/A	50.8	0.0	0.0	7.2	0.0	0	2.8	17.4
VMP-8	5	7/21/2023	50.4	0.0	N/A	54.5	0.0	0.0	0.0	0.0	0	3.8	17.1
VMP-8	5	10/25/2023	50.2	0.0	N/A	70.6	0.0	0.0	0.0	0.0	0	2.7	18.6
VMP-8	5	1/24/2024	50.3	0.0	N/A	50.8	0.0	0.0	0.0	0.0	0	0.6	18.2
VMP-8	5	4/25/2024	66.7	0.0	N/A	56.6	0.0	0.0	0.0	0.0	0	2.8	18.6
VMP-8	9.5	7/21/2023	54.6	0.0	N/A	55.9	0.0	0.0	0.0	0.0	0	4.5	15.3
VMP-8	9.5	10/25/2023	50.1	0.0	N/A	60.6	0.0	0.0	0.0	0.0	0	4.9	15.4
VMP-8	9.5	1/24/2024	50.2	0.0	N/A	50.6	0.0	0.0	0.0	0.0	0	3.8	17.0
VMP-8	9.5	4/25/2024	53.7	0.0	N/A	50.7	0.0	0.0	0.0	0.0	0	4.4	15.7
VMP-8	23.5	7/21/2023	51.2	0.0	N/A	56.3	0.0	0.0	0.0	0.0	0	4.5	14.7
VMP-8	23.5	10/25/2023	50.5	0.0	N/A	57.6	0.0	0.0	0.0	0.0	0	5.5	14.4
VMP-8	23.5	1/24/2024	54.1	0.0	N/A	56.7	0.0	0.0	0.0	0.0	0	5.0	15.9
VMP-8	23.5	4/25/2024	57.3	0.0	N/A	53.6	0.0	0.0	0.0	0.0	0	4.9	14.0
VMP-8	35.5	7/21/2023	50.4	0.0	N/A	53.4	0.4	0.0	0.0	0.0	0	1.9	18.3
VMP-8	35.5	10/25/2023	50.1	0.2	N/A	55.4	0.5	0.0	0.0	0.0	0	1.5	19.5
VMP-8	35.5	1/24/2024	52.2	0.8	N/A	58.6	0.7	0.0	0.0	0.0	0	1.2	20.2
VMP-8	35.5	4/25/2024	54.2	0.5	N/A	50.2	0.7	0.0	0.0	0.0	0	1.1	18.6
VMP-9	5	7/25/2023	50.5	0.0	N/A	55.6	0.0	0.0	0.0	0.0	0	2.4	17.9
VMP-9	5	10/25/2023	54.2	0.0	N/A	59.1	0.0	0.0	0.0	0.0	0	1.1	20.2
VMP-9	5	1/24/2024	50.4	0.0	N/A	54.4	0.0	0.0	0.0	0.0	0	1.3	18.8
VMP-9	5	4/25/2024	50.4	0.0	N/A	61.4	0.0	0.0	0.0	0.0	0	0.7	20.1

**TABLE 3
SOIL VAPOR SAMPLING - TEDLAR® SAMPLING DATA**

Reading Location			Shroud	Tedlar® Bag 1			Shroud	Tedlar® Bag 2						
Instrument			Dielectric			Landtec	Dielectric		FID	PID	Landtec			
Location	Depth	Date	Helium in Shroud Before (%)	Helium Before (%)	CH ₄ (%)	Helium in Shroud After (%)	Helium After (%)	FID (ppmv)	PID (ppmv)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	
VMP-9	11.5	7/25/2023	50.4	0.0	N/A	50.9	0.0	0.0	0.0	0.0	0	3.1	17.1	
VMP-9	11.5	10/25/2023	53.9	0.0	N/A	52.2	0.0	0.0	0.0	0.0	0	2.2	19.1	
VMP-9	11.5	1/24/2024	50.2	0.0	N/A	52.5	0.0	0.0	0.0	0.0	0	2.5	19.1	
VMP-9	11.5	4/25/2024	51.1	0.0	N/A	54.6	0.0	0.0	0.0	0.0	0	1.2	19.1	
VMP-9	25.5	7/25/2023	50.5	0.0	N/A	64.4	0.0	0.0	0.0	0.0	0	3.0	14.8	
VMP-9	25.5	10/25/2023	51.7	0.0	N/A	63.8	0.0	0.0	0.0	0.0	0	3.9	16.5	
VMP-9	25.5	1/24/2024	50.3	0.0	N/A	51.8	0.0	0.0	0.0	0.0	0	4.1	16.7	
VMP-9	25.5	4/25/2024	52.4	0.0	N/A	64.6	0.0	0.0	0.0	0.0	0	2.2	17.5	
VMP-9	38.5	7/25/2023	50.1	0.0	N/A	60.3	0.0	0.0	0.0	0.0	0	4.3	12.9	
VMP-9	38.5	10/25/2023	60.2	0.0	N/A	62.2	0.0	0.0	0.0	0.0	0	6.7	11.5	
VMP-9	38.5	1/24/2024	50.2	0.0	N/A	59.4	0.0	0.0	0.0	0.0	0	7.9	10.9	
VMP-9	38.5	4/25/2024	51.0	0.0	N/A	61.2	0.0	0.0	0.0	0.0	0	6.0	12.6	
VMP-10	5	7/27/2023	50.3	0.0	N/A	50.8	0.0	0.0	0.0	0.0	0	1.2	20.2	
VMP-10	5	10/26/2023	53.3	0.0	N/A	51.1	0.0	0.0	0.0	0.0	0	0.8	20.2	
VMP-10	5	1/26/2024	54.4	0.1	N/A	56.5	0.1	0.0	0.0	0.0	0	0.5	20.1	
VMP-10	5	4/29/2024	52.9	0.0	N/A	51.3	0.0	0.0	0.0	0.0	0	0.8	20.3	
VMP-10	10	7/27/2023	52.4	0.0	N/A	54.9	0.0	0.0	0.0	0.0	0	1.3	19.5	
VMP-10	10	10/26/2023	52.0	0.4	N/A	50.2	0.6	0.0	0.0	0.0	0	1.0	19.4	
VMP-10	10	1/26/2024	51.0	0.1	N/A	54.2	0.0	0.0	0.0	0.0	0	0.7	19.9	
VMP-10	10	4/29/2024	50.6	0.0	N/A	52.0	0.0	3.1	0.0	0.0	0	0.6	20.2	
VMP-10	20	7/27/2023	52.7	0.0	N/A	63.1	0.0	0.0	0.0	0.0	0	1.3	18.8	
VMP-10	20	10/26/2023	50.8	0.0	N/A	52.7	0.0	0.0	0.0	0.0	0	1.6	18.5	
VMP-10	20	1/26/2024	53.3	0.0	N/A	62.0	0.0	0.0	0.0	0.0	0	1.4	18.9	
VMP-10	20	4/29/2024	50.4	0.0	N/A	50.8	0.0	0.0	0.0	0.0	0	0.9	19.5	
VMP-10	30	7/27/2023	51.5	0.0	N/A	60.1	0.0	0.0	0.0	0.0	0	1.4	18.4	
VMP-10	30	10/26/2023	52.0	0.0	N/A	54.0	0.0	0.0	0.0	0.0	0	2.1	17.4	
VMP-10	30	1/26/2024	53.5	0.0	N/A	50.2	0.0	0.0	0.0	0.0	0	2.0	18.0	
VMP-10	30	4/29/2024	52.7	0.0	N/A	50.1	0.0	0.0	0.0	0.0	0	1.5	18.5	
VMP-11	5	7/25/2023	56.5	0.0	N/A	56.0	0.0	0.0	0.0	0.0	0	1.8	18.6	
VMP-11	5	10/25/2023	51.0	0.0	N/A	55.9	0.0	0.0	0.0	0.0	0	1.1	19.7	
VMP-11	5	1/26/2024	54.7	0.0	N/A	58.1	0.0	0.0	0.0	0.0	0	0.5	20.0	
VMP-11	5	4/30/2024	72.0	0.0	N/A	57.2	0.0	0.0	0.0	0.0	0	1.4	19.6	
VMP-11	8	7/25/2023	54.9	0.0	N/A	59.9	0.0	0.0	0.0	0.0	0	1.8	19.1	
VMP-11	8	10/25/2023	50.2	0.0	N/A	58.6	0.0	0.0	0.0	0.0	0	1.2	19.6	
VMP-11	8	1/26/2024	55.1	0.0	N/A	55.0	0.0	0.0	0.0	0.0	0	0.5	20.5	
VMP-11	8	4/30/2024	57.0	0.0	N/A	54.1	0.0	0.0	0.0	0.0	0	1.6	19.2	
VMP-11	29	7/25/2023	61.5	0.1	N/A	59.4	0.0	0.0	0.0	0.0	0	1.7	18.5	
VMP-11	29	10/25/2023	50.1	0.0	N/A	55.4	0.2	0.0	0.0	0.0	0	2.1	17.8	
VMP-11	29	1/26/2024	53.4	0.0	N/A	55.6	0.2	0.0	0.0	0.0	0	2.0	18.5	
VMP-11	29	4/30/2024	52.2	0.0	N/A	52.8	0.0	0.0	0.0	0.0	0	2.0	18.5	
VMP-11	38	7/25/2023	59.1	0.0	N/A	60.1	0.0	0.0	0.0	0.0	0	1.6	19.7	
VMP-11	38	10/25/2023	50.1	0.0	N/A	52.7	0.0	0.0	0.3	0.0	0	1.0	19.7	
VMP-11	38	1/26/2024	52.2	0.0	N/A	55.0	0.0	0.0	0.0	0.0	0	0.5	20.4	
VMP-11 ⁸	38	4/30/2024	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
VMP-12	5	7/28/2023	50.3	0.0	N/A	66.8	0.0	0.0	0.0	0.0	0	0.1	20.1	
VMP-12	5	11/1/2023	58.4	0.0	N/A	51.8	0.0	0.0	0.0	0.0	0	0.0	20.6	
VMP-12	5	2/1/2024	54.2	0.0	N/A	56.1	0.0	0.0	0.0	0.0	0	0.1	20.0	
VMP-12	5	5/2/2024	51.0	0.0	N/A	51.6	0.0	0.0	0.0	0.0	0	0.1	20.6	
VMP-12	11.5	7/28/2023	50.2	0.0	N/A	62.2	0.0	0.0	0.0	0.0	0	0.2	20.0	
VMP-12	11.5	11/1/2023	53.8	0.0	N/A	50.9	0.0	0.0	0.0	0.0	0	0.1	20.7	
VMP-12	11.5	2/1/2024	50.2	0.0	N/A	50.0	0.0	2.5	0.0	0.0	0	1.3	16.3	
VMP-12	11.5	5/2/2024	52.9	0.0	N/A	52.3	0.0	0.0	0.0	0.0	0	0.1	19.7	
VMP-12	25	7/28/2023	50.1	2.0	39.0	67.5	2.3	127000	213	39.4	OVR	14.1	0.0	
VMP-12	25	11/1/2023	54.4	0.0	N/A	52.0	0.0	0.0	0.9	0.0	0	4.1	16.1	
VMP-12	25	2/1/2024	50.8	3.8	21.1	50.6	3.0	88120	222	23.3	OVR	11.8	1.9	
VMP-12	25	5/2/2024	53.6	0.0	N/A	56.1	0.0	77.0	0.0	0.0	0	9.8	4.5	
VMP-12	39	7/28/2023	50.0	7.8	OVR	61.7	7.6	766000	199	OVR	OVR	13.9	0.4	
VMP-12	39	11/1/2023	55.1	3.8	OVR	50.5	4.2	223000	614	OVR	OVR	14.4	0.0	
VMP-12	39	2/1/2024	50.8	4.8	N/A	50.7	4.7	424000	378	85.7	OVR	14.0	0.3	
VMP-12	39	5/2/2024	53.1	7.2	85.5	51.1	7.8	633000	36.7	85.7	OVR	13.8	0.5	
VMP-13	5	7/26/2023	52.6	0.0	N/A	52.8	0.0	0.0	0.0	0.0	0	0.9	19.8	
VMP-13	5	11/2/2023	55.3	0.0	N/A	53.8	0.0	0.0	0.0	0.0	0	0.8	19.6	
VMP-13	5	1/25/2024	50.7	0.0	N/A	59.8	0.2	0.0	0.0	0.0	0	0.1	20.7	
VMP-13	5	4/29/2024	54.5	0.0	N/A	54.5	0.0	0.0	0.0	0.0	0	0.1	20.2	
VMP-13	10.5	7/26/2023	55.8	0.0	N/A	50.4	0.0	0.0	0.0	0.0	0	0.7	20.2	
VMP-13	10.5	11/2/2023	52.0	0.0	N/A	50.3	0.0	0.0	0.0	0.0	0	1.4	19.8	
VMP-13	10.5	1/25/2024	57.5	0.3	N/A	58.0	0.1	0.0	0.0	0.0	0	0.7	20.5	
VMP-13	10.5	4/29/2024	51.8	0.0	N/A	51.3	0.0	0.0	0.0	0.0	0	0.3	20.6	

**TABLE 3
SOIL VAPOR SAMPLING - TEDLAR® SAMPLING DATA**

Reading Location			Shroud	Tedlar® Bag 1		Shroud	Tedlar® Bag 2						
Instrument			Dielectric		Landtec	Dielectric		FID	PID	Landtec			
Location	Depth	Date	Helium in Shroud Before (%)	Helium Before (%)	CH ₄ (%)	Helium in Shroud After (%)	Helium After (%)	FID (ppmv)	PID (ppmv)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)
VMP-13	21.5	7/26/2023	52.2	0.0	N/A	57.2	0.0	0.0	0.0	0.0	0	0.6	19.8
VMP-13	21.5	11/2/2023	51.4	0.0	N/A	53.6	0.0	0.0	0.0	0.0	0	0.9	19.4
VMP-13	21.5	1/25/2024	50.3	0.3	N/A	55.5	0.0	0.0	0.0	0.0	0	1.0	19.9
VMP-13	21.5	4/29/2024	53.8	0.0	N/A	50.0	0.0	0.0	0.0	0.0	0	0.5	20.9
VMP-13	29.5	7/26/2023	52.7	0.0	N/A	50.9	0.0	0.0	0.0	0.0	0	0.2	19.4
VMP-13	29.5	11/2/2023	54.8	0.1	N/A	51.1	0.0	0.0	0.0	0.0	0	1.2	19.6
VMP-13	29.5	1/25/2024	57.0	0.3	N/A	55.2	0.2	0.0	0.0	0.0	0	0.6	20.4
VMP-13	29.5	4/29/2024	54.6	0.0	N/A	51.3	0.0	0.0	0.0	0.0	0	0.2	20.7
VMP-14	5	7/26/2023	57.3	0.1	N/A	52.8	0.0	0.0	0.0	0.0	0	0.8	20.0
VMP-14	5	11/2/2023	54.0	0.4	N/A	50.1	1.7	0.0	0.0	0.0	0	20.6	0.2
VMP-14	5	1/25/2024	51.5	0.8	N/A	54.1	1.5	0.0	0.0	0.0	0	0.4	20.2
VMP-14	5	4/29/2024	58.6	0.0	N/A	53.5	2.0	0.0	0.0	0.0	0	1.3	19.2
VMP-14	11.5	7/26/2023	53.1	0.2	N/A	51.7	0.9	0.0	0.0	0.0	0	0.6	20.2
VMP-14	11.5	11/2/2023	53.8	0.6	N/A	50.7	1.9	0.0	0.0	0.0	0	0.2	20.7
VMP-14	11.5	1/25/2024	50.3	0.4	N/A	53.8	0.4	0.0	0.0	0.0	0	0.4	20.4
VMP-14	11.5	4/29/2024	52.8	2.5	N/A	50.2	2.2	0.0	0.0	0.0	0	1.3	19.2
VMP-14	20	7/26/2023	65.5	0.0	N/A	56.5	0.0	0.0	0.0	0.0	0	7.4	10.2
VMP-14	20	11/2/2023	50.8	0.0	N/A	54.8	0.0	0.0	0.0	0.0	0	8.4	12.2
VMP-14	20	1/25/2024	50.6	0.0	N/A	55.1	0.0	0.0	0.0	0.0	0	6.2	13.1
VMP-14	20	4/29/2024	52.1	0.0	N/A	53.4	0.0	0.0	0.0	0.0	0	5.3	14.3
VMP-14	29	7/26/2023	52.9	0.0	N/A	59.5	0.0	0.0	0.0	0.0	0	1.2	13.3
VMP-14	29	11/2/2023	58.0	0.0	N/A	50.5	0.0	0.0	0.0	0.0	0	0.3	20.1
VMP-14	29	1/25/2024	50.3	0.1	N/A	50.3	0.0	0.0	0.0	0.0	0	0.5	20.2
VMP-14	29	4/29/2024	52.4	0.0	N/A	54.5	0.0	0.0	0.0	0.0	0	3.1	16.7
VMP-15	5	7/26/2023	50.2	0.0	N/A	59.3	0.0	0.0	0.0	0.0	0	7.6	10.9
VMP-15	5	10/30/2023	50.3	0.0	N/A	46.4	0.0	0.0	0.0	0.0	0	6.2	13.0
VMP-15	5	1/25/2024	50.4	0.0	N/A	51.7	0.0	0.0	0.0	0.0	0	2.5	15.4
VMP-15	5	4/30/2024	51.2	0.0	N/A	59.3	0.0	0.0	0.0	0.0	0	3.9	13.3
VMP-15	21.5	7/26/2023	50.4	0.0	N/A	55.5	0.0	0.0	0.0	0.0	0	15.7	1.6
VMP-15	21.5	10/30/2023	50.0	0.0	N/A	49.7	0.0	0.0	0.0	0.0	0	9.0	10.4
VMP-15	21.5	1/25/2024	50.1	0.0	N/A	51.1	0.0	0.0	0.0	0.0	0	17.4	1.5
VMP-15	21.5	4/30/2024	50.6	0.0	N/A	58.3	0.0	0.0	0.0	0.0	0	17.2	1.5
VMP-15	25.5	7/26/2023	50.5	0.0	N/A	56.0	0.0	0.0	0.0	0.0	0	16.5	1.9
VMP-15	25.5	10/30/2023	50.1	0.0	N/A	65.7	0.0	0.0	0.0	0.0	0	16.8	2.1
VMP-15	25.5	1/25/2024	50.1	0.0	N/A	52.0	0.0	0.0	0.0	0.0	0	19.9	0.7
VMP-15	25.5	4/30/2024	52.3	0.0	N/A	59.2	0.0	0.0	0.0	0.0	0	20.3	0.8
VMP-15	29	7/26/2023	50.3	0.0	N/A	63.4	0.0	0.0	0.0	0.0	0	15.6	2.3
VMP-15	29	10/30/2023	50.4	0.0	N/A	71.3	0.0	0.0	0.0	0.0	0	16.8	2.2
VMP-15	29	1/25/2024	50.3	0.0	N/A	55.4	0.0	0.0	0.0	0.0	0	20.7	0.5
VMP-15	29	4/30/2024	50.1	0.0	N/A	55.5	0.0	0.0	0.0	0.0	0	20.2	0.9
VMP-16	5	7/28/2023	55.7	0.0	N/A	54.2	0.0	0.0	0.0	0.0	0	9.3	11.1
VMP-16	5	11/1/2023	55.8	0.0	N/A	53.8	0.0	0.0	0.0	0.0	0	2.7	18.3
VMP-16	5	2/1/2024	50.1	0.0	N/A	53.7	0.0	0.0	0.0	0.0	0	9.8	4.6
VMP-16	5	5/2/2024	61.2	0.0	N/A	52.8	0.0	0.0	0.0	0.0	0	11.3	5.2
VMP-16	13.5	7/28/2023	50.3	0.0	N/A	50.6	1.3	119000	628	19.6	OVR	15.4	3.3
VMP-16 ⁹	13.5	12/1/2023	58.2	2.4	57.4	65.5	2.0	131000	542	69.1	OVR	17.4	0.3
VMP-16 ⁹	13.5	2/29/2024	51.4	0.0	N/A	67.5	0.0	92410	418	16.7	OVR	15.1	1.1
VMP-16	13.5	5/2/2024	84.4	3.2	40.1	79.2	2.1	116000	449	36.4	OVR	15.1	0.3
VMP-16	19	7/28/2023	52.4	4.5	N/A	50.9	5.4	321000	467	76.3	OVR	16.8	0.1
VMP-16	19	11/1/2023	62.5	2.4	N/A	52.5	2.5	15900	604	52.9	OVR	17.8	0.1
VMP-16	19	2/1/2024	52.6	2.2	83.4	54.0	2.6	219000	449	83.1	OVR	16.8	0.2
VMP-16	19	5/2/2024	58.2	3.9	80.3	54.1	4.2	185000	205	80.2	OVR	15.0	0.2
VMP-16	31	7/28/2023	53.6	5.6	N/A	56.5	5.4	442000	630	OVR	OVR	16.9	0.0
VMP-16	31	11/1/2023	55.3	2.6	N/A	50.5	3.0	179000	943	OVR	OVR	17.3	0.5
VMP-16	31	2/1/2024	50.9	3.3	82.6	50.0	3.7	271000	638	82.7	OVR	16.7	0.5
VMP-16	31	5/2/2024	54.2	5.3	84.7	54.3	5.1	245000	320	84.7	OVR	14.9	0.3
VMP-17	5	7/27/2023	50.5	0.0	N/A	59.4	0.0	0.0	0.0	0.0	0	0.7	18.7
VMP-17	5	11/2/2023	54.8	0.0	N/A	62.6	0.0	0.0	0.0	0.0	0	0.6	20.8
VMP-17	5	2/1/2024	53.3	0.0	N/A	52.3	0.0	0.0	0.0	0.0	0	0.2	20.0
VMP-17	5	4/30/2024	50.1	0.2	N/A	51.7	0.0	0.0	0.0	0.0	0	0.4	20.5
VMP-18	8.5	7/31/2023	51.1	0.0	N/A	53.2	0.0	0.0	0.0	0.0	0	3.4	17.9
VMP-18	8.5	10/27/2023	53.2	0.0	N/A	51.1	0.0	0.0	0.0	0.0	0	3.7	17.9
VMP-18	8.5	2/1/2024	50.8	0.0	N/A	58.1	0.0	0.6	0.0	0.0	0	2.5	19.1
VMP-18	8.5	4/26/2024	57.1	0.0	N/A	51.9	0.0	0.0	0.0	0.0	0	2.2	19.5
VMP-19	5	7/27/2023	50.1	0.0	N/A	58.5	0.0	0.0	0.0	0.0	0	1.5	19.3
VMP-19	5	10/26/2023	58.2	0.0	N/A	63.1	0.0	0.0	0.0	0.0	0	0.5	20.7
VMP-19	5	2/2/2024	53.3	0.0	N/A	55.6	0.0	0.0	0.0	0.0	0	0.3	20.5
VMP-19	5	5/1/2024	50.2	0.0	N/A	52.1	0.0	0.0	0.0	0.0	0	0.5	20.0

**TABLE 3
SOIL VAPOR SAMPLING - TEDLAR® SAMPLING DATA**

Reading Location			Shroud	Tedlar® Bag 1		Shroud	Tedlar® Bag 2						
Instrument			Dielectric		Landtec	Dielectric		FID	PID	Landtec			
Location	Depth	Date	Helium in Shroud Before (%)	Helium Before (%)	CH ₄ (%)	Helium in Shroud After (%)	Helium After (%)	FID (ppmv)	PID (ppmv)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)
VMP-20	5	7/27/2023	50.4	0.0	N/A	57.6	0.0	0.0	0.0	0.0	0	5.9	14.9
VMP-20	5	10/31/2023	50.4	0.0	N/A	50.5	0.0	0.0	0.0	0.0	0	3.8	18.3
VMP-20	5	1/26/2024	50.1	0.0	N/A	52.1	0.0	0.0	3.6	0.0	0	1.6	19.1
VMP-20	5	4/29/2024	50.7	0.0	N/A	55.3	0.0	0.0	0.0	0.0	0	4.3	15.2
VMP-20	10	7/27/2023	50.5	0.0	N/A	65.4	0.0	0.0	0.0	0.0	0	7.6	13.1
VMP-20	10	10/31/2023	50.1	0.0	N/A	50.6	0.0	0.0	0.0	0.0	0	5.0	17.3
VMP-20	10	1/26/2024	50.6	0.0	N/A	56.6	0.0	0.0	0.0	0.0	0	2.5	17.9
VMP-20	10	4/29/2024	50.2	0.0	N/A	58.7	0.0	0.0	0.0	0.0	0	4.7	14.9
VMP-20	25	7/27/2023	50.2	0.0	N/A	56.5	0.1	0.0	0.0	0.0	0	3.2	16.9
VMP-20	25	10/31/2023	50.2	0.0	N/A	57.3	0.0	0.0	0.0	0.0	0	4.6	17.2
VMP-20	25	1/26/2024	50.2	0.0	N/A	55.1	0.0	0.0	0.0	0.0	0	2.8	18.2
VMP-20	25	4/29/2024	50.3	0.0	N/A	62.3	0.0	0.0	0.0	0.0	0	2.1	18.5
VMP-20 ⁸	39.5	7/27/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-20 ⁸	39.5	10/31/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-20 ⁹	39.5	2/2/2024	50.0	0.0	N/A	50.3	0.0	0.0	0.0	0.0	0	2.9	16.2
VMP-20	39.5	4/29/2024	50.2	0.0	N/A	60.0	0.0	0.0	0.0	0.0	0	4.4	11.9
VMP-21	5	8/2/2023	50.3	0.0	N/A	51.8	0.0	0.0	0.0	0.0	0	7.1	13.3
VMP-21	5	11/2/2023	50.1	0.0	N/A	55.0	0.0	0.0	0.0	0.0	0	3.5	19.5
VMP-21	5	2/1/2024	50.2	0.0	N/A	57.7	0.0	0.0	0.0	0.0	0	1.1	19.7
VMP-21	5	5/6/2024	50.9	0.0	N/A	60.4	0.0	0.0	0.0	0.0	0	2.5	15.4
VMP-21	10	8/2/2023	50.4	0.0	N/A	60.7	0.0	0.0	0.0	0.0	0	5.6	14.0
VMP-21	10	11/2/2023	50.1	0.0	N/A	57.6	0.0	0.0	0.0	0.0	0	6.5	16.8
VMP-21	10	2/1/2024	57.7	0.0	N/A	55.5	0.0	0.0	0.0	0.0	0	3.3	18.1
VMP-21	10	5/6/2024	50.3	0.0	N/A	58.4	0.0	0.0	0.0	0.0	0	3.2	17.4
VMP-21	25	8/2/2023	50.4	0.0	N/A	60.2	0.0	0.0	0.0	0.0	0	3.5	16.6
VMP-21	25	11/2/2023	50.0	0.0	N/A	52.7	0.0	0.0	0.0	0.0	0	5.2	17.1
VMP-21	25	2/1/2024	51.1	0.0	N/A	59.8	0.0	0.0	0.0	0.0	0	4.3	16.8
VMP-21	25	5/6/2024	50.1	0.0	N/A	59.5	0.0	0.0	0.0	0.0	0	3.6	17.3
VMP-21	33	8/2/2023	50.2	0.0	N/A	58.9	0.0	0.0	0.0	0.0	0	3.6	16.4
VMP-21	33	11/2/2023	50.0	0.0	N/A	52.8	0.0	0.0	0.0	0.0	0	5.0	16.9
VMP-21	33	2/1/2024	50.0	0.0	N/A	53.6	0.0	0.0	0.0	0.0	0	4.5	16.7
VMP-21	33	5/6/2024	52.4	0.0	N/A	66.4	0.0	0.0	0.0	0.0	0	3.6	16.6
VMP-22	5	8/3/2023	50.2	0.0	N/A	55.6	0.0	0.0	0.0	0.0	0	2.5	18.1
VMP-22	5	10/31/2023	57.5	0.0	N/A	50.9	0.0	0.0	0.0	0.0	0	1.1	20.7
VMP-22	5	1/31/2024	50.7	0.0	N/A	50.2	0.0	0.0	0.0	0.0	0	0.3	20.4
VMP-22	5	5/1/2024	64.0	0.0	N/A	50.2	0.0	0.0	0.0	0.0	0	0.9	0.9
VMP-22	10	8/3/2023	50.1	0.0	N/A	60.5	0.0	0.0	0.0	0.0	0	1.3	17.5
VMP-22	10	10/31/2023	58.2	0.0	N/A	56.3	0.0	0.0	0.0	0.0	0	0.4	20.7
VMP-22 ¹¹	10	2/29/2024	52.9	0.0	N/A	55.6	0.0	0.0	0.0	0.0	0	0.1	20.9
VMP-22	10	5/1/2024	55.0	0.2	N/A	53.0	0.3	15.3	0.0	0.0	0	1.0	19.5
VMP-22	18	8/3/2023	50.2	0.1	N/A	58.6	0.0	0.0	0.0	0.0	0	1.8	18.3
VMP-22	18	10/31/2023	53.5	0.0	N/A	50.1	0.0	0.0	0.0	0.0	0	1.9	20.4
VMP-22	18	1/31/2024	50.1	0.1	N/A	54.1	0.0	0.0	0.0	0.0	0	0.9	20.0
VMP-22	18	5/1/2024	52.2	0.0	N/A	54.3	0.2	0.0	0.0	0.0	0	1.2	19.1
VMP-22	38	8/3/2023	50.3	0.2	N/A	57.7	1.0	0.0	0.0	0.0	0	1.2	18.5
VMP-22	38	10/31/2023	54.3	0.3	N/A	52.8	0.3	0.0	0.0	0.0	0	0.8	20.1
VMP-22	38	1/31/2024	50.2	0.0	N/A	51.2	0.0	0.0	0.0	0.0	0	0.2	20.7
VMP-22	38	5/1/2024	52.5	0.4	N/A	50.5	0.4	8.3	0.0	0.0	0	0.9	19.5
VMP-23	5	8/1/2023	52.2	0.0	N/A	60.3	0.0	0.0	0.0	0.0	0	2.6	18.4
VMP-23	5	10/30/2023	57.4	0.0	N/A	50.7	0.0	0.0	0.0	0.0	0	0.9	19.7
VMP-23	5	1/31/2024	50.8	0.0	N/A	50.6	0.0	0.0	0.0	0.0	0	0.4	19.9
VMP-23	5	4/30/2024	51.6	0.0	N/A	58.8	0.0	0.0	0.0	0.0	0	1.3	19.3
VMP-23	10	8/1/2023	53.0	0.0	N/A	61.7	0.0	0.0	0.0	0.0	0	2.0	18.8
VMP-23	10	10/30/2023	55.4	0.0	N/A	51.2	0.0	0.0	0.0	0.0	0	1.5	19.5
VMP-23	10	1/31/2024	51.3	0.0	N/A	50.8	0.0	0.0	0.0	0.0	0	0.5	20.2
VMP-23	10	4/30/2024	54.6	0.0	N/A	50.6	0.0	0.0	0.0	0.0	0	1.1	19.6
VMP-23	25	8/1/2023	51.7	0.0	N/A	50.9	0.0	0.0	0.0	0.0	0	2.2	18.1
VMP-23	25	10/30/2023	50.2	0.0	N/A	50.8	0.0	0.0	0.0	0.0	0	3.5	19.2
VMP-23	25	1/31/2024	53.3	0.0	N/A	50.2	0.0	0.0	0.0	0.0	0	3.0	18.1
VMP-23	25	4/30/2024	50.5	0.0	N/A	50.1	0.0	0.0	0.0	0.0	0	1.9	18.7
VMP-23	40	8/1/2023	59.0	0.0	N/A	56.4	0.0	0.0	0.0	0.0	0	2.4	17.6
VMP-23	40	10/30/2023	59.6	0.0	N/A	50.7	0.0	0.0	0.0	0.0	0	3.9	17.0
VMP-23	40	1/31/2024	54.7	0.0	N/A	55.5	0.0	0.0	0.0	0.0	0	4.1	16.9
VMP-23	40	4/30/2024	51.6	0.0	N/A	51.2	0.0	0.0	0.0	0.0	0	3.0	18.0
VMP-24	5	7/24/2023	54.6	0.0	N/A	55.2	0.0	0.0	0.0	0.0	0	3.1	17.7
VMP-24	5	10/26/2023	56.4	0.0	N/A	57.2	0.0	0.0	0.0	0.0	0	4.7	16.3
VMP-24	5	1/26/2024	50.1	0.0	N/A	58.2	0.0	6.0	0.0	0.0	0	3.9	16.4
VMP-24	5	4/26/2024	50.1	0.0	N/A	60.8	0.0	0.0	0.0	0.0	0	4.7	16.8

**TABLE 3
SOIL VAPOR SAMPLING - TEDLAR® SAMPLING DATA**

Reading Location			Shroud	Tedlar® Bag 1			Shroud	Tedlar® Bag 2					
Instrument			Dielectric		Landtec	Dielectric		FID	PID	Landtec			
Location	Depth	Date	Helium in Shroud Before (%)	Helium Before (%)	CH ₄ (%)	Helium in Shroud After (%)	Helium After (%)	FID (ppmv)	PID (ppmv)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)
VMP-24	10	7/24/2023	58.8	0.0	N/A	51.2	0.0	0.0	0.0	0.0	0	5.0	15.5
VMP-24	10	10/26/2023	52.4	0.0	N/A	58.2	0.0	0.0	0.0	0.0	0	5.9	15.4
VMP-24	10	1/26/2024	50.1	0.0	N/A	50.0	0.0	0.0	0.0	0.0	0	4.5	15.7
VMP-24	10	4/26/2024	51.0	0.0	N/A	66.1	0.0	0.0	0.0	0.0	0	5.0	16.3
VMP-24	22	7/24/2023	52.2	0.0	N/A	61.5	0.1	0.0	0.0	0.0	0	2.2	18.5
VMP-24	22	10/26/2023	53.5	0.4	N/A	51.2	0.2	0.0	0.0	0.0	0	3.8	16.9
VMP-24	22	1/26/2024	50.1	0.0	N/A	50.7	0.0	6.2	0.0	0.0	0	3.3	16.1
VMP-24	22	4/26/2024	52.3	0.0	N/A	62.1	0.0	0.0	0.0	0.0	0	4.3	16.6
VMP-24	34	7/24/2023	56.9	0.1	N/A	53.5	0.0	0.0	0.0	0.0	0	2.8	17.7
VMP-24	34	10/26/2023	53.4	0.0	N/A	53.1	0.0	0.0	0.0	0.0	0	4.1	16.3
VMP-24	34	1/26/2024	50.6	0.0	N/A	61.0	0.0	6.7	0.0	0.0	0	2.9	16.7
VMP-24	34	4/26/2024	50.3	0.0	N/A	55.1	1.8	0.0	0.0	0.0	0	2.7	17.9
VMP-25	5	7/26/2023	51.2	0.0	N/A	61.8	0.0	20930	22.4	2.0	41	8.7	1.9
VMP-25	5	11/1/2023	50.2	0.0	N/A	51.2	0.0	20980	4.2	2.1	42	5.7	0.6
VMP-25 ^b	5	1/25/2024	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-25 ^b	5	4/25/2024	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-25 ^b	9.5	7/26/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-25 ^b	9.5	11/1/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-25 ^b	9.5	1/25/2024	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-25 ^b	9.5	4/25/2024	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-25 ^b	21	7/26/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-25 ^b	21	11/1/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-25 ^b	21	1/25/2024	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-25 ^b	21	4/25/2024	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-25 ⁷	31	7/26/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-25 ⁷	31	11/1/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-25 ⁷	31	1/25/2024	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-25 ⁷	31	4/25/2024	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-32	5	8/2/2023	50.4	0.0	N/A	65.3	0.0	0.0	0.0	0.0	0	4.0	16.0
VMP-32	5	11/2/2023	50.0	0.0	N/A	54.3	0.0	0.0	0.0	0.0	0	4.6	16.7
VMP-32	5	2/2/2024	50.2	0.0	N/A	62.4	0.0	0.0	0.0	0.0	0	1.5	19.7
VMP-32	5	5/6/2024	65.4	0.0	N/A	50.2	0.0	0.0	0.0	0.0	0	1.9	18.3
VMP-32	10	8/2/2023	50.3	0.0	N/A	63.8	0.0	0.0	0.0	0.0	0	3.9	15.9
VMP-32	10	11/2/2023	50.0	0.0	N/A	65.3	0.0	0.0	0.0	0.0	0	4.9	16.3
VMP-32	10	2/2/2024	50.9	0.0	N/A	52.5	0.0	0.0	0.0	0.0	0	2.9	18.6
VMP-32	10	5/6/2024	53.2	0.0	N/A	51.5	0.0	0.0	0.0	0.0	0	1.9	17.7
VMP-32	20	8/2/2023	50.2	0.2	N/A	62.2	0.3	0.0	0.0	0.0	0	1.1	19.3
VMP-32	20	11/2/2023	50.0	0.0	N/A	63.3	0.0	0.0	0.0	0.0	0	0.8	19.6
VMP-32	20	2/2/2024	50.0	0.0	N/A	57.3	0.0	0.0	0.0	0.0	0	0.3	20.7
VMP-32	20	5/6/2024	54.7	0.2	N/A	53.6	0.2	0.0	0.0	0.0	0	0.3	19.6
VMP-32	30	8/2/2023	50.1	0.0	N/A	54.0	0.0	0.0	0.0	0.0	0	0.6	19.5
VMP-32	30	11/2/2023	50.0	0.0	N/A	57.3	0.1	0.0	0.0	0.0	0	0.6	19.7
VMP-32	30	2/2/2024	50.1	1.0	N/A	59.2	1.0	0.0	0.0	0.0	0	0.0	20.6
VMP-32	30	5/6/2024	54.0	0.4	N/A	54.6	0.5	0.0	0.0	0.0	0	0.1	20.6
VMP-41	10	7/27/2023	57.7	0.0	N/A	54.5	0.0	0.0	0.0	0.0	0	0.8	19.2
VMP-41	10	10/26/2023	54.7	0.0	N/A	54.7	0.0	0.0	0.0	0.0	0	1.2	18.8
VMP-41	10	1/26/2024	51.3	0.0	N/A	57.3	0.0	0.0	0.0	0.0	0	1.0	19.4
VMP-41	10	4/30/2024	52.0	0.0	N/A	52.2	0.0	0.0	0.0	0.0	0	0.9	20.2
VMP-41	20	7/27/2023	66.1	0.0	N/A	50.2	0.0	0.0	0.0	0.0	0	1.5	18.7
VMP-41	20	10/26/2023	59.0	0.0	N/A	50.0	0.0	0.0	0.0	0.0	0	1.7	18.4
VMP-41	20	1/26/2024	52.1	0.0	N/A	50.3	0.0	0.0	0.0	0.0	0	1.5	18.9
VMP-41	20	4/30/2024	53.1	0.0	N/A	51.3	0.0	0.0	0.0	0.0	0	1.0	19.3
VMP-41	26	7/27/2023	58.5	0.0	N/A	55.6	0.0	0.0	0.0	0.0	0	0.8	18.0
VMP-41	26	10/26/2023	53.4	0.1	N/A	55.7	0.1	0.0	0.0	0.0	0	2.1	17.6
VMP-41	26	1/26/2024	50.5	0.0	N/A	52.8	0.0	0.0	0.0	0.0	0	2.2	17.8
VMP-41	26	4/30/2024	50.5	0.0	N/A	50.5	0.0	0.0	0.0	0.0	0	1.4	18.6
VMP-42	10	7/31/2023	50.4	0.2	N/A	64.7	1.4	0.0	0.0	0.0	0	0.4	19.5
VMP-42	10	10/27/2023	50.1	0.0	N/A	62.5	0.0	0.0	0.0	0.0	0	0.3	20.0
VMP-42	10	1/31/2024	50.1	0.0	N/A	56.3	0.0	0.0	0.0	0.0	0	0.3	20.9
VMP-42	10	5/3/2024	50.0	0.0	N/A	79.9	0.9	11.7	17.3	0.0	0	0.2	20.4
VMP-42	20	7/31/2023	50.7	0.0	N/A	61.8	0.0	0.0	0.0	0.0	0	0.8	19.1
VMP-42	20	10/27/2023	50.1	0.0	N/A	53.9	0.0	0.0	0.0	0.0	0	0.4	20.0
VMP-42	20	1/31/2024	50.2	0.3	N/A	59.7	0.0	0.0	0.0	0.0	0	0.3	20.9
VMP-42	20	5/3/2024	51.5	0.0	N/A	63.2	1.2	14.7	20.8	0.0	0	0.2	20.4
VMP-42	30	7/31/2023	50.7	0.0	N/A	62.7	2.0	0.0	0.0	0.0	0	0.4	19.2
VMP-42	30	10/27/2023	50.1	0.1	N/A	53.6	0.0	0.0	0.0	0.0	0	0.4	20.2
VMP-42	30	1/31/2024	50.1	0.0	N/A	56.3	0.0	0.0	0.0	0.0	0	0.5	20.9
VMP-42	30	5/6/2024	51.1	0.0	N/A	62.9	0.0	0.0	0.0	0.0	0	0.3	20.3

**TABLE 3
SOIL VAPOR SAMPLING - TEDLAR® SAMPLING DATA**

Reading Location			Shroud	Tedlar® Bag 1		Shroud	Tedlar® Bag 2						
Instrument			Dielectric		Landtec	Dielectric		FID	PID	Landtec			
Location	Depth	Date	Helium in Shroud Before (%)	Helium Before (%)	CH ₄ (%)	Helium in Shroud After (%)	Helium After (%)	FID (ppmv)	PID (ppmv)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)
VMP-43	10	7/31/2023	56.1	0.0	N/A	68.1	0.0	0.0	0.0	0.0	0	0.7	20.0
VMP-43	10	10/27/2023	56.6	0.0	N/A	51.8	0.0	0.0	0.0	0.0	0	0.2	20.2
VMP-43	10	1/30/2024	54.2	0.0	N/A	57.1	0.0	0.0	0.0	0.0	0	0.3	20.2
VMP-43	10	5/3/2024	52.3	0.0	N/A	50.3	0.0	0.0	0.0	0.0	0	0.4	20.4
VMP-43	20	7/31/2023	59.1	0.0	N/A	59.1	0.0	0.0	0.0	0.0	0	0.8	20.3
VMP-43	20	10/27/2023	51.8	0.0	N/A	51.9	0.0	0.0	0.0	0.0	0	0.4	19.9
VMP-43	20	1/30/2024	52.9	0.0	N/A	55.6	0.0	0.0	0.0	0.0	0	0.5	20.0
VMP-43	20	5/3/2024	55.0	0.0	N/A	50.5	0.0	0.0	0.0	0.0	0	0.4	19.6
VMP-43	30	7/31/2023	50.7	0.0	N/A	61.0	0.0	0.0	0.0	0.0	0	0.4	20.9
VMP-43	30	10/27/2023	52.8	0.0	N/A	52.5	0.0	0.0	0.0	0.0	0	0.4	19.8
VMP-43	30	1/30/2024	51.8	0.0	N/A	54.9	0.0	0.0	0.0	0.0	0	0.5	20.3
VMP-43	30	5/3/2024	51.6	0.1	N/A	51.3	0.0	0.0	0.0	0.0	0	0.2	19.8
VMP-44 ⁷	10	7/31/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-44 ⁷	10	10/27/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-44 ⁷	10	1/30/2024	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-44 ⁷	10	5/3/2024	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-44 ⁷	20	7/31/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-44 ⁷	20	10/27/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-44 ⁷	20	1/30/2024	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-44 ⁷	20	5/3/2024	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-44 ⁷	30	7/31/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-44 ⁷	30	10/27/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-44 ⁷	30	1/30/2024	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-44 ⁷	30	5/3/2024	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-45	10	7/31/2023	50.9	0.0	N/A	59.4	0.0	0.0	0.0	0.0	0	1.3	19.3
VMP-45	10	10/27/2023	60.9	0.0	N/A	55.4	0.0	0.0	0.0	0.0	0	0.5	20.2
VMP-45	10	1/30/2024	51.1	0.0	N/A	50.4	0.0	0.0	0.0	0.0	0	0.5	20.3
VMP-45	10	5/3/2024	77.7	0.0	N/A	61.8	0.0	13.7	21.4	0.0	0	0.5	20.1
VMP-45	20	7/31/2023	51.2	0.0	N/A	62.5	0.0	0.0	0.0	0.0	0	1.8	18.5
VMP-45	20	10/27/2023	51.7	0.8	N/A	54.6	0.8	0.0	0.0	0.0	0	0.7	19.8
VMP-45	20	1/30/2024	50.7	0.0	N/A	54.3	0.0	0.0	0.0	0.0	0	0.7	20.2
VMP-45	20	5/3/2024	50.3	0.0	N/A	50.7	0.1	14.5	20.6	0.0	0	0.4	19.9
VMP-45	30	7/31/2023	50.1	0.1	N/A	56.5	0.1	0.0	0.0	0.0	0	1.1	19.2
VMP-45	30	10/27/2023	51.2	0.8	N/A	52.3	0.6	0.0	0.0	0.0	0	0.4	20.1
VMP-45	30	1/30/2024	53.3	0.0	N/A	58.4	0.0	0.0	0.0	0.0	0	0.4	20.6
VMP-45	30	5/3/2024	51.5	0.0	N/A	54.5	0.1	10.5	17.2	0.0	0	0.4	20.0
VMP-47	5	7/25/2023	51.2	0.0	N/A	66.8	0.4	0.0	0.0	0.0	0	1.6	18.3
VMP-47	5	10/27/2023	50.4	0.0	N/A	60.5	0.0	0.0	0.0	0.0	0	0.7	19.0
VMP-47	5	1/31/2024	50.2	0.0	N/A	59.2	0.0	0.0	0.0	0.0	0	0.7	20.9
VMP-47	5	4/29/2024	51.1	0.0	N/A	57.7	0.0	0.0	0.0	0.0	0	1.4	19.3
VMP-47	10	7/25/2023	50.2	0.0	N/A	51.4	0.1	0.0	0.0	0.0	0	1.9	17.9
VMP-47	10	10/27/2023	50.1	0.0	N/A	57.6	0.0	0.0	0.0	0.0	0	1.3	18.5
VMP-47	10	1/31/2024	50.2	0.0	N/A	50.0	0.0	0.0	0.0	0.0	0	1.1	20.9
VMP-47	10	4/29/2024	50.2	0.0	N/A	62.9	0.0	0.0	0.0	0.0	0	1.8	18.6
VMP-47	20	7/25/2023	52.5	0.0	N/A	50.1	0.0	0.0	0.0	0.0	0	2.1	18.5
VMP-47	20	10/27/2023	50.1	0.0	N/A	74.2	0.0	0.0	0.0	0.0	0	1.5	18.5
VMP-47	20	1/31/2024	50.1	0.0	N/A	57.3	0.0	0.0	0.0	0.0	0	1.0	20.9
VMP-47	20	4/29/2024	51.3	0.0	N/A	62.4	0.0	0.0	0.0	0.0	0	1.6	18.7
VMP-47	30	7/25/2023	50.5	0.0	N/A	69.6	0.0	0.0	0.0	0.0	0	1.0	19.1
VMP-47	30	10/30/2023	51.8	0.0	N/A	53.8	0.0	0.0	0.0	0.0	0	2.5	19.3
VMP-47	30	1/31/2024	50.1	0.0	N/A	60.6	0.0	0.0	0.0	0.0	0	2.4	20.3
VMP-47	30	4/29/2024	50.3	0.0	N/A	61.2	0.0	0.0	0.0	0.0	0	1.7	19.1
VMP-48	5	8/1/2023	50.2	0.0	N/A	61.3	0.0	0.0	0.0	0.0	0	3.8	15.8
VMP-48	5	10/31/2023	50.1	0.0	N/A	65.7	0.0	0.0	0.0	0.0	0	2.2	18.9
VMP-48	5	1/29/2024	50.4	0.0	N/A	55.6	0.0	0.0	0.0	0.0	0	1.2	20.4
VMP-48	5	5/1/2024	53.4	0.0	N/A	53.5	0.0	0.0	0.0	0.0	0	2.1	16.2
VMP-48	10	8/1/2023	50.3	0.0	N/A	51.0	0.0	0.0	0.0	0.0	0	2.5	17.0
VMP-48	10	10/31/2023	50.1	0.0	N/A	61.6	0.0	0.0	0.0	0.0	0	2.1	20.5
VMP-48	10	1/29/2024	50.2	0.0	N/A	51.3	0.0	0.0	0.0	0.0	0	1.4	20.9
VMP-48	10	5/1/2024	51.0	0.0	N/A	56.3	0.0	39.9	11.1	0.0	0	1.5	17.8
VMP-48	20	8/1/2023	50.1	0.0	N/A	58.4	0.2	0.0	0.0	0.0	0	2.0	17.5
VMP-48	20	10/31/2023	50.1	0.0	N/A	54.9	0.0	0.0	0.0	0.0	0	3.0	19.0
VMP-48	20	1/29/2024	50.1	0.0	N/A	54.8	0.0	0.0	0.1	0.0	0	1.8	20.9
VMP-48	20	5/1/2024	53.4	0.0	N/A	56.5	0.0	0.0	0.0	0.0	0	0.9	19.5
VMP-48	30	8/1/2023	53.4	0.0	N/A	58.9	0.0	0.0	0.0	0.0	0	2.4	17.1
VMP-48	30	10/31/2023	50.1	0.0	N/A	58.7	0.0	0.0	0.0	0.0	0	3.4	17.0
VMP-48	30	1/29/2024	50.1	0.0	N/A	55.0	0.0	0.0	0.0	0.0	0	3.6	19.4
VMP-48	30	5/1/2024	50.1	0.0	N/A	53.9	0.0	0.0	0.0	0.0	0	2.0	19.3

**TABLE 3
SOIL VAPOR SAMPLING - TEDLAR® SAMPLING DATA**

Reading Location			Shroud	Tedlar® Bag 1		Shroud	Tedlar® Bag 2						
Instrument			Dielectric		Landtec	Dielectric		FID	PID	Landtec			
Location	Depth	Date	Helium in Shroud Before (%)	Helium Before (%)	CH ₄ (%)	Helium in Shroud After (%)	Helium After (%)	FID (ppmv)	PID (ppmv)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)
VMP-49	5	8/3/2023	50.2	0.0	N/A	55.9	0.0	0.0	0.0	0.0	0	1.5	19.2
VMP-49	5	10/31/2023	50.8	0.0	N/A	50.7	0.0	0.0	0.0	0.0	0	1.2	19.8
VMP-49	5	1/31/2024	50.4	0.1	N/A	60.1	0.1	0.0	0.0	0.0	0	0.7	19.2
VMP-49	5	5/1/2024	56.2	0.0	N/A	50.4	0.0	0.0	0.0	0.0	0	1.2	19.5
VMP-49	10	8/3/2023	52.0	0.0	N/A	56.5	0.0	0.0	0.0	0.0	0	2.8	17.8
VMP-49	10	10/31/2023	59.4	0.0	N/A	51.3	0.0	0.0	0.0	0.0	0	1.8	19.3
VMP-49	10	1/31/2024	50.8	0.0	N/A	52.6	0.0	0.0	0.0	0.0	0	0.7	18.3
VMP-49	10	5/1/2024	50.2	0.0	N/A	50.2	0.0	0.0	0.0	0.0	0	1.3	18.9
VMP-49	20	8/3/2023	50.3	0.0	N/A	59.5	0.0	0.0	0.0	0.0	0	2.2	18.6
VMP-49	20	10/31/2023	55.4	0.0	N/A	50.5	0.0	0.0	0.0	0.0	0	0.8	19.9
VMP-49	20	1/31/2024	51.3	0.0	N/A	51.5	0.0	0.0	0.0	0.0	0	0.2	18.7
VMP-49	20	5/1/2024	66.0	0.0	N/A	50.7	0.0	0.0	0.0	0.0	0	1.1	18.9
VMP-49	30	8/3/2023	50.3	0.0	N/A	58.7	0.0	0.0	0.0	0.0	0	0.8	20.1
VMP-49	30	10/31/2023	55.6	0.1	N/A	50.3	0.0	0.0	0.0	0.0	0	0.8	20.2
VMP-49	30	1/31/2024	50.0	0.0	N/A	50.6	0.0	0.0	0.0	0.0	0	0.5	18.7
VMP-49	30	5/1/2024	52.7	0.0	N/A	54.1	0.0	0.0	0.0	0.0	0	0.7	19.8
VMP-50	5	7/27/2023	50.3	0.0	N/A	62.7	0.0	0.0	0.0	0.0	0	7.9	10.8
VMP-50	5	10/31/2023	50.1	0.0	N/A	46.9	0.0	0.0	0.0	0.0	0	4.3	18.4
VMP-50	5	1/26/2024	50.4	0.0	N/A	56.4	0.0	0.0	0.0	0.0	0	0.6	19.7
VMP-50	5	5/1/2024	50.2	0.0	N/A	57.6	0.0	0.0	0.0	0.0	0	0.2	20.8
VMP-50	10	7/27/2023	50.2	0.0	N/A	61.9	0.0	0.0	0.0	0.0	0	4.7	14.2
VMP-50	10	10/31/2023	50.3	0.0	N/A	61.3	0.0	0.0	0.0	0.0	0	6.2	14.5
VMP-50	10	1/26/2024	50.2	0.0	N/A	51.9	0.0	0.0	0.0	0.0	0	3.9	17.6
VMP-50	10	5/1/2024	51.1	0.0	N/A	58.7	0.0	0.0	0.0	0.0	0	0.3	20.7
VMP-50	20	7/27/2023	50.1	0.0	N/A	59.4	0.0	0.0	0.0	0.0	0	3.5	15.9
VMP-50	20	10/31/2023	50.1	0.0	N/A	49.8	0.0	0.0	0.0	0.0	0	5.0	16.0
VMP-50	20	1/26/2024	50.3	0.0	N/A	53.7	0.0	0.0	0.0	0.0	0	5.3	16.1
VMP-50	20	5/1/2024	52.1	0.0	N/A	55.6	0.0	0.0	0.0	0.0	0	0.5	20.6
VMP-50	30	7/27/2023	50.1	0.1	N/A	62.6	0.1	11.5	0.4	0.0	0	1.9	17.4
VMP-50	30	10/31/2023	50.3	0.0	N/A	58.6	0.0	9.2	0.3	0.0	0	3.2	19.3
VMP-50	30	1/26/2024	50.2	0.0	N/A	50.0	0.0	2.3	0.2	0.0	0	3.2	19.8
VMP-50	30	5/1/2024	50.2	0.0	N/A	53.3	0.0	8.0	0.0	0.0	0	1.9	18.8
VMP-51	5	8/1/2023	51.2	0.0	N/A	59.3	0.0	0.0	0.0	0.0	0	3.1	17.8
VMP-51	5	10/27/2023	53.0	0.0	N/A	52.1	0.0	0.0	0.0	0.0	0	1.2	19.8
VMP-51	5	1/29/2024	50.3	0.0	N/A	58.4	0.0	0.0	0.0	0.0	0	0.4	20.2
VMP-51	5	4/26/2024	56.2	0.0	N/A	62.6	0.0	0.0	0.0	0.0	0	1.1	20.2
VMP-51	10	8/1/2023	52.9	0.0	N/A	54.7	0.0	0.0	0.0	0.0	0	3.0	17.3
VMP-51	10	10/27/2023	53.5	0.0	N/A	50.6	0.0	0.0	0.0	0.0	0	2.0	19.0
VMP-51	10	1/29/2024	50.2	0.0	N/A	55.1	0.0	0.0	0.0	0.0	0	0.8	18.7
VMP-51	10	4/26/2024	52.9	0.0	N/A	51.8	0.0	0.0	0.0	0.0	0	1.0	20.5
VMP-51	20	8/1/2023	51.0	0.0	N/A	52.6	0.0	0.0	0.0	0.0	0	2.0	17.0
VMP-51	20	10/27/2023	57.8	0.0	N/A	51.2	0.0	0.0	0.0	0.0	0	2.2	18.1
VMP-51	20	1/29/2024	54.3	0.0	N/A	50.2	0.0	0.0	0.0	0.0	0	1.7	17.5
VMP-51	20	4/26/2024	51.3	0.0	N/A	52.0	0.0	0.0	0.0	0.0	0	1.3	20.3
VMP-51	30	8/1/2023	50.8	0.0	N/A	55.2	0.0	0.0	0.0	0.0	0	2.1	17.9
VMP-51	30	10/27/2023	53.7	0.0	N/A	54.5	0.0	0.0	0.0	0.0	0	2.4	18.1
VMP-51	30	1/29/2024	50.5	0.0	N/A	50.5	0.0	0.0	0.0	0.0	0	2.5	16.6
VMP-51	30	4/26/2024	66.0	0.0	N/A	58.2	0.0	0.0	0.0	0.0	0	2.0	19.8
VMP-52	5	8/1/2023	53.5	0.0	N/A	51.9	0.0	0.0	0.0	0.0	0	4.8	16.4
VMP-52	5	10/30/2023	50.0	0.0	N/A	50.1	0.0	0.0	0.0	0.0	0	2.3	19.4
VMP-52	5	1/29/2024	51.0	0.0	N/A	51.2	0.0	0.0	0.0	0.0	0	0.8	19.3
VMP-52	5	4/26/2024	50.3	0.0	N/A	51.6	0.0	0.0	0.0	0.0	0	1.8	18.2
VMP-52	10	8/1/2023	54.8	0.0	N/A	61.7	0.0	0.0	0.0	0.0	0	4.0	16.4
VMP-52	10	10/30/2023	52.8	0.0	N/A	50.7	0.0	0.0	0.0	0.0	0	5.1	18.4
VMP-52	10	1/29/2024	52.2	0.0	N/A	50.2	0.0	0.0	0.0	0.0	0	2.5	17.7
VMP-52	10	4/26/2024	51.9	0.0	N/A	52.9	0.0	0.0	0.0	0.0	0	2.3	18.7
VMP-52	20	8/1/2023	51.6	0.0	N/A	50.4	0.0	0.0	0.0	0.0	0	5.1	14.3
VMP-52	20	10/30/2023	54.3	0.0	N/A	51.9	0.0	0.0	0.0	0.0	0	6.1	15.2
VMP-52	20	1/29/2024	50.9	0.0	N/A	51.0	0.0	0.0	0.0	0.0	0	6.3	12.6
VMP-52	20	4/26/2024	51.1	0.0	N/A	50.1	0.0	0.0	0.0	0.0	0	3.9	17.5
VMP-52	30	8/1/2023	51.9	0.0	N/A	54.8	0.0	0.0	0.0	0.0	0	5.2	14.2
VMP-52	30	10/30/2023	53.8	0.0	N/A	50.5	0.0	0.0	0.0	0.0	0	6.3	14.8
VMP-52	30	1/29/2024	50.7	0.0	N/A	50.5	0.0	0.0	0.0	0.0	0	6.4	12.3
VMP-52	30	4/26/2024	50.7	0.0	N/A	50.4	0.0	0.0	0.0	0.0	0	4.7	16.7
VMP-53	5	7/24/2023	55.6	0.0	N/A	52.9	0.0	0.0	0.0	0.0	0	3.3	17.4
VMP-53 ¹¹	5	12/1/2023	53.2	0.0	N/A	51.9	0.0	0.0	0.0	0.0	0	1.7	19.0
VMP-53	5	1/24/2024	50.1	0.0	N/A	58.6	0.0	0.0	0.0	0.0	0	1.0	20.5
VMP-53	5	4/25/2024	50.2	0.0	N/A	65.1	0.0	0.0	0.0	0.0	0	1.5	19.0

**TABLE 3
SOIL VAPOR SAMPLING - TEDLAR® SAMPLING DATA**

Reading Location			Shroud	Tedlar® Bag 1		Shroud	Tedlar® Bag 2						
Instrument			Dielectric		Landtec	Dielectric		FID	PID	Landtec			
Location	Depth	Date	Helium in Shroud Before (%)	Helium Before (%)	CH ₄ (%)	Helium in Shroud After (%)	Helium After (%)	FID (ppmv)	PID (ppmv)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)
VMP-53	10	7/24/2023	56.4	0.0	N/A	52.9	0.0	0.0	0.0	0.0	0	2.9	17.7
VMP-53	10	10/25/2023	53.2	0.0	N/A	50.7	0.0	0.0	0.0	0.0	0	2.6	18.2
VMP-53	10	1/24/2024	50.1	0.0	N/A	54.6	0.0	0.0	0.0	0.0	0	2.0	19.6
VMP-53	10	4/25/2024	53.2	0.0	N/A	61.2	0.0	0.0	0.0	0.0	0	1.3	19.1
VMP-53	20	7/24/2023	57.8	0.0	N/A	54.1	0.0	0.0	0.0	0.0	0	2.8	16.5
VMP-53	20	10/25/2023	58.7	0.0	N/A	55.3	0.0	0.0	0.0	0.0	0	3.4	16.8
VMP-53	20	1/24/2024	50.4	0.0	N/A	60.7	0.0	0.0	0.0	0.0	0	3.5	17.8
VMP-53	20	4/25/2024	50.1	0.0	N/A	63.3	0.0	0.0	0.0	0.0	0	2.1	18.2
VMP-53	30	7/24/2023	57.1	0.0	N/A	50.1	0.0	0.0	0.0	0.0	0	2.8	16.2
VMP-53	30	10/25/2023	63.2	0.0	N/A	52.6	0.0	0.0	0.0	0.0	0	3.8	16.2
VMP-53	30	1/24/2024	50.1	0.0	N/A	50.2	0.0	0.0	0.0	0.0	0	4.3	16.8
VMP-53	30	4/25/2024	50.4	0.0	N/A	65.1	0.0	0.0	0.0	0.0	0	2.9	17.5
VMP-54	5	7/25/2023	54.5	0.0	N/A	55.3	0.0	0.0	0.0	0.0	0	3.9	15.5
VMP-54	5	10/25/2023	50.2	0.0	N/A	55.4	0.0	0.0	0.0	0.0	0	3.3	16.7
VMP-54	5	1/24/2024	50.6	0.0	N/A	51.4	0.0	0.0	0.0	0.0	0	1.6	19.4
VMP-54	5	4/25/2024	60.1	0.0	N/A	52.3	0.0	0.0	0.0	0.0	0	2.8	17.2
VMP-54	10	7/25/2023	58.3	0.0	N/A	55.9	0.6	0.0	0.0	0.0	0	3.5	14.5
VMP-54	10	10/25/2023	50.2	0.0	N/A	58.9	0.0	0.0	0.0	0.0	0	4.0	15.1
VMP-54	10	1/24/2024	50.7	0.0	N/A	59.2	0.0	0.0	0.0	0.0	0	2.7	17.8
VMP-54	10	4/25/2024	55.2	0.0	N/A	52.8	0.0	0.0	0.0	0.0	0	2.8	16.8
VMP-54	20	7/25/2023	60.9	0.0	N/A	60.4	0.0	0.0	0.0	0.0	0	3.2	13.5
VMP-54	20	10/25/2023	50.2	0.0	N/A	56.0	0.0	0.0	0.0	0.0	0	4.9	12.9
VMP-54	20	1/24/2024	51.3	0.0	N/A	52.2	0.0	0.0	0.0	0.0	0	4.6	15.2
VMP-54	20	4/25/2024	52.1	0.0	N/A	50.3	0.0	0.0	0.0	0.0	0	3.8	14.9
VMP-54 ⁸	30	7/25/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-54	30	10/25/2023	50.3	0.0	N/A	54.9	0.0	0.0	0.0	0.0	0	2.4	17.1
VMP-54	30	1/24/2024	52.3	0.0	N/A	53.8	0.0	0.8	0.0	0.0	0	1.3	19.2
VMP-54	30	4/25/2024	52.1	0.0	N/A	50.1	0.0	0.0	0.0	0.0	0	2.1	17.8
VMP-55 ⁸	5	7/26/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-55 ⁸	5	10/30/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-55 ⁸	5	1/25/2024	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-55 ⁸	5	4/30/2024	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-55 ⁸	10	7/26/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-55 ⁸	10	10/30/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-55 ⁸	10	1/25/2024	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-55 ⁸	10	4/30/2024	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-55	20	7/26/2023	50.5	0.0	N/A	61.7	0.0	13370	61.7	1.3	27	15.0	0.2
VMP-55	20	10/30/2023	50.5	0.0	N/A	52.8	0.0	56850	339	21.0	OVR	17.3	0.2
VMP-55	20	1/25/2024	50.7	0.0	N/A	51.5	0.0	112000	208	16.4	OVR	17.5	0.2
VMP-55	20	4/30/2024	51.2	2.2	78.5	61.7	2.0	167000	268	79.8	OVR	14.6	0.2
VMP-55 ⁸	30	7/26/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-55 ⁸	30	10/30/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-55 ⁸	30	1/25/2024	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-55 ⁸	30	4/30/2024	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-56	10	8/1/2023	50.2	0.0	N/A	59.0	0.0	0.0	0.0	0.0	0	0.9	19.1
VMP-56	10	11/1/2023	50.1	0.0	N/A	58.3	0.0	0.0	0.0	0.0	0	0.5	20.0
VMP-56	10	2/1/2024	50.1	0.0	N/A	54.0	0.1	0.0	0.0	0.0	0	0.3	20.6
VMP-56	10	5/2/2024	50.2	0.0	N/A	63.2	0.0	0.0	0.0	0.0	0	0.6	19.9
VMP-56	25	8/1/2023	50.2	0.0	N/A	60.4	0.0	0.0	0.0	0.0	0	0.8	18.9
VMP-56	25	11/1/2023	50.1	0.0	N/A	52.5	0.0	0.0	0.0	0.0	0	1.2	20.5
VMP-56	25	2/1/2024	50.7	0.0	N/A	57.4	0.0	0.0	0.0	0.0	0	0.6	20.3
VMP-56	25	5/2/2024	52.1	0.0	N/A	58.9	0.0	0.0	0.0	0.0	0	0.4	20.0
VMP-56 ⁸	38.5	8/1/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-56	38.5	11/1/2023	50.1	0.0	N/A	57.4	0.0	51290	2701	80.0	OVR	0.8	20.9
VMP-56	38.5	2/1/2024	50.1	0.0	N/A	57.4	0.1	19130	2548	18.1	OVR	0.6	20.1
VMP-56	38.5	5/2/2024	50.2	0.0	N/A	58.6	0.0	16230	2384	31.7	OVR	0.4	20.0
VMP-62	5	7/25/2023	50.2	0.0	N/A	62.0	0.0	0.0	0.0	0.0	0	6.8	14.0
VMP-62	5	10/26/2023	53.1	0.0	N/A	53.1	0.0	0.0	0.0	0.0	0	3.5	17.8
VMP-62	5	1/29/2024	50.1	0.0	N/A	50.0	0.0	0.0	0.0	0.0	0	2.1	19.4
VMP-62	5	4/29/2024	50.3	0.0	N/A	61.4	0.0	0.0	0.0	0.0	0	3.7	15.9
VMP-62	10	7/25/2023	50.6	0.0	N/A	60.4	0.0	0.0	0.0	0.0	0	5.7	14.2
VMP-62	10	10/26/2023	51.7	0.0	N/A	59.8	0.0	0.0	0.0	0.0	0	4.4	17.1
VMP-62	10	1/29/2024	50.1	0.0	N/A	54.2	0.0	0.0	0.0	0.0	0	2.9	19.1
VMP-62	10	4/29/2024	50.1	0.0	N/A	55.2	0.0	0.0	0.0	0.0	0	3.2	16.9
VMP-62	20	7/25/2023	53.2	0.0	N/A	65.4	0.0	0.0	0.0	0.0	0	4.5	16.0
VMP-62	20	10/26/2023	56.8	0.0	N/A	57.3	0.0	0.0	0.0	0.0	0	4.4	17.1
VMP-62	20	1/30/2024	51.2	2.5	N/A	56.7	0.3	0.0	0.0	0.0	0	2.9	20.4
VMP-62	20	4/29/2024	50.8	0.0	N/A	50.4	0.0	0.0	0.0	0.0	0	2.3	18.1

**TABLE 3
SOIL VAPOR SAMPLING - TEDLAR® SAMPLING DATA**

Reading Location			Shroud	Tedlar® Bag 1			Shroud	Tedlar® Bag 2					
Instrument			Dielectric		Landtec	Dielectric		FID	PID	Landtec			
Location	Depth	Date	Helium in Shroud Before (%)	Helium Before (%)	CH ₄ (%)	Helium in Shroud After (%)	Helium After (%)	FID (ppmv)	PID (ppmv)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)
VMP-62	30	7/25/2023	50.1	0.0	N/A	63.8	0.0	0.0	0.0	0.0	0	1.8	18.5
VMP-62	30	10/26/2023	53.4	0.0	N/A	59.2	0.0	0.0	0.0	0.0	0	2.5	18.1
VMP-62	30	1/30/2024	50.1	0.0	N/A	56.8	0.0	0.0	0.0	0.0	0	2.7	20.0
VMP-62	30	4/29/2024	50.5	0.0	N/A	63.1	0.0	0.0	0.0	0.0	0	2.0	18.2
VMP-63	5	7/31/2023	50.5	0.0	N/A	56.2	0.0	0.0	0.0	0.0	0	1.8	18.2
VMP-63	5	10/27/2023	50.1	0.0	N/A	53.8	0.0	0.0	0.0	0.0	0	0.8	20.2
VMP-63	5	1/30/2024	50.1	0.0	N/A	60.7	0.0	0.0	0.0	0.0	0	0.5	20.9
VMP-63	5	5/3/2024	50.9	0.0	N/A	60.0	0.0	10.5	15.2	0.0	0	0.9	19.2
VMP-63	10	7/31/2023	50.2	0.0	N/A	63.1	0.0	0.0	0.0	0.0	0	1.8	18.5
VMP-63	10	10/27/2023	50.1	0.0	N/A	51.7	0.0	0.0	0.0	0.0	0	1.1	19.9
VMP-63	10	1/30/2024	50.1	0.0	N/A	59.4	0.0	0.0	0.0	0.0	0	0.6	20.6
VMP-63	10	5/3/2024	50.4	0.0	N/A	64.1	0.0	14.2	20.1	0.0	0	0.8	19.7
VMP-63	20	7/31/2023	51.1	0.0	N/A	61.7	0.1	0.0	0.0	0.0	0	1.7	18.2
VMP-63	20	10/27/2023	50.1	0.0	N/A	55.3	0.0	0.0	0.0	0.0	0	2.0	19.1
VMP-63 ¹¹	20	2/29/2024	53.1	0.0	N/A	64.7	0.0	0.0	0.0	0.0	0	0.8	20.9
VMP-63	20	5/3/2024	51.1	0.0	N/A	63.7	0.0	9.7	11.1	0.0	0	0.9	19.6
VMP-63	30	7/31/2023	50.5	0.0	N/A	68.7	0.0	0.0	0.0	0.0	0	1.6	18.0
VMP-63	30	10/27/2023	50.0	0.0	N/A	50.7	0.0	0.0	0.0	0.0	0	1.4	19.6
VMP-63	30	1/30/2024	50.1	0.0	N/A	50.0	0.0	0.0	0.0	0.0	0	1.0	20.9
VMP-63	30	5/3/2024	52.1	0.0	N/A	63.9	0.0	9.3	11.4	0.0	0	1.0	18.5
VMP-64	5	7/21/2023	54.8	0.0	N/A	55.2	0.0	0.0	0.0	0.0	0	2.8	17.7
VMP-64	5	10/26/2023	53.3	0.0	N/A	60.8	0.0	0.0	0.0	0.0	0	2.0	18.8
VMP-64	5	1/29/2024	50.3	0.0	N/A	52.4	0.0	0.0	0.0	0.0	0	1.1	20.9
VMP-64	5	4/26/2024	50.2	0.0	N/A	59.2	0.0	0.0	0.0	0.0	0	2.3	17.5
VMP-64	10	7/21/2023	55.4	0.0	N/A	59.2	0.0	0.0	0.0	0.0	0	3.9	15.6
VMP-64	10	10/26/2023	51.6	0.0	N/A	52.0	0.0	0.0	0.0	0.0	0	5.7	15.5
VMP-64	10	1/29/2024	50.2	0.0	N/A	55.4	0.0	0.0	0.0	0.0	0	3.9	18.8
VMP-64	10	4/26/2024	50.1	0.0	N/A	62.1	0.0	0.0	0.0	0.0	0	3.1	17.3
VMP-64	20	7/21/2023	66.2	0.0	N/A	50.2	0.0	0.0	0.0	0.0	0	3.1	16.4
VMP-64	20	10/26/2023	52.8	0.0	N/A	61.0	0.0	0.0	0.0	0.0	0	4.0	16.1
VMP-64	20	1/29/2024	50.1	0.0	N/A	50.0	0.0	0.0	0.0	0.0	0	4.7	17.1
VMP-64	20	4/26/2024	54.2	0.0	N/A	60.1	0.0	0.0	0.0	0.0	0	3.2	17.0
VMP-64 ⁸	28	7/21/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-64 ⁸	28	10/26/2023	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-64 ⁸	28	1/29/2024	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VMP-64 ⁸	28	4/26/2024	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

Notes:

- OVR is used to indicate a reading over range for the FID, PID, or Landtec.
- N/A is used to indicate that a reading was not collected because it was unnecessary (i.e., CH₄ on Tedlar® Bag 1 if helium in Bag was minimal).
- NM is used to indicate that a reading was not measured.
- NS is used to indicate that a reading was not collected because the port could not be sampled.
- FID readings were taken with a TVA-2020. When oxygen concentrations were <14%, or when the sample put the flame out, a dilution tip was used when analyzing samples with the FID.
The dilution tip introduces ambient air in a 10:1 ratio to the sample, which requires the sample readings to be multiplied by 10 to get the actual value.
The FID readings in this table illustrate the actual FID values that were represented in each sample.
- Negative readings on the FID are recorded as zero.
- VMP not sampled due to port integrity.
- VMP not sampled because screen submerged below water table, capillary fringe, or a temporary water condition.
- VMP re-sampled due to elevated helium readings (>10% of shroud) in canister at the laboratory.
- VMP not sampled because vehicle was consistently parked on well vault.
- VMP re-sampled due to anomalous results in the initial sample.
- VMP re-sampled due to issues with the canister after arriving at the laboratory.

**TABLE 4
SOIL VAPOR SCREENING CRITERIA**

Chemical	Residential (mg/m ³)	Industrial/ Commercial (mg/m ³)
TO-15 Analytes		
Acetone	750,000	750,000
Benzene	0.37	2.8
Bromodichloromethane	450,000	450,000
Bromoform	11.0	52.0
Bromomethane	6.9	42.0
1,3-Butadiene		
2-Butanone	6,400	40,000
Carbon disulfide	780	5,300
Carbon tetrachloride	0.21	1.5
Chlorobenzene	69.0	420
Chlorodibromomethane	57,000	57,000
Chloroethane		
Chloroform	0.11	0.92
Chloromethane		
Allyl chloride (3-Chloropropene)		
alpha-Chlorotoluene		
Cyclohexane		
1,2-Dibromo-3-chloropropane (DBCP)	0.0012	0.0062
1,2-Dibromoethane (EDB)	0.0078	0.048
1,2-Dichlorobenzene	290	1,700
1,3-Dichlorobenzene		
1,4-Dichlorobenzene	1,200	6,800
Dichlorodifluoromethane (Freon 12)	270	1,700
1,1-Dichloroethane	690	4,200
1,2-Dichloroethane	0.099	0.81
1,1-Dichloroethene	240	1,600
cis-1,2-Dichloroethene	1,100,000	1,100,000
trans-1,2-Dichloroethene	85.0	510
Dichloromethane (Methylene chloride)	5.6	45.0
1,2-Dichloropropane	0.31	2.3
cis-1,3-Dichloropropene	0.9	6.2
trans-1,3-Dichloropropene	0.9	6.2
1,4-Dioxane	0.22	2.3
Ethanol		
Ethylbenzene	1.3	9.3
4-Ethyltoluene		
Freon 113		
Freon 114		
Heptane		
Hexachlorobutadiene		
Hexane		
2-Hexanone (Methyl N-Butyl Ketone)		
Isopropylbenzene (Cumene)	600	3,500
4-Methyl-2-pentanone (Methyl Isobutyl Ketone)		
Methyl tert-Butyl Ether (MTBE)	3,700	24,000
n-Propylbenzene		
2-Propanol		
Styrene	1,400	8,500
Tetrachloroethene	0.55	4.0
1,1,2,2-Tetrachloroethane		
Tetrahydrofuran		
Toluene	6,200	40,000
1,2,4-Trichlorobenzene	5.4	25.0
Trichloroethene	1.5	12.0
1,1,1-Trichloroethane (Methyl chloroform)	6,600	41,000
1,1,2-Trichloroethane	170,000	170,000
Trichlorofluoromethane (Freon 11)	860	5,600
1,2,4-Trimethylbenzene		
1,3,5-Trimethylbenzene		
2,2,4-Trimethylpentane		
Vinyl chloride	0.29	4.8
Xylenes (total)	140	840
m,p-Xylene	130	820
o-Xylenes	120	790

Note:

1. Screening criteria source: Illinois Pollution Control Board, Tiered Approach to Corrective Action (TACO) Title 35 - Subtitle G; Chapter I, Subchapter f; Part 742; Appendix B, Table H: Tier 1 Indoor Inhalation Remediation Objectives for Residential and Industrial/Commercial Properties for the Diffusion and Advection Exposure Route, July 15, 2013.
2. Blank cells indicate that chemical does not have screening criteria.

**TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS**

Location	Depth	Sample ID	Sample Date	Benzene			Bromodichloromethane			Butane			Carbon Tetrachloride			Chlorobenzene			Chloroform			Chloromethane			Dichlorodifluoromethane		
				0.37			450000			0.21			69			0.11			270								
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-1	5	VMP-1-5-073123	7/31/2023	0.00087	J		< 0.0081	U		0.0084	J		< 0.0076	U		< 0.0055	U		< 0.0059	U		< 0.025	U		0.0024	J	
VMP-1	5	VMP-1-5-102723	10/27/2023	< 0.0032	U		< 0.0068	U		0.0092	J		< 0.0064	U		< 0.0046	U		< 0.0049	U		< 0.021	U		< 0.0050	U	
VMP-1	5	VMP-1-5-013024	1/30/2024	0.0014	J		< 0.0074	U		< 0.01	U		< 0.0069	U		< 0.0051	U		< 0.0054	U		< 0.023	U		< 0.0054	U	
VMP-1	5	VMP-1-5-050324	5/3/2024	< 0.0038	U		< 0.0081	U		< 0.011	U		< 0.0076	U		< 0.0055	U		< 0.0059	U		< 0.025	U		< 0.0060	U	
VMP-1	8.5	VMP-1-8.5-073123	7/31/2023	0.0012	J		< 0.0081	U		0.0090	J		< 0.0076	U		< 0.0056	U		< 0.0059	U		< 0.025	U		0.0023	J	
VMP-1	8.5	VMP-1-8.5-073123-DUP	7/31/2023	0.00090	J		< 0.0080	U		0.0075	J		< 0.0076	U		< 0.0055	U		< 0.0058	U		< 0.025	U		0.0024	J	
VMP-1	8.5	VMP-1-8.5-102723	10/27/2023	0.00099	J		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		< 0.0054	U	
VMP-1	8.5	VMP-1-8.5-013024	1/30/2024	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0069	U		< 0.0051	U		< 0.0054	U		< 0.023	U		< 0.0054	U	
VMP-1	8.5	VMP-1-8.5-013024-DUP	1/30/2024	< 0.0032	U		< 0.0068	U		< 0.0096	U		< 0.0064	U		< 0.0046	U		< 0.0049	U		< 0.021	U		< 0.0050	U	
VMP-1	8.5	VMP-1-8.5-050324	5/3/2024	< 0.0039	U		< 0.0081	U		< 0.012	U		< 0.0076	U		< 0.0056	U		< 0.0059	U		< 0.025	U		< 0.0060	U	
VMP-1	38.5	VMP-1-38.5-013024	1/30/2024	0.00088	J		< 0.0069	U		< 0.0097	U		< 0.0064	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-1	38.5	VMP-1-38.5-050324	5/3/2024	< 0.0036	U		< 0.0075	U		< 0.011	U		< 0.0070	U		< 0.0051	U		< 0.0054	U		< 0.023	U		< 0.0055	U	
VMP-2	5	VMP-2-5-080223	8/2/2023	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		0.0027	J	
VMP-2	5	VMP-2-5-103023	10/30/2023	< 0.0033	U		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-2	5	VMP-2-5-013124	1/31/2024	< 0.0033	U		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-2	5	VMP-2-5-050624	5/6/2024	< 0.0036	U		< 0.0076	U		< 0.011	U		< 0.0071	U		< 0.0052	U		0.0041	J		< 0.023	U		< 0.0056	U	
VMP-2	8.5	VMP-2-8.5-080223	8/2/2023	< 0.0033	U		0.0031	J		< 0.0098	U		< 0.0065	U		< 0.0048	U		0.0065			< 0.021	U		0.0026	J	
VMP-2	8.5	VMP-2-8.5-080223-DUP	8/2/2023	< 0.0034	U		0.0028	J		< 0.01	U		< 0.0066	U		< 0.0048	U		0.0071			< 0.022	U		0.0028	J	
VMP-2	8.5	VMP-2-8.5-103023	10/30/2023	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0066	U		< 0.0048	U		< 0.0052	U		< 0.022	U		< 0.0052	U	
VMP-2	8.5	VMP-2-8.5-013124	1/31/2024	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0069	U		< 0.0050	U		< 0.0053	U		< 0.023	U		< 0.0054	U	
VMP-2	8.5	VMP-2-8.5-050624	5/6/2024	< 0.0034	U		0.0023	J		< 0.01	U		< 0.0067	U		< 0.0049	U		0.0067			< 0.022	U		< 0.0053	U	
VMP-2	22	VMP-2-22-080223	8/2/2023	< 0.0032	U		0.0045	J		< 0.0096	U		< 0.0064	U		< 0.0047	U		0.0082			< 0.021	U		0.0021	J	
VMP-2	22	VMP-2-22-103023	10/30/2023	0.0044			< 0.0067	U		< 0.0096	U		< 0.0063	U		< 0.0046	U		0.0012	J		< 0.021	U		< 0.0050	U	
VMP-2	22	VMP-2-22-013124	1/31/2024	< 0.0033	U		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0047	U		0.0015	J		< 0.021	U		< 0.0051	U	
VMP-2	22	VMP-2-22-050624	5/6/2024	< 0.0032	U		0.0055	J		< 0.0096	U		< 0.0064	U		< 0.0046	U		0.01			< 0.021	U		< 0.0050	U	
VMP-3	5	VMP-3-5-080223	8/2/2023	< 0.0032	U		< 0.0068	U		< 0.0096	U		< 0.0064	U		< 0.0047	U		0.00077	J		< 0.021	U		0.0021	J	
VMP-3	5	VMP-3-5-110223	11/2/2023	< 0.0032	U		< 0.0068	U		< 0.0096	U		< 0.0064	U		< 0.0047	U		< 0.0050	U		< 0.021	U		0.0028	J	
VMP-3	5	VMP-3-5-022924	2/29/2024	< 0.0036	U		< 0.0075	U		< 0.011	U		< 0.0070	U		< 0.0051	U		< 0.0054	U		< 0.023	U		< 0.0055	U	
VMP-3	5	VMP-3-5-050224	5/2/2024	< 0.0038	U		< 0.0080	U		< 0.011	U		< 0.0075	U		< 0.0055	U		< 0.0058	U		< 0.025	U		< 0.0059	U	
VMP-3	10	VMP-3-10-080223	8/2/2023	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0066	U		< 0.0048	U		0.0055			< 0.022	U		0.0020	J	
VMP-3	10	VMP-3-10-110223	11/2/2023	0.0036			< 0.0066	U		0.0040	J		< 0.0062	U		< 0.0045	U		< 0.0048	U		< 0.02	U		0.0024	J	
VMP-3	10	VMP-3-10-020224	2/2/2024	< 0.0029	U		< 0.0062	U		< 0.0087	U		< 0.0058	U		< 0.0042	U		< 0.0045	U		< 0.019	U		< 0.0045	U	
VMP-3	10	VMP-3-10-050224	5/2/2024	< 0.0038	U		< 0.0081	U		< 0.011	U		< 0.0076	U		< 0.0055	U		< 0.0059	U		< 0.025	U		< 0.0060	U	
VMP-3	22	VMP-3-22-080323	8/3/2023	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0067	U		< 0.0049	U		0.0040	J		< 0.022	U		0.0024	J	
VMP-3	22	VMP-3-22-110223	11/2/2023	< 0.0033	U		< 0.0069	U		< 0.0097	U		< 0.0064	U		< 0.0047	U		0.0037	J		< 0.021	U		< 0.0051	U	
VMP-3	22	VMP-3-22-020224	2/2/2024	< 0.0032	U		< 0.0067	U		< 0.0096	U		< 0.0063	U		< 0.0046	U		0.0034	J		< 0.021	U		< 0.0050	U	
VMP-3	22	VMP-3-22-050224	5/2/2024	< 0.0039	U		< 0.0081	U		< 0.012	U		< 0.0076	U		< 0.0056	U		0.0015	J		< 0.025	U		< 0.0060	U	
VMP-3	31.5	VMP-3-31.5-080323	8/3/2023	< 0.0033	U		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0047	U		< 0.0050	U		< 0.021	U		0.0021	J	
VMP-3	31.5	VMP-3-31.5-110223	11/2/2023	< 0.0032	U		< 0.0066	U		< 0.0094	U		< 0.0062	U		< 0.0046	U		< 0.0048	U		< 0.02	U		< 0.0049	U	
VMP-3	31.5	VMP-3-31.5-020224	2/2/2024	< 0.0031	U		< 0.0065	U		< 0.0093	U		< 0.0061	U		< 0.0045	U		0.0011	J		< 0.02	U		< 0.0048	U	
VMP-3	31.5	VMP-3-31.5-050224	5/2/2024	< 0.0040	U		< 0.0083	U		< 0.012	U		< 0.0078	U		< 0.0057	U		< 0.0060	U		< 0.026	U		< 0.0061	U	
VMP-3	39	VMP-3-39-050224	5/2/2024	< 0.46	U		< 0.97	U		42			< 0.91	U		< 0.67	U		< 0.71	U		< 1.2	U		< 0.72	U	
VMP-4	5	VMP-4-5-080223	8/2/2023	< 0.0036	U		< 0.0076	U		< 0.011	U		< 0.0071	U		< 0.0052	U		< 0.0055	U		< 0.023	U		0.0021	J	
VMP-4	5	VMP-4-5-103123	10/31/2023	< 0.0032	U		< 0.0068	U		< 0.0096	U		< 0.0064	U		< 0.0046	U		< 0.0049	U		< 0.021	U		0.0024	J	
VMP-4	5	VMP-4-5-020224	2/2/2024	< 0.0036	U		< 0.0075	U		0.0044	J		< 0.0070	U		< 0.0052	U		< 0.0055	U		< 0.023	U		< 0.0055	U	
VMP-4	5	VMP-4-5-050624	5/6/2024	< 0.0033	U		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-4	5	VMP-4-5-050624-DUP	5/6/2024	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0052	U	
VMP-4	12	VMP-4-12-080223	8/2/2023	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0067	U		< 0.0049	U		0.0080			< 0.022	U		0.0020	J	
VMP-4	12	VMP-4-12-103123	10/31/2023	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0067	U		< 0.0049	U		0.017			< 0.022	U		< 0.0053	U	
VMP-4	12	VMP-4-12-103123-DUP	10/31/2023	< 0.0033	U		< 0.0069	U	</																		

**TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS**

Location	Depth	Sample ID	Sample Date	Benzene			Bromodichloromethane			Butane			Carbon Tetrachloride			Chlorobenzene			Chloroform			Chloromethane			Dichlorodifluoromethane		
				0.37			450000			0.21			69			0.11			270								
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-4	23.5	VMP-4-23.5-080223	8/2/2023	0.00097	J		< 0.0074	U		< 0.01	U		< 0.0069	U		< 0.0051	U		0.0018	J		< 0.023	U		0.0024	J	
VMP-4	23.5	VMP-4-23.5-103123	10/31/2023	< 0.0033	U		< 0.0070	U		< 0.0099	U		< 0.0065	U		< 0.0048	U		0.0030	J		< 0.021	U		< 0.0051	U	
VMP-4	23.5	VMP-4-23.5-020224	2/2/2024	0.0010	J		< 0.0071	U		< 0.01	U		< 0.0067	U		< 0.0049	U		0.0057			< 0.022	U		< 0.0052	U	
VMP-4	23.5	VMP-4-23.5-050624	5/6/2024	< 0.0033	U		< 0.0070	U		< 0.0099	U		< 0.0065	U		< 0.0048	U		0.0053			< 0.021	U		< 0.0051	U	
VMP-5	5	VMP-5-5-080223	8/2/2023	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		0.0028	J	
VMP-5	5	VMP-5-5-103023	10/30/2023	< 0.0033	U		< 0.0070	U		< 0.0099	U		< 0.0066	U		< 0.0048	U		< 0.0051	U		< 0.022	U		< 0.0052	U	
VMP-5	5	VMP-5-5-012924	1/29/2024	< 0.0031	U		< 0.0065	U		< 0.0093	U		< 0.0061	U		< 0.0045	U		< 0.0048	U		< 0.02	U		0.0025	J	
VMP-5	5	VMP-5-5-050124	5/1/2024	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0067	U		< 0.0049	U		0.0015	J		< 0.022	U		< 0.0053	U	
VMP-5	12.5	VMP-5-12.5-080223	8/2/2023	0.0023	J		< 0.0070	U		< 0.01	U		< 0.0066	U		< 0.0048	U		< 0.0051	U		< 0.022	U		0.0025	J	
VMP-5	12.5	VMP-5-12.5-103023	10/30/2023	< 0.0033	U		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-5	12.5	VMP-5-12.5-012924	1/29/2024	< 0.0032	U		< 0.0067	U		< 0.0095	U		< 0.0063	U		< 0.0046	U		< 0.0049	U		< 0.021	U		< 0.0049	U	
VMP-5	12.5	VMP-5-12.5-050124	5/1/2024	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0067	U		< 0.0049	U		0.0017	J		< 0.022	U		< 0.0053	U	
VMP-5	31	VMP-5-31-080223	8/2/2023	< 0.0034	U		< 0.0070	U		< 0.01	U		< 0.0066	U		< 0.0048	U		0.0030	J		< 0.022	U		0.0022	J	
VMP-5	31	VMP-5-31-103023	10/30/2023	< 0.0032	U		< 0.0066	U		< 0.0094	U		< 0.0062	U		< 0.0046	U		0.0080			< 0.02	U		< 0.0049	U	
VMP-5	31	VMP-5-31-012924	1/29/2024	< 0.0036	U		< 0.0075	U		< 0.011	U		< 0.0070	U		< 0.0051	U		0.0088			< 0.023	U		< 0.0055	U	
VMP-5	31	VMP-5-31-050124	5/1/2024	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0067	U		< 0.0049	U		0.0019	J		< 0.022	U		< 0.0053	U	
VMP-5	31	VMP-5-31-050124-DUP	5/1/2024	< 0.0032	U		< 0.0066	U		< 0.0094	U		< 0.0062	U		< 0.0046	U		0.0020	J		< 0.02	U		< 0.0049	U	
VMP-5	40	VMP-5-40-080223	8/2/2023	0.00077	J		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		0.0031	J		< 0.022	U		0.0027	J	
VMP-5	40	VMP-5-40-103123	10/31/2023	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		0.0076			< 0.022	U		0.0046	J	
VMP-5	40	VMP-5-40-012924	1/29/2024	< 0.0033	U		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-5	40	VMP-5-40-050124	5/1/2024	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0068	U		< 0.0050	U		0.0013	J		< 0.022	U		< 0.0053	U	
VMP-6	5	VMP-6-5-080123	8/1/2023	< 0.0032	U		< 0.0067	U		0.015			< 0.0063	U		< 0.0046	U		< 0.0049	U		< 0.021	U		0.0024	J	
VMP-6	5	VMP-6-5-110123	11/1/2023	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	
VMP-6	5	VMP-6-5-020124	2/1/2024	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		< 0.0054	U	
VMP-6	5	VMP-6-5-020124-DUP	2/1/2024	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		< 0.0054	U	
VMP-6	5	VMP-6-5-043024	4/30/2024	< 0.0041	U		< 0.0086	U		< 0.012	U		< 0.0081	U		< 0.0059	U		< 0.0063	U		< 0.026	U		< 0.0064	U	
VMP-6	5	VMP-6-5-043024-DUP	4/30/2024	< 0.0041	U		< 0.0086	U		< 0.012	U		< 0.0080	U		< 0.0059	U		< 0.0062	U		< 0.026	U		< 0.0063	U	
VMP-6	10	VMP-6-10-080123	8/1/2023	< 0.0036	U		< 0.0075	U		< 0.011	U		< 0.0071	U		< 0.0052	U		0.0012	J		< 0.023	U		0.0022	J	
VMP-6	10	VMP-6-10-110123	11/1/2023	< 0.0036	U		< 0.0076	U		< 0.011	U		< 0.0072	U		< 0.0052	U		< 0.0056	U		< 0.024	U		< 0.0056	U	
VMP-6	10	VMP-6-10-020124	2/1/2024	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		< 0.0053	U	
VMP-6	10	VMP-6-10-043024	4/30/2024	< 0.0039	U		< 0.0082	U		0.041			< 0.0077	U		0.0030	J		< 0.0060	U		< 0.025	U		< 0.0061	U	
VMP-6	31.5	VMP-6-31.5-080123	8/1/2023	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0067	U		< 0.0049	U		0.0013	J		< 0.022	U		0.0025	J	
VMP-6	31.5	VMP-6-31.5-110123	11/1/2023	< 0.0033	U		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0048	U		0.0013	J		< 0.021	U		< 0.0051	U	
VMP-6	31.5	VMP-6-31.5-020124	2/1/2024	0.0016	J		< 0.0076	U		< 0.011	U		< 0.0072	U		< 0.0052	U		< 0.0056	U		< 0.024	U		< 0.0056	U	
VMP-6	31.5	VMP-6-31.5-043024	4/30/2024	< 0.0039	U		< 0.0082	U		< 0.012	U		< 0.0077	U		< 0.0056	U		< 0.0060	U		< 0.025	U		< 0.0060	U	
VMP-6	39	VMP-6-39-080123	8/1/2023	< 1.7	U		< 3.5	U		940			< 3.3	U		< 2.4	U		< 2.6	U		< 4.3	U		< 2.6	U	
VMP-6	39	VMP-6-39-110123	11/1/2023	< 0.48	U		< 1	U		38			< 0.94	U		< 0.69	U		< 0.73	U		< 3.1	U		< 0.74	U	
VMP-6	39	VMP-6-39-020124	2/1/2024	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		< 0.0054	U	
VMP-6	39	VMP-6-39-043024	4/30/2024	< 0.0037	U		< 0.0078	U		< 0.011	U		< 0.0073	U		< 0.0054	U		< 0.0057	U		< 0.024	U		< 0.0058	U	
VMP-7	5	VMP-7-5-073123	7/31/2023	0.0031	J		< 0.0088	U		0.015			< 0.0082	U		< 0.0060	U		0.0016	J		< 0.027	U		0.0022	J	
VMP-7	5	VMP-7-5-102623	10/26/2023	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	
VMP-7	5	VMP-7-5-013024	1/30/2024	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0068	U		< 0.0049	U		< 0.0052	U		< 0.022	U		0.0026	J	
VMP-7	5	VMP-7-5-050324	5/3/2024	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0069	U		< 0.0051	U		< 0.0054	U		< 0.023	U		< 0.0054	U	
VMP-7	13.5	VMP-7-13.5-073123	7/31/2023	0.0038			< 0.0077	U		< 0.011	U		< 0.0072	U		< 0.0053	U		0.0020	J		< 0.024	U		0.0025	J	
VMP-7	13.5	VMP-7-13.5-102623	10/26/2023	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0070	U		< 0.0051	U		< 0.0054	U		< 0.023	U		< 0.0055	U	
VMP-7	13.5	VMP-7-13.5-013024	1/30/2024	< 0.0031	U		< 0.0066	U		< 0.0094	U		< 0.0062	U		< 0.0045	U		0.0017	J		< 0.02	U		0.0026	J	
VMP-7	13.5	VMP-7-13.5-050324	5/3/2024	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0052	U	
VMP-7	13.5	VMP-7-13.5-050324-DUP	5/3/2024	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		< 0.0053	U	
VMP-7	29.5	VMP-7-29.5-073123	7/31/2023	< 0.0037	U		< 0.0078	U		< 0.011	U		< 0.0073	U		< 0.0053	U		0.0032	J		< 0.024	U		0.0022	J	
VMP-7	29.5	VMP-7-29.5-073123-DUP	7/31/2023	< 0.0037	U		< 0.0077	U																			

**TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS**

Location	Depth	Sample ID	Sample Date	Benzene			Bromodichloromethane			Butane			Carbon Tetrachloride			Chlorobenzene			Chloroform			Chloromethane			Dichlorodifluoromethane		
				0.37			450000			0.21			69			0.11			270								
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-7	38	VMP-7-38-073123	7/31/2023	< 0.0036	U		< 0.0076	U		< 0.011	U		< 0.0071	U		< 0.0052	U		0.0033	J		< 0.023	U		0.0021	J	
VMP-7	38	VMP-7-38-102623	10/26/2023	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0066	U		< 0.0048	U		0.0015	J		< 0.022	U		< 0.0052	U	
VMP-7	38	VMP-7-38-013024	1/30/2024	< 0.0031	U		< 0.0066	U		< 0.0094	U		< 0.0062	U		< 0.0045	U		0.0019	J		< 0.02	U		< 0.0049	U	
VMP-7	38	VMP-7-38-050324	5/3/2024	< 0.0034	U		< 0.0070	U		< 0.01	U		< 0.0066	U		< 0.0048	U		0.0013	J		< 0.022	U		< 0.0052	U	
VMP-8	5	VMP-8-5-072123	7/21/2023	< 0.0036	U		< 0.0075	U		< 0.011	U		< 0.0071	U		0.00096	J		0.0021	J		< 0.023	U		0.0020	J	
VMP-8	5	VMP-8-5-102523	10/25/2023	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0070	U		< 0.0051	U		< 0.0054	U		< 0.023	U		< 0.0055	U	
VMP-8	5	VMP-8-5-012424	1/24/2024	< 0.0033	U		< 0.0069	U		0.0055	J		< 0.0064	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-8	5	VMP-8-5-042524	4/25/2024	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0068	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	
VMP-8	9.5	VMP-8-9.5-072123	7/21/2023	< 0.0039	U		< 0.0083	U		< 0.012	U		< 0.0078	U		< 0.0057	U		0.00094	J		< 0.026	U		0.0020	J	
VMP-8	9.5	VMP-8-9.5-102523	10/25/2023	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		< 0.0054	U	
VMP-8	9.5	VMP-8-9.5-012424	1/24/2024	< 0.0033	U		< 0.0070	U		< 0.0099	U		< 0.0065	U		< 0.0048	U		< 0.0051	U		< 0.021	U		< 0.0051	U	
VMP-8	9.5	VMP-8-9.5-042524	4/25/2024	< 0.0032	U		< 0.0068	U		< 0.0096	U		< 0.0064	U		< 0.0046	U		< 0.0049	U		< 0.021	U		< 0.0050	U	
VMP-8	23.5	VMP-8-23.5-072123	7/21/2023	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0069	U		< 0.0051	U		< 0.0054	U		< 0.023	U		0.0022	J	
VMP-8	23.5	VMP-8-23.5-072123-DUP	7/21/2023	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0070	U		< 0.0051	U		< 0.0054	U		< 0.023	U		0.0024	J	
VMP-8	23.5	VMP-8-23.5-102523	10/25/2023	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	
VMP-8	23.5	VMP-8-23.5-012424	1/24/2024	0.0014	J		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-8	23.5	VMP-8-23.5-012424-DUP	1/24/2024	0.0011	J		< 0.0072	U		< 0.01	U		< 0.0068	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	
VMP-8	23.5	VMP-8-23.5-042524	4/25/2024	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	
VMP-8	35.5	VMP-8-35.5-072123	7/21/2023	< 0.0039	U		< 0.0081	U		< 0.012	U		< 0.0076	U		< 0.0056	U		0.0067			< 0.025	U		0.0020	J	
VMP-8	35.5	VMP-8-35.5-102523	10/25/2023	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0052	U	
VMP-8	35.5	VMP-8-35.5-012424	1/24/2024	< 0.0033	U		< 0.0069	U		0.018			< 0.0065	U		< 0.0048	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-8	35.5	VMP-8-35.5-042524	4/25/2024	< 0.0034	U		< 0.0070	U		< 0.01	U		< 0.0066	U		< 0.0048	U		< 0.0051	U		< 0.022	U		< 0.0052	U	
VMP-9	5	VMP-9-5-072523	7/25/2023	< 0.0037	U		< 0.0078	U		< 0.011	U		< 0.0073	U		< 0.0053	U		< 0.0057	U		< 0.024	U		0.0022	J	
VMP-9	5	VMP-9-5-102523	10/25/2023	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0068	U		< 0.0049	U		< 0.0052	U		< 0.022	U		0.0029	J	
VMP-9	5	VMP-9-5-012424	1/24/2024	< 0.0034	U		< 0.0070	U		< 0.01	U		< 0.0066	U		< 0.0048	U		< 0.0051	U		< 0.022	U		< 0.0052	U	
VMP-9	5	VMP-9-5-042524	4/25/2024	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0070	U		< 0.0051	U		< 0.0054	U		< 0.023	U		< 0.0055	U	
VMP-9	11.5	VMP-9-11.5-072523	7/25/2023	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0069	U		< 0.0050	U		0.0023	J		< 0.023	U		0.0023	J	
VMP-9	11.5	VMP-9-11.5-102523	10/25/2023	0.0019	J		< 0.0074	U		< 0.01	U		< 0.0070	U		< 0.0051	U		0.0028	J		< 0.023	U		< 0.0055	U	
VMP-9	11.5	VMP-9-11.5-012424	1/24/2024	< 0.0032	U		< 0.0067	U		< 0.0095	U		< 0.0063	U		< 0.0046	U		0.0020	J		< 0.02	U		< 0.0049	U	
VMP-9	11.5	VMP-9-11.5-042524	4/25/2024	< 0.0037	U		< 0.0078	U		< 0.011	U		< 0.0073	U		< 0.0054	U		< 0.0057	U		< 0.024	U		< 0.0058	U	
VMP-9	25.5	VMP-9-25.5-072523	7/25/2023	< 0.0038	U		< 0.0081	U		< 0.011	U		< 0.0076	U		< 0.0055	U		0.0023	J		< 0.025	U		0.0025	J	
VMP-9	25.5	VMP-9-25.5-102523	10/25/2023	0.0022	J		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		0.0034	J		< 0.022	U		0.0031	J	
VMP-9	25.5	VMP-9-25.5-102523-DUP	10/25/2023	0.0010	J		< 0.0071	U		< 0.01	U		< 0.0067	U		< 0.0049	U		0.0025	J		< 0.022	U		< 0.0052	U	
VMP-9	25.5	VMP-9-25.5-012424	1/24/2024	< 0.0033	U		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0047	U		0.0021	J		< 0.021	U		< 0.0051	U	
VMP-9	25.5	VMP-9-25.5-042524	4/25/2024	< 0.0037	U		< 0.0078	U		< 0.011	U		< 0.0073	U		< 0.0053	U		< 0.0057	U		< 0.024	U		< 0.0057	U	
VMP-9	38.5	VMP-9-38.5-072523	7/25/2023	< 0.0036	U		< 0.0076	U		< 0.011	U		< 0.0071	U		< 0.0052	U		0.0013	J		< 0.023	U		0.0022	J	
VMP-9	38.5	VMP-9-38.5-102523	10/25/2023	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0069	U		< 0.0050	U		< 0.0053	U		< 0.023	U		< 0.0054	U	
VMP-9	38.5	VMP-9-38.5-012424	1/24/2024	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0069	U		< 0.0051	U		0.0038	J		< 0.023	U		< 0.0054	U	
VMP-9	38.5	VMP-9-38.5-042524	4/25/2024	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0070	U		< 0.0051	U		0.0077			< 0.023	U		< 0.0055	U	
VMP-9	38.5	VMP-9-38.5-042524-DUP	4/25/2024	< 0.0036	U		< 0.0076	U		< 0.011	U		< 0.0072	U		< 0.0052	U		0.0078			< 0.024	U		< 0.0056	U	
VMP-18	8.5	VMP-18-8.5-073123	7/31/2023	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0068	U		< 0.0049	U		< 0.0052	U		< 0.022	U		0.0020	J	
VMP-18	8.5	VMP-18-8.5-102723	10/27/2023	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		< 0.0053	U	
VMP-18	8.5	VMP-18-8.5-102723-DUP	10/27/2023	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0066	U		< 0.0048	U		< 0.0052	U		< 0.022	U		< 0.0052	U	
VMP-18	8.5	VMP-18-8.5-020124	2/1/2024	< 0.0033	U		< 0.0070	U		< 0.0099	U		< 0.0065	U		< 0.0048	U		< 0.0051	U		< 0.021	U		< 0.0051	U	
VMP-18	8.5	VMP-18-8.5-042624	4/26/2024	0.00095	J		< 0.0066	U		< 0.0094	U		< 0.0062	U		< 0.0045	U		< 0.0048	U		< 0.02	U		< 0.0049	U	
VMP-19	5	VMP-19-5-072723	7/27/2023	< 0.0038	U		< 0.0079	U		< 0.011	U		< 0.0074	U		< 0.0054	U		0.0011	J		< 0.024	U		0.0018	J	
VMP-19	5	VMP-19-5-102623	10/26/2023	< 0.0035	U		< 0.0073	U		0.0065	J		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		< 0.0054	U	
VMP-19	5	VMP-19-5-102623-DUP	10/26/2023	< 0.0036	U		< 0.0076	U		< 0.011	U		< 0.0071	U		< 0.0052	U		< 0.0055	U		< 0.023	U		< 0.0056	U	
VMP-19	5	VMP-19-5-020224	2/2/2024	< 0.0030	U		< 0.0062	U		< 0.0088	U		< 0.0058	U		< 0.0043	U		<								

**TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS**

Location	Depth	Sample ID	Sample Date	Benzene			Bromodichloromethane			Butane			Carbon Tetrachloride			Chlorobenzene			Chloroform			Chloromethane			Dichlorodifluoromethane		
				0.37			450000			0.21			69			0.11			270								
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-20	5	VMP-20-5-072723	7/27/2023	< 0.0038	U		< 0.0080	U		< 0.011	U		< 0.0076	U		0.0085			< 0.0058	U		< 0.025	U		0.0028	J	
VMP-20	5	VMP-20-5-103123	10/31/2023	< 0.0034	U		< 0.0070	U		< 0.01	U		< 0.0066	U		< 0.0048	U		< 0.0051	U		< 0.022	U		< 0.0052	U	
VMP-20	5	VMP-20-5-012624	1/26/2024	< 0.0034	U		< 0.0070	U		< 0.01	U		< 0.0066	U		< 0.0048	U		< 0.0051	U		< 0.022	U		< 0.0052	U	
VMP-20	5	VMP-20-5-042924	4/29/2024	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0066	U		< 0.0048	U		< 0.0052	U		< 0.022	U		< 0.0052	U	
VMP-20	10	VMP-20-10-072723	7/27/2023	0.0021	J		< 0.0076	U		< 0.011	U		< 0.0071	U		< 0.0052	U		0.00089	J		< 0.023	U		0.0019	J	
VMP-20	10	VMP-20-10-103123	10/31/2023	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		0.0032	J	
VMP-20	10	VMP-20-10-012624	1/26/2024	< 0.0032	U		< 0.0068	U		< 0.0097	U		< 0.0064	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0050	U	
VMP-20	10	VMP-20-10-042924	4/29/2024	< 0.0039	U		< 0.0082	U		< 0.012	U		< 0.0077	U		< 0.0056	U		< 0.0060	U		< 0.025	U		< 0.0060	U	
VMP-20	25	VMP-20-25-072723	7/27/2023	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0069	U		< 0.0051	U		< 0.0054	U		< 0.023	U		0.0019	J	
VMP-20	25	VMP-20-25-103123	10/31/2023	< 0.0032	U		< 0.0068	U		< 0.0096	U		< 0.0064	U		< 0.0046	U		< 0.0049	U		< 0.021	U		0.0027	J	
VMP-20	25	VMP-20-25-103123-DUP	10/31/2023	< 0.0030	U		< 0.0064	U		< 0.0091	U		< 0.0060	U		< 0.0044	U		< 0.0047	U		< 0.02	U		< 0.0047	U	
VMP-20	25	VMP-20-25-012624	1/26/2024	< 0.0032	U		< 0.0068	U		< 0.0096	U		< 0.0064	U		< 0.0046	U		< 0.0049	U		< 0.021	U		< 0.0050	U	
VMP-20	25	VMP-20-25-042924	4/29/2024	< 0.0037	U		< 0.0078	U		< 0.011	U		< 0.0074	U		< 0.0054	U		< 0.0057	U		< 0.024	U		< 0.0058	U	
VMP-20	39.5	VMP-20-39.5-020224	2/2/2024	< 0.0031	U		< 0.0066	U		< 0.0094	U		< 0.0062	U		< 0.0045	U		< 0.0048	U		< 0.02	U		< 0.0049	U	
VMP-20	39.5	VMP-20-39.5-042924	4/29/2024	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0069	U		< 0.0050	U		< 0.0053	U		< 0.023	U		< 0.0054	U	
VMP-21	5	VMP-21-5-080223	8/2/2023	< 0.0032	U		< 0.0068	U		< 0.0096	U		< 0.0064	U		< 0.0047	U		< 0.0050	U		< 0.021	U		0.0029	J	
VMP-21	5	VMP-21-5-110223	11/2/2023	< 0.0032	U		< 0.0068	U		< 0.0097	U		< 0.0064	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0050	U	
VMP-21	5	VMP-21-5-020124	2/1/2024	0.0054	U		< 0.0077	U		< 0.011	U		< 0.0073	U		< 0.0053	U		< 0.0056	U		< 0.024	U		< 0.0057	U	
VMP-21	5	VMP-21-5-050624	5/6/2024	< 0.0036	U		< 0.0075	U		< 0.011	U		< 0.0070	U		< 0.0051	U		< 0.0054	U		< 0.023	U		< 0.0055	U	
VMP-21	10	VMP-21-10-080223	8/2/2023	0.0012	J		< 0.0068	U		< 0.0096	U		< 0.0064	U		< 0.0046	U		< 0.0049	U		< 0.021	U		0.0041	J	
VMP-21	10	VMP-21-10-110223	11/2/2023	< 0.0031	U		< 0.0066	U		< 0.0093	U		< 0.0062	U		< 0.0045	U		< 0.0048	U		< 0.02	U		0.0075		
VMP-21	10	VMP-21-10-020124	2/1/2024	< 0.0037	U		< 0.0078	U		< 0.011	U		< 0.0073	U		< 0.0054	U		< 0.0057	U		< 0.024	U		0.0046	J	
VMP-21	10	VMP-21-10-020124-DUP	2/1/2024	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0070	U		< 0.0051	U		< 0.0054	U		< 0.023	U		0.0045	J	
VMP-21	10	VMP-21-10-050624	5/6/2024	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		0.0055		
VMP-21	25	VMP-21-25-080223	8/2/2023	< 0.0031	U		< 0.0065	U		< 0.0092	U		< 0.0061	U		< 0.0044	U		< 0.0047	U		< 0.02	U		0.0022	J	
VMP-21	25	VMP-21-25-080223-DUP	8/2/2023	< 0.0032	U		< 0.0068	U		< 0.0096	U		< 0.0064	U		< 0.0046	U		< 0.0049	U		< 0.021	U		0.0023	J	
VMP-21	25	VMP-21-25-110223	11/2/2023	0.0021	J		< 0.0068	U		< 0.0096	U		< 0.0064	U		< 0.0047	U		< 0.0050	U		< 0.021	U		0.0027	J	
VMP-21	25	VMP-21-25-020124	2/1/2024	0.0011	J		< 0.0074	U		< 0.01	U		< 0.0070	U		< 0.0051	U		< 0.0054	U		< 0.023	U		0.0027	J	
VMP-21	25	VMP-21-25-050624	5/6/2024	< 0.0036	U		< 0.0076	U		< 0.011	U		< 0.0071	U		< 0.0052	U		< 0.0055	U		< 0.023	U		< 0.0056	U	
VMP-21	33	VMP-21-33-080223	8/2/2023	< 0.0032	U		< 0.0067	U		< 0.0095	U		< 0.0063	U		< 0.0046	U		< 0.0048	U		< 0.02	U		0.0032	J	
VMP-21	33	VMP-21-33-110223	11/2/2023	< 0.0032	U		< 0.0066	U		< 0.0094	U		< 0.0062	U		< 0.0046	U		< 0.0048	U		< 0.02	U		0.0026	J	
VMP-21	33	VMP-21-33-020124	2/1/2024	0.00088	J		< 0.0075	U		< 0.011	U		< 0.0071	U		< 0.0052	U		< 0.0055	U		< 0.023	U		0.0029	J	
VMP-21	33	VMP-21-33-050624	5/6/2024	< 0.0038	U		< 0.0080	U		< 0.011	U		< 0.0075	U		< 0.0055	U		< 0.0058	U		< 0.024	U		< 0.0059	U	
VMP-21	33	VMP-21-33-050624-DUP	5/6/2024	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0070	U		< 0.0051	U		< 0.0054	U		< 0.023	U		< 0.0055	U	
VMP-22	5	VMP-22-5-080323	8/3/2023	< 0.0032	U		< 0.0068	U		< 0.0096	U		< 0.0064	U		< 0.0046	U		0.0052			< 0.021	U		0.0026	J	
VMP-22	5	VMP-22-5-103123	10/31/2023	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		< 0.0054	U	
VMP-22	5	VMP-22-5-013124	1/31/2024	< 0.0033	U		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-22	5	VMP-22-5-050124	5/1/2024	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	
VMP-22	10	VMP-22-10-080323	8/3/2023	0.0083	J		< 0.031	U		0.2			< 0.029	U		< 0.021	U		0.064			< 0.094	U		< 0.023	U	
VMP-22	10	VMP-22-10-103123	10/31/2023	< 0.0032	U		< 0.0068	U		< 0.0096	U		< 0.0064	U		< 0.0046	U		0.0018	J		< 0.021	U		0.0025	J	
VMP-22	10	VMP-22-10-022924	2/29/2024	< 0.0032	U		< 0.0066	U		< 0.0094	U		< 0.0062	U		< 0.0046	U		0.0012	J		< 0.02	U		0.0024	J	
VMP-22	10	VMP-22-10-050124	5/1/2024	< 0.12	U		< 0.26	U		12			< 0.25	U		< 0.18	U		< 0.19	U		< 0.81	U		< 0.19	U	
VMP-22	18	VMP-22-18-080323	8/3/2023	< 0.067	U		< 0.14	U		< 0.2	U		< 0.13	U		< 0.097	U		0.032	J		< 0.43	U		< 0.1	U	
VMP-22	18	VMP-22-18-103123	10/31/2023	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0067	U		< 0.0049	U		0.0036	J		< 0.022	U		< 0.0052	U	
VMP-22	18	VMP-22-18-013124	1/31/2024	< 0.0033	U		< 0.0069	U		0.0037	J		< 0.0065	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-22	18	VMP-22-18-050124	5/1/2024	0.0014	J		< 0.0072	U		0.017			< 0.0067	U		< 0.0049	U		0.0022	J		< 0.022	U		< 0.0053	U	
VMP-22	18	VMP-22-18-050124-DUP	5/1/2024	< 0.0033	U		< 0.0070	U		0.012			< 0.0065	U		< 0.0048	U		0.0022	J		< 0.021	U		< 0.0051	U	
VMP-22	38	VMP-22-38-080323	8/3/2023	< 0.027	U		< 0.058	U		< 0.082	U		< 0.054	U		< 0.04	U		0.028	J		< 0.18	U		< 0.042	U	
VMP-22	38	VMP-22-38-080323-DUP	8/3/2023	< 0.027	U		< 0.056																				

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Benzene			Bromodichloromethane			Butane			Carbon Tetrachloride			Chlorobenzene			Chloroform			Chloromethane			Dichlorodifluoromethane		
				0.37			450000			0.21			69			0.11			270								
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-23	5	VMP-23-5-080123	8/1/2023	< 0.0036	U		< 0.0076	U		< 0.011	U		< 0.0071	U		< 0.0052	U		< 0.0055	U		< 0.023	U		0.0062		
VMP-23	5	VMP-23-5-103023	10/30/2023	0.0037			< 0.0072	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	
VMP-23	5	VMP-23-5-013124	1/31/2024	< 0.0033	U		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-23	5	VMP-23-5-043024	4/30/2024	< 0.0037	U		< 0.0078	U		< 0.011	U		< 0.0073	U		< 0.0053	U		0.0016	J		< 0.024	U		< 0.0057	U	
VMP-23	10	VMP-23-10-080123	8/1/2023	< 0.0035	U		0.0022	J		< 0.01	U		< 0.0070	U		0.0012	J		0.0078	J		< 0.023	U		0.0066		
VMP-23	10	VMP-23-10-103023	10/30/2023	< 0.0031	U		< 0.0066	U		< 0.0094	U		< 0.0062	U		< 0.0045	U		0.0038	J		< 0.02	U		< 0.0049	U	
VMP-23	10	VMP-23-10-103023-DUP	10/30/2023	< 0.0032	U		< 0.0067	U		< 0.0095	U		< 0.0063	U		< 0.0046	U		0.0038	J		< 0.021	U		< 0.0049	U	
VMP-23	10	VMP-23-10-013124	1/31/2024	< 0.0030	U		< 0.0063	U		< 0.0089	U		< 0.0059	U		< 0.0043	U		< 0.0046	U		< 0.019	U		< 0.0046	U	
VMP-23	10	VMP-23-10-013124-DUP	1/31/2024	< 0.0030	U		< 0.0064	U		< 0.0090	U		< 0.0060	U		< 0.0044	U		< 0.0046	U		< 0.02	U		0.0026	J	
VMP-23	10	VMP-23-10-043024	4/30/2024	< 0.0037	U		< 0.0077	U		< 0.011	U		< 0.0072	U		< 0.0053	U		0.0041	J		< 0.024	U		< 0.0057	U	
VMP-23	25	VMP-23-25-080123	8/1/2023	< 0.0036	U		< 0.0077	U		< 0.011	U		< 0.0072	U		< 0.0053	U		0.0037	J		< 0.024	U		0.0030	J	
VMP-23	25	VMP-23-25-103023	10/30/2023	< 0.0034	U		< 0.0070	U		< 0.01	U		< 0.0066	U		< 0.0048	U		0.0030	J		< 0.022	U		< 0.0052	U	
VMP-23	25	VMP-23-25-013124	1/31/2024	< 0.0032	U		< 0.0066	U		< 0.0094	U		< 0.0062	U		< 0.0046	U		0.0017	J		< 0.02	U		< 0.0049	U	
VMP-23	25	VMP-23-25-043024	4/30/2024	< 0.0036	U		< 0.0077	U		< 0.011	U		< 0.0072	U		< 0.0053	U		0.0017	J		< 0.024	U		< 0.0057	U	
VMP-24	5	VMP-24-5-072423	7/24/2023	< 0.0033	U		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0048	U		0.0018	J		< 0.021	U		0.0018	J	
VMP-23	40	VMP-23-40-080123	8/1/2023	< 0.0036	U		< 0.0075	U		< 0.011	U		< 0.0071	U		< 0.0052	U		0.0010	J		< 0.023	U		0.0029	J	
VMP-24	5	VMP-24-5-102623	10/26/2023	0.0011	J		< 0.0072	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	
VMP-23	40	VMP-23-40-103023	10/30/2023	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		0.0035	J	
VMP-24	5	VMP-24-5-012624	1/26/2024	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		< 0.0054	U	
VMP-23	40	VMP-23-40-013124	1/31/2024	0.00078	J		< 0.0065	U		< 0.0092	U		< 0.0061	U		< 0.0045	U		< 0.0047	U		< 0.02	U		< 0.0048	U	
VMP-24	5	VMP-24-5-042624	4/26/2024	< 0.0034	U		< 0.0070	U		< 0.01	U		< 0.0066	U		< 0.0048	U		0.0016	J		< 0.022	U		< 0.0052	U	
VMP-24	5	VMP-24-5-042624-DUP	4/26/2024	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0067	U		< 0.0049	U		0.0015	J		< 0.022	U		< 0.0052	U	
VMP-23	40	VMP-23-40-043024	4/30/2024	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0069	U		< 0.0051	U		< 0.0054	U		< 0.023	U		< 0.0054	U	
VMP-24	10	VMP-24-10-072423	7/24/2023	0.0028	J		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		0.0020	J	
VMP-24	10	VMP-24-10-102623	10/26/2023	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		< 0.0054	U	
VMP-24	10	VMP-24-10-012624	1/26/2024	< 0.0031	U		< 0.0066	U		< 0.0093	U		< 0.0062	U		< 0.0045	U		< 0.0048	U		< 0.02	U		< 0.0048	U	
VMP-24	10	VMP-24-10-042624	4/26/2024	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		< 0.0054	U	
VMP-24	22	VMP-24-22-072423	7/24/2023	< 0.0035	U		< 0.0073	U		0.0042	J		< 0.0068	U		< 0.0050	U		0.0019	J		< 0.022	U		0.0020	J	
VMP-24	22	VMP-24-22-102623	10/26/2023	< 0.0037	U		< 0.0078	U		< 0.011	U		< 0.0074	U		< 0.0054	U		< 0.0057	U		< 0.024	U		< 0.0058	U	
VMP-24	22	VMP-24-22-012624	1/26/2024	< 0.0034	U		< 0.0071	U		0.0048	J		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0052	U	
VMP-24	22	VMP-24-22-012624-DUP	1/26/2024	< 0.0032	U		< 0.0068	U		0.0037	J		< 0.0064	U		< 0.0046	U		< 0.0049	U		< 0.021	U		< 0.0050	U	
VMP-24	22	VMP-24-22-042624	4/26/2024	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0070	U		< 0.0051	U		0.0015	J		< 0.023	U		< 0.0055	U	
VMP-24	34	VMP-24-34-072423	7/24/2023	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0068	U		< 0.0050	U		0.0017	J		< 0.022	U		0.0020	J	
VMP-24	34	VMP-24-34-102623	10/26/2023	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		< 0.0053	U	
VMP-24	34	VMP-24-34-012624	1/26/2024	< 0.0033	U		< 0.0069	U		0.0038	J		< 0.0064	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-24	34	VMP-24-34-042624	4/26/2024	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0068	U		< 0.0049	U		0.0090			< 0.022	U		< 0.0053	U	
VMP-32	5	VMP-32-5-080223	8/2/2023	0.00087	J		< 0.0066	U		0.016			< 0.0062	U		0.012			< 0.0048	U		< 0.02	U		0.0017	J	
VMP-32	5	VMP-32-5-110223	11/2/2023	0.00074	J		< 0.0065	U		< 0.0092	U		< 0.0061	U		< 0.0045	U		< 0.0047	U		< 0.02	U		< 0.0048	U	
VMP-32	5	VMP-32-5-020224	2/2/2024	0.0051			< 0.0071	U		0.012			< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	
VMP-32	5	VMP-32-5-050624	5/6/2024	< 0.0032	U		< 0.0066	U		0.0074	J		< 0.0062	U		< 0.0046	U		< 0.0048	U		< 0.02	U		< 0.0049	U	
VMP-32	10	VMP-32-10-080223	8/2/2023	0.0044			< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0048	U		< 0.0050	U		< 0.021	U		0.0022	J	
VMP-32	10	VMP-32-10-110223	11/2/2023	< 0.0036	U		< 0.0077	U		< 0.011	U		< 0.0072	U		< 0.0053	U		< 0.0056	U		< 0.024	U		< 0.0057	U	
VMP-32	10	VMP-32-10-110223-DUP	11/2/2023	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		0.0028	J	
VMP-32	10	VMP-32-10-020224	2/2/2024	0.0020	J		< 0.0072	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	
VMP-32	10	VMP-32-10-050624	5/6/2024	< 0.0038	U		< 0.0080	U		< 0.011	U		< 0.0075	U		< 0.0055	U		< 0.0058	U		< 0.025	U		< 0.0059	U	
VMP-32	20	VMP-32-20-080223	8/2/2023	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0066	U		< 0.0048	U		< 0.0052	U		< 0.022	U		0.0027	J	
VMP-32	20	VMP-32-20-110223	11/2/2023	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0070	U		< 0.0051	U		< 0.0054	U		< 0.023	U		< 0.0055	U	
VMP-32	20	VMP-32-20-020224	2/2/2024	0.0020	J		< 0.0071	U		0.014			< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0052	U	
VMP-32	20	VMP-32-20-050624	5/6/2024	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		< 0.0054	U	
VMP-32	30	VMP-																									

**TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS**

Location	Depth	Sample ID	Sample Date	Benzene			Bromodichloromethane			Butane			Carbon Tetrachloride			Chlorobenzene			Chloroform			Chloromethane			Dichlorodifluoromethane		
				0.37			450000			0.21			69			0.11			270								
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-42	10	VMP-42-10-073123	7/31/2023	0.0020	J		< 0.0078	U		< 0.011	U		< 0.0073	U		< 0.0053	U		0.021			< 0.024	U		0.0022	J	
VMP-42	10	VMP-42-10-102723	10/27/2023	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		0.0032	J		< 0.022	U		< 0.0054	U	
VMP-42	10	VMP-42-10-013124	1/31/2024	< 0.0032	U		< 0.0067	U		0.0036	J		< 0.0063	U		< 0.0046	U		< 0.0048	U		< 0.02	U		< 0.0049	U	
VMP-42	10	VMP-42-10-013124-DUP	1/31/2024	< 0.0032	U		< 0.0068	U		0.0037	J		< 0.0064	U		< 0.0046	U		< 0.0049	U		< 0.021	U		< 0.0050	U	
VMP-42	10	VMP-42-10-050324	5/3/2024	< 0.0036	U		< 0.0075	U		< 0.011	U		< 0.0070	U		< 0.0051	U		< 0.0054	U		0.0088	J		< 0.0055	U	
VMP-42	20	VMP-42-20-073123	7/31/2023	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0068	U		< 0.0049	U		0.05			< 0.022	U		0.0022	J	
VMP-42	20	VMP-42-20-102723	10/27/2023	0.00087	J		< 0.0072	U		< 0.01	U		< 0.0067	U		< 0.0049	U		0.0056			< 0.022	U		< 0.0053	U	
VMP-42	20	VMP-42-20-013124	1/31/2024	< 0.0032	U		< 0.0066	U		< 0.0094	U		< 0.0062	U		< 0.0046	U		< 0.0048	U		< 0.02	U		< 0.0049	U	
VMP-42	20	VMP-42-20-050324	5/3/2024	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0070	U		< 0.0051	U		< 0.0054	U		< 0.023	U		< 0.0055	U	
VMP-42	30	VMP-42-30-073123	7/31/2023	< 0.0037	U		< 0.0078	U		< 0.011	U		< 0.0073	U		< 0.0054	U		0.12			< 0.024	U		0.0024	J	
VMP-42	30	VMP-42-30-102723	10/27/2023	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		< 0.0053	U	
VMP-42	30	VMP-42-30-102723-DUP	10/27/2023	< 0.0032	U		< 0.0068	U		< 0.0097	U		< 0.0064	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0050	U	
VMP-42	30	VMP-42-30-013124	1/31/2024	< 0.0033	U		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-42	30	VMP-42-30-050624	5/6/2024	< 0.0036	U		< 0.0076	U		< 0.011	U		< 0.0071	U		< 0.0052	U		0.0032	J		< 0.023	U		< 0.0056	U	
VMP-43	10	VMP-43-10-073123	7/31/2023	0.0015	J		< 0.0081	U		< 0.012	U		< 0.0076	U		< 0.0056	U		< 0.0059	U		< 0.025	U		0.0016	J	
VMP-43	10	VMP-43-10-102723	10/27/2023	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0068	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	
VMP-43	10	VMP-43-10-013024	1/30/2024	< 0.0033	U		< 0.0070	U		< 0.0099	U		< 0.0066	U		< 0.0048	U		< 0.0051	U		< 0.022	U		< 0.0052	U	
VMP-43	10	VMP-43-10-050324	5/3/2024	< 0.0033	U		< 0.0070	U		< 0.0099	U		< 0.0065	U		< 0.0048	U		< 0.0051	U		< 0.021	U		< 0.0051	U	
VMP-43	20	VMP-43-20-073123	7/31/2023	< 0.0037	U		< 0.0078	U		< 0.011	U		< 0.0073	U		< 0.0054	U		0.0012	J		< 0.024	U		0.0021	J	
VMP-43	20	VMP-43-20-102723	10/27/2023	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		< 0.0054	U	
VMP-43	20	VMP-43-20-013024	1/30/2024	< 0.0032	U		< 0.0068	U		< 0.0096	U		< 0.0064	U		< 0.0047	U		0.0014	J		< 0.021	U		0.0030	J	
VMP-43	20	VMP-43-20-050324	5/3/2024	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0070	U		< 0.0051	U		< 0.0054	U		< 0.023	U		< 0.0055	U	
VMP-43	30	VMP-43-30-073123	7/31/2023	< 0.0036	U		< 0.0076	U		< 0.011	U		< 0.0071	U		< 0.0052	U		< 0.0055	U		< 0.023	U		0.0024	J	
VMP-43	30	VMP-43-30-102723	10/27/2023	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		0.0012	J		< 0.022	U		< 0.0054	U	
VMP-43	30	VMP-43-30-102723-DUP	10/27/2023	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		< 0.0053	U	
VMP-43	30	VMP-43-30-013024	1/30/2024	< 0.0033	U		< 0.0069	U		< 0.0097	U		< 0.0064	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-43	30	VMP-43-30-050324	5/3/2024	< 0.0034	U		< 0.0070	U		< 0.01	U		< 0.0066	U		< 0.0048	U		< 0.0051	U		< 0.022	U		< 0.0052	U	
VMP-45	10	VMP-45-10-073123	7/31/2023	< 0.0038	U		< 0.0079	U		< 0.011	U		< 0.0074	U		< 0.0054	U		0.02			< 0.024	U		0.0020	J	
VMP-45	10	VMP-45-10-102723	10/27/2023	0.0011	J		< 0.0072	U		< 0.01	U		< 0.0068	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	
VMP-45	10	VMP-45-10-013024	1/30/2024	< 0.0033	U		< 0.0069	U		0.0050	J		< 0.0064	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-45	10	VMP-45-10-050324	5/3/2024	< 0.0033	U		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-45	20	VMP-45-20-073123	7/31/2023	< 0.0036	U		< 0.0075	U		< 0.011	U		< 0.0071	U		< 0.0052	U		0.0064			< 0.023	U		0.0017	J	
VMP-45	20	VMP-45-20-102723	10/27/2023	< 0.0033	U		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0048	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-45	20	VMP-45-20-013024	1/30/2024	< 0.0032	U		< 0.0066	U		0.0040	J		< 0.0062	U		< 0.0046	U		< 0.0048	U		< 0.02	U		< 0.0049	U	
VMP-45	20	VMP-45-20-050324	5/3/2024	< 0.0032	U		< 0.0067	U		< 0.0096	U		< 0.0063	U		< 0.0046	U		< 0.0049	U		< 0.021	U		< 0.0050	U	
VMP-45	30	VMP-45-30-073123	7/31/2023	0.00095	J		< 0.0079	U		< 0.011	U		< 0.0074	U		< 0.0054	U		0.024			< 0.024	U		0.0014	J	
VMP-45	30	VMP-45-30-102723	10/27/2023	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		< 0.0054	U	
VMP-45	30	VMP-45-30-013024	1/30/2024	< 0.0031	U		< 0.0065	U		0.0035	J		< 0.0061	U		< 0.0045	U		< 0.0047	U		< 0.02	U		0.0026	J	
VMP-45	30	VMP-45-30-013024-DUP	1/30/2024	0.0010	J		< 0.0062	U		0.0051	J		< 0.0058	U		< 0.0043	U		< 0.0045	U		< 0.019	U		0.0022	J	
VMP-45	30	VMP-45-30-050324	5/3/2024	< 0.0033	U		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-47	5	VMP-47-5-072523	7/25/2023	< 0.0039	U		< 0.0083	U		< 0.012	U		< 0.0078	U		< 0.0057	U		0.0055	J		< 0.026	U		0.0020	J	
VMP-47	5	VMP-47-5-102723	10/27/2023	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0070	U		< 0.0051	U		< 0.0054	U		< 0.023	U		< 0.0055	U	
VMP-47	5	VMP-47-5-013124	1/31/2024	< 0.0032	U		< 0.0068	U		< 0.0096	U		< 0.0064	U		< 0.0046	U		< 0.0049	U		< 0.021	U		< 0.0050	U	
VMP-47	5	VMP-47-5-042924	4/29/2024	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0070	U		< 0.0051	U		0.0048	J		< 0.023	U		< 0.0055	U	
VMP-47	10	VMP-47-10-072523	7/25/2023	< 0.0039	U		0.012			< 0.012	U		< 0.0076	U		< 0.0056	U		0.059			< 0.025	U		0.0027	J	
VMP-47	10	VMP-47-10-102723	10/27/2023	0.0041			0.0031	J		< 0.01	U		< 0.0068	U		< 0.0050	U		0.018			< 0.022	U		< 0.0054	U	
VMP-47	10	VMP-47-10-013124	1/31/2024	0.0012	J		0.0079			< 0.0096	U		< 0.0064	U		< 0.0046	U		0.028			< 0.021	U		< 0.0050	U	
VMP-47	10	VMP-47-10-042924	4/29/2024	< 0.0034	U		0.015			< 0.01	U		< 0.0068	U		< 0.0049	U		0.092			< 0.022	U		0.0029	J	
VMP-47	20	VMP-47-20-072523	7/25/2023	< 0.0036	U		0.0058	J		< 0.011	U		< 0.0071	U		< 0.0052	U		0.044			< 0.023	U		0.0025	J	
VMP-47	20	V																									

**TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS**

Location	Depth	Sample ID	Sample Date	Benzene			Bromodichloromethane			Butane			Carbon Tetrachloride			Chlorobenzene			Chloroform			Chloromethane			Dichlorodifluoromethane		
				0.37			450000			0.21			69			0.11			270								
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-47	30	VMP-47-30-072523	7/25/2023	< 0.0042	U		< 0.0088	U		< 0.012	U		< 0.0082	U		< 0.0060	U		< 0.0064	U		< 0.027	U		0.0021	J	
VMP-47	30	VMP-47-30-103023	10/30/2023	< 0.0032	U		< 0.0067	U		< 0.0095	U		< 0.0063	U		< 0.0046	U		< 0.0048	U		< 0.02	U		< 0.0049	U	
VMP-47	30	VMP-47-30-013124	1/31/2024	0.0023	J		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-47	30	VMP-47-30-042924	4/29/2024	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		0.0015	J		< 0.022	U		< 0.0054	U	
VMP-48	5	VMP-48-5-080123	8/1/2023	< 0.0034	U		< 0.0070	U		< 0.01	U		< 0.0066	U		< 0.0048	U		0.0016	J		< 0.022	U		0.0020	J	
VMP-48	5	VMP-48-5-103123	10/31/2023	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0066	U		< 0.0048	U		< 0.0052	U		< 0.022	U		0.0027	J	
VMP-48	5	VMP-48-5-012924	1/29/2024	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	
VMP-48	5	VMP-48-5-050124	5/1/2024	< 0.0037	U		< 0.0077	U		< 0.011	U		< 0.0072	U		< 0.0053	U		< 0.0056	U		< 0.024	U		< 0.0057	U	
VMP-48	10	VMP-48-10-080123	8/1/2023	< 0.0038	U		< 0.0079	U		< 0.011	U		< 0.0074	U		< 0.0054	U		0.0025	J		< 0.024	U		0.0024	J	
VMP-48	10	VMP-48-10-080123-DUP	8/1/2023	< 0.0032	U		< 0.0068	U		< 0.0097	U		< 0.0064	U		< 0.0047	U		0.0025	J		< 0.021	U		0.0024	J	
VMP-48	10	VMP-48-10-103123	10/31/2023	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		0.0014	J		< 0.022	U		< 0.0054	U	
VMP-48	10	VMP-48-10-012924	1/29/2024	< 0.0036	U		< 0.0077	U		< 0.011	U		< 0.0072	U		< 0.0053	U		< 0.0056	U		< 0.024	U		< 0.0057	U	
VMP-48	10	VMP-48-10-050124	5/1/2024	0.0064	J		< 0.048	U		0.24			< 0.046	U		< 0.033	U		< 0.035	U		< 0.15	U		< 0.036	U	
VMP-48	20	VMP-48-20-080123	8/1/2023	0.00091	J		< 0.0072	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		0.0024	J	
VMP-48	20	VMP-48-20-103123	10/31/2023	< 0.0031	U		< 0.0065	U		< 0.0093	U		< 0.0061	U		< 0.0045	U		< 0.0048	U		< 0.02	U		0.0027	J	
VMP-48	20	VMP-48-20-012924	1/29/2024	0.0019	J		< 0.0066	U		< 0.0094	U		< 0.0062	U		< 0.0046	U		< 0.0048	U		< 0.02	U		< 0.0049	U	
VMP-48	20	VMP-48-20-050124	5/1/2024	< 0.0036	U		< 0.0076	U		0.0052	J		< 0.0071	U		< 0.0052	U		< 0.0055	U		< 0.023	U		< 0.0056	U	
VMP-48	30	VMP-48-30-080123	8/1/2023	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0070	U		< 0.0051	U		< 0.0054	U		< 0.023	U		0.0020	J	
VMP-48	30	VMP-48-30-103123	10/31/2023	0.00091	J		< 0.0069	U		< 0.0097	U		< 0.0064	U		< 0.0047	U		< 0.0050	U		< 0.021	U		0.0026	J	
VMP-48	30	VMP-48-30-012924	1/29/2024	< 0.0033	U		< 0.0070	U		< 0.0099	U		< 0.0066	U		< 0.0048	U		< 0.0051	U		< 0.022	U		< 0.0052	U	
VMP-48	30	VMP-48-30-050124	5/1/2024	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0070	U		< 0.0051	U		< 0.0054	U		< 0.023	U		< 0.0055	U	
VMP-48	30	VMP-48-30-050124-DUP	5/1/2024	< 0.0036	U		< 0.0076	U		< 0.011	U		< 0.0071	U		< 0.0052	U		< 0.0055	U		< 0.023	U		< 0.0056	U	
VMP-49	5	VMP-49-5-080323	8/3/2023	< 0.0036	U		< 0.0076	U		< 0.011	U		< 0.0071	U		< 0.0052	U		< 0.0055	U		< 0.023	U		0.0020	J	
VMP-49	5	VMP-49-5-103123	10/31/2023	< 0.0034	U		< 0.0070	U		< 0.01	U		< 0.0066	U		< 0.0048	U		< 0.0051	U		< 0.022	U		< 0.0052	U	
VMP-49	5	VMP-49-5-013124	1/31/2024	< 0.0033	U		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-49	5	VMP-49-5-050124	5/1/2024	< 0.0033	U		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0048	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-49	10	VMP-49-10-080323	8/3/2023	< 0.0036	U		< 0.0075	U		< 0.011	U		< 0.0070	U		< 0.0052	U		0.0013	J		< 0.023	U		0.0023	J	
VMP-49	10	VMP-49-10-103123	10/31/2023	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0069	U		< 0.0050	U		< 0.0053	U		< 0.023	U		< 0.0054	U	
VMP-49	10	VMP-49-10-013124	1/31/2024	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	
VMP-49	10	VMP-49-10-050124	5/1/2024	< 0.0036	U		< 0.0076	U		< 0.011	U		< 0.0072	U		< 0.0052	U		< 0.0056	U		< 0.024	U		< 0.0056	U	
VMP-49	20	VMP-49-20-080323	8/3/2023	< 0.0036	U		< 0.0076	U		< 0.011	U		< 0.0072	U		< 0.0052	U		< 0.0056	U		< 0.024	U		0.0018	J	
VMP-49	20	VMP-49-20-103123	10/31/2023	< 0.0034	U		< 0.0070	U		< 0.01	U		< 0.0066	U		< 0.0048	U		< 0.0051	U		< 0.022	U		0.0026	J	
VMP-49	20	VMP-49-20-013124	1/31/2024	< 0.0034	U		< 0.0070	U		< 0.01	U		< 0.0066	U		< 0.0048	U		< 0.0051	U		< 0.022	U		< 0.0052	U	
VMP-49	20	VMP-49-20-013124-DUP	1/31/2024	< 0.0032	U		< 0.0068	U		< 0.0096	U		< 0.0064	U		< 0.0046	U		< 0.0049	U		< 0.021	U		0.0025	J	
VMP-49	20	VMP-49-20-050124	5/1/2024	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0066	U		< 0.0048	U		< 0.0052	U		< 0.022	U		< 0.0052	U	
VMP-49	30	VMP-49-30-080323	8/3/2023	< 0.0037	U		< 0.0078	U		< 0.011	U		< 0.0073	U		< 0.0054	U		< 0.0057	U		< 0.024	U		0.0023	J	
VMP-49	30	VMP-49-30-103123	10/31/2023	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	
VMP-49	30	VMP-49-30-013124	1/31/2024	< 0.0034	U		< 0.0070	U		< 0.01	U		< 0.0066	U		< 0.0048	U		< 0.0051	U		< 0.022	U		< 0.0052	U	
VMP-49	30	VMP-49-30-050124	5/1/2024	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0069	U		< 0.0051	U		< 0.0054	U		< 0.023	U		< 0.0054	U	
VMP-50	5	VMP-50-5-072723	7/27/2023	< 0.0038	U		< 0.0081	U		< 0.011	U		< 0.0076	U		< 0.0055	U		< 0.0059	U		< 0.025	U		0.0021	J	
VMP-50	5	VMP-50-5-103123	10/31/2023	< 0.0032	U		< 0.0067	U		< 0.0095	U		< 0.0063	U		< 0.0046	U		0.0012	J		< 0.021	U		< 0.0049	U	
VMP-50	5	VMP-50-5-012624	1/26/2024	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0066	U		< 0.0048	U		< 0.0052	U		< 0.022	U		< 0.0052	U	
VMP-50	5	VMP-50-5-012624-DUP	1/26/2024	< 0.0032	U		< 0.0068	U		< 0.0096	U		< 0.0064	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0050	U	
VMP-50	5	VMP-50-5-050124	5/1/2024	0.0021	J		< 0.0076	U		< 0.011	U		< 0.0072	U		< 0.0052	U		< 0.0056	U		< 0.024	U		< 0.0056	U	
VMP-50	10	VMP-50-10-072723	7/27/2023	0.0016	J		0.0019	J		< 0.011	U		< 0.0072	U		< 0.0053	U		0.031			< 0.024	U		0.0019	J	
VMP-50	10	VMP-50-10-103123	10/31/2023	< 0.0032	U		0.0073			< 0.0095	U		< 0.0063	U		< 0.0046	U		0.024			< 0.02	U		< 0.0049	U	
VMP-50	10	VMP-50-10-012624	1/26/2024	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0066	U		< 0.0048	U		0.0074			< 0.022	U		< 0.0052	U	
VMP-50	10	VMP-50-10-050124	5/1/2024	< 0.0036	U		< 0.0076	U		< 0.011	U		< 0.0072	U		< 0.0052	U		0.0021	J		< 0.024	U		< 0.0056	U	
VMP-50	20	VMP-50-20-072723	7/27/2023	< 0.0039	U		< 0.0082	U		< 0.012	U		< 0.0077	U		< 0.0056	U		0.025			< 0.025	U		0.0019		

**TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS**

Location	Depth	Sample ID	Sample Date	Benzene			Bromodichloromethane			Butane			Carbon Tetrachloride			Chlorobenzene			Chloroform			Chloromethane			Dichlorodifluoromethane		
				0.37			450000			0.21			69			0.11			270								
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-50	30	VMP-50-30-072723	7/27/2023	< 0.0039	U		< 0.0082	U		0.044			< 0.0077	U		< 0.0057	U		0.0057	J		< 0.025	U		0.0021	J	
VMP-50	30	VMP-50-30-103123	10/31/2023	< 0.0033	U		< 0.0070	U		0.024			< 0.0066	U		< 0.0048	U		0.01			< 0.022	U		0.0025	J	
VMP-50	30	VMP-50-30-012624	1/26/2024	0.0020	J		< 0.0072	U		0.042			< 0.0067	U		< 0.0049	U		0.036			< 0.022	U		< 0.0053	U	
VMP-50	30	VMP-50-30-050124	5/1/2024	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0070	U		< 0.0051	U		0.018			< 0.023	U		< 0.0055	U	
VMP-51	5	VMP-51-5-080123	8/1/2023	< 0.0036	U		< 0.0076	U		< 0.011	U		< 0.0071	U		< 0.0052	U		< 0.0055	U		< 0.023	U		0.0029	J	
VMP-51	5	VMP-51-5-102723	10/27/2023	< 0.0033	U		< 0.0070	U		< 0.0099	U		< 0.0065	U		< 0.0048	U		< 0.0051	U		< 0.021	U		< 0.0051	U	
VMP-51	5	VMP-51-5-012924	1/29/2024	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0068	U		< 0.0049	U		< 0.0052	U		< 0.022	U		0.0026	J	
VMP-51	5	VMP-51-5-042624	4/26/2024	< 0.0032	U		< 0.0068	U		< 0.0096	U		< 0.0064	U		< 0.0046	U		< 0.0049	U		< 0.021	U		< 0.0050	U	
VMP-51	10	VMP-51-10-080123	8/1/2023	0.0015	J		< 0.0074	U		< 0.01	U		< 0.0069	U		< 0.0051	U		0.0022	J		< 0.023	U		0.0024	J	
VMP-51	10	VMP-51-10-080123-DUP	8/1/2023	0.0074			< 0.0078	U		< 0.011	U		< 0.0074	U		< 0.0054	U		0.0024	J		< 0.024	U		0.0023	J	
VMP-51	10	VMP-51-10-102723	10/27/2023	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0067	U		< 0.0049	U		0.0015	J		< 0.022	U		< 0.0053	U	
VMP-51	10	VMP-51-10-012924	1/29/2024	< 0.0034	U		< 0.0070	U		< 0.01	U		< 0.0066	U		< 0.0048	U		< 0.0051	U		< 0.022	U		< 0.0052	U	
VMP-51	10	VMP-51-10-012924-DUP	1/29/2024	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0052	U	
VMP-51	10	VMP-51-10-042624	4/26/2024	< 0.0031	U		< 0.0066	U		< 0.0093	U		< 0.0062	U		< 0.0045	U		< 0.0048	U		< 0.02	U		< 0.0048	U	
VMP-51	20	VMP-51-20-080123	8/1/2023	< 0.0036	U		< 0.0076	U		< 0.011	U		< 0.0071	U		< 0.0052	U		0.0011	J		< 0.023	U		0.0022	J	
VMP-51	20	VMP-51-20-102723	10/27/2023	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		< 0.0054	U	
VMP-51	20	VMP-51-20-012924	1/29/2024	< 0.0032	U		< 0.0067	U		< 0.0095	U		< 0.0063	U		< 0.0046	U		< 0.0048	U		< 0.02	U		0.0024	J	
VMP-51	20	VMP-51-20-042624	4/26/2024	< 0.0031	U		< 0.0065	U		< 0.0093	U		< 0.0061	U		< 0.0045	U		< 0.0048	U		< 0.02	U		< 0.0048	U	
VMP-51	30	VMP-51-30-080123	8/1/2023	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0070	U		< 0.0051	U		< 0.0054	U		< 0.023	U		0.0022	J	
VMP-51	30	VMP-51-30-102723	10/27/2023	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	
VMP-51	30	VMP-51-30-012924	1/29/2024	< 0.0033	U		< 0.0069	U		< 0.0097	U		< 0.0064	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-51	30	VMP-51-30-042624	4/26/2024	< 0.0033	U		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-52	5	VMP-52-5-080123	8/1/2023	< 0.0036	U		< 0.0075	U		< 0.011	U		< 0.0070	U		< 0.0051	U		< 0.0054	U		< 0.023	U		0.0026	J	
VMP-52	5	VMP-52-5-103023	10/30/2023	< 0.0032	U		< 0.0068	U		< 0.0096	U		< 0.0064	U		< 0.0046	U		< 0.0049	U		< 0.021	U		< 0.0050	U	
VMP-52	5	VMP-52-5-012924	1/29/2024	0.0012	J		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0048	U		< 0.0050	U		< 0.021	U		0.0036	J	
VMP-52	5	VMP-52-5-042624	4/26/2024	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0066	U		< 0.0048	U		< 0.0052	U		< 0.022	U		< 0.0052	U	
VMP-52	10	VMP-52-10-080123	8/1/2023	< 0.0036	U		< 0.0075	U		< 0.011	U		< 0.0070	U		0.0012	J		< 0.0054	U		< 0.023	U		0.0028	J	
VMP-52	10	VMP-52-10-103023	10/30/2023	< 0.0031	U		< 0.0065	U		< 0.0093	U		< 0.0061	U		< 0.0045	U		< 0.0048	U		< 0.02	U		< 0.0048	U	
VMP-52	10	VMP-52-10-012924	1/29/2024	< 0.0030	U		< 0.0064	U		< 0.0091	U		< 0.0060	U		< 0.0044	U		< 0.0047	U		< 0.02	U		0.0025	J	
VMP-52	10	VMP-52-10-042624	4/26/2024	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0066	U		< 0.0048	U		< 0.0052	U		< 0.022	U		< 0.0052	U	
VMP-52	20	VMP-52-20-080123	8/1/2023	< 0.0036	U		< 0.0076	U		< 0.011	U		< 0.0071	U		< 0.0052	U		< 0.0055	U		< 0.023	U		0.0027	J	
VMP-52	20	VMP-52-20-080123-DUP	8/1/2023	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		0.0013	J		< 0.022	U		0.0021	J	
VMP-52	20	VMP-52-20-103023	10/30/2023	< 0.0032	U		< 0.0067	U		< 0.0095	U		< 0.0063	U		< 0.0046	U		< 0.0048	U		< 0.02	U		< 0.0049	U	
VMP-52	20	VMP-52-20-012924	1/29/2024	< 0.0030	U		< 0.0064	U		< 0.0090	U		< 0.0060	U		< 0.0044	U		< 0.0046	U		< 0.02	U		0.0027	J	
VMP-52	20	VMP-52-20-042624	4/26/2024	< 0.0032	U		< 0.0067	U		< 0.0096	U		< 0.0063	U		< 0.0046	U		< 0.0049	U		< 0.021	U		< 0.0050	U	
VMP-52	30	VMP-52-30-080123	8/1/2023	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		0.0027	J	
VMP-52	30	VMP-52-30-103023	10/30/2023	< 0.0031	U		< 0.0065	U		< 0.0092	U		< 0.0061	U		< 0.0045	U		< 0.0047	U		< 0.02	U		0.0024	J	
VMP-52	30	VMP-52-30-012924	1/29/2024	< 0.0031	U		< 0.0066	U		< 0.0093	U		< 0.0062	U		< 0.0045	U		< 0.0048	U		< 0.02	U		0.0025	J	
VMP-52	30	VMP-52-30-042624	4/26/2024	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	
VMP-52	30	VMP-52-30-042624-DUP	4/26/2024	< 0.0032	U		< 0.0066	U		< 0.0094	U		< 0.0062	U		< 0.0046	U		< 0.0048	U		< 0.02	U		< 0.0049	U	
VMP-53	5	VMP-53-5-072423	7/24/2023	< 0.0033	U		< 0.0070	U		< 0.0099	U		< 0.0065	U		0.0014	J		0.0037	J		< 0.021	U		0.0026	J	
VMP-53	5	VMP-53-5-120123	12/1/2023	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0066	U		< 0.0048	U		< 0.0052	U		< 0.022	U		< 0.0052	U	
VMP-53	5	VMP-53-5-012424	1/24/2024	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0070	U		< 0.0051	U		< 0.0054	U		< 0.023	U		< 0.0055	U	
VMP-53	5	VMP-53-5-042524	4/25/2024	< 0.0036	U		< 0.0077	U		< 0.011	U		< 0.0072	U		< 0.0053	U		< 0.0056	U		< 0.024	U		< 0.0057	U	
VMP-53	10	VMP-53-10-072423	7/24/2023	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0066	U		< 0.0048	U		< 0.0052	U		< 0.022	U		0.0020	J	
VMP-53	10	VMP-53-10-072423-DUP	7/24/2023	< 0.0033	U		< 0.0070	U		< 0.0099	U		< 0.0066	U		< 0.0048	U		< 0.0051	U		< 0.022	U		0.0020	J	
VMP-53	10	VMP-53-10-102523	10/25/2023	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		< 0.0054	U	
VMP-53	10	VMP-53-10-012424	1/24/2024	< 0.0037	U		< 0.0078	U		< 0.011	U		< 0.0073	U		< 0.0053	U		< 0.0057	U		< 0.024	U		< 0.0057	U	
VMP-53	10	VMP-53-10-042524	4/25/2024	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0066	U		< 0.0048	U		< 0.0052	U		< 0.022	U	</			

**TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS**

Location	Depth	Sample ID	Sample Date	Benzene			Bromodichloromethane			Butane			Carbon Tetrachloride			Chlorobenzene			Chloroform			Chloromethane			Dichlorodifluoromethane		
				0.37			450000			0.21			69			0.11			270								
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-53	20	VMP-53-20-072423	7/24/2023	< 0.0033	U		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0048	U		0.0011	J		< 0.021	U		0.0018	J	
VMP-53	20	VMP-53-20-102523	10/25/2023	0.0013	J		< 0.0078	U		< 0.011	U		< 0.0073	U		< 0.0054	U		< 0.0057	U		< 0.024	U		< 0.0058	U	
VMP-53	20	VMP-53-20-012424	1/24/2024	0.0011	J		< 0.0077	U		< 0.011	U		< 0.0072	U		< 0.0053	U		< 0.0056	U		< 0.024	U		< 0.0057	U	
VMP-53	20	VMP-53-20-042524	4/25/2024	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0069	U		< 0.0050	U		< 0.0053	U		< 0.023	U		< 0.0054	U	
VMP-53	20	VMP-53-20-042524-DUP	4/25/2024	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		< 0.0054	U	
VMP-53	30	VMP-53-30-072423	7/24/2023	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0069	U		< 0.0051	U		0.0018	J		< 0.023	U		0.0022	J	
VMP-53	30	VMP-53-30-102523	10/25/2023	< 0.0036	U		< 0.0075	U		< 0.011	U		< 0.0070	U		< 0.0051	U		0.0022	J		< 0.023	U		< 0.0055	U	
VMP-53	30	VMP-53-30-012424	1/24/2024	0.00084	J		< 0.0070	U		< 0.01	U		< 0.0066	U		< 0.0048	U		0.0017	J		< 0.022	U		< 0.0052	U	
VMP-53	30	VMP-53-30-042524	4/25/2024	0.00092	J		< 0.0081	U		< 0.012	U		< 0.0076	U		< 0.0056	U		0.0018	J		< 0.025	U		< 0.0060	U	
VMP-54	5	VMP-54-5-072523	7/25/2023	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0069	U		< 0.0051	U		0.0032	J		< 0.023	U		0.0024	J	
VMP-54	5	VMP-54-5-102523	10/25/2023	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0067	U		< 0.0049	U		0.12			< 0.022	U		< 0.0053	U	
VMP-54	5	VMP-54-5-012424	1/24/2024	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0067	U		< 0.0049	U		0.01			< 0.022	U		< 0.0053	U	
VMP-54	5	VMP-54-5-042524	4/25/2024	0.0036			< 0.0066	U		< 0.0094	U		< 0.0062	U		< 0.0046	U		0.0070			< 0.02	U		< 0.0049	U	
VMP-54	10	VMP-54-10-072523	7/25/2023	< 0.0038	U		< 0.0081	U		< 0.011	U		< 0.0076	U		< 0.0055	U		0.017			< 0.025	U		0.0026	J	
VMP-54	10	VMP-54-10-072523-DUP	7/25/2023	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0067	U		< 0.0049	U		0.016			< 0.022	U		0.0022	J	
VMP-54	10	VMP-54-10-102523	10/25/2023	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0069	U		< 0.0051	U		0.042			< 0.023	U		< 0.0054	U	
VMP-54	10	VMP-54-10-012424	1/24/2024	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		0.025			< 0.022	U		< 0.0054	U	
VMP-54	10	VMP-54-10-042524	4/25/2024	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0068	U		< 0.0049	U		0.0086			< 0.022	U		< 0.0053	U	
VMP-54	20	VMP-54-20-072523	7/25/2023	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0067	U		< 0.0049	U		0.0067			< 0.022	U		0.0024	J	
VMP-54	20	VMP-54-20-102523	10/25/2023	< 0.0036	U		< 0.0075	U		< 0.011	U		< 0.0070	U		< 0.0051	U		0.0064			< 0.023	U		< 0.0055	U	
VMP-54	20	VMP-54-20-012424	1/24/2024	< 0.0036	U		< 0.0076	U		< 0.011	U		< 0.0071	U		< 0.0052	U		0.0045	J		< 0.023	U		< 0.0056	U	
VMP-54	20	VMP-54-20-012424-DUP	1/24/2024	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0070	U		< 0.0051	U		0.0041	J		< 0.023	U		< 0.0055	U	
VMP-54	20	VMP-54-20-042524	4/25/2024	< 0.0033	U		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0048	U		0.0027	J		< 0.021	U		< 0.0051	U	
VMP-54	30	VMP-54-30-102523	10/25/2023	< 0.0035	U		< 0.0074	U		0.0072	J		< 0.0069	U		< 0.0051	U		0.26			< 0.023	U		< 0.0054	U	
VMP-54	30	VMP-54-30-012424	1/24/2024	< 0.0033	U		< 0.0069	U		0.0067	J		< 0.0065	U		< 0.0048	U		0.013			< 0.021	U		< 0.0051	U	
VMP-54	30	VMP-54-30-042524	4/25/2024	< 0.0033	U		< 0.0070	U		< 0.0099	U		< 0.0066	U		< 0.0048	U		0.019			< 0.022	U		< 0.0052	U	
VMP-56	10	VMP-56-10-080123	8/1/2023	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0067	U		< 0.0049	U		0.0012	J		< 0.022	U		0.0020	J	
VMP-56	10	VMP-56-10-110123	11/1/2023	< 0.0037	U		< 0.0078	U		< 0.011	U		< 0.0074	U		< 0.0054	U		< 0.0057	U		< 0.024	U		< 0.0058	U	
VMP-56	10	VMP-56-10-020124	2/1/2024	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		< 0.0053	U	
VMP-56	10	VMP-56-10-050224	5/2/2024	< 0.0038	U		< 0.0081	U		< 0.011	U		< 0.0076	U		< 0.0055	U		< 0.0059	U		< 0.025	U		< 0.0060	U	
VMP-56	10	VMP-56-10-050224-DUP	5/2/2024	< 0.0037	U		< 0.0077	U		< 0.011	U		< 0.0073	U		< 0.0053	U		< 0.0056	U		< 0.024	U		< 0.0057	U	
VMP-56	25	VMP-56-25-080123	8/1/2023	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		0.0023	J	
VMP-56	25	VMP-56-25-110123	11/1/2023	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0066	U		< 0.0048	U		< 0.0052	U		< 0.022	U		0.0027	J	
VMP-56	25	VMP-56-25-020124	2/1/2024	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	
VMP-56	25	VMP-56-25-050224	5/2/2024	< 0.0037	U		< 0.0077	U		< 0.011	U		< 0.0073	U		< 0.0053	U		< 0.0056	U		< 0.024	U		< 0.0057	U	
VMP-56	38.5	VMP-56-38.5-110123	11/1/2023	230			< 28	U		300			< 26	U		< 19	U		< 20	U		< 86	U		< 21	U	
VMP-56	38.5	VMP-56-38.5-020124	2/1/2024	130			< 7.5	U		100			< 7	U		< 5.2	U		< 5.5	U		< 23	U		< 5.5	U	
VMP-56	38.5	VMP-56-38.5-050224	5/2/2024	42			< 4	U		65			< 3.8	U		< 2.8	U		< 2.9	U		< 5	U		< 3	U	
VMP-62	5	VMP-62-5-072523	7/25/2023	< 0.0039	U		< 0.0082	U		< 0.012	U		< 0.0077	U		< 0.0057	U		< 0.0060	U		< 0.025	U		0.0023	J	
VMP-62	5	VMP-62-5-102623	10/26/2023	< 0.0036	U		< 0.0077	U		< 0.011	U		< 0.0072	U		< 0.0053	U		< 0.0056	U		< 0.024	U		< 0.0057	U	
VMP-62	5	VMP-62-5-012924	1/29/2024	< 0.0032	U		< 0.0068	U		< 0.0097	U		< 0.0064	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0050	U	
VMP-62	5	VMP-62-5-042924	4/29/2024	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0068	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	
VMP-62	10	VMP-62-10-072523	7/25/2023	< 0.0033	U		0.0016	J		< 0.0098	U		< 0.0065	U		< 0.0048	U		0.0085			< 0.021	U		0.0022	J	
VMP-62	10	VMP-62-10-102623	10/26/2023	0.0017	J		< 0.0074	U		< 0.01	U		< 0.0070	U		< 0.0051	U		0.0052	J		< 0.023	U		< 0.0055	U	
VMP-62	10	VMP-62-10-012924	1/29/2024	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0066	U		< 0.0048	U		0.0067			< 0.022	U		< 0.0052	U	
VMP-62	10	VMP-62-10-012924-DUP	1/29/2024	< 0.0032	U		< 0.0068	U		< 0.0096	U		< 0.0064	U		< 0.0047	U		0.0073			< 0.021	U		< 0.0050	U	
VMP-62	10	VMP-62-10-042924	4/29/2024	< 0.0036	U		0.0024	J		< 0.011	U		< 0.0071	U		< 0.0052	U		0.0095			< 0.023	U		< 0.0056	U	
VMP-62	20	VMP-62-20-072523	7/25/2023	< 0.0041	U		< 0.0087	U		< 0.012	U		< 0.0081	U		< 0.0060	U		0.012			< 0.027	U		0.0023	J	
VMP-62	20	VMP-62-20-102623	10/26/2023	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0070	U		< 0.0051	U		0.0059			< 0.023	U		< 0.0055	U	
VMP-62	20	VMP-62-20-013024	1/30/2024	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0066														

**TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS**

Location	Depth	Sample ID	Sample Date	Benzene			Bromodichloromethane			Butane			Carbon Tetrachloride			Chlorobenzene			Chloroform			Chloromethane			Dichlorodifluoromethane		
				0.37			450000			0.21			69			0.11			270								
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-62	30	VMP-62-30-072523	7/25/2023	0.0071			< 0.0089	U		< 0.013	U		< 0.0084	U		< 0.0061	U		0.0028	J		< 0.028	U		0.0025	J	
VMP-62	30	VMP-62-30-102623	10/26/2023	0.00098	J		< 0.0071	U		< 0.01	U		< 0.0066	U		< 0.0048	U		0.0033	J		< 0.022	U		< 0.0052	U	
VMP-62	30	VMP-62-30-013024	1/30/2024	< 0.0033	U		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0047	U		0.0012	J		< 0.021	U		< 0.0051	U	
VMP-62	30	VMP-62-30-042924	4/29/2024	< 0.0037	U		< 0.0077	U		< 0.011	U		< 0.0073	U		< 0.0053	U		< 0.0056	U		< 0.024	U		< 0.0057	U	
VMP-63	5	VMP-63-5-073123	7/31/2023	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0066	U		< 0.0048	U		0.0012	J		< 0.022	U		0.0024	J	
VMP-63	5	VMP-63-5-102723	10/27/2023	< 0.0032	U		< 0.0068	U		< 0.0097	U		< 0.0064	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0050	U	
VMP-63	5	VMP-63-5-013024	1/30/2024	0.0012	J		< 0.0071	U		< 0.01	U		< 0.0066	U		< 0.0048	U		< 0.0052	U		< 0.022	U		< 0.0052	U	
VMP-63	5	VMP-63-5-050324	5/3/2024	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	
VMP-63	10	VMP-63-10-073123	7/31/2023	< 0.0036	U		< 0.0076	U		< 0.011	U		< 0.0072	U		< 0.0052	U		< 0.0056	U		< 0.024	U		0.0023	J	
VMP-63	10	VMP-63-10-073123-DUP	7/31/2023	< 0.0036	U		< 0.0075	U		< 0.011	U		< 0.0070	U		< 0.0052	U		< 0.0055	U		< 0.023	U		0.0021	J	
VMP-63	10	VMP-63-10-102723	10/27/2023	< 0.0033	U		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0048	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-63	10	VMP-63-10-013024	1/30/2024	< 0.0031	U		< 0.0064	U		< 0.0091	U		< 0.0060	U		< 0.0044	U		< 0.0047	U		< 0.02	U		< 0.0047	U	
VMP-63	10	VMP-63-10-050324	5/3/2024	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0068	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	
VMP-63	20	VMP-63-20-073123	7/31/2023	< 0.0036	U		< 0.0076	U		< 0.011	U		< 0.0071	U		< 0.0052	U		0.0016	J		< 0.023	U		0.0021	J	
VMP-63	20	VMP-63-20-102723	10/27/2023	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0069	U		< 0.0050	U		< 0.0053	U		< 0.023	U		< 0.0054	U	
VMP-63	20	VMP-63-20-022924	2/29/2024	0.0019	J		< 0.0070	U		0.0065	J		< 0.0066	U		< 0.0048	U		< 0.0051	U		< 0.022	U		< 0.0052	U	
VMP-63	20	VMP-63-20-050324	5/3/2024	< 0.0036	U		< 0.0076	U		< 0.011	U		< 0.0071	U		< 0.0052	U		< 0.0055	U		< 0.023	U		< 0.0056	U	
VMP-63	30	VMP-63-30-073123	7/31/2023	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		0.0045	J		< 0.022	U		0.0022	J	
VMP-63	30	VMP-63-30-102723	10/27/2023	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	
VMP-63	30	VMP-63-30-013024	1/30/2024	< 0.0032	U		< 0.0068	U		< 0.0096	U		< 0.0064	U		< 0.0046	U		< 0.0049	U		< 0.021	U		< 0.0050	U	
VMP-63	30	VMP-63-30-013024-DUP	1/30/2024	< 0.0033	U		< 0.0070	U		< 0.0099	U		< 0.0066	U		< 0.0048	U		< 0.0051	U		< 0.022	U		< 0.0052	U	
VMP-63	30	VMP-63-30-050324	5/3/2024	< 0.0038	U		< 0.0080	U		< 0.011	U		< 0.0075	U		< 0.0055	U		< 0.0058	U		< 0.025	U		< 0.0059	U	
VMP-63	30	VMP-63-30-050324-DUP	5/3/2024	< 0.0037	U		< 0.0077	U		< 0.011	U		< 0.0072	U		< 0.0053	U		< 0.0056	U		< 0.024	U		< 0.0057	U	
VMP-64	5	VMP-64-5-072123	7/21/2023	0.00082	J		< 0.0073	U		< 0.01	U		< 0.0069	U		0.013			0.0026	J		< 0.023	U		0.0020	J	
VMP-64	5	VMP-64-5-102623	10/26/2023	0.0013	J		< 0.0077	U		< 0.011	U		< 0.0072	U		< 0.0053	U		< 0.0056	U		< 0.024	U		< 0.0057	U	
VMP-64	5	VMP-64-5-012924	1/29/2024	< 0.0033	U		< 0.0070	U		< 0.0099	U		< 0.0066	U		< 0.0048	U		< 0.0051	U		< 0.022	U		< 0.0052	U	
VMP-64	5	VMP-64-5-042624	4/26/2024	< 0.0033	U		< 0.0070	U		< 0.0099	U		< 0.0065	U		< 0.0048	U		< 0.0051	U		< 0.021	U		< 0.0051	U	
VMP-64	10	VMP-64-10-072123	7/21/2023	0.0017	J		< 0.0070	U		< 0.0099	U		< 0.0066	U		0.0030	J		0.0024	J		< 0.022	U		0.0025	J	
VMP-64	10	VMP-64-10-102623	10/26/2023	0.0012	J		< 0.0077	U		< 0.011	U		< 0.0073	U		< 0.0053	U		< 0.0056	U		< 0.024	U		< 0.0057	U	
VMP-64	10	VMP-64-10-012924	1/29/2024	< 0.0032	U		< 0.0068	U		< 0.0096	U		< 0.0064	U		< 0.0046	U		< 0.0049	U		< 0.021	U		< 0.0050	U	
VMP-64	10	VMP-64-10-042624	4/26/2024	< 0.0039	U		< 0.0082	U		< 0.012	U		< 0.0077	U		< 0.0056	U		< 0.0060	U		< 0.025	U		< 0.0060	U	
VMP-64	20	VMP-64-20-072123	7/21/2023	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		0.0021	J	
VMP-64	20	VMP-64-20-072123-DUP	7/21/2023	< 0.0033	U		< 0.0070	U		< 0.0099	U		< 0.0065	U		< 0.0048	U		< 0.0051	U		< 0.021	U		0.0023	J	
VMP-64	20	VMP-64-20-102623	10/26/2023	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		< 0.0054	U	
VMP-64	20	VMP-64-20-012924	1/29/2024	0.0018	J		< 0.0070	U		< 0.01	U		< 0.0066	U		< 0.0048	U		< 0.0051	U		< 0.022	U		< 0.0052	U	
VMP-64	20	VMP-64-20-042624	4/26/2024	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0069	U		< 0.0050	U		< 0.0053	U		< 0.023	U		< 0.0054	U	
VMP-64	20	VMP-64-20-042624-DUP	4/26/2024	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	

**TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS**

Location	Depth	Sample ID	Sample Date	1,2-Dichloroethane			Dichloromethane (Methylene Chloride)			1,2-Dichloropropane			1,4-Dioxane			Ethanol			Ethylbenzene			4-Ethyltoluene			Heptane		
				0.099			5.6			0.31			0.22						1.3								
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-1	5	VMP-1-5-073123	7/31/2023	< 0.0049	U		< 0.042	U		< 0.0056	U		< 0.017	U		< 0.023	U		< 0.0052	U		< 0.0059	U		< 0.0049	U	
VMP-1	5	VMP-1-5-102723	10/27/2023	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.014	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0041	U	
VMP-1	5	VMP-1-5-013024	1/30/2024	< 0.0044	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		0.0044	J		0.0039	J		0.0069		
VMP-1	5	VMP-1-5-050324	5/3/2024	< 0.0049	U		< 0.042	U		< 0.0056	U		< 0.017	U		< 0.023	U		< 0.0052	U		< 0.0059	U		< 0.0049	U	
VMP-1	8.5	VMP-1-8.5-073123	7/31/2023	< 0.0049	U		< 0.042	U		< 0.0056	U		0.0011	J		< 0.023	U		< 0.0052	U		< 0.0059	U		< 0.0050	U	
VMP-1	8.5	VMP-1-8.5-073123-DUP	7/31/2023	< 0.0048	U		< 0.042	U		< 0.0055	U		< 0.017	U		< 0.023	U		< 0.0052	U		< 0.0059	U		< 0.0049	U	
VMP-1	8.5	VMP-1-8.5-102723	10/27/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-1	8.5	VMP-1-8.5-013024	1/30/2024	< 0.0044	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-1	8.5	VMP-1-8.5-013024-DUP	1/30/2024	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.014	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0041	U	
VMP-1	8.5	VMP-1-8.5-050324	5/3/2024	< 0.0049	U		< 0.042	U		< 0.0056	U		< 0.017	U		< 0.023	U		< 0.0052	U		< 0.0059	U		< 0.0050	U	
VMP-1	38.5	VMP-1-38.5-013024	1/30/2024	< 0.0041	U		< 0.036	U		< 0.0047	U		< 0.015	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0042	U	
VMP-1	38.5	VMP-1-38.5-050324	5/3/2024	< 0.0045	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0055	U		< 0.0046	U	
VMP-2	5	VMP-2-5-080223	8/2/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0044	U	
VMP-2	5	VMP-2-5-103023	10/30/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.019	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-2	5	VMP-2-5-013124	1/31/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.019	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-2	5	VMP-2-5-050624	5/6/2024	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0056	U		< 0.0046	U	
VMP-2	8.5	VMP-2-8.5-080223	8/2/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-2	8.5	VMP-2-8.5-080223-DUP	8/2/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-2	8.5	VMP-2-8.5-103023	10/30/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		0.0099	J	J	< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-2	8.5	VMP-2-8.5-013124	1/31/2024	< 0.0044	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		0.0012	J		< 0.0054	U		< 0.0045	U	
VMP-2	8.5	VMP-2-8.5-050624	5/6/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0053	U		< 0.0044	U	
VMP-2	22	VMP-2-22-080223	8/2/2023	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.015	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0042	U	
VMP-2	22	VMP-2-22-103023	10/30/2023	< 0.0041	U		< 0.035	U		< 0.0046	U		< 0.014	U		< 0.019	U		< 0.0044	U		< 0.0049	U		< 0.0041	U	
VMP-2	22	VMP-2-22-013124	1/31/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.019	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-2	22	VMP-2-22-050624	5/6/2024	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.014	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0041	U	
VMP-3	5	VMP-3-5-080223	8/2/2023	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.015	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0042	U	
VMP-3	5	VMP-3-5-110223	11/2/2023	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.015	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0042	U	
VMP-3	5	VMP-3-5-022924	2/29/2024	< 0.0045	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0055	U		< 0.0046	U	
VMP-3	5	VMP-3-5-050224	5/2/2024	< 0.0048	U		< 0.042	U		< 0.0055	U		< 0.017	U		0.013	J		< 0.0052	U		< 0.0059	U		< 0.0049	U	
VMP-3	10	VMP-3-10-080223	8/2/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-3	10	VMP-3-10-110223	11/2/2023	< 0.0040	U		< 0.034	U		< 0.0046	U		< 0.014	U		0.0092	J		0.0048	U		< 0.0048	U		0.0065		
VMP-3	10	VMP-3-10-020224	2/2/2024	< 0.0037	U		< 0.032	U		< 0.0042	U		< 0.013	U		< 0.017	U		< 0.0040	U		< 0.0045	U		< 0.0038	U	
VMP-3	10	VMP-3-10-050224	5/2/2024	< 0.0049	U		< 0.042	U		< 0.0056	U		< 0.017	U		< 0.023	U		< 0.0052	U		< 0.0059	U		< 0.0049	U	
VMP-3	22	VMP-3-22-080323	8/3/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0053	U		< 0.0044	U	
VMP-3	22	VMP-3-22-110223	11/2/2023	< 0.0041	U		< 0.036	U		< 0.0047	U		< 0.015	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0042	U	
VMP-3	22	VMP-3-22-020224	2/2/2024	< 0.0041	U		< 0.035	U		< 0.0046	U		< 0.014	U		< 0.019	U		< 0.0044	U		< 0.0049	U		< 0.0041	U	
VMP-3	22	VMP-3-22-050224	5/2/2024	< 0.0049	U		< 0.042	U		< 0.0056	U		< 0.017	U		< 0.023	U		< 0.0052	U		< 0.0059	U		< 0.0050	U	
VMP-3	31.5	VMP-3-31.5-080323	8/3/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.019	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-3	31.5	VMP-3-31.5-110223	11/2/2023	< 0.0040	U		< 0.034	U		< 0.0046	U		< 0.014	U		< 0.019	U		< 0.0043	U		< 0.0049	U		< 0.0040	U	
VMP-3	31.5	VMP-3-31.5-020224	2/2/2024	< 0.0039	U		< 0.034	U		< 0.0045	U		< 0.014	U		< 0.018	U		< 0.0042	U		< 0.0048	U		< 0.0040	U	
VMP-3	31.5	VMP-3-31.5-050224	5/2/2024	< 0.0050	U		< 0.043	U		< 0.0057	U		< 0.018	U		< 0.023	U		< 0.0054	U		< 0.0061	U		< 0.0051	U	
VMP-3	39	VMP-3-39-050224	5/2/2024	< 0.59	U		< 2	U		< 0.67	U		< 2.1	U		< 1.4	U		< 0.63	U		< 0.71	U		< 0.59	U	
VMP-4	5	VMP-4-5-080223	8/2/2023	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0056	U		< 0.0046	U	
VMP-4	5	VMP-4-5-103123	10/31/2023	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.014	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0041	U	
VMP-4	5	VMP-4-5-020224	2/2/2024	< 0.0045	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0055	U		< 0.0046	U	
VMP-4	5	VMP-4-5-050624	5/6/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.019	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-4	5	VMP-4-5-050624-DUP	5/6/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-4	12	VMP-4-12-080223	8/2/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0053	U		< 0.0044	U	
VMP-4	12	VMP-4-12-103123	10/31/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015														

**TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS**

Location	Depth	Sample ID	Sample Date	1,2-Dichloroethane			Dichloromethane (Methylene Chloride)			1,2-Dichloropropane			1,4-Dioxane			Ethanol			Ethylbenzene			4-Ethyltoluene			Heptane		
				0.099			5.6			0.31			0.22						1.3								
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-4	23.5	VMP-4-23.5-080223	8/2/2023	< 0.0044	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-4	23.5	VMP-4-23.5-103123	10/31/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0043	U	
VMP-4	23.5	VMP-4-23.5-020224	2/2/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-4	23.5	VMP-4-23.5-050624	5/6/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0043	U	
VMP-5	5	VMP-5-5-080223	8/2/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		0.0017	J		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-5	5	VMP-5-5-103023	10/30/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		0.0054	J		0.012	J	J	< 0.0045	U		< 0.0051	U		< 0.0043	U	
VMP-5	5	VMP-5-5-012924	1/29/2024	< 0.0039	U		< 0.034	U		< 0.0045	U		< 0.014	U		< 0.018	U		< 0.0042	U		< 0.0048	U		< 0.0040	U	
VMP-5	5	VMP-5-5-050124	5/1/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0044	U	
VMP-5	12.5	VMP-5-12.5-080223	8/2/2023	< 0.0042	U		0.0030	J		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-5	12.5	VMP-5-12.5-103023	10/30/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.019	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-5	12.5	VMP-5-12.5-012924	1/29/2024	< 0.0040	U		< 0.035	U		< 0.0046	U		< 0.014	U		< 0.019	U		< 0.0043	U		< 0.0049	U		< 0.0041	U	
VMP-5	12.5	VMP-5-12.5-050124	5/1/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0053	U		< 0.0044	U	
VMP-5	31	VMP-5-31-080223	8/2/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-5	31	VMP-5-31-103023	10/30/2023	< 0.0040	U		< 0.034	U		< 0.0046	U		< 0.014	U		0.0095	J	J	< 0.0043	U		< 0.0049	U		< 0.0040	U	
VMP-5	31	VMP-5-31-012924	1/29/2024	< 0.0045	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0055	U		< 0.0046	U	
VMP-5	31	VMP-5-31-050124	5/1/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0053	U		< 0.0044	U	
VMP-5	31	VMP-5-31-050124-DUP	5/1/2024	< 0.0040	U		< 0.034	U		< 0.0046	U		< 0.014	U		< 0.019	U		< 0.0043	U		< 0.0049	U		< 0.0040	U	
VMP-5	40	VMP-5-40-080223	8/2/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-5	40	VMP-5-40-103123	10/31/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-5	40	VMP-5-40-012924	1/29/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.019	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-5	40	VMP-5-40-050124	5/1/2024	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		0.016	J		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-6	5	VMP-6-5-080123	8/1/2023	< 0.0040	U		< 0.035	U		< 0.0046	U		< 0.014	U		0.016	J		0.0025	J		< 0.0049	U		< 0.0041	U	
VMP-6	5	VMP-6-5-110123	11/1/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0053	U		< 0.0044	U	
VMP-6	5	VMP-6-5-020124	2/1/2024	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-6	5	VMP-6-5-020124-DUP	2/1/2024	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0054	U		< 0.0045	U	
VMP-6	5	VMP-6-5-043024	4/30/2024	< 0.0052	U		< 0.045	U		< 0.0059	U		< 0.018	U		< 0.024	U		< 0.0056	U		< 0.0063	U		< 0.0053	U	
VMP-6	5	VMP-6-5-043024-DUP	4/30/2024	< 0.0052	U		< 0.044	U		< 0.0059	U		< 0.018	U		< 0.024	U		< 0.0056	U		< 0.0063	U		< 0.0052	U	
VMP-6	10	VMP-6-10-080123	8/1/2023	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		0.012	J		< 0.0049	U		< 0.0055	U		< 0.0046	U	
VMP-6	10	VMP-6-10-110123	11/1/2023	< 0.0046	U		< 0.04	U		< 0.0053	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0056	U		< 0.0047	U	
VMP-6	10	VMP-6-10-020124	2/1/2024	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-6	10	VMP-6-10-043024	4/30/2024	< 0.0050	U		< 0.043	U		< 0.0057	U		< 0.018	U		< 0.023	U		< 0.0053	U		< 0.0060	U		< 0.0050	U	
VMP-6	31.5	VMP-6-31.5-080123	8/1/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0044	U	
VMP-6	31.5	VMP-6-31.5-110123	11/1/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-6	31.5	VMP-6-31.5-020124	2/1/2024	< 0.0046	U		< 0.04	U		< 0.0053	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0056	U		< 0.0047	U	
VMP-6	31.5	VMP-6-31.5-043024	4/30/2024	< 0.0049	U		< 0.042	U		< 0.0056	U		< 0.018	U		< 0.023	U		< 0.0053	U		< 0.0060	U		< 0.0050	U	
VMP-6	39	VMP-6-39-080123	8/1/2023	< 2.1	U		< 7.3	U		< 2.4	U		< 7.6	U		< 4.9	U		< 2.3	U		< 2.6	U		32		
VMP-6	39	VMP-6-39-110123	11/1/2023	< 0.61	U		< 5.2	U		< 0.69	U		< 2.2	U		< 2.8	U		< 0.65	U		< 0.74	U		< 0.61	U	
VMP-6	39	VMP-6-39-020124	2/1/2024	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0054	U		< 0.0045	U	
VMP-6	39	VMP-6-39-043024	4/30/2024	< 0.0047	U		< 0.04	U		< 0.0054	U		< 0.017	U		< 0.022	U		< 0.0050	U		< 0.0057	U		< 0.0048	U	
VMP-7	5	VMP-7-5-073123	7/31/2023	< 0.0053	U		< 0.046	U		< 0.0060	U		< 0.019	U		< 0.025	U		< 0.0057	U		< 0.0064	U		< 0.0054	U	
VMP-7	5	VMP-7-5-102623	10/26/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0044	U	
VMP-7	5	VMP-7-5-013024	1/30/2024	< 0.0044	U		< 0.037	U		< 0.0050	U		< 0.015	U		0.014	J		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-7	5	VMP-7-5-050324	5/3/2024	< 0.0044	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-7	13.5	VMP-7-13.5-073123	7/31/2023	< 0.0046	U		< 0.04	U		< 0.0053	U		0.0017	J		0.028			< 0.0050	U		< 0.0056	U		< 0.0047	U	
VMP-7	13.5	VMP-7-13.5-102623	10/26/2023	< 0.0045	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-7	13.5	VMP-7-13.5-013024	1/30/2024	< 0.0040	U		< 0.034	U		< 0.0046	U		< 0.014	U		0.012	J		< 0.0043	U		< 0.0048	U		< 0.0040	U	
VMP-7	13.5	VMP-7-13.5-050324	5/3/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-7	13.5	VMP-7-13.5-050324-DUP	5/3/2024	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-7	29.5	VMP-7-29.5-073123	7/31/2023	< 0.0047	U		< 0.04	U		< 0.0054	U		< 0														

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	1,2-Dichloroethane			Dichloromethane (Methylene Chloride)			1,2-Dichloropropane			1,4-Dioxane			Ethanol			Ethylbenzene			4-Ethyltoluene			Heptane		
				0.099			5.6			0.31			0.22						1.3								
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-7	38	VMP-7-38-073123	7/31/2023	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0056	U		< 0.0046	U	
VMP-7	38	VMP-7-38-102623	10/26/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-7	38	VMP-7-38-013024	1/30/2024	< 0.0040	U		< 0.034	U		< 0.0046	U		< 0.014	U		< 0.018	U		< 0.0043	U		< 0.0048	U		< 0.0040	U	
VMP-7	38	VMP-7-38-050324	5/3/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-8	5	VMP-8-5-072123	7/21/2023	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		0.032			< 0.0049	U		< 0.0055	U		< 0.0046	U	
VMP-8	5	VMP-8-5-102523	10/25/2023	< 0.0045	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-8	5	VMP-8-5-012424	1/24/2024	< 0.0041	U		< 0.036	U		< 0.0047	U		< 0.015	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0042	U	
VMP-8	5	VMP-8-5-042524	4/25/2024	< 0.0044	U		< 0.037	U		< 0.0050	U		< 0.015	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-8	9.5	VMP-8-9.5-072123	7/21/2023	< 0.0050	U		< 0.043	U		< 0.0057	U		< 0.018	U		< 0.023	U		< 0.0054	U		< 0.0061	U		< 0.0051	U	
VMP-8	9.5	VMP-8-9.5-102523	10/25/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0054	U		< 0.0045	U	
VMP-8	9.5	VMP-8-9.5-012424	1/24/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0043	U	
VMP-8	9.5	VMP-8-9.5-042524	4/25/2024	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.014	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0041	U	
VMP-8	23.5	VMP-8-23.5-072123	7/21/2023	< 0.0044	U		< 0.038	U		< 0.0051	U		< 0.016	U		0.0096	J		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-8	23.5	VMP-8-23.5-072123-DUP	7/21/2023	< 0.0045	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-8	23.5	VMP-8-23.5-102523	10/25/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0053	U		< 0.0044	U	
VMP-8	23.5	VMP-8-23.5-012424	1/24/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.019	U		0.0030	J		< 0.0051	U		< 0.0042	U	
VMP-8	23.5	VMP-8-23.5-012424-DUP	1/24/2024	< 0.0044	U		< 0.037	U		< 0.0050	U		< 0.015	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-8	23.5	VMP-8-23.5-042524	4/25/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0053	U		< 0.0044	U	
VMP-8	35.5	VMP-8-35.5-072123	7/21/2023	< 0.0049	U		< 0.042	U		< 0.0056	U		< 0.018	U		0.022	J		< 0.0053	U		< 0.0060	U		< 0.0050	U	
VMP-8	35.5	VMP-8-35.5-102523	10/25/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		0.014	J		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-8	35.5	VMP-8-35.5-012424	1/24/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-8	35.5	VMP-8-35.5-042524	4/25/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-9	5	VMP-9-5-072523	7/25/2023	< 0.0047	U		< 0.04	U		< 0.0054	U		< 0.017	U		< 0.022	U		< 0.0050	U		< 0.0057	U		< 0.0048	U	
VMP-9	5	VMP-9-5-102523	10/25/2023	< 0.0044	U		< 0.037	U		< 0.0050	U		< 0.015	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-9	5	VMP-9-5-012424	1/24/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-9	5	VMP-9-5-042524	4/25/2024	< 0.0045	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-9	11.5	VMP-9-11.5-072523	7/25/2023	< 0.0044	U		< 0.038	U		< 0.0051	U		< 0.016	U		0.017	J		0.0021	J		< 0.0054	U		< 0.0045	U	
VMP-9	11.5	VMP-9-11.5-102523	10/25/2023	< 0.0045	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-9	11.5	VMP-9-11.5-012424	1/24/2024	< 0.0040	U		< 0.034	U		< 0.0046	U		< 0.014	U		< 0.019	U		< 0.0043	U		< 0.0049	U		< 0.0041	U	
VMP-9	11.5	VMP-9-11.5-042524	4/25/2024	< 0.0047	U		< 0.04	U		< 0.0054	U		< 0.017	U		< 0.022	U		< 0.0050	U		< 0.0057	U		< 0.0048	U	
VMP-9	25.5	VMP-9-25.5-072523	7/25/2023	< 0.0049	U		< 0.042	U		< 0.0056	U		< 0.017	U		< 0.023	U		< 0.0052	U		< 0.0059	U		< 0.0049	U	
VMP-9	25.5	VMP-9-25.5-102523	10/25/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		0.0049			< 0.0054	U		0.019		J
VMP-9	25.5	VMP-9-25.5-102523-DUP	10/25/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	UJ
VMP-9	25.5	VMP-9-25.5-012424	1/24/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.019	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-9	25.5	VMP-9-25.5-042524	4/25/2024	< 0.0047	U		< 0.04	U		< 0.0054	U		< 0.017	U		< 0.022	U		< 0.0050	U		< 0.0057	U		< 0.0048	U	
VMP-9	38.5	VMP-9-38.5-072523	7/25/2023	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0056	U		< 0.0046	U	
VMP-9	38.5	VMP-9-38.5-102523	10/25/2023	< 0.0044	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-9	38.5	VMP-9-38.5-012424	1/24/2024	< 0.0044	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-9	38.5	VMP-9-38.5-042524	4/25/2024	< 0.0045	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-9	38.5	VMP-9-38.5-042524-DUP	4/25/2024	< 0.0046	U		< 0.04	U		< 0.0053	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0056	U		< 0.0047	U	
VMP-18	8.5	VMP-18-8.5-073123	7/31/2023	< 0.0044	U		< 0.037	U		< 0.0050	U		< 0.015	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-18	8.5	VMP-18-8.5-102723	10/27/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-18	8.5	VMP-18-8.5-102723-DUP	10/27/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-18	8.5	VMP-18-8.5-020124	2/1/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		0.019			< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0043	U	
VMP-18	8.5	VMP-18-8.5-042624	4/26/2024	< 0.0040	U		< 0.034	U		< 0.0046	U		< 0.014	U		< 0.018	U		< 0.0043	U		< 0.0048	U		< 0.0040	U	
VMP-19	5	VMP-19-5-072723	7/27/2023	< 0.0048	U		< 0.041	U		< 0.0055	U		< 0.017	U		< 0.022	U		< 0.0051	U		< 0.0058	U		< 0.0048	U	
VMP-19	5	VMP-19-5-102623	10/26/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		0.016	J	J	< 0.0047	U		< 0.0054	U		0.0018	J	
VMP-19	5	VMP-19-5-102623-DUP	10/26/2023	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0056	U		< 0.0046	U	

**TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS**

Location	Depth	Sample ID	Sample Date	1,2-Dichloroethane			Dichloromethane (Methylene Chloride)			1,2-Dichloropropane			1,4-Dioxane			Ethanol			Ethylbenzene			4-Ethyltoluene			Heptane		
				0.099			5.6			0.31			0.22						1.3								
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-20	5	VMP-20-5-072723	7/27/2023	< 0.0048	U		< 0.042	U		< 0.0055	U		< 0.017	U		0.021	J		< 0.0052	U		< 0.0059	U		< 0.0049	U	
VMP-20	5	VMP-20-5-103123	10/31/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-20	5	VMP-20-5-012624	1/26/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-20	5	VMP-20-5-042924	4/29/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		0.033			< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-20	10	VMP-20-10-072723	7/27/2023	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		0.018	J		0.0027	J		< 0.0056	U		0.0029	J	
VMP-20	10	VMP-20-10-103123	10/31/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0044	U	
VMP-20	10	VMP-20-10-012624	1/26/2024	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.015	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0042	U	
VMP-20	10	VMP-20-10-042924	4/29/2024	< 0.0049	U		< 0.042	U		< 0.0056	U		< 0.018	U		0.027			< 0.0053	U		< 0.0060	U		< 0.0050	U	
VMP-20	25	VMP-20-25-072723	7/27/2023	< 0.0044	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-20	25	VMP-20-25-103123	10/31/2023	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.014	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0041	U	
VMP-20	25	VMP-20-25-103123-DUP	10/31/2023	< 0.0039	U		< 0.033	U		< 0.0044	U		< 0.014	U		< 0.018	U		< 0.0041	U		< 0.0047	U		< 0.0039	U	
VMP-20	25	VMP-20-25-012624	1/26/2024	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.014	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0041	U	
VMP-20	25	VMP-20-25-042924	4/29/2024	< 0.0047	U		< 0.041	U		< 0.0054	U		< 0.017	U		0.012	J		< 0.0051	U		< 0.0058	U		< 0.0048	U	
VMP-20	39.5	VMP-20-39.5-020224	2/2/2024	< 0.0040	U		< 0.034	U		< 0.0046	U		< 0.014	U		< 0.018	U		< 0.0043	U		< 0.0048	U		< 0.0040	U	
VMP-20	39.5	VMP-20-39.5-042924	4/29/2024	< 0.0044	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-21	5	VMP-21-5-080223	8/2/2023	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.015	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0042	U	
VMP-21	5	VMP-21-5-110223	11/2/2023	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.015	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0042	U	
VMP-21	5	VMP-21-5-020124	2/1/2024	< 0.0047	U		< 0.04	U		< 0.0053	U		< 0.017	U		< 0.022	U		< 0.0050	U		< 0.0057	U		< 0.0047	U	
VMP-21	5	VMP-21-5-050624	5/6/2024	< 0.0045	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0055	U		< 0.0046	U	
VMP-21	10	VMP-21-10-080223	8/2/2023	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.014	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0041	U	
VMP-21	10	VMP-21-10-110223	11/2/2023	< 0.0040	U		< 0.034	U		< 0.0045	U		< 0.014	U		< 0.018	U		< 0.0042	U		< 0.0048	U		< 0.0040	U	
VMP-21	10	VMP-21-10-020124	2/1/2024	< 0.0047	U		< 0.04	U		< 0.0054	U		< 0.017	U		< 0.022	U		< 0.0050	U		< 0.0057	U		< 0.0048	U	
VMP-21	10	VMP-21-10-020124-DUP	2/1/2024	< 0.0045	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-21	10	VMP-21-10-050624	5/6/2024	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0054	U		< 0.0045	U	
VMP-21	25	VMP-21-25-080223	8/2/2023	< 0.0039	U		< 0.034	U		< 0.0044	U		< 0.014	U		< 0.018	U		< 0.0042	U		< 0.0047	U		< 0.0040	U	
VMP-21	25	VMP-21-25-080223-DUP	8/2/2023	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.014	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0041	U	
VMP-21	25	VMP-21-25-110223	11/2/2023	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.015	U		< 0.019	U		0.0035	J		< 0.0050	U		0.0053		
VMP-21	25	VMP-21-25-020124	2/1/2024	< 0.0045	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		0.0053			0.0038	J		0.0061		
VMP-21	25	VMP-21-25-050624	5/6/2024	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0056	U		< 0.0046	U	
VMP-21	33	VMP-21-33-080223	8/2/2023	< 0.0040	U		< 0.034	U		< 0.0046	U		< 0.014	U		< 0.019	U		< 0.0043	U		< 0.0049	U		< 0.0041	U	
VMP-21	33	VMP-21-33-110223	11/2/2023	< 0.0040	U		< 0.034	U		< 0.0046	U		< 0.014	U		0.052			< 0.0043	U		< 0.0049	U		< 0.0040	U	
VMP-21	33	VMP-21-33-020124	2/1/2024	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0055	U		< 0.0046	U	
VMP-21	33	VMP-21-33-050624	5/6/2024	< 0.0048	U		< 0.041	U		< 0.0055	U		< 0.017	U		< 0.022	U		< 0.0052	U		< 0.0058	U		< 0.0049	U	
VMP-21	33	VMP-21-33-050624-DUP	5/6/2024	< 0.0045	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-22	5	VMP-22-5-080323	8/3/2023	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.014	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0041	U	
VMP-22	5	VMP-22-5-103123	10/31/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-22	5	VMP-22-5-013124	1/31/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.019	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-22	5	VMP-22-5-050124	5/1/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		0.054			< 0.0046	U		< 0.0053	U		< 0.0044	U	
VMP-22	10	VMP-22-10-080323	8/3/2023	< 0.018	U		< 0.16	U		< 0.021	U		< 0.066	U		< 0.086	U		< 0.02	U		< 0.022	U		< 0.019	U	
VMP-22	10	VMP-22-10-103123	10/31/2023	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.014	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0041	U	
VMP-22	10	VMP-22-10-022924	2/29/2024	< 0.0040	U		< 0.034	U		< 0.0046	U		< 0.014	U		< 0.019	U		< 0.0043	U		< 0.0049	U		< 0.0040	U	
VMP-22	10	VMP-22-10-050124	5/1/2024	< 0.16	U		< 1.4	U		< 0.18	U		< 0.57	U		0.82			< 0.17	U		< 0.19	U		< 0.16	U	
VMP-22	18	VMP-22-18-080323	8/3/2023	< 0.085	U		< 0.73	U		< 0.097	U		< 0.3	U		< 0.4	U		< 0.091	U		< 0.1	U		< 0.086	U	
VMP-22	18	VMP-22-18-103123	10/31/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-22	18	VMP-22-18-013124	1/31/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.019	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-22	18	VMP-22-18-050124	5/1/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		0.027			< 0.0046	U		< 0.0053	U		< 0.0044	U	
VMP-22	18	VMP-22-18-050124-DUP	5/1/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		0.02			< 0.0045	U		< 0.0051	U		< 0.0043	U	
VMP-22	38	VMP-22-38-080323	8/3/2023	< 0.035	U		< 0.3	U		< 0.04	U		< 0.12	U		< 0.16	U		< 0.037	U		< 0.042	U		< 0.035	U	
VMP-22	38	VMP-22-38-080323-DUP	8/3/2023	< 0.034	U		< 0.29	U		< 0.039	U		< 0.12	U		< 0.16	U		<								

**TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS**

Location	Depth	Sample ID	Sample Date	1,2-Dichloroethane			Dichloromethane (Methylene Chloride)			1,2-Dichloropropane			1,4-Dioxane			Ethanol			Ethylbenzene			4-Ethyltoluene			Heptane		
				0.099			5.6			0.31			0.22						1.3								
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-23	5	VMP-23-5-080123	8/1/2023	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0056	U		< 0.0046	U	
VMP-23	5	VMP-23-5-103023	10/30/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		0.017	J	J	< 0.0046	U		< 0.0053	U		< 0.0044	U	
VMP-23	5	VMP-23-5-013124	1/31/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.019	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-23	5	VMP-23-5-043024	4/30/2024	< 0.0047	U		< 0.04	U		< 0.0054	U		< 0.017	U		< 0.022	U		< 0.0050	U		< 0.0057	U		< 0.0048	U	
VMP-23	10	VMP-23-10-080123	8/1/2023	< 0.0045	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-23	10	VMP-23-10-103023	10/30/2023	< 0.0040	U		< 0.034	U		< 0.0046	U		< 0.014	U		< 0.018	U		< 0.0043	U		< 0.0048	U		< 0.0040	U	
VMP-23	10	VMP-23-10-103023-DUP	10/30/2023	< 0.0040	U		< 0.035	U		< 0.0046	U		< 0.014	U		< 0.019	U		< 0.0043	U		< 0.0049	U		< 0.0041	U	
VMP-23	10	VMP-23-10-013124	1/31/2024	< 0.0038	U		< 0.032	U		< 0.0043	U		< 0.013	U		< 0.018	U		< 0.0040	U		< 0.0046	U		< 0.0038	U	
VMP-23	10	VMP-23-10-013124-DUP	1/31/2024	< 0.0038	U		< 0.033	U		< 0.0044	U		< 0.014	U		< 0.018	U		< 0.0041	U		< 0.0047	U		< 0.0039	U	
VMP-23	10	VMP-23-10-043024	4/30/2024	< 0.0046	U		< 0.04	U		< 0.0053	U		< 0.016	U		< 0.022	U		< 0.0050	U		< 0.0056	U		< 0.0047	U	
VMP-23	25	VMP-23-25-080123	8/1/2023	< 0.0046	U		< 0.04	U		< 0.0053	U		< 0.016	U		< 0.022	U		< 0.0050	U		< 0.0056	U		< 0.0047	U	
VMP-23	25	VMP-23-25-103023	10/30/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-23	25	VMP-23-25-013124	1/31/2024	< 0.0040	U		< 0.034	U		< 0.0046	U		< 0.014	U		0.0098	J		< 0.0043	U		< 0.0049	U		< 0.0040	U	
VMP-23	25	VMP-23-25-043024	4/30/2024	< 0.0046	U		< 0.04	U		< 0.0053	U		< 0.016	U		< 0.022	U		< 0.0050	U		< 0.0056	U		< 0.0047	U	
VMP-24	5	VMP-24-5-072423	7/24/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-23	40	VMP-23-40-080123	8/1/2023	< 0.0046	U		< 0.039	U		< 0.0052	U		0.0012	J		< 0.021	U		< 0.0049	U		< 0.0055	U		< 0.0046	U	
VMP-24	5	VMP-24-5-102623	10/26/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0053	U		< 0.0044	U	
VMP-23	40	VMP-23-40-103023	10/30/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-24	5	VMP-24-5-012624	1/26/2024	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-23	40	VMP-23-40-013124	1/31/2024	< 0.0039	U		< 0.034	U		< 0.0045	U		< 0.014	U		0.023			< 0.0042	U		< 0.0048	U		< 0.0040	U	
VMP-24	5	VMP-24-5-042624	4/26/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-24	5	VMP-24-5-042624-DUP	4/26/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-23	40	VMP-23-40-043024	4/30/2024	< 0.0044	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-24	10	VMP-24-10-072423	7/24/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		0.0027	J		< 0.0045	U	
VMP-24	10	VMP-24-10-102623	10/26/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0054	U		< 0.0045	U	
VMP-24	10	VMP-24-10-012624	1/26/2024	< 0.0040	U		< 0.034	U		< 0.0045	U		< 0.014	U		< 0.018	U		< 0.0042	U		< 0.0048	U		< 0.0040	U	
VMP-24	10	VMP-24-10-042624	4/26/2024	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		0.11			< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-24	22	VMP-24-22-072423	7/24/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		0.0094	J		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-24	22	VMP-24-22-102623	10/26/2023	< 0.0047	U		< 0.041	U		< 0.0054	U		< 0.017	U		< 0.022	U		< 0.0051	U		< 0.0058	U		< 0.0048	U	
VMP-24	22	VMP-24-22-012624	1/26/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-24	22	VMP-24-22-012624-DUP	1/26/2024	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.014	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0041	U	
VMP-24	22	VMP-24-22-042624	4/26/2024	< 0.0045	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-24	34	VMP-24-34-072423	7/24/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-24	34	VMP-24-34-102623	10/26/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-24	34	VMP-24-34-012624	1/26/2024	< 0.0041	U		< 0.036	U		< 0.0047	U		< 0.015	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0042	U	
VMP-24	34	VMP-24-34-042624	4/26/2024	< 0.0044	U		< 0.037	U		< 0.0050	U		< 0.015	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-32	5	VMP-32-5-080223	8/2/2023	< 0.0040	U		< 0.034	U		< 0.0046	U		< 0.014	U		0.015	J		0.0011	J		< 0.0049	U		< 0.0040	U	
VMP-32	5	VMP-32-5-110223	11/2/2023	< 0.0039	U		< 0.034	U		< 0.0045	U		< 0.014	U		< 0.018	U		< 0.0042	U		< 0.0048	U		0.0015	J	
VMP-32	5	VMP-32-5-020224	2/2/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		0.0055			< 0.0052	U		0.0064		
VMP-32	5	VMP-32-5-050624	5/6/2024	< 0.0040	U		< 0.034	U		< 0.0046	U		< 0.014	U		0.049			< 0.0043	U		< 0.0049	U		< 0.0040	U	
VMP-32	10	VMP-32-10-080223	8/2/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-32	10	VMP-32-10-110223	11/2/2023	< 0.0046	U		< 0.04	U		< 0.0053	U		< 0.016	U		< 0.022	U		< 0.0050	U		< 0.0056	U		< 0.0047	U	
VMP-32	10	VMP-32-10-110223-DUP	11/2/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-32	10	VMP-32-10-020224	2/2/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0053	U		< 0.0044	U	
VMP-32	10	VMP-32-10-050624	5/6/2024	< 0.0048	U		< 0.042	U		< 0.0055	U		< 0.017	U		< 0.022	U		< 0.0052	U		< 0.0059	U		< 0.0049	U	
VMP-32	20	VMP-32-20-080223	8/2/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-32	20	VMP-32-20-110223	11/2/2023	< 0.0045	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-32	20	VMP-32-20-020224	2/2/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-32	20	VMP-32-20-050624	5/6/2024	< 0.0044	U		< 0.038	U		< 0.0050																	

**TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS**

Location	Depth	Sample ID	Sample Date	1,2-Dichloroethane			Dichloromethane (Methylene Chloride)			1,2-Dichloropropane			1,4-Dioxane			Ethanol			Ethylbenzene			4-Ethyltoluene			Heptane		
				0.099			5.6			0.31			0.22						1.3								
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-42	10	VMP-42-10-073123	7/31/2023	< 0.0047	U		< 0.04	U		< 0.0054	U		< 0.017	U		0.017	J		< 0.0050	U		< 0.0057	U		0.0018	J	
VMP-42	10	VMP-42-10-102723	10/27/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-42	10	VMP-42-10-013124	1/31/2024	< 0.0040	U		< 0.034	U		< 0.0046	U		< 0.014	U		< 0.019	U		< 0.0043	U		< 0.0049	U		< 0.0041	U	
VMP-42	10	VMP-42-10-013124-DUP	1/31/2024	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.014	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0041	U	
VMP-42	10	VMP-42-10-050324	5/3/2024	< 0.0045	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0055	U		< 0.0046	U	
VMP-42	20	VMP-42-20-073123	7/31/2023	< 0.0044	U		< 0.037	U		< 0.0050	U		< 0.015	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-42	20	VMP-42-20-102723	10/27/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	UJ	UJ	< 0.0046	U		< 0.0053	U		< 0.0044	U	
VMP-42	20	VMP-42-20-013124	1/31/2024	< 0.0040	U		< 0.034	U		< 0.0046	U		< 0.014	U		< 0.019	U		< 0.0043	U		< 0.0049	U		< 0.0040	U	
VMP-42	20	VMP-42-20-050324	5/3/2024	< 0.0045	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-42	30	VMP-42-30-073123	7/31/2023	< 0.0047	U		< 0.04	U		< 0.0054	U		< 0.017	U		< 0.022	U		< 0.0050	U		< 0.0057	U		< 0.0048	U	
VMP-42	30	VMP-42-30-102723	10/27/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	UJ	UJ	< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-42	30	VMP-42-30-102723-DUP	10/27/2023	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.015	U		< 0.019	UJ	UJ	< 0.0044	U		< 0.0050	U		< 0.0042	U	
VMP-42	30	VMP-42-30-013124	1/31/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.019	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-42	30	VMP-42-30-050624	5/6/2024	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0056	U		< 0.0046	U	
VMP-43	10	VMP-43-10-073123	7/31/2023	< 0.0049	U		< 0.042	U		< 0.0056	U		< 0.018	U		< 0.023	U		< 0.0053	U		< 0.0060	U		< 0.0050	U	
VMP-43	10	VMP-43-10-102723	10/27/2023	< 0.0044	U		< 0.037	U		< 0.0050	U		< 0.015	U		0.011	J		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-43	10	VMP-43-10-013024	1/30/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0043	U	
VMP-43	10	VMP-43-10-050324	5/3/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0043	U	
VMP-43	20	VMP-43-20-073123	7/31/2023	< 0.0047	U		< 0.04	U		< 0.0054	U		< 0.017	U		< 0.022	U		< 0.0050	U		< 0.0057	U		< 0.0048	U	
VMP-43	20	VMP-43-20-102723	10/27/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-43	20	VMP-43-20-013024	1/30/2024	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.015	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0042	U	
VMP-43	20	VMP-43-20-050324	5/3/2024	< 0.0045	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-43	30	VMP-43-30-073123	7/31/2023	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0056	U		< 0.0046	U	
VMP-43	30	VMP-43-30-102723	10/27/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		0.014	J		< 0.0047	U		< 0.0054	U		< 0.0045	U	
VMP-43	30	VMP-43-30-102723-DUP	10/27/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		0.01	J		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-43	30	VMP-43-30-013024	1/30/2024	< 0.0041	U		< 0.036	U		< 0.0047	U		< 0.015	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0042	U	
VMP-43	30	VMP-43-30-050324	5/3/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-45	10	VMP-45-10-073123	7/31/2023	< 0.0048	U		< 0.041	U		< 0.0054	U		< 0.017	U		< 0.022	U		< 0.0051	U		< 0.0058	U		< 0.0048	U	
VMP-45	10	VMP-45-10-102723	10/27/2023	< 0.0044	U		< 0.037	U		< 0.0050	U		< 0.015	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-45	10	VMP-45-10-013024	1/30/2024	< 0.0041	U		< 0.036	U		< 0.0047	U		< 0.015	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0042	U	
VMP-45	10	VMP-45-10-050324	5/3/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.019	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-45	20	VMP-45-20-073123	7/31/2023	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0055	U		< 0.0046	U	
VMP-45	20	VMP-45-20-102723	10/27/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-45	20	VMP-45-20-013024	1/30/2024	< 0.0040	U		< 0.034	U		< 0.0046	U		< 0.014	U		< 0.019	U		< 0.0043	U		< 0.0049	U		< 0.0040	U	
VMP-45	20	VMP-45-20-050324	5/3/2024	< 0.0041	U		< 0.035	U		< 0.0046	U		< 0.014	U		< 0.019	U		< 0.0044	U		< 0.0049	U		< 0.0041	U	
VMP-45	30	VMP-45-30-073123	7/31/2023	< 0.0048	U		< 0.041	U		< 0.0054	U		< 0.017	U		< 0.022	U		< 0.0051	U		< 0.0058	U		< 0.0048	U	
VMP-45	30	VMP-45-30-102723	10/27/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-45	30	VMP-45-30-013024	1/30/2024	< 0.0039	U		< 0.034	U		< 0.0045	U		< 0.014	U		< 0.018	U		< 0.0042	U		< 0.0048	U		< 0.0040	U	
VMP-45	30	VMP-45-30-013024-DUP	1/30/2024	< 0.0038	U		< 0.032	U		< 0.0043	U		< 0.013	U		< 0.018	U		< 0.0040	U		< 0.0046	U		< 0.0038	U	
VMP-45	30	VMP-45-30-050324	5/3/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.019	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-47	5	VMP-47-5-072523	7/25/2023	< 0.0050	U		< 0.043	U		< 0.0057	U		< 0.018	U		0.018	J		< 0.0054	U		< 0.0061	U		< 0.0051	U	
VMP-47	5	VMP-47-5-102723	10/27/2023	< 0.0045	U		< 0.038	U		< 0.0051	U		< 0.016	U		0.069			< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-47	5	VMP-47-5-013124	1/31/2024	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.014	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0041	U	
VMP-47	5	VMP-47-5-042924	4/29/2024	< 0.0045	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-47	10	VMP-47-10-072523	7/25/2023	< 0.0049	U		< 0.042	U		< 0.0056	U		< 0.017	U		0.034			< 0.0052	U		< 0.0059	U		< 0.0050	U	
VMP-47	10	VMP-47-10-102723	10/27/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0054	U		< 0.0045	U	
VMP-47	10	VMP-47-10-013124	1/31/2024	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.014	U		< 0.019	U		0.0047			0.0033	J		0.0065		
VMP-47	10	VMP-47-10-042924	4/29/2024	< 0.0044	U		< 0.037	U		< 0.0050	U		< 0.015	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-47	20	VMP-47-20-072523	7/25/2023	< 0.0046</																							

**TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS**

Location	Depth	Sample ID	Sample Date	1,2-Dichloroethane			Dichloromethane (Methylene Chloride)			1,2-Dichloropropane			1,4-Dioxane			Ethanol			Ethylbenzene			4-Ethyltoluene			Heptane		
				0.099			5.6			0.31			0.22						1.3								
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-47	30	VMP-47-30-072523	7/25/2023	< 0.0053	U		< 0.046	U		< 0.0060	U		< 0.019	U		0.03			< 0.0057	U		< 0.0064	U		< 0.0054	U	
VMP-47	30	VMP-47-30-103023	10/30/2023	< 0.0040	U		< 0.034	U		< 0.0046	U		< 0.014	U		0.019		J	< 0.0043	U		< 0.0049	U		< 0.0041	U	
VMP-47	30	VMP-47-30-013124	1/31/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		0.051			< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-47	30	VMP-47-30-042924	4/29/2024	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0054	U		< 0.0045	U	
VMP-48	5	VMP-48-5-080123	8/1/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-48	5	VMP-48-5-103123	10/31/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-48	5	VMP-48-5-012924	1/29/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0053	U		< 0.0044	U	
VMP-48	5	VMP-48-5-050124	5/1/2024	< 0.0046	U		< 0.04	U		< 0.0053	U		< 0.016	U		< 0.022	U		< 0.0050	U		< 0.0056	U		< 0.0047	U	
VMP-48	10	VMP-48-10-080123	8/1/2023	< 0.0048	U		< 0.041	U		< 0.0054	U		< 0.017	U		< 0.022	U		< 0.0051	U		< 0.0058	U		< 0.0048	U	
VMP-48	10	VMP-48-10-080123-DUP	8/1/2023	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.015	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0042	U	
VMP-48	10	VMP-48-10-103123	10/31/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0054	U		< 0.0045	U	
VMP-48	10	VMP-48-10-012924	1/29/2024	< 0.0046	U		< 0.04	U		< 0.0053	U		< 0.016	U		< 0.022	U		< 0.0050	U		< 0.0056	U		< 0.0047	U	
VMP-48	10	VMP-48-10-050124	5/1/2024	< 0.029	U		< 0.25	U		< 0.034	U		< 0.1	U		< 0.14	U		< 0.031	U		< 0.036	U		0.3		
VMP-48	20	VMP-48-20-080123	8/1/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-48	20	VMP-48-20-103123	10/31/2023	< 0.0039	U		< 0.034	U		< 0.0045	U		< 0.014	U		< 0.018	U		< 0.0042	U		< 0.0048	U		< 0.0040	U	
VMP-48	20	VMP-48-20-012924	1/29/2024	< 0.0040	U		< 0.034	U		< 0.0046	U		< 0.014	U		< 0.019	U		0.0063			0.0033	J		0.0091		
VMP-48	20	VMP-48-20-050124	5/1/2024	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0056	U		< 0.0046	U	
VMP-48	30	VMP-48-30-080123	8/1/2023	< 0.0045	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-48	30	VMP-48-30-103123	10/31/2023	< 0.0041	U		< 0.036	U		< 0.0047	U		< 0.015	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0042	U	
VMP-48	30	VMP-48-30-012924	1/29/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0043	U	
VMP-48	30	VMP-48-30-050124	5/1/2024	< 0.0045	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-48	30	VMP-48-30-050124-DUP	5/1/2024	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0056	U		< 0.0046	U	
VMP-49	5	VMP-49-5-080323	8/3/2023	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0056	U		< 0.0046	U	
VMP-49	5	VMP-49-5-103123	10/31/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-49	5	VMP-49-5-013124	1/31/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.019	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-49	5	VMP-49-5-050124	5/1/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-49	10	VMP-49-10-080323	8/3/2023	< 0.0045	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0055	U		< 0.0046	U	
VMP-49	10	VMP-49-10-103123	10/31/2023	< 0.0044	U		< 0.038	U		< 0.0051	U		< 0.016	U		0.019	J		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-49	10	VMP-49-10-013124	1/31/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0053	U		< 0.0044	U	
VMP-49	10	VMP-49-10-050124	5/1/2024	< 0.0046	U		< 0.04	U		< 0.0053	U		< 0.016	U		< 0.021	U		0.0017	J		< 0.0056	U		< 0.0047	U	
VMP-49	20	VMP-49-20-080323	8/3/2023	< 0.0046	U		< 0.04	U		< 0.0053	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0056	U		< 0.0047	U	
VMP-49	20	VMP-49-20-103123	10/31/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-49	20	VMP-49-20-013124	1/31/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-49	20	VMP-49-20-013124-DUP	1/31/2024	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.014	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0041	U	
VMP-49	20	VMP-49-20-050124	5/1/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-49	30	VMP-49-30-080323	8/3/2023	< 0.0047	U		< 0.04	U		< 0.0054	U		< 0.017	U		< 0.022	U		< 0.0050	U		< 0.0057	U		< 0.0048	U	
VMP-49	30	VMP-49-30-103123	10/31/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0044	U	
VMP-49	30	VMP-49-30-013124	1/31/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-49	30	VMP-49-30-050124	5/1/2024	< 0.0044	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-50	5	VMP-50-5-072723	7/27/2023	< 0.0049	U		< 0.042	U		< 0.0056	U		< 0.017	U		< 0.023	U		< 0.0052	U		< 0.0059	U		< 0.0049	U	
VMP-50	5	VMP-50-5-103123	10/31/2023	< 0.0040	U		< 0.035	U		< 0.0046	U		< 0.014	U		< 0.019	U		< 0.0043	U		< 0.0049	U		< 0.0041	U	
VMP-50	5	VMP-50-5-012624	1/26/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-50	5	VMP-50-5-012624-DUP	1/26/2024	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.015	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0042	U	
VMP-50	5	VMP-50-5-050124	5/1/2024	< 0.0046	U		< 0.04	U		< 0.0053	U		< 0.016	U		< 0.021	U		< 0.0049	U		0.0014	J		< 0.0047	U	
VMP-50	10	VMP-50-10-072723	7/27/2023	< 0.0046	U		< 0.04	U		< 0.0053	U		0.00093	J		< 0.022	U		< 0.0050	U		< 0.0056	U		< 0.0047	U	
VMP-50	10	VMP-50-10-103123	10/31/2023	< 0.0040	U		< 0.034	U		< 0.0046	U		< 0.014	U		< 0.019	U		< 0.0043	U		< 0.0049	U		< 0.0041	U	
VMP-50	10	VMP-50-10-012624	1/26/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-50	10	VMP-50-10-050124	5/1/2024	< 0.0046	U		< 0.04	U		< 0.0053	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0056	U		< 0.0047	U	
VMP-50	20	VMP-50-20-072723	7/27/2023	< 0.0049	U		< 0.042	U		< 0.0056	U		< 0														

**TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS**

Location	Depth	Sample ID	Sample Date	1,2-Dichloroethane			Dichloromethane (Methylene Chloride)			1,2-Dichloropropane			1,4-Dioxane			Ethanol			Ethylbenzene			4-Ethyltoluene			Heptane		
				0.099			5.6			0.31			0.22						1.3								
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-50	30	VMP-50-30-072723	7/27/2023	< 0.0050	U		< 0.043	U		< 0.0057	U		< 0.018	U		< 0.023	U		< 0.0053	U		< 0.0060	U		< 0.0050	U	
VMP-50	30	VMP-50-30-103123	10/31/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0043	U	
VMP-50	30	VMP-50-30-012624	1/26/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0053	U		< 0.0044	U	
VMP-50	30	VMP-50-30-050124	5/1/2024	< 0.0045	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-51	5	VMP-51-5-080123	8/1/2023	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0056	U		< 0.0046	U	
VMP-51	5	VMP-51-5-102723	10/27/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		0.012	J		< 0.0045	U		< 0.0051	U		< 0.0043	U	
VMP-51	5	VMP-51-5-012924	1/29/2024	< 0.0044	U		< 0.037	U		< 0.0050	U		< 0.015	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-51	5	VMP-51-5-042624	4/26/2024	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.014	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0041	U	
VMP-51	10	VMP-51-10-080123	8/1/2023	< 0.0044	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-51	10	VMP-51-10-080123-DUP	8/1/2023	< 0.0047	U		< 0.041	U		< 0.0054	U		< 0.017	U		< 0.022	U		< 0.0051	U		< 0.0058	U		< 0.0048	U	
VMP-51	10	VMP-51-10-102723	10/27/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0044	U	
VMP-51	10	VMP-51-10-012924	1/29/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-51	10	VMP-51-10-012924-DUP	1/29/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-51	10	VMP-51-10-042624	4/26/2024	< 0.0040	U		< 0.034	U		< 0.0045	U		< 0.014	U		< 0.018	U		< 0.0042	U		< 0.0048	U		< 0.0040	U	
VMP-51	20	VMP-51-20-080123	8/1/2023	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0056	U		< 0.0046	U	
VMP-51	20	VMP-51-20-102723	10/27/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0054	U		< 0.0045	U	
VMP-51	20	VMP-51-20-012924	1/29/2024	< 0.0040	U		< 0.034	U		< 0.0046	U		< 0.014	U		< 0.019	U		< 0.0043	U		< 0.0049	U		< 0.0041	U	
VMP-51	20	VMP-51-20-042624	4/26/2024	< 0.0039	U		< 0.034	U		< 0.0045	U		< 0.014	U		< 0.018	U		< 0.0042	U		< 0.0048	U		< 0.0040	U	
VMP-51	30	VMP-51-30-080123	8/1/2023	< 0.0045	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-51	30	VMP-51-30-102723	10/27/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0044	U	
VMP-51	30	VMP-51-30-012924	1/29/2024	< 0.0041	U		< 0.036	U		< 0.0047	U		0.0054	J		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0042	U	
VMP-51	30	VMP-51-30-042624	4/26/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		0.0044	J		< 0.019	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-52	5	VMP-52-5-080123	8/1/2023	< 0.0045	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0055	U		< 0.0046	U	
VMP-52	5	VMP-52-5-103023	10/30/2023	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.014	U		0.029	J		< 0.0044	U		< 0.0050	U		< 0.0041	U	
VMP-52	5	VMP-52-5-012924	1/29/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-52	5	VMP-52-5-042624	4/26/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-52	10	VMP-52-10-080123	8/1/2023	< 0.0045	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0055	U		< 0.0046	U	
VMP-52	10	VMP-52-10-103023	10/30/2023	< 0.0039	U		< 0.034	U		< 0.0045	U		< 0.014	U		< 0.018	U		< 0.0042	U		< 0.0048	U		< 0.0040	U	
VMP-52	10	VMP-52-10-012924	1/29/2024	< 0.0039	U		< 0.033	U		< 0.0044	U		< 0.014	U		< 0.018	U		< 0.0041	U		< 0.0047	U		< 0.0039	U	
VMP-52	10	VMP-52-10-042624	4/26/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-52	20	VMP-52-20-080123	8/1/2023	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0056	U		< 0.0046	U	
VMP-52	20	VMP-52-20-080123-DUP	8/1/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0054	U		< 0.0045	U	
VMP-52	20	VMP-52-20-103023	10/30/2023	< 0.0040	U		< 0.034	U		< 0.0046	U		< 0.014	U		< 0.019	U		< 0.0043	U		< 0.0049	U		< 0.0041	U	
VMP-52	20	VMP-52-20-012924	1/29/2024	< 0.0038	U		< 0.033	U		< 0.0044	U		< 0.014	U		< 0.018	U		< 0.0041	U		< 0.0047	U		< 0.0039	U	
VMP-52	20	VMP-52-20-042624	4/26/2024	< 0.0041	U		< 0.035	U		< 0.0046	U		< 0.014	U		< 0.019	U		< 0.0044	U		< 0.0049	U		< 0.0041	U	
VMP-52	30	VMP-52-30-080123	8/1/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-52	30	VMP-52-30-103023	10/30/2023	< 0.0039	U		< 0.034	U		< 0.0045	U		< 0.014	U		< 0.018	U		< 0.0042	U		< 0.0048	U		< 0.0040	U	
VMP-52	30	VMP-52-30-012924	1/29/2024	< 0.0040	U		< 0.034	U		< 0.0045	U		< 0.014	U		< 0.018	U		< 0.0042	U		< 0.0048	U		< 0.0040	U	
VMP-52	30	VMP-52-30-042624	4/26/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0053	U		< 0.0044	U	
VMP-52	30	VMP-52-30-042624-DUP	4/26/2024	< 0.0040	U		< 0.034	U		< 0.0046	U		< 0.014	U		< 0.019	U		< 0.0043	U		< 0.0049	U		< 0.0040	U	
VMP-53	5	VMP-53-5-072423	7/24/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0043	U	
VMP-53	5	VMP-53-5-120123	12/1/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-53	5	VMP-53-5-012424	1/24/2024	< 0.0045	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-53	5	VMP-53-5-042524	4/25/2024	< 0.0046	U		< 0.04	U		< 0.0053	U		< 0.016	U		< 0.022	U		< 0.0050	U		< 0.0056	U		< 0.0047	U	
VMP-53	10	VMP-53-10-072423	7/24/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-53	10	VMP-53-10-072423-DUP	7/24/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0043	U	
VMP-53	10	VMP-53-10-102523	10/25/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0054	U		< 0.0045	U	
VMP-53	10	VMP-53-10-012424	1/24/2024	< 0.0047	U		< 0.04	U		< 0.0054	U		< 0.017	U		< 0.022	U		< 0.0050	U		< 0.0057	U		< 0.0048	U	
VMP-53	10	VMP-53-10-042524	4/25/2024																								

**TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS**

Location	Depth	Sample ID	Sample Date	1,2-Dichloroethane			Dichloromethane (Methylene Chloride)			1,2-Dichloropropane			1,4-Dioxane			Ethanol			Ethylbenzene			4-Ethyltoluene			Heptane		
				0.099			5.6			0.31			0.22						1.3								
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-53	20	VMP-53-20-072423	7/24/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		0.019	J		< 0.0045	U		< 0.0051	U		0.0022	J	
VMP-53	20	VMP-53-20-102523	10/25/2023	< 0.0047	U		< 0.04	U		< 0.0054	U		< 0.017	U		< 0.022	U		< 0.0050	U		< 0.0057	U		< 0.0048	U	
VMP-53	20	VMP-53-20-012424	1/24/2024	< 0.0046	U		< 0.04	U		< 0.0053	U		< 0.016	U		0.029			< 0.0050	U		< 0.0056	U		< 0.0047	U	
VMP-53	20	VMP-53-20-042524	4/25/2024	< 0.0044	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-53	20	VMP-53-20-042524-DUP	4/25/2024	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0054	U		< 0.0045	U	
VMP-53	30	VMP-53-30-072423	7/24/2023	< 0.0044	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-53	30	VMP-53-30-102523	10/25/2023	< 0.0045	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0055	U		< 0.0046	U	
VMP-53	30	VMP-53-30-012424	1/24/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-53	30	VMP-53-30-042524	4/25/2024	< 0.0049	U		< 0.042	U		< 0.0056	U		< 0.018	U		< 0.023	U		< 0.0053	U		< 0.0060	U		< 0.0050	U	
VMP-54	5	VMP-54-5-072523	7/25/2023	< 0.0044	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-54	5	VMP-54-5-102523	10/25/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0053	U		< 0.0044	U	
VMP-54	5	VMP-54-5-012424	1/24/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0053	U		< 0.0044	U	
VMP-54	5	VMP-54-5-042524	4/25/2024	< 0.0040	U		< 0.034	U		< 0.0046	U		< 0.014	U		< 0.019	U		0.0015	J		< 0.0049	U		0.0053		
VMP-54	10	VMP-54-10-072523	7/25/2023	< 0.0049	U		< 0.042	U		< 0.0056	U		< 0.017	U		< 0.023	U		< 0.0052	U		< 0.0059	U		< 0.0049	U	
VMP-54	10	VMP-54-10-072523-DUP	7/25/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-54	10	VMP-54-10-102523	10/25/2023	< 0.0044	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-54	10	VMP-54-10-012424	1/24/2024	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-54	10	VMP-54-10-042524	4/25/2024	< 0.0044	U		< 0.037	U		< 0.0050	U		< 0.015	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-54	20	VMP-54-20-072523	7/25/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0053	U		< 0.0044	U	
VMP-54	20	VMP-54-20-102523	10/25/2023	0.0017	J		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0055	U		< 0.0046	U	
VMP-54	20	VMP-54-20-012424	1/24/2024	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0056	U		< 0.0046	U	
VMP-54	20	VMP-54-20-012424-DUP	1/24/2024	< 0.0045	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-54	20	VMP-54-20-042524	4/25/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-54	30	VMP-54-30-102523	10/25/2023	< 0.0044	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-54	30	VMP-54-30-012424	1/24/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-54	30	VMP-54-30-042524	4/25/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0043	U	
VMP-56	10	VMP-56-10-080123	8/1/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-56	10	VMP-56-10-110123	11/1/2023	< 0.0047	U		< 0.041	U		< 0.0054	U		< 0.017	U		< 0.022	U		< 0.0051	U		< 0.0058	U		< 0.0048	U	
VMP-56	10	VMP-56-10-020124	2/1/2024	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-56	10	VMP-56-10-050224	5/2/2024	< 0.0049	U		< 0.042	U		< 0.0056	U		< 0.017	U		< 0.023	U		< 0.0052	U		< 0.0059	U		< 0.0049	U	
VMP-56	10	VMP-56-10-050224-DUP	5/2/2024	< 0.0047	U		< 0.04	U		< 0.0053	U		< 0.017	U		< 0.022	U		< 0.0050	U		< 0.0057	U		< 0.0047	U	
VMP-56	25	VMP-56-25-080123	8/1/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0054	U		< 0.0045	U	
VMP-56	25	VMP-56-25-110123	11/1/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-56	25	VMP-56-25-020124	2/1/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0053	U		< 0.0044	U	
VMP-56	25	VMP-56-25-050224	5/2/2024	< 0.0047	U		< 0.04	U		< 0.0053	U		< 0.017	U		< 0.022	U		< 0.0050	U		< 0.0057	U		< 0.0047	U	
VMP-56	38.5	VMP-56-38.5-110123	11/1/2023	< 17	U		< 140	U		< 19	U		< 60	U		< 79	U		230			28			1200		
VMP-56	38.5	VMP-56-38.5-020124	2/1/2024	< 4.5	U		< 39	U		< 5.2	U		< 16	U		12	J		150			130	CN	J	800		
VMP-56	38.5	VMP-56-38.5-050224	5/2/2024	< 2.4	U		< 8.3	U		< 2.8	U		< 8.6	U		< 5.6	U		63			59			420		
VMP-62	5	VMP-62-5-072523	7/25/2023	< 0.0050	U		< 0.043	U		< 0.0057	U		< 0.018	U		0.014	J		< 0.0053	U		< 0.0060	U		< 0.0050	U	
VMP-62	5	VMP-62-5-102623	10/26/2023	< 0.0046	U		< 0.04	U		< 0.0053	U		< 0.016	U		0.014	J	J	< 0.0050	U		< 0.0056	U		< 0.0047	U	
VMP-62	5	VMP-62-5-012924	1/29/2024	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.015	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0042	U	
VMP-62	5	VMP-62-5-042924	4/29/2024	< 0.0044	U		< 0.037	U		< 0.0050	U		< 0.015	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-62	10	VMP-62-10-072523	7/25/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		0.022			< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-62	10	VMP-62-10-102623	10/26/2023	< 0.0045	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-62	10	VMP-62-10-012924	1/29/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-62	10	VMP-62-10-012924-DUP	1/29/2024	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.015	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0042	U	
VMP-62	10	VMP-62-10-042924	4/29/2024	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0055	U		< 0.0046	U	
VMP-62	20	VMP-62-20-072523	7/25/2023	< 0.0052	U		< 0.045	U		< 0.0060	U		< 0.019	U		0.02	J		< 0.0056	U		< 0.0064	U		< 0.0053	U	
VMP-62	20	VMP-62-20-102623	10/26/2023	< 0.0045	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U							

**TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS**

Location	Depth	Sample ID	Sample Date	1,2-Dichloroethane			Dichloromethane (Methylene Chloride)			1,2-Dichloropropane			1,4-Dioxane			Ethanol			Ethylbenzene			4-Ethyltoluene			Heptane		
				0.099			5.6			0.31			0.22						1.3								
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-62	30	VMP-62-30-072523	7/25/2023	< 0.0054	U		< 0.046	U		< 0.0062	U		0.0021	J		0.033			0.0019	J		0.01			< 0.0055	U	
VMP-62	30	VMP-62-30-102623	10/26/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-62	30	VMP-62-30-013024	1/30/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.019	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-62	30	VMP-62-30-042924	4/29/2024	< 0.0047	U		< 0.04	U		< 0.0053	U		< 0.017	U		< 0.022	U		< 0.0050	U		< 0.0057	U		< 0.0047	U	
VMP-63	5	VMP-63-5-073123	7/31/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		0.011	J		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-63	5	VMP-63-5-102723	10/27/2023	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.015	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0042	U	
VMP-63	5	VMP-63-5-013024	1/30/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-63	5	VMP-63-5-050324	5/3/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0053	U		< 0.0044	U	
VMP-63	10	VMP-63-10-073123	7/31/2023	< 0.0046	U		< 0.04	U		< 0.0053	U		< 0.016	U		0.015	J		< 0.0049	U		< 0.0056	U		< 0.0047	U	
VMP-63	10	VMP-63-10-073123-DUP	7/31/2023	< 0.0045	U		< 0.039	U		< 0.0052	U		0.0010	J		< 0.021	U		< 0.0049	U		< 0.0055	U		< 0.0046	U	
VMP-63	10	VMP-63-10-102723	10/27/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-63	10	VMP-63-10-013024	1/30/2024	< 0.0039	U		< 0.033	U		< 0.0044	U		< 0.014	U		< 0.018	U		< 0.0042	U		< 0.0047	U		< 0.0039	U	
VMP-63	10	VMP-63-10-050324	5/3/2024	< 0.0044	U		< 0.037	U		< 0.0050	U		< 0.015	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-63	20	VMP-63-20-073123	7/31/2023	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		0.011	J		< 0.0049	U		< 0.0056	U		< 0.0046	U	
VMP-63	20	VMP-63-20-102723	10/27/2023	< 0.0044	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-63	20	VMP-63-20-022924	2/29/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-63	20	VMP-63-20-050324	5/3/2024	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0056	U		< 0.0046	U	
VMP-63	30	VMP-63-30-073123	7/31/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0054	U		< 0.0045	U	
VMP-63	30	VMP-63-30-102723	10/27/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0044	U	
VMP-63	30	VMP-63-30-013024	1/30/2024	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.014	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0041	U	
VMP-63	30	VMP-63-30-013024-DUP	1/30/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0043	U	
VMP-63	30	VMP-63-30-050324	5/3/2024	< 0.0048	U		< 0.042	U		< 0.0055	U		< 0.017	U		< 0.022	U		< 0.0052	U		< 0.0059	U		< 0.0049	U	
VMP-63	30	VMP-63-30-050324-DUP	5/3/2024	< 0.0046	U		< 0.04	U		< 0.0053	U		< 0.016	U		< 0.022	U		< 0.0050	U		< 0.0056	U		< 0.0047	U	
VMP-64	5	VMP-64-5-072123	7/21/2023	< 0.0044	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-64	5	VMP-64-5-102623	10/26/2023	< 0.0046	U		< 0.04	U		< 0.0053	U		< 0.016	U		< 0.022	U		< 0.0050	U		< 0.0056	U		< 0.0047	U	
VMP-64	5	VMP-64-5-012924	1/29/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0043	U	
VMP-64	5	VMP-64-5-042624	4/26/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0043	U	
VMP-64	10	VMP-64-10-072123	7/21/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		0.012	J		0.019	J		0.0012	J		< 0.0051	U		0.0022	J	
VMP-64	10	VMP-64-10-102623	10/26/2023	< 0.0047	U		< 0.04	U		< 0.0053	U		< 0.017	U		< 0.022	U		< 0.0050	U		< 0.0057	U		< 0.0047	U	
VMP-64	10	VMP-64-10-012924	1/29/2024	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.014	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0041	U	
VMP-64	10	VMP-64-10-042624	4/26/2024	< 0.0050	U		< 0.042	U		< 0.0057	U		< 0.018	U		< 0.023	U		< 0.0053	U		< 0.0060	U		< 0.0050	U	
VMP-64	20	VMP-64-20-072123	7/21/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-64	20	VMP-64-20-072123-DUP	7/21/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0043	U	
VMP-64	20	VMP-64-20-102623	10/26/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		0.018	J	J	< 0.0047	U		< 0.0054	U		< 0.0045	U	
VMP-64	20	VMP-64-20-012924	1/29/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		0.0067			0.0041	J		0.01		
VMP-64	20	VMP-64-20-042624	4/26/2024	< 0.0044	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-64	20	VMP-64-20-042624-DUP	4/26/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0044	U	

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Hexane			Isopentane			2-Propanol			Tetrachloroethene			1,2,4-Trichlorobenzene			Trichloroethene			1,2,4-Trimethylbenzene			1,3,5-Trimethylbenzene		
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	0.55			5.4			1.5			Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
													Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals						
VMP-1	5	VMP-1-5-073123	7/31/2023	< 0.0042	U		0.016			0.0050	J		0.0021	J		< 0.036	U		< 0.0065	U		< 0.0059	U		< 0.0059	U	
VMP-1	5	VMP-1-5-102723	10/27/2023	< 0.0036	U		0.0070	J		0.0035	J		< 0.0068	U		< 0.03	U		< 0.0054	U		< 0.0050	U		< 0.0050	U	
VMP-1	5	VMP-1-5-013024	1/30/2024	0.0060			< 0.013	U		< 0.011	U		0.024			< 0.033	U		0.0049	J	U	< 0.0054	J	U	< 0.0054	U	
VMP-1	5	VMP-1-5-050324	5/3/2024	< 0.0042	U		< 0.014	U		< 0.012	U		< 0.0082	U		< 0.036	U		< 0.0065	U		< 0.0059	U		< 0.0059	U	
VMP-1	8.5	VMP-1-8.5-073123	7/31/2023	0.0019	J		0.021			< 0.012	U		< 0.0082	U		< 0.036	U		< 0.0065	U		< 0.0059	U		< 0.0059	U	
VMP-1	8.5	VMP-1-8.5-073123-DUP	7/31/2023	0.0017	J		0.02			< 0.012	U		< 0.0081	U		< 0.036	U		< 0.0064	U		< 0.0059	U		< 0.0059	U	
VMP-1	8.5	VMP-1-8.5-102723	10/27/2023	< 0.0038	U		0.0045	J		< 0.011	U		< 0.0074	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-1	8.5	VMP-1-8.5-013024	1/30/2024	< 0.0039	U		< 0.013	U		< 0.011	U		< 0.0075	U		< 0.033	U		0.0068			< 0.0054	U		< 0.0054	U	
VMP-1	8.5	VMP-1-8.5-013024-DUP	1/30/2024	< 0.0036	U		< 0.012	U		< 0.0099	U		< 0.0068	U		< 0.03	U		< 0.0054	U		< 0.0050	U		< 0.0050	U	
VMP-1	8.5	VMP-1-8.5-050324	5/3/2024	< 0.0043	U		< 0.014	U		0.0090	J		< 0.0082	U		< 0.036	U		< 0.0065	U		< 0.0059	U		< 0.0059	U	
VMP-1	38.5	VMP-1-38.5-013024	1/30/2024	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.03	U		< 0.0055	U		< 0.0050	U		< 0.0050	U	
VMP-1	38.5	VMP-1-38.5-050324	5/3/2024	< 0.0039	U		< 0.013	U		0.0066	J		< 0.0076	U		< 0.033	U		< 0.0060	U		< 0.0055	U		< 0.0055	U	
VMP-2	5	VMP-2-5-080223	8/2/2023	< 0.0038	U		0.0031	J		0.0057	J		0.0034	J		< 0.032	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-2	5	VMP-2-5-103023	10/30/2023	< 0.0036	U		< 0.012	U		0.0055	J		< 0.0070	U		< 0.03	U		< 0.0055	U		< 0.0051	U		< 0.0051	U	
VMP-2	5	VMP-2-5-013124	1/31/2024	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.03	U		< 0.0055	U		< 0.0051	U		< 0.0051	U	
VMP-2	5	VMP-2-5-050624	5/6/2024	< 0.0040	U		< 0.013	U		< 0.011	U		< 0.0077	U		< 0.034	U		< 0.0061	U		< 0.0056	U		< 0.0056	U	
VMP-2	8.5	VMP-2-8.5-080223	8/2/2023	< 0.0036	U		< 0.012	U		0.0055	J		0.0030	J		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-2	8.5	VMP-2-8.5-080223-DUP	8/2/2023	< 0.0037	U		< 0.012	U		< 0.01	U		0.0031	J		< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-2	8.5	VMP-2-8.5-103023	10/30/2023	< 0.0037	U		< 0.012	U		0.0042	J		< 0.0072	U		< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-2	8.5	VMP-2-8.5-013124	1/31/2024	< 0.0038	U		< 0.013	U		< 0.011	U		0.018			< 0.032	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-2	8.5	VMP-2-8.5-050624	5/6/2024	< 0.0038	U		< 0.013	U		< 0.01	U		< 0.0072	U		< 0.032	U		< 0.0058	U		< 0.0052	U		< 0.0053	U	
VMP-2	22	VMP-2-22-080223	8/2/2023	< 0.0036	U		< 0.012	U		0.0097	J		0.011			< 0.03	U		< 0.0054	U		< 0.0050	U		< 0.0050	U	
VMP-2	22	VMP-2-22-103023	10/30/2023	< 0.0035	U		0.0056	J		< 0.0099	U		< 0.0068	U		< 0.03	U		< 0.0054	U		< 0.0049	U		< 0.0049	U	
VMP-2	22	VMP-2-22-013124	1/31/2024	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.03	U		< 0.0055	U		< 0.0051	U		< 0.0051	U	
VMP-2	22	VMP-2-22-050624	5/6/2024	< 0.0036	U		< 0.012	U		< 0.0099	U		0.014			< 0.03	U		< 0.0054	U		< 0.0050	U		< 0.0050	U	
VMP-3	5	VMP-3-5-080223	8/2/2023	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0069	U		< 0.03	U		0.0045	J		< 0.0050	U		< 0.0050	U	
VMP-3	5	VMP-3-5-110223	11/2/2023	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0069	U		< 0.03	U		< 0.0054	U		< 0.0050	U		< 0.0050	U	
VMP-3	5	VMP-3-5-022924	2/29/2024	< 0.0039	U		< 0.013	U		< 0.011	U	UJ	< 0.0076	U		< 0.033	U		< 0.0060	U		< 0.0055	U		< 0.0055	U	
VMP-3	5	VMP-3-5-050224	5/2/2024	< 0.0042	U		0.0047	J		< 0.012	U		< 0.0081	U		< 0.035	U		< 0.0064	U		< 0.0059	U		< 0.0059	U	
VMP-3	10	VMP-3-10-080223	8/2/2023	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0072	U		< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-3	10	VMP-3-10-110223	11/2/2023	0.018			0.026			0.0042	J		0.0038	J		< 0.029	U		< 0.0053	U		0.0016	J		< 0.0048	U	
VMP-3	10	VMP-3-10-020224	2/2/2024	< 0.0032	U		< 0.011	U		< 0.0090	U		0.0067			< 0.027	U		< 0.0049	U		< 0.0045	U		< 0.0045	U	
VMP-3	10	VMP-3-10-050224	5/2/2024	< 0.0042	U		< 0.014	U		< 0.012	U		< 0.0082	U		< 0.036	U		< 0.0065	U		< 0.0059	U		< 0.0059	U	
VMP-3	22	VMP-3-22-080323	8/3/2023	< 0.0038	U		< 0.013	U		0.011			< 0.0072	U		< 0.032	U		< 0.0058	U		< 0.0052	U		< 0.0053	U	
VMP-3	22	VMP-3-22-110223	11/2/2023	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.03	U		< 0.0055	U		< 0.0050	U		< 0.0050	U	
VMP-3	22	VMP-3-22-020224	2/2/2024	< 0.0035	U		< 0.012	U		< 0.0099	U		< 0.0068	U		< 0.03	U		< 0.0054	U		< 0.0049	U		< 0.0049	U	
VMP-3	22	VMP-3-22-050224	5/2/2024	< 0.0043	U		< 0.014	U		< 0.012	U		< 0.0082	U		< 0.036	U		< 0.0065	U		< 0.0059	U		< 0.0059	U	
VMP-3	31.5	VMP-3-31.5-080323	8/3/2023	< 0.0036	U		0.0060	J		< 0.01	U		< 0.0070	U		< 0.03	U		< 0.0055	U		< 0.0051	U		< 0.0051	U	
VMP-3	31.5	VMP-3-31.5-110223	11/2/2023	< 0.0035	U		< 0.012	U		0.0052	J		< 0.0067	U		< 0.029	U		< 0.0053	U		< 0.0049	U		< 0.0049	U	
VMP-3	31.5	VMP-3-31.5-020224	2/2/2024	< 0.0034	U		< 0.012	U		< 0.0096	U		< 0.0066	U		< 0.029	U		< 0.0052	U		< 0.0048	U		< 0.0048	U	
VMP-3	31.5	VMP-3-31.5-050224	5/2/2024	< 0.0044	U		< 0.015	U		< 0.012	U		< 0.0084	U		< 0.037	U		< 0.0067	U		< 0.0061	U		< 0.0061	U	
VMP-3	39	VMP-3-39-050224	5/2/2024	< 0.51	U		36			< 1.8	U		< 0.98	U		< 4.3	U		< 0.78	U		< 0.71	U		< 0.71	U	
VMP-4	5	VMP-4-5-080223	8/2/2023	< 0.0040	U		< 0.013	U		0.0060	J		< 0.0077	U		< 0.034	U		< 0.0061	U		< 0.0056	U		< 0.0056	U	
VMP-4	5	VMP-4-5-103123	10/31/2023	< 0.0036	U		< 0.012	U		0.0038	J		< 0.0068	U		< 0.03	U		< 0.0054	U		< 0.0050	U		< 0.0050	U	
VMP-4	5	VMP-4-5-020224	2/2/2024	< 0.0039	U		0.0097	J		0.0045	J		< 0.0076	U		< 0.033	U		< 0.0060	U		< 0.0055	U		< 0.0055	U	
VMP-4	5	VMP-4-5-050624	5/6/2024	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.03	U		< 0.0055	U		< 0.0051	U		< 0.0051	U	
VMP-4	5	VMP-4-5-050624-DUP	5/6/2024	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0072	U		< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-4	12	VMP-4-12-080223	8/2/2023	< 0.0038	U		< 0.013	U		0.0038	J		< 0.0072	U		< 0.032	U		< 0.0058	U		< 0.0052	U		< 0.0053	U	
VMP-4	12	VMP-4-12-103123	10/31/2023	< 0.0038	U		< 0.012	U		< 0.01	U		< 0.0072	U		< 0.032	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-4	12	VMP-4-12-103123-DUP	10/31/2023	< 0.0036	U		< 0.012	U		< 0.01	U																

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Hexane			Isopentane			2-Propanol			Tetrachloroethene			1,2,4-Trichlorobenzene			Trichloroethene			1,2,4-Trimethylbenzene			1,3,5-Trimethylbenzene		
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	0.55			5.4			1.5			Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
													Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals						
VMP-4	23.5	VMP-4-23.5-080223	8/2/2023	< 0.0039	U		0.0048	J		0.0063	J		< 0.0075	U		< 0.033	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-4	23.5	VMP-4-23.5-103123	10/31/2023	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-4	23.5	VMP-4-23.5-020224	2/2/2024	< 0.0037	U		0.013			< 0.01	U		< 0.0072	U		< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-4	23.5	VMP-4-23.5-050624	5/6/2024	< 0.0037	U		< 0.012	U		0.0046	J		< 0.0070	U		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-5	5	VMP-5-5-080223	8/2/2023	< 0.0038	U		< 0.013	U		0.011			< 0.0074	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-5	5	VMP-5-5-103023	10/30/2023	< 0.0037	U		< 0.012	U		0.0069	J		< 0.0071	U		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-5	5	VMP-5-5-012924	1/29/2024	< 0.0034	U		< 0.012	U		< 0.0096	U		< 0.0066	U		< 0.029	U		< 0.0052	U		< 0.0048	U		< 0.0048	U	
VMP-5	5	VMP-5-5-050124	5/1/2024	< 0.0038	U		< 0.012	U		< 0.01	U		< 0.0072	U		< 0.032	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-5	12.5	VMP-5-12.5-080223	8/2/2023	< 0.0037	U		0.012			0.01			< 0.0071	U		< 0.031	U		< 0.0056	U		< 0.0052	U		< 0.0052	U	
VMP-5	12.5	VMP-5-12.5-103023	10/30/2023	< 0.0036	U		< 0.012	U		< 0.01	U		0.011			< 0.03	U		< 0.0055	U		< 0.0051	U		< 0.0051	U	
VMP-5	12.5	VMP-5-12.5-012924	1/29/2024	< 0.0035	U		< 0.012	U		< 0.0098	U		< 0.0068	U		< 0.03	U		0.01			< 0.0049	U		< 0.0049	U	
VMP-5	12.5	VMP-5-12.5-050124	5/1/2024	< 0.0038	U		< 0.013	U		< 0.01	U		< 0.0072	U		< 0.032	U		< 0.0058	U		< 0.0052	U		< 0.0053	U	
VMP-5	31	VMP-5-31-080223	8/2/2023	< 0.0037	U		< 0.012	U		0.0040	J		< 0.0071	U		< 0.031	U		< 0.0056	U		< 0.0052	U		< 0.0052	U	
VMP-5	31	VMP-5-31-103023	10/30/2023	< 0.0035	U		< 0.012	U		0.0079	J		< 0.0067	U		< 0.029	U		< 0.0053	U		< 0.0049	U		< 0.0049	U	
VMP-5	31	VMP-5-31-012924	1/29/2024	< 0.0039	U		< 0.013	U		< 0.011	U		< 0.0076	U		< 0.033	U		0.0047	J		< 0.0055	U		< 0.0055	U	
VMP-5	31	VMP-5-31-050124	5/1/2024	< 0.0038	U		< 0.013	U		< 0.01	U		< 0.0072	U		< 0.032	U		< 0.0058	U		< 0.0052	U		< 0.0053	U	
VMP-5	31	VMP-5-31-050124-DUP	5/1/2024	< 0.0035	U		< 0.012	U		< 0.0097	U		< 0.0067	U		< 0.029	U		< 0.0053	U		< 0.0049	U		< 0.0049	U	
VMP-5	40	VMP-5-40-080223	8/2/2023	< 0.0038	U		0.0037	J		< 0.011	U		< 0.0074	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-5	40	VMP-5-40-103123	10/31/2023	< 0.0038	U		< 0.013	U		< 0.011	U		< 0.0074	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-5	40	VMP-5-40-012924	1/29/2024	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.03	U		< 0.0055	U		< 0.0051	U		< 0.0051	U	
VMP-5	40	VMP-5-40-050124	5/1/2024	< 0.0038	U		< 0.013	U		0.0098	J		< 0.0073	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-6	5	VMP-6-5-080123	8/1/2023	< 0.0035	U		< 0.012	U		0.0067	J		0.0065	J		< 0.03	U		0.011			< 0.0049	U		< 0.0049	U	
VMP-6	5	VMP-6-5-110123	11/1/2023	0.0013	J		< 0.013	U		< 0.01	U		< 0.0072	U		< 0.032	U		< 0.0058	U		< 0.0052	U		< 0.0053	U	
VMP-6	5	VMP-6-5-020124	2/1/2024	< 0.0038	U		< 0.013	U		< 0.011	U		< 0.0074	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-6	5	VMP-6-5-020124-DUP	2/1/2024	< 0.0038	U		< 0.013	U		< 0.011	U		< 0.0074	U		< 0.032	U		< 0.0058	U		< 0.0054	U		< 0.0054	U	
VMP-6	5	VMP-6-5-043024	4/30/2024	< 0.0045	U		< 0.015	U		< 0.013	U		0.021			< 0.038	U		< 0.0069	U		< 0.0063	U		< 0.0063	U	
VMP-6	5	VMP-6-5-043024-DUP	4/30/2024	< 0.0045	U		< 0.015	U		< 0.012	U		0.0089			< 0.038	U		< 0.0069	U		< 0.0063	U		< 0.0063	U	
VMP-6	10	VMP-6-10-080123	8/1/2023	< 0.0040	U		< 0.013	U		0.0068	J		0.0034	J		< 0.033	U		< 0.0060	U		< 0.0055	U		< 0.0055	U	
VMP-6	10	VMP-6-10-110123	11/1/2023	< 0.0040	U		< 0.013	U		0.0048	J		< 0.0077	U		< 0.034	U		< 0.0061	U		< 0.0056	U		< 0.0056	U	
VMP-6	10	VMP-6-10-020124	2/1/2024	< 0.0038	U		< 0.013	U		< 0.011	U		< 0.0073	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-6	10	VMP-6-10-043024	4/30/2024	< 0.0043	U		0.36			< 0.012	U		< 0.0083	U		< 0.036	U		0.0048	J		< 0.0060	U		< 0.0060	U	
VMP-6	31.5	VMP-6-31.5-080123	8/1/2023	0.0011	J		< 0.012	U		0.0043	J		< 0.0072	U		< 0.032	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-6	31.5	VMP-6-31.5-110123	11/1/2023	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-6	31.5	VMP-6-31.5-020124	2/1/2024	< 0.0040	U		< 0.013	U		0.0056	J		< 0.0077	U		< 0.034	U		< 0.0061	U		< 0.0056	U		< 0.0056	U	
VMP-6	31.5	VMP-6-31.5-043024	4/30/2024	< 0.0043	U		< 0.014	U		< 0.012	U		< 0.0083	U		< 0.036	U		< 0.0066	U		< 0.0060	U		< 0.0060	U	
VMP-6	39	VMP-6-39-080123	8/1/2023	240			1300			< 6.4	U		0.79	J		< 16	U		< 2.8	U		< 2.6	U		< 2.6	U	
VMP-6	39	VMP-6-39-110123	11/1/2023	0.69			80			0.51	J		< 1	U		< 4.4	U		< 0.81	U		< 0.74	U		< 0.74	U	
VMP-6	39	VMP-6-39-020124	2/1/2024	< 0.0038	U		< 0.013	U		< 0.011	U		< 0.0074	U		< 0.032	U		< 0.0058	U		< 0.0054	U		< 0.0054	U	
VMP-6	39	VMP-6-39-043024	4/30/2024	< 0.0041	U		< 0.014	U		< 0.011	U		< 0.0079	U		< 0.034	U		< 0.0063	U		< 0.0057	U		< 0.0057	U	
VMP-7	5	VMP-7-5-073123	7/31/2023	0.0020	J		0.074			0.02			< 0.0089	U		< 0.039	U		< 0.0070	U		< 0.0064	U		< 0.0064	U	
VMP-7	5	VMP-7-5-102623	10/26/2023	< 0.0038	U		< 0.012	U		0.0050	J		< 0.0072	U		< 0.032	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-7	5	VMP-7-5-013024	1/30/2024	< 0.0038	U		< 0.013	U		0.0042	J		< 0.0073	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-7	5	VMP-7-5-050324	5/3/2024	< 0.0039	U		< 0.013	U		< 0.011	U		< 0.0075	U		< 0.033	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-7	13.5	VMP-7-13.5-073123	7/31/2023	0.0014	J		0.0047	J		0.016			0.0028	J		< 0.034	U		< 0.0062	U		< 0.0056	U		< 0.0056	U	
VMP-7	13.5	VMP-7-13.5-102623	10/26/2023	< 0.0039	U		< 0.013	U		< 0.011	U		< 0.0075	U		< 0.033	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-7	13.5	VMP-7-13.5-013024	1/30/2024	< 0.0035	U		< 0.012	U		0.0062	J		0.0021	J		< 0.029	U		0.0032	J		< 0.0048	U		< 0.0048	U	
VMP-7	13.5	VMP-7-13.5-050324	5/3/2024	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0072	U		< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-7	13.5	VMP-7-13.5-050324-DUP	5/3/2024	< 0.0038	U		< 0.013	U		< 0.011	U		< 0.0073	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-7	29.5	VMP-7-29.5-073123	7/31/2023	< 0.0041	U		< 0.014	U		< 0.011	U		0.012			< 0.034	U		< 0.0062	U		< 0.0057	U		< 0.0057	U	
VMP-7	29.5	VMP-7-29.5-073123-DUP	7/31/2023	< 0.0041	U		< 0.014	U		< 0.011																	

**TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS**

Location	Depth	Sample ID	Sample Date	Hexane			Isopentane			2-Propanol			Tetrachloroethene			1,2,4-Trichlorobenzene			Trichloroethene			1,2,4-Trimethylbenzene			1,3,5-Trimethylbenzene		
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	0.55			5.4			1.5			Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
													Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals						
VMP-7	38	VMP-7-38-073123	7/31/2023	< 0.0040	U		< 0.013	U		0.0039	J		0.013			< 0.034	U		< 0.0061	U		< 0.0056	U		< 0.0056	U	
VMP-7	38	VMP-7-38-102623	10/26/2023	< 0.0037	U		< 0.012	U		0.0042	J		0.0095			< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-7	38	VMP-7-38-013024	1/30/2024	< 0.0035	U		< 0.012	U		< 0.0097	U		0.012			< 0.029	U		< 0.0053	U		< 0.0048	U		< 0.0048	U	
VMP-7	38	VMP-7-38-050324	5/3/2024	< 0.0037	U		< 0.012	U		< 0.01	U		0.011			< 0.031	U		< 0.0056	U		< 0.0052	U		< 0.0052	U	
VMP-8	5	VMP-8-5-072123	7/21/2023	< 0.0040	U		< 0.013	U		0.019			< 0.0076	U		< 0.033	U		< 0.0060	U		< 0.0055	U		< 0.0055	U	
VMP-8	5	VMP-8-5-102523	10/25/2023	< 0.0039	U		< 0.013	U		< 0.011	U		< 0.0075	U		< 0.033	U		< 0.0060	U		< 0.0054	U		< 0.0054	U	
VMP-8	5	VMP-8-5-012424	1/24/2024	< 0.0036	U		0.0056	J		0.0077	J		< 0.0070	U		< 0.03	U		< 0.0055	U		< 0.0050	U		< 0.0050	U	
VMP-8	5	VMP-8-5-042524	4/25/2024	< 0.0038	U		< 0.013	U		< 0.01	U		< 0.0073	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-8	9.5	VMP-8-9.5-072123	7/21/2023	< 0.0044	U		< 0.014	U		< 0.012	U		< 0.0084	U		< 0.037	U		0.0024	J		< 0.0061	U		< 0.0061	U	
VMP-8	9.5	VMP-8-9.5-102523	10/25/2023	< 0.0038	U		< 0.013	U		< 0.011	U		< 0.0074	U		< 0.032	U		0.0051	J		< 0.0054	U		< 0.0054	U	
VMP-8	9.5	VMP-8-9.5-012424	1/24/2024	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-8	9.5	VMP-8-9.5-042524	4/25/2024	< 0.0036	U		< 0.012	U		< 0.0099	U		0.0026	J		< 0.03	U		0.0032	J		< 0.0050	U		< 0.0050	U	
VMP-8	23.5	VMP-8-23.5-072123	7/21/2023	< 0.0039	U		< 0.013	U		< 0.011	U		< 0.0075	U		< 0.033	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-8	23.5	VMP-8-23.5-072123-DUP	7/21/2023	< 0.0039	U		< 0.013	U		< 0.011	U		< 0.0075	U		< 0.033	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-8	23.5	VMP-8-23.5-102523	10/25/2023	< 0.0038	U		< 0.013	U		< 0.01	U		< 0.0072	U		< 0.032	U		< 0.0058	U		< 0.0052	U		< 0.0053	U	
VMP-8	23.5	VMP-8-23.5-012424	1/24/2024	< 0.0036	U		< 0.012	U		0.0036	J		< 0.0070	U		< 0.03	U		< 0.0055	U		0.0022	J		< 0.0051	U	
VMP-8	23.5	VMP-8-23.5-012424-DUP	1/24/2024	< 0.0038	U		< 0.013	U		0.0039	J		< 0.0073	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-8	23.5	VMP-8-23.5-042524	4/25/2024	< 0.0038	U		< 0.013	U		< 0.01	U		< 0.0072	U		< 0.032	U		< 0.0058	U		< 0.0052	U		< 0.0053	U	
VMP-8	35.5	VMP-8-35.5-072123	7/21/2023	0.0023	J		0.0037	J		0.015			< 0.0082	U		< 0.036	U		< 0.0065	U		< 0.0060	U		< 0.0060	U	
VMP-8	35.5	VMP-8-35.5-102523	10/25/2023	< 0.0037	U		0.0061	J		< 0.01	U		< 0.0072	U		< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-8	35.5	VMP-8-35.5-012424	1/24/2024	< 0.0036	U		0.01	J		< 0.01	U		< 0.0070	U		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-8	35.5	VMP-8-35.5-042524	4/25/2024	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0071	U		< 0.031	U		< 0.0056	U		< 0.0052	U		< 0.0052	U	
VMP-9	5	VMP-9-5-072523	7/25/2023	< 0.0041	U		< 0.014	U		< 0.011	U		< 0.0079	U		< 0.034	U		< 0.0062	U		< 0.0057	U		< 0.0057	U	
VMP-9	5	VMP-9-5-102523	10/25/2023	< 0.0038	U		< 0.013	U		0.0048	J		< 0.0073	U		< 0.032	U		0.0052	J		< 0.0053	U		< 0.0053	U	
VMP-9	5	VMP-9-5-012424	1/24/2024	< 0.0037	U		0.011	J		< 0.01	U		< 0.0071	U		< 0.031	U		< 0.0056	U		< 0.0052	U		< 0.0052	U	
VMP-9	5	VMP-9-5-042524	4/25/2024	< 0.0039	U		< 0.013	U		< 0.011	U		< 0.0075	U		< 0.033	U		< 0.0060	U		< 0.0054	U		< 0.0054	U	
VMP-9	11.5	VMP-9-11.5-072523	7/25/2023	< 0.0038	U		< 0.013	U		0.0045	J		< 0.0074	U		< 0.032	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-9	11.5	VMP-9-11.5-102523	10/25/2023	< 0.0039	U		0.011	J		0.0079	J		< 0.0075	U		< 0.033	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-9	11.5	VMP-9-11.5-012424	1/24/2024	< 0.0035	U		0.0044	J		0.0085	J		< 0.0067	U		< 0.03	U		< 0.0053	U		< 0.0049	U		< 0.0049	U	
VMP-9	11.5	VMP-9-11.5-042524	4/25/2024	< 0.0041	U		< 0.014	U		< 0.011	U		< 0.0079	U		< 0.034	U		< 0.0063	U		< 0.0057	U		< 0.0057	U	
VMP-9	25.5	VMP-9-25.5-072523	7/25/2023	< 0.0042	U		< 0.014	U		0.0066	J		0.073			< 0.036	U		< 0.0065	U		< 0.0059	U		< 0.0059	U	
VMP-9	25.5	VMP-9-25.5-102523	10/25/2023	0.039			0.034			0.0090	J		0.0019	J		< 0.032	U		< 0.0058	U		< 0.0054	U		< 0.0054	U	
VMP-9	25.5	VMP-9-25.5-102523-DUP	10/25/2023	< 0.0037	U	UJ	< 0.012	U	UJ	0.0082	J		< 0.0072	U		< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-9	25.5	VMP-9-25.5-012424	1/24/2024	< 0.0036	U		< 0.012	U		0.0062	J		< 0.0070	U		< 0.03	U		< 0.0055	U		< 0.0051	U		< 0.0051	U	
VMP-9	25.5	VMP-9-25.5-042524	4/25/2024	< 0.0041	U		0.013	J		< 0.011	U		< 0.0079	U		< 0.034	U		< 0.0062	U		< 0.0057	U		< 0.0057	U	
VMP-9	38.5	VMP-9-38.5-072523	7/25/2023	< 0.0040	U		< 0.013	U		0.0051	J		0.072			< 0.034	U		0.0046	J		< 0.0056	U		< 0.0056	U	
VMP-9	38.5	VMP-9-38.5-102523	10/25/2023	< 0.0038	U		< 0.013	U		0.0066	J		0.0035	J		< 0.032	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-9	38.5	VMP-9-38.5-012424	1/24/2024	< 0.0039	U		< 0.013	U		< 0.011	U		0.0026	J		< 0.033	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-9	38.5	VMP-9-38.5-042524	4/25/2024	< 0.0039	U		< 0.013	U		< 0.011	U		0.0028	J		< 0.033	U		< 0.0060	U		< 0.0054	U		< 0.0054	U	
VMP-9	38.5	VMP-9-38.5-042524-DUP	4/25/2024	< 0.0040	U		< 0.013	U		< 0.011	U		0.0025	J		< 0.034	U		< 0.0061	U		< 0.0056	U		< 0.0056	U	
VMP-18	8.5	VMP-18-8.5-073123	7/31/2023	< 0.0038	U		< 0.013	U		0.013			< 0.0073	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-18	8.5	VMP-18-8.5-102723	10/27/2023	< 0.0038	U		< 0.013	U		< 0.011	U		< 0.0073	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-18	8.5	VMP-18-8.5-102723-DUP	10/27/2023	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0072	U		< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-18	8.5	VMP-18-8.5-020124	2/1/2024	< 0.0037	U		< 0.012	U		< 0.01	U		0.0020	J		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-18	8.5	VMP-18-8.5-042624	4/26/2024	< 0.0035	U		< 0.012	U		< 0.0097	U		< 0.0067	U		< 0.029	U		0.0062			< 0.0048	U		< 0.0048	U	
VMP-19	5	VMP-19-5-072723	7/27/2023	< 0.0042	U		< 0.014	U		0.0048	J		< 0.0080	U		< 0.035	U		< 0.0064	U		< 0.0058	U		< 0.0058	U	
VMP-19	5	VMP-19-5-102623	10/26/2023	0.0038			0.02			0.0055	J		< 0.0074	U		< 0.032	U		< 0.0058	U		< 0.0054	U		< 0.0054	U	
VMP-19	5	VMP-19-5-102623-DUP	10/26/2023	< 0.0040	U		< 0.013	U		< 0.011	U		< 0.0077	U		< 0.034	U		< 0.0061	U		< 0.0056	U		< 0.0056	U	
VMP-19	5	VMP-19-5-020224	2/2/2024	< 0.0033	U		< 0.011	U		< 0.0091	U		< 0.0063	U		< 0.028	U		< 0.0050	U		< 0.0046	U		< 0.0046		

**TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS**

Location	Depth	Sample ID	Sample Date	Hexane			Isopentane			2-Propanol			Tetrachloroethene			1,2,4-Trichlorobenzene			Trichloroethene			1,2,4-Trimethylbenzene			1,3,5-Trimethylbenzene		
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	0.55			5.4			1.5			Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
													Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals						
VMP-20	5	VMP-20-5-072723	7/27/2023	< 0.0042	U		< 0.014	U		0.0038	J		0.078			< 0.036	U		< 0.0064	U		< 0.0059	U		< 0.0059	U	
VMP-20	5	VMP-20-5-103123	10/31/2023	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0071	U		< 0.031	U		< 0.0056	U		< 0.0052	U		< 0.0052	U	
VMP-20	5	VMP-20-5-012624	1/26/2024	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0071	U		< 0.031	U		< 0.0056	U		< 0.0052	U		< 0.0052	U	
VMP-20	5	VMP-20-5-042924	4/29/2024	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0072	U		< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-20	10	VMP-20-10-072723	7/27/2023	0.0038	J		< 0.013	U		0.012			< 0.0077	U		< 0.034	U		< 0.0061	U		< 0.0056	U		< 0.0056	U	
VMP-20	10	VMP-20-10-103123	10/31/2023	< 0.0038	U		< 0.012	U		0.0056	J		< 0.0072	U		< 0.032	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-20	10	VMP-20-10-012624	1/26/2024	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0069	U		< 0.03	U		< 0.0055	U		< 0.0050	U		< 0.0050	U	
VMP-20	10	VMP-20-10-042924	4/29/2024	< 0.0043	U		< 0.014	U		< 0.012	U		< 0.0083	U		< 0.036	U		< 0.0066	U		< 0.0060	U		< 0.0060	U	
VMP-20	25	VMP-20-25-072723	7/27/2023	< 0.0039	U		< 0.013	U		0.0042	J		< 0.0075	U		< 0.033	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-20	25	VMP-20-25-103123	10/31/2023	< 0.0036	U		< 0.012	U		< 0.0099	U		< 0.0068	U		< 0.03	U		< 0.0054	U		< 0.0050	U		< 0.0050	U	
VMP-20	25	VMP-20-25-103123-DUP	10/31/2023	< 0.0034	U		< 0.011	U		< 0.0094	U		< 0.0065	U		< 0.028	U		< 0.0051	U		< 0.0047	U		< 0.0047	U	
VMP-20	25	VMP-20-25-012624	1/26/2024	< 0.0036	U		< 0.012	U		< 0.0099	U		< 0.0068	U		< 0.03	U		< 0.0054	U		< 0.0050	U		< 0.0050	U	
VMP-20	25	VMP-20-25-042924	4/29/2024	< 0.0041	U		< 0.014	U		< 0.012	U		< 0.0079	U		< 0.035	U		< 0.0063	U		< 0.0058	U		< 0.0058	U	
VMP-20	39.5	VMP-20-39.5-020224	2/2/2024	< 0.0035	U		< 0.012	U		0.0049	J		< 0.0067	U		< 0.029	U		0.0017	J		< 0.0048	U		< 0.0048	U	
VMP-20	39.5	VMP-20-39.5-042924	4/29/2024	< 0.0038	U		< 0.013	U		< 0.011	U		< 0.0074	U		< 0.032	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-21	5	VMP-21-5-080223	8/2/2023	< 0.0036	U		< 0.012	U		< 0.01	U		0.0016	J		< 0.03	U		< 0.0054	U		< 0.0050	U		< 0.0050	U	
VMP-21	5	VMP-21-5-110223	11/2/2023	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0069	U		< 0.03	U		< 0.0055	U		< 0.0050	U		< 0.0050	U	
VMP-21	5	VMP-21-5-020124	2/1/2024	< 0.0041	U		< 0.014	U		0.0055	J		< 0.0078	U		< 0.034	U		< 0.0062	U		< 0.0057	U		< 0.0057	U	
VMP-21	5	VMP-21-5-050624	5/6/2024	< 0.0039	U		< 0.013	U		0.0055	J		< 0.0076	U		< 0.033	U		< 0.0060	U		< 0.0055	U		< 0.0055	U	
VMP-21	10	VMP-21-10-080223	8/2/2023	< 0.0036	U		< 0.012	U		< 0.0099	U		0.0034	J		< 0.03	U		< 0.0054	U		< 0.0050	U		< 0.0050	U	
VMP-21	10	VMP-21-10-110223	11/2/2023	< 0.0034	U		< 0.012	U		0.0063	J		0.0040	J		< 0.029	U		< 0.0053	U		< 0.0048	U		< 0.0048	U	
VMP-21	10	VMP-21-10-020124	2/1/2024	< 0.0041	U		< 0.014	U		< 0.011	U		0.0022	J		< 0.034	U		< 0.0063	U		< 0.0057	U		< 0.0057	U	
VMP-21	10	VMP-21-10-020124-DUP	2/1/2024	< 0.0039	U		< 0.013	U		< 0.011	U		0.0022	J		< 0.033	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-21	10	VMP-21-10-050624	5/6/2024	< 0.0038	U		< 0.013	U		0.0050	J		< 0.0074	U		< 0.032	U		< 0.0058	U		< 0.0054	U		< 0.0054	U	
VMP-21	25	VMP-21-25-080223	8/2/2023	< 0.0034	U		< 0.011	U		< 0.0095	U		0.0025	J		< 0.029	U		< 0.0052	U		< 0.0047	U		< 0.0047	U	
VMP-21	25	VMP-21-25-080223-DUP	8/2/2023	< 0.0036	U		< 0.012	U		< 0.0099	U		0.0021	J		< 0.03	U		< 0.0054	U		< 0.0050	U		< 0.0050	U	
VMP-21	25	VMP-21-25-110223	11/2/2023	0.01			0.0076	J		0.0072	J		0.0033	J		< 0.03	U		< 0.0054	U		< 0.0050	U		< 0.0050	U	
VMP-21	25	VMP-21-25-020124	2/1/2024	0.0036	J		< 0.013	U		< 0.011	U		0.0034	J		< 0.033	U		0.0036	J		0.0020	J		< 0.0054	U	
VMP-21	25	VMP-21-25-050624	5/6/2024	< 0.0040	U		< 0.013	U		< 0.011	U		0.0021	J		< 0.034	U		< 0.0061	U		< 0.0056	U		< 0.0056	U	
VMP-21	33	VMP-21-33-080223	8/2/2023	< 0.0035	U		< 0.012	U		< 0.0098	U		0.0041	J		< 0.03	U		< 0.0053	U		< 0.0049	U		< 0.0049	U	
VMP-21	33	VMP-21-33-110223	11/2/2023	< 0.0035	U		< 0.012	U		< 0.0097	U		0.0036	J		< 0.029	U		< 0.0053	U		< 0.0049	U		< 0.0049	U	
VMP-21	33	VMP-21-33-020124	2/1/2024	< 0.0040	U		< 0.013	U		< 0.011	U		0.0038	J		< 0.033	U		< 0.0060	U		< 0.0055	U		< 0.0055	U	
VMP-21	33	VMP-21-33-050624	5/6/2024	< 0.0042	U		< 0.014	U		< 0.012	U		0.0035	J		< 0.035	U		< 0.0064	U		< 0.0058	U		< 0.0058	U	
VMP-21	33	VMP-21-33-050624-DUP	5/6/2024	< 0.0039	U		< 0.013	U		< 0.011	U		0.0036	J		< 0.033	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-22	5	VMP-22-5-080323	8/3/2023	< 0.0036	U		< 0.012	U		0.02			< 0.0068	U		< 0.03	U		< 0.0054	U		< 0.0050	U		< 0.0050	U	
VMP-22	5	VMP-22-5-103123	10/31/2023	< 0.0038	U		< 0.013	U		< 0.011	U		< 0.0074	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-22	5	VMP-22-5-013124	1/31/2024	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.03	U		< 0.0055	U		< 0.0051	U		< 0.0051	U	
VMP-22	5	VMP-22-5-050124	5/1/2024	< 0.0038	U		< 0.013	U		0.05			< 0.0072	U		< 0.032	U		< 0.0058	U		< 0.0052	U		< 0.0053	U	
VMP-22	10	VMP-22-10-080323	8/3/2023	< 0.016	U		< 0.054	U		< 0.045	U		< 0.031	U		< 0.14	U		< 0.025	U		< 0.022	U		< 0.022	U	
VMP-22	10	VMP-22-10-103123	10/31/2023	< 0.0036	U		< 0.012	U		< 0.0099	U		< 0.0068	U		< 0.03	U		< 0.0054	U		< 0.0050	U		< 0.0050	U	
VMP-22	10	VMP-22-10-022924	2/29/2024	< 0.0035	U		< 0.012	U		< 0.0097	U	UJ	< 0.0067	U		< 0.029	U		< 0.0053	U		< 0.0049	U		< 0.0049	U	
VMP-22	10	VMP-22-10-050124	5/1/2024	< 0.14	U		< 0.46	U		0.42			< 0.27	U		< 1.2	U		< 0.21	U		< 0.19	U		< 0.19	U	
VMP-22	18	VMP-22-18-080323	8/3/2023	< 0.074	U		< 0.25	U		< 0.21	U		< 0.14	U		< 0.62	U		< 0.11	U		< 0.1	U		< 0.1	U	
VMP-22	18	VMP-22-18-103123	10/31/2023	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0072	U		< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-22	18	VMP-22-18-013124	1/31/2024	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.03	U		< 0.0055	U		< 0.0051	U		< 0.0051	U	
VMP-22	18	VMP-22-18-050124	5/1/2024	< 0.0038	U		< 0.013	U		0.023			< 0.0072	U		< 0.032	U		< 0.0058	U		< 0.0052	U		< 0.0053	U	
VMP-22	18	VMP-22-18-050124-DUP	5/1/2024	< 0.0037	U		< 0.012	U		0.019			< 0.0070	U		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-22	38	VMP-22-38-080323	8/3/2023	< 0.03	U		< 0.1	U		< 0.084	U		< 0.058	U		< 0.26	U		< 0.046	U		< 0.042	U		< 0.042	U	
VMP-22	38	VMP-22-38-080323-DUP	8/3/2023	< 0.03	U		< 0.099	U		< 0.082	U		< 0.057	U		< 0.25	U		< 0.045	U		< 0.041	U		< 0.041	U	
VMP-22	38	VMP-22-38-103123																									

TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	Hexane			Isopentane			2-Propanol			Tetrachloroethene			1,2,4-Trichlorobenzene			Trichloroethene			1,2,4-Trimethylbenzene			1,3,5-Trimethylbenzene		
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	0.55			5.4			1.5			Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
													Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals						
VMP-23	5	VMP-23-5-080123	8/1/2023	< 0.0040	U		< 0.013	U		0.012			< 0.0077	U		< 0.034	U		< 0.0061	U		< 0.0056	U		< 0.0056	U	
VMP-23	5	VMP-23-5-103023	10/30/2023	< 0.0038	U		< 0.013	U		0.0053	J		< 0.0072	U		< 0.032	U		< 0.0058	U		< 0.0052	U		< 0.0053	U	
VMP-23	5	VMP-23-5-013124	1/31/2024	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.03	U		< 0.0055	U		< 0.0051	U		< 0.0051	U	
VMP-23	5	VMP-23-5-043024	4/30/2024	< 0.0041	U		< 0.014	U		< 0.011	U		< 0.0079	U		< 0.034	U		< 0.0062	U		< 0.0057	U		< 0.0057	U	
VMP-23	10	VMP-23-10-080123	8/1/2023	< 0.0039	U		< 0.013	U		< 0.011	U		< 0.0075	U		< 0.033	U		< 0.0060	U		< 0.0054	U		< 0.0054	U	
VMP-23	10	VMP-23-10-103023	10/30/2023	< 0.0035	U		< 0.012	U		0.0058	J		< 0.0067	U		< 0.029	U		< 0.0053	U		< 0.0048	U		< 0.0048	U	
VMP-23	10	VMP-23-10-103023-DUP	10/30/2023	< 0.0035	U		< 0.012	U		0.0070	J		< 0.0068	U		< 0.03	U		< 0.0054	U		< 0.0049	U		< 0.0049	U	
VMP-23	10	VMP-23-10-013124	1/31/2024	< 0.0033	U		< 0.011	U		< 0.0092	U		0.0017	J		< 0.028	U		< 0.0050	U		< 0.0046	U		< 0.0046	U	
VMP-23	10	VMP-23-10-013124-DUP	1/31/2024	< 0.0033	U		< 0.011	U		< 0.0093	U		< 0.0064	U		< 0.028	U		< 0.0051	U		< 0.0047	U		< 0.0047	U	
VMP-23	10	VMP-23-10-043024	4/30/2024	< 0.0040	U		< 0.014	U		< 0.011	U		< 0.0078	U		< 0.034	U		< 0.0062	U		< 0.0056	U		< 0.0056	U	
VMP-23	25	VMP-23-25-080123	8/1/2023	< 0.0040	U		< 0.014	U		0.0043	J		0.052			< 0.034	U		< 0.0062	U		< 0.0056	U		< 0.0056	U	
VMP-23	25	VMP-23-25-103023	10/30/2023	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0071	U		< 0.031	U		< 0.0056	U		< 0.0052	U		< 0.0052	U	
VMP-23	25	VMP-23-25-013124	1/31/2024	< 0.0035	U		< 0.012	U		< 0.0097	U		< 0.0067	U		< 0.029	U		0.016			< 0.0049	U		< 0.0049	U	
VMP-23	25	VMP-23-25-043024	4/30/2024	< 0.0040	U		< 0.014	U		< 0.011	U		< 0.0078	U		< 0.034	U		< 0.0062	U		< 0.0056	U		< 0.0056	U	
VMP-24	5	VMP-24-5-072423	7/24/2023	< 0.0036	U		< 0.012	U		< 0.01	U		0.17			< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-23	40	VMP-23-40-080123	8/1/2023	0.0012	J		0.013			0.011	J		< 0.0076	U		< 0.033	U		< 0.0060	U		< 0.0055	U		< 0.0055	U	
VMP-24	5	VMP-24-5-102623	10/26/2023	0.0014	J		< 0.013	U		< 0.01	U		< 0.0072	U		< 0.032	U		< 0.0058	U		< 0.0052	U		< 0.0053	U	
VMP-23	40	VMP-23-40-103023	10/30/2023	< 0.0038	U		< 0.013	U		0.0095	J		< 0.0074	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-24	5	VMP-24-5-012624	1/26/2024	< 0.0038	U		< 0.013	U		0.0042	J		< 0.0074	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-23	40	VMP-23-40-013124	1/31/2024	< 0.0034	U		< 0.011	U		0.034			< 0.0066	U		< 0.029	U		< 0.0052	U		< 0.0048	U		< 0.0048	U	
VMP-24	5	VMP-24-5-042624	4/26/2024	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0071	U		< 0.031	U		< 0.0056	U		< 0.0052	U		< 0.0052	U	
VMP-24	5	VMP-24-5-042624-DUP	4/26/2024	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0072	U		< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-23	40	VMP-23-40-043024	4/30/2024	< 0.0039	U		< 0.013	U		0.0064	J		0.0029	J		< 0.033	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-24	10	VMP-24-10-072423	7/24/2023	< 0.0038	U		< 0.013	U		0.0039	J		0.0074			< 0.032	U		< 0.0058	U		0.0044	J		< 0.0054	U	
VMP-24	10	VMP-24-10-102623	10/26/2023	< 0.0038	U		< 0.013	U		< 0.011	U		0.091			< 0.032	U		< 0.0058	U		< 0.0054	U		< 0.0054	U	
VMP-24	10	VMP-24-10-012624	1/26/2024	< 0.0034	U		< 0.012	U		0.0082	J		< 0.0066	U		< 0.029	U		0.0028	J		< 0.0048	U		< 0.0048	U	
VMP-24	10	VMP-24-10-042624	4/26/2024	< 0.0038	U		< 0.013	U		0.025			0.027			< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-24	22	VMP-24-22-072423	7/24/2023	< 0.0038	U		0.0036	J		0.0054	J		0.0046	J		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-24	22	VMP-24-22-102623	10/26/2023	0.0013	J		< 0.014	U		0.0068	J		< 0.0079	U		< 0.035	U		< 0.0063	U		< 0.0058	U		< 0.0058	U	
VMP-24	22	VMP-24-22-012624	1/26/2024	< 0.0037	U		0.0079	J		0.047		J	< 0.0072	U		< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-24	22	VMP-24-22-012624-DUP	1/26/2024	< 0.0036	U		0.0072	J		< 0.0099	U	UJ	< 0.0068	U		< 0.03	U		< 0.0054	U		< 0.0050	U		< 0.0050	U	
VMP-24	22	VMP-24-22-042624	4/26/2024	< 0.0039	U		< 0.013	U		< 0.011	U		< 0.0075	U		< 0.033	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-24	34	VMP-24-34-072423	7/24/2023	< 0.0038	U		< 0.013	U		< 0.011	U		< 0.0073	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-24	34	VMP-24-34-102623	10/26/2023	< 0.0038	U		< 0.013	U		< 0.011	U		0.0022	J		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-24	34	VMP-24-34-012624	1/26/2024	< 0.0036	U		0.0071	J		< 0.01	U		< 0.0070	U		< 0.03	U		< 0.0055	U		< 0.0050	U		< 0.0050	U	
VMP-24	34	VMP-24-34-042624	4/26/2024	< 0.0038	U		< 0.013	U		< 0.01	U		< 0.0073	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-32	5	VMP-32-5-080223	8/2/2023	< 0.0035	U		< 0.012	U		0.045			0.0083			< 0.029	U		0.0079			< 0.0049	U		< 0.0049	U	
VMP-32	5	VMP-32-5-110223	11/2/2023	0.0055			0.014			< 0.0095	U		< 0.0066	U		< 0.029	U		< 0.0052	U		< 0.0048	U		< 0.0048	U	
VMP-32	5	VMP-32-5-020224	2/2/2024	0.015			0.049			< 0.01	U		< 0.0072	U		< 0.032	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-32	5	VMP-32-5-050624	5/6/2024	< 0.0035	U		0.012	J		0.013			< 0.0067	U		< 0.029	U		< 0.0053	U		< 0.0049	U		< 0.0049	U	
VMP-32	10	VMP-32-10-080223	8/2/2023	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-32	10	VMP-32-10-110223	11/2/2023	< 0.0040	U		< 0.014	U		< 0.011	U		< 0.0078	U		< 0.034	U		< 0.0062	U		< 0.0056	U		< 0.0056	U	
VMP-32	10	VMP-32-10-110223-DUP	11/2/2023	< 0.0038	U		< 0.013	U		< 0.011	U		< 0.0074	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-32	10	VMP-32-10-020224	2/2/2024	< 0.0038	U		< 0.013	U		< 0.01	U		< 0.0072	U		< 0.032	U		< 0.0058	U		< 0.0052	U		< 0.0053	U	
VMP-32	10	VMP-32-10-050624	5/6/2024	< 0.0042	U		< 0.014	U		< 0.012	U		< 0.0081	U		< 0.035	U		< 0.0064	U		< 0.0059	U		< 0.0059	U	
VMP-32	20	VMP-32-20-080223	8/2/2023	< 0.0037	U		< 0.012	U		0.0039	J		< 0.0072	U		< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-32	20	VMP-32-20-110223	11/2/2023	< 0.0039	U		< 0.013	U		< 0.011	U		< 0.0075	U		< 0.033	U		< 0.0060	U		< 0.0054	U		< 0.0054	U	
VMP-32	20	VMP-32-20-020224	2/2/2024	0.0088			0.051			< 0.01	U		< 0.0072	U		< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-32	20	VMP-32-20-050624	5/6/2024	< 0.0038	U		< 0.013	U		< 0.011	U		< 0.0074	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-32	30	VMP-32-30-080																									

**TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS**

Location	Depth	Sample ID	Sample Date	Hexane			Isopentane			2-Propanol			Tetrachloroethene			1,2,4-Trichlorobenzene			Trichloroethene			1,2,4-Trimethylbenzene			1,3,5-Trimethylbenzene		
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	0.55			5.4			1.5			Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
													Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals						
VMP-42	10	VMP-42-10-073123	7/31/2023	0.0036	J		0.015			0.0064	J		< 0.0079	U		< 0.034	U		< 0.0062	U		< 0.0057	U		< 0.0057	U	
VMP-42	10	VMP-42-10-102723	10/27/2023	< 0.0038	U		< 0.013	U		0.0056	J		< 0.0074	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-42	10	VMP-42-10-013124	1/31/2024	< 0.0035	U		< 0.012	U		< 0.0098	U		< 0.0067	U		< 0.03	U		< 0.0053	U		< 0.0049	U		< 0.0049	U	
VMP-42	10	VMP-42-10-013124-DUP	1/31/2024	< 0.0036	U		< 0.012	U		< 0.0099	U		< 0.0068	U		< 0.03	U		< 0.0054	U		< 0.0050	U		< 0.0050	U	
VMP-42	10	VMP-42-10-050324	5/3/2024	< 0.0039	U		< 0.013	U		< 0.011	U		< 0.0076	U		< 0.033	U		< 0.0060	U		< 0.0055	U		< 0.0055	U	
VMP-42	20	VMP-42-20-073123	7/31/2023	< 0.0038	U		< 0.013	U		0.0036	J		< 0.0073	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-42	20	VMP-42-20-102723	10/27/2023	0.0013	J		< 0.013	U		0.0059	J	J	< 0.0072	U		< 0.032	U		< 0.0058	U		< 0.0052	U		< 0.0053	U	
VMP-42	20	VMP-42-20-013124	1/31/2024	< 0.0035	U		< 0.012	U		< 0.0097	U		< 0.0067	U		< 0.029	U		0.0076			< 0.0049	U		< 0.0049	U	
VMP-42	20	VMP-42-20-050324	5/3/2024	< 0.0039	U		< 0.013	U		< 0.011	U		< 0.0075	U		< 0.033	U		< 0.0060	U		< 0.0054	U		< 0.0054	U	
VMP-42	30	VMP-42-30-073123	7/31/2023	< 0.0041	U		< 0.014	U		< 0.011	U		< 0.0079	U		< 0.034	U		< 0.0063	U		< 0.0057	U		< 0.0057	U	
VMP-42	30	VMP-42-30-102723	10/27/2023	< 0.0038	U		< 0.013	U		0.0053	J	J	0.43		J	< 0.032	U		0.07		J	< 0.0053	U		< 0.0053	U	
VMP-42	30	VMP-42-30-102723-DUP	10/27/2023	< 0.0036	U		< 0.012	U		< 0.01	UJ	UJ	0.034		J	< 0.03	U		0.0060		J	< 0.0050	U		< 0.0050	U	
VMP-42	30	VMP-42-30-013124	1/31/2024	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.03	U		< 0.0055	U		< 0.0051	U		< 0.0051	U	
VMP-42	30	VMP-42-30-050624	5/6/2024	< 0.0040	U		< 0.013	U		< 0.011	U		< 0.0077	U		< 0.034	U		< 0.0061	U		< 0.0056	U		< 0.0056	U	
VMP-43	10	VMP-43-10-073123	7/31/2023	< 0.0043	U		< 0.014	U		0.026			0.0051	J		< 0.036	U		< 0.0065	U		< 0.0060	U		< 0.0060	U	
VMP-43	10	VMP-43-10-102723	10/27/2023	< 0.0038	U		< 0.013	U		0.0058	J		< 0.0073	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-43	10	VMP-43-10-013024	1/30/2024	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0071	U		< 0.031	U		0.0065			< 0.0051	U		< 0.0051	U	
VMP-43	10	VMP-43-10-050324	5/3/2024	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-43	20	VMP-43-20-073123	7/31/2023	< 0.0041	U		< 0.014	U		0.0084	J		< 0.0079	U		< 0.034	U		< 0.0063	U		< 0.0057	U		< 0.0057	U	
VMP-43	20	VMP-43-20-102723	10/27/2023	< 0.0038	U		< 0.013	U		0.0038	J		< 0.0074	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-43	20	VMP-43-20-013024	1/30/2024	< 0.0036	U		< 0.012	U		0.0065	J		< 0.0069	U		< 0.03	U		0.0084			< 0.0050	U		< 0.0050	U	
VMP-43	20	VMP-43-20-050324	5/3/2024	< 0.0039	U		< 0.013	U		< 0.011	U		< 0.0075	U		< 0.033	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-43	30	VMP-43-30-073123	7/31/2023	< 0.0040	U		< 0.013	U		0.0046	J		< 0.0077	U		< 0.034	U		< 0.0061	U		< 0.0056	U		< 0.0056	U	
VMP-43	30	VMP-43-30-102723	10/27/2023	< 0.0038	U		< 0.013	U		0.0051	J		0.0036	J		< 0.032	U		0.0047	J		< 0.0054	U		< 0.0054	U	
VMP-43	30	VMP-43-30-102723-DUP	10/27/2023	< 0.0038	U		< 0.013	U		0.01	J		0.0029	J		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-43	30	VMP-43-30-013024	1/30/2024	< 0.0036	U		< 0.012	U		0.0038	J		0.0036	J		< 0.03	U		< 0.0055	U		< 0.0050	U		< 0.0050	U	
VMP-43	30	VMP-43-30-050324	5/3/2024	< 0.0037	U		< 0.012	U		0.0039	J		< 0.0071	U		< 0.031	U		< 0.0056	U		< 0.0052	U		< 0.0052	U	
VMP-45	10	VMP-45-10-073123	7/31/2023	< 0.0042	U		< 0.014	U		0.0090	J		< 0.0080	U		< 0.035	U		< 0.0063	U		< 0.0058	U		< 0.0058	U	
VMP-45	10	VMP-45-10-102723	10/27/2023	< 0.0038	U		< 0.013	U		< 0.01	U		< 0.0073	U		0.0085	J		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-45	10	VMP-45-10-013024	1/30/2024	< 0.0036	U		0.0052	J		0.0066	J		< 0.0070	U		< 0.03	U		< 0.0055	U		< 0.0050	U		< 0.0050	U	
VMP-45	10	VMP-45-10-050324	5/3/2024	< 0.0036	U		< 0.012	U		0.0046	J		< 0.0070	U		< 0.03	U		< 0.0055	U		< 0.0051	U		< 0.0051	U	
VMP-45	20	VMP-45-20-073123	7/31/2023	< 0.0040	U		< 0.013	U		0.031			0.42			< 0.033	U		< 0.0060	U		< 0.0055	U		< 0.0055	U	
VMP-45	20	VMP-45-20-102723	10/27/2023	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-45	20	VMP-45-20-013024	1/30/2024	< 0.0035	U		0.0041	J		< 0.0097	U		< 0.0067	U		< 0.029	U		0.0022	J		< 0.0049	U		< 0.0049	U	
VMP-45	20	VMP-45-20-050324	5/3/2024	< 0.0035	U		< 0.012	U		< 0.0099	U		< 0.0068	U		< 0.03	U		< 0.0054	U		< 0.0049	U		< 0.0049	U	
VMP-45	30	VMP-45-30-073123	7/31/2023	< 0.0041	U		< 0.014	U		0.015			< 0.0080	U		< 0.035	U		< 0.0063	U		< 0.0058	U		< 0.0058	U	
VMP-45	30	VMP-45-30-102723	10/27/2023	< 0.0038	U		< 0.013	U		< 0.011	U		< 0.0074	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-45	30	VMP-45-30-013024	1/30/2024	< 0.0034	U		0.0066	J		< 0.0095	U		< 0.0066	U		< 0.029	U		< 0.0052	U		< 0.0048	U		< 0.0048	U	
VMP-45	30	VMP-45-30-013024-DUP	1/30/2024	< 0.0033	U		0.0065	J		< 0.0091	U		< 0.0063	U		< 0.028	U		< 0.0050	U		< 0.0046	U		< 0.0046	U	
VMP-45	30	VMP-45-30-050324	5/3/2024	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.03	U		< 0.0055	U		< 0.0051	U		< 0.0051	U	
VMP-47	5	VMP-47-5-072523	7/25/2023	< 0.0044	U		< 0.014	U		0.0047	J		< 0.0084	U		< 0.037	U		< 0.0066	U		< 0.0061	U		< 0.0061	U	
VMP-47	5	VMP-47-5-102723	10/27/2023	< 0.0039	U		< 0.013	U		< 0.011	U		< 0.0075	U		< 0.033	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-47	5	VMP-47-5-013124	1/31/2024	< 0.0036	U		< 0.012	U		< 0.0099	U		< 0.0068	U		< 0.03	U		0.0029	J		< 0.0050	U		< 0.0050	U	
VMP-47	5	VMP-47-5-042924	4/29/2024	< 0.0039	U		< 0.013	U		< 0.011	U		< 0.0075	U		< 0.033	U		< 0.0060	U		< 0.0054	U		< 0.0054	U	
VMP-47	10	VMP-47-10-072523	7/25/2023	< 0.0043	U		< 0.014	U		0.0048	J		< 0.0082	U		< 0.036	U		< 0.0065	U		< 0.0059	U		< 0.0059	U	
VMP-47	10	VMP-47-10-102723	10/27/2023	< 0.0038	U		< 0.013	U		0.0041	J		< 0.0074	U		< 0.032	U		< 0.0058	U		< 0.0054	U		< 0.0054	U	
VMP-47	10	VMP-47-10-013124	1/31/2024	0.0059			< 0.012	U		< 0.0099	U		< 0.0068	U		< 0.03	U		0.048			0.0016	J		< 0.0050	U	
VMP-47	10	VMP-47-10-042924	4/29/2024	< 0.0038	U		< 0.013	U		< 0.01	U		< 0.0073	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-47	20	VMP-47-20-072523	7/25/2023	< 0.0040	U		< 0.013	U		0.011	J		< 0.0077	U		< 0.034	U		< 0.0061	U		< 0.0056	U		< 0.0056	U	

**TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS**

Location	Depth	Sample ID	Sample Date	Hexane			Isopentane			2-Propanol			Tetrachloroethene			1,2,4-Trichlorobenzene			Trichloroethene			1,2,4-Trimethylbenzene			1,3,5-Trimethylbenzene		
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	0.55			5.4			1.5			Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
													Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals						
VMP-47	30	VMP-47-30-072523	7/25/2023	< 0.0046	U		< 0.015	U		0.0074	J		0.0029	J		< 0.039	U		< 0.0070	U		< 0.0064	U		< 0.0064	U	
VMP-47	30	VMP-47-30-103023	10/30/2023	< 0.0035	U		< 0.012	U		0.014			< 0.0067	U		< 0.03	U		< 0.0053	U		< 0.0049	U		< 0.0049	U	
VMP-47	30	VMP-47-30-013124	1/31/2024	< 0.0036	U		< 0.012	U		0.014			0.0044	J		< 0.03	U		0.012			< 0.0051	U		< 0.0051	U	
VMP-47	30	VMP-47-30-042924	4/29/2024	< 0.0038	U		< 0.013	U		< 0.011	U		< 0.0074	U		< 0.032	U		0.016			< 0.0054	U		< 0.0054	U	
VMP-48	5	VMP-48-5-080123	8/1/2023	< 0.0037	U		< 0.012	U		0.012			0.0036	J		< 0.031	U		< 0.0056	U		< 0.0052	U		< 0.0052	U	
VMP-48	5	VMP-48-5-103123	10/31/2023	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0072	U		< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-48	5	VMP-48-5-012924	1/29/2024	< 0.0038	U		< 0.013	U		0.0038	J		< 0.0072	U		< 0.032	U		< 0.0058	U		< 0.0052	U		< 0.0053	U	
VMP-48	5	VMP-48-5-050124	5/1/2024	< 0.0040	U		< 0.014	U		< 0.011	U		< 0.0078	U		< 0.034	U		< 0.0062	U		< 0.0056	U		< 0.0056	U	
VMP-48	10	VMP-48-10-080123	8/1/2023	< 0.0042	U		< 0.014	U		< 0.012	U		< 0.0080	U		< 0.035	U		< 0.0063	U		< 0.0058	U		< 0.0058	U	
VMP-48	10	VMP-48-10-080123-DUP	8/1/2023	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0069	U		< 0.03	U		< 0.0055	U		< 0.0050	U		< 0.0050	U	
VMP-48	10	VMP-48-10-103123	10/31/2023	< 0.0038	U		< 0.013	U		< 0.011	U		< 0.0074	U		< 0.032	U		< 0.0058	U		< 0.0054	U		< 0.0054	U	
VMP-48	10	VMP-48-10-012924	1/29/2024	< 0.0040	U		< 0.014	U		0.012			< 0.0078	U		< 0.034	U		< 0.0062	U		< 0.0056	U		< 0.0056	U	
VMP-48	10	VMP-48-10-050124	5/1/2024	1.5			3			< 0.071	U		< 0.049	U		< 0.22	U		< 0.039	U		< 0.036	U		< 0.036	U	
VMP-48	20	VMP-48-20-080123	8/1/2023	0.0015	J		0.04			0.0046	J		< 0.0073	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-48	20	VMP-48-20-103123	10/31/2023	< 0.0034	U		< 0.012	U		< 0.0096	U		< 0.0066	U		< 0.029	U		< 0.0052	U		< 0.0048	U		< 0.0048	U	
VMP-48	20	VMP-48-20-012924	1/29/2024	0.0094			0.0055	J		< 0.0097	U		< 0.0067	U		< 0.029	U		< 0.0053	U		< 0.0049	J	U	< 0.0049	U	
VMP-48	20	VMP-48-20-050124	5/1/2024	< 0.0040	U		0.1			< 0.011	U		< 0.0077	U		< 0.034	U		< 0.0061	U		< 0.0056	U		< 0.0056	U	
VMP-48	30	VMP-48-30-080123	8/1/2023	< 0.0039	U		< 0.013	U		0.0047	J		< 0.0075	U		< 0.033	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-48	30	VMP-48-30-103123	10/31/2023	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.03	U		< 0.0055	U		< 0.0050	U		< 0.0050	U	
VMP-48	30	VMP-48-30-012924	1/29/2024	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0071	U		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-48	30	VMP-48-30-050124	5/1/2024	< 0.0039	U		< 0.013	U		< 0.011	U		< 0.0075	U		< 0.033	U		< 0.0060	U		< 0.0054	U		< 0.0054	U	
VMP-48	30	VMP-48-30-050124-DUP	5/1/2024	< 0.0040	U		< 0.013	U		< 0.011	U		< 0.0077	U		< 0.034	U		0.01			< 0.0056	U		< 0.0056	U	
VMP-49	5	VMP-49-5-080323	8/3/2023	< 0.0040	U		< 0.013	U		< 0.011	U		< 0.0077	U		< 0.034	U		< 0.0061	U		< 0.0056	U		< 0.0056	U	
VMP-49	5	VMP-49-5-103123	10/31/2023	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0071	U		< 0.031	U		< 0.0056	U		< 0.0052	U		< 0.0052	U	
VMP-49	5	VMP-49-5-013124	1/31/2024	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.03	U		< 0.0055	U		< 0.0051	U		< 0.0051	U	
VMP-49	5	VMP-49-5-050124	5/1/2024	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-49	10	VMP-49-10-080323	8/3/2023	< 0.0039	U		< 0.013	U		0.027			< 0.0076	U		< 0.033	U		< 0.0060	U		< 0.0055	U		< 0.0055	U	
VMP-49	10	VMP-49-10-103123	10/31/2023	< 0.0038	U		< 0.013	U		< 0.011	U		< 0.0074	U		< 0.032	U		0.0057	J		< 0.0054	U		< 0.0054	U	
VMP-49	10	VMP-49-10-013124	1/31/2024	< 0.0038	U		< 0.013	U		< 0.01	U		< 0.0072	U		< 0.032	U		< 0.0058	U		< 0.0052	U		< 0.0053	U	
VMP-49	10	VMP-49-10-050124	5/1/2024	< 0.0040	U		< 0.013	U		< 0.011	U		< 0.0077	U		< 0.034	U		< 0.0061	U		< 0.0056	U		< 0.0056	U	
VMP-49	20	VMP-49-20-080323	8/3/2023	< 0.0040	U		< 0.013	U		0.0036	J		< 0.0077	U		< 0.034	U		< 0.0061	U		< 0.0056	U		< 0.0056	U	
VMP-49	20	VMP-49-20-103123	10/31/2023	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0071	U		< 0.031	U		< 0.0056	U		< 0.0052	U		< 0.0052	U	
VMP-49	20	VMP-49-20-013124	1/31/2024	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0071	U		< 0.031	U		< 0.0056	U		< 0.0052	U		< 0.0052	U	
VMP-49	20	VMP-49-20-013124-DUP	1/31/2024	< 0.0036	U		< 0.012	U		< 0.0099	U		< 0.0068	U		< 0.03	U		< 0.0054	U		< 0.0050	U		< 0.0050	U	
VMP-49	20	VMP-49-20-050124	5/1/2024	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0072	U		< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-49	30	VMP-49-30-080323	8/3/2023	< 0.0041	U		< 0.014	U		0.0038	J		0.0016	J		< 0.034	U		< 0.0063	U		< 0.0057	U		< 0.0057	U	
VMP-49	30	VMP-49-30-103123	10/31/2023	< 0.0038	U		< 0.012	U		< 0.01	U		< 0.0072	U		< 0.032	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-49	30	VMP-49-30-013124	1/31/2024	< 0.0037	U		< 0.012	U		< 0.01	U		0.0049	J		< 0.031	U		< 0.0056	U		< 0.0052	U		< 0.0052	U	
VMP-49	30	VMP-49-30-050124	5/1/2024	< 0.0039	U		< 0.013	U		< 0.011	U		< 0.0075	U		< 0.033	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-50	5	VMP-50-5-072723	7/27/2023	< 0.0042	U		< 0.014	U		< 0.012	U		0.01			< 0.036	U		< 0.0065	U		< 0.0059	U		< 0.0059	U	
VMP-50	5	VMP-50-5-103123	10/31/2023	< 0.0035	U		< 0.012	U		< 0.0098	U		0.0041	J		< 0.03	U		< 0.0054	U		< 0.0049	U		< 0.0049	U	
VMP-50	5	VMP-50-5-012624	1/26/2024	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0072	U		< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-50	5	VMP-50-5-012624-DUP	1/26/2024	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0069	U		< 0.03	U		< 0.0054	U		< 0.0050	U		< 0.0050	U	
VMP-50	5	VMP-50-5-050124	5/1/2024	< 0.0040	U		< 0.013	U		< 0.011	U		< 0.0077	U		< 0.034	U		< 0.0061	U		< 0.0056	J	U	< 0.0056	U	
VMP-50	10	VMP-50-10-072723	7/27/2023	< 0.0040	U		< 0.014	U		< 0.011	U		0.0063	J		< 0.034	U		< 0.0062	U		< 0.0056	U		< 0.0056	U	
VMP-50	10	VMP-50-10-103123	10/31/2023	< 0.0035	U		< 0.012	U		< 0.0098	U		0.0060	J		< 0.03	U		< 0.0053	U		< 0.0049	U		< 0.0049	U	
VMP-50	10	VMP-50-10-012624	1/26/2024	< 0.0037	U		< 0.012	U		< 0.01	U		0.0023	J		< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-50	10	VMP-50-10-050124	5/1/2024	< 0.0040	U		< 0.013	U		< 0.011	U		0.0054	J		< 0.034	U		< 0.0061	U		< 0.0056	U		< 0.0056	U	
VMP-50	20	VMP-50-20-072723	7/27/2023	< 0.0043	U		< 0.014	U		< 0.012	U																

**TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS**

Location	Depth	Sample ID	Sample Date	Hexane			Isopentane			2-Propanol			Tetrachloroethene			1,2,4-Trichlorobenzene			Trichloroethene			1,2,4-Trimethylbenzene			1,3,5-Trimethylbenzene		
													0.55			5.4			1.5								
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-50	30	VMP-50-30-072723	7/27/2023	0.0023	J		0.25			0.0084	J		< 0.0083	U		< 0.036	U		< 0.0066	U		< 0.0060	U		< 0.0060	U	
VMP-50	30	VMP-50-30-103123	10/31/2023	< 0.0037	U		0.11			< 0.01	U		< 0.0071	U		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-50	30	VMP-50-30-012624	1/26/2024	0.0084			0.17			0.0048	J		< 0.0072	U		< 0.032	U		0.017			< 0.0052	U		< 0.0053	U	
VMP-50	30	VMP-50-30-050124	5/1/2024	< 0.0039	U		0.062			< 0.011	U		< 0.0075	U		< 0.033	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-51	5	VMP-51-5-080123	8/1/2023	< 0.0040	U		< 0.013	U		0.0093	J		0.0021	J		< 0.034	U		< 0.0061	U		< 0.0056	U		< 0.0056	U	
VMP-51	5	VMP-51-5-102723	10/27/2023	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-51	5	VMP-51-5-012924	1/29/2024	< 0.0038	U		< 0.013	U		< 0.01	U		< 0.0073	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-51	5	VMP-51-5-042624	4/26/2024	< 0.0036	U		< 0.012	U		< 0.0099	U		< 0.0068	U		< 0.03	U		< 0.0054	U		< 0.0050	U		< 0.0050	U	
VMP-51	10	VMP-51-10-080123	8/1/2023	< 0.0039	U		< 0.013	U		0.0044	J		0.0055	J		< 0.033	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-51	10	VMP-51-10-080123-DUP	8/1/2023	0.0015	J		< 0.014	U		0.0043	J		0.0053	J		< 0.035	U		< 0.0063	U		< 0.0058	U		< 0.0058	U	
VMP-51	10	VMP-51-10-102723	10/27/2023	< 0.0038	U		< 0.012	U		< 0.01	U		0.0042	J		< 0.032	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-51	10	VMP-51-10-012924	1/29/2024	< 0.0037	U		< 0.012	U		0.0042	J		< 0.0071	U		< 0.031	U		< 0.0056	U		< 0.0052	U		< 0.0052	U	
VMP-51	10	VMP-51-10-012924-DUP	1/29/2024	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0072	U		< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-51	10	VMP-51-10-042624	4/26/2024	< 0.0034	U		< 0.012	U		< 0.0096	U		< 0.0066	U		< 0.029	U		< 0.0053	U		< 0.0048	U		< 0.0048	U	
VMP-51	20	VMP-51-20-080123	8/1/2023	< 0.0040	U		< 0.013	U		0.0055	J		0.0025	J		< 0.034	U		< 0.0061	U		< 0.0056	U		< 0.0056	U	
VMP-51	20	VMP-51-20-102723	10/27/2023	< 0.0038	U		< 0.013	U		< 0.011	U		< 0.0074	U		< 0.032	U		< 0.0058	U		< 0.0054	U		< 0.0054	U	
VMP-51	20	VMP-51-20-012924	1/29/2024	< 0.0035	U		< 0.012	U		< 0.0098	U		< 0.0067	U		< 0.03	U		< 0.0053	U		< 0.0049	U		< 0.0049	U	
VMP-51	20	VMP-51-20-042624	4/26/2024	< 0.0034	U		< 0.012	U		< 0.0096	U		< 0.0066	U		< 0.029	U		< 0.0052	U		< 0.0048	U		< 0.0048	U	
VMP-51	30	VMP-51-30-080123	8/1/2023	< 0.0039	U		< 0.013	U		< 0.011	U		< 0.0075	U		< 0.033	U		< 0.0060	U		< 0.0054	U		< 0.0054	U	
VMP-51	30	VMP-51-30-102723	10/27/2023	< 0.0038	U		< 0.012	U		< 0.01	U		< 0.0072	U		< 0.032	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-51	30	VMP-51-30-012924	1/29/2024	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.03	U		< 0.0055	U		< 0.0050	U		< 0.0050	U	
VMP-51	30	VMP-51-30-042624	4/26/2024	< 0.0036	U		< 0.012	U		0.0047	J		< 0.0070	U		< 0.03	U		< 0.0055	U		< 0.0051	U		< 0.0051	U	
VMP-52	5	VMP-52-5-080123	8/1/2023	< 0.0039	U		< 0.013	U		0.0044	J		< 0.0076	U		< 0.033	U		< 0.0060	U		< 0.0055	U		< 0.0055	U	
VMP-52	5	VMP-52-5-103023	10/30/2023	< 0.0036	U		< 0.012	U		< 0.0099	U		< 0.0068	U		< 0.03	U		< 0.0054	U		< 0.0050	U		< 0.0050	U	
VMP-52	5	VMP-52-5-012924	1/29/2024	< 0.0036	U		< 0.012	U		< 0.01	U		0.0040	J		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-52	5	VMP-52-5-042624	4/26/2024	< 0.0037	U		< 0.012	U		0.0037	J		< 0.0072	U		< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-52	10	VMP-52-10-080123	8/1/2023	< 0.0039	U		< 0.013	U		0.0039	J		< 0.0076	U		< 0.033	U		< 0.0060	U		< 0.0055	U		< 0.0055	U	
VMP-52	10	VMP-52-10-103023	10/30/2023	< 0.0034	U		< 0.012	U		< 0.0096	U		< 0.0066	U		< 0.029	U		< 0.0052	U		< 0.0048	U		< 0.0048	U	
VMP-52	10	VMP-52-10-012924	1/29/2024	< 0.0034	U		< 0.011	U		< 0.0094	U		< 0.0065	U		< 0.028	U		< 0.0051	U		< 0.0047	U		< 0.0047	U	
VMP-52	10	VMP-52-10-042624	4/26/2024	< 0.0037	U		< 0.012	U		< 0.01	U		0.15			< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-52	20	VMP-52-20-080123	8/1/2023	< 0.0040	U		< 0.013	U		< 0.011	U		< 0.0077	U		< 0.034	U		< 0.0061	U		< 0.0056	U		< 0.0056	U	
VMP-52	20	VMP-52-20-080123-DUP	8/1/2023	< 0.0038	U		< 0.013	U		0.0034	J		0.0021	J		< 0.032	U		< 0.0058	U		< 0.0054	U		< 0.0054	U	
VMP-52	20	VMP-52-20-103023	10/30/2023	< 0.0035	U		< 0.012	U		< 0.0098	U		< 0.0067	U		< 0.03	U		< 0.0053	U		< 0.0049	U		< 0.0049	U	
VMP-52	20	VMP-52-20-012924	1/29/2024	< 0.0033	U		< 0.011	U		< 0.0093	U		< 0.0064	U		< 0.028	U		< 0.0051	U		0.0038	J		< 0.0047	U	
VMP-52	20	VMP-52-20-042624	4/26/2024	< 0.0035	U		< 0.012	U		< 0.0099	U		0.12			< 0.03	U		< 0.0054	U		< 0.0049	U		< 0.0049	U	
VMP-52	30	VMP-52-30-080123	8/1/2023	< 0.0038	U		< 0.013	U		< 0.011	U		< 0.0073	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-52	30	VMP-52-30-103023	10/30/2023	< 0.0034	U		< 0.011	U		< 0.0095	U		< 0.0066	U		< 0.029	U		< 0.0052	U		< 0.0048	U		< 0.0048	U	
VMP-52	30	VMP-52-30-012924	1/29/2024	< 0.0034	U		< 0.012	U		< 0.0096	U		< 0.0066	U		< 0.029	U		< 0.0053	U		< 0.0048	U		< 0.0048	U	
VMP-52	30	VMP-52-30-042624	4/26/2024	< 0.0038	U		< 0.013	U		< 0.01	U		< 0.0072	U		< 0.032	U		< 0.0058	U		< 0.0052	U		< 0.0053	U	
VMP-52	30	VMP-52-30-042624-DUP	4/26/2024	< 0.0035	U		< 0.012	U		< 0.0097	U		< 0.0067	U		< 0.029	U		< 0.0053	U		< 0.0049	U		< 0.0049	U	
VMP-53	5	VMP-53-5-072423	7/24/2023	< 0.0037	U		< 0.012	U		0.016			0.0016	J		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-53	5	VMP-53-5-120123	12/1/2023	< 0.0037	U		< 0.012	U		0.0071	J		< 0.0072	U		< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-53	5	VMP-53-5-012424	1/24/2024	< 0.0039	U		< 0.013	U		0.0096	J		< 0.0075	U		< 0.033	U		< 0.0060	U		< 0.0054	U		< 0.0054	U	
VMP-53	5	VMP-53-5-042524	4/25/2024	< 0.0040	U		< 0.014	U		< 0.011	U		< 0.0078	U		< 0.034	U		< 0.0062	U		< 0.0056	U		< 0.0056	U	
VMP-53	10	VMP-53-10-072423	7/24/2023	< 0.0037	U		< 0.012	U		0.0041	J		0.043		J	< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-53	10	VMP-53-10-072423-DUP	7/24/2023	< 0.0037	U		< 0.012	U		0.0056	J		0.0046	J	J	< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-53	10	VMP-53-10-102523	10/25/2023	0.0031	J		0.014			0.0074	J		0.016			< 0.032	U		< 0.0058	U		< 0.0054	U		< 0.0054	U	
VMP-53	10	VMP-53-10-012424	1/24/2024	< 0.0041	U		< 0.014	U		0.0048	J		< 0.0079	U		< 0.034	U		< 0.0062	U		< 0.0057	U		< 0.0057	U	
VMP-53	10	VMP-53-10-042524	4/25/2024	< 0.0037	U		< 0.012	U		0.0042	J		0.0020	J		< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0		

**TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS**

Location	Depth	Sample ID	Sample Date	Hexane			Isopentane			2-Propanol			Tetrachloroethene			1,2,4-Trichlorobenzene			Trichloroethene			1,2,4-Trimethylbenzene			1,3,5-Trimethylbenzene		
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	0.55			5.4			1.5			Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
													Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals						
VMP-53	20	VMP-53-20-072423	7/24/2023	0.0031	J		< 0.012	U		0.0049	J		< 0.0070	U		< 0.031	U		0.0070			< 0.0051	U		< 0.0051	U	
VMP-53	20	VMP-53-20-102523	10/25/2023	0.0029	J		< 0.014	U		< 0.011	U		< 0.0079	U		< 0.034	U		< 0.0063	U		< 0.0057	U		< 0.0057	U	
VMP-53	20	VMP-53-20-012424	1/24/2024	< 0.0040	U		< 0.014	U		0.03			< 0.0078	U		< 0.034	U		< 0.0062	U		< 0.0056	U		< 0.0056	U	
VMP-53	20	VMP-53-20-042524	4/25/2024	< 0.0038	U		< 0.013	U		< 0.011	U		< 0.0074	U		< 0.032	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-53	20	VMP-53-20-042524-DUP	4/25/2024	< 0.0038	U		< 0.013	U		< 0.011	U		< 0.0074	U		< 0.032	U		< 0.0058	U		< 0.0054	U		< 0.0054	U	
VMP-53	30	VMP-53-30-072423	7/24/2023	< 0.0039	U		< 0.013	U		< 0.011	U		< 0.0075	U		< 0.033	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-53	30	VMP-53-30-102523	10/25/2023	< 0.0039	U		< 0.013	U		0.0071	J		< 0.0076	U		< 0.033	U		< 0.0060	U		< 0.0055	U		< 0.0055	U	
VMP-53	30	VMP-53-30-012424	1/24/2024	0.0054			0.014			0.0058	J		< 0.0071	U		< 0.031	U		< 0.0056	U		< 0.0052	U		< 0.0052	U	
VMP-53	30	VMP-53-30-042524	4/25/2024	0.0038	J		0.019			0.0059	J		0.0024	J		< 0.036	U		< 0.0065	U		< 0.0060	U		< 0.0060	U	
VMP-54	5	VMP-54-5-072523	7/25/2023	< 0.0039	U		< 0.013	U		< 0.011	U		0.0046	J		< 0.033	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-54	5	VMP-54-5-102523	10/25/2023	< 0.0038	U		< 0.013	U		0.0036	J		0.0025	J		< 0.032	U		< 0.0058	U		< 0.0052	U		< 0.0053	U	
VMP-54	5	VMP-54-5-012424	1/24/2024	< 0.0038	U		< 0.013	U		< 0.01	U		< 0.0072	U		< 0.032	U		< 0.0058	U		< 0.0052	U		< 0.0053	U	
VMP-54	5	VMP-54-5-042524	4/25/2024	0.013			0.023			< 0.0097	U		0.0018	J		< 0.029	U		< 0.0053	U		< 0.0049	U		< 0.0049	U	
VMP-54	10	VMP-54-10-072523	7/25/2023	< 0.0042	U		< 0.014	U		0.0047	J		0.0095			< 0.036	U		< 0.0065	U		< 0.0059	U		< 0.0059	U	
VMP-54	10	VMP-54-10-072523-DUP	7/25/2023	< 0.0037	U		< 0.012	U		0.0043	J		0.0024	J		< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-54	10	VMP-54-10-102523	10/25/2023	< 0.0039	U		< 0.013	U		0.0039	J		0.0075			< 0.033	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-54	10	VMP-54-10-012424	1/24/2024	< 0.0038	U		< 0.013	U		0.0078	J		< 0.0074	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-54	10	VMP-54-10-042524	4/25/2024	< 0.0038	U		< 0.013	U		< 0.01	U		< 0.0073	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-54	20	VMP-54-20-072523	7/25/2023	< 0.0038	U		< 0.013	U		0.014			0.0035	J		< 0.032	U		< 0.0058	U		< 0.0052	U		< 0.0053	U	
VMP-54	20	VMP-54-20-102523	10/25/2023	< 0.0039	U		< 0.013	U		< 0.011	U		0.0024	J		< 0.033	U		< 0.0060	U		< 0.0055	U		< 0.0055	U	
VMP-54	20	VMP-54-20-012424	1/24/2024	< 0.0040	U		< 0.013	U		0.0047	J		0.0022	J		< 0.034	U		< 0.0061	U		< 0.0056	U		< 0.0056	U	
VMP-54	20	VMP-54-20-012424-DUP	1/24/2024	< 0.0039	U		< 0.013	U		0.0045	J		0.0022	J		< 0.033	U		< 0.0060	U		< 0.0054	U		< 0.0054	U	
VMP-54	20	VMP-54-20-042524	4/25/2024	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-54	30	VMP-54-30-102523	10/25/2023	< 0.0039	U		0.012	J		0.0040	J		0.0022	J		< 0.033	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-54	30	VMP-54-30-012424	1/24/2024	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-54	30	VMP-54-30-042524	4/25/2024	< 0.0037	U		0.0042	J		< 0.01	U		< 0.0071	U		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-56	10	VMP-56-10-080123	8/1/2023	< 0.0037	U		< 0.012	U		0.0059	J		0.0059	J		< 0.031	U		0.0054	J		< 0.0052	U		< 0.0052	U	
VMP-56	10	VMP-56-10-110123	11/1/2023	< 0.0041	U		< 0.014	U		< 0.012	U		< 0.0079	U		< 0.035	U		< 0.0063	U		< 0.0058	U		< 0.0058	U	
VMP-56	10	VMP-56-10-020124	2/1/2024	< 0.0038	U		< 0.013	U		< 0.011	U		0.012			< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-56	10	VMP-56-10-050224	5/2/2024	< 0.0042	U		< 0.014	U		< 0.012	U		< 0.0082	U		< 0.036	U		< 0.0065	U		< 0.0059	U		< 0.0059	U	
VMP-56	10	VMP-56-10-050224-DUP	5/2/2024	< 0.0041	U		< 0.014	U		< 0.011	U		< 0.0078	U		< 0.034	U		< 0.0062	U		< 0.0057	U		< 0.0057	U	
VMP-56	25	VMP-56-25-080123	8/1/2023	< 0.0038	U		< 0.013	U		0.0035	J		< 0.0074	U		< 0.032	U		< 0.0058	U		< 0.0054	U		< 0.0054	U	
VMP-56	25	VMP-56-25-110123	11/1/2023	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0072	U		< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-56	25	VMP-56-25-020124	2/1/2024	< 0.0038	U		< 0.013	U		< 0.01	U		< 0.0072	U		< 0.032	U		< 0.0058	U		< 0.0052	U		< 0.0053	U	
VMP-56	25	VMP-56-25-050224	5/2/2024	< 0.0041	U		< 0.014	U		< 0.011	U		< 0.0078	U		< 0.034	U		0.0024	J		< 0.0057	U		< 0.0057	U	
VMP-56	38.5	VMP-56-38.5-110123	11/1/2023	2600			2700			14	J		< 28	U		< 120	U		< 22	U		47			20	J	
VMP-56	38.5	VMP-56-38.5-020124	2/1/2024	1300			600			6.4	J		< 7.6	U		< 33	U		< 6	U		64			32		
VMP-56	38.5	VMP-56-38.5-050224	5/2/2024	500			270			1.1	J		< 4.1	U		< 18	U		< 3.2	U		130			54		
VMP-62	5	VMP-62-5-072523	7/25/2023	< 0.0043	U		< 0.014	U		0.0072	J		< 0.0083	U		< 0.036	U		< 0.0066	U		< 0.0060	U		< 0.0060	U	
VMP-62	5	VMP-62-5-102623	10/26/2023	< 0.0040	U		< 0.014	U		< 0.011	U		< 0.0078	U		< 0.034	U		< 0.0062	U		< 0.0056	U		< 0.0056	U	
VMP-62	5	VMP-62-5-012924	1/29/2024	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0069	U		< 0.03	U		< 0.0055	U		< 0.0050	U		< 0.0050	U	
VMP-62	5	VMP-62-5-042924	4/29/2024	< 0.0038	U		< 0.013	U		< 0.01	U		< 0.0073	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-62	10	VMP-62-10-072523	7/25/2023	< 0.0036	U		< 0.012	U		0.0050	J		< 0.0070	U		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-62	10	VMP-62-10-102623	10/26/2023	0.0020	J		< 0.013	U		< 0.011	U		< 0.0075	U		< 0.033	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-62	10	VMP-62-10-012924	1/29/2024	< 0.0037	U		< 0.012	U		0.0038	J		< 0.0072	U		< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-62	10	VMP-62-10-012924-DUP	1/29/2024	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0069	U		< 0.03	U		< 0.0054	U		< 0.0050	U		< 0.0050	U	
VMP-62	10	VMP-62-10-042924	4/29/2024	< 0.0040	U		< 0.013	U		< 0.011	U		< 0.0076	U		< 0.033	U		< 0.0060	U		< 0.0055	U		< 0.0055	U	
VMP-62	20	VMP-62-20-072523	7/25/2023	< 0.0046	U		< 0.015	U		0.0075	J		0.0033	J		< 0.038	U		< 0.0070	U		< 0.0064	U		< 0.0064	U	
VMP-62	20	VMP-62-20-102623	10/26/2023	< 0.0039	U		< 0.013	U		< 0.011	U		0.0020	J		< 0.033	U		< 0.0060	U		< 0.0054	U		< 0.0054	U	
VMP-62	20	VMP-62-20-013024	1/30/2024	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0072	U													

**TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS**

Location	Depth	Sample ID	Sample Date	Hexane			Isopentane			2-Propanol			Tetrachloroethene			1,2,4-Trichlorobenzene			Trichloroethene			1,2,4-Trimethylbenzene			1,3,5-Trimethylbenzene		
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	0.55			5.4			1.5			Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
													Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals						
VMP-62	30	VMP-62-30-072523	7/25/2023	< 0.0047	U		0.012	J		0.0094	J		0.0081	J		< 0.04	U		< 0.0072	U		0.0094			0.0048	J	
VMP-62	30	VMP-62-30-102623	10/26/2023	< 0.0037	U		< 0.012	U		0.0069	J		0.0092			< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-62	30	VMP-62-30-013024	1/30/2024	< 0.0036	U		< 0.012	U		< 0.01	U		0.0092			< 0.03	U		0.28			< 0.0051	U		< 0.0051	U	
VMP-62	30	VMP-62-30-042924	4/29/2024	< 0.0041	U		< 0.014	U		< 0.011	U		0.016			< 0.034	U		< 0.0062	U		< 0.0057	U		< 0.0057	U	
VMP-63	5	VMP-63-5-073123	7/31/2023	0.0011	J		< 0.012	U		0.0033	J		< 0.0072	U		< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-63	5	VMP-63-5-102723	10/27/2023	< 0.0036	U		< 0.012	U		< 0.01	U		0.018			< 0.03	U		< 0.0055	U		< 0.0050	U		< 0.0050	U	
VMP-63	5	VMP-63-5-013024	1/30/2024	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0072	U		< 0.031	U		0.0055	J		< 0.0052	U		< 0.0052	U	
VMP-63	5	VMP-63-5-050324	5/3/2024	< 0.0038	U		< 0.013	U		< 0.01	U		< 0.0072	U		< 0.032	U		< 0.0058	U		< 0.0052	U		< 0.0052	U	
VMP-63	10	VMP-63-10-073123	7/31/2023	< 0.0040	U		< 0.013	U		< 0.011	U		< 0.0077	U		< 0.034	U		< 0.0061	U		< 0.0056	U		< 0.0056	U	
VMP-63	10	VMP-63-10-073123-DUP	7/31/2023	< 0.0039	U		< 0.013	U		< 0.011	U		< 0.0076	U		< 0.033	U		< 0.0060	U		< 0.0055	U		< 0.0055	U	
VMP-63	10	VMP-63-10-102723	10/27/2023	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-63	10	VMP-63-10-013024	1/30/2024	< 0.0034	U		< 0.011	U		< 0.0094	U		< 0.0065	U		< 0.028	U		< 0.0052	U		< 0.0047	U		< 0.0047	U	
VMP-63	10	VMP-63-10-050324	5/3/2024	< 0.0038	U		< 0.013	U		< 0.01	U		< 0.0073	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-63	20	VMP-63-20-073123	7/31/2023	< 0.0040	U		< 0.013	U		0.0036	J		< 0.0077	U		< 0.034	U		< 0.0061	U		< 0.0056	U		< 0.0056	U	
VMP-63	20	VMP-63-20-102723	10/27/2023	< 0.0038	U		< 0.013	U		< 0.011	U		< 0.0074	U		< 0.032	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-63	20	VMP-63-20-022924	2/29/2024	0.0084			0.037			< 0.01	U	UJ	< 0.0071	U		< 0.031	U		< 0.0056	U		< 0.0052	U		< 0.0052	U	
VMP-63	20	VMP-63-20-050324	5/3/2024	< 0.0040	U		< 0.013	U		< 0.011	U		< 0.0077	U		< 0.034	U		< 0.0061	U		< 0.0056	U		< 0.0056	U	
VMP-63	30	VMP-63-30-073123	7/31/2023	< 0.0038	U		< 0.013	U		0.0088	J		< 0.0074	U		< 0.032	U		< 0.0058	U		< 0.0054	U		< 0.0054	U	
VMP-63	30	VMP-63-30-102723	10/27/2023	< 0.0038	U		< 0.012	U		0.0045	J		< 0.0072	U		< 0.032	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-63	30	VMP-63-30-013024	1/30/2024	< 0.0036	U		< 0.012	U		< 0.0099	U		< 0.0068	U		< 0.03	U		< 0.0054	U		< 0.0050	U		< 0.0050	U	
VMP-63	30	VMP-63-30-013024-DUP	1/30/2024	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0071	U		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-63	30	VMP-63-30-050324	5/3/2024	< 0.0042	U		< 0.014	U		< 0.012	U		< 0.0081	U		< 0.035	U		< 0.0064	U		< 0.0059	U		< 0.0059	U	
VMP-63	30	VMP-63-30-050324-DUP	5/3/2024	< 0.0040	U		< 0.014	U		< 0.011	U		< 0.0078	U		< 0.034	U		< 0.0062	U		< 0.0056	U		< 0.0056	U	
VMP-64	5	VMP-64-5-072123	7/21/2023	< 0.0038	U		< 0.013	U		< 0.011	U		< 0.0074	U		< 0.032	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-64	5	VMP-64-5-102623	10/26/2023	< 0.0040	U		< 0.014	U		0.0088	J		0.081			< 0.034	U		0.0081			< 0.0056	U		< 0.0056	U	
VMP-64	5	VMP-64-5-012924	1/29/2024	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0071	U		< 0.031	U		0.0036	J		< 0.0051	U		< 0.0051	U	
VMP-64	5	VMP-64-5-042624	4/26/2024	< 0.0037	U		< 0.012	U		< 0.01	U		0.0020	J		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-64	10	VMP-64-10-072123	7/21/2023	0.0013	J		< 0.012	U		0.0063	J		< 0.0071	U		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-64	10	VMP-64-10-102623	10/26/2023	< 0.0041	U		< 0.014	U		< 0.011	U		< 0.0078	U		< 0.034	U		< 0.0062	U		< 0.0057	U		< 0.0057	U	
VMP-64	10	VMP-64-10-012924	1/29/2024	< 0.0036	U		< 0.012	U		< 0.0099	U		< 0.0068	U		< 0.03	U		< 0.0054	U		< 0.0050	U		< 0.0050	U	
VMP-64	10	VMP-64-10-042624	4/26/2024	< 0.0043	U		< 0.014	U		< 0.012	U		0.0090			< 0.036	U		< 0.0066	U		< 0.0060	U		< 0.0060	U	
VMP-64	20	VMP-64-20-072123	7/21/2023	< 0.0038	U		< 0.013	U		< 0.011	U		0.046			< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-64	20	VMP-64-20-072123-DUP	7/21/2023	< 0.0037	U		< 0.012	U		< 0.01	U		0.049			< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-64	20	VMP-64-20-102623	10/26/2023	< 0.0038	U		< 0.013	U		< 0.011	U		< 0.0074	U		< 0.032	U		< 0.0058	U		< 0.0054	U		< 0.0054	U	
VMP-64	20	VMP-64-20-012924	1/29/2024	0.011			0.0055	J		< 0.01	U		0.065			< 0.031	U		< 0.0056	U		< 0.0052	J	U	< 0.0052	U	
VMP-64	20	VMP-64-20-042624	4/26/2024	< 0.0038	U		< 0.013	U		0.0038	J		0.087		J	< 0.032	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-64	20	VMP-64-20-042624-DUP	4/26/2024	< 0.0038	U		< 0.012	U		0.013			0.064		J	< 0.032	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	

**TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS**

Location	Depth	Sample ID	Sample Date	2,2,4-Trimethylpentane			m,p-Xylene			o-Xylene		
				Result (mg/m3)	Lab Quals	AECOM Quals	130			120		
							Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-1	5	VMP-1-5-073123	7/31/2023	< 0.0056	U		0.0043	J		0.0018	J	
VMP-1	5	VMP-1-5-102723	10/27/2023	< 0.0047	U		< 0.0088	U		0.0026	J	
VMP-1	5	VMP-1-5-013024	1/30/2024	0.014			0.023			0.0067		
VMP-1	5	VMP-1-5-050324	5/3/2024	< 0.0056	U		< 0.01	U		< 0.0052	U	
VMP-1	8.5	VMP-1-8.5-073123	7/31/2023	0.0051	J		< 0.01	U		< 0.0052	U	
VMP-1	8.5	VMP-1-8.5-073123-DUP	7/31/2023	< 0.0056	U		< 0.01	U		< 0.0052	U	
VMP-1	8.5	VMP-1-8.5-102723	10/27/2023	< 0.0051	U		< 0.0094	U		0.0034	J	
VMP-1	8.5	VMP-1-8.5-013024	1/30/2024	< 0.0051	U		< 0.0096	U		< 0.0048	U	
VMP-1	8.5	VMP-1-8.5-013024-DUP	1/30/2024	< 0.0047	U		< 0.0088	U		< 0.0044	U	
VMP-1	8.5	VMP-1-8.5-050324	5/3/2024	< 0.0056	U		0.0010	J		< 0.0052	U	
VMP-1	38.5	VMP-1-38.5-013024	1/30/2024	< 0.0048	U		< 0.0089	U		< 0.0044	U	
VMP-1	38.5	VMP-1-38.5-050324	5/3/2024	< 0.0052	U		< 0.0097	U		< 0.0048	U	
VMP-2	5	VMP-2-5-080223	8/2/2023	< 0.0050	U		< 0.0092	U		< 0.0046	U	
VMP-2	5	VMP-2-5-103023	10/30/2023	< 0.0048	U		< 0.0089	U		< 0.0045	U	
VMP-2	5	VMP-2-5-013124	1/31/2024	< 0.0048	U		< 0.0089	U		< 0.0045	U	
VMP-2	5	VMP-2-5-050624	5/6/2024	< 0.0053	U		< 0.0098	U		< 0.0049	U	
VMP-2	8.5	VMP-2-8.5-080223	8/2/2023	< 0.0048	U		< 0.0090	U		< 0.0045	U	
VMP-2	8.5	VMP-2-8.5-080223-DUP	8/2/2023	< 0.0049	U		< 0.0092	U		< 0.0046	U	
VMP-2	8.5	VMP-2-8.5-103023	10/30/2023	< 0.0049	U		0.00074	J		< 0.0046	U	
VMP-2	8.5	VMP-2-8.5-013124	1/31/2024	< 0.0051	U		0.0076	J		0.0025	J	
VMP-2	8.5	VMP-2-8.5-050624	5/6/2024	< 0.0050	U		< 0.0093	U		< 0.0046	U	
VMP-2	22	VMP-2-22-080223	8/2/2023	< 0.0047	U		< 0.0088	U		< 0.0044	U	
VMP-2	22	VMP-2-22-103023	10/30/2023	< 0.0047	U		0.0011	J		< 0.0044	U	
VMP-2	22	VMP-2-22-013124	1/31/2024	< 0.0048	U		< 0.0089	U		< 0.0045	U	
VMP-2	22	VMP-2-22-050624	5/6/2024	< 0.0047	U		< 0.0088	U		< 0.0044	U	
VMP-3	5	VMP-3-5-080223	8/2/2023	< 0.0047	U		< 0.0088	U		< 0.0044	U	
VMP-3	5	VMP-3-5-110223	11/2/2023	< 0.0047	U		0.0050	J		0.0017	J	
VMP-3	5	VMP-3-5-022924	2/29/2024	< 0.0052	U		< 0.0097	U		< 0.0048	U	
VMP-3	5	VMP-3-5-050224	5/2/2024	< 0.0056	U		0.00094	J		< 0.0052	U	
VMP-3	10	VMP-3-10-080223	8/2/2023	< 0.0049	U		< 0.0092	U		< 0.0046	U	
VMP-3	10	VMP-3-10-110223	11/2/2023	0.058			0.0011	J		< 0.0043	U	
VMP-3	10	VMP-3-10-020224	2/2/2024	< 0.0043	U		< 0.0080	U		< 0.0040	U	
VMP-3	10	VMP-3-10-050224	5/2/2024	< 0.0056	U		< 0.01	U		< 0.0052	U	
VMP-3	22	VMP-3-22-080323	8/3/2023	< 0.0050	U		< 0.0093	U		< 0.0046	U	
VMP-3	22	VMP-3-22-110223	11/2/2023	< 0.0048	U		< 0.0089	U		< 0.0044	U	
VMP-3	22	VMP-3-22-020224	2/2/2024	< 0.0047	U		< 0.0087	U		< 0.0044	U	
VMP-3	22	VMP-3-22-050224	5/2/2024	< 0.0056	U		< 0.01	U		< 0.0052	U	
VMP-3	31.5	VMP-3-31.5-080323	8/3/2023	< 0.0048	U		< 0.0089	U		< 0.0045	U	
VMP-3	31.5	VMP-3-31.5-110223	11/2/2023	< 0.0046	U		< 0.0086	U		< 0.0043	U	
VMP-3	31.5	VMP-3-31.5-020224	2/2/2024	< 0.0046	U		< 0.0085	U		< 0.0042	U	
VMP-3	31.5	VMP-3-31.5-050224	5/2/2024	< 0.0058	U		< 0.011	U		< 0.0054	U	
VMP-3	39	VMP-3-39-050224	5/2/2024	10			< 0.63	U		< 0.63	U	
VMP-4	5	VMP-4-5-080223	8/2/2023	< 0.0053	U		< 0.0098	U		< 0.0049	U	
VMP-4	5	VMP-4-5-103123	10/31/2023	< 0.0047	U		< 0.0088	U		< 0.0044	U	
VMP-4	5	VMP-4-5-020224	2/2/2024	< 0.0052	U		< 0.0097	U		< 0.0049	U	
VMP-4	5	VMP-4-5-050624	5/6/2024	< 0.0048	U		< 0.0089	U		< 0.0045	U	
VMP-4	5	VMP-4-5-050624-DUP	5/6/2024	< 0.0050	U		< 0.0092	U		< 0.0046	U	
VMP-4	12	VMP-4-12-080223	8/2/2023	< 0.0050	U		< 0.0093	U		< 0.0046	U	
VMP-4	12	VMP-4-12-103123	10/31/2023	< 0.0050	U		< 0.0092	U		0.0063		
VMP-4	12	VMP-4-12-103123-DUP	10/31/2023	< 0.0048	U		< 0.0090	U		0.0013	J	
VMP-4	12	VMP-4-12-020224	2/2/2024	< 0.0050	U		< 0.0094	U		< 0.0047	U	
VMP-4	12	VMP-4-12-050624	5/6/2024	< 0.0052	U		< 0.0098	U		< 0.0049	U	

TABLE 5

HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	2,2,4-Trimethylpentane			m,p-Xylene			o-Xylene		
				Result (mg/m3)	Lab Quals	AECOM Quals	130			120		
							Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-4	23.5	VMP-4-23.5-080223	8/2/2023	< 0.0051	U		< 0.0096	U		< 0.0048	U	
VMP-4	23.5	VMP-4-23.5-103123	10/31/2023	< 0.0048	U		< 0.0090	U		< 0.0045	U	
VMP-4	23.5	VMP-4-23.5-020224	2/2/2024	0.014			< 0.0092	U		< 0.0046	U	
VMP-4	23.5	VMP-4-23.5-050624	5/6/2024	< 0.0048	U		< 0.0090	U		0.0014	J	
VMP-5	5	VMP-5-5-080223	8/2/2023	< 0.0051	U		< 0.0094	U		< 0.0047	U	
VMP-5	5	VMP-5-5-103023	10/30/2023	< 0.0049	U		< 0.0091	U		< 0.0045	U	
VMP-5	5	VMP-5-5-012924	1/29/2024	< 0.0046	U		< 0.0085	U		< 0.0042	U	
VMP-5	5	VMP-5-5-050124	5/1/2024	< 0.0050	U		< 0.0092	U		< 0.0046	U	
VMP-5	12.5	VMP-5-12.5-080223	8/2/2023	0.0022	J		< 0.0091	U		< 0.0046	U	
VMP-5	12.5	VMP-5-12.5-103023	10/30/2023	< 0.0048	U		< 0.0089	U		< 0.0045	U	
VMP-5	12.5	VMP-5-12.5-012924	1/29/2024	< 0.0047	U		< 0.0087	U		< 0.0043	U	
VMP-5	12.5	VMP-5-12.5-050124	5/1/2024	< 0.0050	U		< 0.0093	U		< 0.0046	U	
VMP-5	31	VMP-5-31-080223	8/2/2023	< 0.0049	U		< 0.0091	U		< 0.0046	U	
VMP-5	31	VMP-5-31-103023	10/30/2023	< 0.0046	U		< 0.0086	U		< 0.0043	U	
VMP-5	31	VMP-5-31-012924	1/29/2024	< 0.0052	U		< 0.0097	U		< 0.0048	U	
VMP-5	31	VMP-5-31-050124	5/1/2024	< 0.0050	U		< 0.0093	U		< 0.0046	U	
VMP-5	31	VMP-5-31-050124-DUP	5/1/2024	< 0.0046	U		< 0.0086	U		< 0.0043	U	
VMP-5	40	VMP-5-40-080223	8/2/2023	0.0012	J		< 0.0094	U		< 0.0047	U	
VMP-5	40	VMP-5-40-103123	10/31/2023	< 0.0051	U		< 0.0094	U		< 0.0047	U	
VMP-5	40	VMP-5-40-012924	1/29/2024	< 0.0048	U		< 0.0089	U		< 0.0045	U	
VMP-5	40	VMP-5-40-050124	5/1/2024	< 0.0050	U		< 0.0094	U		< 0.0047	U	
VMP-6	5	VMP-6-5-080123	8/1/2023	< 0.0047	U		0.012			0.0056		
VMP-6	5	VMP-6-5-110123	11/1/2023	< 0.0050	U		0.0015	J		< 0.0046	U	
VMP-6	5	VMP-6-5-020124	2/1/2024	< 0.0051	U		< 0.0094	U		< 0.0047	U	
VMP-6	5	VMP-6-5-020124-DUP	2/1/2024	< 0.0051	U		< 0.0095	U		< 0.0047	U	
VMP-6	5	VMP-6-5-043024	4/30/2024	< 0.0060	U		< 0.011	U		< 0.0056	U	
VMP-6	5	VMP-6-5-043024-DUP	4/30/2024	< 0.0060	U		< 0.011	U		< 0.0056	U	
VMP-6	10	VMP-6-10-080123	8/1/2023	< 0.0052	U		< 0.0098	U		< 0.0049	U	
VMP-6	10	VMP-6-10-110123	11/1/2023	< 0.0053	U		0.0015	J		< 0.0050	U	
VMP-6	10	VMP-6-10-020124	2/1/2024	< 0.0050	U		< 0.0094	U		< 0.0047	U	
VMP-6	10	VMP-6-10-043024	4/30/2024	0.11			< 0.011	U		< 0.0053	U	
VMP-6	31.5	VMP-6-31.5-080123	8/1/2023	0.0024	J		< 0.0092	U		< 0.0046	U	
VMP-6	31.5	VMP-6-31.5-110123	11/1/2023	< 0.0048	U		0.0023	J		< 0.0045	U	
VMP-6	31.5	VMP-6-31.5-020124	2/1/2024	0.0024	J		0.0026	J		< 0.0050	U	
VMP-6	31.5	VMP-6-31.5-043024	4/30/2024	< 0.0057	U		< 0.01	U		< 0.0053	U	
VMP-6	39	VMP-6-39-080123	8/1/2023	110			< 2.3	U		< 2.3	U	
VMP-6	39	VMP-6-39-110123	11/1/2023	20			< 1.3	U		< 0.65	U	
VMP-6	39	VMP-6-39-020124	2/1/2024	< 0.0051	U		0.0012	J		< 0.0047	U	
VMP-6	39	VMP-6-39-043024	4/30/2024	< 0.0054	U		< 0.01	U		< 0.0050	U	
VMP-7	5	VMP-7-5-073123	7/31/2023	0.1			< 0.011	U		< 0.0057	U	
VMP-7	5	VMP-7-5-102623	10/26/2023	< 0.0050	U		< 0.0092	U		< 0.0046	U	
VMP-7	5	VMP-7-5-013024	1/30/2024	< 0.0050	U		< 0.0093	U		< 0.0047	U	
VMP-7	5	VMP-7-5-050324	5/3/2024	< 0.0051	U		< 0.0096	U		< 0.0048	U	
VMP-7	13.5	VMP-7-13.5-073123	7/31/2023	0.0022	J		< 0.01	U		< 0.0050	U	
VMP-7	13.5	VMP-7-13.5-102623	10/26/2023	< 0.0052	U		< 0.0096	U		< 0.0048	U	
VMP-7	13.5	VMP-7-13.5-013024	1/30/2024	0.0020	J		0.00066	J		< 0.0043	U	
VMP-7	13.5	VMP-7-13.5-050324	5/3/2024	< 0.0050	U		< 0.0092	U		< 0.0046	U	
VMP-7	13.5	VMP-7-13.5-050324-DUP	5/3/2024	< 0.0050	U		0.0016	J		< 0.0047	U	
VMP-7	29.5	VMP-7-29.5-073123	7/31/2023	< 0.0054	U		< 0.01	U		< 0.0050	U	
VMP-7	29.5	VMP-7-29.5-073123-DUP	7/31/2023	< 0.0054	U		< 0.01	U		< 0.0050	U	
VMP-7	29.5	VMP-7-29.5-102623	10/26/2023	< 0.0051	U		< 0.0095	U		< 0.0048	U	
VMP-7	29.5	VMP-7-29.5-013024	1/30/2024	< 0.0046	U		< 0.0086	U		< 0.0043	U	
VMP-7	29.5	VMP-7-29.5-050324	5/3/2024	< 0.0052	U		< 0.0096	U		< 0.0048	U	

TABLE 5

HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	2,2,4-Trimethylpentane			m,p-Xylene			o-Xylene		
				Result (mg/m3)	Lab Quals	AECOM Quals	130			120		
							Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-7	38	VMP-7-38-073123	7/31/2023	0.0020	J		< 0.0098	U		< 0.0049	U	
VMP-7	38	VMP-7-38-102623	10/26/2023	< 0.0049	U		< 0.0092	U		< 0.0046	U	
VMP-7	38	VMP-7-38-013024	1/30/2024	< 0.0046	U		< 0.0086	U		< 0.0043	U	
VMP-7	38	VMP-7-38-050324	5/3/2024	< 0.0049	U		< 0.0091	U		< 0.0046	U	
VMP-8	5	VMP-8-5-072123	7/21/2023	< 0.0052	U		< 0.0098	U		< 0.0049	U	
VMP-8	5	VMP-8-5-102523	10/25/2023	< 0.0052	U		< 0.0096	U		< 0.0048	U	
VMP-8	5	VMP-8-5-012424	1/24/2024	< 0.0048	U		< 0.0089	U		< 0.0044	U	
VMP-8	5	VMP-8-5-042524	4/25/2024	< 0.0050	U		0.0022	J		< 0.0047	U	
VMP-8	9.5	VMP-8-9.5-072123	7/21/2023	0.0013	J		< 0.011	U		< 0.0054	U	
VMP-8	9.5	VMP-8-9.5-102523	10/25/2023	< 0.0051	U		< 0.0095	U		< 0.0047	U	
VMP-8	9.5	VMP-8-9.5-012424	1/24/2024	< 0.0048	U		< 0.0090	U		< 0.0045	U	
VMP-8	9.5	VMP-8-9.5-042524	4/25/2024	< 0.0047	U		< 0.0088	U		< 0.0044	U	
VMP-8	23.5	VMP-8-23.5-072123	7/21/2023	< 0.0051	U		< 0.0096	U		< 0.0048	U	
VMP-8	23.5	VMP-8-23.5-072123-DUP	7/21/2023	< 0.0052	U		< 0.0096	U		< 0.0048	U	
VMP-8	23.5	VMP-8-23.5-102523	10/25/2023	< 0.0050	U		< 0.0093	U		< 0.0046	U	
VMP-8	23.5	VMP-8-23.5-012424	1/24/2024	< 0.0048	U		0.0030	J		< 0.0045	U	
VMP-8	23.5	VMP-8-23.5-012424-DUP	1/24/2024	< 0.0050	U		0.0011	J		< 0.0047	U	
VMP-8	23.5	VMP-8-23.5-042524	4/25/2024	< 0.0050	U		< 0.0093	U		< 0.0046	U	
VMP-8	35.5	VMP-8-35.5-072123	7/21/2023	< 0.0057	U		0.0036	J		< 0.0053	U	
VMP-8	35.5	VMP-8-35.5-102523	10/25/2023	< 0.0050	U		< 0.0092	U		< 0.0046	U	
VMP-8	35.5	VMP-8-35.5-012424	1/24/2024	< 0.0048	U		< 0.0090	U		< 0.0045	U	
VMP-8	35.5	VMP-8-35.5-042524	4/25/2024	< 0.0049	U		< 0.0091	U		< 0.0046	U	
VMP-9	5	VMP-9-5-072523	7/25/2023	< 0.0054	U		< 0.01	U		< 0.0050	U	
VMP-9	5	VMP-9-5-102523	10/25/2023	< 0.0050	U		< 0.0093	U		< 0.0047	U	
VMP-9	5	VMP-9-5-012424	1/24/2024	< 0.0049	U		< 0.0091	U		< 0.0046	U	
VMP-9	5	VMP-9-5-042524	4/25/2024	< 0.0052	U		< 0.0096	U		< 0.0048	U	
VMP-9	11.5	VMP-9-11.5-072523	7/25/2023	< 0.0051	U		0.0032	J		0.0014	J	
VMP-9	11.5	VMP-9-11.5-102523	10/25/2023	< 0.0052	U		< 0.0096	U		< 0.0048	U	
VMP-9	11.5	VMP-9-11.5-012424	1/24/2024	< 0.0046	U		< 0.0086	U		< 0.0043	U	
VMP-9	11.5	VMP-9-11.5-042524	4/25/2024	0.0042	J		< 0.01	U		< 0.0050	U	
VMP-9	25.5	VMP-9-25.5-072523	7/25/2023	< 0.0056	U		< 0.01	U		< 0.0052	U	
VMP-9	25.5	VMP-9-25.5-102523	10/25/2023	0.024		J	0.0053	J		< 0.0047	U	
VMP-9	25.5	VMP-9-25.5-102523-DUP	10/25/2023	< 0.0050	U	UJ	0.0011	J		< 0.0046	U	
VMP-9	25.5	VMP-9-25.5-012424	1/24/2024	< 0.0048	U		< 0.0089	U		< 0.0045	U	
VMP-9	25.5	VMP-9-25.5-042524	4/25/2024	0.0024	J		< 0.01	U		< 0.0050	U	
VMP-9	38.5	VMP-9-38.5-072523	7/25/2023	< 0.0053	U		< 0.0098	U		< 0.0049	U	
VMP-9	38.5	VMP-9-38.5-102523	10/25/2023	< 0.0051	U		< 0.0095	U		< 0.0048	U	
VMP-9	38.5	VMP-9-38.5-012424	1/24/2024	< 0.0051	U		< 0.0096	U		< 0.0048	U	
VMP-9	38.5	VMP-9-38.5-042524	4/25/2024	< 0.0052	U		< 0.0096	U		< 0.0048	U	
VMP-9	38.5	VMP-9-38.5-042524-DUP	4/25/2024	< 0.0053	U		< 0.0099	U		< 0.0050	U	
VMP-18	8.5	VMP-18-8.5-073123	7/31/2023	< 0.0050	U		< 0.0093	U		< 0.0047	U	
VMP-18	8.5	VMP-18-8.5-102723	10/27/2023	< 0.0050	U		< 0.0094	U		< 0.0047	U	
VMP-18	8.5	VMP-18-8.5-102723-DUP	10/27/2023	< 0.0049	U		< 0.0092	U		< 0.0046	U	
VMP-18	8.5	VMP-18-8.5-020124	2/1/2024	0.0027	J		< 0.0090	U		< 0.0045	U	
VMP-18	8.5	VMP-18-8.5-042624	4/26/2024	< 0.0046	U		< 0.0086	U		< 0.0043	U	
VMP-19	5	VMP-19-5-072723	7/27/2023	< 0.0055	U		< 0.01	U		< 0.0051	U	
VMP-19	5	VMP-19-5-102623	10/26/2023	0.14		J	< 0.0095	U		< 0.0047	U	
VMP-19	5	VMP-19-5-102623-DUP	10/26/2023	< 0.0053	U	UJ	< 0.0098	U		< 0.0049	U	
VMP-19	5	VMP-19-5-020224	2/2/2024	< 0.0043	U		< 0.0081	U		0.0034	J	
VMP-19	5	VMP-19-5-050124	5/1/2024	< 0.0058	U		< 0.011	U		< 0.0054	U	

TABLE 5

HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	2,2,4-Trimethylpentane			m,p-Xylene			o-Xylene		
				Result (mg/m3)	Lab Quals	AECOM Quals	130			120		
							Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-20	5	VMP-20-5-072723	7/27/2023	< 0.0056	U		< 0.01	U		< 0.0052	U	
VMP-20	5	VMP-20-5-103123	10/31/2023	< 0.0049	U		0.00088	J		< 0.0046	U	
VMP-20	5	VMP-20-5-012624	1/26/2024	< 0.0049	U		< 0.0091	U		< 0.0046	U	
VMP-20	5	VMP-20-5-042924	4/29/2024	< 0.0049	U		< 0.0092	U		< 0.0046	U	
VMP-20	10	VMP-20-10-072723	7/27/2023	0.0091			0.0066	J		0.0014	J	
VMP-20	10	VMP-20-10-103123	10/31/2023	< 0.0050	U		< 0.0092	U		< 0.0046	U	
VMP-20	10	VMP-20-10-012624	1/26/2024	< 0.0048	U		< 0.0088	U		< 0.0044	U	
VMP-20	10	VMP-20-10-042924	4/29/2024	< 0.0057	U		< 0.01	U		< 0.0053	U	
VMP-20	25	VMP-20-25-072723	7/27/2023	< 0.0051	U		< 0.0096	U		< 0.0048	U	
VMP-20	25	VMP-20-25-103123	10/31/2023	< 0.0047	U		< 0.0088	U		< 0.0044	U	
VMP-20	25	VMP-20-25-103123-DUP	10/31/2023	< 0.0045	U		< 0.0083	U		< 0.0041	U	
VMP-20	25	VMP-20-25-012624	1/26/2024	< 0.0047	U		< 0.0088	U		< 0.0044	U	
VMP-20	25	VMP-20-25-042924	4/29/2024	0.0032	J		< 0.01	U		< 0.0051	U	
VMP-20	39.5	VMP-20-39.5-020224	2/2/2024	< 0.0046	U		0.0028	J		0.0010	J	
VMP-20	39.5	VMP-20-39.5-042924	4/29/2024	< 0.0051	U		< 0.0095	U		< 0.0048	U	
VMP-21	5	VMP-21-5-080223	8/2/2023	< 0.0047	U		< 0.0088	U		< 0.0044	U	
VMP-21	5	VMP-21-5-110223	11/2/2023	< 0.0048	U		< 0.0088	U		< 0.0044	U	
VMP-21	5	VMP-21-5-020124	2/1/2024	< 0.0054	U		< 0.01	U		< 0.0050	U	
VMP-21	5	VMP-21-5-050624	5/6/2024	< 0.0052	U		< 0.0097	U		< 0.0048	U	
VMP-21	10	VMP-21-10-080223	8/2/2023	< 0.0047	U		0.0020	J		< 0.0044	U	
VMP-21	10	VMP-21-10-110223	11/2/2023	< 0.0046	U		< 0.0085	U		< 0.0042	U	
VMP-21	10	VMP-21-10-020124	2/1/2024	< 0.0054	U		< 0.01	U		< 0.0050	U	
VMP-21	10	VMP-21-10-020124-DUP	2/1/2024	< 0.0052	U		< 0.0096	U		< 0.0048	U	
VMP-21	10	VMP-21-10-050624	5/6/2024	< 0.0051	U		0.0024	J		< 0.0047	U	
VMP-21	25	VMP-21-25-080223	8/2/2023	< 0.0045	U		< 0.0084	U		< 0.0042	U	
VMP-21	25	VMP-21-25-080223-DUP	8/2/2023	< 0.0047	U		< 0.0088	U		< 0.0044	U	
VMP-21	25	VMP-21-25-110223	11/2/2023	0.047			0.00084	J		< 0.0044	U	
VMP-21	25	VMP-21-25-020124	2/1/2024	0.0096			0.024			0.0076		
VMP-21	25	VMP-21-25-050624	5/6/2024	< 0.0053	U		< 0.0098	U		< 0.0049	U	
VMP-21	33	VMP-21-33-080223	8/2/2023	< 0.0046	U		< 0.0086	U		< 0.0043	U	
VMP-21	33	VMP-21-33-110223	11/2/2023	< 0.0046	U		< 0.0086	U		< 0.0043	U	
VMP-21	33	VMP-21-33-020124	2/1/2024	< 0.0052	U		< 0.0098	U		< 0.0049	U	
VMP-21	33	VMP-21-33-050624	5/6/2024	< 0.0056	U		< 0.01	U		< 0.0052	U	
VMP-21	33	VMP-21-33-050624-DUP	5/6/2024	< 0.0052	U		< 0.0096	U		< 0.0048	U	
VMP-22	5	VMP-22-5-080323	8/3/2023	< 0.0047	U		< 0.0088	U		< 0.0044	U	
VMP-22	5	VMP-22-5-103123	10/31/2023	< 0.0051	U		< 0.0094	U		< 0.0047	U	
VMP-22	5	VMP-22-5-013124	1/31/2024	< 0.0048	U		< 0.0089	U		< 0.0045	U	
VMP-22	5	VMP-22-5-050124	5/1/2024	< 0.0050	U		< 0.0093	U		< 0.0046	U	
VMP-22	10	VMP-22-10-080323	8/3/2023	< 0.021	U		< 0.04	U		< 0.02	U	
VMP-22	10	VMP-22-10-103123	10/31/2023	< 0.0047	U		< 0.0088	U		< 0.0044	U	
VMP-22	10	VMP-22-10-022924	2/29/2024	< 0.0046	U		< 0.0086	U		< 0.0043	U	
VMP-22	10	VMP-22-10-050124	5/1/2024	< 0.18	U		< 0.34	U		< 0.17	U	
VMP-22	18	VMP-22-18-080323	8/3/2023	< 0.098	U		< 0.18	U		< 0.091	U	
VMP-22	18	VMP-22-18-103123	10/31/2023	< 0.0050	U		< 0.0092	U		< 0.0046	U	
VMP-22	18	VMP-22-18-013124	1/31/2024	< 0.0048	U		< 0.0089	U		< 0.0045	U	
VMP-22	18	VMP-22-18-050124	5/1/2024	< 0.0050	U		< 0.0093	U		< 0.0046	U	
VMP-22	18	VMP-22-18-050124-DUP	5/1/2024	< 0.0048	U		0.0048	J		0.0015	J	
VMP-22	38	VMP-22-38-080323	8/3/2023	0.014	J		< 0.075	U		< 0.037	U	
VMP-22	38	VMP-22-38-080323-DUP	8/3/2023	< 0.039	U		< 0.073	U		< 0.036	U	
VMP-22	38	VMP-22-38-103123	10/31/2023	< 0.0050	U		< 0.0092	U		< 0.0046	U	
VMP-22	38	VMP-22-38-013124	1/31/2024	< 0.0044	U		< 0.0082	U		< 0.0041	U	
VMP-22	38	VMP-22-38-050124	5/1/2024	< 0.0052	U		< 0.0097	U		< 0.0048	U	

TABLE 5

HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	2,2,4-Trimethylpentane			m,p-Xylene			o-Xylene		
				Result (mg/m3)	Lab Quals	AECOM Quals	130			120		
							Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-23	5	VMP-23-5-080123	8/1/2023	0.0012	J		< 0.0098	U		< 0.0049	U	
VMP-23	5	VMP-23-5-103023	10/30/2023	< 0.0050	U		< 0.0093	U		< 0.0046	U	
VMP-23	5	VMP-23-5-013124	1/31/2024	< 0.0048	U		< 0.0089	U		< 0.0045	U	
VMP-23	5	VMP-23-5-043024	4/30/2024	< 0.0054	U		< 0.01	U		< 0.0050	U	
VMP-23	10	VMP-23-10-080123	8/1/2023	< 0.0052	U		< 0.0096	U		< 0.0048	U	
VMP-23	10	VMP-23-10-103023	10/30/2023	< 0.0046	U		< 0.0086	U		< 0.0043	U	
VMP-23	10	VMP-23-10-103023-DUP	10/30/2023	< 0.0047	U		< 0.0087	U		< 0.0043	U	
VMP-23	10	VMP-23-10-013124	1/31/2024	< 0.0044	U		< 0.0081	U		< 0.0041	U	
VMP-23	10	VMP-23-10-013124-DUP	1/31/2024	< 0.0044	U		< 0.0082	U		< 0.0041	U	
VMP-23	10	VMP-23-10-043024	4/30/2024	< 0.0054	U		< 0.01	U		< 0.0050	U	
VMP-23	25	VMP-23-25-080123	8/1/2023	0.0022	J		< 0.0099	U		< 0.0050	U	
VMP-23	25	VMP-23-25-103023	10/30/2023	< 0.0049	U		0.00067	J		< 0.0046	U	
VMP-23	25	VMP-23-25-013124	1/31/2024	0.0026	J		0.00081	J		< 0.0043	U	
VMP-23	25	VMP-23-25-043024	4/30/2024	< 0.0053	U		< 0.0099	U		< 0.0050	U	
VMP-24	5	VMP-24-5-072423	7/24/2023	< 0.0048	U		< 0.0090	U		< 0.0045	U	
VMP-23	40	VMP-23-40-080123	8/1/2023	0.0021	J		< 0.0098	U		< 0.0049	U	
VMP-24	5	VMP-24-5-102623	10/26/2023	< 0.0050	U		< 0.0093	U		< 0.0046	U	
VMP-23	40	VMP-23-40-103023	10/30/2023	< 0.0051	U		< 0.0094	U		< 0.0047	U	
VMP-24	5	VMP-24-5-012624	1/26/2024	0.0049	J		< 0.0094	U		< 0.0047	U	
VMP-23	40	VMP-23-40-013124	1/31/2024	< 0.0045	U		< 0.0084	U		< 0.0042	U	
VMP-24	5	VMP-24-5-042624	4/26/2024	< 0.0049	U		< 0.0091	U		< 0.0046	U	
VMP-24	5	VMP-24-5-042624-DUP	4/26/2024	< 0.0050	U		< 0.0092	U		< 0.0046	U	
VMP-23	40	VMP-23-40-043024	4/30/2024	< 0.0051	U		< 0.0096	U		< 0.0048	U	
VMP-24	10	VMP-24-10-072423	7/24/2023	< 0.0051	U		0.0063	J		0.0027	J	
VMP-24	10	VMP-24-10-102623	10/26/2023	< 0.0051	U		< 0.0095	U		< 0.0047	U	
VMP-24	10	VMP-24-10-012624	1/26/2024	< 0.0046	U		< 0.0085	U		< 0.0042	U	
VMP-24	10	VMP-24-10-042624	4/26/2024	< 0.0051	U		< 0.0094	U		< 0.0047	U	
VMP-24	22	VMP-24-22-072423	7/24/2023	< 0.0051	U		0.0017	J		< 0.0047	U	
VMP-24	22	VMP-24-22-102623	10/26/2023	< 0.0055	U		0.0011	J		< 0.0051	U	
VMP-24	22	VMP-24-22-012624	1/26/2024	< 0.0050	U		< 0.0092	U		< 0.0046	U	
VMP-24	22	VMP-24-22-012624-DUP	1/26/2024	< 0.0047	U		< 0.0088	U		< 0.0044	U	
VMP-24	22	VMP-24-22-042624	4/26/2024	< 0.0052	U		< 0.0096	U		< 0.0048	U	
VMP-24	34	VMP-24-34-072423	7/24/2023	< 0.0050	U		< 0.0094	U		< 0.0047	U	
VMP-24	34	VMP-24-34-102623	10/26/2023	< 0.0050	U		< 0.0094	U		< 0.0047	U	
VMP-24	34	VMP-24-34-012624	1/26/2024	< 0.0048	U		< 0.0089	U		< 0.0044	U	
VMP-24	34	VMP-24-34-042624	4/26/2024	< 0.0050	U		< 0.0093	U		< 0.0047	U	
VMP-32	5	VMP-32-5-080223	8/2/2023	0.0010	J		0.0042	J		0.0016	J	
VMP-32	5	VMP-32-5-110223	11/2/2023	0.0064			0.00073	J		< 0.0042	U	
VMP-32	5	VMP-32-5-020224	2/2/2024	0.04			0.0018	J		< 0.0046	U	
VMP-32	5	VMP-32-5-050624	5/6/2024	< 0.0046	U		< 0.0086	U		< 0.0043	U	
VMP-32	10	VMP-32-10-080223	8/2/2023	< 0.0048	U		< 0.0090	U		< 0.0045	U	
VMP-32	10	VMP-32-10-110223	11/2/2023	< 0.0053	U		0.0022	J		< 0.0050	U	
VMP-32	10	VMP-32-10-110223-DUP	11/2/2023	< 0.0051	U		< 0.0094	U		< 0.0047	U	
VMP-32	10	VMP-32-10-020224	2/2/2024	< 0.0050	U		< 0.0093	U		< 0.0046	U	
VMP-32	10	VMP-32-10-050624	5/6/2024	< 0.0056	U		0.0014	J		< 0.0052	U	
VMP-32	20	VMP-32-20-080223	8/2/2023	< 0.0049	U		< 0.0092	U		< 0.0046	U	
VMP-32	20	VMP-32-20-110223	11/2/2023	< 0.0052	U		< 0.0096	U		< 0.0048	U	
VMP-32	20	VMP-32-20-020224	2/2/2024	0.016			< 0.0092	U		< 0.0046	U	
VMP-32	20	VMP-32-20-050624	5/6/2024	< 0.0051	U		< 0.0094	U		< 0.0047	U	
VMP-32	30	VMP-32-30-080223	8/2/2023	< 0.0046	U		< 0.0086	U		< 0.0043	U	
VMP-32	30	VMP-32-30-110223	11/2/2023	< 0.0048	U		0.00079	J		< 0.0045	U	
VMP-32	30	VMP-32-30-020224	2/2/2024	< 0.0049	U		< 0.0091	U		< 0.0046	U	
VMP-32	30	VMP-32-30-050624	5/6/2024	< 0.0052	U		< 0.0096	U		< 0.0048	U	

TABLE 5

HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS

Location	Depth	Sample ID	Sample Date	2,2,4-Trimethylpentane			m,p-Xylene			o-Xylene		
				Result (mg/m3)	Lab Quals	AECOM Quals	130			120		
							Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-42	10	VMP-42-10-073123	7/31/2023	0.0021	J		< 0.01	U		< 0.0050	U	
VMP-42	10	VMP-42-10-102723	10/27/2023	< 0.0051	U		< 0.0094	U		< 0.0047	U	
VMP-42	10	VMP-42-10-013124	1/31/2024	< 0.0046	U		< 0.0086	U		< 0.0043	U	
VMP-42	10	VMP-42-10-013124-DUP	1/31/2024	< 0.0047	U		< 0.0088	U		< 0.0044	U	
VMP-42	10	VMP-42-10-050324	5/3/2024	< 0.0052	U		< 0.0097	U		< 0.0048	U	
VMP-42	20	VMP-42-20-073123	7/31/2023	< 0.0050	U		< 0.0093	U		< 0.0047	U	
VMP-42	20	VMP-42-20-102723	10/27/2023	< 0.0050	U		0.00082	J		< 0.0046	U	
VMP-42	20	VMP-42-20-013124	1/31/2024	< 0.0046	U		< 0.0086	U		< 0.0043	U	
VMP-42	20	VMP-42-20-050324	5/3/2024	< 0.0052	U		< 0.0096	U		< 0.0048	U	
VMP-42	30	VMP-42-30-073123	7/31/2023	0.0029	J		< 0.01	U		< 0.0050	U	
VMP-42	30	VMP-42-30-102723	10/27/2023	< 0.0050	U		< 0.0094	U		< 0.0047	U	
VMP-42	30	VMP-42-30-102723-DUP	10/27/2023	< 0.0048	U		< 0.0088	U		< 0.0044	U	
VMP-42	30	VMP-42-30-013124	1/31/2024	< 0.0048	U		< 0.0089	U		< 0.0045	U	
VMP-42	30	VMP-42-30-050624	5/6/2024	< 0.0053	U		< 0.0098	U		< 0.0049	U	
VMP-43	10	VMP-43-10-073123	7/31/2023	< 0.0057	U		< 0.01	U		< 0.0053	U	
VMP-43	10	VMP-43-10-102723	10/27/2023	< 0.0050	U		< 0.0093	U		< 0.0047	U	
VMP-43	10	VMP-43-10-013024	1/30/2024	< 0.0049	U		< 0.0091	U		< 0.0045	U	
VMP-43	10	VMP-43-10-050324	5/3/2024	< 0.0048	U		< 0.0090	U		< 0.0045	U	
VMP-43	20	VMP-43-20-073123	7/31/2023	< 0.0054	U		< 0.01	U		< 0.0050	U	
VMP-43	20	VMP-43-20-102723	10/27/2023	< 0.0051	U		< 0.0094	U		< 0.0047	U	
VMP-43	20	VMP-43-20-013024	1/30/2024	< 0.0047	U		< 0.0088	U		< 0.0044	U	
VMP-43	20	VMP-43-20-050324	5/3/2024	< 0.0052	U		< 0.0096	U		< 0.0048	U	
VMP-43	30	VMP-43-30-073123	7/31/2023	< 0.0053	U		< 0.0098	U		< 0.0049	U	
VMP-43	30	VMP-43-30-102723	10/27/2023	< 0.0051	U		< 0.0095	U		< 0.0047	U	
VMP-43	30	VMP-43-30-102723-DUP	10/27/2023	< 0.0050	U		< 0.0094	U		< 0.0047	U	
VMP-43	30	VMP-43-30-013024	1/30/2024	< 0.0048	U		< 0.0089	U		< 0.0044	U	
VMP-43	30	VMP-43-30-050324	5/3/2024	< 0.0049	U		< 0.0091	U		< 0.0046	U	
VMP-45	10	VMP-45-10-073123	7/31/2023	< 0.0055	U		< 0.01	U		< 0.0051	U	
VMP-45	10	VMP-45-10-102723	10/27/2023	< 0.0050	U		< 0.0093	U		< 0.0047	U	
VMP-45	10	VMP-45-10-013024	1/30/2024	< 0.0048	U		< 0.0089	U		< 0.0044	U	
VMP-45	10	VMP-45-10-050324	5/3/2024	< 0.0048	U		< 0.0089	U		< 0.0045	U	
VMP-45	20	VMP-45-20-073123	7/31/2023	< 0.0052	U		< 0.0098	U		< 0.0049	U	
VMP-45	20	VMP-45-20-102723	10/27/2023	< 0.0048	U		< 0.0090	U		< 0.0045	U	
VMP-45	20	VMP-45-20-013024	1/30/2024	< 0.0046	U		< 0.0086	U		< 0.0043	U	
VMP-45	20	VMP-45-20-050324	5/3/2024	< 0.0047	U		< 0.0087	U		< 0.0044	U	
VMP-45	30	VMP-45-30-073123	7/31/2023	0.0016	J		< 0.01	U		< 0.0051	U	
VMP-45	30	VMP-45-30-102723	10/27/2023	< 0.0051	U		< 0.0094	U		< 0.0047	U	
VMP-45	30	VMP-45-30-013024	1/30/2024	< 0.0045	U		< 0.0084	U		< 0.0042	U	
VMP-45	30	VMP-45-30-013024-DUP	1/30/2024	< 0.0043	U		< 0.0081	U		< 0.0040	U	
VMP-45	30	VMP-45-30-050324	5/3/2024	< 0.0048	U		< 0.0089	U		< 0.0045	U	
VMP-47	5	VMP-47-5-072523	7/25/2023	< 0.0058	U		< 0.011	U		< 0.0054	U	
VMP-47	5	VMP-47-5-102723	10/27/2023	< 0.0052	U		< 0.0096	U		< 0.0048	U	
VMP-47	5	VMP-47-5-013124	1/31/2024	0.0020	J		< 0.0088	U		< 0.0044	U	
VMP-47	5	VMP-47-5-042924	4/29/2024	< 0.0052	U		< 0.0096	U		< 0.0048	U	
VMP-47	10	VMP-47-10-072523	7/25/2023	< 0.0056	U		< 0.01	U		< 0.0052	U	
VMP-47	10	VMP-47-10-102723	10/27/2023	< 0.0051	U		< 0.0095	U		< 0.0047	U	
VMP-47	10	VMP-47-10-013124	1/31/2024	0.015			0.024			0.0072		
VMP-47	10	VMP-47-10-042924	4/29/2024	< 0.0050	U		0.0011	J		< 0.0047	U	
VMP-47	20	VMP-47-20-072523	7/25/2023	< 0.0053	U		< 0.0098	U		< 0.0049	U	
VMP-47	20	VMP-47-20-102723	10/27/2023	< 0.0052	U		< 0.0098	U		< 0.0049	U	
VMP-47	20	VMP-47-20-102723-DUP	10/27/2023	< 0.0052	U		< 0.0098	U		< 0.0049	U	
VMP-47	20	VMP-47-20-013124	1/31/2024	< 0.0047	U		< 0.0088	U		< 0.0044	U	
VMP-47	20	VMP-47-20-042924	4/29/2024	< 0.0052	U		< 0.0097	U		< 0.0048	U	

**TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS**

Location	Depth	Sample ID	Sample Date	2,2,4-Trimethylpentane			m,p-Xylene			o-Xylene		
				Result (mg/m3)	Lab Quals	AECOM Quals	130			120		
							Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-47	30	VMP-47-30-072523	7/25/2023	< 0.0061	U		< 0.011	U		< 0.0057	U	
VMP-47	30	VMP-47-30-103023	10/30/2023	< 0.0046	U		< 0.0086	U		< 0.0043	U	
VMP-47	30	VMP-47-30-013124	1/31/2024	< 0.0048	U		< 0.0089	U		< 0.0045	U	
VMP-47	30	VMP-47-30-042924	4/29/2024	< 0.0051	U		< 0.0095	U		< 0.0047	U	
VMP-48	5	VMP-48-5-080123	8/1/2023	0.0042	J		< 0.0091	U		< 0.0046	U	
VMP-48	5	VMP-48-5-103123	10/31/2023	< 0.0049	U		< 0.0092	U		< 0.0046	U	
VMP-48	5	VMP-48-5-012924	1/29/2024	< 0.0050	U		< 0.0093	U		< 0.0046	U	
VMP-48	5	VMP-48-5-050124	5/1/2024	< 0.0054	U		< 0.01	U		< 0.0050	U	
VMP-48	10	VMP-48-10-080123	8/1/2023	0.0089			< 0.01	U		< 0.0051	U	
VMP-48	10	VMP-48-10-080123-DUP	8/1/2023	0.0022	J		< 0.0088	U		< 0.0044	U	
VMP-48	10	VMP-48-10-103123	10/31/2023	< 0.0051	U		< 0.0095	U		< 0.0047	U	
VMP-48	10	VMP-48-10-012924	1/29/2024	< 0.0053	U		< 0.0099	U		< 0.0050	U	
VMP-48	10	VMP-48-10-050124	5/1/2024	9.9			< 0.063	U		< 0.031	U	
VMP-48	20	VMP-48-20-080123	8/1/2023	0.085			< 0.0094	U		< 0.0047	U	
VMP-48	20	VMP-48-20-103123	10/31/2023	< 0.0046	U		< 0.0085	U		< 0.0042	U	
VMP-48	20	VMP-48-20-012924	1/29/2024	0.018			0.03			0.0087		
VMP-48	20	VMP-48-20-050124	5/1/2024	0.0099			< 0.0098	U		< 0.0049	U	
VMP-48	30	VMP-48-30-080123	8/1/2023	< 0.0052	U		< 0.0096	U		< 0.0048	U	
VMP-48	30	VMP-48-30-103123	10/31/2023	< 0.0048	U		0.0012	J		< 0.0044	U	
VMP-48	30	VMP-48-30-012924	1/29/2024	< 0.0049	U		< 0.0091	U		< 0.0045	U	
VMP-48	30	VMP-48-30-050124	5/1/2024	< 0.0052	U		< 0.0096	U		< 0.0048	U	
VMP-48	30	VMP-48-30-050124-DUP	5/1/2024	< 0.0053	U		< 0.0098	U		< 0.0049	U	
VMP-49	5	VMP-49-5-080323	8/3/2023	< 0.0053	U		< 0.0098	U		< 0.0049	U	
VMP-49	5	VMP-49-5-103123	10/31/2023	< 0.0049	U		< 0.0091	U		< 0.0046	U	
VMP-49	5	VMP-49-5-013124	1/31/2024	< 0.0048	U		< 0.0089	U		< 0.0045	U	
VMP-49	5	VMP-49-5-050124	5/1/2024	< 0.0048	U		< 0.0090	U		< 0.0045	U	
VMP-49	10	VMP-49-10-080323	8/3/2023	< 0.0052	U		< 0.0097	U		< 0.0049	U	
VMP-49	10	VMP-49-10-103123	10/31/2023	< 0.0051	U		< 0.0095	U		< 0.0048	U	
VMP-49	10	VMP-49-10-013124	1/31/2024	< 0.0050	U		0.0023	J		0.0011	J	
VMP-49	10	VMP-49-10-050124	5/1/2024	0.0031	J		0.0081	J		0.0025	J	
VMP-49	20	VMP-49-20-080323	8/3/2023	< 0.0053	U		< 0.0099	U		< 0.0050	U	
VMP-49	20	VMP-49-20-103123	10/31/2023	< 0.0049	U		< 0.0091	U		< 0.0046	U	
VMP-49	20	VMP-49-20-013124	1/31/2024	< 0.0049	U		< 0.0091	U		< 0.0046	U	
VMP-49	20	VMP-49-20-013124-DUP	1/31/2024	< 0.0047	U		< 0.0088	U		< 0.0044	U	
VMP-49	20	VMP-49-20-050124	5/1/2024	< 0.0049	U		< 0.0092	U		< 0.0046	U	
VMP-49	30	VMP-49-30-080323	8/3/2023	< 0.0054	U		< 0.01	U		< 0.0050	U	
VMP-49	30	VMP-49-30-103123	10/31/2023	< 0.0050	U		< 0.0092	U		< 0.0046	U	
VMP-49	30	VMP-49-30-013124	1/31/2024	< 0.0049	U		< 0.0091	U		< 0.0046	U	
VMP-49	30	VMP-49-30-050124	5/1/2024	< 0.0051	U		< 0.0096	U		< 0.0048	U	
VMP-50	5	VMP-50-5-072723	7/27/2023	< 0.0056	U		< 0.01	U		< 0.0052	U	
VMP-50	5	VMP-50-5-103123	10/31/2023	< 0.0047	U		< 0.0087	U		< 0.0043	U	
VMP-50	5	VMP-50-5-012624	1/26/2024	< 0.0049	U		< 0.0092	U		< 0.0046	U	
VMP-50	5	VMP-50-5-012624-DUP	1/26/2024	< 0.0047	U		< 0.0088	U		< 0.0044	U	
VMP-50	5	VMP-50-5-050124	5/1/2024	< 0.0053	U		0.0013	J		< 0.0050	U	
VMP-50	10	VMP-50-10-072723	7/27/2023	< 0.0053	U		< 0.0099	U		< 0.0050	U	
VMP-50	10	VMP-50-10-103123	10/31/2023	< 0.0046	U		< 0.0086	U		< 0.0043	U	
VMP-50	10	VMP-50-10-012624	1/26/2024	< 0.0049	U		< 0.0092	U		< 0.0046	U	
VMP-50	10	VMP-50-10-050124	5/1/2024	0.0032	J		< 0.0099	U		< 0.0050	U	
VMP-50	20	VMP-50-20-072723	7/27/2023	< 0.0057	U		< 0.01	U		< 0.0053	U	
VMP-50	20	VMP-50-20-072723-DUP	7/27/2023	< 0.0054	U		< 0.01	U		< 0.0050	U	
VMP-50	20	VMP-50-20-103123	10/31/2023	< 0.0049	U		< 0.0091	U		< 0.0046	U	
VMP-50	20	VMP-50-20-012624	1/26/2024	< 0.0048	U		< 0.0089	U		< 0.0044	U	
VMP-50	20	VMP-50-20-050124	5/1/2024	< 0.0058	U		< 0.011	U		< 0.0054	U	

**TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS**

Location	Depth	Sample ID	Sample Date	2,2,4-Trimethylpentane			m,p-Xylene			o-Xylene		
				Result (mg/m3)	Lab Quals	AECOM Quals	130			120		
							Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-50	30	VMP-50-30-072723	7/27/2023	0.48			< 0.011	U		< 0.0053	U	
VMP-50	30	VMP-50-30-103123	10/31/2023	< 0.0049	U		< 0.0091	U		< 0.0045	U	
VMP-50	30	VMP-50-30-012624	1/26/2024	0.014			0.0025	J		< 0.0046	U	
VMP-50	30	VMP-50-30-050124	5/1/2024	0.089			< 0.0096	U		< 0.0048	U	
VMP-51	5	VMP-51-5-080123	8/1/2023	0.0018	J		< 0.0098	U		< 0.0049	U	
VMP-51	5	VMP-51-5-102723	10/27/2023	< 0.0048	U		< 0.0090	U		< 0.0045	U	
VMP-51	5	VMP-51-5-012924	1/29/2024	< 0.0050	U		< 0.0093	U		< 0.0047	U	
VMP-51	5	VMP-51-5-042624	4/26/2024	< 0.0047	U		< 0.0088	U		< 0.0044	U	
VMP-51	10	VMP-51-10-080123	8/1/2023	< 0.0051	U		< 0.0096	U		< 0.0048	U	
VMP-51	10	VMP-51-10-080123-DUP	8/1/2023	0.0018	J		0.0036	J		0.0012	J	
VMP-51	10	VMP-51-10-102723	10/27/2023	< 0.0050	U		< 0.0092	U		< 0.0046	U	
VMP-51	10	VMP-51-10-012924	1/29/2024	< 0.0049	U		< 0.0091	U		< 0.0046	U	
VMP-51	10	VMP-51-10-012924-DUP	1/29/2024	< 0.0050	U		< 0.0092	U		< 0.0046	U	
VMP-51	10	VMP-51-10-042624	4/26/2024	< 0.0046	U		< 0.0085	U		< 0.0042	U	
VMP-51	20	VMP-51-20-080123	8/1/2023	0.0023	J		< 0.0098	U		< 0.0049	U	
VMP-51	20	VMP-51-20-102723	10/27/2023	< 0.0051	U		< 0.0095	U		< 0.0047	U	
VMP-51	20	VMP-51-20-012924	1/29/2024	< 0.0046	U		< 0.0086	U		< 0.0043	U	
VMP-51	20	VMP-51-20-042624	4/26/2024	< 0.0046	U		< 0.0085	U		< 0.0042	U	
VMP-51	30	VMP-51-30-080123	8/1/2023	< 0.0052	U		< 0.0096	U		< 0.0048	U	
VMP-51	30	VMP-51-30-102723	10/27/2023	< 0.0050	U		< 0.0092	U		< 0.0046	U	
VMP-51	30	VMP-51-30-012924	1/29/2024	< 0.0048	U		< 0.0089	U		< 0.0044	U	
VMP-51	30	VMP-51-30-042624	4/26/2024	< 0.0048	U		< 0.0089	U		< 0.0045	U	
VMP-52	5	VMP-52-5-080123	8/1/2023	< 0.0052	U		< 0.0097	U		< 0.0048	U	
VMP-52	5	VMP-52-5-103023	10/30/2023	< 0.0047	U		< 0.0088	U		< 0.0044	U	
VMP-52	5	VMP-52-5-012924	1/29/2024	< 0.0048	U		< 0.0090	U		< 0.0045	U	
VMP-52	5	VMP-52-5-042624	4/26/2024	< 0.0049	U		< 0.0092	U		< 0.0046	U	
VMP-52	10	VMP-52-10-080123	8/1/2023	< 0.0052	U		< 0.0097	U		< 0.0048	U	
VMP-52	10	VMP-52-10-103023	10/30/2023	< 0.0046	U		< 0.0085	U		< 0.0042	U	
VMP-52	10	VMP-52-10-012924	1/29/2024	< 0.0045	U		< 0.0083	U		< 0.0041	U	
VMP-52	10	VMP-52-10-042624	4/26/2024	< 0.0049	U		< 0.0092	U		< 0.0046	U	
VMP-52	20	VMP-52-20-080123	8/1/2023	< 0.0053	U		< 0.0098	U		< 0.0049	U	
VMP-52	20	VMP-52-20-080123-DUP	8/1/2023	< 0.0051	U		< 0.0095	U		< 0.0047	U	
VMP-52	20	VMP-52-20-103023	10/30/2023	< 0.0046	U		< 0.0086	U		< 0.0043	U	
VMP-52	20	VMP-52-20-012924	1/29/2024	< 0.0044	U		< 0.0082	U		< 0.0041	U	
VMP-52	20	VMP-52-20-042624	4/26/2024	< 0.0047	U		< 0.0087	U		< 0.0044	U	
VMP-52	30	VMP-52-30-080123	8/1/2023	< 0.0050	U		< 0.0094	U		< 0.0047	U	
VMP-52	30	VMP-52-30-103023	10/30/2023	< 0.0045	U		< 0.0084	U		< 0.0042	U	
VMP-52	30	VMP-52-30-012924	1/29/2024	< 0.0046	U		< 0.0085	U		< 0.0042	U	
VMP-52	30	VMP-52-30-042624	4/26/2024	< 0.0050	U		< 0.0093	U		< 0.0046	U	
VMP-52	30	VMP-52-30-042624-DUP	4/26/2024	< 0.0046	U		< 0.0086	U		< 0.0043	U	
VMP-53	5	VMP-53-5-072423	7/24/2023	< 0.0048	U		< 0.0090	U		< 0.0045	U	
VMP-53	5	VMP-53-5-120123	12/1/2023	< 0.0049	U		< 0.0092	U		< 0.0046	U	
VMP-53	5	VMP-53-5-012424	1/24/2024	< 0.0052	U		< 0.0096	U		< 0.0048	U	
VMP-53	5	VMP-53-5-042524	4/25/2024	< 0.0053	U		< 0.0099	U		< 0.0050	U	
VMP-53	10	VMP-53-10-072423	7/24/2023	< 0.0049	U		< 0.0092	U		< 0.0046	U	
VMP-53	10	VMP-53-10-072423-DUP	7/24/2023	< 0.0049	U		< 0.0091	U		< 0.0045	U	
VMP-53	10	VMP-53-10-102523	10/25/2023	< 0.0051	U		0.0012	J		< 0.0047	U	
VMP-53	10	VMP-53-10-012424	1/24/2024	< 0.0054	U		< 0.01	U		< 0.0050	U	
VMP-53	10	VMP-53-10-042524	4/25/2024	0.0034	J		< 0.0092	U		< 0.0046	U	

**TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS**

Location	Depth	Sample ID	Sample Date	2,2,4-Trimethylpentane			m,p-Xylene			o-Xylene		
				Result (mg/m3)	Lab Quals	AECOM Quals	130			120		
							Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-53	20	VMP-53-20-072423	7/24/2023	0.0012	J		0.0024	J		< 0.0045	U	
VMP-53	20	VMP-53-20-102523	10/25/2023	< 0.0054	U		0.00084	J		< 0.0050	U	
VMP-53	20	VMP-53-20-012424	1/24/2024	< 0.0053	U		< 0.0099	U		< 0.0050	U	
VMP-53	20	VMP-53-20-042524	4/25/2024	< 0.0051	U		< 0.0095	U		< 0.0048	U	
VMP-53	20	VMP-53-20-042524-DUP	4/25/2024	< 0.0051	U		< 0.0095	U		< 0.0047	U	
VMP-53	30	VMP-53-30-072423	7/24/2023	< 0.0051	U		< 0.0096	U		< 0.0048	U	
VMP-53	30	VMP-53-30-102523	10/25/2023	< 0.0052	U		< 0.0097	U		< 0.0048	U	
VMP-53	30	VMP-53-30-012424	1/24/2024	0.012			0.00078	J		< 0.0046	U	
VMP-53	30	VMP-53-30-042524	4/25/2024	0.019			< 0.01	U		< 0.0053	U	
VMP-54	5	VMP-54-5-072523	7/25/2023	< 0.0051	U		< 0.0096	U		< 0.0048	U	
VMP-54	5	VMP-54-5-102523	10/25/2023	< 0.0050	U		< 0.0093	U		< 0.0046	U	
VMP-54	5	VMP-54-5-012424	1/24/2024	< 0.0050	U		< 0.0093	U		< 0.0046	U	
VMP-54	5	VMP-54-5-042524	4/25/2024	0.043			< 0.0086	U		< 0.0043	U	
VMP-54	10	VMP-54-10-072523	7/25/2023	< 0.0056	U		< 0.01	U		< 0.0052	U	
VMP-54	10	VMP-54-10-072523-DUP	7/25/2023	< 0.0050	U		< 0.0092	U		< 0.0046	U	
VMP-54	10	VMP-54-10-102523	10/25/2023	< 0.0051	U		< 0.0096	U		< 0.0048	U	
VMP-54	10	VMP-54-10-012424	1/24/2024	< 0.0051	U		< 0.0094	U		< 0.0047	U	
VMP-54	10	VMP-54-10-042524	4/25/2024	< 0.0050	U		< 0.0093	U		< 0.0047	U	
VMP-54	20	VMP-54-20-072523	7/25/2023	< 0.0050	U		< 0.0093	U		< 0.0046	U	
VMP-54	20	VMP-54-20-102523	10/25/2023	< 0.0052	U		< 0.0097	U		< 0.0048	U	
VMP-54	20	VMP-54-20-012424	1/24/2024	< 0.0053	U		< 0.0098	U		< 0.0049	U	
VMP-54	20	VMP-54-20-012424-DUP	1/24/2024	< 0.0052	U		< 0.0096	U		< 0.0048	U	
VMP-54	20	VMP-54-20-042524	4/25/2024	< 0.0048	U		0.00096	J		< 0.0045	U	
VMP-54	30	VMP-54-30-102523	10/25/2023	< 0.0051	U		< 0.0096	U		< 0.0048	U	
VMP-54	30	VMP-54-30-012424	1/24/2024	< 0.0048	U		< 0.0090	U		< 0.0045	U	
VMP-54	30	VMP-54-30-042524	4/25/2024	< 0.0049	U		< 0.0091	U		< 0.0045	U	
VMP-56	10	VMP-56-10-080123	8/1/2023	< 0.0050	U		< 0.0092	U		< 0.0046	U	
VMP-56	10	VMP-56-10-110123	11/1/2023	< 0.0055	U		< 0.01	U		< 0.0051	U	
VMP-56	10	VMP-56-10-020124	2/1/2024	< 0.0050	U		< 0.0094	U		< 0.0047	U	
VMP-56	10	VMP-56-10-050224	5/2/2024	< 0.0056	U		< 0.01	U		< 0.0052	U	
VMP-56	10	VMP-56-10-050224-DUP	5/2/2024	< 0.0054	U		< 0.01	U		< 0.0050	U	
VMP-56	25	VMP-56-25-080123	8/1/2023	< 0.0051	U		< 0.0095	U		< 0.0047	U	
VMP-56	25	VMP-56-25-110123	11/1/2023	< 0.0049	U		< 0.0092	U		< 0.0046	U	
VMP-56	25	VMP-56-25-020124	2/1/2024	< 0.0050	U		< 0.0093	U		< 0.0046	U	
VMP-56	25	VMP-56-25-050224	5/2/2024	< 0.0054	U		< 0.01	U		< 0.0050	U	
VMP-56	38.5	VMP-56-38.5-110123	11/1/2023	2700			1000			300		
VMP-56	38.5	VMP-56-38.5-020124	2/1/2024	1700			1200			350		
VMP-56	38.5	VMP-56-38.5-050224	5/2/2024	890			890			290		
VMP-62	5	VMP-62-5-072523	7/25/2023	< 0.0057	U		< 0.011	U		< 0.0053	U	
VMP-62	5	VMP-62-5-102623	10/26/2023	< 0.0053	U		< 0.0099	U		< 0.0050	U	
VMP-62	5	VMP-62-5-012924	1/29/2024	< 0.0048	U		< 0.0088	U		< 0.0044	U	
VMP-62	5	VMP-62-5-042924	4/29/2024	0.0020	J		< 0.0093	U		< 0.0047	U	
VMP-62	10	VMP-62-10-072523	7/25/2023	< 0.0048	U		< 0.0090	U		< 0.0045	U	
VMP-62	10	VMP-62-10-102623	10/26/2023	< 0.0052	U		< 0.0096	U		< 0.0048	U	
VMP-62	10	VMP-62-10-012924	1/29/2024	< 0.0049	U		< 0.0092	U		< 0.0046	U	
VMP-62	10	VMP-62-10-012924-DUP	1/29/2024	< 0.0047	U		< 0.0088	U		< 0.0044	U	
VMP-62	10	VMP-62-10-042924	4/29/2024	< 0.0052	U		< 0.0098	U		< 0.0049	U	
VMP-62	20	VMP-62-20-072523	7/25/2023	< 0.0060	U		< 0.011	U		< 0.0056	U	
VMP-62	20	VMP-62-20-102623	10/26/2023	< 0.0052	U		0.00096	J		< 0.0048	U	
VMP-62	20	VMP-62-20-013024	1/30/2024	< 0.0049	U		< 0.0092	U		< 0.0046	U	
VMP-62	20	VMP-62-20-042924	4/29/2024	< 0.0051	U		< 0.0096	U		< 0.0048	U	

**TABLE 5
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: VILLAGE - VOCS**

Location	Depth	Sample ID	Sample Date	2,2,4-Trimethylpentane			m,p-Xylene			o-Xylene		
				Result (mg/m3)	Lab Quals	AECOM Quals	130			120		
							Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-62	30	VMP-62-30-072523	7/25/2023	< 0.0062	U		0.011	J		0.0046	J	
VMP-62	30	VMP-62-30-102623	10/26/2023	< 0.0049	U		< 0.0092	U		< 0.0046	U	
VMP-62	30	VMP-62-30-013024	1/30/2024	< 0.0048	U		< 0.0089	U		< 0.0045	U	
VMP-62	30	VMP-62-30-042924	4/29/2024	< 0.0054	U		< 0.01	U		< 0.0050	U	
VMP-63	5	VMP-63-5-073123	7/31/2023	< 0.0049	U		< 0.0092	U		< 0.0046	U	
VMP-63	5	VMP-63-5-102723	10/27/2023	< 0.0048	U		< 0.0088	U		< 0.0044	U	
VMP-63	5	VMP-63-5-013024	1/30/2024	< 0.0049	U		< 0.0092	U		< 0.0046	U	
VMP-63	5	VMP-63-5-050324	5/3/2024	< 0.0050	U		< 0.0093	U		< 0.0046	U	
VMP-63	10	VMP-63-10-073123	7/31/2023	< 0.0053	U		< 0.0099	U		< 0.0050	U	
VMP-63	10	VMP-63-10-073123-DUP	7/31/2023	< 0.0052	U		< 0.0097	U		< 0.0049	U	
VMP-63	10	VMP-63-10-102723	10/27/2023	< 0.0048	U		< 0.0090	U		< 0.0045	U	
VMP-63	10	VMP-63-10-013024	1/30/2024	< 0.0045	U		< 0.0083	U		< 0.0042	U	
VMP-63	10	VMP-63-10-050324	5/3/2024	< 0.0050	U		< 0.0093	U		< 0.0047	U	
VMP-63	20	VMP-63-20-073123	7/31/2023	< 0.0053	U		< 0.0098	U		< 0.0049	U	
VMP-63	20	VMP-63-20-102723	10/27/2023	< 0.0051	U		< 0.0095	U		< 0.0048	U	
VMP-63	20	VMP-63-20-022924	2/29/2024	0.019			< 0.0091	U		< 0.0046	U	
VMP-63	20	VMP-63-20-050324	5/3/2024	< 0.0053	U		0.0014	J		< 0.0049	U	
VMP-63	30	VMP-63-30-073123	7/31/2023	< 0.0051	U		< 0.0095	U		< 0.0047	U	
VMP-63	30	VMP-63-30-102723	10/27/2023	< 0.0050	U		< 0.0092	U		< 0.0046	U	
VMP-63	30	VMP-63-30-013024	1/30/2024	< 0.0047	U		< 0.0088	U		< 0.0044	U	
VMP-63	30	VMP-63-30-013024-DUP	1/30/2024	< 0.0049	U		< 0.0091	U		< 0.0045	U	
VMP-63	30	VMP-63-30-050324	5/3/2024	< 0.0056	U		< 0.01	U		< 0.0052	U	
VMP-63	30	VMP-63-30-050324-DUP	5/3/2024	< 0.0054	U		< 0.01	U		< 0.0050	U	
VMP-64	5	VMP-64-5-072123	7/21/2023	< 0.0051	U		< 0.0095	U		< 0.0048	U	
VMP-64	5	VMP-64-5-102623	10/26/2023	< 0.0053	U		< 0.0099	U		< 0.0050	U	
VMP-64	5	VMP-64-5-012924	1/29/2024	< 0.0049	U		< 0.0091	U		< 0.0045	U	
VMP-64	5	VMP-64-5-042624	4/26/2024	< 0.0048	U		< 0.0090	U		< 0.0045	U	
VMP-64	10	VMP-64-10-072123	7/21/2023	< 0.0049	U		0.0027	J		0.00084	J	
VMP-64	10	VMP-64-10-102623	10/26/2023	< 0.0054	U		< 0.01	U		< 0.0050	U	
VMP-64	10	VMP-64-10-012924	1/29/2024	0.0081			< 0.0088	U		< 0.0044	U	
VMP-64	10	VMP-64-10-042624	4/26/2024	< 0.0057	U		< 0.011	U		< 0.0053	U	
VMP-64	20	VMP-64-20-072123	7/21/2023	< 0.0050	U		< 0.0094	U		< 0.0047	U	
VMP-64	20	VMP-64-20-072123-DUP	7/21/2023	< 0.0048	U		< 0.0090	U		< 0.0045	U	
VMP-64	20	VMP-64-20-102623	10/26/2023	< 0.0051	U		< 0.0095	U		< 0.0047	U	
VMP-64	20	VMP-64-20-012924	1/29/2024	0.022			0.032			0.0089		
VMP-64	20	VMP-64-20-042624	4/26/2024	< 0.0051	U		< 0.0095	U		< 0.0048	U	
VMP-64	20	VMP-64-20-042624-DUP	4/26/2024	< 0.0050	U		< 0.0092	U		< 0.0046	U	

Notes:

Analytes shown were detected in at least one location on Table 5 or Table 6 during the current quarter or previous 3 quarters.

Bold results are detections above the reporting limit (RL), or estimated detections between the method detection limit (MDL) and RL.

Yellow highlighted cells indicate detections that exceed residential screening criteria.

Concentrations of chloroform at VMP-54 have increased since the summer of 2020, which coincided with the installation of a pool in the residents' backyard immediately northeast of VMP-54.

Increased concentrations of chloroform were not observed at monitoring wells MW-3 or MW-4, which are to the west and east, respectively, of VMP-54. Chloroform is a common disinfectant byproduct in municipal water, and can be present in higher concentrations in chlorinated pool water.

Lab Qualifiers

J = Estimated value; results between the MDL and RL

U = Compound analyzed for but not detected above the RL

AECOM Qualifiers

J = Estimated detection

UJ = Estimated non-detect

U = Non-detect due to blank contamination

**TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS**

Location	Depth	Sample ID	Sample Date	Benzene			Bromodichloromethane			Butane			Carbon Tetrachloride			Chlorobenzene			Chloroform			Chloromethane			Dichlorodifluoromethane		
				2.8			450000			1.5			420			0.92			1700								
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-10	5	VMP-10-5-072723	7/27/2023	< 0.0040	U		< 0.0085	U		< 0.012	U		< 0.0080	U		< 0.0058	U		< 0.0062	U		< 0.026	U		0.0019	J	
VMP-10	5	VMP-10-5-102623	10/26/2023	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		< 0.0054	U	
VMP-10	5	VMP-10-5-012624	1/26/2024	< 0.0031	U		< 0.0065	U		< 0.0092	U		< 0.0061	U		< 0.0045	U		< 0.0047	U		< 0.02	U		< 0.0048	U	
VMP-10	5	VMP-10-5-042924	4/29/2024	< 0.0032	U		< 0.0067	U		< 0.0096	U		< 0.0063	U		< 0.0046	U		< 0.0049	U		< 0.021	U		< 0.0050	U	
VMP-10	10	VMP-10-10-072723	7/27/2023	< 0.0048	U		< 0.01	U		< 0.014	U		< 0.0095	U		< 0.0069	U		< 0.0073	U		< 0.031	U		0.0019	J	
VMP-10	10	VMP-10-10-102623	10/26/2023	< 0.0034	U		< 0.0070	U		< 0.01	U		< 0.0066	U		< 0.0048	U		< 0.0051	U		< 0.022	U		< 0.0052	U	
VMP-10	10	VMP-10-10-012624	1/26/2024	< 0.0031	U		< 0.0064	U		< 0.0091	U		< 0.0060	U		< 0.0044	U		< 0.0047	U		< 0.02	U		< 0.0047	U	
VMP-10	10	VMP-10-10-012624-DUP	1/26/2024	< 0.0030	U		< 0.0063	U		< 0.0089	U		< 0.0059	U		< 0.0043	U		< 0.0046	U		< 0.019	U		< 0.0046	U	
VMP-10	10	VMP-10-10-042924	4/29/2024	< 0.0036	U		< 0.0075	U		< 0.011	U		< 0.0070	U		< 0.0051	U		< 0.0054	U		< 0.023	U		< 0.0055	U	
VMP-10	20	VMP-10-20-072723	7/27/2023	< 0.0037	U		< 0.0078	U		< 0.011	U		< 0.0073	U		< 0.0053	U		< 0.0057	U		< 0.024	U		0.0021	J	
VMP-10	20	VMP-10-20-102623	10/26/2023	< 0.0032	U		< 0.0068	U		< 0.0097	U		< 0.0064	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0050	U	
VMP-10	20	VMP-10-20-012624	1/26/2024	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0070	U		< 0.0051	U		< 0.0054	U		< 0.023	U		< 0.0055	U	
VMP-10	20	VMP-10-20-042924	4/29/2024	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	
VMP-10	30	VMP-10-30-072723	7/27/2023	< 0.0036	U		< 0.0076	U		< 0.011	U		< 0.0071	U		< 0.0052	U		< 0.0055	U		< 0.023	U		0.0027	J	
VMP-10	30	VMP-10-30-102623	10/26/2023	0.0010	J		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-10	30	VMP-10-30-012624	1/26/2024	< 0.0032	U		< 0.0067	U		< 0.0096	U		< 0.0063	U		< 0.0046	U		< 0.0049	U		< 0.021	U		< 0.0050	U	
VMP-10	30	VMP-10-30-042924	4/29/2024	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		< 0.0054	U	
VMP-11	5	VMP-11-5-072523	7/25/2023	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		0.0019	J	
VMP-11	5	VMP-11-5-102523	10/25/2023	< 0.0036	U		< 0.0075	U		< 0.011	U		< 0.0071	U		< 0.0052	U		< 0.0055	U		< 0.023	U		< 0.0056	U	
VMP-11	5	VMP-11-5-012624	1/26/2024	< 0.0031	U		< 0.0065	U		< 0.0093	U		< 0.0061	U		< 0.0045	U		< 0.0048	U		< 0.02	U		< 0.0048	U	
VMP-11	5	VMP-11-5-043024	4/30/2024	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	
VMP-11	8	VMP-11-8-072523	7/25/2023	< 0.0041	U		< 0.0086	U		< 0.012	U		< 0.0081	U		< 0.0059	U		< 0.0063	U		< 0.026	U		< 0.0064	U	
VMP-11	8	VMP-11-8-102523	10/25/2023	< 0.0034	U		< 0.0070	U		< 0.01	U		< 0.0066	U		< 0.0048	U		< 0.0051	U		< 0.022	U		< 0.0052	U	
VMP-11	8	VMP-11-8-012624	1/26/2024	< 0.0032	U		< 0.0068	U		< 0.0096	U		< 0.0064	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0050	U	
VMP-11	8	VMP-11-8-043024	4/30/2024	< 0.0031	U		< 0.0066	U		< 0.0094	U		< 0.0062	U		< 0.0045	U		< 0.0048	U		< 0.02	U		< 0.0049	U	
VMP-11	8	VMP-11-8-043024-DUP	4/30/2024	< 0.0032	U		< 0.0068	U		< 0.0096	U		< 0.0064	U		< 0.0046	U		< 0.0049	U		< 0.021	U		< 0.0050	U	
VMP-11	29	VMP-11-29-072523	7/25/2023	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0067	U		0.0010	J		0.00083	J		< 0.022	U		0.0025	J	
VMP-11	29	VMP-11-29-102523	10/25/2023	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		< 0.0054	U	
VMP-11	29	VMP-11-29-102523-DUP	10/25/2023	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		0.0033	J	
VMP-11	29	VMP-11-29-012624	1/26/2024	< 0.0033	U		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-11	29	VMP-11-29-043024	4/30/2024	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0070	U		< 0.0051	U		< 0.0054	U		< 0.023	U		< 0.0055	U	
VMP-11	38	VMP-11-38-072523	7/25/2023	< 0.0042	U		< 0.0087	U		< 0.012	U		< 0.0082	U		< 0.0060	U		< 0.0063	U		< 0.027	U		0.0019	J	
VMP-11	38	VMP-11-38-102523	10/25/2023	0.00086	J		< 0.0076	U		< 0.011	U		< 0.0071	U		< 0.0052	U		< 0.0055	U		< 0.023	U		< 0.0056	U	
VMP-11	38	VMP-11-38-012624	1/26/2024	< 0.0033	U		< 0.0070	U		< 0.0099	U		< 0.0065	U		< 0.0048	U		< 0.0051	U		< 0.021	U		< 0.0051	U	
VMP-12	5	VMP-12-5-072823	7/28/2023	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		0.0048	J		< 0.022	U		0.0020	J	
VMP-12	5	VMP-12-5-110123	11/1/2023	< 0.0033	U		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0048	U		< 0.0050	U		< 0.021	U		0.0025	J	
VMP-12	5	VMP-12-5-020124	2/1/2024	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		0.0058			< 0.0053	U		< 0.022	U		< 0.0054	U	
VMP-12	5	VMP-12-5-050224	5/2/2024	< 0.0038	U		< 0.0079	U		< 0.011	U		< 0.0074	U		< 0.0054	U		< 0.0058	U		< 0.024	U		< 0.0058	U	
VMP-12	11.5	VMP-12-11.5-072823	7/28/2023	0.00096	J		< 0.0080	U		< 0.011	U		< 0.0076	U		< 0.0055	U		< 0.0058	U		< 0.025	U		0.0024	J	
VMP-12	11.5	VMP-12-11.5-110123	11/1/2023	< 0.0034	U		< 0.0070	U		< 0.01	U		< 0.0066	U		< 0.0048	U		< 0.0051	U		< 0.022	U		< 0.0052	U	
VMP-12	11.5	VMP-12-11.5-020124	2/1/2024	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0068	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	
VMP-12	11.5	VMP-12-11.5-050224	5/2/2024	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0069	U		< 0.0051	U		< 0.0054	U		< 0.023	U		< 0.0054	U	
VMP-12	25	VMP-12-25-072823	7/28/2023	16			< 10	U		720			< 9.6	U		< 7.1	U		< 7.5	U		< 32	U		< 7.6	U	
VMP-12	25	VMP-12-25-110123	11/1/2023	0.0016	J		< 0.0066	U		< 0.0093	U		0.0044	J		0.0068			0.061			< 0.02	U		< 0.0048	U	
VMP-12	25	VMP-12-25-020124	2/1/2024	1.8	J		< 9.1	U		250			< 8.6	U		< 6.3	U		< 6.7	U		< 28	U		< 6.8	U	
VMP-12	25	VMP-12-25-050224	5/2/2024	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0070	U		< 0.0051	U		0.0044	J		< 0.023	U		< 0.0055	U	
VMP-12	39	VMP-12-39-072823	7/28/2023	130			< 50	U		4700			< 46	U		< 34	U		< 36	U		< 150	U		< 36	U	
VMP-12	39	VMP-12-39-110123	11/1/2023	250			< 55	U		780			< 52	U		< 38	U		< 40	U		< 170	U		< 40	U	
VMP-12	39	VMP-12-39-020124	2/1/2024	150			< 20	U		950			< 19	U		< 14	U		< 14	U		< 61	U		< 15	U	
VMP-12	39	VMP-12-39-050224	5/2/2024	330																							

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	Benzene			Bromodichloromethane			Butane			Carbon Tetrachloride			Chlorobenzene			Chloroform			Chloromethane			Dichlorodifluoromethane		
				2.8			450000			1.5			420			0.92			1700								
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-13	10.5	VMP-13-10.5-072623	7/26/2023	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		0.0017	J		< 0.022	U		0.0026	J	
VMP-13	10.5	VMP-13-10.5-072623-DUP	7/26/2023	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0068	U		< 0.0050	U		0.0017	J		< 0.022	U		0.0027	J	
VMP-13	10.5	VMP-13-10.5-110223	11/2/2023	< 0.0033	U		< 0.0070	U		< 0.0099	U		< 0.0066	U		< 0.0048	U		0.0014	J		< 0.022	U		< 0.0052	U	
VMP-13	10.5	VMP-13-10.5-012524	1/25/2024	< 0.0032	U		< 0.0068	U		< 0.0096	U		< 0.0064	U		< 0.0046	U		< 0.0049	U		< 0.021	U		< 0.0050	U	
VMP-13	10.5	VMP-13-10.5-042924	4/29/2024	< 0.0033	U		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-13	21.5	VMP-13-21.5-072623	7/26/2023	< 0.0038	U		< 0.0080	U		< 0.011	U		< 0.0075	U		< 0.0055	U		< 0.0058	U		< 0.025	U		0.0026	J	
VMP-13	21.5	VMP-13-21.5-110223	11/2/2023	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	
VMP-13	21.5	VMP-13-21.5-012524	1/25/2024	0.00087	J		< 0.0066	U		< 0.0094	U		< 0.0062	U		< 0.0045	U		< 0.0048	U		< 0.02	U		< 0.0049	U	
VMP-13	21.5	VMP-13-21.5-042924	4/29/2024	< 0.0033	U		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0048	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-13	21.5	VMP-13-21.5-042924-DUP	4/29/2024	< 0.0033	U		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-13	29.5	VMP-13-29.5-072623	7/26/2023	< 0.0036	U		0.0021	J		< 0.011	U		< 0.0071	U		< 0.0052	U		0.0039	J		< 0.023	U		0.0024	J	
VMP-13	29.5	VMP-13-29.5-110223	11/2/2023	< 0.0036	U		< 0.0075	U		< 0.011	U		< 0.0071	U		< 0.0052	U		0.0032	J		< 0.023	U		< 0.0056	U	
VMP-13	29.5	VMP-13-29.5-012524	1/25/2024	< 0.0032	U		< 0.0068	U		< 0.0096	U		< 0.0064	U		< 0.0046	U		< 0.0049	U		< 0.021	U		< 0.0050	U	
VMP-13	29.5	VMP-13-29.5-042924	4/29/2024	0.0021	J		< 0.0072	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	
VMP-14	5	VMP-14-5-072623	7/26/2023	0.0012	J		< 0.0083	U		0.0063	J		< 0.0078	U		< 0.0057	U		< 0.0060	U		< 0.026	U		0.0034	J	
VMP-14	5	VMP-14-5-110223	11/2/2023	< 0.0032	U		< 0.0066	U		< 0.0094	U		< 0.0062	U		< 0.0046	U		< 0.0048	U		< 0.02	U		< 0.0049	U	
VMP-14	5	VMP-14-5-012524	1/25/2024	< 0.0035	U		< 0.0073	U		0.0047	J		< 0.0069	U		< 0.0050	U		< 0.0053	U		< 0.023	U		< 0.0054	U	
VMP-14	5	VMP-14-5-042924	4/29/2024	< 0.0032	U		< 0.0067	U		< 0.0095	U		< 0.0063	U		< 0.0046	U		0.0032	J		< 0.02	U		< 0.0049	U	
VMP-14	11.5	VMP-14-11.5-072623	7/26/2023	< 0.0039	U		< 0.0082	U		< 0.012	U		< 0.0077	U		< 0.0057	U		< 0.0060	U		< 0.025	U		0.0024	J	
VMP-14	11.5	VMP-14-11.5-110223	11/2/2023	< 0.0033	U		< 0.0069	U		< 0.0097	U		< 0.0064	U		< 0.0047	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-14	11.5	VMP-14-11.5-110223-DUP	11/2/2023	< 0.0031	U		< 0.0065	U		< 0.0092	U		< 0.0061	U		< 0.0045	U		< 0.0047	U		< 0.02	U		< 0.0048	U	
VMP-14	11.5	VMP-14-11.5-012524	1/25/2024	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		< 0.0054	U	
VMP-14	11.5	VMP-14-11.5-042924	4/29/2024	< 0.0033	U		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0047	U		0.0029	J		< 0.021	U		< 0.0051	U	
VMP-14	20	VMP-14-20-072623	7/26/2023	< 0.0040	U		< 0.0084	U		< 0.012	U		< 0.0079	U		0.0044	J		< 0.0061	U		< 0.026	U		0.0024	J	
VMP-14	20	VMP-14-20-110223	11/2/2023	0.0032			< 0.0068	U		< 0.0096	U		< 0.0064	U		< 0.0046	U		< 0.0049	U		< 0.021	U		< 0.0050	U	
VMP-14	20	VMP-14-20-012524	1/25/2024	0.0062			< 0.0071	U		0.0036	J		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0052	U	
VMP-14	20	VMP-14-20-042924	4/29/2024	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	
VMP-14	29	VMP-14-29-072623	7/26/2023	< 0.0041	U		< 0.0086	U		< 0.012	U		< 0.0080	U		< 0.0059	U		< 0.0062	U		< 0.026	U		0.0026	J	
VMP-14	29	VMP-14-29-110223	11/2/2023	< 0.0033	U		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0048	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-14	29	VMP-14-29-012524	1/25/2024	< 0.0033	U		< 0.0070	U		< 0.0099	U		< 0.0065	U		< 0.0048	U		< 0.0051	U		< 0.021	U		< 0.0051	U	
VMP-14	29	VMP-14-29-042924	4/29/2024	0.0013	J		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0048	U		< 0.0050	U		< 0.021	U		< 0.0051	U	
VMP-15	5	VMP-15-5-072623	7/26/2023	< 0.0036	U		< 0.0075	U		< 0.011	U		< 0.0070	U		< 0.0052	U		0.0022	J		< 0.023	U		0.0024	J	
VMP-15	5	VMP-15-5-103023	10/30/2023	0.0014	J		< 0.0068	U		< 0.0096	U		< 0.0064	U		< 0.0046	U		0.0012	J		< 0.021	U		< 0.0050	U	
VMP-15	5	VMP-15-5-012524	1/25/2024	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0052	U	
VMP-15	5	VMP-15-5-043024	4/30/2024	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0069	U		< 0.0050	U		< 0.0053	U		< 0.023	U		< 0.0054	U	
VMP-15	21.5	VMP-15-21.5-072623	7/26/2023	< 0.0037	U		< 0.0078	U		< 0.011	U		< 0.0073	U		< 0.0054	U		< 0.0057	U		< 0.024	U		0.0014	J	
VMP-15	21.5	VMP-15-21.5-103023	10/30/2023	< 0.0032	U		< 0.0068	U		< 0.0096	U		< 0.0064	U		< 0.0046	U		0.0025	J		< 0.021	U		< 0.0050	U	
VMP-15	21.5	VMP-15-21.5-103023-DUP	10/30/2023	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0067	U		< 0.0049	U		0.0022	J		< 0.022	U		< 0.0053	U	
VMP-15	21.5	VMP-15-21.5-012524	1/25/2024	0.0012	J		< 0.0069	U		< 0.0098	U		< 0.0065	U		< 0.0047	U		0.0017	J		< 0.021	U		< 0.0051	U	
VMP-15	21.5	VMP-15-21.5-043024	4/30/2024	< 0.0036	U		< 0.0075	U		< 0.011	U		< 0.0070	U		< 0.0052	U		< 0.0055	U		< 0.023	U		< 0.0055	U	
VMP-15	25.5	VMP-15-25.5-072623	7/26/2023	< 0.0039	U		< 0.0082	U		< 0.012	U		< 0.0077	U		< 0.0057	U		0.0032	J		< 0.025	U		< 0.0061	U	
VMP-15	25.5	VMP-15-25.5-103023	10/30/2023	< 0.0032	U		< 0.0068	U		< 0.0096	U		< 0.0064	U		< 0.0046	U		0.027			< 0.021	U		< 0.0050	U	
VMP-15	25.5	VMP-15-25.5-012524	1/25/2024	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0067	U		< 0.0049	U		0.0084			< 0.022	U		< 0.0053	U	
VMP-15	25.5	VMP-15-25.5-043024	4/30/2024	< 0.0037	U		< 0.0077	U		< 0.011	U		< 0.0072	U		< 0.0053	U		0.0074			< 0.024	U		< 0.0057	U	
VMP-15	29	VMP-15-29-072623	7/26/2023	< 0.0036	U		< 0.0075	U		< 0.011	U		< 0.0071	U		< 0.0052	U		0.019			< 0.023	U		0.0014	J	
VMP-15	29	VMP-15-29-103023	10/30/2023	< 0.0031	U		0.0024	J		< 0.0092	U		< 0.0061	U		< 0.0045	U		0.054			< 0.02	U		< 0.0048	U	
VMP-15	29	VMP-15-29-012524	1/25/2024	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0067	U		< 0.0049	U		0.018			< 0.022	U		< 0.0053	U	
VMP-15	29	VMP-15-29-043024	4/30/2024	< 0.0037	U		< 0.0077	U		< 0.011	U		< 0.0073	U		< 0.0053	U		0.022			< 0.024	U		< 0.0057	U	
VMP-16	5	VMP-16-5-072823	7/28/2023	< 0.0037	U		< 0.0078																				

**TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS**

Location	Depth	Sample ID	Sample Date	Benzene			Bromodichloromethane			Butane			Carbon Tetrachloride			Chlorobenzene			Chloroform			Chloromethane			Dichlorodifluoromethane		
				2.8			450000			1.5			420			0.92			1700								
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-16	13.5	VMP-16-13.5-072823	7/28/2023	1.8			< 2.4	U		47			< 2.2	U		< 1.6	U		< 1.7	U		< 7.3	U		< 1.8	U	
VMP-16	13.5	VMP-16-13.5-120123	12/1/2023	33			< 1.8	U		270			< 1.7	U		< 1.2	U		< 1.3	U		< 2.2	U		< 1.3	U	
VMP-16	13.5	VMP-16-13.5-022924	2/29/2024	0.95	J		< 3.8	U		33			< 3.6	U		< 2.6	U		< 2.8	U		< 4.7	U		< 2.8	U	
VMP-16	13.5	VMP-16-13.5-050224	5/2/2024	7.9			< 15	U		72			< 14	U		< 10	U		< 11	U		< 18	U		< 11	U	
VMP-16	19	VMP-16-19-072823	7/28/2023	66			< 16	U		350			< 14	U		< 11	U		< 11	U		< 48	U		< 11	U	
VMP-16	19	VMP-16-19-110123	11/1/2023	58			< 9.8	U		360			< 9.2	U		< 6.7	U		< 7.1	U		< 30	U		< 7.2	U	
VMP-16	19	VMP-16-19-020124	2/1/2024	51			< 11	U		290			< 10	U		< 7.6	U		< 8	U		< 34	U		< 8.2	U	
VMP-16	19	VMP-16-19-050224	5/2/2024	35			< 19	U		170			< 18	U		< 13	U		< 14	U		< 23	U		< 14	U	
VMP-16	31	VMP-16-31-072823	7/28/2023	350			< 19	U		350			< 18	U		< 13	U		< 14	U		< 59	U		< 14	U	
VMP-16	31	VMP-16-31-110123	11/1/2023	230			< 32	U		300			< 30	U		< 22	U		< 23	U		< 97	U		< 23	U	
VMP-16	31	VMP-16-31-020124	2/1/2024	260			< 13	U		360			< 13	U		< 9.2	U		< 9.8	U		< 42	U		< 9.9	U	
VMP-16	31	VMP-16-31-050224	5/2/2024	200			< 37	U		200			< 35	U		< 25	U		< 27	U		< 45	U		< 27	U	
VMP-17	5	VMP-17-5-072723	7/27/2023	< 0.0036	U		< 0.0075	U		< 0.011	U		< 0.0071	U		< 0.0052	U		< 0.0055	U		< 0.023	U		0.0017	J	
VMP-17	5	VMP-17-5-110223	11/2/2023	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0070	U		< 0.0051	U		< 0.0054	U		< 0.023	U		< 0.0055	U	
VMP-17	5	VMP-17-5-110223-DUP	11/2/2023	< 0.0032	U		< 0.0066	U		< 0.0094	U		< 0.0062	U		< 0.0046	U		< 0.0048	U		< 0.02	U		< 0.0049	U	
VMP-17	5	VMP-17-5-020124	2/1/2024	< 0.0036	U		< 0.0076	U		< 0.011	U		< 0.0071	U		< 0.0052	U		< 0.0055	U		< 0.023	U		< 0.0056	U	
VMP-17	5	VMP-17-5-043024	4/30/2024	< 0.0034	U		< 0.0071	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	
VMP-25	5	VMP-25-5-072623	7/26/2023	0.074			< 0.1	U		2.1	J		< 0.099	U		< 0.072	U		< 0.077	U		< 0.32	U		< 0.078	U	
VMP-25	5	VMP-25-5-072623-DUP	7/26/2023	0.054			< 0.1	U		1.6	J		< 0.095	U		< 0.07	U		< 0.074	U		< 0.31	U		< 0.075	U	
VMP-25	5	VMP-25-5-110123	11/1/2023	0.0077	J		< 0.019	U		0.28			< 0.017	U		< 0.013	U		0.011	J		< 0.057	U		< 0.014	U	
VMP-25	5	VMP-25-5-110123-DUP	11/1/2023	0.0060			< 0.011	U		0.27			< 0.01	U		< 0.0074	U		0.0093			< 0.033	U		< 0.0080	U	
VMP-41	10	VMP-41-10-072723	7/27/2023	< 0.0039	U		< 0.0082	U		< 0.012	U		< 0.0077	U		< 0.0057	U		< 0.0060	U		< 0.025	U		0.0021	J	
VMP-41	10	VMP-41-10-102623	10/26/2023	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0069	U		< 0.0051	U		< 0.0054	U		< 0.023	U		< 0.0054	U	
VMP-41	10	VMP-41-10-012624	1/26/2024	< 0.0032	U		< 0.0068	U		< 0.0096	U		< 0.0064	U		< 0.0046	U		< 0.0049	U		< 0.021	U		< 0.0050	U	
VMP-41	10	VMP-41-10-043024	4/30/2024	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0067	U		< 0.0049	U		< 0.0052	U		< 0.022	U		< 0.0053	U	
VMP-41	20	VMP-41-20-072723	7/27/2023	< 0.0039	U		< 0.0082	U		< 0.012	U		< 0.0077	U		< 0.0057	U		< 0.0060	U		< 0.025	U		0.0019	J	
VMP-41	20	VMP-41-20-102623	10/26/2023	< 0.0036	U		< 0.0077	U		< 0.011	U		< 0.0072	U		< 0.0053	U		< 0.0056	U		< 0.024	U		< 0.0057	U	
VMP-41	20	VMP-41-20-012624	1/26/2024	< 0.0033	U		< 0.0070	U		< 0.0099	U		< 0.0065	U		< 0.0048	U		< 0.0051	U		< 0.021	U		< 0.0051	U	
VMP-41	20	VMP-41-20-043024	4/30/2024	< 0.0037	U		< 0.0077	U		< 0.011	U		< 0.0072	U		< 0.0053	U		< 0.0056	U		< 0.024	U		< 0.0057	U	
VMP-41	26	VMP-41-26-072723	7/27/2023	< 0.0035	U		< 0.0074	U		< 0.01	U		< 0.0070	U		< 0.0051	U		< 0.0054	U		< 0.023	U		0.0020	J	
VMP-41	26	VMP-41-26-102623	10/26/2023	< 0.0034	U		< 0.0072	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		< 0.0053	U	
VMP-41	26	VMP-41-26-102623-DUP	10/26/2023	< 0.0035	U		< 0.0073	U		< 0.01	U		< 0.0068	U		< 0.0050	U		< 0.0053	U		< 0.022	U		< 0.0054	U	
VMP-41	26	VMP-41-26-012624	1/26/2024	< 0.0032	U		< 0.0067	U		< 0.0095	U		< 0.0063	U		< 0.0046	U		< 0.0049	U		< 0.021	U		< 0.0049	U	
VMP-41	26	VMP-41-26-043024	4/30/2024	< 0.0036	U		< 0.0075	U		< 0.011	U		< 0.0071	U		< 0.0052	U		< 0.0055	U		< 0.023	U		< 0.0056	U	
VMP-55	20	VMP-55-20-072623	7/26/2023	0.1	J		< 0.5	U		1.4			< 0.46	U		< 0.34	U		< 0.36	U		< 1.5	U		< 0.36	U	
VMP-55	20	VMP-55-20-103023	10/30/2023	< 1.2	U		< 2.4	U		28			< 2.3	U		< 1.7	U		< 1.8	U		< 7.5	U		< 1.8	U	
VMP-55	20	VMP-55-20-012524	1/25/2024	< 0.7	U		< 1.5	U		31			< 1.4	U		< 1	U		< 1.1	U		< 1.8	U		< 1.1	U	
VMP-55	20	VMP-55-20-043024	4/30/2024	< 21	U		< 43	U		220			< 40	U		< 30	U		< 31	U		< 53	U		< 32	U	

**TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS**

Location	Depth	Sample ID	Sample Date	1,2-Dichloroethane			Dichloromethane (Methylene Chloride)			1,2-Dichloropropane			1,4-Dioxane			Ethanol			Ethylbenzene			4-Ethyltoluene			Heptane		
				0.81			45			2.3			2.3						9.3								
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-10	5	VMP-10-5-072723	7/27/2023	< 0.0051	U		< 0.044	U		< 0.0059	U		< 0.018	U		0.015	J		< 0.0055	U		< 0.0062	U		< 0.0052	U	
VMP-10	5	VMP-10-5-102623	10/26/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0054	U		< 0.0045	U	
VMP-10	5	VMP-10-5-012624	1/26/2024	< 0.0039	U		< 0.034	U		< 0.0045	U		< 0.014	U		< 0.018	U		< 0.0042	U		< 0.0048	U		< 0.0040	U	
VMP-10	5	VMP-10-5-042924	4/29/2024	< 0.0041	U		< 0.035	U		< 0.0046	U		< 0.014	U		< 0.019	U		< 0.0044	U		< 0.0049	U		< 0.0041	U	
VMP-10	10	VMP-10-10-072723	7/27/2023	< 0.0061	U		< 0.052	U		< 0.0070	U		< 0.022	U		< 0.028	U		< 0.0065	U		< 0.0074	U		< 0.0062	U	
VMP-10	10	VMP-10-10-102623	10/26/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-10	10	VMP-10-10-012624	1/26/2024	< 0.0039	U		< 0.033	U		< 0.0044	U		< 0.014	U		< 0.018	U		< 0.0042	U		< 0.0047	U		< 0.0039	U	
VMP-10	10	VMP-10-10-012624-DUP	1/26/2024	< 0.0038	U		< 0.032	U		< 0.0043	U		< 0.013	U		< 0.018	U		< 0.0040	U		< 0.0046	U		< 0.0038	U	
VMP-10	10	VMP-10-10-042924	4/29/2024	< 0.0045	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0055	U		< 0.0046	U	
VMP-10	20	VMP-10-20-072723	7/27/2023	< 0.0047	U		< 0.04	U		< 0.0054	U		< 0.017	U		< 0.022	U		< 0.0050	U		< 0.0057	U		< 0.0048	U	
VMP-10	20	VMP-10-20-102623	10/26/2023	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.015	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0042	U	
VMP-10	20	VMP-10-20-012624	1/26/2024	< 0.0045	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		0.011			< 0.0054	U		< 0.0045	U	
VMP-10	20	VMP-10-20-042924	4/29/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0044	U	
VMP-10	30	VMP-10-30-072723	7/27/2023	< 0.0046	U		< 0.039	U		< 0.0052	U		0.0011	J		0.017	J		< 0.0049	U		< 0.0056	U		< 0.0046	U	
VMP-10	30	VMP-10-30-102623	10/26/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.019	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-10	30	VMP-10-30-012624	1/26/2024	< 0.0041	U		< 0.035	U		< 0.0046	U		< 0.014	U		< 0.019	U		< 0.0044	U		< 0.0049	U		< 0.0041	U	
VMP-10	30	VMP-10-30-042924	4/29/2024	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0054	U		< 0.0045	U	
VMP-11	5	VMP-11-5-072523	7/25/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-11	5	VMP-11-5-102523	10/25/2023	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0055	U		< 0.0046	U	
VMP-11	5	VMP-11-5-012624	1/26/2024	< 0.0039	U		< 0.034	U		< 0.0045	U		< 0.014	U		< 0.018	U		< 0.0042	U		< 0.0048	U		< 0.0040	U	
VMP-11	5	VMP-11-5-043024	4/30/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0044	U	
VMP-11	8	VMP-11-8-072523	7/25/2023	< 0.0052	U		< 0.045	U		< 0.0059	U		< 0.018	U		< 0.024	U		< 0.0056	U		< 0.0063	U		< 0.0053	U	
VMP-11	8	VMP-11-8-102523	10/25/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-11	8	VMP-11-8-012624	1/26/2024	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.015	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0042	U	
VMP-11	8	VMP-11-8-043024	4/30/2024	< 0.0040	U		< 0.034	U		< 0.0046	U		< 0.014	U		< 0.018	U		< 0.0043	U		< 0.0048	U		< 0.0040	U	
VMP-11	8	VMP-11-8-043024-DUP	4/30/2024	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.014	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0041	U	
VMP-11	29	VMP-11-29-072523	7/25/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		0.022			< 0.0046	U		< 0.0052	U		< 0.0044	U	
VMP-11	29	VMP-11-29-102523	10/25/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0054	U		< 0.0045	U	
VMP-11	29	VMP-11-29-102523-DUP	10/25/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0053	U		< 0.0044	U	
VMP-11	29	VMP-11-29-012624	1/26/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.019	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-11	29	VMP-11-29-043024	4/30/2024	< 0.0045	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-11	38	VMP-11-38-072523	7/25/2023	< 0.0053	U		< 0.045	U		< 0.0060	U		< 0.019	U		< 0.024	U		< 0.0056	U		< 0.0064	U		< 0.0053	U	
VMP-11	38	VMP-11-38-102523	10/25/2023	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0056	U		< 0.0046	U	
VMP-11	38	VMP-11-38-012624	1/26/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0043	U	
VMP-12	5	VMP-12-5-072823	7/28/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		0.019	J		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-12	5	VMP-12-5-110123	11/1/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-12	5	VMP-12-5-020124	2/1/2024	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-12	5	VMP-12-5-050224	5/2/2024	< 0.0048	U		< 0.041	U		< 0.0054	U		0.0077	J		< 0.022	U		< 0.0051	U		< 0.0058	U		< 0.0048	U	
VMP-12	11.5	VMP-12-11.5-072823	7/28/2023	< 0.0048	U		< 0.042	U		< 0.0055	U		0.0015	J		0.013	J		< 0.0052	U		< 0.0059	U		< 0.0049	U	
VMP-12	11.5	VMP-12-11.5-110123	11/1/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-12	11.5	VMP-12-11.5-020124	2/1/2024	< 0.0044	U		< 0.037	U		< 0.0050	U		< 0.015	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-12	11.5	VMP-12-11.5-050224	5/2/2024	< 0.0044	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-12	25	VMP-12-25-072823	7/28/2023	< 6.2	U		3.8	J		< 7.1	U		< 22	U		18	J		< 6.7	U		< 7.5	U		20		
VMP-12	25	VMP-12-25-110123	11/1/2023	< 0.0040	U		< 0.034	U		< 0.0045	U		< 0.014	U		< 0.018	U		< 0.0042	U		< 0.0048	U		< 0.0040	U	
VMP-12	25	VMP-12-25-020124	2/1/2024	< 5.5	U		< 47	U		< 6.3	U		< 20	U		14	J		7.1			12	CN	J	6.8		
VMP-12	25	VMP-12-25-050224	5/2/2024	< 0.0045	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-12	39	VMP-12-39-072823	7/28/2023	< 30	U		< 260	U		< 34	U		< 110	U		< 140	U		< 32	U		< 36	U		150		
VMP-12	39	VMP-12-39-110123	11/1/2023	< 33	U		< 280	U		< 38	U		< 120	U		< 150	U		23	J		< 40	U		480		
VMP-12	39	VMP-12-39-020124	2/1/2024	< 12	U		< 100	U		< 14	U		< 43	U		42	J		12	J		< 15	U		150		
VMP-12																											

TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	1,2-Dichloroethane			Dichloromethane (Methylene Chloride)			1,2-Dichloropropane			1,4-Dioxane			Ethanol			Ethylbenzene			4-Ethyltoluene			Heptane		
				0.81			45			2.3			2.3						9.3								
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-13	10.5	VMP-13-10.5-072623	7/26/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-13	10.5	VMP-13-10.5-072623-DUP	7/26/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		0.00090	J		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-13	10.5	VMP-13-10.5-110223	11/2/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0043	U	
VMP-13	10.5	VMP-13-10.5-012524	1/25/2024	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.014	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0041	U	
VMP-13	10.5	VMP-13-10.5-042924	4/29/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.019	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-13	21.5	VMP-13-21.5-072623	7/26/2023	< 0.0048	U		< 0.042	U		< 0.0055	U		< 0.017	U		< 0.022	U		< 0.0052	U		< 0.0059	U		< 0.0049	U	
VMP-13	21.5	VMP-13-21.5-110223	11/2/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0053	U		< 0.0044	U	
VMP-13	21.5	VMP-13-21.5-012524	1/25/2024	< 0.0040	U		< 0.034	U		< 0.0046	U		< 0.014	U		< 0.018	U		0.0016	J		0.0015	J		< 0.0040	U	
VMP-13	21.5	VMP-13-21.5-042924	4/29/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-13	21.5	VMP-13-21.5-042924-DUP	4/29/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.019	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-13	29.5	VMP-13-29.5-072623	7/26/2023	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0055	U		< 0.0046	U	
VMP-13	29.5	VMP-13-29.5-110223	11/2/2023	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0055	U		< 0.0046	U	
VMP-13	29.5	VMP-13-29.5-012524	1/25/2024	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.014	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0041	U	
VMP-13	29.5	VMP-13-29.5-042924	4/29/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		0.0011	J		< 0.0053	U		0.0027	J	
VMP-14	5	VMP-14-5-072623	7/26/2023	< 0.0050	U		< 0.043	U		< 0.0057	U		< 0.018	U		< 0.023	U		< 0.0054	U		< 0.0061	U		0.0019	J	
VMP-14	5	VMP-14-5-110223	11/2/2023	< 0.0040	U		< 0.034	U		< 0.0046	U		< 0.014	U		< 0.019	U		< 0.0043	U		< 0.0049	U		< 0.0040	U	
VMP-14	5	VMP-14-5-012524	1/25/2024	< 0.0044	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		0.0064			0.015			< 0.0045	U	
VMP-14	5	VMP-14-5-042924	4/29/2024	< 0.0040	U		< 0.034	U		< 0.0046	U		< 0.014	U		< 0.019	U		< 0.0043	U		< 0.0049	U		< 0.0041	U	
VMP-14	11.5	VMP-14-11.5-072623	7/26/2023	< 0.0050	U		< 0.043	U		< 0.0057	U		0.0019	J		0.012	J		< 0.0053	U		< 0.0060	U		< 0.0050	U	
VMP-14	11.5	VMP-14-11.5-110223	11/2/2023	< 0.0041	U		< 0.036	U		< 0.0047	U		< 0.015	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0042	U	
VMP-14	11.5	VMP-14-11.5-110223-DUP	11/2/2023	< 0.0039	U		< 0.034	U		< 0.0045	U		< 0.014	U		< 0.018	U		< 0.0042	U		< 0.0048	U		< 0.0040	U	
VMP-14	11.5	VMP-14-11.5-012524	1/25/2024	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0054	U		< 0.0045	U	
VMP-14	11.5	VMP-14-11.5-042924	4/29/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.019	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-14	20	VMP-14-20-072623	7/26/2023	< 0.0051	U		< 0.044	U		< 0.0058	U		< 0.018	U		0.011	J		< 0.0054	U		< 0.0062	U		< 0.0051	U	
VMP-14	20	VMP-14-20-110223	11/2/2023	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.014	U		< 0.019	U		0.0014	J		< 0.0050	U		0.0019	J	
VMP-14	20	VMP-14-20-012524	1/25/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-14	20	VMP-14-20-042924	4/29/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0044	U	
VMP-14	29	VMP-14-29-072623	7/26/2023	< 0.0052	U		< 0.044	U		< 0.0059	U		< 0.018	U		< 0.024	U		< 0.0056	U		< 0.0063	U		< 0.0052	U	
VMP-14	29	VMP-14-29-110223	11/2/2023	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-14	29	VMP-14-29-012524	1/25/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0043	U	
VMP-14	29	VMP-14-29-042924	4/29/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-15	5	VMP-15-5-072623	7/26/2023	< 0.0045	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0055	U		< 0.0046	U	
VMP-15	5	VMP-15-5-103023	10/30/2023	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.014	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0041	U	
VMP-15	5	VMP-15-5-012524	1/25/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0043	U	
VMP-15	5	VMP-15-5-043024	4/30/2024	< 0.0044	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-15	21.5	VMP-15-21.5-072623	7/26/2023	< 0.0047	U		< 0.04	U		< 0.0054	U		< 0.017	U		< 0.022	U		< 0.0050	U		< 0.0057	U		< 0.0048	U	
VMP-15	21.5	VMP-15-21.5-103023	10/30/2023	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.014	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0041	U	
VMP-15	21.5	VMP-15-21.5-103023-DUP	10/30/2023	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0053	U		< 0.0044	U	
VMP-15	21.5	VMP-15-21.5-012524	1/25/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.019	U		< 0.0045	U		< 0.0051	U		< 0.0042	U	
VMP-15	21.5	VMP-15-21.5-043024	4/30/2024	< 0.0045	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0055	U		< 0.0046	U	
VMP-15	25.5	VMP-15-25.5-072623	7/26/2023	< 0.0050	U		< 0.043	U		< 0.0057	U		< 0.018	U		0.012	J		< 0.0053	U		< 0.0060	U		< 0.0050	U	
VMP-15	25.5	VMP-15-25.5-103023	10/30/2023	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.014	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0041	U	
VMP-15	25.5	VMP-15-25.5-012524	1/25/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0053	U		< 0.0044	U	
VMP-15	25.5	VMP-15-25.5-043024	4/30/2024	< 0.0046	U		< 0.04	U		< 0.0053	U		< 0.016	U		< 0.022	U		< 0.0050	U		< 0.0056	U		< 0.0047	U	
VMP-15	29	VMP-15-29-072623	7/26/2023	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0055	U		< 0.0046	U	
VMP-15	29	VMP-15-29-103023	10/30/2023	< 0.0039	U		< 0.034	U		< 0.0045	U		< 0.014	U		< 0.018	U		< 0.0042	U		< 0.0048	U		< 0.0040	U	
VMP-15	29	VMP-15-29-012524	1/25/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0053	U		< 0.0044	U	
VMP-15	29	VMP-15-29-043024	4/30/2024	< 0.0047	U		< 0.04	U		< 0.0053	U		< 0.017	U		< 0.022	U		< 0.0050	U		< 0.0057	U		< 0.0		

**TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS**

Location	Depth	Sample ID	Sample Date	1,2-Dichloroethane			Dichloromethane (Methylene Chloride)			1,2-Dichloropropane			1,4-Dioxane			Ethanol			Ethylbenzene			4-Ethyltoluene			Heptane		
				0.81			45			2.3			2.3						9.3								
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-16	13.5	VMP-16-13.5-072823	7/28/2023	< 1.4	U		< 12	U		< 1.6	U		< 5.1	U		< 6.7	U		< 1.5	U		< 1.7	U		< 1.4	U	
VMP-16	13.5	VMP-16-13.5-120123	12/1/2023	< 1.1	U		0.94	J		< 1.2	U		< 3.8	U		< 2.5	U		0.5	J		< 1.3	U		45		
VMP-16	13.5	VMP-16-13.5-022924	2/29/2024	< 2.3	U		< 7.9	U		< 2.6	U		< 8.2	U		< 5.4	U		< 2.5	U		< 2.8	U		4.7		
VMP-16	13.5	VMP-16-13.5-050224	5/2/2024	< 8.9	U		< 30	U		< 10	U		< 32	U		< 21	U		< 9.5	U		2.6	J		7.8	J	
VMP-16	19	VMP-16-19-072823	7/28/2023	2.7	J		< 80	U		< 11	U		< 33	U		25	J		2.7	J		< 11	U		93		
VMP-16	19	VMP-16-19-110123	11/1/2023	< 5.9	U		< 51	U		< 6.7	U		< 21	U		34			3	J		< 7.2	U		91		
VMP-16	19	VMP-16-19-020124	2/1/2024	< 6.7	U		< 57	U		< 7.6	U		< 24	U		28	J		6.2	J		7.7	J	J	75		
VMP-16	19	VMP-16-19-050224	5/2/2024	< 11	U		< 39	U		< 13	U		< 40	U		< 26	U		2.1	J		< 14	U		63		
VMP-16	31	VMP-16-31-072823	7/28/2023	3.8	J		< 99	U		< 13	U		< 41	U		< 54	U		180			< 14	U		830		
VMP-16	31	VMP-16-31-110123	11/1/2023	< 19	U		< 160	U		< 22	U		< 68	U		58	J		140			< 23	U		540		
VMP-16	31	VMP-16-31-020124	2/1/2024	< 8.1	U		< 70	U		< 9.3	U		< 29	U		37	J		98			6.1	J		540		
VMP-16	31	VMP-16-31-050224	5/2/2024	< 22	U		< 76	U		< 25	U		< 79	U		< 52	U		92			< 27	U		500		
VMP-17	5	VMP-17-5-072723	7/27/2023	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		0.02	J		< 0.0049	U		< 0.0055	U		< 0.0046	U	
VMP-17	5	VMP-17-5-110223	11/2/2023	< 0.0045	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-17	5	VMP-17-5-110223-DUP	11/2/2023	< 0.0040	U		< 0.034	U		< 0.0046	U		< 0.014	U		< 0.019	U		< 0.0043	U		< 0.0049	U		< 0.0040	U	
VMP-17	5	VMP-17-5-020124	2/1/2024	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0056	U		< 0.0046	U	
VMP-17	5	VMP-17-5-043024	4/30/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0052	U		< 0.0044	U	
VMP-25	5	VMP-25-5-072623	7/26/2023	< 0.064	U		< 0.54	U		< 0.072	U		< 0.23	U		< 0.3	U		< 0.068	U		< 0.077	U		0.12		
VMP-25	5	VMP-25-5-072623-DUP	7/26/2023	< 0.061	U		< 0.53	U		< 0.07	U		< 0.22	U		< 0.28	U		< 0.066	U		< 0.074	U		0.086		
VMP-25	5	VMP-25-5-110123	11/1/2023	< 0.011	U		< 0.096	U		< 0.013	U		< 0.04	U		< 0.052	U		0.0035	J		< 0.014	U		< 0.011	U	
VMP-25	5	VMP-25-5-110123-DUP	11/1/2023	< 0.0066	U		< 0.056	U		< 0.0075	U		< 0.023	U		< 0.03	U		0.0024	J		< 0.0080	U		0.0057	J	
VMP-41	10	VMP-41-10-072723	7/27/2023	< 0.0050	U		< 0.043	U		< 0.0057	U		< 0.018	U		0.02	J		< 0.0053	U		< 0.0060	U		< 0.0050	U	
VMP-41	10	VMP-41-10-102623	10/26/2023	< 0.0044	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-41	10	VMP-41-10-012624	1/26/2024	< 0.0041	U		< 0.035	U		< 0.0047	U		< 0.014	U		< 0.019	U		< 0.0044	U		< 0.0050	U		< 0.0041	U	
VMP-41	10	VMP-41-10-043024	4/30/2024	< 0.0043	U		< 0.037	U		< 0.0049	U		< 0.015	U		< 0.02	U		< 0.0046	U		< 0.0053	U		< 0.0044	U	
VMP-41	20	VMP-41-20-072723	7/27/2023	< 0.0050	U		< 0.043	U		< 0.0057	U		< 0.018	U		< 0.023	U		< 0.0053	U		< 0.0060	U		< 0.0050	U	
VMP-41	20	VMP-41-20-102623	10/26/2023	< 0.0046	U		< 0.04	U		< 0.0053	U		< 0.016	U		< 0.022	U		< 0.0050	U		< 0.0056	U		< 0.0047	U	
VMP-41	20	VMP-41-20-012624	1/26/2024	< 0.0042	U		< 0.036	U		< 0.0048	U		< 0.015	U		< 0.02	U		< 0.0045	U		0.0018	J		< 0.0043	U	
VMP-41	20	VMP-41-20-043024	4/30/2024	< 0.0046	U		< 0.04	U		< 0.0053	U		< 0.016	U		< 0.022	U		< 0.0050	U		< 0.0056	U		< 0.0047	U	
VMP-41	26	VMP-41-26-072723	7/27/2023	< 0.0045	U		< 0.038	U		< 0.0051	U		< 0.016	U		< 0.021	U		< 0.0048	U		< 0.0054	U		< 0.0045	U	
VMP-41	26	VMP-41-26-102623	10/26/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0053	U		< 0.0044	U	
VMP-41	26	VMP-41-26-102623-DUP	10/26/2023	< 0.0044	U		< 0.038	U		< 0.0050	U		< 0.016	U		< 0.02	U		< 0.0047	U		< 0.0054	U		< 0.0045	U	
VMP-41	26	VMP-41-26-012624	1/26/2024	< 0.0040	U		< 0.035	U		< 0.0046	U		< 0.014	U		< 0.019	U		< 0.0043	U		< 0.0049	U		< 0.0041	U	
VMP-41	26	VMP-41-26-043024	4/30/2024	< 0.0046	U		< 0.039	U		< 0.0052	U		< 0.016	U		< 0.021	U		< 0.0049	U		< 0.0055	U		< 0.0046	U	
VMP-55	20	VMP-55-20-072623	7/26/2023	< 0.3	U		0.4	J		0.2	J		< 1.1	U		3.4			0.14	J		< 0.36	U		< 0.3	U	
VMP-55	20	VMP-55-20-103023	10/30/2023	< 1.5	U		< 13	U		< 1.7	U		< 5.3	U		< 6.9	U		< 1.6	U		< 1.8	U		< 1.5	U	
VMP-55	20	VMP-55-20-012524	1/25/2024	< 0.89	U		< 3	U		< 1	U		< 3.2	U		< 2.1	U		< 0.96	U		< 1.1	U		< 0.9	U	
VMP-55	20	VMP-55-20-043024	4/30/2024	< 26	U		< 90	U		< 30	U		< 93	U		< 61	U		< 28	U		< 32	U		< 26	U	

**TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS**

Location	Depth	Sample ID	Sample Date	Hexane			Isopentane			2-Propanol			Tetrachloroethene			1,2,4-Trichlorobenzene			Trichloroethene			1,2,4-Trimethylbenzene			1,3,5-Trimethylbenzene		
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
													4			25			12								
VMP-10	5	VMP-10-5-072723	7/27/2023	< 0.0045	U		< 0.015	U		< 0.012	U		< 0.0086	U		< 0.038	U		< 0.0068	U		< 0.0062	U		< 0.0062	U	
VMP-10	5	VMP-10-5-102623	10/26/2023	< 0.0038	U		< 0.013	U		< 0.011	U		< 0.0074	U		< 0.032	U		< 0.0058	U		< 0.0054	U		< 0.0054	U	
VMP-10	5	VMP-10-5-012624	1/26/2024	< 0.0034	U		< 0.011	U		0.0036	J		< 0.0066	U		< 0.029	U		< 0.0052	U		< 0.0048	U		< 0.0048	U	
VMP-10	5	VMP-10-5-042924	4/29/2024	< 0.0035	U		< 0.012	U		< 0.0099	U		< 0.0068	U		< 0.03	U		< 0.0054	U		< 0.0049	U		< 0.0049	U	
VMP-10	10	VMP-10-10-072723	7/27/2023	< 0.0053	U		< 0.018	U		0.0051	J		< 0.01	U		< 0.045	U		< 0.0081	U		< 0.0074	U		< 0.0074	U	
VMP-10	10	VMP-10-10-102623	10/26/2023	< 0.0037	U		< 0.012	U		0.0053	J		< 0.0071	U		< 0.031	U		< 0.0056	U		< 0.0052	U		< 0.0052	U	
VMP-10	10	VMP-10-10-012624	1/26/2024	< 0.0034	U		< 0.011	U		0.0063	J		< 0.0065	U		< 0.028	U		< 0.0052	U		< 0.0047	U		< 0.0047	U	
VMP-10	10	VMP-10-10-012624-DUP	1/26/2024	< 0.0033	U		< 0.011	U		< 0.0092	U		< 0.0063	U		< 0.028	U		< 0.0050	U		< 0.0046	U		< 0.0046	U	
VMP-10	10	VMP-10-10-042924	4/29/2024	< 0.0039	U		< 0.013	U		< 0.011	U		< 0.0076	U		< 0.033	U		< 0.0060	U		< 0.0055	U		< 0.0055	U	
VMP-10	20	VMP-10-20-072723	7/27/2023	< 0.0041	U		< 0.014	U		< 0.011	U		< 0.0079	U		< 0.034	U		< 0.0062	U		< 0.0057	U		< 0.0057	U	
VMP-10	20	VMP-10-20-102623	10/26/2023	< 0.0036	U		< 0.012	U		0.0042	J		< 0.0069	U		< 0.03	U		< 0.0055	U		< 0.0050	U		< 0.0050	U	
VMP-10	20	VMP-10-20-012624	1/26/2024	< 0.0039	U		< 0.013	U		< 0.011	U		< 0.0075	U		< 0.033	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-10	20	VMP-10-20-042924	4/29/2024	< 0.0038	U		< 0.012	U		< 0.01	U		< 0.0072	U		< 0.032	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-10	30	VMP-10-30-072723	7/27/2023	< 0.0040	U		< 0.013	U		0.0041	J		< 0.0077	U		< 0.034	U		< 0.0061	U		< 0.0056	U		< 0.0056	U	
VMP-10	30	VMP-10-30-102623	10/26/2023	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.03	U		< 0.0055	U		< 0.0051	U		< 0.0051	U	
VMP-10	30	VMP-10-30-012624	1/26/2024	< 0.0035	U		< 0.012	U		< 0.0099	U		< 0.0068	U		< 0.03	U		< 0.0054	U		< 0.0049	U		< 0.0049	U	
VMP-10	30	VMP-10-30-042924	4/29/2024	< 0.0038	U		< 0.013	U		< 0.011	U		0.0030	J		< 0.032	U		< 0.0058	U		< 0.0054	U		< 0.0054	U	
VMP-11	5	VMP-11-5-072523	7/25/2023	< 0.0038	U		< 0.013	U		0.11			< 0.0073	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-11	5	VMP-11-5-102523	10/25/2023	< 0.0040	U		< 0.013	U		< 0.011	U		< 0.0076	U		< 0.033	U		< 0.0060	U		< 0.0055	U		< 0.0055	U	
VMP-11	5	VMP-11-5-012624	1/26/2024	< 0.0034	U		< 0.012	U		< 0.0096	U		< 0.0066	U		< 0.029	U		< 0.0052	U		< 0.0048	U		< 0.0048	U	
VMP-11	5	VMP-11-5-043024	4/30/2024	< 0.0038	U		< 0.012	U		< 0.01	U		< 0.0072	U		< 0.032	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-11	8	VMP-11-8-072523	7/25/2023	< 0.0045	U		< 0.015	U		0.0091	J		0.016			< 0.038	U		< 0.0069	U		< 0.0063	U		< 0.0063	U	
VMP-11	8	VMP-11-8-102523	10/25/2023	< 0.0037	U		< 0.012	U		0.0042	J		< 0.0071	U		< 0.031	U		< 0.0056	U		< 0.0052	U		< 0.0052	U	
VMP-11	8	VMP-11-8-012624	1/26/2024	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0069	U		< 0.03	U		< 0.0054	U		< 0.0050	U		< 0.0050	U	
VMP-11	8	VMP-11-8-043024	4/30/2024	< 0.0035	U		< 0.012	U		< 0.0097	U		< 0.0067	U		< 0.029	U		< 0.0053	U		< 0.0048	U		< 0.0048	U	
VMP-11	8	VMP-11-8-043024-DUP	4/30/2024	< 0.0036	U		< 0.012	U		< 0.0099	U		< 0.0068	U		< 0.03	U		< 0.0054	U		< 0.0050	U		< 0.0050	U	
VMP-11	29	VMP-11-29-072523	7/25/2023	< 0.0038	U		< 0.012	U		0.0049	J		< 0.0072	U		< 0.032	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-11	29	VMP-11-29-102523	10/25/2023	< 0.0038	U		< 0.013	U		0.0052	J		< 0.0074	U		< 0.032	U		< 0.0058	U		< 0.0054	U		< 0.0054	U	
VMP-11	29	VMP-11-29-102523-DUP	10/25/2023	< 0.0038	U		< 0.013	U		0.0055	J		< 0.0072	U		< 0.032	U		< 0.0058	U		< 0.0052	U		< 0.0053	U	
VMP-11	29	VMP-11-29-012624	1/26/2024	< 0.0036	U		< 0.012	U		0.0075	J		< 0.0070	U		< 0.03	U		0.014			< 0.0051	U		< 0.0051	U	
VMP-11	29	VMP-11-29-043024	4/30/2024	< 0.0039	U		< 0.013	U		< 0.011	U		< 0.0075	U		< 0.033	U		< 0.0060	U		< 0.0054	U		< 0.0054	U	
VMP-11	38	VMP-11-38-072523	7/25/2023	< 0.0046	U		< 0.015	U		< 0.013	U		< 0.0088	U		< 0.038	U		0.0031	J		< 0.0064	U		< 0.0064	U	
VMP-11	38	VMP-11-38-102523	10/25/2023	< 0.0040	U		< 0.013	U		0.0046	J		< 0.0077	U		< 0.034	U		< 0.0061	U		< 0.0056	U		< 0.0056	U	
VMP-11	38	VMP-11-38-012624	1/26/2024	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-12	5	VMP-12-5-072823	7/28/2023	< 0.0038	U		< 0.013	U		0.0057	J		< 0.0074	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-12	5	VMP-12-5-110123	11/1/2023	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-12	5	VMP-12-5-020124	2/1/2024	< 0.0038	U		< 0.013	U		< 0.011	UJ	UJ	< 0.0074	U		< 0.032	U		0.0089			< 0.0053	U		< 0.0053	U	
VMP-12	5	VMP-12-5-050224	5/2/2024	< 0.0042	U		< 0.014	U		< 0.012	U		< 0.0080	U		< 0.035	U		< 0.0063	U		< 0.0058	U		< 0.0058	U	
VMP-12	11.5	VMP-12-11.5-072823	7/28/2023	< 0.0042	U		< 0.014	U		0.0079	J		< 0.0081	U		< 0.036	U		< 0.0064	U		< 0.0059	U		< 0.0059	U	
VMP-12	11.5	VMP-12-11.5-110123	11/1/2023	< 0.0037	U		< 0.012	U		0.0039	J		< 0.0071	U		< 0.031	U		< 0.0056	U		< 0.0052	U		< 0.0052	U	
VMP-12	11.5	VMP-12-11.5-020124	2/1/2024	< 0.0038	U		< 0.013	U		< 0.01	U		< 0.0073	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-12	11.5	VMP-12-11.5-050224	5/2/2024	< 0.0039	U		< 0.013	U		< 0.011	U		< 0.0075	U		< 0.033	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-12	25	VMP-12-25-072823	7/28/2023	120			1600			13	J		< 10	U		< 46	U		< 8.2	U		< 7.5	U		< 7.5	U	
VMP-12	25	VMP-12-25-110123	11/1/2023	< 0.0034	U		< 0.012	U		< 0.0096	U		< 0.0066	U		< 0.029	U		< 0.0053	U		< 0.0048	U		< 0.0048	U	
VMP-12	25	VMP-12-25-020124	2/1/2024	8.1			1100			7.7	J		< 9.2	U		< 40	U		< 7.3	U		5.9	J		3.2	J	
VMP-12	25	VMP-12-25-050224	5/2/2024	< 0.0039	U		< 0.013	U		0.0066	J		< 0.0075	U		< 0.033	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-12	39	VMP-12-39-072823	7/28/2023	950			13000			< 73	U		< 50	U		< 220	U		< 40	U		< 36	U		< 36	U	
VMP-12	39	VMP-12-39-110123	11/1/2023	2300			7900			< 81	U		< 56	U		< 240	U		< 44	U		< 40	U		< 40	U	
VMP-12	39	VMP-12-39-020124	2/1/2024	1100			5000			22	J		< 20	U		< 88	U		< 16	U		< 15	U		< 15	U	
VMP-12	39	VMP-12-39-050224	5/2/2024	3900			9500			< 340																	

**TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS**

Location	Depth	Sample ID	Sample Date	Hexane			Isopentane			2-Propanol			Tetrachloroethene			1,2,4-Trichlorobenzene			Trichloroethene			1,2,4-Trimethylbenzene			1,3,5-Trimethylbenzene		
				Result	Lab	AECOM	Result	Lab	AECOM	Result	Lab	AECOM	Result	Lab	AECOM	Result	Lab	AECOM	Result	Lab	AECOM	Result	Lab	AECOM	Result	Lab	AECOM
				(mg/m3)	Quals	Quals	(mg/m3)	Quals	Quals	(mg/m3)	Quals	Quals	(mg/m3)	Quals	Quals	(mg/m3)	Quals	Quals	(mg/m3)	Quals	Quals	(mg/m3)	Quals	Quals	(mg/m3)	Quals	Quals
VMP-13	10.5	VMP-13-10.5-072623	7/26/2023	< 0.0038	U		< 0.013	U		< 0.011	U		< 0.0074	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-13	10.5	VMP-13-10.5-072623-DUP	7/26/2023	< 0.0038	U		< 0.013	U		< 0.011	U		< 0.0073	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-13	10.5	VMP-13-10.5-110223	11/2/2023	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0071	U		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-13	10.5	VMP-13-10.5-012524	1/25/2024	< 0.0036	U		< 0.012	U		< 0.0099	U		< 0.0068	U		< 0.03	U		< 0.0054	U		< 0.0050	U		< 0.0050	U	
VMP-13	10.5	VMP-13-10.5-042924	4/29/2024	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.03	U		< 0.0055	U		< 0.0051	U		< 0.0051	U	
VMP-13	21.5	VMP-13-21.5-072623	7/26/2023	< 0.0042	U		< 0.014	U		< 0.012	U		0.0034	J		< 0.035	U		< 0.0064	U		< 0.0059	U		< 0.0059	U	
VMP-13	21.5	VMP-13-21.5-110223	11/2/2023	< 0.0038	U		< 0.013	U		0.0066	J		0.0022	J		< 0.032	U		< 0.0058	U		< 0.0052	U		< 0.0053	U	
VMP-13	21.5	VMP-13-21.5-012524	1/25/2024	< 0.0035	U		< 0.012	U		< 0.0097	U		0.032			< 0.029	U		0.0070			< 0.0048	U		< 0.0048	U	
VMP-13	21.5	VMP-13-21.5-042924	4/29/2024	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-13	21.5	VMP-13-21.5-042924-DUP	4/29/2024	< 0.0036	U		< 0.012	U		< 0.01	U		0.0022	J		< 0.03	U		< 0.0055	U		< 0.0051	U		< 0.0051	U	
VMP-13	29.5	VMP-13-29.5-072623	7/26/2023	< 0.0040	U		< 0.013	U		< 0.011	U		0.0048	J		< 0.033	U		< 0.0060	U		< 0.0055	U		< 0.0055	U	
VMP-13	29.5	VMP-13-29.5-110223	11/2/2023	< 0.0040	U		< 0.013	U		< 0.011	U		< 0.0076	U		< 0.033	U		< 0.0060	U		< 0.0055	U		< 0.0055	U	
VMP-13	29.5	VMP-13-29.5-012524	1/25/2024	< 0.0036	U		< 0.012	U		0.0087	J		< 0.0068	U		< 0.03	U		< 0.0054	U		< 0.0050	U		< 0.0050	U	
VMP-13	29.5	VMP-13-29.5-042924	4/29/2024	0.0056			< 0.013	U		< 0.01	U		< 0.0072	U		< 0.032	U		< 0.0058	U		< 0.0052	U		< 0.0053	U	
VMP-14	5	VMP-14-5-072623	7/26/2023	0.0030	J		0.0078	J		0.014			< 0.0084	U		< 0.037	U		< 0.0067	U		< 0.0061	U		< 0.0061	U	
VMP-14	5	VMP-14-5-110223	11/2/2023	< 0.0035	U		< 0.012	U		< 0.0097	U		< 0.0067	U		< 0.029	U		< 0.0053	U		< 0.0049	U		< 0.0049	U	
VMP-14	5	VMP-14-5-012524	1/25/2024	0.0017	J		0.0044	J		< 0.011	U		< 0.0074	U		< 0.032	U		< 0.0059	U		0.016			0.0058		
VMP-14	5	VMP-14-5-042924	4/29/2024	< 0.0035	U		< 0.012	U		0.0036	J		< 0.0067	U		< 0.03	U		< 0.0053	U		< 0.0049	U		< 0.0049	U	
VMP-14	11.5	VMP-14-11.5-072623	7/26/2023	0.0012	J		< 0.014	U		0.0068	J		< 0.0083	U		< 0.036	U		< 0.0066	U		< 0.0060	U		< 0.0060	U	
VMP-14	11.5	VMP-14-11.5-110223	11/2/2023	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.03	U		< 0.0055	U		< 0.0050	U		< 0.0050	U	
VMP-14	11.5	VMP-14-11.5-110223-DUP	11/2/2023	< 0.0034	U		< 0.011	U		< 0.0095	U		< 0.0066	U		< 0.029	U		< 0.0052	U		< 0.0048	U		< 0.0048	U	
VMP-14	11.5	VMP-14-11.5-012524	1/25/2024	< 0.0038	U		0.0044	J		< 0.011	U		< 0.0074	U		< 0.032	U		< 0.0058	U		< 0.0054	U		< 0.0054	U	
VMP-14	11.5	VMP-14-11.5-042924	4/29/2024	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.03	U		< 0.0055	U		< 0.0051	U		< 0.0051	U	
VMP-14	20	VMP-14-20-072623	7/26/2023	< 0.0044	U		< 0.015	U		0.0066	J		< 0.0085	U		< 0.037	U		< 0.0067	U		< 0.0062	U		< 0.0062	U	
VMP-14	20	VMP-14-20-110223	11/2/2023	< 0.0036	U		< 0.012	U		< 0.0099	U		< 0.0068	U		< 0.03	U		< 0.0054	U		0.0023	J		< 0.0050	U	
VMP-14	20	VMP-14-20-012524	1/25/2024	< 0.0037	U		0.017			0.0097	J		< 0.0072	U		< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-14	20	VMP-14-20-042924	4/29/2024	< 0.0038	U		< 0.012	U		< 0.01	U		< 0.0072	U		< 0.032	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-14	29	VMP-14-29-072623	7/26/2023	< 0.0045	U		< 0.015	U		0.0064	J		< 0.0087	U		< 0.038	U		< 0.0069	U		< 0.0063	U		< 0.0063	U	
VMP-14	29	VMP-14-29-110223	11/2/2023	< 0.0036	U		< 0.012	U		0.0038	J		< 0.0070	U		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-14	29	VMP-14-29-012524	1/25/2024	< 0.0037	U		0.0071	J		0.0074	J		0.018			< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-14	29	VMP-14-29-042924	4/29/2024	< 0.0036	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.031	U		< 0.0056	U		< 0.0051	U		< 0.0051	U	
VMP-15	5	VMP-15-5-072623	7/26/2023	< 0.0039	U		< 0.013	U		0.0099	J		0.0027	J		< 0.033	U		< 0.0060	U		< 0.0055	U		< 0.0055	U	
VMP-15	5	VMP-15-5-103023	10/30/2023	< 0.0036	U		< 0.012	U		< 0.0099	U		< 0.0068	U		< 0.03	U		< 0.0054	U		< 0.0050	U		< 0.0050	U	
VMP-15	5	VMP-15-5-012524	1/25/2024	< 0.0037	U		0.0074	J		0.014			0.0025	J		< 0.031	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-15	5	VMP-15-5-043024	4/30/2024	< 0.0038	U		< 0.013	U		< 0.011	U		0.0047	J		< 0.032	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-15	21.5	VMP-15-21.5-072623	7/26/2023	< 0.0041	U		< 0.014	U		0.0037	J		< 0.0079	U		< 0.034	U		< 0.0063	U		< 0.0057	U		< 0.0057	U	
VMP-15	21.5	VMP-15-21.5-103023	10/30/2023	< 0.0036	U		< 0.012	U		< 0.0099	U		< 0.0068	U		< 0.03	U		< 0.0054	U		< 0.0050	U		< 0.0050	U	
VMP-15	21.5	VMP-15-21.5-103023-DUP	10/30/2023	< 0.0038	U		< 0.013	U		< 0.01	U		< 0.0072	U		< 0.032	U		< 0.0058	U		< 0.0052	U		< 0.0053	U	
VMP-15	21.5	VMP-15-21.5-012524	1/25/2024	0.0033	J		0.0057	J		0.0056	J		< 0.0070	U		< 0.03	U		< 0.0055	U		< 0.0051	U		< 0.0051	U	
VMP-15	21.5	VMP-15-21.5-043024	4/30/2024	< 0.0039	U		< 0.013	U		< 0.011	U		0.0091			< 0.033	U		< 0.0060	U		< 0.0055	U		< 0.0055	U	
VMP-15	25.5	VMP-15-25.5-072623	7/26/2023	< 0.0043	U		< 0.014	U		< 0.012	U		< 0.0083	U		< 0.036	U		< 0.0066	U		< 0.0060	U		< 0.0060	U	
VMP-15	25.5	VMP-15-25.5-103023	10/30/2023	< 0.0036	U		< 0.012	U		< 0.0099	U		< 0.0068	U		< 0.03	U		< 0.0054	U		< 0.0050	U		< 0.0050	U	
VMP-15	25.5	VMP-15-25.5-012524	1/25/2024	< 0.0038	U		< 0.013	U		< 0.01	U		< 0.0072	U		< 0.032	U		< 0.0058	U		< 0.0052	U		< 0.0053	U	
VMP-15	25.5	VMP-15-25.5-043024	4/30/2024	< 0.0040	U		< 0.014	U		< 0.011	U		< 0.0078	U		< 0.034	U		< 0.0062	U		< 0.0056	U		< 0.0056	U	
VMP-15	29	VMP-15-29-072623	7/26/2023	< 0.0040	U		< 0.013	U		0.0042	J		< 0.0076	U		< 0.033	U		< 0.0060	U		< 0.0055	U		< 0.0055	U	
VMP-15	29	VMP-15-29-103023	10/30/2023	< 0.0034	U		< 0.011	U		< 0.0095	U		< 0.0066	U		< 0.029	U		< 0.0052	U		< 0.0048	U		< 0.0048	U	
VMP-15	29	VMP-15-29-012524	1/25/2024	< 0.0038	U		< 0.013	U		< 0.01	U		< 0.0072	U		< 0.032	U		< 0.0058	U		< 0.0052	U		< 0.0053	U	
VMP-15	29	VMP-15-29-043024	4/30/2024	< 0.0041	U		< 0.014	U		< 0.011	U		< 0.0078	U		< 0.034	U		< 0.0062	U		< 0.0057	U		< 0.0057	U	
VMP-16	5	VMP-16-5-072823	7/28/2023	&																							

**TABLE 6
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS**

Location	Depth	Sample ID	Sample Date	Hexane			Isopentane			2-Propanol			Tetrachloroethene			1,2,4-Trichlorobenzene			Trichloroethene			1,2,4-Trimethylbenzene			1,3,5-Trimethylbenzene		
													4			25			12								
				Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-16	13.5	VMP-16-13.5-072823	7/28/2023	7			250			2.8	J		< 2.4	U		< 10	U		< 1.9	U		< 1.7	U		< 1.7	U	
VMP-16	13.5	VMP-16-13.5-120123	12/1/2023	67			1200			< 3.3	U		< 1.8	U		< 7.9	U		< 1.4	U		0.17	J		< 1.3	U	
VMP-16	13.5	VMP-16-13.5-022924	2/29/2024	6.9			220			< 7	U		< 3.9	U		< 17	U		< 3.1	U		< 2.8	U		< 2.8	U	
VMP-16	13.5	VMP-16-13.5-050224	5/2/2024	22			580			< 27	U		< 15	U		< 65	U		< 12	U		7.1	J		2.4	J	
VMP-16	19	VMP-16-19-072823	7/28/2023	210			2300			16	J		< 16	U		< 69	U		< 12	U		< 11	U		< 11	U	
VMP-16	19	VMP-16-19-110123	11/1/2023	160			1500			13	J		< 9.9	U		< 43	U		< 7.8	U		< 7.2	U		< 7.2	U	
VMP-16	19	VMP-16-19-020124	2/1/2024	120			1400			17			< 11	U		< 49	U		< 8.9	U		4.7	J		< 8.1	U	
VMP-16	19	VMP-16-19-050224	5/2/2024	84			1400			< 34	U		< 19	U		< 83	U		< 15	U		2.5	J		< 14	U	
VMP-16	31	VMP-16-31-072823	7/28/2023	2700			3300			16	J		< 19	U		< 85	U		< 15	U		< 14	U		< 14	U	
VMP-16	31	VMP-16-31-110123	11/1/2023	1400			1700			< 46	U		< 32	U		< 140	U		< 25	U		7.4	J		< 23	U	
VMP-16	31	VMP-16-31-020124	2/1/2024	1500			2000			24			< 14	U		< 60	U		< 11	U		4.6	J		< 9.9	U	
VMP-16	31	VMP-16-31-050224	5/2/2024	1000			1700			< 68	U		< 37	U		< 160	U		< 30	U		< 27	U		< 27	U	
VMP-17	5	VMP-17-5-072723	7/27/2023	< 0.0040	U		< 0.013	U		0.028			< 0.0076	U		< 0.033	U		< 0.0060	U		< 0.0055	U		< 0.0055	U	
VMP-17	5	VMP-17-5-110223	11/2/2023	< 0.0039	U		< 0.013	U		< 0.011	U		0.012			< 0.033	U		< 0.0060	U		< 0.0054	U		< 0.0054	U	
VMP-17	5	VMP-17-5-110223-DUP	11/2/2023	< 0.0035	U		< 0.012	U		< 0.0097	U		0.0025	J		< 0.029	U		< 0.0053	U		< 0.0049	U		< 0.0049	U	
VMP-17	5	VMP-17-5-020124	2/1/2024	< 0.0040	U		< 0.013	U		< 0.011	U		< 0.0077	U		< 0.034	U		< 0.0061	U		< 0.0056	U		< 0.0056	U	
VMP-17	5	VMP-17-5-043024	4/30/2024	< 0.0038	U		< 0.012	U		< 0.01	U		< 0.0072	U		< 0.032	U		< 0.0057	U		< 0.0052	U		< 0.0052	U	
VMP-25	5	VMP-25-5-072623	7/26/2023	0.39		J	2.9			< 0.15	U		< 0.11	U		< 0.47	U		< 0.084	U		< 0.077	U		< 0.077	U	
VMP-25	5	VMP-25-5-072623-DUP	7/26/2023	0.28		J	2.3			< 0.15	U		< 0.1	U		< 0.45	U		< 0.081	U		< 0.074	U		< 0.074	U	
VMP-25	5	VMP-25-5-110123	11/1/2023	0.019			0.28			0.01	J		0.011	J		< 0.082	U		< 0.015	U		0.0044	J		< 0.014	U	
VMP-25	5	VMP-25-5-110123-DUP	11/1/2023	0.022			0.27			< 0.016	U		< 0.011	U		< 0.048	U		< 0.0087	U		< 0.0080	U		< 0.0080	U	
VMP-41	10	VMP-41-10-072723	7/27/2023	< 0.0043	U		< 0.014	U		0.013			< 0.0083	U		< 0.036	U		< 0.0066	U		< 0.0060	U		< 0.0060	U	
VMP-41	10	VMP-41-10-102623	10/26/2023	< 0.0039	U		< 0.013	U		< 0.011	U		< 0.0075	U		< 0.033	U		< 0.0059	U		< 0.0054	U		< 0.0054	U	
VMP-41	10	VMP-41-10-012624	1/26/2024	< 0.0036	U		< 0.012	U		0.0059	J		< 0.0068	U		< 0.03	U		< 0.0054	U		< 0.0050	U		< 0.0050	U	
VMP-41	10	VMP-41-10-043024	4/30/2024	< 0.0038	U		< 0.013	U		< 0.01	U		< 0.0072	U		< 0.032	U		< 0.0058	U		< 0.0052	U		< 0.0053	U	
VMP-41	20	VMP-41-20-072723	7/27/2023	< 0.0043	U		< 0.014	U		0.0057	J		< 0.0083	U		< 0.036	U		< 0.0066	U		< 0.0060	U		< 0.0060	U	
VMP-41	20	VMP-41-20-102623	10/26/2023	< 0.0040	U		< 0.014	U		< 0.011	U		< 0.0078	U		< 0.034	U		< 0.0062	U		< 0.0056	U		< 0.0056	U	
VMP-41	20	VMP-41-20-012624	1/26/2024	< 0.0037	U		< 0.012	U		< 0.01	U		< 0.0070	U		< 0.031	U		< 0.0056	U		< 0.0051	J	U	< 0.0051	U	
VMP-41	20	VMP-41-20-043024	4/30/2024	< 0.0040	U		< 0.014	U		< 0.011	U		< 0.0078	U		< 0.034	U		< 0.0062	U		< 0.0056	U		< 0.0056	U	
VMP-41	26	VMP-41-26-072723	7/27/2023	< 0.0039	U		< 0.013	U		0.0038	J		< 0.0075	U		< 0.033	U		< 0.0060	U		< 0.0054	U		< 0.0054	U	
VMP-41	26	VMP-41-26-102623	10/26/2023	< 0.0038	U		< 0.013	U		0.0041	J		< 0.0073	U		< 0.032	U		< 0.0058	U		< 0.0053	U		< 0.0053	U	
VMP-41	26	VMP-41-26-102623-DUP	10/26/2023	< 0.0038	U		< 0.013	U		0.0042	J		< 0.0074	U		< 0.032	U		< 0.0058	U		< 0.0054	U		< 0.0054	U	
VMP-41	26	VMP-41-26-012624	1/26/2024	< 0.0035	U		< 0.012	U		< 0.0098	U		< 0.0068	U		< 0.03	U		< 0.0054	U		< 0.0049	U		< 0.0049	U	
VMP-41	26	VMP-41-26-043024	4/30/2024	< 0.0040	U		0.0077	J		< 0.011	U		< 0.0076	U		< 0.033	U		< 0.0060	U		< 0.0055	U		< 0.0055	U	
VMP-55	20	VMP-55-20-072623	7/26/2023	0.26			42			1.3			< 0.5	U		< 2.2	U		< 0.4	U		< 0.36	U		< 0.36	U	
VMP-55	20	VMP-55-20-103023	10/30/2023	1.5			310			2.7	J		< 2.5	U		< 11	U		< 2	U		< 1.8	U		< 1.8	U	
VMP-55	20	VMP-55-20-012524	1/25/2024	< 0.78	U		930			< 2.7	U		< 1.5	U		< 6.5	U		< 1.2	U		< 1.1	U		< 1.1	U	
VMP-55	20	VMP-55-20-043024	4/30/2024	5	J		2000			< 79	U		< 44	U		< 190	U		< 35	U		< 32	U		< 32	U	

HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	2,2,4-Trimethylpentane			m,p-Xylene			o-Xylene		
				Result (mg/m3)	Lab Quals	AECOM Quals	820			790		
							Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-10	5	VMP-10-5-072723	7/27/2023	< 0.0059	U		< 0.011	U		< 0.0055	U	
VMP-10	5	VMP-10-5-102623	10/26/2023	< 0.0051	U		< 0.0095	U		< 0.0047	U	
VMP-10	5	VMP-10-5-012624	1/26/2024	< 0.0045	U		< 0.0084	U		< 0.0042	U	
VMP-10	5	VMP-10-5-042924	4/29/2024	< 0.0047	U		< 0.0087	U		< 0.0044	U	
VMP-10	10	VMP-10-10-072723	7/27/2023	< 0.0070	U		< 0.013	U		< 0.0065	U	
VMP-10	10	VMP-10-10-102623	10/26/2023	< 0.0049	U		< 0.0091	U		< 0.0046	U	
VMP-10	10	VMP-10-10-012624	1/26/2024	< 0.0045	U		< 0.0083	U		< 0.0042	U	
VMP-10	10	VMP-10-10-012624-DUP	1/26/2024	< 0.0044	U		< 0.0081	U		< 0.0041	U	
VMP-10	10	VMP-10-10-042924	4/29/2024	< 0.0052	U		< 0.0097	U		< 0.0048	U	
VMP-10	20	VMP-10-20-072723	7/27/2023	< 0.0054	U		< 0.01	U		< 0.0050	U	
VMP-10	20	VMP-10-20-102623	10/26/2023	< 0.0048	U		< 0.0088	U		< 0.0044	U	
VMP-10	20	VMP-10-20-012624	1/26/2024	< 0.0052	U		0.029			0.0072		
VMP-10	20	VMP-10-20-042924	4/29/2024	< 0.0050	U		< 0.0092	U		< 0.0046	U	
VMP-10	30	VMP-10-30-072723	7/27/2023	< 0.0053	U		0.0025	J		< 0.0049	U	
VMP-10	30	VMP-10-30-102623	10/26/2023	< 0.0048	U		< 0.0089	U		< 0.0045	U	
VMP-10	30	VMP-10-30-012624	1/26/2024	< 0.0047	U		< 0.0087	U		< 0.0044	U	
VMP-10	30	VMP-10-30-042924	4/29/2024	< 0.0051	U		< 0.0095	U		< 0.0047	U	
VMP-11	5	VMP-11-5-072523	7/25/2023	< 0.0050	U		< 0.0094	U		< 0.0047	U	
VMP-11	5	VMP-11-5-102523	10/25/2023	< 0.0052	U		< 0.0098	U		< 0.0049	U	
VMP-11	5	VMP-11-5-012624	1/26/2024	0.0022	J		< 0.0085	U		< 0.0042	U	
VMP-11	5	VMP-11-5-043024	4/30/2024	< 0.0050	U		0.0024	J		< 0.0046	U	
VMP-11	8	VMP-11-8-072523	7/25/2023	< 0.0060	U		< 0.011	U		< 0.0056	U	
VMP-11	8	VMP-11-8-102523	10/25/2023	< 0.0049	U		< 0.0091	U		< 0.0046	U	
VMP-11	8	VMP-11-8-012624	1/26/2024	< 0.0047	U		< 0.0088	U		< 0.0044	U	
VMP-11	8	VMP-11-8-043024	4/30/2024	< 0.0046	U		< 0.0086	U		< 0.0043	U	
VMP-11	8	VMP-11-8-043024-DUP	4/30/2024	< 0.0047	U		< 0.0088	U		< 0.0044	U	
VMP-11	29	VMP-11-29-072523	7/25/2023	< 0.0050	U		< 0.0092	U		< 0.0046	U	
VMP-11	29	VMP-11-29-102523	10/25/2023	< 0.0051	U		< 0.0095	U		< 0.0047	U	
VMP-11	29	VMP-11-29-102523-DUP	10/25/2023	< 0.0050	U		< 0.0093	U		< 0.0046	U	
VMP-11	29	VMP-11-29-012624	1/26/2024	< 0.0048	U		< 0.0089	U		< 0.0045	U	
VMP-11	29	VMP-11-29-043024	4/30/2024	< 0.0052	U		< 0.0096	U		< 0.0048	U	
VMP-11	38	VMP-11-38-072523	7/25/2023	< 0.0061	U		< 0.011	U		< 0.0056	U	
VMP-11	38	VMP-11-38-102523	10/25/2023	< 0.0053	U		< 0.0098	U		< 0.0049	U	
VMP-11	38	VMP-11-38-012624	1/26/2024	< 0.0048	U		< 0.0090	U		< 0.0045	U	
VMP-12	5	VMP-12-5-072823	7/28/2023	< 0.0051	U		< 0.0094	U		< 0.0047	U	
VMP-12	5	VMP-12-5-110123	11/1/2023	< 0.0048	U		< 0.0090	U		< 0.0045	U	
VMP-12	5	VMP-12-5-020124	2/1/2024	< 0.0051	U		< 0.0094	U		< 0.0047	U	
VMP-12	5	VMP-12-5-050224	5/2/2024	< 0.0055	U		< 0.01	U		< 0.0051	U	
VMP-12	11.5	VMP-12-11.5-072823	7/28/2023	< 0.0056	U		< 0.01	U		< 0.0052	U	
VMP-12	11.5	VMP-12-11.5-110123	11/1/2023	< 0.0049	U		< 0.0091	U		< 0.0046	U	
VMP-12	11.5	VMP-12-11.5-020124	2/1/2024	< 0.0050	U		< 0.0093	U		< 0.0047	U	
VMP-12	11.5	VMP-12-11.5-050224	5/2/2024	< 0.0051	U		< 0.0096	U		< 0.0048	U	
VMP-12	25	VMP-12-25-072823	7/28/2023	200			< 13	U		< 6.7	U	
VMP-12	25	VMP-12-25-110123	11/1/2023	< 0.0046	U		< 0.0085	U		< 0.0042	U	
VMP-12	25	VMP-12-25-020124	2/1/2024	340			62			21		
VMP-12	25	VMP-12-25-050224	5/2/2024	< 0.0052	U		< 0.0096	U		< 0.0048	U	
VMP-12	39	VMP-12-39-072823	7/28/2023	1700			< 64	U		< 32	U	
VMP-12	39	VMP-12-39-110123	11/1/2023	2800			66	J		< 36	U	
VMP-12	39	VMP-12-39-020124	2/1/2024	2000			17	J		3.1	J	
VMP-12	39	VMP-12-39-050224	5/2/2024	3900			17	J		< 120	U	
VMP-13	5	VMP-13-5-072623	7/26/2023	< 0.0055	U		< 0.01	U		< 0.0051	U	
VMP-13	5	VMP-13-5-110223	11/2/2023	< 0.0049	U		< 0.0092	U		< 0.0046	U	
VMP-13	5	VMP-13-5-012524	1/25/2024	< 0.0049	U		< 0.0091	U		< 0.0045	U	
VMP-13	5	VMP-13-5-042924	4/29/2024	< 0.0048	U		0.0018	J		< 0.0045	U	

HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	2,2,4-Trimethylpentane			m,p-Xylene			o-Xylene		
				Result (mg/m3)	Lab Quals	AECOM Quals	820			790		
							Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-13	10.5	VMP-13-10.5-072623	7/26/2023	0.0014	J		< 0.0094	U		< 0.0047	U	
VMP-13	10.5	VMP-13-10.5-072623-DUP	7/26/2023	< 0.0050	U		< 0.0094	U		< 0.0047	U	
VMP-13	10.5	VMP-13-10.5-110223	11/2/2023	< 0.0049	U		< 0.0091	U		< 0.0045	U	
VMP-13	10.5	VMP-13-10.5-012524	1/25/2024	< 0.0047	U		< 0.0088	U		< 0.0044	U	
VMP-13	10.5	VMP-13-10.5-042924	4/29/2024	< 0.0048	U		< 0.0089	U		< 0.0045	U	
VMP-13	21.5	VMP-13-21.5-072623	7/26/2023	< 0.0056	U		< 0.01	U		< 0.0052	U	
VMP-13	21.5	VMP-13-21.5-110223	11/2/2023	< 0.0050	U		< 0.0093	U		< 0.0046	U	
VMP-13	21.5	VMP-13-21.5-012524	1/25/2024	< 0.0046	U		0.0040	J		0.0012	J	
VMP-13	21.5	VMP-13-21.5-042924	4/29/2024	< 0.0048	U		< 0.0090	U		< 0.0045	U	
VMP-13	21.5	VMP-13-21.5-042924-DUP	4/29/2024	< 0.0048	U		< 0.0089	U		< 0.0045	U	
VMP-13	29.5	VMP-13-29.5-072623	7/26/2023	< 0.0052	U		< 0.0098	U		< 0.0049	U	
VMP-13	29.5	VMP-13-29.5-110223	11/2/2023	< 0.0052	U		< 0.0098	U		< 0.0049	U	
VMP-13	29.5	VMP-13-29.5-012524	1/25/2024	< 0.0047	U		< 0.0088	U		< 0.0044	U	
VMP-13	29.5	VMP-13-29.5-042924	4/29/2024	0.025			< 0.0093	U		< 0.0046	U	
VMP-14	5	VMP-14-5-072623	7/26/2023	0.0073			0.0031	J		< 0.0054	U	
VMP-14	5	VMP-14-5-110223	11/2/2023	< 0.0046	U		< 0.0086	U		< 0.0043	U	
VMP-14	5	VMP-14-5-012524	1/25/2024	0.0057			0.038			0.019		
VMP-14	5	VMP-14-5-042924	4/29/2024	< 0.0046	U		< 0.0086	U		< 0.0043	U	
VMP-14	11.5	VMP-14-11.5-072623	7/26/2023	0.0025	J		< 0.011	U		< 0.0053	U	
VMP-14	11.5	VMP-14-11.5-110223	11/2/2023	< 0.0048	U		< 0.0089	U		< 0.0044	U	
VMP-14	11.5	VMP-14-11.5-110223-DUP	11/2/2023	< 0.0045	U		0.0010	J		< 0.0042	U	
VMP-14	11.5	VMP-14-11.5-012524	1/25/2024	< 0.0051	U		< 0.0095	U		< 0.0047	U	
VMP-14	11.5	VMP-14-11.5-042924	4/29/2024	< 0.0048	U		< 0.0089	U		< 0.0045	U	
VMP-14	20	VMP-14-20-072623	7/26/2023	< 0.0059	U		< 0.011	U		< 0.0054	U	
VMP-14	20	VMP-14-20-110223	11/2/2023	0.0048			0.0047	J		< 0.0044	U	
VMP-14	20	VMP-14-20-012524	1/25/2024	0.044			< 0.0092	U		< 0.0046	U	
VMP-14	20	VMP-14-20-042924	4/29/2024	< 0.0050	U		< 0.0092	U		< 0.0046	U	
VMP-14	29	VMP-14-29-072623	7/26/2023	0.0015	J		< 0.011	U		< 0.0056	U	
VMP-14	29	VMP-14-29-110223	11/2/2023	< 0.0048	U		< 0.0090	U		< 0.0045	U	
VMP-14	29	VMP-14-29-012524	1/25/2024	0.0097			< 0.0090	U		< 0.0045	U	
VMP-14	29	VMP-14-29-042924	4/29/2024	< 0.0048	U		< 0.0090	U		< 0.0045	U	
VMP-15	5	VMP-15-5-072623	7/26/2023	< 0.0052	U		< 0.0097	U		< 0.0049	U	
VMP-15	5	VMP-15-5-103023	10/30/2023	< 0.0047	U		< 0.0088	U		< 0.0044	U	
VMP-15	5	VMP-15-5-012524	1/25/2024	< 0.0050	U		< 0.0092	U		< 0.0046	U	
VMP-15	5	VMP-15-5-043024	4/30/2024	< 0.0051	U		< 0.0095	U		< 0.0048	U	
VMP-15	21.5	VMP-15-21.5-072623	7/26/2023	< 0.0054	U		< 0.01	U		< 0.0050	U	
VMP-15	21.5	VMP-15-21.5-103023	10/30/2023	< 0.0047	U		< 0.0088	U		< 0.0044	U	
VMP-15	21.5	VMP-15-21.5-103023-DUP	10/30/2023	< 0.0050	U		< 0.0093	U		< 0.0046	U	
VMP-15	21.5	VMP-15-21.5-012524	1/25/2024	0.0088			0.00082	J		< 0.0045	U	
VMP-15	21.5	VMP-15-21.5-043024	4/30/2024	< 0.0052	U		< 0.0097	U		< 0.0049	U	
VMP-15	25.5	VMP-15-25.5-072623	7/26/2023	< 0.0057	U		< 0.011	U		< 0.0053	U	
VMP-15	25.5	VMP-15-25.5-103023	10/30/2023	< 0.0047	U		0.00072	J		< 0.0044	U	
VMP-15	25.5	VMP-15-25.5-012524	1/25/2024	< 0.0050	U		< 0.0093	U		< 0.0046	U	
VMP-15	25.5	VMP-15-25.5-043024	4/30/2024	< 0.0054	U		< 0.01	U		< 0.0050	U	
VMP-15	29	VMP-15-29-072623	7/26/2023	< 0.0052	U		< 0.0098	U		< 0.0049	U	
VMP-15	29	VMP-15-29-103023	10/30/2023	< 0.0045	U		< 0.0084	U		< 0.0042	U	
VMP-15	29	VMP-15-29-012524	1/25/2024	< 0.0050	U		< 0.0093	U		< 0.0046	U	
VMP-15	29	VMP-15-29-043024	4/30/2024	< 0.0054	U		< 0.01	U		< 0.0050	U	
VMP-16	5	VMP-16-5-072823	7/28/2023	< 0.0054	U		< 0.01	U		< 0.0050	U	
VMP-16	5	VMP-16-5-110123	11/1/2023	< 0.0047	U		0.0026	J		0.0012	J	
VMP-16	5	VMP-16-5-020124	2/1/2024	< 0.0049	U		< 0.0091	U		< 0.0046	U	
VMP-16	5	VMP-16-5-050224	5/2/2024	< 0.0053	U		< 0.0098	U		< 0.0049	U	

TABLE 6

HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL DETECTIONS AND SCREENING RESULTS: PUBLIC WORKS YARD AND WRR - VOCS

Location	Depth	Sample ID	Sample Date	2,2,4-Trimethylpentane			m,p-Xylene			o-Xylene		
				Result (mg/m3)	Lab Quals	AECOM Quals	820			790		
							Result (mg/m3)	Lab Quals	AECOM Quals	Result (mg/m3)	Lab Quals	AECOM Quals
VMP-16	13.5	VMP-16-13.5-072823	7/28/2023	940	E	J	< 3.1	U		< 1.5	U	
VMP-16	13.5	VMP-16-13.5-120123	12/1/2023	1600			0.28	J		< 1.2	U	
VMP-16	13.5	VMP-16-13.5-022924	2/29/2024	760			< 2.5	U		< 2.5	U	
VMP-16	13.5	VMP-16-13.5-050224	5/2/2024	790			9.2	J		4.3	J	
VMP-16	19	VMP-16-19-072823	7/28/2023	1800			< 20	U		< 10	U	
VMP-16	19	VMP-16-19-110123	11/1/2023	1700			2	J		< 6.3	U	
VMP-16	19	VMP-16-19-020124	2/1/2024	1600			31			12		
VMP-16	19	VMP-16-19-050224	5/2/2024	1500			4.1	J		< 12	U	
VMP-16	31	VMP-16-31-072823	7/28/2023	5000			25			< 12	U	
VMP-16	31	VMP-16-31-110123	11/1/2023	4000			65			17	J	
VMP-16	31	VMP-16-31-020124	2/1/2024	3800			25			6.9	J	
VMP-16	31	VMP-16-31-050224	5/2/2024	3400			9	J		< 24	U	
VMP-17	5	VMP-17-5-072723	7/27/2023	< 0.0052	U		< 0.0098	U		< 0.0049	U	
VMP-17	5	VMP-17-5-110223	11/2/2023	< 0.0052	U		< 0.0096	U		< 0.0048	U	
VMP-17	5	VMP-17-5-110223-DUP	11/2/2023	< 0.0046	U		< 0.0086	U		< 0.0043	U	
VMP-17	5	VMP-17-5-020124	2/1/2024	< 0.0053	U		< 0.0098	U		< 0.0049	U	
VMP-17	5	VMP-17-5-043024	4/30/2024	< 0.0050	U		< 0.0092	U		< 0.0046	U	
VMP-25	5	VMP-25-5-072623	7/26/2023	20		J	< 0.14	U		< 0.068	U	
VMP-25	5	VMP-25-5-072623-DUP	7/26/2023	15		J	< 0.13	U		< 0.066	U	
VMP-25	5	VMP-25-5-110123	11/1/2023	1.8			0.0091	J		0.0054	J	
VMP-25	5	VMP-25-5-110123-DUP	11/1/2023	1.8			0.0046	J		0.0032	J	
VMP-41	10	VMP-41-10-072723	7/27/2023	< 0.0057	U		< 0.011	U		< 0.0053	U	
VMP-41	10	VMP-41-10-102623	10/26/2023	< 0.0051	U		< 0.0096	U		< 0.0048	U	
VMP-41	10	VMP-41-10-012624	1/26/2024	0.0026	J		< 0.0088	U		< 0.0044	U	
VMP-41	10	VMP-41-10-043024	4/30/2024	< 0.0050	U		< 0.0093	U		< 0.0046	U	
VMP-41	20	VMP-41-20-072723	7/27/2023	< 0.0057	U		< 0.011	U		< 0.0053	U	
VMP-41	20	VMP-41-20-102623	10/26/2023	< 0.0053	U		< 0.0099	U		< 0.0050	U	
VMP-41	20	VMP-41-20-012624	1/26/2024	< 0.0048	U		0.0048	J		0.0019	J	
VMP-41	20	VMP-41-20-043024	4/30/2024	< 0.0054	U		< 0.01	U		< 0.0050	U	
VMP-41	26	VMP-41-26-072723	7/27/2023	< 0.0052	U		< 0.0096	U		0.0017	J	
VMP-41	26	VMP-41-26-102623	10/26/2023	< 0.0050	U		< 0.0094	U		< 0.0047	U	
VMP-41	26	VMP-41-26-102623-DUP	10/26/2023	< 0.0051	U		< 0.0095	U		< 0.0047	U	
VMP-41	26	VMP-41-26-012624	1/26/2024	< 0.0047	U		< 0.0087	U		< 0.0043	U	
VMP-41	26	VMP-41-26-043024	4/30/2024	< 0.0052	U		< 0.0098	U		< 0.0049	U	
VMP-55	20	VMP-55-20-072623	7/26/2023	19			0.39	J		0.095	J	
VMP-55	20	VMP-55-20-103023	10/30/2023	90			< 3.2	U		< 1.6	U	
VMP-55	20	VMP-55-20-012524	1/25/2024	190			< 0.96	U		< 0.96	U	
VMP-55	20	VMP-55-20-043024	4/30/2024	370			4.8	J		< 28	U	

Notes:

Analytes shown were detected in at least one location on Table 5 or Table 6 during the current quarter or previous 3 quarters.

Bold results are detections above the reporting limit (RL), or estimated detections between the method detection limit (MDL) and RL.

 Yellow highlighted cells indicate detections that exceed industrial screening criteria.

In November 2020 a gasoline release was discovered at a pipeline owned and operated by Buckeye Partners LP.

In the vicinity of the release site, increased petroleum concentrations have been observed at VMP-12 and VMP-16, and groundwater monitoring well P-66, which are in the WRR.

Lab Qualifiers

J = Estimated value; results between the MDL and RL

U = Compound analyzed for but not detected above the RL

AECOM Qualifiers

J = Estimated detection

UJ = Estimated non-detect

U = Non-detect due to blank contamination

**TABLE 7
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL RESULTS - NATURAL GASES**

Location	Depth	Sample ID	Sample Date	Carbon Dioxide			Carbon Monoxide			Ethane			Ethene			Helium			Methane			Nitrogen			Oxygen		
				Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
VMP-1	5	VMP-1-5-073123	7/31/2023	0.17			< 0.024	U		< 0.0024	U		< 0.0024	U		0.82			0.00033			79			20		
VMP-1	5	VMP-1-5-102723	10/27/2023	0.083			< 0.020	U		< 0.0020	U		< 0.0020	U		1.1			0.00022			78			21		
VMP-1	5	VMP-1-5-013024	1/30/2024	0.10			< 0.022	U		< 0.0022	U		< 0.0022	U		0.20			0.00014	J		78			22		
VMP-1	5	VMP-1-5-050324	5/3/2024	0.16			< 0.024	U		< 0.0024	U		< 0.0024	U		0.088	J		0.000072	J		78			22		
VMP-1	8.5	VMP-1-8.5-073123	7/31/2023	0.17			< 0.024	U		< 0.0024	U		< 0.0024	U		0.44			0.00029			79			20		
VMP-1	8.5	VMP-1-8.5-073123-DUP	7/31/2023	0.17			< 0.024	U		< 0.0024	U		< 0.0024	U		0.43			0.00030			79			20		
VMP-1	8.5	VMP-1-8.5-102723	10/27/2023	0.077			< 0.022	U		< 0.0022	U		< 0.0022	U		1.6			0.00024			77			21		
VMP-1	8.5	VMP-1-8.5-013024	1/30/2024	0.098			< 0.022	U		< 0.0022	U		< 0.0022	U		0.12			0.000078	J		78			22		
VMP-1	8.5	VMP-1-8.5-013024-DUP	1/30/2024	0.098			< 0.020	U		< 0.0020	U		< 0.0020	U		0.12			0.000084	J		78			22		
VMP-1	8.5	VMP-1-8.5-050324	5/3/2024	0.17			< 0.024	U		< 0.0024	U		< 0.0024	U		0.43			< 0.00024	U		78			21		
VMP-1	38.5	VMP-1-38.5-013024	1/30/2024	0.096			< 0.020	U		< 0.0020	U		< 0.0020	U		1.6			0.00011	J		77			21		
VMP-1	38.5	VMP-1-38.5-050324	5/3/2024	0.16			< 0.022	U		< 0.0022	U		< 0.0022	U		1.5			0.000090	J		77			21		
VMP-2	5	VMP-2-5-080223	8/2/2023	0.76			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.11	U		0.000089	J		79			20		
VMP-2	5	VMP-2-5-103023	10/30/2023	0.16			< 0.027	U		< 0.0027	U		< 0.0027	U		< 0.14	U		0.00016	J		78			22		
VMP-2	5	VMP-2-5-013124	1/31/2024	0.096			< 0.021	U		< 0.0021	U		< 0.0021	U		0.062	J		0.00016	J		79			21		
VMP-2	5	VMP-2-5-050624	5/6/2024	0.31			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.11	U		< 0.00023	U		79			21		
VMP-2	8.5	VMP-2-8.5-080223	8/2/2023	0.90			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		0.000078	J		79			20		
VMP-2	8.5	VMP-2-8.5-080223-DUP	8/2/2023	0.95			< 0.021	U		< 0.0021	U		< 0.0021	U		0.017	J		< 0.00021	U		79			20		
VMP-2	8.5	VMP-2-8.5-103023	10/30/2023	0.42			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		0.000072	J		78			21		
VMP-2	8.5	VMP-2-8.5-013124	1/31/2024	0.14			< 0.022	U		< 0.0022	U		< 0.0022	U		0.093	J		0.00012	J		79			21		
VMP-2	8.5	VMP-2-8.5-050624	5/6/2024	0.36			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		79			21		
VMP-2	22	VMP-2-22-080223	8/2/2023	0.93			< 0.020	U		< 0.0020	U		< 0.0020	U		0.068	J		0.00013	J		80			19		
VMP-2	22	VMP-2-22-103023	10/30/2023	0.62			< 0.020	U		< 0.0020	U		< 0.0020	U		0.047	J		0.00015	J		78			21		
VMP-2	22	VMP-2-22-013124	1/31/2024	0.25			< 0.021	U		< 0.0021	U		< 0.0021	U		0.066	J		0.00013	J		79			21		
VMP-2	22	VMP-2-22-050624	5/6/2024	0.48			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.10	U		0.000098	J		78			21		
VMP-3	5	VMP-3-5-080223	8/2/2023	2.1			< 0.020	U		< 0.0020	U		< 0.0020	U		0.24			< 0.00020	U		79			19		
VMP-3	5	VMP-3-5-110223	11/2/2023	0.056			< 0.020	U		< 0.0020	U		< 0.0020	U		0.10	J		0.00023			78			22		
VMP-3	5	VMP-3-5-022924	2/29/2024	0.057			< 0.022	U		< 0.0022	U		< 0.0022	U		1.1			0.00019	J		78			21		
VMP-3	5	VMP-3-5-050224	5/2/2024	0.65			< 0.024	U		< 0.0024	U		< 0.0024	U		0.23			0.000077	J		80			19		
VMP-3	10	VMP-3-10-080223	8/2/2023	1.8			< 0.021	U		< 0.0021	U		< 0.0021	U		0.0036	J		< 0.00021	U		79			19		
VMP-3	10	VMP-3-10-110223	11/2/2023	0.17			< 0.020	U		< 0.0020	U		< 0.0020	U		0.37			0.00026			77			22		
VMP-3	10	VMP-3-10-020224	2/2/2024	0.14			< 0.018	U		< 0.0018	U		< 0.0018	U		0.27			0.00030			78			22		
VMP-3	10	VMP-3-10-050224	5/2/2024	0.34			< 0.024	U		< 0.0024	U		< 0.0024	U		0.80			0.00021	J		78			21		
VMP-3	22	VMP-3-22-080323	8/3/2023	2.1			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		80			18		
VMP-3	22	VMP-3-22-110223	11/2/2023	1.7			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.10	U		< 0.00020	U		78			20		
VMP-3	22	VMP-3-22-020224	2/2/2024	0.92			< 0.020	U		< 0.0020	U		< 0.0020	U		0.0034	J		< 0.00020	U		78			21		
VMP-3	22	VMP-3-22-050224	5/2/2024	0.98			< 0.024	U		< 0.0024	U		< 0.0024	U		0.020	J		< 0.00024	U		79			20		
VMP-3	31.5	VMP-3-31.5-080323	8/3/2023	2.9			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		< 0.00021	U		81			16		
VMP-3	31.5	VMP-3-31.5-110223	11/2/2023	3.3			< 0.020	U		< 0.0020	U		< 0.0020	U		0.0074	J		< 0.00020	U		80			17		
VMP-3	31.5	VMP-3-31.5-020224	2/2/2024	2.8			< 0.019	U		< 0.0019	U		< 0.0019	U		0.0059	J		0.000082	J		78			19		
VMP-3	31.5	VMP-3-31.5-050224	5/2/2024	2.1			< 0.025	U		< 0.0025	U		< 0.0025	U		0.0034	J		< 0.00025	U		79			19		
VMP-3	39	VMP-3-39-050224	5/2/2024	9.9			< 0.023	U		< 0.0023	U		< 0.0023	U		0.0024	J		0.012			82			7.5		
VMP-4	5	VMP-4-5-080223	8/2/2023	1.4			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.11	U		< 0.00023	U		79			20		
VMP-4	5	VMP-4-5-103123	10/31/2023	0.39			< 0.020	U		< 0.0020	U		< 0.0020	U		0.0031	J		< 0.00020	U		79			21		
VMP-4	5	VMP-4-5-020224	2/2/2024	0.071			< 0.022	U		< 0.0022	U		< 0.0022	U		0.39			0.00022	J		78			22		
VMP-4	5	VMP-4-5-050624	5/6/2024	0.16			< 0.021	U		< 0.0021	U		< 0.0021	U		0.20			0.00021			79			21		
VMP-4	5	VMP-4-5-050624-DUP	5/6/2024	0.16			< 0.021	U		< 0.0021	U		< 0.0021	U		0.20			0.00021			79			21		
VMP-4	12	VMP-4-12-080223	8/2/2023	2.7			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		78			19		
VMP-4	12	VMP-4-12-103123	10/31/2023	2.8			< 0.021	U		< 0.0021	U		< 0.0021	U		0.026	J		< 0.00021	U		77			20		
VMP-4	12	VMP-4-12-103123-DUP	10/31/2023	2.8			< 0.021	U		< 0.0021	U		< 0.0021	U		0.013	J		< 0.00021	U		77			20		
VMP-4	12	VMP-4-12-020224	2/2/2024	0.31			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		0.00016	J		78			22		
VMP-4	12	VMP-4-12-050624	5/6/2024	0.42			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		0.00018	J		78			21		
VMP-4	23.5	VMP-4-23.5-080223	8/2/2023	2.0			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		80			18		
VMP-4	23.5	VMP-4-23.5-103123	10/31/2023	3.0			< 0.021	U		< 0.0021	U		< 0.0021	U		0.016	J		0.000058	J		78			19		
VMP-4	23.5	VMP-4-23.5-020224	2/2/2024	3.4			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.11	U		0.00013	J		78			19		
VMP-4	23.5	VMP-4-23.5-050624	5/6/2024	2.5			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		< 0.00021	U		78			19		

**TABLE 7
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL RESULTS - NATURAL GASES**

Location	Depth	Sample ID	Sample Date	Carbon Dioxide			Carbon Monoxide			Ethane			Ethene			Helium			Methane			Nitrogen			Oxygen		
				Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
VMP-5	5	VMP-5-5-080223	8/2/2023	1.6			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0070	J		< 0.00022	U		79			19		
VMP-5	5	VMP-5-5-103023	10/30/2023	0.43			< 0.021	U		< 0.0021	U		< 0.0021	U		0.0076	J		0.00013	J		78			21		
VMP-5	5	VMP-5-5-012924	1/29/2024	0.12			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.098	U		0.00018	J		79			21		
VMP-5	5	VMP-5-5-050124	5/1/2024	0.30			< 0.021	U		< 0.0021	U		< 0.0021	U		0.0041	J		0.00016	J		79			21		
VMP-5	12.5	VMP-5-12.5-080223	8/2/2023	2.4			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		< 0.00021	U		80			18		
VMP-5	12.5	VMP-5-12.5-103023	10/30/2023	1.9			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		< 0.00021	U		78			20		
VMP-5	12.5	VMP-5-12.5-012924	1/29/2024	0.57			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.10	U		< 0.00020	U		78			21		
VMP-5	12.5	VMP-5-12.5-050124	5/1/2024	1.1			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.11	U		< 0.00021	U		79			20		
VMP-5	31	VMP-5-31-080223	8/2/2023	2.1			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		< 0.00021	U		80			18		
VMP-5	31	VMP-5-31-103023	10/30/2023	2.6			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.099	U		0.00023			78			19		
VMP-5	31	VMP-5-31-012924	1/29/2024	2.5			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		0.000062	J		78			20		
VMP-5	31	VMP-5-31-050124	5/1/2024	1.6			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.11	U		0.000091	J		78			20		
VMP-5	31	VMP-5-31-050124-DUP	5/1/2024	1.6			< 0.020	U		< 0.0020	U		< 0.0020	U		0.0063	J		0.000086	J		79			19		
VMP-5	40	VMP-5-40-080223	8/2/2023	2.2			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		80			18		
VMP-5	40	VMP-5-40-103123	10/31/2023	2.7			< 0.022	U		< 0.0022	U		< 0.0022	U		0.022	J		0.00024			78			19		
VMP-5	40	VMP-5-40-012924	1/29/2024	2.5			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		0.00030			78			20		
VMP-5	40	VMP-5-40-050124	5/1/2024	1.8			< 0.022	U		< 0.0022	U		< 0.0022	U		0.059	J		0.00034			78			20		
VMP-6	5	VMP-6-5-080123	8/1/2023	1.0			< 0.020	U		< 0.0020	U		< 0.0020	U		0.88			0.00015	J		79			20		
VMP-6	5	VMP-6-5-110123	11/1/2023	2.0			< 0.022	U		< 0.0022	U		< 0.0022	U		0.036	J		0.00016	J		78			20		
VMP-6	5	VMP-6-5-020124	2/1/2024	1.9			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0059	J		< 0.00022	U		78			20		
VMP-6	5	VMP-6-5-020124-DUP	2/1/2024	1.9			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0051	J		< 0.00022	U		78			20		
VMP-6	5	VMP-6-5-043024	4/30/2024	0.56			< 0.026	U		< 0.0026	U		< 0.0026	U		< 0.13	U		< 0.00026	U		79			20		
VMP-6	5	VMP-6-5-043024-DUP	4/30/2024	0.56			< 0.026	U		< 0.0026	U		< 0.0026	U		< 0.13	U		< 0.00026	U		79			20		
VMP-6	10	VMP-6-10-080123	8/1/2023	3.9			< 0.022	U		< 0.0022	U		< 0.0022	U		0.19			< 0.00022	U		79			17		
VMP-6	10	VMP-6-10-110123	11/1/2023	2.5			< 0.023	U		< 0.0023	U		< 0.0023	U		0.0049	J		0.00015	J		78			19		
VMP-6	10	VMP-6-10-020124	2/1/2024	2.2			< 0.022	U		< 0.0022	U		< 0.0022	U		0.49			< 0.00022	U		78			19		
VMP-6	10	VMP-6-10-043024	4/30/2024	0.80			< 0.025	U		< 0.0025	U		< 0.0025	U		0.0053	J		0.0027			80			19		
VMP-6	31.5	VMP-6-31.5-080123	8/1/2023	5.2			< 0.021	U		< 0.0021	U		< 0.0021	U		0.049	J		< 0.00021	U		80			15		
VMP-6	31.5	VMP-6-31.5-110123	11/1/2023	6.1			< 0.021	U		< 0.0021	U		< 0.0021	U		0.017	J		< 0.00021	U		78			16		
VMP-6	31.5	VMP-6-31.5-020124	2/1/2024	5.9			< 0.023	U		< 0.0023	U		< 0.0023	U		0.016	J		< 0.00023	U		79			15		
VMP-6	31.5	VMP-6-31.5-043024	4/30/2024	4.1			< 0.024	U		< 0.0024	U		< 0.0024	U		0.013	J		< 0.00024	U		79			17		
VMP-6	39	VMP-6-39-080123	8/1/2023	6.0			< 0.021	U		0.000079	J		< 0.0021	U		0.026	J		0.48			80			13		
VMP-6	39	VMP-6-39-110123	11/1/2023	7.0			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		0.028			79			14		
VMP-6	39	VMP-6-39-020124	2/1/2024	6.8			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0021	J		< 0.00022	U		79			14		
VMP-6	39	VMP-6-39-043024	4/30/2024	5.1			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.12	U		< 0.00023	U		79			16		
VMP-7	5	VMP-7-5-073123	7/31/2023	3.2			< 0.026	U		< 0.0026	U		< 0.0026	U		< 0.13	U		0.00031			80			17		
VMP-7	5	VMP-7-5-102623	10/26/2023	3.0			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.11	U		< 0.00021	U		79			18		
VMP-7	5	VMP-7-5-013024	1/30/2024	1.6			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		0.00020	J		78			20		
VMP-7	5	VMP-7-5-050324	5/3/2024	0.68			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		79			20		
VMP-7	13.5	VMP-7-13.5-073123	7/31/2023	2.4			< 0.023	U		< 0.0023	U		< 0.0023	U		0.13			0.00012	J		79			18		
VMP-7	13.5	VMP-7-13.5-102623	10/26/2023	3.0			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		79			18		
VMP-7	13.5	VMP-7-13.5-013024	1/30/2024	2.2			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.098	U		0.00015	J		78			20		
VMP-7	13.5	VMP-7-13.5-050324	5/3/2024	0.70			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.11	U		< 0.00021	U		78			21		
VMP-7	13.5	VMP-7-13.5-050324-DUP	5/3/2024	0.71			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		78			21		
VMP-7	29.5	VMP-7-29.5-073123	7/31/2023	4.5			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.12	U		< 0.00023	U		80			15		
VMP-7	29.5	VMP-7-29.5-073123-DUP	7/31/2023	4.4			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.12	U		< 0.00023	U		81			15		
VMP-7	29.5	VMP-7-29.5-102623	10/26/2023	5.2			< 0.022	U		< 0.0022	U		< 0.0022	U		0.037	J		< 0.00022	U		79			16		
VMP-7	29.5	VMP-7-29.5-013024	1/30/2024	5.5			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.099	U		0.00015	J		80			15		
VMP-7	29.5	VMP-7-29.5-050324	5/3/2024	3.3			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		79			18		
VMP-7	38	VMP-7-38-073123	7/31/2023	4.2			< 0.023	U		< 0.0023	U		< 0.0023	U		0.027	J		< 0.00023	U		81			15		
VMP-7	38	VMP-7-38-102623	10/26/2023	4.3			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		< 0.00021	U		79			17		
VMP-7	38	VMP-7-38-013024	1/30/2024	4.6			< 0.020	U		< 0.0020	U		< 0.0020	U		0.0040	J		0.00023			79			16		
VMP-7	38	VMP-7-38-050324	5/3/2024	2.9			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		< 0.00021	U		78			19		
VMP-8	5	VMP-8-5-072123	7/21/2023	3.8			< 0.022	U		< 0.0022	U		< 0.0022	U		0.010	J		< 0.00022	U		78			18		
VMP-8	5	VMP-8-5-102523	10/25/2023	2.8			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		0.00011	J		78			19		
VMP-8	5	VMP-8-5-012424	1/24/2024	0.46			< 0.020	U		< 0.0020	U		< 0														

TABLE 7
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL RESULTS - NATURAL GASES

Location	Depth	Sample ID	Sample Date	Carbon Dioxide			Carbon Monoxide			Ethane			Ethene			Helium			Methane			Nitrogen			Oxygen		
				Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
VMP-8	9.5	VMP-8-9.5-072123	7/21/2023	4.5			< 0.025	U		< 0.0025	U		< 0.0025	U		0.063	J		< 0.00025	U		80			16		
VMP-8	9.5	VMP-8-9.5-102523	10/25/2023	5.2			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0052	J		< 0.00022	U		78			17		
VMP-8	9.5	VMP-8-9.5-012424	1/24/2024	3.9			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		< 0.00021	U		79			17		
VMP-8	9.5	VMP-8-9.5-042524	4/25/2024	4.2			< 0.020	U		< 0.0020	U		< 0.0020	U		0.013	J		0.00010	J		80			16		
VMP-8	23.5	VMP-8-23.5-072123	7/21/2023	4.9			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		80			15		
VMP-8	23.5	VMP-8-23.5-072123-DUP	7/21/2023	4.9			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		80			15		
VMP-8	23.5	VMP-8-23.5-102523	10/25/2023	5.5			< 0.021	U		< 0.0021	U		< 0.0021	U		0.036	J		< 0.00021	U		80			15		
VMP-8	23.5	VMP-8-23.5-012424	1/24/2024	5.2			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		0.00014	J		79			16		
VMP-8	23.5	VMP-8-23.5-012424-DUP	1/24/2024	5.2			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		0.00012	J		79			16		
VMP-8	23.5	VMP-8-23.5-042524	4/25/2024	5.1			< 0.021	U		< 0.0021	U		< 0.0021	U		0.020	J		< 0.00021	U		80			15		
VMP-8	35.5	VMP-8-35.5-072123	7/21/2023	1.6			< 0.024	U		< 0.0024	U		< 0.0024	U		0.13			0.00010	J		79			19		
VMP-8	35.5	VMP-8-35.5-102523	10/25/2023	1.1			< 0.021	U		< 0.0021	U		< 0.0021	U		0.33			0.00018	J		78			21		
VMP-8	35.5	VMP-8-35.5-012424	1/24/2024	1.1			< 0.021	U		< 0.0021	U		< 0.0021	U		0.51			0.00020	J		78			20		
VMP-8	35.5	VMP-8-35.5-042524	4/25/2024	0.93			< 0.021	U		< 0.0021	U		< 0.0021	U		0.38			0.00019	J		79			20		
VMP-9	5	VMP-9-5-072523	7/25/2023	2.4			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.12	U		0.00011	J		80			18		
VMP-9	5	VMP-9-5-102523	10/25/2023	0.99			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		0.00011	J		78			21		
VMP-9	5	VMP-9-5-012424	1/24/2024	1.2			< 0.021	U		< 0.0021	U		< 0.0021	U		0.0038	J		0.000067	J		80			19		
VMP-9	5	VMP-9-5-042524	4/25/2024	0.64			< 0.022	U		< 0.0022	U		< 0.0022	U		0.024	J		0.00013	J		79			20		
VMP-9	11.5	VMP-9-11.5-072523	7/25/2023	3.2			< 0.022	U		< 0.0022	U		< 0.0022	U		0.21			< 0.00022	U		79			18		
VMP-9	11.5	VMP-9-11.5-102523	10/25/2023	2.1			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		78			20		
VMP-9	11.5	VMP-9-11.5-012424	1/24/2024	2.1			< 0.020	U		< 0.0020	U		< 0.0020	U		0.0028	J		< 0.00020	U		79			19		
VMP-9	11.5	VMP-9-11.5-042524	4/25/2024	1.2			< 0.023	U		< 0.0023	U		< 0.0023	U		0.013	J		< 0.00023	U		79			20		
VMP-9	25.5	VMP-9-25.5-072523	7/25/2023	3.2			< 0.024	U		< 0.0024	U		< 0.0024	U		< 0.12	U		0.000071	J		81			16		
VMP-9	25.5	VMP-9-25.5-102523	10/25/2023	4.0			< 0.022	U		< 0.0022	U		< 0.0022	U		0.017	J	J	< 0.00022	U		79			17		
VMP-9	25.5	VMP-9-25.5-102523-DUP	10/25/2023	3.9			< 0.021	U		< 0.0021	U		< 0.0021	U		0.28		J	< 0.00021	U		79			17		
VMP-9	25.5	VMP-9-25.5-012424	1/24/2024	3.8			< 0.021	U		< 0.0021	U		< 0.0021	U		0.0034	J		0.000062	J		79			17		
VMP-9	25.5	VMP-9-25.5-042524	4/25/2024	2.4			< 0.023	U		< 0.0023	U		< 0.0023	U		0.012	J		< 0.00023	U		79			19		
VMP-9	38.5	VMP-9-38.5-072523	7/25/2023	4.5			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.11	U		0.00011	J		82			14		
VMP-9	38.5	VMP-9-38.5-102523	10/25/2023	6.9			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		81			12		
VMP-9	38.5	VMP-9-38.5-012424	1/24/2024	7.7			< 0.022	U		< 0.0022	U		< 0.0022	U		0.061	J		0.00011	J		81			11		
VMP-9	38.5	VMP-9-38.5-042524	4/25/2024	6.4			< 0.022	U		< 0.0022	U		< 0.0022	U		0.025	J		0.000093	J		81			13		
VMP-9	38.5	VMP-9-38.5-042524-DUP	4/25/2024	6.5			< 0.023	U		< 0.0023	U		< 0.0023	U		0.027	J		0.00011	J		80			13		
VMP-10	5	VMP-10-5-072723	7/27/2023	1.2			< 0.025	U		< 0.0025	U		< 0.0025	U		< 0.13	U		< 0.00025	U		79			20		
VMP-10	5	VMP-10-5-102623	10/26/2023	0.84			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		78			21		
VMP-10	5	VMP-10-5-012624	1/26/2024	0.45			< 0.019	U		< 0.0019	U		< 0.0019	U		0.025	J		< 0.00019	U		78			21		
VMP-10	5	VMP-10-5-042924	4/29/2024	0.95			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.10	U		< 0.00020	U		78			21		
VMP-10	10	VMP-10-10-072723	7/27/2023	1.3			< 0.030	U		< 0.0030	U		< 0.0030	U		< 0.15	U		< 0.00030	U		79			20		
VMP-10	10	VMP-10-10-102623	10/26/2023	1.1			< 0.021	U		< 0.0021	U		< 0.0021	U		0.55			< 0.00021	U		78			20		
VMP-10	10	VMP-10-10-012624	1/26/2024	0.59			< 0.019	U		< 0.0019	U		< 0.0019	U		1.1		J	0.000080	J		78			20		
VMP-10	10	VMP-10-10-012624-DUP	1/26/2024	0.66			< 0.019	U		< 0.0019	U		< 0.0019	U		< 0.093	U	UJ	0.000055	J		79			20		
VMP-10	10	VMP-10-10-042924	4/29/2024	0.76			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		0.00029	J		78			21		
VMP-10	20	VMP-10-20-072723	7/27/2023	1.5			< 0.023	U		< 0.0023	U		< 0.0023	U		0.044	J		< 0.00023	U		79			19		
VMP-10	20	VMP-10-20-102623	10/26/2023	1.7			< 0.020	U		< 0.0020	U		< 0.0020	U		0.0019	J		< 0.00020	U		78			20		
VMP-10	20	VMP-10-20-012624	1/26/2024	1.3			< 0.022	U		< 0.0022	U		< 0.0022	U		0.010	J		< 0.00022	U		79			20		
VMP-10	20	VMP-10-20-042924	4/29/2024	1.1			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.11	U		< 0.00021	U		78			21		
VMP-10	30	VMP-10-30-072723	7/27/2023	1.7			< 0.023	U		< 0.0023	U		< 0.0023	U		0.0024	J		< 0.00023	U		79			19		
VMP-10	30	VMP-10-30-102623	10/26/2023	2.3			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		0.000090	J		79			19		
VMP-10	30	VMP-10-30-012624	1/26/2024	2.2			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.10	U		0.00013	J		79			19		
VMP-10	30	VMP-10-30-042924	4/29/2024	1.9			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0069	J		< 0.00022	U		78			20		
VMP-11	5	VMP-11-5-072523	7/25/2023	2.1			< 0.022	U		< 0.0022	U		< 0.0022	U		0.019	J		< 0.00022	U		79			19		
VMP-11	5	VMP-11-5-102523	10/25/2023	1.1			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		79			20		
VMP-11	5	VMP-11-5-012624	1/26/2024	0.34			< 0.019	U		< 0.0019	U		< 0.0019	U		< 0.097	U		0.000086	J		79			21		
VMP-11	5	VMP-11-5-043024	4/30/2024	1.3			< 0.021	U		< 0.0021	U		< 0.0021	U		0.029	J		0.00012	J		79			20		
VMP-11	8	VMP-11-8-072523	7/25/2023	2.1			< 0.026	U		< 0.0026	U		< 0.0026	U		0.0043	J		< 0.00026	U		79			19		
VMP-11	8	VMP-11-8-102523	10/25/2023	1.2			< 0.021	U		< 0.0021	U		< 0.0021	U		0.0042	J		< 0.00021	U		78			21		
VMP-11	8																										

**TABLE 7
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL RESULTS - NATURAL GASES**

Location	Depth	Sample ID	Sample Date	Carbon Dioxide			Carbon Monoxide			Ethane			Ethene			Helium			Methane			Nitrogen			Oxygen		
				Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
VMP-11	29	VMP-11-29-072523	7/25/2023	2.1			< 0.021	U		< 0.0021	U		< 0.0021	U		0.050	J		< 0.00021	U		80			18		
VMP-11	29	VMP-11-29-102523	10/25/2023	2.1			< 0.022	U		< 0.0022	U		< 0.0022	U		0.30			< 0.00022	U		79			19		
VMP-11	29	VMP-11-29-102523-DUP	10/25/2023	2.1			< 0.022	U		< 0.0022	U		< 0.0022	U		0.30			< 0.00022	U		79			19		
VMP-11	29	VMP-11-29-012624	1/26/2024	1.4			< 0.021	U		< 0.0021	U		< 0.0021	U		0.011	J		0.000054	J		79			20		
VMP-11	29	VMP-11-29-043024	4/30/2024	2.0			< 0.022	U		< 0.0022	U		< 0.0022	U		0.023	J		< 0.00022	U		79			19		
VMP-11	38	VMP-11-38-072523	7/25/2023	2.0			< 0.026	U		< 0.0026	U		< 0.0026	U		0.022	J		0.000094	J		79			19		
VMP-11	38	VMP-11-38-102523	10/25/2023	1.1			< 0.023	U		< 0.0023	U		< 0.0023	U		0.0027	J		0.000062	J		78			21		
VMP-11	38	VMP-11-38-012624	1/26/2024	0.36			< 0.021	U		< 0.0021	U		< 0.0021	U		0.012	J		< 0.00021	U		79			21		
VMP-12	5	VMP-12-5-072823	7/28/2023	0.10			< 0.022	U		< 0.0022	U		< 0.0022	U		0.055	J		0.00017	J		79			21		
VMP-12	5	VMP-12-5-110123	11/1/2023	0.047			< 0.021	U		< 0.0021	U		< 0.0021	U		0.030	J		0.00020	J		78			22		
VMP-12	5	VMP-12-5-020124	2/1/2024	0.050			< 0.022	U		< 0.0022	U		< 0.0022	U		0.015	J		0.00020	J		78			22		
VMP-12	5	VMP-12-5-050224	5/2/2024	0.072			< 0.024	U		< 0.0024	U		< 0.0024	U		< 0.12	U		0.00018	J		78			22		
VMP-12	11.5	VMP-12-11.5-072823	7/28/2023	0.20			< 0.024	U		< 0.0024	U		< 0.0024	U		0.0076	J		0.00012	J		79			21		
VMP-12	11.5	VMP-12-11.5-110123	11/1/2023	0.11			< 0.021	U		< 0.0021	U		< 0.0021	U		0.0083	J		0.00017	J		78			22		
VMP-12	11.5	VMP-12-11.5-020124	2/1/2024	1.2			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		81			18		
VMP-12	11.5	VMP-12-11.5-050224	5/2/2024	0.095			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		78			22		
VMP-12	25	VMP-12-25-072823	7/28/2023	12			< 0.022	U		0.00028	J		< 0.0022	U		0.0099	J		8.9			74			4.6		
VMP-12	25	VMP-12-25-110123	11/1/2023	4.0			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.098	U		< 0.00020	U		78			18		
VMP-12	25	VMP-12-25-020124	2/1/2024	14			< 0.020	U		0.00022	J		< 0.0020	U		0.012	J		8.0			76			1.4		
VMP-12	25	VMP-12-25-050224	5/2/2024	10			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		0.0010			84			6.0		
VMP-12	39	VMP-12-39-072823	7/28/2023	14			< 0.022	U		0.0017	J		< 0.0022	U		0.012	J		43			40			1.0		
VMP-12	39	VMP-12-39-110123	11/1/2023	15			< 0.020	U		0.00035	J		< 0.0020	U		0.033	J		16			68			1.3		
VMP-12	39	VMP-12-39-020124	2/1/2024	15			< 0.021	U		0.00088	J		< 0.0021	U		< 0.10	U		28			55			1.1		
VMP-12	39	VMP-12-39-050224	5/2/2024	15			< 0.022	U		0.00057	J		< 0.0022	U		< 0.11	U		24			58			1.0		
VMP-13	5	VMP-13-5-072623	7/26/2023	1.0			< 0.023	U		< 0.0023	U		< 0.0023	U		0.0060	J		< 0.00023	U		80			19		
VMP-13	5	VMP-13-5-110223	11/2/2023	1.1			< 0.021	U		< 0.0021	U		< 0.0021	U		0.016	J		< 0.00021	U		78			21		
VMP-13	5	VMP-13-5-012524	1/25/2024	0.027			< 0.021	U		< 0.0021	U		< 0.0021	U		0.0030	J		< 0.00021	U		79			21		
VMP-13	5	VMP-13-5-042924	4/29/2024	0.12			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		< 0.00021	U		79			21		
VMP-13	10.5	VMP-13-10.5-072623	7/26/2023	0.94			< 0.022	U		< 0.0022	U		< 0.0022	U		0.067	J		< 0.00022	U		79			20		
VMP-13	10.5	VMP-13-10.5-072623-DUP	7/26/2023	0.94			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0020	J		< 0.00022	U		79			20		
VMP-13	10.5	VMP-13-10.5-110223	11/2/2023	1.2			< 0.021	U		< 0.0021	U		< 0.0021	U		0.026	J		< 0.00021	U		79			20		
VMP-13	10.5	VMP-13-10.5-012524	1/25/2024	0.64			< 0.020	U		< 0.0020	U		< 0.0020	U		0.029	J		< 0.00020	U		78			21		
VMP-13	10.5	VMP-13-10.5-042924	4/29/2024	0.30			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		< 0.00021	U		79			21		
VMP-13	21.5	VMP-13-21.5-072623	7/26/2023	0.35			< 0.024	U		< 0.0024	U		< 0.0024	U		0.0028	J		< 0.00024	U		80			20		
VMP-13	21.5	VMP-13-21.5-110223	11/2/2023	0.97			< 0.021	U		< 0.0021	U		< 0.0021	U		0.062	J		< 0.00021	U		79			20		
VMP-13	21.5	VMP-13-21.5-012524	1/25/2024	0.99			< 0.020	U		< 0.0020	U		< 0.0020	U		0.0056	J		< 0.00020	U		78			21		
VMP-13	21.5	VMP-13-21.5-042924	4/29/2024	0.58			< 0.021	U		< 0.0021	U		< 0.0021	U		0.0085	J		< 0.00021	U		78			21		
VMP-13	21.5	VMP-13-21.5-042924-DUP	4/29/2024	0.58			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		< 0.00021	U		78			21		
VMP-13	29.5	VMP-13-29.5-072623	7/26/2023	0.60			< 0.022	U		< 0.0022	U		< 0.0022	U		0.014	J		< 0.00022	U		79			20		
VMP-13	29.5	VMP-13-29.5-110223	11/2/2023	1.2			< 0.022	U		< 0.0022	U		< 0.0022	U		0.082	J		< 0.00022	U		79			20		
VMP-13	29.5	VMP-13-29.5-012524	1/25/2024	0.54			< 0.020	U		< 0.0020	U		< 0.0020	U		0.038	J		< 0.00020	U		78			21		
VMP-13	29.5	VMP-13-29.5-042924	4/29/2024	0.29			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0068	J		< 0.00022	U		79			21		
VMP-14	5	VMP-14-5-072623	7/26/2023	0.74			< 0.025	U		< 0.0025	U		< 0.0025	U		1.0			0.00014	J		78			20		
VMP-14	5	VMP-14-5-110223	11/2/2023	0.22			< 0.020	U		< 0.0020	U		< 0.0020	U		0.48			0.00013	J		78			21		
VMP-14	5	VMP-14-5-012524	1/25/2024	0.34			< 0.022	U		< 0.0022	U		< 0.0022	U		2.5			0.00012	J		76			21		
VMP-14	5	VMP-14-5-042924	4/29/2024	1.3			< 0.020	U		< 0.0020	U		< 0.0020	U		1.5			0.00021			78			19		
VMP-14	11.5	VMP-14-11.5-072623	7/26/2023	0.67			< 0.025	U		< 0.0025	U		< 0.0025	U		0.73			0.00016	J		78			20		
VMP-14	11.5	VMP-14-11.5-110223	11/2/2023	0.22			< 0.020	U		< 0.0020	U		< 0.0020	U		1.1			0.00013	J		78			21		
VMP-14	11.5	VMP-14-11.5-110223-DUP	11/2/2023	0.22			< 0.019	U		< 0.0019	U		< 0.0019	U		1.1			0.00011	J		78			21		
VMP-14	11.5	VMP-14-11.5-012524	1/25/2024	0.36			< 0.022	U		< 0.0022	U		< 0.0022	U		0.68			0.000095	J		78			21		
VMP-14	11.5	VMP-14-11.5-042924	4/29/2024	1.3			< 0.021	U		< 0.0021	U		< 0.0021	U		1.6			0.00019	J		77			20		
VMP-14	20	VMP-14-20-072623	7/26/2023	8.0			< 0.025	U		< 0.0025	U		< 0.0025	U		0.026	J		0.00021	J		81			11		
VMP-14	20	VMP-14-20-110223	11/2/2023	8.4			< 0.020	U		< 0.0020	U		< 0.0020	U		0.095	J		0.00022			79			13		
VMP-14	20	VMP-14-20-012524	1/25/2024	6.4			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.11	U		0.00021	J		80			14		
VMP-14	20	VMP-14-20-042924	4/29/2024	5.6			< 0.021	U		< 0.0021	U		< 0.0021	U		0.047	J		0.00012	J		80			14		

**TABLE 7
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL RESULTS - NATURAL GASES**

Location	Depth	Sample ID	Sample Date	Carbon Dioxide			Carbon Monoxide			Ethane			Ethene			Helium			Methane			Nitrogen			Oxygen		
				Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
VMP-14	29	VMP-14-29-072623	7/26/2023	5.4			< 0.026	U		< 0.0026	U		< 0.0026	U		0.0021	J		0.00033			80			14		
VMP-14	29	VMP-14-29-110223	11/2/2023	0.35			< 0.021	U		< 0.0021	U		< 0.0021	U		0.30			0.00017	J		78			21		
VMP-14	29	VMP-14-29-012524	1/25/2024	0.44			< 0.021	U		< 0.0021	U		< 0.0021	U		0.012	J		0.00015	J		78			21		
VMP-14	29	VMP-14-29-042924	4/29/2024	3.3			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		0.000094	J		80			17		
VMP-15	5	VMP-15-5-072623	7/26/2023	7.6			< 0.022	U		< 0.0022	U		< 0.0022	U		0.027	J		0.000069	J		81			11		
VMP-15	5	VMP-15-5-103023	10/30/2023	6.0			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.10	U		0.000089	J		81			13		
VMP-15	5	VMP-15-5-012524	1/25/2024	2.1			< 0.021	U		< 0.0021	U		< 0.0021	U		0.018	J		< 0.00021	U		82			16		
VMP-15	5	VMP-15-5-043024	4/30/2024	4.0			< 0.022	U		< 0.0022	U		< 0.0022	U		0.014	J		< 0.00022	U		82			14		
VMP-15	21.5	VMP-15-21.5-072623	7/26/2023	16			< 0.023	U		< 0.0023	U		< 0.0023	U		0.013	J		< 0.00023	U		81			2.6		
VMP-15	21.5	VMP-15-21.5-103023	10/30/2023	8.9			< 0.020	U		< 0.0020	U		< 0.0020	U		0.46			0.00012	J		80			11		
VMP-15	21.5	VMP-15-21.5-103023-DUP	10/30/2023	8.8			< 0.022	U		< 0.0022	U		< 0.0022	U		0.60			0.00013	J		80			11		
VMP-15	21.5	VMP-15-21.5-012524	1/25/2024	17			< 0.021	U		< 0.0021	U		< 0.0021	U		0.045	J		< 0.00021	U		80			2.7		
VMP-15	21.5	VMP-15-21.5-043024	4/30/2024	18			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0035	J		< 0.00022	U		79			2.6		
VMP-15	25.5	VMP-15-25.5-072623	7/26/2023	17			< 0.025	U		< 0.0025	U		< 0.0025	U		0.059	J		< 0.00025	U		80			2.6		
VMP-15	25.5	VMP-15-25.5-103023	10/30/2023	16			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.10	U		< 0.00020	U		80			3.8		
VMP-15	25.5	VMP-15-25.5-012524	1/25/2024	20			< 0.021	U		< 0.0021	U		< 0.0021	U		0.051	J		< 0.00021	U		78			1.8		
VMP-15	25.5	VMP-15-25.5-043024	4/30/2024	20			< 0.023	U		< 0.0023	U		< 0.0023	U		0.011	J		< 0.00023	U		78			1.9		
VMP-15	29	VMP-15-29-072623	7/26/2023	17			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0054	J		< 0.00022	U		80			2.7		
VMP-15	29	VMP-15-29-103023	10/30/2023	17			< 0.019	U		< 0.0019	U		< 0.0019	U		< 0.097	U		< 0.00019	U		80			3.4		
VMP-15	29	VMP-15-29-012524	1/25/2024	20			< 0.022	U		< 0.0022	U		< 0.0022	U		0.022	J		< 0.00022	U		78			1.7		
VMP-15	29	VMP-15-29-043024	4/30/2024	21			< 0.023	U		< 0.0023	U		< 0.0023	U		0.0037	J		< 0.00023	U		77			1.9		
VMP-16	5	VMP-16-5-072823	7/28/2023	9.3			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.12	U		< 0.00023	U		80			11		
VMP-16	5	VMP-16-5-110123	11/1/2023	2.5			< 0.020	U		< 0.0020	U		< 0.0020	U		0.0028	J		< 0.00020	U		78			19		
VMP-16	5	VMP-16-5-020124	2/1/2024	9.7			< 0.021	U		< 0.0021	U		< 0.0021	U		0.0086	J		< 0.00021	U		84			6.0		
VMP-16	5	VMP-16-5-050224	5/2/2024	11			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.11	U		< 0.00023	U		82			6.7		
VMP-16	13.5	VMP-16-13.5-072823	7/28/2023	18			< 0.023	U		0.00053	J		< 0.0023	U		0.042	J		5.2			75			1.3		
VMP-16	13.5	VMP-16-13.5-120123	12/1/2023	17			< 0.021	U		0.00054	J		< 0.0021	U		0.065	J		7.1			74			1.7		
VMP-16	13.5	VMP-16-13.5-022924	2/29/2024	15			< 0.023	U		0.000069	J		< 0.0023	U		< 0.11	U		1.9			82			1.5		
VMP-16	13.5	VMP-16-13.5-050224	5/2/2024	16			< 0.022	U		0.00016	J		< 0.0022	U		< 0.11	U		5.7			77			1.6		
VMP-16	19	VMP-16-19-072823	7/28/2023	16			< 0.026	U		0.0028	J		< 0.0026	U		< 0.13	U		22			60			1.2		
VMP-16	19	VMP-16-19-110123	11/1/2023	17			< 0.019	U		0.0012	J		< 0.0019	U		0.0036	J		14			68			1.3		
VMP-16	19	VMP-16-19-020124	2/1/2024	17			< 0.022	U		0.00079	J		< 0.0022	U		0.0045	J		18			63			1.3		
VMP-16	19	VMP-16-19-050224	5/2/2024	16			< 0.022	U		0.00043	J		< 0.0022	U		< 0.11	U		14			68			1.3		
VMP-16	31	VMP-16-31-072823	7/28/2023	16			< 0.023	U		0.0029	J		< 0.0023	U		< 0.11	U		25			57			1.2		
VMP-16	31	VMP-16-31-110123	11/1/2023	16			< 0.026	U		0.00044	J		< 0.0026	U		< 0.13	U		5.4			76			2.5		
VMP-16	31	VMP-16-31-020124	2/1/2024	17			< 0.021	U		0.00087	J		< 0.0021	U		< 0.10	U		21			59			1.6		
VMP-16	31	VMP-16-31-050224	5/2/2024	16			< 0.022	U		0.00044	J		< 0.0022	U		0.0083	J		16			66			1.2		
VMP-17	5	VMP-17-5-072723	7/27/2023	1.7			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0022	J		< 0.00022	U		79			19		
VMP-17	5	VMP-17-5-110223	11/2/2023	0.61			< 0.022	U		< 0.0022	U		< 0.0022	U		0.025	J		< 0.00022	U		77			22		
VMP-17	5	VMP-17-5-110223-DUP	11/2/2023	0.57			< 0.020	U		< 0.0020	U		< 0.0020	U		0.020	J		< 0.00020	U		78			21		
VMP-17	5	VMP-17-5-020124	2/1/2024	0.28			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		79			21		
VMP-17	5	VMP-17-5-043024	4/30/2024	0.46			< 0.021	U		< 0.0021	U		< 0.0021	U		0.013	J		< 0.00021	U		80			20		
VMP-18	8.5	VMP-18-8.5-073123	7/31/2023	4.0			< 0.022	U		< 0.0022	U		< 0.0022	U		0.013	J		< 0.00022	U		79			17		
VMP-18	8.5	VMP-18-8.5-102723	10/27/2023	4.2			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0064	J		< 0.00022	U		78			18		
VMP-18	8.5	VMP-18-8.5-102723-DUP	10/27/2023	4.1			< 0.021	U		< 0.0021	U		< 0.0021	U		0.042	J		< 0.00021	U		78			18		
VMP-18	8.5	VMP-18-8.5-020124	2/1/2024	2.9			< 0.021	U		< 0.0021	U		< 0.0021	U		0.0056	J		0.00033			78			19		
VMP-18	8.5	VMP-18-8.5-042624	4/26/2024	2.2			< 0.020	U		< 0.0020	U		< 0.0020	U		0.0066	J		< 0.00020	U		79			19		
VMP-19	5	VMP-19-5-072723	7/27/2023	1.7			< 0.024	U		< 0.0024	U		< 0.0024	U		0.0038	J		< 0.00024	U		79			19		
VMP-19	5	VMP-19-5-102623	10/26/2023	0.53			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		78			21		
VMP-19	5	VMP-19-5-102623-DUP	10/26/2023	0.54			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.11	U		< 0.00023	U		78			21		
VMP-19	5	VMP-19-5-020224	2/2/2024	0.26			< 0.019	U		< 0.0019	U		< 0.0019	U		0.045	J		0.000055	J		79			21		
VMP-19	5	VMP-19-5-050124	5/1/2024	0.69			< 0.025	U		< 0.0025	U		< 0.0025	U		0.018	J		0.00012	J		78			21		
VMP-20	5	VMP-20-5-072723	7/27/2023	6.0			< 0.024	U		< 0.0024	U		< 0.0024	U		< 0.12	U		0.000095	J		78			16		
VMP-20	5	VMP-20-5-103123	10/31/2023	3.5			< 0.021	U		< 0.0021	U		< 0.0021	U		0.0022	J		< 0.00021	U		78			19		
VMP-20	5	VMP-20-5-012624	1/26/2024	1.3			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		0.00010	J		79			20		
VMP-20	5	VMP-20-5-042924	4/29/2024	4.5			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.											

**TABLE 7
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL RESULTS - NATURAL GASES**

Location	Depth	Sample ID	Sample Date	Carbon Dioxide			Carbon Monoxide			Ethane			Ethene			Helium			Methane			Nitrogen			Oxygen		
				Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
VMP-20	10	VMP-20-10-072723	7/27/2023	7.0			< 0.023	U		< 0.0023	U		< 0.0023	U		0.044	J		0.00014	J		78			15		
VMP-20	10	VMP-20-10-103123	10/31/2023	4.9			< 0.021	U		< 0.0021	U		< 0.0021	U		0.027	J		< 0.00021	U		77			18		
VMP-20	10	VMP-20-10-012624	1/26/2024	2.4			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.10	U		< 0.00020	U		78			20		
VMP-20	10	VMP-20-10-042924	4/29/2024	5.0			< 0.024	U		< 0.0024	U		< 0.0024	U		0.0099	J		< 0.00024	U		79			16		
VMP-20	25	VMP-20-25-072723	7/27/2023	3.9			< 0.022	U		< 0.0022	U		< 0.0022	U		0.021	J		< 0.00022	U		79			17		
VMP-20	25	VMP-20-25-103123	10/31/2023	4.5			< 0.020	U		< 0.0020	U		< 0.0020	U		0.078	J		< 0.00020	U		78			18		
VMP-20	25	VMP-20-25-103123-DUP	10/31/2023	4.6			< 0.019	U		< 0.0019	U		< 0.0019	U		0.0090	J		< 0.00019	U		77			18		
VMP-20	25	VMP-20-25-012624	1/26/2024	2.8			< 0.020	U		< 0.0020	U		< 0.0020	U		0.0032	J		< 0.00020	U		77			20		
VMP-20	25	VMP-20-25-042924	4/29/2024	2.4			< 0.023	U		< 0.0023	U		< 0.0023	U		0.0059	J		< 0.00023	U		79			19		
VMP-20	39.5	VMP-20-39.5-020224	2/2/2024	2.5			< 0.020	U		< 0.0020	U		< 0.0020	U		0.0054	J		< 0.00020	U		78			19		
VMP-20	39.5	VMP-20-39.5-042924	4/29/2024	5.0			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0059	J		0.000071	J		80			15		
VMP-21	5	VMP-21-5-080223	8/2/2023	7.2			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.10	U		< 0.00020	U		79			14		
VMP-21	5	VMP-21-5-110223	11/2/2023	3.3			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.10	U		< 0.00020	U		78			19		
VMP-21	5	VMP-21-5-020124	2/1/2024	1.1			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.12	U		< 0.00023	U		79			20		
VMP-21	5	VMP-21-5-050624	5/6/2024	2.5			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		82			16		
VMP-21	10	VMP-21-10-080223	8/2/2023	5.7			< 0.020	U		< 0.0020	U		< 0.0020	U		0.018	J		< 0.00020	U		79			15		
VMP-21	10	VMP-21-10-110223	11/2/2023	6.1			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.098	U		< 0.00020	U		77			17		
VMP-21	10	VMP-21-10-020124	2/1/2024	3.6			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.12	U		< 0.00023	U		77			19		
VMP-21	10	VMP-21-10-020124-DUP	2/1/2024	3.6			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		77			19		
VMP-21	10	VMP-21-10-050624	5/6/2024	3.4			< 0.022	U		< 0.0022	U		< 0.0022	U		0.026	J		< 0.00022	U		79			18		
VMP-21	25	VMP-21-25-080223	8/2/2023	3.5			< 0.019	U		< 0.0019	U		< 0.0019	U		1.0		J	< 0.00019	U		78			17		
VMP-21	25	VMP-21-25-080223-DUP	8/2/2023	3.6			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.10	U	UJ	< 0.00020	U		79			17		
VMP-21	25	VMP-21-25-110223	11/2/2023	5.0			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.10	U		< 0.00020	U		78			17		
VMP-21	25	VMP-21-25-020124	2/1/2024	4.7			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		77			18		
VMP-21	25	VMP-21-25-050624	5/6/2024	3.9			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.11	U		< 0.00023	U		78			18		
VMP-21	33	VMP-21-33-080223	8/2/2023	3.7			< 0.020	U		< 0.0020	U		< 0.0020	U		0.10			< 0.00020	U		79			17		
VMP-21	33	VMP-21-33-110223	11/2/2023	4.8			< 0.020	U		< 0.0020	U		< 0.0020	U		0.097	J		< 0.00020	U		78			17		
VMP-21	33	VMP-21-33-020124	2/1/2024	4.9			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0093	J		< 0.00022	U		78			17		
VMP-21	33	VMP-21-33-050624	5/6/2024	4.3			< 0.024	U		< 0.0024	U		< 0.0024	U		< 0.12	U		< 0.00024	U		78			18		
VMP-21	33	VMP-21-33-050624-DUP	5/6/2024	4.2			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		78			18		
VMP-22	5	VMP-22-5-080323	8/3/2023	2.6			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.10	U		< 0.00020	U		79			18		
VMP-22	5	VMP-22-5-103123	10/31/2023	1.1			< 0.022	U		< 0.0022	U		< 0.0022	U		0.072	J		< 0.00022	U		78			21		
VMP-22	5	VMP-22-5-013124	1/31/2024	0.27			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		0.000059	J		79			21		
VMP-22	5	VMP-22-5-050124	5/1/2024	1.0			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.11	U		0.000068	J		79			20		
VMP-22	10	VMP-22-10-080323	8/3/2023	2.1			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.11	J	U	0.00016	J		81			17		
VMP-22	10	VMP-22-10-103123	10/31/2023	0.51			< 0.020	U		< 0.0020	U		< 0.0020	U		0.033	J		0.00017	J		78			21		
VMP-22	10	VMP-22-10-022924	2/29/2024	0.21			< 0.020	U		< 0.0020	U		< 0.0020	U		0.027	J		0.00017	J		79			21		
VMP-22	10	VMP-22-10-050124	5/1/2024	1.1			< 0.022	U		< 0.0022	U		< 0.0022	U		0.13			0.00018	J		79			20		
VMP-22	18	VMP-22-18-080323	8/3/2023	2.0			< 0.021	U		< 0.0021	U		< 0.0021	U		0.066	J		< 0.00021	U		80			18		
VMP-22	18	VMP-22-18-103123	10/31/2023	1.7			< 0.021	U		< 0.0021	U		< 0.0021	U		0.11			0.000058	J		78			20		
VMP-22	18	VMP-22-18-013124	1/31/2024	0.49			< 0.021	U		< 0.0021	U		< 0.0021	U		0.077	J		0.00016	J		78			21		
VMP-22	18	VMP-22-18-050124	5/1/2024	1.2			< 0.021	U		< 0.0021	U		< 0.0021	U		0.0036	J		< 0.00021	U		79			20		
VMP-22	18	VMP-22-18-050124-DUP	5/1/2024	1.2			< 0.021	U		< 0.0021	U		< 0.0021	U		0.0022	J		< 0.00021	U		79			20		
VMP-22	38	VMP-22-38-080323	8/3/2023	1.4			< 0.022	U		< 0.0022	U		< 0.0022	U		1.1			0.00016	J		80			18		
VMP-22	38	VMP-22-38-080323-DUP	8/3/2023	1.4			< 0.021	U		< 0.0021	U		< 0.0021	U		1.1			0.00014	J		80			18		
VMP-22	38	VMP-22-38-103123	10/31/2023	0.46			< 0.021	U		< 0.0021	U		< 0.0021	U		0.18			0.00017	J		78			21		
VMP-22	38	VMP-22-38-013124	1/31/2024	0.15			< 0.019	U		< 0.0019	U		< 0.0019	U		0.074	J		0.00019	J		79			21		
VMP-22	38	VMP-22-38-050124	5/1/2024	1.1			< 0.036	U		< 0.0036	U		< 0.0036	U		0.29			0.00020	J		79			20		
VMP-23	5	VMP-23-5-080123	8/1/2023	2.9			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		79			18		
VMP-23	5	VMP-23-5-103023	10/30/2023	0.89			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		78			21		
VMP-23	5	VMP-23-5-013124	1/31/2024	0.33			< 0.021	U		< 0.0021	U		< 0.0021	U		0.0052	J		0.00014	J		79			21		
VMP-23	5	VMP-23-5-043024	4/30/2024	1.5			< 0.023	U		< 0.0023	U		< 0.0023	U		0.0071	J		< 0.00023	U		78			20		
VMP-23	10	VMP-23-10-080123	8/1/2023	2.6			< 0.022	U		< 0.0022	U		< 0.0022	U		0.010	J		< 0.00022	U		79			18		
VMP-23	10	VMP-23-10-103023	10/30/2023	1.5			< 0.020	U		< 0.0020	U		< 0.0020	U		0.0067	J		< 0.00020	U		78			20		
VMP-23	10	VMP-23-10-103023-DUP	10/30/2023	1.5			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.10	U		< 0.00020	U		78			20		
VMP-23	10	VMP-23-10-013124	1/31/2024																								

**TABLE 7
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL RESULTS - NATURAL GASES**

Location	Depth	Sample ID	Sample Date	Carbon Dioxide			Carbon Monoxide			Ethane			Ethene			Helium			Methane			Nitrogen			Oxygen		
				Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
VMP-23	25	VMP-23-25-080123	8/1/2023	2.6			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.11	U		< 0.00023	U		79			18		
VMP-23	25	VMP-23-25-103023	10/30/2023	3.3			< 0.021	U		< 0.0021	U		< 0.0021	U		0.011	J		< 0.00021	U		80			17		
VMP-23	25	VMP-23-25-013124	1/31/2024	2.9			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.099	U		< 0.00020	U		78			19		
VMP-23	25	VMP-23-25-043024	4/30/2024	2.2			< 0.023	U		< 0.0023	U		< 0.0023	U		0.0038	J		< 0.00023	U		79			19		
VMP-23	40	VMP-23-40-080123	8/1/2023	2.8			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		79			18		
VMP-23	40	VMP-23-40-103023	10/30/2023	3.7			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0098	J		< 0.00022	U		79			18		
VMP-23	40	VMP-23-40-013124	1/31/2024	4.1			< 0.019	U		< 0.0019	U		< 0.0019	U		0.0052	J		0.00013	J		78			18		
VMP-23	40	VMP-23-40-043024	4/30/2024	3.1			< 0.022	U		< 0.0022	U		< 0.0022	U		0.010	J		0.00017	J		78			19		
VMP-24	5	VMP-24-5-072423	7/24/2023	3.5			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		0.000092	J		78			18		
VMP-24	5	VMP-24-5-102623	10/26/2023	4.3			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.11	U		< 0.00021	U		79			17		
VMP-24	5	VMP-24-5-012624	1/26/2024	3.6			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		0.00062			78			18		
VMP-24	5	VMP-24-5-042624	4/26/2024	4.5			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0035	J		< 0.00022	U		78			18		
VMP-24	5	VMP-24-5-042624-DUP	4/26/2024	4.4			< 0.021	U		< 0.0021	U		< 0.0021	U		0.012	J		< 0.00021	U		78			18		
VMP-24	10	VMP-24-10-072423	7/24/2023	5.5			< 0.022	U		< 0.0022	U		< 0.0022	U		0.011	J		< 0.00022	U		78			16		
VMP-24	10	VMP-24-10-102623	10/26/2023	5.9			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0036	J		< 0.00022	U		78			16		
VMP-24	10	VMP-24-10-012624	1/26/2024	4.1			< 0.020	U		< 0.0020	U		< 0.0020	U		0.015	J		0.00033			78			18		
VMP-24	10	VMP-24-10-042624	4/26/2024	5.0			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0021	J		< 0.00022	U		78			17		
VMP-24	22	VMP-24-22-072423	7/24/2023	1.6			< 0.022	U		< 0.0022	U		< 0.0022	U		0.12			0.00019	J		79			19		
VMP-24	22	VMP-24-22-102623	10/26/2023	3.8			< 0.023	U		< 0.0023	U		< 0.0023	U		0.19			< 0.00023	U		78			18		
VMP-24	22	VMP-24-22-012624	1/26/2024	3.0			< 0.021	U		< 0.0021	U		< 0.0021	U		0.10	J		0.00063			79			18		
VMP-24	22	VMP-24-22-012624-DUP	1/26/2024	3.1			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.10	U		0.00068			79			18		
VMP-24	22	VMP-24-22-042624	4/26/2024	4.4			< 0.022	U		< 0.0022	U		< 0.0022	U		0.12			< 0.00022	U		79			17		
VMP-24	34	VMP-24-34-072423	7/24/2023	3.4			< 0.022	U		< 0.0022	U		< 0.0022	U		0.016	J		< 0.00022	U		79			18		
VMP-24	34	VMP-24-34-102623	10/26/2023	4.3			< 0.022	U		< 0.0022	U		< 0.0022	U		0.062	J		< 0.00022	U		79			17		
VMP-24	34	VMP-24-34-012624	1/26/2024	3.0			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.10	U		0.00071			79			18		
VMP-24	34	VMP-24-34-042624	4/26/2024	2.8			< 0.022	U		< 0.0022	U		< 0.0022	U		0.47			0.00013	J		78			19		
VMP-25	5	VMP-25-5-072623	7/26/2023	8.4			< 0.024	U		0.015			< 0.0024	U		< 0.12	U		2.1			88			1.8		
VMP-25	5	VMP-25-5-072623-DUP	7/26/2023	8.5			< 0.023	U		0.015			< 0.0023	U		< 0.11	U		2.2			88			1.7		
VMP-25	5	VMP-25-5-110123	11/1/2023	5.0			< 0.019	U		0.0078			< 0.0019	U		0.0039	J		2.0			91			2.0		
VMP-25	5	VMP-25-5-110123-DUP	11/1/2023	5.0			< 0.025	U		0.0079			< 0.0025	U		0.0032	J		2.0			91			2.0		
VMP-32	5	VMP-32-5-080223	8/2/2023	3.4			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.099	U		< 0.00020	U		80			17		
VMP-32	5	VMP-32-5-110223	11/2/2023	3.8			< 0.019	U		< 0.0019	U		< 0.0019	U		< 0.097	U		0.000097	J		78			18		
VMP-32	5	VMP-32-5-020224	2/2/2024	0.81			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.11	U		0.00038			79			21		
VMP-32	5	VMP-32-5-050624	5/6/2024	1.5			< 0.020	U		< 0.0020	U		< 0.0020	U		0.082	J		0.000095	J		78			20		
VMP-32	10	VMP-32-10-080223	8/2/2023	3.9			< 0.021	U		< 0.0021	U		< 0.0021	U		0.027	J		< 0.00021	U		79			17		
VMP-32	10	VMP-32-10-110223	11/2/2023	4.6			< 0.023	U		< 0.0023	U		< 0.0023	U		0.38			< 0.00023	U		77			18		
VMP-32	10	VMP-32-10-110223-DUP	11/2/2023	4.6			< 0.022	U		< 0.0022	U		< 0.0022	U		0.34			< 0.00022	U		77			18		
VMP-32	10	VMP-32-10-020224	2/2/2024	2.6			< 0.021	U		< 0.0021	U		< 0.0021	U		0.082	J		0.000056	J		78			19		
VMP-32	10	VMP-32-10-050624	5/6/2024	2.3			< 0.024	U		< 0.0024	U		< 0.0024	U		< 0.12	U		< 0.00024	U		79			19		
VMP-32	20	VMP-32-20-080223	8/2/2023	0.89			< 0.021	U		< 0.0021	U		< 0.0021	U		0.73			0.00017	J		79			19		
VMP-32	20	VMP-32-20-110223	11/2/2023	0.63			< 0.022	U		< 0.0022	U		< 0.0022	U		0.53			0.00015	J		78			21		
VMP-32	20	VMP-32-20-020224	2/2/2024	0.14			< 0.021	U		< 0.0021	U		< 0.0021	U		1.1			0.00026			77			22		
VMP-32	20	VMP-32-20-050624	5/6/2024	0.42			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0071	J		0.00018	J		78			21		
VMP-32	30	VMP-32-30-080223	8/2/2023	0.69			< 0.020	U		< 0.0020	U		< 0.0020	U		0.032	J		0.00018	J		80			19		
VMP-32	30	VMP-32-30-110223	11/2/2023	0.55			< 0.021	U		< 0.0021	U		< 0.0021	U		0.047	J		0.00013	J		78			21		
VMP-32	30	VMP-32-30-020224	2/2/2024	0.073			< 0.021	U		< 0.0021	U		< 0.0021	U		0.90			0.00021			78			21		
VMP-32	30	VMP-32-30-050624	5/6/2024	0.14			< 0.022	U		< 0.0022	U		< 0.0022	U		0.29			0.00021	J		78			21		
VMP-41	10	VMP-41-10-072723	7/27/2023	1.6			< 0.025	U		< 0.0025	U		< 0.0025	U		0.026	J		< 0.00025	U		79			19		
VMP-41	10	VMP-41-10-102623	10/26/2023	1.4			< 0.022	U		< 0.0022	U		< 0.0022	U		0.017	J		< 0.00022	U		79			20		
VMP-41	10	VMP-41-10-012624	1/26/2024	0.85			< 0.020	U		< 0.0020	U		< 0.0020	U		0.0064	J		< 0.00020	U		79			20		
VMP-41	10	VMP-41-10-043024	4/30/2024	0.92			< 0.021	U		< 0.0021	U		< 0.0021	U		0.0069	J		< 0.00021	U		79			20		
VMP-41	20	VMP-41-20-072723	7/27/2023	1.8			< 0.025	U		< 0.0025	U		< 0.0025	U		0.0097	J		< 0.00025	U		79			19		
VMP-41	20	VMP-41-20-102623	10/26/2023	1.9			< 0.023	U		< 0.0023	U		< 0.0023	U		0.045	J		< 0.00023	U		79			19		
VMP-41	20	VMP-41-20-012624	1/26/2024	1.4			< 0.021	U		< 0.0021	U		< 0.0021	U		0.11			< 0.00021	U		80			19		
VMP-41	20	VMP-41-20-043024	4/30/2024	1.1			< 0.023	U		< 0.0023	U		< 0.0023	U		0.011	J		< 0.00023	U		79			20		

**TABLE 7
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL RESULTS - NATURAL GASES**

Location	Depth	Sample ID	Sample Date	Carbon Dioxide			Carbon Monoxide			Ethane			Ethene			Helium			Methane			Nitrogen			Oxygen		
				Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
VMP-41	26	VMP-41-26-072723	7/27/2023	1.9			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0027	J		< 0.00022	U		79			18		
VMP-41	26	VMP-41-26-102623	10/26/2023	2.4			< 0.022	U		< 0.0022	U		< 0.0022	U		0.24			< 0.00022	U		79			18		
VMP-41	26	VMP-41-26-102623-DUP	10/26/2023	2.4			< 0.022	U		< 0.0022	U		< 0.0022	U		0.24			< 0.00022	U		79			18		
VMP-41	26	VMP-41-26-012624	1/26/2024	2.0			< 0.020	U		< 0.0020	U		< 0.0020	U		0.0086	J		< 0.00020	U		79			19		
VMP-41	26	VMP-41-26-043024	4/30/2024	1.5			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0082	J		< 0.00022	U		79			19		
VMP-42	10	VMP-42-10-073123	7/31/2023	0.35			< 0.023	U		< 0.0023	U		< 0.0023	U		2.0			0.00016	J		78			20		
VMP-42	10	VMP-42-10-102723	10/27/2023	0.18			< 0.022	U		< 0.0022	U		< 0.0022	U		1.0			0.00017	J		78			21		
VMP-42	10	VMP-42-10-013124	1/31/2024	0.098			< 0.020	U		< 0.0020	U		< 0.0020	U		0.41			0.00018	J		78			21		
VMP-42	10	VMP-42-10-013124-DUP	1/31/2024	0.10			< 0.020	U		< 0.0020	U		< 0.0020	U		0.34			0.00017	J		78			21		
VMP-42	10	VMP-42-10-050324	5/3/2024	0.18			< 0.022	U		< 0.0022	U		< 0.0022	U		0.91			0.00012	J		78			21		
VMP-42	20	VMP-42-20-073123	7/31/2023	0.78			< 0.022	U		< 0.0022	U		< 0.0022	U		0.15			0.00062	J		79			20		
VMP-42	20	VMP-42-20-102723	10/27/2023	0.35			< 0.022	U		< 0.0022	U		< 0.0022	U		0.41			0.00013	J		78			21		
VMP-42	20	VMP-42-20-013124	1/31/2024	0.15			< 0.020	U		< 0.0020	U		< 0.0020	U		0.26			0.00013	J		79			21		
VMP-42	20	VMP-42-20-050324	5/3/2024	0.19			< 0.022	U		< 0.0022	U		< 0.0022	U		1.9			0.000090	J		77			21		
VMP-42	30	VMP-42-30-073123	7/31/2023	0.22			< 0.023	U		< 0.0023	U		< 0.0023	U		3.5			0.00020	J		76			20		
VMP-42	30	VMP-42-30-102723	10/27/2023	0.17			< 0.031	U		< 0.0031	U		< 0.0031	U		1.0			0.00020	J		78			21		
VMP-42	30	VMP-42-30-102723-DUP	10/27/2023	0.17			< 0.020	U		< 0.0020	U		< 0.0020	U		1.0			0.00020	J		78			21		
VMP-42	30	VMP-42-30-013124	1/31/2024	0.071			< 0.021	U		< 0.0021	U		< 0.0021	U		1.3			0.00020	J		78			21		
VMP-42	30	VMP-42-30-050624	5/6/2024	0.13			< 0.023	U		< 0.0023	U		< 0.0023	U		0.010	J		0.00019	J		79			21		
VMP-43	10	VMP-43-10-073123	7/31/2023	0.81			< 0.024	U		< 0.0024	U		< 0.0024	U		0.0041	J		0.000080	J		79			20		
VMP-43	10	VMP-43-10-102723	10/27/2023	0.27			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		0.00012	J		79			21		
VMP-43	10	VMP-43-10-013024	1/30/2024	0.19			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		0.00013	J		79			21		
VMP-43	10	VMP-43-10-050324	5/3/2024	0.37			< 0.021	U		< 0.0021	U		< 0.0021	U		0.078	J		0.00034			79			21		
VMP-43	20	VMP-43-20-073123	7/31/2023	0.95			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.12	U		0.000076	J		79			20		
VMP-43	20	VMP-43-20-102723	10/27/2023	0.50			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0099	J		0.000073	J		78			21		
VMP-43	20	VMP-43-20-013024	1/30/2024	0.42			< 0.020	U		< 0.0020	U		< 0.0020	U		0.0096	J		0.000088	J		78			21		
VMP-43	20	VMP-43-20-050324	5/3/2024	0.44			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		0.00014	J		78			21		
VMP-43	30	VMP-43-30-073123	7/31/2023	0.51			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.11	U		0.00017	J		79			20		
VMP-43	30	VMP-43-30-102723	10/27/2023	0.49			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		0.000074	J		78			21		
VMP-43	30	VMP-43-30-102723-DUP	10/27/2023	0.46			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0096	J		0.00010	J		78			21		
VMP-43	30	VMP-43-30-013024	1/30/2024	0.44			< 0.020	U		< 0.0020	U		< 0.0020	U		0.011	J		0.000090	J		78			21		
VMP-43	30	VMP-43-30-050324	5/3/2024	0.24			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		0.000081	J		79			21		
VMP-45	10	VMP-45-10-073123	7/31/2023	1.3			< 0.024	U		< 0.0024	U		< 0.0024	U		0.0092	J		0.00011	J		80			19		
VMP-45	10	VMP-45-10-102723	10/27/2023	0.47			< 0.022	U		< 0.0022	U		< 0.0022	U		0.011	J		0.00018	J		78			21		
VMP-45	10	VMP-45-10-013024	1/30/2024	0.34			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.10	U		0.00013	J		79			21		
VMP-45	10	VMP-45-10-050324	5/3/2024	0.42			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		0.00012	J		78			21		
VMP-45	20	VMP-45-20-073123	7/31/2023	1.7			< 0.022	U		< 0.0022	U		< 0.0022	U		0.041	J		< 0.00022	U		79			19		
VMP-45	20	VMP-45-20-102723	10/27/2023	0.57			< 0.021	U		< 0.0021	U		< 0.0021	U		0.65			0.00014	J		78			21		
VMP-45	20	VMP-45-20-013024	1/30/2024	0.34			< 0.020	U		< 0.0020	U		< 0.0020	U		0.031	J		0.00012	J		79			21		
VMP-45	20	VMP-45-20-050324	5/3/2024	0.45			< 0.020	U		< 0.0020	U		< 0.0020	U		0.048	J		0.000077	J		78			21		
VMP-45	30	VMP-45-30-073123	7/31/2023	1.3			< 0.024	U		< 0.0024	U		< 0.0024	U		0.10	J		0.00013	J		80			19		
VMP-45	30	VMP-45-30-102723	10/27/2023	0.44			< 0.022	U		< 0.0022	U		< 0.0022	U		0.76			0.00015	J		78			21		
VMP-45	30	VMP-45-30-013024	1/30/2024	0.34			< 0.019	U		< 0.0019	U		< 0.0019	U		0.11			0.00012	J		78			21		
VMP-45	30	VMP-45-30-013024-DUP	1/30/2024	0.34			< 0.019	U		< 0.0019	U		< 0.0019	U		0.16			0.00013	J		78			21		
VMP-45	30	VMP-45-30-050324	5/3/2024	0.44			< 0.021	U		< 0.0021	U		< 0.0021	U		0.048	J		0.000096	J		78			21		
VMP-47	5	VMP-47-5-072523	7/25/2023	1.8			< 0.025	U		< 0.0025	U		< 0.0025	U		0.31			0.00011	J		79			19		
VMP-47	5	VMP-47-5-102723	10/27/2023	0.82			< 0.022	U		< 0.0022	U		< 0.0022	U		0.038	J		0.00011	J		78			21		
VMP-47	5	VMP-47-5-013124	1/31/2024	0.44			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.10	U		0.00010	J		79			21		
VMP-47	5	VMP-47-5-042924	4/29/2024	1.3			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0025	J		0.00012	J		79			20		
VMP-47	10	VMP-47-10-072523	7/25/2023	2.3			< 0.024	U		< 0.0024	U		< 0.0024	U		0.0064	J		< 0.00024	U		79			19		
VMP-47	10	VMP-47-10-102723	10/27/2023	1.5			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		78			20		
VMP-47	10	VMP-47-10-013124	1/31/2024	0.76			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.10	U		< 0.00020	U		79			20		
VMP-47	10	VMP-47-10-042924	4/29/2024	1.8			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0098	J		< 0.00022	U		79			19		
VMP-47	20	VMP-47-20-072523	7/25/2023	2.6			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.11	U		< 0.00023	U		78			19		
VMP-47	20	VMP-47-20-102723	10/27/2023	1.8			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0034	J		< 0.00022	U		78			20		
VMP-47	20	VMP-47-20-102723-DUP	10/27/2023	1.8			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0024											

**TABLE 7
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL RESULTS - NATURAL GASES**

Location	Depth	Sample ID	Sample Date	Carbon Dioxide			Carbon Monoxide			Ethane			Ethene			Helium			Methane			Nitrogen			Oxygen		
				Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
VMP-47	30	VMP-47-30-072523	7/25/2023	1.2			< 0.026	U		< 0.0026	U		< 0.0026	U		0.015	J		< 0.00026	U		80			19		
VMP-47	30	VMP-47-30-103023	10/30/2023	2.1			< 0.020	U		< 0.0020	U		< 0.0020	U		0.0029	J		< 0.00020	U		79			19		
VMP-47	30	VMP-47-30-013124	1/31/2024	1.6			< 0.021	U		< 0.0021	U		< 0.0021	U		2.7			0.000052	J		77			19		
VMP-47	30	VMP-47-30-042924	4/29/2024	1.8			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0050	J		< 0.00022	U		78			20		
VMP-48	5	VMP-48-5-080123	8/1/2023	3.9			< 0.021	U		< 0.0021	U		< 0.0021	U		0.0083	J		< 0.00021	U		79			17		
VMP-48	5	VMP-48-5-103123	10/31/2023	2.1			< 0.021	U		< 0.0021	U		< 0.0021	U		0.014	J		< 0.00021	U		79			19		
VMP-48	5	VMP-48-5-012924	1/29/2024	0.98			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.11	U		0.00015	J		79			20		
VMP-48	5	VMP-48-5-050124	5/1/2024	2.5			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.12	U		< 0.00023	U		80			17		
VMP-48	10	VMP-48-10-080123	8/1/2023	2.7			< 0.024	U		< 0.0024	U		< 0.0024	U		< 0.12	U		< 0.00024	U		79			18		
VMP-48	10	VMP-48-10-080123-DUP	8/1/2023	2.8			< 0.020	U		< 0.0020	U		< 0.0020	U		0.0080	J		< 0.00020	U		79			18		
VMP-48	10	VMP-48-10-103123	10/31/2023	2.0			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0050	J		< 0.00022	U		79			19		
VMP-48	10	VMP-48-10-012924	1/29/2024	0.86			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.11	U		0.00011	J		78			21		
VMP-48	10	VMP-48-10-050124	5/1/2024	1.8			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		80			18		
VMP-48	20	VMP-48-20-080123	8/1/2023	2.2			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		0.00014	J		79			19		
VMP-48	20	VMP-48-20-103123	10/31/2023	3.0			< 0.020	U		< 0.0020	U		< 0.0020	U		0.0072	J		< 0.00020	U		77			20		
VMP-48	20	VMP-48-20-012924	1/29/2024	1.5			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.099	U		< 0.00020	U		78			21		
VMP-48	20	VMP-48-20-050124	5/1/2024	1.2			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.11	U		< 0.00023	U		79			20		
VMP-48	30	VMP-48-30-080123	8/1/2023	2.6			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0068	J		< 0.00022	U		79			18		
VMP-48	30	VMP-48-30-103123	10/31/2023	3.4			< 0.020	U		< 0.0020	U		< 0.0020	U		0.028	J		< 0.00020	U		79			18		
VMP-48	30	VMP-48-30-012924	1/29/2024	3.0			< 0.021	U		< 0.0021	U		< 0.0021	U		0.032	J		< 0.00021	U		78			19		
VMP-48	30	VMP-48-30-050124	5/1/2024	2.3			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0025	J		< 0.00022	U		79			19		
VMP-48	30	VMP-48-30-050124-DUP	5/1/2024	2.4			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.11	U		< 0.00023	U		78			20		
VMP-49	5	VMP-49-5-080323	8/3/2023	1.6			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.11	J	U	< 0.00023	U		78			20		
VMP-49	5	VMP-49-5-103123	10/31/2023	1.1			< 0.021	U		< 0.0021	U		< 0.0021	U		0.043	J		< 0.00021	U		80			19		
VMP-49	5	VMP-49-5-013124	1/31/2024	0.67			< 0.021	U		< 0.0021	U		< 0.0021	U		0.48			< 0.00021	U		78			21		
VMP-49	5	VMP-49-5-050124	5/1/2024	1.3			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		< 0.00021	U		79			20		
VMP-49	10	VMP-49-10-080323	8/3/2023	2.8			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		79			18		
VMP-49	10	VMP-49-10-103123	10/31/2023	1.8			< 0.022	U		< 0.0022	U		< 0.0022	U		0.016	J		< 0.00022	U		78			20		
VMP-49	10	VMP-49-10-013124	1/31/2024	0.59			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0037	J		< 0.00022	U		78			21		
VMP-49	10	VMP-49-10-050124	5/1/2024	1.2			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.11	U		0.000075	J		79			20		
VMP-49	20	VMP-49-20-080323	8/3/2023	2.3			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.11	U		0.00012	J		79			19		
VMP-49	20	VMP-49-20-103123	10/31/2023	0.88			< 0.021	U		< 0.0021	U		< 0.0021	U		0.010	J		0.00010	J		78			21		
VMP-49	20	VMP-49-20-013124	1/31/2024	0.19			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		0.00011	J		79			21		
VMP-49	20	VMP-49-20-013124-DUP	1/31/2024	0.18			< 0.020	U		< 0.0020	U		< 0.0020	U		0.0027	J		0.00010	J		79			21		
VMP-49	20	VMP-49-20-050124	5/1/2024	1.2			< 0.021	U		< 0.0021	U		< 0.0021	U		0.012	J		0.00013	J		79			20		
VMP-49	30	VMP-49-30-080323	8/3/2023	0.87			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.12	U		< 0.00023	U		79			20		
VMP-49	30	VMP-49-30-103123	10/31/2023	0.80			< 0.021	U		< 0.0021	U		< 0.0021	U		0.0094	J		< 0.00021	U		78			21		
VMP-49	30	VMP-49-30-013124	1/31/2024	0.56			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		< 0.00021	U		78			21		
VMP-49	30	VMP-49-30-050124	5/1/2024	0.72			< 0.022	U		< 0.0022	U		< 0.0022	U		0.033	J		< 0.00022	U		78			21		
VMP-50	5	VMP-50-5-072723	7/27/2023	8.1			< 0.024	U		< 0.0024	U		< 0.0024	U		0.014	J		< 0.00024	U		80			12		
VMP-50	5	VMP-50-5-103123	10/31/2023	4.3			< 0.020	U		< 0.0020	U		< 0.0020	U		0.0061	J		< 0.00020	U		78			18		
VMP-50	5	VMP-50-5-012624	1/26/2024	0.57			< 0.021	U		< 0.0021	U		< 0.0021	U		0.16			< 0.00021	U		79			20		
VMP-50	5	VMP-50-5-012624-DUP	1/26/2024	0.60			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.10	U		< 0.00020	U		79			20		
VMP-50	5	VMP-50-5-050124	5/1/2024	0.25			< 0.023	U		< 0.0023	U		< 0.0023	U		0.010	J		0.00019	J		79			21		
VMP-50	10	VMP-50-10-072723	7/27/2023	5.1			< 0.023	U		< 0.0023	U		< 0.0023	U		0.010	J		< 0.00023	U		80			15		
VMP-50	10	VMP-50-10-103123	10/31/2023	6.3			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.10	U		< 0.00020	U		79			15		
VMP-50	10	VMP-50-10-012624	1/26/2024	4.0			< 0.021	U		< 0.0021	U		< 0.0021	U		0.0028	J		< 0.00021	U		78			18		
VMP-50	10	VMP-50-10-050124	5/1/2024	0.42			< 0.023	U		< 0.0023	U		< 0.0023	U		0.0025	J		0.00019	J		78			21		
VMP-50	20	VMP-50-20-072723	7/27/2023	4.1			< 0.024	U		< 0.0024	U		< 0.0024	U		0.054	J	J	< 0.00024	U		80			16		
VMP-50	20	VMP-50-20-072723-DUP	7/27/2023	3.8			< 0.023	U		< 0.0023	U		< 0.0023	U		0.77		J	< 0.00023	U		78			17		
VMP-50	20	VMP-50-20-103123	10/31/2023	5.1			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		< 0.00021	U		79			16		
VMP-50	20	VMP-50-20-012624	1/26/2024	4.9			< 0.020	U		< 0.0020	U		< 0.0020	U		0.012	J		0.00010	J		79			16		
VMP-50	20	VMP-50-20-050124	5/1/2024	0.62			< 0.025	U		< 0.0025	U		< 0.0025	U		0.0082	J		0.00020	J		78			21		
VMP-50	30	VMP-50-30-072723	7/27/2023	2.1			< 0.025	U		< 0.0025	U		< 0.0025	U		0.0026	J		0.0012			80			18		
VMP-50	30	VMP-50-30-103123	10/31/2023	3.1			< 0.021	U		< 0.0021	U		< 0.0021	U		0.022	J		0.00090			79			18		
VMP-50	30	VMP-50-30-012624	1/2																								

**TABLE 7
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL RESULTS - NATURAL GASES**

Location	Depth	Sample ID	Sample Date	Carbon Dioxide			Carbon Monoxide			Ethane			Ethene			Helium			Methane			Nitrogen			Oxygen		
				Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
VMP-51	5	VMP-51-5-080123	8/1/2023	3.2			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.11	U		< 0.00023	U		79			18		
VMP-51	5	VMP-51-5-102723	10/27/2023	1.3			< 0.021	U		< 0.0021	U		< 0.0021	U		0.037	J		0.000072	J		79			20		
VMP-51	5	VMP-51-5-012924	1/29/2024	0.28			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0063	J		0.00011	J		79			21		
VMP-51	5	VMP-51-5-042624	4/26/2024	1.1			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.10	U		< 0.00020	U		79			20		
VMP-51	10	VMP-51-10-080123	8/1/2023	3.1			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		79			18		
VMP-51	10	VMP-51-10-080123-DUP	8/1/2023	3.1			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.12	U		< 0.00023	U		79			18		
VMP-51	10	VMP-51-10-102723	10/27/2023	2.2			< 0.021	U		< 0.0021	U		< 0.0021	U		0.036	J		< 0.00021	U		78			20		
VMP-51	10	VMP-51-10-012924	1/29/2024	0.74			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		< 0.00021	U		78			21		
VMP-51	10	VMP-51-10-012924-DUP	1/29/2024	0.74			< 0.021	U		< 0.0021	U		< 0.0021	U		0.0083	J		< 0.00021	U		78			21		
VMP-51	10	VMP-51-10-042624	4/26/2024	1.0			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.098	U		< 0.00020	U		79			20		
VMP-51	20	VMP-51-20-080123	8/1/2023	2.1			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.11	U		< 0.00023	U		80			18		
VMP-51	20	VMP-51-20-102723	10/27/2023	2.4			< 0.022	U		< 0.0022	U		< 0.0022	U		0.032	J		< 0.00022	U		79			19		
VMP-51	20	VMP-51-20-012924	1/29/2024	1.7			< 0.020	U		< 0.0020	U		< 0.0020	U		0.0038	J		< 0.00020	U		78			20		
VMP-51	20	VMP-51-20-042624	4/26/2024	1.4			< 0.020	U		< 0.0020	U		< 0.0020	U		0.0057	J		< 0.00020	U		79			20		
VMP-51	30	VMP-51-30-080123	8/1/2023	2.2			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		79			19		
VMP-51	30	VMP-51-30-102723	10/27/2023	2.8			< 0.021	U		< 0.0021	U		< 0.0021	U		0.035	J		< 0.00021	U		78			19		
VMP-51	30	VMP-51-30-012924	1/29/2024	2.4			< 0.020	U		< 0.0020	U		< 0.0020	U		0.30			< 0.00020	U		78			19		
VMP-51	30	VMP-51-30-042624	4/26/2024	2.2			< 0.021	U		< 0.0021	U		< 0.0021	U		0.0095	J		< 0.00021	U		78			20		
VMP-52	5	VMP-52-5-080123	8/1/2023	5.1			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0088	J		< 0.00022	U		79			16		
VMP-52	5	VMP-52-5-103023	10/30/2023	2.3			< 0.020	U		< 0.0020	U		< 0.0020	U		0.017	J		0.000063	J		78			20		
VMP-52	5	VMP-52-5-012924	1/29/2024	0.74			< 0.021	U		< 0.0021	U		< 0.0021	U		0.0073	J		0.00020	J		78			21		
VMP-52	5	VMP-52-5-042624	4/26/2024	1.8			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		0.000066	J		79			19		
VMP-52	10	VMP-52-10-080123	8/1/2023	4.3			< 0.022	U		< 0.0022	U		< 0.0022	U		0.020	J		< 0.00022	U		79			17		
VMP-52	10	VMP-52-10-103023	10/30/2023	4.8			< 0.019	U		< 0.0019	U		< 0.0019	U		< 0.097	U		< 0.00019	U		77			18		
VMP-52	10	VMP-52-10-012924	1/29/2024	2.2			< 0.019	U		< 0.0019	U		< 0.0019	U		0.0058	J		< 0.00019	U		79			19		
VMP-52	10	VMP-52-10-042624	4/26/2024	2.4			< 0.021	U		< 0.0021	U		< 0.0021	U		0.0038	J		< 0.00021	U		79			19		
VMP-52	20	VMP-52-20-080123	8/1/2023	5.4			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.11	U		< 0.00023	U		80			15		
VMP-52	20	VMP-52-20-080123-DUP	8/1/2023	5.3			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		81			14		
VMP-52	20	VMP-52-20-103023	10/30/2023	5.9			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.10	U		< 0.00020	U		79			15		
VMP-52	20	VMP-52-20-012924	1/29/2024	6.3			< 0.019	U		< 0.0019	U		< 0.0019	U		0.0028	J		0.00012	J		80			14		
VMP-52	20	VMP-52-20-042624	4/26/2024	4.3			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.10	U		0.000050	J		79			17		
VMP-52	30	VMP-52-30-080123	8/1/2023	5.4			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		80			15		
VMP-52	30	VMP-52-30-103023	10/30/2023	5.9			< 0.019	U		< 0.0019	U		< 0.0019	U		0.0080	J		< 0.00019	U		79			15		
VMP-52	30	VMP-52-30-012924	1/29/2024	6.6			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.098	U		0.00015	J		80			13		
VMP-52	30	VMP-52-30-042624	4/26/2024	5.0			< 0.022	U		< 0.0022	U		< 0.0022	U		0.011	J		0.000062	J		78			17		
VMP-52	30	VMP-52-30-042624-DUP	4/26/2024	5.0			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.099	U		0.000068	J		78			17		
VMP-53	5	VMP-53-5-072423	7/24/2023	3.7			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		< 0.00021	U		79			17		
VMP-53	5	VMP-53-5-120123	12/1/2023	1.6			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		< 0.00021	U		78			20		
VMP-53	5	VMP-53-5-012424	1/24/2024	0.74			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0038	J		0.000058	J		78			21		
VMP-53	5	VMP-53-5-042524	4/25/2024	1.6			< 0.023	U		< 0.0023	U		< 0.0023	U		0.050	J		< 0.00023	U		78			20		
VMP-53	10	VMP-53-10-072423	7/24/2023	3.3			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		< 0.00021	U		79			18		
VMP-53	10	VMP-53-10-072423-DUP	7/24/2023	3.3			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		< 0.00021	U		79			18		
VMP-53	10	VMP-53-10-102523	10/25/2023	2.6			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0027	J		< 0.00022	U		78			19		
VMP-53	10	VMP-53-10-012424	1/24/2024	1.7			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.12	U		< 0.00023	U		78			20		
VMP-53	10	VMP-53-10-042524	4/25/2024	1.4			< 0.021	U		< 0.0021	U		< 0.0021	U		0.0035	J		< 0.00021	U		79			20		
VMP-53	20	VMP-53-20-072423	7/24/2023	3.2			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		< 0.00021	U		80			17		
VMP-53	20	VMP-53-20-102523	10/25/2023	3.6			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.12	U		< 0.00023	U		78			18		
VMP-53	20	VMP-53-20-012424	1/24/2024	2.9			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.11	U		< 0.00023	U		78			19		
VMP-53	20	VMP-53-20-042524	4/25/2024	2.4			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0058	J		< 0.00022	U		79			19		
VMP-53	20	VMP-53-20-042524-DUP	4/25/2024	2.4			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0044	J		< 0.00022	U		79			19		
VMP-53	30	VMP-53-30-072423	7/24/2023	3.3			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		81			16		
VMP-53	30	VMP-53-30-102523	10/25/2023	4.0			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		79			17		
VMP-53	30	VMP-53-30-012424	1/24/2024	4.0			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		< 0.00021	U		79			17		
VMP-53	30	VMP-53-30-042524	4/25/2024	3.3			< 0.024	U		< 0.0024	U		< 0.0024	U		< 0.12	U		< 0.00024	U		79			18		
VMP-54	5	VMP-54-5-072523	7/25/2023	4.1			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		80					

**TABLE 7
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL RESULTS - NATURAL GASES**

Location	Depth	Sample ID	Sample Date	Carbon Dioxide			Carbon Monoxide			Ethane			Ethene			Helium			Methane			Nitrogen			Oxygen		
				Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
VMP-54	10	VMP-54-10-072523	7/25/2023	3.8			< 0.024	U		< 0.0024	U		< 0.0024	U		< 0.12	U		< 0.00024	U		80			16		
VMP-54	10	VMP-54-10-072523-DUP	7/25/2023	3.8			< 0.021	U		< 0.0021	U		< 0.0021	U		0.061	J		< 0.00021	U		80			16		
VMP-54	10	VMP-54-10-102523	10/25/2023	4.2			< 0.022	U		< 0.0022	U		< 0.0022	U		0.014	J		< 0.00022	U		80			16		
VMP-54	10	VMP-54-10-012424	1/24/2024	2.5			< 0.022	U		< 0.0022	U		< 0.0022	U		0.014	J		< 0.00022	U		80			18		
VMP-54	10	VMP-54-10-042524	4/25/2024	3.2			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		80			17		
VMP-54	20	VMP-54-20-072523	7/25/2023	4.1			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.11	U		< 0.00021	U		81			15		
VMP-54	20	VMP-54-20-102523	10/25/2023	5.1			< 0.022	U		< 0.0022	U		< 0.0022	U		0.010	J		< 0.00022	U		81			14		
VMP-54	20	VMP-54-20-012424	1/24/2024	4.7			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.11	U		< 0.00023	U		79			16		
VMP-54	20	VMP-54-20-012424-DUP	1/24/2024	4.6			< 0.022	U		< 0.0022	U		< 0.0022	U		0.040	J		< 0.00022	U		79			16		
VMP-54	20	VMP-54-20-042524	4/25/2024	4.3			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		< 0.00021	U		81			15		
VMP-54	30	VMP-54-30-102523	10/25/2023	2.4			< 0.022	U		< 0.0022	U		< 0.0022	U		0.051	J		0.000070	J		80			18		
VMP-54	30	VMP-54-30-012424	1/24/2024	1.3			< 0.021	U		< 0.0021	U		< 0.0021	U		0.017	J		0.00034			80			19		
VMP-54	30	VMP-54-30-042524	4/25/2024	2.5			< 0.021	U		< 0.0021	U		< 0.0021	U		0.038	J		< 0.00021	U		80			18		
VMP-55	20	VMP-55-20-072623	7/26/2023	16			< 0.024	U		0.00038	J		< 0.0024	U		0.029	J		1.2			80			1.6		
VMP-55	20	VMP-55-20-103023	10/30/2023	18			< 0.022	U		0.0018	J		< 0.0022	U		< 0.11	U		4.3			76			1.8		
VMP-55	20	VMP-55-20-012524	1/25/2024	17			< 0.022	U		0.0033			< 0.0022	U		< 0.11	U		6.7			74			2.4		
VMP-55	20	VMP-55-20-043024	4/30/2024	16			< 0.026	U		0.0076			< 0.0026	U		0.0069	J		14			68			1.3		
VMP-56	10	VMP-56-10-080123	8/1/2023	1.0			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.11	U		< 0.00021	U		79			20		
VMP-56	10	VMP-56-10-110123	11/1/2023	0.33			< 0.023	U		< 0.0023	U		< 0.0023	U		0.045	J		< 0.00023	U		79			21		
VMP-56	10	VMP-56-10-020124	2/1/2024	0.23			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		0.000095	J		78			22		
VMP-56	10	VMP-56-10-050224	5/2/2024	0.79			< 0.024	U		< 0.0024	U		< 0.0024	U		0.072	J		0.00015	J		79			20		
VMP-56	10	VMP-56-10-050224-DUP	5/2/2024	0.76			< 0.023	U		< 0.0023	U		< 0.0023	U		0.066	J		0.00015	J		79			20		
VMP-56	25	VMP-56-25-080123	8/1/2023	0.92			< 0.022	U		< 0.0022	U		< 0.0022	U		0.036	J		0.00011	J		79			20		
VMP-56	25	VMP-56-25-110123	11/1/2023	0.99			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		< 0.00021	U		80			19		
VMP-56	25	VMP-56-25-020124	2/1/2024	0.62			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0062	J		0.00014	J		78			21		
VMP-56	25	VMP-56-25-050224	5/2/2024	0.62			< 0.023	U		< 0.0023	U		< 0.0023	U		0.0043	J		0.00015	J		78			21		
VMP-56	38.5	VMP-56-38.5-110123	11/1/2023	1.0			< 0.021	U		0.00010	J		< 0.0021	U		0.045	J		0.0028			79			20		
VMP-56	38.5	VMP-56-38.5-020124	2/1/2024	0.82			< 0.022	U		0.000054	J		< 0.0022	U		< 0.11	U		0.0023			77			21		
VMP-56	38.5	VMP-56-38.5-050224	5/2/2024	0.79			< 0.024	U		< 0.0024	U		< 0.0024	U		< 0.12	U		0.0068			78			21		
VMP-62	5	VMP-62-5-072523	7/25/2023	7.1			< 0.025	U		< 0.0025	U		< 0.0025	U		0.020	J		< 0.00025	U		78			15		
VMP-62	5	VMP-62-5-102623	10/26/2023	3.4			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.11	U		0.00017	J		78			19		
VMP-62	5	VMP-62-5-012924	1/29/2024	1.8			< 0.020	U		< 0.0020	U		< 0.0020	U		0.0054	J		< 0.00020	U		79			19		
VMP-62	5	VMP-62-5-042924	4/29/2024	3.9			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0023	J		< 0.00022	U		80			16		
VMP-62	10	VMP-62-10-072523	7/25/2023	5.9			< 0.021	U		< 0.0021	U		< 0.0021	U		0.0024	J		< 0.00021	U		79			15		
VMP-62	10	VMP-62-10-102623	10/26/2023	4.5			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0058	J		< 0.00022	U		78			18		
VMP-62	10	VMP-62-10-012924	1/29/2024	2.5			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		< 0.00021	U		78			19		
VMP-62	10	VMP-62-10-012924-DUP	1/29/2024	2.6			< 0.020	U		< 0.0020	U		< 0.0020	U		< 0.10	U		< 0.00020	U		78			19		
VMP-62	10	VMP-62-10-042924	4/29/2024	3.4			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0039	J		< 0.00022	U		80			17		
VMP-62	20	VMP-62-20-072523	7/25/2023	4.5			< 0.026	U		< 0.0026	U		< 0.0026	U		< 0.13	U		< 0.00026	U		78			17		
VMP-62	20	VMP-62-20-102623	10/26/2023	4.6			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0018	J		< 0.00022	U		77			18		
VMP-62	20	VMP-62-20-013024	1/30/2024	2.6			< 0.021	U		< 0.0021	U		< 0.0021	U		0.032	J		< 0.00021	U		77			20		
VMP-62	20	VMP-62-20-042924	4/29/2024	2.5			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		78			19		
VMP-62	30	VMP-62-30-072523	7/25/2023	1.9			< 0.027	U		< 0.0027	U		< 0.0027	U		< 0.13	U		< 0.00027	U		80			18		
VMP-62	30	VMP-62-30-102623	10/26/2023	2.5			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		< 0.00021	U		78			19		
VMP-62	30	VMP-62-30-013024	1/30/2024	2.2			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		< 0.00021	U		78			20		
VMP-62	30	VMP-62-30-042924	4/29/2024	2.2			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.12	U		< 0.00023	U		79			19		
VMP-63	5	VMP-63-5-073123	7/31/2023	1.9			< 0.021	U		< 0.0021	U		< 0.0021	U		0.013	J		0.00050			79			19		
VMP-63	5	VMP-63-5-102723	10/27/2023	0.76			< 0.020	U		< 0.0020	U		< 0.0020	U		0.039	J		< 0.00020	U		78			21		
VMP-63	5	VMP-63-5-013024	1/30/2024	0.29			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		0.00012	J		79			21		
VMP-63	5	VMP-63-5-050324	5/3/2024	0.94			< 0.022	U		< 0.0022	U		< 0.0022	U		0.16			0.000092	J		79			20		
VMP-63	10	VMP-63-10-073123	7/31/2023	1.9			< 0.023	U		< 0.0023	U		< 0.0023	U		0.019	J		< 0.00023	U		79			19		
VMP-63	10	VMP-63-10-073123-DUP	7/31/2023	1.9			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0032	J		< 0.00022	U		79			19		
VMP-63	10	VMP-63-10-102723	10/27/2023	1.1			< 0.021	U		< 0.0021	U		< 0.0021	U		0.016	J		< 0.00021	U		78			21		
VMP-63	10	VMP-63-10-013024	1/30/2024	0.41			< 0.019	U		< 0.0019	U		< 0.0019	U		< 0.096	U		< 0.00019	U		79			21		
VMP-63	10	VMP-63-10-050324	5/3/2024	0.86			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0069	J		< 0.00022	U		79			20		

**TABLE 7
HISTORICAL SUMMARY OF SOIL VAPOR ANALYTICAL RESULTS - NATURAL GASES**

Location	Depth	Sample ID	Sample Date	Carbon Dioxide			Carbon Monoxide			Ethane			Ethene			Helium			Methane			Nitrogen			Oxygen		
				Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
VMP-63	20	VMP-63-20-073123	7/31/2023	1.8			< 0.023	U		< 0.0023	U		< 0.0023	U		0.083	J		< 0.00023	U		79			19		
VMP-63	20	VMP-63-20-102723	10/27/2023	1.9			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0038	J		< 0.00022	U		78			20		
VMP-63	20	VMP-63-20-022924	2/29/2024	0.43			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		0.00013	J		79			21		
VMP-63	20	VMP-63-20-050324	5/3/2024	1.1			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.11	U		< 0.00023	U		79			20		
VMP-63	30	VMP-63-30-073123	7/31/2023	1.8			< 0.022	U		< 0.0022	U		< 0.0022	U		0.077	J		< 0.00022	U		79			19		
VMP-63	30	VMP-63-30-102723	10/27/2023	0.89			< 0.021	U		< 0.0021	U		< 0.0021	U		0.0040	J		< 0.00021	U		79			20		
VMP-63	30	VMP-63-30-013024	1/30/2024	0.52			< 0.020	U		< 0.0020	U		< 0.0020	U		0.072	J		0.00012	J		78			21		
VMP-63	30	VMP-63-30-013024-DUP	1/30/2024	0.55			< 0.021	U		< 0.0021	U		< 0.0021	U		0.052	J		0.00011	J		78			21		
VMP-63	30	VMP-63-30-050324	5/3/2024	1.0			< 0.024	U		< 0.0024	U		< 0.0024	U		< 0.12	U		< 0.00024	U		79			20		
VMP-63	30	VMP-63-30-050324-DUP	5/3/2024	1.0			< 0.023	U		< 0.0023	U		< 0.0023	U		0.022	J		< 0.00023	U		79			20		
VMP-64	5	VMP-64-5-072123	7/21/2023	2.6			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		0.0015			79			18		
VMP-64	5	VMP-64-5-102623	10/26/2023	2.0			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.11	U		< 0.00023	U		79			19		
VMP-64	5	VMP-64-5-012924	1/29/2024	0.82			< 0.021	U		< 0.0021	U		< 0.0021	U		0.0090	J		0.000072	J		78			21		
VMP-64	5	VMP-64-5-042624	4/26/2024	2.3			< 0.021	U		< 0.0021	U		< 0.0021	U		0.013	J		< 0.00021	U		80			18		
VMP-64	10	VMP-64-10-072123	7/21/2023	3.3			< 0.021	U		< 0.0021	U		< 0.0021	U		< 0.10	U		< 0.00021	U		80			17		
VMP-64	10	VMP-64-10-102623	10/26/2023	5.8			< 0.023	U		< 0.0023	U		< 0.0023	U		< 0.12	U		< 0.00023	U		78			16		
VMP-64	10	VMP-64-10-012924	1/29/2024	3.4			< 0.020	U		< 0.0020	U		< 0.0020	U		0.0051	J		< 0.00020	U		79			18		
VMP-64	10	VMP-64-10-042624	4/26/2024	3.2			< 0.024	U		< 0.0024	U		< 0.0024	U		< 0.12	U		0.000068	J		79			18		
VMP-64	20	VMP-64-20-072123	7/21/2023	3.3			< 0.022	U		< 0.0022	U		< 0.0022	U		0.17			< 0.00022	U		80			17		
VMP-64	20	VMP-64-20-072123-DUP	7/21/2023	3.3			< 0.021	U		< 0.0021	U		< 0.0021	U		0.018	J		< 0.00021	U		80			17		
VMP-64	20	VMP-64-20-102623	10/26/2023	4.2			< 0.022	U		< 0.0022	U		< 0.0022	U		0.0034	J		< 0.00022	U		79			17		
VMP-64	20	VMP-64-20-012924	1/29/2024	4.3			< 0.021	U		< 0.0021	U		< 0.0021	U		0.0066	J		< 0.00021	U		79			17		
VMP-64	20	VMP-64-20-042624	4/26/2024	3.9			< 0.022	U		< 0.0022	U		< 0.0022	U		< 0.11	U		< 0.00022	U		78			18		
VMP-64	20	VMP-64-20-042624-DUP	4/26/2024	3.8			< 0.021	U		< 0.0021	U		< 0.0021	U		0.0042	J		< 0.00021	U		79			17		

Notes:

Bold results are detections above the reporting limit (RL), or estimated detections between the method detection limit (MDL) and RL.

Lab Qualifiers

J = Estimated value; results between the MDL and RL
 U = Compound analyzed for but not detected above the RL

AECOM Qualifiers

J = Estimated detection
 U = Non-detect due to blank contamination

TABLE 8
SVE SYSTEM MONTHLY MONITORING - SVE SAMPLING DATA

Sample ID	Well Screen Interval (elev. ft) (ft bgs)	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure	Water	Fixed Gases				Soil Vapor Concentrations				Comments
				Initial Reading (Inches of H ₂ O)	Depth to Water (feet btoc)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
SVE-03R	400.71-410.71 (31-41)	7/19/2023	08:52	-3.79	38.01	0.0	1	1.6	19.3	7.5	95.8	36.1	59.7	
SVE-03R		8/23/2023	09:00	-8.00	38.05	0.0	0	1.4	19.5	3.5	82.2	31.5	50.7	
SVE-03R		9/20/2023	08:43	-8.76	38.15	0.0	0	1.5	19.4	4.7	118	63.1	54.9	
SVE-03R		10/24/2023	08:21	-9.02	38.74	0.1	2	1.6	19.3	7.8	181	95.1	85.9	
SVE-03R		11/20/2023	11:45	-8.68	38.93	0.1	2	1.7	19.5	8.5	193	106	87.0	
SVE-03R		12/20/2023	08:26	-12.59	39.22	0.1	3	1.6	19.5	14.2	254	130	124	
SVE-03R		1/18/2024	07:53	-2.70	40.05	0.1	3	1.2	19.8	14.9	257	98.4	159	
SVE-03R		1/30/2024	12:01	-9.05	40.05	0.2	5	1.0	19.9	31.6	553	275	278	
SVE-03R		2/27/2024	08:28	-8.95	39.70	0.2	4	1.6	19.6	23.8	512	313	199	
SVE-03R		3/20/2024	08:41	-9.22	40.05	0.2	4	1.4	19.5	25.6	727	498	229	
SVE-03R		4/23/2024	08:27	-8.82	40.06	0.3	7	1.7	19.3	60.2	1159	690	469	
SVE-03R		5/14/2024	12:13	-8.52	NM	0.5	10	1.9	18.8	115	1775	1045	730	
SVE-03R		5/29/2024	08:15	-8.17	NE	0.3	7	1.9	18.7	51.2	1133	630	503	
SVE-03R		6/19/2024	13:57	-4.42	40.11	0.2	5	2.0	18.3	31.7	735	383	352	
SVE-04		427.04-437.04 (5-15)	7/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
SVE-04	8/23/2023		00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-04	9/20/2023		00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-04	10/23/2023		00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-04	11/21/2023		00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-04	12/20/2023		00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-04	1/17/2024		00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-04	2/26/2024		00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-04	3/20/2024		00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-04	4/24/2024		00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-04	5/28/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-05	424.23-434.23 (10-20)	7/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-05		8/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-05		9/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-05		10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-05		11/21/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-05		12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-05		1/17/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-05		2/26/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-05		3/20/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-05		4/24/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-05	5/28/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-05	6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-06	424.04-434.04 (10-20)	7/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-06		8/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-06		9/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-06		10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-06		11/21/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-06		12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-06		1/17/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-06		2/26/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-06		3/20/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-06		4/24/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-06	5/28/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-06	6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	

TABLE 8
SVE SYSTEM MONTHLY MONITORING - SVE SAMPLING DATA

Sample ID	Well Screen Interval (elev. ft) (ft bgs)	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure	Water	Fixed Gases				Soil Vapor Concentrations				Comments
				Initial Reading (Inches of H ₂ O)	Depth to Water (feet btoc)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
SVE-07	423.71-433.71 (10-20)	7/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-07		8/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-07		9/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-07		10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-07		11/21/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-07		12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-07		1/17/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-07		2/26/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-07		3/20/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-07		4/24/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-07		5/28/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-07		6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-08	424.12-434.12 (9-19)	7/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-08		8/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-08		9/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-08		10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-08		11/21/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-08		12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-08		1/17/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-08		2/26/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-08		3/20/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-08		4/24/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-08		5/28/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-08		6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-09	422.41-432.41 (10-20)	7/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-09		8/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-09		9/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-09		10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-09		11/21/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-09		12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-09		1/17/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-09		2/26/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-09		3/20/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-09		4/24/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-09		5/28/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-09		6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-10	422.74-432.74 (10-20)	7/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-10		8/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-10		9/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-10		10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-10		11/21/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-10		12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-10		1/17/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-10		2/26/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-10		3/20/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-10		4/24/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-10		5/28/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-10		6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.

TABLE 8
SVE SYSTEM MONTHLY MONITORING - SVE SAMPLING DATA

Sample ID	Well Screen Interval (elev. ft) (ft bgs)	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure	Water	Fixed Gases				Soil Vapor Concentrations				Comments
				Initial Reading (Inches of H ₂ O)	Depth to Water (feet btoc)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
SVE-11	423.56-433.56 (10-20)	7/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-11		8/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-11		9/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-11		10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-11		11/21/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-11		12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-11		1/17/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-11		2/26/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-11		3/20/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-11		4/24/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-11		5/28/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-11		6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-12	423.78-433.78 (10-20)	7/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-12		8/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-12		9/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-12		10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-12		11/21/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-12		12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-12		1/17/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-12		2/26/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-12		3/20/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-12		4/24/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-12		5/28/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-12		6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-13	423.77-433.77 (10-20)	7/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-13		8/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-13		9/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-13		10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-13		11/21/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-13		12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-13		1/17/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-13		2/26/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-13		3/20/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-13		4/24/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-13		5/28/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-13		6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-14	423.87-433.87 (10-20)	7/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-14		8/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-14		9/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-14		10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-14		11/21/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-14		12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-14		1/17/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-14		2/26/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-14		3/20/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-14		4/24/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-14		5/28/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-14		6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.

TABLE 8
SVE SYSTEM MONTHLY MONITORING - SVE SAMPLING DATA

Sample ID	Well Screen Interval (elev. ft) (ft bgs)	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure	Water	Fixed Gases				Soil Vapor Concentrations				Comments
				Initial Reading (Inches of H ₂ O)	Depth to Water (feet btoc)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
SVE-15	424.15-434.15 (10-20)	7/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-15		8/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-15		9/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-15		10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-15		11/21/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-15		12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-15		1/17/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-15		2/26/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-15		3/20/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-15		4/24/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-15		5/28/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-15		6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-16	423.97-433.97 (10-20)	7/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-16		8/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-16		9/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-16		10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-16		11/21/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-16		12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-16		1/17/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-16		2/26/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-16		3/20/2024	12:04	-54.40	22.20	0.3	6	4.5	15.5	63.8	901	584	317	
SVE-16		4/24/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-16		5/28/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-16		6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-17	424.42-434.42 (10-20)	7/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-17		8/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-17		9/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-17		10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-17		11/21/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-17		12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-17		1/17/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-17		2/26/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-17		3/20/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-17		4/24/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-17		5/28/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-17		6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-18	426.93-436.93 (8-18)	7/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-18		8/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-18		9/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-18		10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-18		11/21/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-18		12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-18		1/17/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-18		2/26/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-18		3/20/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-18		4/24/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-18		5/28/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-18		6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.

TABLE 8
SVE SYSTEM MONTHLY MONITORING - SVE SAMPLING DATA

Sample ID	Well Screen Interval (elev. ft) (ft bgs)	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure	Water	Fixed Gases				Soil Vapor Concentrations				Comments
				Initial Reading (Inches of H ₂ O)	Depth to Water (feet btoc)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
SVE-19	423.44-433.44 (11-21)	7/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-19		8/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-19		9/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-19		10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-19		11/21/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-19		12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-19		1/17/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-19		2/26/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-19		3/20/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-19		4/24/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-19		5/28/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-19		6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-20	409.67-419.67 (25-35)	7/19/2023	09:58	-69.40	31.73	23.7	OVR	8.2	8.5	391	81630	67210	14420	
SVE-20		8/24/2023	08:18	-68.10	32.7	27.5	OVR	7.7	10.1	289	92710	76570	16140	
SVE-20		9/20/2023	12:11	-60.60	NE	34.5	OVR	7.2	11.3	436	99560	73540	26020	
SVE-20		10/23/2023	14:14	-63.40	35.46	35.6	OVR	7.6	10.4	314	94210	74650	19560	
SVE-20		11/20/2023	10:16	-73.90	NE	30.9	OVR	8.2	9.9	482	86960	72340	14620	
SVE-20		12/20/2023	09:29	-72.50	30.79	24.2	OVR	8.7	9.2	444	76770	59720	17050	
SVE-20		1/17/2024	12:14	-57.50	35.37	27.6	OVR	9.3	7.7	472	81390	63550	17840	
SVE-20		2/26/2024	11:44	-67.10	33.27	36.3	OVR	7.7	10.5	529	97180	79240	17940	
SVE-20		3/20/2024	11:50	-66.00	NE	27.7	OVR	6.7	11.8	461	80390	64010	16380	
SVE-20		4/22/2024	13:15	-65.8	33.24	33.4	OVR	7.2	11.0	462	84810	68740	16070	
SVE-20		5/29/2024	10:44	-61	34.68	32.3	OVR	7.6	10.0	529	102000	83050	18950	
SVE-20		6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-21	408.29-418.29 (25-35)	7/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-21		8/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-21		9/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-21		10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-21		11/21/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-21		12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-21		1/17/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-21		2/26/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-21		3/20/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-21		4/24/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-21		5/28/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-21		6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-22	404.37-414.37 (25-35)	7/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-22		8/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-22		9/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-22		10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-22		11/21/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-22		12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-22		1/17/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-22		2/26/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-22		3/20/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-22		4/24/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-22		5/28/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-22		6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.

TABLE 8
SVE SYSTEM MONTHLY MONITORING - SVE SAMPLING DATA

Sample ID	Well Screen Interval (elev. ft) (ft bgs)	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure	Water	Fixed Gases				Soil Vapor Concentrations				Comments
				Initial Reading (Inches of H ₂ O)	Depth to Water (feet btoc)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
SVE-23	405.75-415.75 (15-25)	7/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-23		8/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-23		9/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-23		10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-23		11/21/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-23		12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-23		1/17/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-23		2/26/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-23		3/20/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-23		4/24/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-23		5/28/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-23		6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-24	409.22-419.22 (15-25)	7/19/2023	08:04	-68.20	NE	0.6	13	4.2	15.4	81.9	4178	3792	386	
SVE-24		8/23/2023	07:58	-66.20	NE	0.6	12	4.2	15.8	68.9	3752	3294	458	
SVE-24		9/20/2023	07:46	-55.20	NE	0.6	12	4.3	15.9	51.5	3449	3284	165	
SVE-24		10/24/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Inaccessible due to construction activities.
SVE-24		11/21/2023	08:12	-72.30	NE	0.7	14	4.2	16.1	96.7	4232	3844	388	
SVE-24		12/20/2023	08:00	-70.30	17.34	0.7	14	4.2	15.9	126	3242	3056	186	
SVE-24		1/18/2024	08:36	-59.10	17.40	0.8	16	4.4	14.9	132	3768	3141	627	
SVE-24		2/27/2024	08:05	-65.20	18.33	1.2	25	4.0	16.4	138	8021	6993	1028	
SVE-24		3/20/2024	09:24	-64.50	NE	0.8	16	3.8	16.6	72.5	5021	4726	295	
SVE-24		4/23/2024	09:47	-60.8	16.66	1.3	26	4.5	15.2	126	6377	5698	679	
SVE-24		5/29/2024	07:48	-54.8	NE	1.0	21	4.5	14.5	83.6	6894	6260	634	
SVE-24		6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-25	422-432 (10-20)	7/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-25		8/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-25		9/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-25		10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-25		11/21/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-25		12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-25		1/17/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-25		2/26/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-25		3/20/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-25		4/24/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-25		5/28/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-25		6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-26	405.6-415.6 (20-30)	7/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-26		8/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-26		9/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-26		10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-26		11/21/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-26		12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-26		1/17/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-26		2/26/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-26		3/20/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-26		4/24/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-26		5/28/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-26		6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.

TABLE 8
SVE SYSTEM MONTHLY MONITORING - SVE SAMPLING DATA

Sample ID	Well Screen Interval (elev. ft) (ft bgs)	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure	Water	Fixed Gases				Soil Vapor Concentrations				Comments
				Initial Reading (Inches of H ₂ O)	Depth to Water (feet btoc)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
SVE-27	405.93-415.93 (20-30)	7/19/2023	08:19	-52.50	24.81	21.7	OVR	5.4	12.8	676	46360	33740	12620	
SVE-27		8/23/2023	08:17	-56.20	23.65	7.7	OVR	4.7	13.8	395	13800	9825	3975	
SVE-27		9/20/2023	08:18	-61.80	NE	4.5	91	4.3	15.4	259	12800	11364	1436	
SVE-27		10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Inaccessible due to construction activities.
SVE-27		11/21/2023	08:00	-73.10	NE	10.8	OVR	5.7	14.1	605	27830	20130	7700	
SVE-27		12/20/2023	07:40	-72.40	22.69	12.7	OVR	5.5	14.3	611	32430	24210	8220	
SVE-27		1/18/2024	08:58	-52.10	23.74	8.4	OVR	5.1	14.3	507	24860	18850	6010	
SVE-27		2/27/2024	07:50	-66.60	23.31	12.9	OVR	5.5	14.0	710	39420	24110	15310	
SVE-27		3/21/2024	08:30	-65.60	22.08	11.1	OVR	5.0	14.2	461	28780	23150	5630	
SVE-27		4/23/2024	13:26	-64	23.04	10.7	OVR	5.4	13.6	561	33850	26920	6930	
SVE-27		5/29/2024	08:00	-54.9	NE	9.7	OVR	5.0	13.7	536	35880	27470	8410	
SVE-27		6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-28		392.94-402.94 (41-51)	7/19/2023	00:00	NM	43.46	NM	NM	NM	NM	NM	NM	NM	NM
SVE-28	8/23/2023		00:00	NM	43.56	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-28	9/20/2023		00:00	NM	43.58	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-28	10/23/2023		00:00	NM	43.84	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-28	11/21/2023		00:00	NM	44.00	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-28	12/20/2023		00:00	NM	44.43	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-28	1/17/2024		00:00	NM	44.63	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-28	2/26/2024		00:00	NM	44.91	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-28	3/20/2024		00:00	NM	45.08	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-28	4/23/2024		00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-28	5/29/2024		11:29	-6.75	45.38	0.2	5	1.3	19.5	11.7	705	497	208	
SVE-28	6/19/2024		12:24	-8.17	45.34	0.0	0	1.1	19.4	6.8	297	217	80.0	
SVE-29	412.93-422.93 (21-31)		7/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
SVE-29		8/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-29		9/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-29		10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-29		11/21/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-29		12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-29		1/17/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-29		2/26/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-29		3/20/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-29		4/24/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-29		5/28/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-29		6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-30		407.67-417.67 (25-35)	7/19/2023	10:46	-60.80	33.04	21.3	OVR	6.0	11.5	788	31930	20150	11780
SVE-30	8/24/2023		08:36	-62.30	NE	21.9	OVR	6.1	11.9	584	31590	21330	10260	
SVE-30	9/20/2023		12:43	-54.20	NE	15.6	OVR	6.2	11.8	538	28740	17550	11190	
SVE-30	10/18/2023		09:10	-62.00	33.63	12.9	OVR	6.0	12.3	595	24400	16000	8400	
SVE-30	10/23/2023		15:08	-55.90	33.63	16.6	OVR	6.3	11.1	419	28810	19220	9590	
SVE-30	11/20/2023		10:53	-70.10	NE	29.8	OVR	7.3	10.2	553	45970	32060	13910	
SVE-30	12/20/2023		10:02	-65.10	31.82	24.9	OVR	7.1	10.5	589	40680	26990	13690	
SVE-30	1/17/2024		13:03	-39.60	37.05	22.8	OVR	7.2	10.2	559	36190	23920	12270	
SVE-30	2/26/2024		12:46	-51.30	33.58	17.4	OVR	6.7	11.5	672	24070	18850	5220	
SVE-30	3/20/2024		12:37	-65.20	NE	14.3	OVR	6.5	12.0	599	28940	20950	7990	
SVE-30	4/23/2024		12:30	-55.8	33.28	18.1	OVR	6.4	12.0	595	33130	22840	10290	
SVE-30	5/29/2024		11:22	-50.5	NE	19.6	OVR	6.4	11.6	624	33860	24650	9210	
SVE-30	6/19/2024		11:18	-14.97	37.51	83.0	OVR	8.2	8.7	814	90320	54530	35790	

TABLE 8
SVE SYSTEM MONTHLY MONITORING - SVE SAMPLING DATA

Sample ID	Well Screen Interval (elev. ft) (ft bgs)	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure	Water	Fixed Gases				Soil Vapor Concentrations				Comments	
				Initial Reading (Inches of H ₂ O)	Depth to Water (feet btoc)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)		
SVE-31	407.81-417.81 (25-35)	7/19/2023	10:35	-61.10	34.13	7.3	OVR	4.0	15.0	659	14800	8566	6234		
SVE-31		8/24/2023	09:23	-60.50	34.34	8.3	OVR	4.1	15.1	558	15700	10927	4773		
SVE-31		9/20/2023	12:32	-54.40	NE	4.7	95	4.1	15.4	562	10380	5120	5260		
SVE-31		10/18/2023	08:59	-62.30	33.47	3.5	70	3.0	16.8	593	9800	4100	5700		
SVE-31		10/23/2023	14:58	-55.00	33.47	3.9	79	3.6	15.9	545	7885	4465	3420		
SVE-31		11/20/2023	10:46	-70.10	NE	5.4	OVR	4.1	15.1	631	10200	5339	4861		
SVE-31		12/20/2023	09:55	-65.50	32.53	5.2	OVR	4.0	15.2	625	10300	5185	5115		
SVE-31		1/17/2024	12:51	-39.10	34.16	4.7	94	4.0	15.5	645	9157	5025	4132		
SVE-31		2/26/2024	12:18	-49.10	34.02	3.9	79	3.1	16.7	589	8664	4437	4227		
SVE-31		3/20/2024	12:29	-66.20	NE	3.3	66	2.8	17.0	465	7937	4248	3689		
SVE-31		4/22/2024	13:51	-45.7	34.32	4.0	80	3.0	16.6	522	8254	4190	4064		
SVE-31		5/29/2024	11:14	-51	NE	3.4	69	3.0	16.7	547	8818	7582	1236		
SVE-31		6/19/2024	11:03	-14.98	36.68	2.8	57	3.6	15.4	458	4705	2449	2256		
SVE-32		408.63-418.63 (25-35)	7/19/2023	10:24	-62.90	33.71	OVR	OVR	9.5	5.7	516	177000	132000	45000	
SVE-32			8/24/2023	09:12	-61.80	NE	OVR	OVR	9.5	6.1	589	168000	129000	39000	
SVE-32	9/20/2023		12:29	-54.30	NE	74.9	OVR	8.1	8.9	613	69290	39130	30160		
SVE-32	10/18/2023		08:53	-62.10	34.77	OVR	OVR	9.4	7.4	635	120000	62800	57200		
SVE-32	10/23/2023		14:48	-54.70	34.77	OVR	OVR	9.2	7.0	255	127000	97000	30000		
SVE-32	11/20/2023		10:36	-70.30	NE	OVR	OVR	10.7	5.1	488	166000	129000	37000		
SVE-32	12/20/2023		09:48	-65.90	33.43	OVR	OVR	10.0	6.2	577	145000	104000	41000		
SVE-32	1/17/2024		12:36	-39.60	35.74	76.5	OVR	10.1	5.5	693	88320	59240	29080		
SVE-32	2/26/2024		12:08	-47.90	33.30	OVR	OVR	9.0	7.5	453	107000	97000	10000		
SVE-32	3/20/2024		12:20	-65.30	NE	47.8	OVR	7.8	9.6	522	67210	37430	29780		
SVE-32	4/22/2024		13:51	-45.7	33.99	OVR	OVR	8.7	7.6	569	148000	104000	44000		
SVE-32	5/29/2024		11:06	-51	NE	OVR	OVR	9.3	6.0	374	175000	114000	61000		
SVE-32	6/19/2024		10:50	-15.11	35.72	OVR	OVR	10.3	4.6	534	166730	109540	57190		
SVE-33	408.46-418.46 (25-35)		7/19/2023	10:10	-63.00	35.29	2.9	58	6.4	11.1	153	14570	13170	1400	
SVE-33			8/24/2023	09:03	-62.30	NE	1.4	29	6.6	11.2	69.9	10130	8360	1770	
SVE-33		9/20/2023	12:21	-54.50	NE	27.8	OVR	7.4	10.2	394	71390	47480	23910		
SVE-33		10/18/2023	08:48	-62.20	36.30	6.8	OVR	7.8	10.0	232	30000	23000	7000		
SVE-33		10/23/2023	14:29	-53.50	36.30	9.0	OVR	7.5	10.1	172	36620	30750	5870		
SVE-33		11/20/2023	10:28	-69.80	NE	8.9	OVR	7.9	10.5	193	36950	31220	5730		
SVE-33		12/20/2023	09:41	-69.30	35.42	19.4	OVR	8.3	9.5	296	65720	51910	13810		
SVE-33		1/17/2024	12:26	-39.40	36.52	35.2	OVR	8.8	8.4	409	88660	66490	22170		
SVE-33		2/26/2024	11:58	-50.10	35.48	24.6	OVR	7.8	10.4	432	64580	50220	14360		
SVE-33		3/20/2024	12:14	-63.10	NE	37.8	OVR	7.3	10.6	474	83160	64450	18710		
SVE-33		4/22/2024	13:27	-48.7	35.3	35.7	OVR	7.4	10.6	436	59930	57780	2150		
SVE-33		5/29/2024	10:57	-49.3	NE	37.7	OVR	7.5	9.4	586	89260	66090	23170		
SVE-33		6/19/2024	10:33	-15.17	35.78	25.8	OVR	7.8	9.2	589	57930	43590	14340		

TABLE 8
SVE SYSTEM MONTHLY MONITORING - SVE SAMPLING DATA

Sample ID	Well Screen Interval (elev. ft) (ft bgs)	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure	Water	Fixed Gases				Soil Vapor Concentrations				Comments	
				Initial Reading (Inches of H ₂ O)	Depth to Water (feet btoc)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)		
SVE-34	398.76-418.76 (25-45)	7/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-34		8/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-34		9/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-34		10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-34		11/21/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-34		12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-34		1/17/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-34		2/26/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-34		3/20/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-34		4/24/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-34		5/28/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-34		6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-35	402.84-412.84 (31-41)	7/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-35		8/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-35		9/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-35		10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-35		11/21/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-35		12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-35		1/17/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-35		2/26/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-35		3/20/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-35		4/24/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-35		5/28/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-35		6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-36	423.65-433.65 (10-20)	7/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-36		8/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-36		9/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-36		10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-36		11/21/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-36		12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-36		1/17/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-36		2/26/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-36		3/20/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-36		4/24/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-36		5/28/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-36		6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-37	409-419 (25-35)	7/19/2023	11:04	-52.20	33.64	0.9	19	2.2	18.0	110	2985	1720	1265		
SVE-37		8/24/2023	08:45	-53.20	33.95	0.9	18	2.3	18.4	58.4	3191	2163	1028		
SVE-37		9/20/2023	12:52	-47.80	33.78	0.9	18	2.5	18.3	82.7	2748	1831	917		
SVE-37		10/23/2023	15:35	-51.80	33.77	0.9	18	2.3	18.3	98.5	2765	1645	1120		
SVE-37		11/20/2023	11:06	-56.30	NE	1.1	22	2.4	18.4	111	3671	2383	1288		
SVE-37		12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve temporarily closed off from SVE System for maintenance.
SVE-37		1/17/2024	13:23	-42.50	35.88	0.8	16	2.5	18.0	94.8	2522	1545	977		
SVE-37		2/26/2024	13:01	-52.70	33.27	1.3	26	2.2	18.2	147	4381	2633	1748		
SVE-37		3/20/2024	12:45	-57.30	NE	1.1	22	2.1	18.4	98.6	4263	2766	1497		
SVE-37		4/23/2024	12:48	-43.4	33.96	1.3	26	2.2	18.0	132	4228	2839	1389		
SVE-37		5/29/2024	11:36	-38.7	34.43	1.4	29	2.3	17.8	152	5645	3840	1805		
SVE-37		6/19/2024	12:35	-11.59	36.99	1.5	31	2.5	17.2	145	4560	2810	1750		

TABLE 8
SVE SYSTEM MONTHLY MONITORING - SVE SAMPLING DATA

Sample ID	Well Screen Interval (elev. ft) (ft bgs)	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure	Water	Fixed Gases				Soil Vapor Concentrations				Comments
				Initial Reading (Inches of H ₂ O)	Depth to Water (feet btoc)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
SVE-38	409-419 (25-35)	7/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-38		8/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-38		9/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-38		10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-38		11/21/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-38		12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-38		1/17/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-38		2/27/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-38		3/20/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-38		4/24/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-38		5/28/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-38		6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-39	409.5-419.5 (25-35)	7/19/2023	09:07	-54.10	30.02	2.2	45	3.9	15.3	236	8079	5481	2598	
SVE-39		8/24/2023	07:43	-54.60	28.78	1.7	34	3.9	15.4	173	6543	4972	1571	
SVE-39		9/21/2023	13:37	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
SVE-39		10/24/2023	09:08	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
SVE-39		11/20/2023	12:50	-57.30	31.42	1.9	38	4.4	15.2	159	6016	4918	1098	
SVE-39		12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve temporarily closed off from SVE System for maintenance.
SVE-39		1/18/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
SVE-39		2/26/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
SVE-39		3/20/2024	08:25	-54.60	31.28	2.2	44	4.2	15.4	162	7616	5749	1867	
SVE-39		4/23/2024	08:05	-43.2	30.25	3.0	60	4.5	14.4	185	7427	5862	1565	
SVE-39		5/29/2024	08:53	-38.3	29.86	3.3	67	4.4	13.8	194	10300	8562	1738	
SVE-39		6/19/2024	13:32	-11.36	32.33	5.7	OVR	4.7	13.2	380	17480	12240	5240	Dilution probe was used.
SVE-40	409-419 (25-35)	7/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-40		8/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-40		9/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-40		10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-40		11/21/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-40		12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-40		1/17/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-40		2/26/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-40		3/20/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-40		4/24/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-40		5/28/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-40		6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-41	413-423 (20-30)	7/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-41		8/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-41		9/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-41		10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-41		11/21/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-41		12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-41		1/17/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-41		2/26/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-41		3/20/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-41		4/24/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-41		5/28/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-41		6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.

TABLE 8
SVE SYSTEM MONTHLY MONITORING - SVE SAMPLING DATA

Sample ID	Well Screen Interval (elev. ft) (ft bgs)	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure	Water	Fixed Gases				Soil Vapor Concentrations				Comments
				Initial Reading (Inches of H ₂ O)	Depth to Water (feet btoc)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
SVE-42	407.08-417.08 (25-35)	7/18/2023	14:16	0.00	NE	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-42		8/22/2023	11:37	-0.007	NE	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-42		9/19/2023	12:34	0.00	34.71	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-42		10/24/2023	08:48	0.00	34.74	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-42		11/21/2023	11:05	0.00	34.75	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-42		12/19/2023	12:10	-0.01	34.75	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-42		1/17/2024	14:10	0.00	34.76	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-42		2/26/2024	13:47	0.00	34.78	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-42		3/20/2024	12:53	0.00	34.78	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-42		4/23/2024	08:54	-0.004	34.8	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-42		5/29/2024	12:12	0	34.81	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-42		6/19/2024	14:19	0	34.85	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-43	407.12-417.12 (25-35)	7/18/2023	14:19	-0.007	NE	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-43		8/22/2023	11:52	-0.005	NE	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-43		9/19/2023	12:41	0.00	34.84	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-43		10/24/2023	08:55	0.00	34.86	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-43		11/21/2023	11:12	-0.40	NE	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-43		12/19/2023	11:52	-0.44	NE	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-43		1/17/2024	14:17	0.00	NE	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-43		2/26/2024	13:55	-0.37	NE	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-43		3/20/2024	13:03	-0.27	NE	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-43		4/23/2024	09:03	2.984	34.82	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-43		5/29/2024	12:01	4.14	NE	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-43		6/19/2024	14:25	-1.771	NE	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-44	407.46-417.46 (25-35)	7/18/2023	14:24	-0.217	34.44	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-44		8/22/2023	12:08	-0.23	34.42	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-44		9/19/2023	12:48	-0.20	34.48	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-44		10/24/2023	09:03	-0.33	34.53	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-44		11/21/2023	11:22	-0.21	34.62	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-44		12/19/2023	11:46	-0.12	34.68	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-44		1/17/2024	14:23	0.00	34.75	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-44		2/26/2024	14:03	-0.07	34.81	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-44		3/20/2024	13:11	-0.06	34.82	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-44		4/23/2024	09:09	-0.175	34.85	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-44		5/29/2024	11:52	-0.32	34.53	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-44		6/19/2024	14:30	-0.025	34.43	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.

TABLE 8
SVE SYSTEM MONTHLY MONITORING - SVE SAMPLING DATA

Sample ID	Well Screen Interval (elev. ft) (ft bgs)	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure	Water	Fixed Gases				Soil Vapor Concentrations				Comments	
				Initial Reading (Inches of H ₂ O)	Depth to Water (feet btoc)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)		
SVE-45	400.58-405.58 (37-42)	7/19/2023	08:36	-29.61	37.98	0.3	6	1.6	19.4	58.2	507	58.6	448		
SVE-45		8/23/2023	08:45	-31.80	38.40	0.3	6	1.7	19.5	36.7	531	88.0	443		
SVE-45		9/20/2023	08:52	-28.93	39.09	0.4	8	1.6	19.7	37.4	606	161	445		
SVE-45		10/24/2023	08:07	-31.36	38.68	0.6	12	1.3	19.9	87.4	1687	724	963		
SVE-45		11/20/2023	11:58	-30.76	40.00	1.4	29	1.1	20.1	146	2894	1242	1652		
SVE-45		12/20/2023	08:37	-30.64	39.70	7.7	OVR	1.2	19.6	341	15400	8706	6694		
SVE-45		1/18/2024	08:05	-5.50	41.32	OVR	OVR	2.6	16.9	705	72190	42480	29710		
SVE-45		1/30/2024	12:10	-18.01	41.32	23.8	OVR	1.9	18.3	649	29110	16260	12850		
SVE-45		2/26/2024	14:41	-28.87	39.57	25.6	OVR	2.0	17.9	629	27830	17950	9880		
SVE-45		3/20/2024	08:53	-27.71	40.39	39.8	OVR	2.7	17.2	641	44260	26380	17880		
SVE-45		4/23/2024	08:43	-23.62	40.14	66.9	OVR	4.5	14.2	885	59620	39630	19990		
SVE-45		5/14/2024	12:23	-10.17	NM	OVR	OVR	9.2	5.0	462	165000	102000	63000		
SVE-45		5/29/2024	08:25	-8.8	41.34	OVR	OVR	9.3	4.7	813	119000	66510	52490		
SVE-45		6/19/2024	13:46	-3.91	41.39	OVR	OVR	8.6	6.7	935	83340	44020	39320		
SVE-46		417.85-427.85 (15-25)	7/18/2023	14:33	-0.304	NE	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-46			8/22/2023	12:21	-0.34	NE	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-46	9/19/2023		13:04	-0.36	NE	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-46	10/24/2023		08:42	-0.54	NE	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-46	11/21/2023		11:39	-0.38	NE	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-46	12/19/2023		12:30	-0.22	NE	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-46	1/18/2024		08:20	0.00	NE	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-46	2/26/2024		14:15	-0.081	NE	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-46	3/20/2024		13:27	-0.091	NE	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-46	4/23/2024		09:32	-0.345	NE	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-46	5/29/2024		11:40	-0.36	NE	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-46	6/19/2024		14:14	-0.066	NE	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-47	419.01-429.01 (15-25)		7/18/2023	14:29	0.00	22.31	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.
SVE-47		8/22/2023	12:15	0.00	22.58	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-47		9/19/2023	12:57	0.00	22.77	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-47		10/24/2023	08:35	0.00	23.08	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-47		11/21/2023	11:31	0.00	23.22	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-47		12/19/2023	12:24	0.00	23.39	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-47		1/18/2024	08:12	0.00	24.70	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-47		2/26/2024	14:09	0.00	24.61	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-47		3/20/2024	13:18	-0.003	24.72	NM	NM	NM	NM	NM	NM	NM	NM	Well valve closed off from SVE System.	
SVE-47		4/23/2024	09:18	-21.62	21.82	0.0	0	0.9	20.2	26.3	163	7.4	156		
SVE-47		5/14/2024	12:30	-24.77	NM	0.0	1	1.1	19.6	29.8	212	5.2	207		
SVE-47		5/29/2024	08:36	-23.67	21.55	0.0	0	0.9	20.0	15.2	95.3	4.8	90.5		
SVE-47		6/19/2024	14:05	-10.19	21.47	0.0	0	1.1	19.6	11.5	72.3	8.7	63.6		

Notes:

- 1) NM = Not Measured; NA = Not Applicable; NE = Not Encountered; PID = Photo Ionization Detector; THC = Total Hydrocarbon Concentration; PHC = Petroleum Hydrocarbon Concentration; OVR = Over-range; ppmv = Parts Per Million By Volume; btoc = Below Top of Casing; bgs = Below Ground Surface.

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-1-5	7/21/2023	09:15	-0.03	-0.10	0.0	0	0.1	20.6	0.7	4.5	0.5	4.0	
VMP-1-5	8/24/2023	11:45	-0.21	-0.16	0.0	0	0.1	20.8	0.1	2.1	1.7	0.4	
VMP-1-5	9/20/2023	11:57	-0.06	-0.07	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-1-5	10/24/2023	11:29	-0.24	-0.06	0.0	0	0.0	20.8	0.0	0.0	0.0	0.0	
VMP-1-5	11/21/2023	10:58	7.44	-0.22	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-1-5	12/21/2023	09:20	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-1-5	1/17/2024	10:57	-0.12	-0.16	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-1-5	2/28/2024	12:50	0.00	-0.29	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-1-5	3/21/2024	10:40	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-1-5	4/24/2024	09:35	-0.50	-0.29	0.0	0	0.1	20.5	0.0	0.0	0.0	0.0	
VMP-1-5	5/29/2024	14:33	0.00	-0.30	0.0	0	0.3	19.9	0.0	0.0	0.0	0.0	
VMP-1-5	6/20/2024	12:05	-0.58	-0.24	0.0	0	0.2	20.2	0.0	0.0	0.0	0.0	
VMP-1-8.5	7/21/2023	09:16	-0.05	-0.10	0.0	0	0.1	20.6	0.0	0.0	0.0	0.0	
VMP-1-8.5	8/24/2023	11:46	-0.20	-0.24	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-1-8.5	9/20/2023	11:58	-0.05	-0.08	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-1-8.5	10/24/2023	11:30	-0.23	-0.05	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-1-8.5	11/21/2023	10:59	8.26	-0.32	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-1-8.5	11/21/2023	10:59	NM	NM	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-1-8.5	12/21/2023	09:21	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-1-8.5	1/17/2024	10:58	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Port frozen. Would not yield purge.
VMP-1-8.5	2/28/2024	12:51	0.00	-0.28	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-1-8.5	3/21/2024	10:41	-0.62	-0.34	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-1-8.5	4/24/2024	09:36	-0.25	-0.39	0.0	0	0.0	20.7	0.0	0.0	0.0	0.0	
VMP-1-8.5	5/29/2024	14:34	-10.51	-0.55	0.0	0	0.2	20.2	0.0	0.0	0.0	0.0	
VMP-1-8.5	6/20/2024	12:06	-1.56	-0.31	0.0	0	0.1	20.4	3.5	0.0	0.0	0.0	
VMP-1-23.5	7/21/2023	09:17	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-1-23.5	8/24/2023	11:47	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-1-23.5	9/20/2023	11:59	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-1-23.5	10/24/2023	11:31	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-1-23.5	11/21/2023	11:01	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-1-23.5	12/21/2023	09:22	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-1-23.5	1/17/2024	10:59	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-1-23.5	2/28/2024	12:51	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-1-23.5	3/21/2024	10:43	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-1-23.5	4/24/2024	09:37	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-1-23.5	5/30/2024	14:35	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-1-23.5	6/20/2024	12:07	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-1-38.5	7/21/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled because screen was within the capillary fringe.
VMP-1-38.5	8/24/2023	00:00	-0.29	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled because screen was within the capillary fringe.
VMP-1-38.5	9/20/2023	12:00	-0.02	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled because screen was within the capillary fringe.
VMP-1-38.5	10/24/2023	11:32	-0.29	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled because screen was within the capillary fringe.
VMP-1-38.5	11/21/2023	11:00	-0.21	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled because screen was within the capillary fringe.
VMP-1-38.5	12/21/2023	09:03	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled because screen was within the capillary fringe.
VMP-1-38.5	1/17/2024	10:59	-0.17	-0.20	0.0	0	0.0	20.9	0.0	2.5	2.5	0.0	
VMP-1-38.5	2/28/2024	12:52	0.00	-0.24	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-1-38.5	3/21/2024	10:42	-0.67	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-1-38.5	4/24/2024	09:38	0.00	0.00	0.0	0	0.0	20.7	0.0	0.0	0.0	0.0	
VMP-1-38.5	5/29/2024	14:35	-2.68	-0.38	0.0	0	0.2	20.5	2.2	0.0	0.0	0.0	
VMP-1-38.5	6/20/2024	12:08	-0.41	-0.56	0.0	0	0.1	20.4	3.6	0.0	0.0	0.0	
VMP-1-38.5	6/20/2024	12:08	NM	NM	0.0	0	0.1	20.4	4.0	0.0	0.0	0.0	Duplicate sample.
VMP-2-5	7/21/2023	09:20	0.00	0.00	0.0	0	0.3	20.6	0.0	0.0	0.0	0.0	
VMP-2-5	8/25/2023	07:50	0.00	0.00	0.0	0	0.3	20.8	0.0	0.0	0.0	0.0	
VMP-2-5	9/20/2023	13:48	0.00	0.00	0.0	0	0.3	20.7	0.0	0.0	0.0	0.0	
VMP-2-5	10/24/2023	12:00	0.00	0.00	0.0	0	0.1	20.7	0.0	0.0	0.0	0.0	
VMP-2-5	11/21/2023	12:30	0.00	0.00	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-2-5	12/21/2023	10:05	0.00	0.00	0.0	0	0.2	20.5	0.0	0.0	0.0	0.0	
VMP-2-5	1/17/2024	11:19	0.00	0.00	0.0	0	0.1	20.6	0.0	0.0	0.0	0.0	
VMP-2-5	2/28/2024	13:08	0.00	0.00	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-2-5	3/21/2024	12:27	0.00	0.00	0.0	0	0.1	20.9	0.0	0.0	0.0	0.0	
VMP-2-5	4/24/2024	09:25	0.00	0.00	0.0	0	0.4	20.6	0.0	0.0	0.0	0.0	
VMP-2-5	5/29/2024	13:55	0.00	0.00	0.0	0	0.6	20.5	0.0	0.0	0.0	0.0	
VMP-2-5	6/20/2024	12:25	0.00	-0.10	0.0	0	1.4	19.4	0.0	0.0	0.0	0.0	
VMP-2-8.5	7/21/2023	09:21	-0.61	-0.64	0.0	0	0.9	20.1	0.0	0.0	0.0	0.0	
VMP-2-8.5	8/25/2023	07:51	-0.15	-0.09	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-2-8.5	9/20/2023	13:49	-0.03	-0.02	0.0	0	0.2	20.8	0.0	0.0	0.0	0.0	
VMP-2-8.5	9/20/2023	13:49	NM	NM	0.0	0	0.2	20.8	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-2-8.5	10/24/2023	12:01	-0.17	-0.04	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-2-8.5	11/21/2023	12:31	-0.11	-0.20	0.0	0	0.1	20.9	0.0	0.0	0.0	0.0	
VMP-2-8.5	12/21/2023	10:06	0.00	0.00	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-2-8.5	12/21/2023	10:06	NM	NM	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-2-8.5	1/17/2024	11:20	-0.19	-0.25	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-2-8.5	2/28/2024	13:09	0.00	-0.10	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-2-8.5	3/21/2024	12:28	-0.25	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-2-8.5	4/24/2024	09:26	0.00	0.00	0.0	0	0.1	20.9	0.0	0.0	0.0	0.0	
VMP-2-8.5	5/29/2024	13:56	-0.19	-0.14	0.0	0	0.2	20.8	0.0	0.2	0.2	0.0	
VMP-2-8.5	6/20/2024	12:26	-0.10	-0.23	0.0	0	0.3	20.3	0.0	0.0	0.0	0.0	

**TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA**

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-2-22	7/21/2023	09:22	-2.95	-3.01	0.0	0	1.0	20.0	0.0	0.0	0.0	0.0	
VMP-2-22	8/25/2023	07:52	-3.02	-2.98	0.0	0	1.1	20.3	0.0	0.0	0.0	0.0	
VMP-2-22	9/20/2023	13:50	-0.64	-0.64	0.0	0	0.8	20.4	1.3	3.9	0.0	3.9	
VMP-2-22	9/21/2023	12:55	NM	NM	0.0	0	1.3	19.6	0.0	0.0	0.0	0.0	Re-sampled to confirm initial sample.
VMP-2-22	10/24/2023	12:02	-2.74	-0.68	0.0	0	0.6	20.5	0.0	0.4	0.0	0.4	
VMP-2-22	11/21/2023	12:32	-2.97	-2.95	0.0	0	0.4	20.7	0.0	0.0	0.0	0.0	
VMP-2-22	11/21/2023	12:32	NM	NM	0.0	0	0.4	20.7	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-2-22	12/21/2023	10:07	0.00	0.14	0.0	0	0.7	20.3	0.0	0.0	0.0	0.0	
VMP-2-22	1/17/2024	11:21	-2.51	-2.44	0.0	0	0.3	20.6	0.0	0.0	0.0	0.0	
VMP-2-22	2/28/2024	13:10	-1.80	-2.62	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-2-22	3/21/2024	12:29	-2.67	-2.41	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-2-22	4/24/2024	09:27	0.00	-2.36	0.0	0	0.4	20.6	0.0	0.0	0.0	0.0	
VMP-2-22	5/29/2024	13:57	-2.28	-2.17	0.0	0	0.8	20.2	0.0	0.0	0.0	0.0	
VMP-2-22	6/20/2024	12:27	-2.17	-2.18	0.0	0	1.0	19.7	2.7	35.7	11.3	24.4	
VMP-2-42	7/21/2023	09:03	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-2-42	8/25/2023	07:53	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-2-42	9/20/2023	13:51	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-2-42	10/24/2023	12:03	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-2-42	11/21/2023	12:33	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-2-42	12/21/2023	10:08	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-2-42	1/17/2024	11:22	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-2-42	2/28/2024	13:11	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-2-42	3/21/2024	12:30	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-2-42	4/24/2024	09:28	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-2-42	5/29/2024	13:58	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-2-42	6/20/2024	12:28	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-3-5	7/21/2023	08:25	-0.09	0.00	0.0	0	0.3	20.7	0.0	0.0	0.0	0.0	
VMP-3-5	8/25/2023	09:25	0.00	0.00	0.0	0	0.3	20.8	0.0	0.0	0.0	0.0	
VMP-3-5	9/21/2023	12:00	0.00	0.00	0.0	0	0.2	19.6	0.0	0.0	0.0	0.0	
VMP-3-5	10/24/2023	12:05	0.00	0.00	0.0	0	0.0	20.8	0.0	0.0	0.0	0.0	
VMP-3-5	11/21/2023	10:40	0.00	0.00	0.0	0	0.0	20.6	0.0	0.0	0.0	0.0	
VMP-3-5	12/21/2023	12:25	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-3-5	1/18/2024	09:20	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP encased in ice.
VMP-3-5	2/28/2024	13:40	-0.13	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-3-5	3/21/2024	13:15	0.00	0.00	0.0	0	0.0	20.8	0.0	0.0	0.0	0.0	
VMP-3-5	4/24/2024	08:37	0.00	0.00	0.0	0	0.2	20.1	0.0	0.0	0.0	0.0	
VMP-3-5	5/29/2024	12:20	0.00	0.00	0.0	0	0.6	20.1	0.0	0.0	0.0	0.0	
VMP-3-5	6/20/2024	11:00	0.00	0.00	0.0	0	0.5	20.6	0.0	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-3-10	7/21/2023	08:26	-0.28	0.00	0.0	0	0.8	20.4	0.0	0.0	0.0	0.0	
VMP-3-10	8/25/2023	09:26	-0.03	-0.03	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-3-10	9/21/2023	12:01	0.00	0.00	0.0	0	1.0	20.1	0.0	0.0	0.0	0.0	
VMP-3-10	10/24/2023	12:06	-0.25	-0.20	0.0	0	0.1	20.7	0.0	0.0	0.0	0.0	
VMP-3-10	11/21/2023	10:41	-0.83	-0.40	0.0	0	0.2	20.3	0.0	0.0	0.0	0.0	
VMP-3-10	12/21/2023	12:26	0.00	0.00	0.0	0	0.1	20.7	0.0	0.0	0.0	0.0	
VMP-3-10	1/18/2024	09:21	0.00	0.00	0.0	0	0.1	20.9	0.0	0.0	0.0	0.0	
VMP-3-10	2/28/2024	13:41	0.00	-0.09	0.0	0	0.0	20.8	0.0	0.0	0.0	0.0	
VMP-3-10	3/21/2024	13:16	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-3-10	4/24/2024	08:38	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-3-10	5/29/2024	12:21	0.00	0.00	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-3-10	6/20/2024	11:01	0.00	0.00	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-3-22	7/21/2023	08:27	-0.47	-0.45	0.0	0	2.1	19.1	0.0	0.0	0.0	0.0	
VMP-3-22	8/25/2023	09:27	-0.09	-0.08	0.0	0	2.3	19.0	0.0	0.0	0.0	0.0	
VMP-3-22	9/21/2023	12:02	0.00	0.00	0.0	0	2.5	18.8	0.0	0.0	0.0	0.0	
VMP-3-22	10/24/2023	12:07	-0.31	-0.50	0.0	0	2.0	19.6	0.0	0.0	0.0	0.0	
VMP-3-22	11/21/2023	10:42	-0.33	-0.32	0.0	0	1.5	19.8	0.0	0.0	0.0	0.0	
VMP-3-22	12/21/2023	12:27	-0.10	-0.13	0.0	0	1.2	20.1	0.0	0.0	0.0	0.0	
VMP-3-22	12/21/2023	12:27	NM	NM	0.0	0	1.2	20.1	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-3-22	1/18/2024	09:22	-0.20	-0.34	0.0	0	1.0	20.3	0.0	0.0	0.0	0.0	
VMP-3-22	2/28/2024	13:42	-0.37	-0.45	0.0	0	0.8	20.2	0.0	0.0	0.0	0.0	
VMP-3-22	3/21/2024	13:17	0.00	-0.10	0.0	0	0.8	20.1	0.0	0.0	0.0	0.0	
VMP-3-22	4/24/2024	08:39	-0.18	0.00	0.0	0	1.0	20.0	0.0	0.0	0.0	0.0	
VMP-3-22	5/29/2024	12:22	-0.43	-0.36	0.0	0	1.5	19.0	0.0	0.0	0.0	0.0	
VMP-3-22	6/20/2024	11:02	-0.34	-0.29	0.0	0	2.2	18.7	0.0	0.0	0.0	0.0	
VMP-3-31.5	7/21/2023	08:28	-1.52	-1.36	0.0	0	3.1	16.7	0.0	0.0	0.0	0.0	
VMP-3-31.5	8/25/2023	09:28	-0.33	-0.31	0.0	0	3.1	16.5	0.0	0.0	0.0	0.0	
VMP-3-31.5	9/21/2023	12:03	0.00	0.11	0.0	0	3.7	16.1	0.0	0.0	0.0	0.0	
VMP-3-31.5	10/24/2023	12:08	-1.14	-0.25	0.0	0	3.3	16.5	0.0	0.0	0.0	0.0	
VMP-3-31.5	11/21/2023	10:43	-1.26	-1.18	0.0	0	3.4	16.5	0.0	0.0	0.0	0.0	
VMP-3-31.5	12/21/2023	12:28	-0.10	-0.13	0.0	0	3.7	15.5	0.0	0.0	0.0	0.0	
VMP-3-31.5	1/18/2024	09:23	-0.99	-0.92	0.0	0	3.8	15.2	0.0	0.0	0.0	0.0	
VMP-3-31.5	2/28/2024	13:43	-1.41	-1.57	0.0	0	1.6	19.8	0.0	0.0	0.0	0.0	
VMP-3-31.5	3/21/2024	13:18	-0.86	-0.52	0.0	0	2.2	18.4	0.0	0.0	0.0	0.0	
VMP-3-31.5	4/24/2024	08:40	-0.47	-1.22	0.0	0	2.3	18.4	0.0	0.0	0.0	0.0	
VMP-3-31.5	5/29/2024	12:23	-1.17	-1.01	0.0	0	1.6	19.2	0.0	0.0	0.0	0.0	
VMP-3-31.5	5/29/2024	12:23	NM	NM	0.0	0	1.6	19.2	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-3-31.5	6/20/2024	11:03	-1.21	-1.20	0.0	0	2.2	18.4	0.0	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-3-39	7/21/2023	08:29	-1.40	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled because screen was within the capillary fringe.
VMP-3-39	8/25/2023	09:29	-0.31	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled because screen was within the capillary fringe.
VMP-3-39	9/21/2023	12:04	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled because screen was within the capillary fringe.
VMP-3-39	10/24/2023	12:09	-1.06	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled because screen was within the capillary fringe.
VMP-3-39	11/21/2023	10:44	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled because screen was within the capillary fringe.
VMP-3-39	12/21/2023	12:29	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled because screen was within the capillary fringe.
VMP-3-39	1/18/2024	09:23	-1	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled because screen was within the capillary fringe.
VMP-3-39	2/28/2024	13:44	-1.74	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled because screen was within the capillary fringe.
VMP-3-39	3/21/2024	13:18	-0.77	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled because screen was within the capillary fringe.
VMP-3-39	4/24/2024	08:41	-0.79	0.00	6.7	OVR	11.9	2.5	365	12170	6470	5700	
VMP-3-39	5/29/2024	12:24	-1.35	-0.92	0.0	0	6.8	11.6	1.7	69.2	63.0	6.2	
VMP-3-39	6/20/2024	11:09	-1.58	-1.59	0.2	4	7.8	10.2	36.4	517	149	368	
VMP-4-5	7/20/2023	12:35	0.00	0.00	0.0	0	1.6	19.7	0.0	0.0	0.0	0.0	
VMP-4-5	8/25/2023	09:46	0.00	0.00	0.0	0	1.7	20.0	0.0	0.0	0.0	0.0	
VMP-4-5	9/20/2023	14:15	0.00	0.00	0.0	0	0.8	20.2	0.0	0.0	0.0	0.0	
VMP-4-5	10/23/2023	13:10	0.00	0.00	0.0	0	0.5	20.3	0.0	0.0	0.0	0.0	
VMP-4-5	11/20/2023	13:55	0.00	0.00	0.0	0	0.4	20.5	0.0	0.0	0.0	0.0	
VMP-4-5	12/20/2023	14:25	0.00	0.00	0.0	0	0.2	20.6	0.0	0.0	0.0	0.0	
VMP-4-5	1/18/2024	12:31	0.00	0.00	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-4-5	2/28/2024	11:45	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-4-5	3/21/2024	10:46	0.00	0.00	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-4-5	4/23/2024	10:40	-0.48	-0.51	0.0	0	0.0	20.8	0.0	0.0	0.0	0.0	
VMP-4-5	4/23/2024	10:40	NM	NM	0.0	0	0.0	20.8	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-4-5	5/29/2024	09:05	-0.56	-0.54	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-4-5	6/20/2024	09:10	-0.18	-0.43	0.0	0	0.1	20.9	0.0	0.0	0.0	0.0	
VMP-4-12	7/20/2023	12:36	0.00	0.00	0.0	0	2.1	19.3	0.0	0.0	0.0	0.0	
VMP-4-12	7/20/2023	12:36	NM	NM	0.0	0	2.7	18.9	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-4-12	8/25/2023	09:47	0.00	0.00	0.0	0	2.9	18.4	0.0	0.0	0.0	0.0	
VMP-4-12	9/20/2023	14:16	0.00	0.00	0.0	0	3.2	18.2	0.0	0.0	0.0	0.0	
VMP-4-12	9/20/2023	14:16	NM	NM	0.0	0	3.3	18.2	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-4-12	10/23/2023	13:11	0.00	0.00	0.0	0	3.0	18.4	0.0	0.0	0.0	0.0	
VMP-4-12	11/20/2023	13:56	0.00	-0.18	0.0	0	2.6	18.9	0.0	0.0	0.0	0.0	
VMP-4-12	12/20/2023	14:26	-0.11	0.00	0.0	0	2.2	19.0	0.0	0.0	0.0	0.0	
VMP-4-12	1/18/2024	12:32	0.00	-0.11	0.0	0	1.8	19.2	0.0	0.0	0.0	0.0	
VMP-4-12	2/28/2024	11:46	0.00	0.00	0.0	0	0.1	20.7	0.0	0.0	0.0	0.0	
VMP-4-12	3/21/2024	10:47	0.00	0.00	0.0	0	0.2	20.2	0.0	0.0	0.0	0.0	
VMP-4-12	4/23/2024	10:41	-1.88	-1.92	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-4-12	5/29/2024	09:06	-2.14	-2.11	0.0	0	0.6	20.6	0.0	0.0	0.0	0.0	
VMP-4-12	6/20/2024	09:11	-0.85	-1.97	0.0	0	0.7	20.5	0.0	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-4-23.5	7/20/2023	12:37	0.00	-1.19	0.0	0	2.1	18.4	0.0	0.0	0.0	0.0	
VMP-4-23.5	8/25/2023	09:48	-1.70	-1.62	0.0	0	2.1	18.4	0.0	0.0	0.0	0.0	
VMP-4-23.5	9/20/2023	14:17	-2.03	-1.93	0.0	0	3.4	16.9	0.0	0.0	0.0	0.0	
VMP-4-23.5	10/23/2023	13:12	1.34	-1.25	0.0	0	3.2	17.4	0.0	0.0	0.0	0.0	
VMP-4-23.5	11/20/2023	13:57	-0.81	-1.27	0.0	0	3.4	17.6	0.0	0.0	0.0	0.0	
VMP-4-23.5	12/20/2023	14:27	-1.32	-1.39	0.0	0	3.8	16.7	0.0	0.0	0.0	0.0	
VMP-4-23.5	1/18/2024	12:33	-1.99	-1.82	0.0	0	3.4	16.6	14.7	45.4	0.0	45.4	
VMP-4-23.5	1/23/2024	12:00	-3.18	NM	0.1	2	3.8	16.5	37.2	113	0.0	113	Re-sampled to confirm initial sample.
VMP-4-23.5	1/23/2024	12:00	-3.18	NM	0.1	2	3.8	16.5	37.2	113	0.0	113	Re-sampled to confirm initial sample.
VMP-4-23.5	2/28/2024	11:47	-1.91	-2.07	0.0	0	2.2	18.9	22.6	95.7	0.0	95.7	
VMP-4-23.5	2/28/2024	11:47	NM	NM	0.0	0	2.2	18.9	22.8	91.3	0.0	91.3	Duplicate sample.
VMP-4-23.5	3/21/2024	10:48	-1.82	-1.55	0.0	1	2.2	18.4	29.8	115	0.0	115	
VMP-4-23.5	4/23/2024	10:42	-1.44	-1.48	0.0	0	2.7	18.6	0.0	0.0	0.0	0.0	
VMP-4-23.5	5/29/2024	09:07	-2.28	-2.14	0.0	0	2.3	18.1	0.0	0.0	0.0	0.0	
VMP-4-23.5	5/29/2024	09:07	NM	NM	0.0	0	2.3	18.0	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-4-23.5	6/20/2024	09:12	-0.86	0.00	0.0	0	2.9	16.8	0.0	0.0	0.0	0.0	
VMP-4-23.5	6/20/2024	09:12	NM	NM	0.0	0	3.0	16.7	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-4-39	7/20/2023	12:38	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-4-39	8/25/2023	09:49	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-4-39	9/20/2023	14:18	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-4-39	10/23/2023	13:13	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-4-39	11/20/2023	13:58	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-4-39	12/20/2023	14:28	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-4-39	1/18/2024	12:34	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-4-39	2/28/2024	12:05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-4-39	3/21/2024	10:49	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-4-39	4/23/2024	10:43	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-4-39	5/29/2024	09:08	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-4-39	6/20/2024	09:13	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-5-5	7/20/2023	09:00	0.00	0.00	0.0	0	1.9	18.7	0.0	0.0	0.0	0.0	
VMP-5-5	8/25/2023	09:05	0.00	0.00	0.0	0	2.3	19.5	0.0	0.0	0.0	0.0	
VMP-5-5	9/20/2023	13:15	-0.17	0.25	0.0	0	0.7	20.3	0.0	0.0	0.0	0.0	
VMP-5-5	10/23/2023	13:00	0.00	0.00	0.0	0	0.8	20.0	0.0	0.0	0.0	0.0	
VMP-5-5	11/20/2023	11:15	0.00	0.00	0.0	0	0.4	20.5	0.0	0.0	0.0	0.0	
VMP-5-5	12/20/2023	13:45	0.00	0.00	0.0	0	0.1	20.7	0.0	0.0	0.0	0.0	
VMP-5-5	1/23/2024	08:55	0.00	0.00	0.0	0	0.2	20.8	0.0	0.0	0.0	0.0	
VMP-5-5	2/28/2024	11:00	-0.09	0.00	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-5-5	3/20/2024	13:35	0.00	0.00	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-5-5	4/23/2024	09:07	-0.12	0.28	0.0	0	0.4	20.3	0.0	0.0	0.0	0.0	
VMP-5-5	5/28/2024	14:09	-0.10	0.00	0.0	0	0.7	19.9	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-5-5	6/20/2024	08:35	0.26	0.35	0.0	0	1.3	19.9	0.0	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-5-12.5	7/20/2023	09:01	0.00	0.00	0.0	0	2.5	18.4	0.0	0.0	0.0	0.0	
VMP-5-12.5	8/25/2023	09:06	-0.09	0.00	0.0	0	3.0	18.4	0.0	0.0	0.0	0.0	
VMP-5-12.5	9/20/2023	13:16	0.00	0.00	0.0	0	2.4	19.0	0.0	0.0	0.0	0.0	
VMP-5-12.5	10/23/2023	13:01	0.00	0.00	0.0	0	2.2	19.0	0.0	0.0	0.0	0.0	
VMP-5-12.5	11/20/2023	11:16	0.00	0.00	0.0	0	1.7	19.7	0.0	0.0	0.0	0.0	
VMP-5-12.5	12/20/2023	13:46	0.00	0.00	0.0	0	1.0	20.0	0.0	0.0	0.0	0.0	
VMP-5-12.5	1/23/2024	08:56	0.00	0.00	0.0	0	0.7	20.6	0.0	0.0	0.0	0.0	
VMP-5-12.5	2/28/2024	11:01	-0.31	-0.14	0.0	0	0.6	20.5	0.0	0.0	0.0	0.0	
VMP-5-12.5	3/20/2024	13:36	0.00	0.00	0.0	0	0.7	20.3	0.0	0.0	0.0	0.0	
VMP-5-12.5	4/23/2024	09:08	-0.21	0.00	0.0	0	1.2	19.8	0.0	0.0	0.0	0.0	
VMP-5-12.5	5/28/2024	14:10	-0.16	0.00	0.0	0	1.3	19.1	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-5-12.5	6/20/2024	08:36	0.29	0.00	0.0	0	1.9	19.2	0.0	0.0	0.0	0.0	
VMP-5-31	7/20/2023	09:02	-0.16	0.00	0.0	0	2.2	18.3	0.0	0.0	0.0	0.0	
VMP-5-31	7/20/2023	09:02	NM	NM	0.0	0	2.2	18.3	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-5-31	8/25/2023	09:07	-0.40	-0.35	0.0	0	2.4	18.8	0.0	0.0	0.0	0.0	
VMP-5-31	9/20/2023	13:17	-0.42	-0.40	0.0	0	2.8	18.1	0.0	0.0	0.0	0.0	
VMP-5-31	10/23/2023	13:02	0.00	0.00	0.0	0	2.8	18.1	0.0	0.0	0.0	0.0	
VMP-5-31	11/20/2023	11:17	-0.16	0.29	0.0	0	2.8	18.2	0.0	0.0	0.0	0.0	
VMP-5-31	12/20/2023	13:47	-0.12	-0.15	0.0	0	2.7	18.1	0.0	0.0	0.0	0.0	
VMP-5-31	12/20/2023	13:47	NM	NM	0.0	0	2.8	18.1	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-5-31	1/23/2024	08:57	-0.55	-0.94	0.0	0	2.7	18.6	0.0	0.0	0.0	0.0	
VMP-5-31	2/28/2024	11:02	-1.26	-0.93	0.0	0	2.2	18.9	0.0	0.0	0.0	0.0	
VMP-5-31	2/28/2024	11:02	NM	NM	0.0	0	2.2	19.0	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-5-31	3/20/2024	13:37	-0.59	-0.46	0.0	0	2.0	19.6	0.0	0.0	0.0	0.0	
VMP-5-31	4/23/2024	09:09	-0.33	-0.61	0.0	0	1.7	19.2	0.0	0.0	0.0	0.0	
VMP-5-31	4/23/2024	09:09	NM	NM	0.0	0	1.7	19.3	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-5-31	5/28/2024	14:11	0.00	-0.27	0.0	0	1.9	18.4	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-5-31	6/20/2024	08:37	-0.28	-0.20	0.0	0	2.1	18.4	0.0	0.0	0.0	0.0	
VMP-5-40	7/20/2023	09:03	-0.26	-0.39	0.0	0	2.4	18.2	0.0	0.0	0.0	0.0	
VMP-5-40	8/25/2023	09:08	-0.41	-0.35	0.0	0	2.5	18.2	0.0	0.0	0.0	0.0	
VMP-5-40	9/20/2023	13:18	-0.42	-0.40	0.0	0	2.1	18.4	0.0	0.0	0.0	0.0	
VMP-5-40	10/23/2023	13:03	0.00	0.00	0.0	0	2.8	18.1	0.0	0.0	0.0	0.0	
VMP-5-40	11/20/2023	11:18	-0.16	0.27	0.0	0	2.9	18.0	0.0	0.0	0.0	0.0	
VMP-5-40	12/20/2023	13:48	-0.12	-0.15	0.0	0	2.7	18.1	0.0	0.0	0.0	0.0	
VMP-5-40	1/23/2024	08:58	-0.54	-0.71	0.0	0	2.7	18.5	0.0	0.0	0.0	0.0	
VMP-5-40	1/23/2024	08:58	NM	NM	0.0	0	2.7	18.5	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-5-40	2/28/2024	11:03	-1.19	-0.87	0.0	0	2.2	18.9	0.0	2.0	2.0	0.0	
VMP-5-40	3/20/2024	13:38	NM	NM	0.0	0	1.9	19.6	0.2	2.8	2.6	0.2	Duplicate sample.
VMP-5-40	3/20/2024	13:38	-0.37	-0.40	0.0	0	1.9	19.6	0.2	2.6	2.4	0.2	
VMP-5-40	4/23/2024	09:10	-0.17	-0.18	0.0	0	1.6	19.4	0.2	1.3	0.6	0.7	
VMP-5-40	5/28/2024	14:12	-0.12	-0.26	0.0	0	0.9	19.6	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-5-40	6/20/2024	08:38	0.00	0.00	0.0	0	0.5	20.4	0.0	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-6-5	7/20/2023	08:15	0.00	0.00	0.0	0	1.7	19.0	0.0	0.0	0.0	0.0	
VMP-6-5	8/25/2023	08:37	0.00	0.00	0.0	0	3.2	18.9	0.0	0.0	0.0	0.0	
VMP-6-5	9/20/2023	12:45	0.00	0.00	0.0	0	1.6	19.6	0.0	0.0	0.0	0.0	
VMP-6-5	10/23/2023	12:20	0.00	0.00	0.0	0	3.0	18.2	0.0	0.0	0.0	0.0	
VMP-6-5	11/20/2023	10:40	0.00	0.00	0.0	0	2.5	19.0	0.0	0.0	0.0	0.0	
VMP-6-5	12/20/2023	11:05	0.00	0.00	0.0	0	1.5	19.5	0.0	0.0	0.0	0.0	
VMP-6-5	1/23/2024	10:15	0.00	0.00	0.0	0	2.2	19.0	0.0	0.0	0.0	0.0	
VMP-6-5	2/27/2024	13:25	0.10	0.00	0.0	0	3.2	17.5	0.0	0.0	0.0	0.0	
VMP-6-5	3/21/2024	08:20	0.00	0.00	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-6-5	4/23/2024	08:17	0.00	0.00	0.0	0	0.8	20.2	0.0	0.0	0.0	0.0	
VMP-6-5	5/28/2024	13:27	0.00	0.00	0.0	0	0.4	20.2	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-6-5	6/20/2024	08:10	0.00	0.00	0.0	0	0.5	20.6	0.0	0.0	0.0	0.0	
VMP-6-10	7/20/2023	08:16	0.00	0.00	0.0	0	4.6	16.1	0.0	0.0	0.0	0.0	
VMP-6-10	8/25/2023	08:38	0.00	0.00	0.0	0	4.6	17.0	0.0	0.0	0.0	0.0	
VMP-6-10	9/20/2023	12:46	0.00	0.00	0.0	0	3.4	18.1	0.0	0.0	0.0	0.0	
VMP-6-10	10/23/2023	12:21	0.00	0.00	0.0	0	3.5	17.4	0.0	0.0	0.0	0.0	
VMP-6-10	11/20/2023	10:41	0.00	0.00	0.0	0	3.3	17.8	0.0	0.0	0.0	0.0	
VMP-6-10	12/20/2023	11:06	-1.21	0.00	0.0	0	2.8	18.2	0.0	0.0	0.0	0.0	
VMP-6-10	1/23/2024	10:16	-0.19	0.00	0.0	0	2.5	18.8	0.0	0.0	0.0	0.0	
VMP-6-10	2/27/2024	13:26	0.18	0.14	0.0	0	3.6	16.8	0.0	0.0	0.0	0.0	
VMP-6-10	3/21/2024	08:21	-0.10	0.00	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-6-10	4/23/2024	08:18	0.00	0.00	0.0	0	0.8	19.3	0.0	0.0	0.0	0.0	
VMP-6-10	5/28/2024	13:28	0.00	-0.09	0.0	0	1.6	18.1	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-6-10	6/20/2024	08:11	0.00	0.00	0.0	0	2.5	18.0	0.0	0.0	0.0	0.0	
VMP-6-31.5	7/20/2023	08:17	0.11	-0.13	0.0	0	4.9	15.3	0.0	0.0	0.0	0.0	
VMP-6-31.5	8/25/2023	08:39	0.00	0.00	0.0	0	5.2	15.1	0.0	0.0	0.0	0.0	
VMP-6-31.5	9/20/2023	12:47	-0.09	0.00	0.0	0	5.6	14.4	0.0	0.0	0.0	0.0	
VMP-6-31.5	9/20/2023	12:47	NM	NM	0.0	0	5.7	14.4	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-6-31.5	10/23/2023	12:22	0.10	0.21	0.0	0	5.9	14.3	0.0	0.0	0.0	0.0	
VMP-6-31.5	10/23/2023	12:22	NM	NM	0.0	0	5.8	14.4	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-6-31.5	11/20/2023	10:42	0.00	0.32	0.0	0	6.2	14.0	0.0	0.0	0.0	0.0	
VMP-6-31.5	12/20/2023	11:07	0.00	0.09	0.0	0	5.7	14.3	0.0	0.0	0.0	0.0	
VMP-6-31.5	1/23/2024	10:17	-0.11	-0.11	0.0	0	5.8	14.1	0.0	0.0	0.0	0.0	
VMP-6-31.5	1/23/2024	10:17	NM	NM	0.0	0	5.8	14.1	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-6-31.5	2/27/2024	13:27	0.62	0.65	0.0	0	5.7	14.1	0.0	0.0	0.0	0.0	
VMP-6-31.5	2/27/2024	13:27	NM	NM	0.0	0	5.7	14.1	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-6-31.5	3/21/2024	08:22	-0.20	-0.18	0.0	0	4.7	16.9	0.0	0.0	0.0	0.0	
VMP-6-31.5	4/24/2024	14:05	-0.15	0.00	0.0	0	4.0	16.6	0.0	0.0	0.0	0.0	
VMP-6-31.5	5/28/2024	13:29	0.00	-0.10	0.0	0	3.9	15.5	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-6-31.5	6/20/2024	08:12	-0.16	0.00	0.0	0	4.3	14.6	0.0	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-6-39	7/20/2023	08:18	0.14	-0.19	10.6	OVR	6.1	12.8	597	15840	8690	7150	
VMP-6-39	8/25/2023	08:49	-0.14	0.00	1.5	31	6.0	13.6	265	2805	1518	1287	
VMP-6-39	9/20/2023	12:48	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-6-39	10/23/2023	12:23	0.13	0.16	4.9	68	6.9	12.3	269	10700	5400	5300	
VMP-6-39	11/20/2023	10:43	0.00	0.32	1.1	23	7.1	12.4	154	2270	757	1513	
VMP-6-39	12/20/2023	11:08	0.00	0.10	0.0	0	6.9	12.8	0.0	0.0	0.0	0.0	
VMP-6-39	1/23/2024	10:18	-0.12	0.34	0.0	0	5.2	14.9	0.0	0.0	0.0	0.0	
VMP-6-39	2/27/2024	13:28	0.33	0.21	0.0	0	6.5	13.0	0.0	0.0	0.0	0.0	
VMP-6-39	3/21/2024	08:23	-0.21	-0.18	0.0	0	6.4	14.7	0.0	0.0	0.0	0.0	
VMP-6-39	3/21/2024	08:23	NM	NM	0.0	0	6.4	14.7	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-6-39	4/23/2024	08:20	-0.15	0.39	0.0	0	5.0	15.8	0.0	0.0	0.0	0.0	
VMP-6-39	5/28/2024	13:30	0.00	-0.12	0.0	0	4.8	14.1	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-6-39	5/28/2024	13:30	NM	NM	0.0	0	4.8	14.1	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-6-39	6/20/2024	08:13	-0.16	0.00	0.0	0	5.1	13.5	0.0	0.0	0.0	0.0	
VMP-7-5	7/20/2023	07:55	0.00	0.00	0.0	0	3.1	17.1	0.0	0.0	0.0	0.0	
VMP-7-5	8/25/2023	08:13	-12.72	0.00	0.0	0	3.7	16.9	0.0	0.0	0.0	0.0	
VMP-7-5	9/20/2023	12:30	0.00	-0.14	0.0	0	2.8	18.1	0.0	0.0	0.0	0.0	
VMP-7-5	10/23/2023	11:50	0.00	0.12	0.0	0	2.8	18.3	0.0	0.0	0.0	0.0	
VMP-7-5	11/20/2023	09:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to standing water on well vault.
VMP-7-5	12/20/2023	09:55	0.00	0.00	0.0	0	2.3	18.5	0.0	0.0	0.0	0.0	
VMP-7-5	1/18/2024	14:30	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP encased in ice.
VMP-7-5	2/27/2024	13:00	-1.50	0.18	0.0	0	2.0	18.8	0.0	0.0	0.0	0.0	
VMP-7-5	3/20/2024	10:33	-0.28	0.00	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-7-5	4/22/2024	13:05	-3.42	0.26	0.0	0	0.4	20.1	0.0	0.0	0.0	0.0	
VMP-7-5	5/28/2024	11:37	-1.22	0.00	0.0	0	1.1	19.4	1.2	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-7-5	5/29/2024	08:40	-1.05	NM	0.0	0	1.0	19.7	0.0	0.0	0.0	0.0	Re-sampled to confirm initial sample.
VMP-7-5	6/19/2024	13:15	-0.68	0.00	0.0	0	0.6	19.9	0.0	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-7-13.5	7/20/2023	07:56	0.00	0.00	0.0	0	3.0	17.3	0.0	0.0	0.0	0.0	
VMP-7-13.5	8/25/2023	08:14	-0.20	-0.70	0.0	0	3.5	17.0	0.0	0.0	0.0	0.0	
VMP-7-13.5	9/20/2023	12:31	-0.94	-0.34	0.0	0	2.8	18.3	0.0	0.0	0.0	0.0	
VMP-7-13.5	10/23/2023	11:51	0.00	0.00	0.0	0	3.0	17.9	0.0	0.0	0.0	0.0	
VMP-7-13.5	11/20/2023	09:01	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to standing water on well vault.
VMP-7-13.5	12/20/2023	09:56	-0.40	0.00	0.0	0	3.2	18.7	0.0	0.0	0.0	0.0	
VMP-7-13.5	12/20/2023	09:56	NM	NM	0.0	0	2.1	18.8	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-7-13.5	1/18/2024	14:30	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP encased in ice.
VMP-7-13.5	2/27/2024	13:01	0.00	0.18	0.0	0	2.6	18.1	0.0	0.0	0.0	0.0	
VMP-7-13.5	3/20/2024	10:34	-0.33	-0.29	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-7-13.5	4/22/2024	13:06	-0.88	0.37	0.0	0	0.9	19.4	0.0	0.0	0.0	0.0	
VMP-7-13.5	5/28/2024	11:38	-1.19	0.00	0.0	0	0.8	19.6	3.2	6.8	6.0	0.8	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-7-13.5	5/29/2024	08:41	-0.33	NM	0.0	0	0.7	20.0	0.0	0.0	0.0	0.0	Re-sampled to confirm initial sample.
VMP-7-13.5	5/29/2024	08:41	NM	NM	0.0	0	0.8	19.9	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-7-13.5	6/19/2024	13:16	-0.94	-0.45	0.0	0	1.3	19.2	0.0	0.0	0.0	0.0	
VMP-7-13.5	6/19/2024	13:16	NM	NM	0.0	0	1.3	19.1	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-7-29.5	7/20/2023	07:57	-1.59	0.93	0.0	0	4.4	15.1	0.0	0.0	0.0	0.0	
VMP-7-29.5	8/25/2023	08:15	-18.18	0.00	0.0	0	4.3	15.3	0.0	0.0	0.0	0.0	
VMP-7-29.5	9/20/2023	12:32	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-7-29.5	10/23/2023	11:52	-15.04	1.55	0.0	0	4.8	15.2	0.0	0.0	0.0	0.0	
VMP-7-29.5	11/20/2023	09:02	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to standing water on well vault.
VMP-7-29.5	12/20/2023	09:57	-2.46	-1.25	0.0	0	5.2	14.9	0.0	0.0	0.0	0.0	
VMP-7-29.5	1/18/2024	14:30	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP encased in ice.
VMP-7-29.5	2/27/2024	13:02	-0.23	0.00	0.0	0	4.5	15.5	0.0	0.0	0.0	0.0	
VMP-7-29.5	2/27/2024	13:02	NM	NM	0.0	0	4.6	15.3	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-7-29.5	3/20/2024	10:35	-2.28	0.00	0.0	0	2.9	18.4	0.0	0.0	0.0	0.0	
VMP-7-29.5	4/22/2024	13:07	-13.58	0.00	0.0	0	3.4	17.2	0.0	0.0	0.0	0.0	
VMP-7-29.5	5/28/2024	11:40	-1.94	0.00	0.0	0	3.5	16.3	3.9	3.5	3.0	0.5	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-7-29.5	5/28/2024	11:40	NM	NM	0.0	0	3.5	16.3	3.9	2.7	2.2	0.5	Duplicate sample.
VMP-7-29.5	5/29/2024	08:42	-10.18	NM	0.0	0	3.1	17.1	0.5	0.0	0.0	0.0	Re-sampled to confirm initial sample.
VMP-7-29.5	6/19/2024	13:17	-18.62	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-7-38	7/20/2023	07:58	-1.30	-0.12	0.0	0	4.3	15.1	0.0	0.0	0.0	0.0	
VMP-7-38	7/20/2023	07:58	NM	NM	0.0	0	4.4	15.1	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-7-38	8/25/2023	08:16	-1.14	0.00	0.0	0	4.6	15.1	0.0	0.0	0.0	0.0	
VMP-7-38	9/20/2023	12:33	-9.39	-0.14	0.0	0	4.5	15.4	0.0	0.0	0.0	0.0	
VMP-7-38	10/23/2023	11:53	-0.27	0.18	0.0	0	4.2	16.2	0.0	0.0	0.0	0.0	
VMP-7-38	11/20/2023	09:03	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to standing water on well vault.
VMP-7-38	12/20/2023	09:58	0.00	0.00	0.0	0	3.7	16.8	0.0	0.0	0.0	0.0	
VMP-7-38	1/18/2024	14:30	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP encased in ice.
VMP-7-38	2/27/2024	13:03	0.17	0.19	0.0	0	4.9	15.1	0.0	0.0	0.0	0.0	
VMP-7-38	3/20/2024	10:36	-0.44	-0.49	0.0	0	2.9	18.0	0.0	0.0	0.0	0.0	
VMP-7-38	4/22/2024	13:08	-0.16	0.18	0.0	0	3.3	17.4	0.0	0.0	0.0	0.0	
VMP-7-38	5/29/2024	08:43	-0.10	0.00	0.0	0	3.0	17.2	0.5	0.0	0.0	0.0	Re-sampled due to ambient air in initial sample.
VMP-7-38	6/19/2024	13:18	0.00	0.00	0.0	0	3.3	16.5	5.7	0.0	0.0	0.0	
VMP-9-5	7/19/2023	13:05	0.00	0.00	0.0	0	2.6	18.5	0.0	0.0	0.0	0.0	
VMP-9-5	8/24/2023	10:57	0.00	0.00	0.0	0	3.5	17.8	0.0	0.0	0.0	0.0	
VMP-9-5	9/20/2023	10:25	0.00	0.00	0.0	0	1.4	19.8	0.0	0.0	0.0	0.0	
VMP-9-5	10/23/2023	09:35	0.00	0.00	0.0	0	1.0	19.8	0.0	0.0	0.0	0.0	
VMP-9-5	11/20/2023	08:45	0.00	0.00	0.0	0	0.9	20.1	0.0	0.0	0.0	0.0	
VMP-9-5	12/20/2023	08:45	0.00	0.00	0.0	0	0.5	20.3	0.0	0.0	0.0	0.0	
VMP-9-5	1/18/2024	13:51	0.00	0.00	0.0	0	1.7	18.5	0.0	0.0	0.0	0.0	
VMP-9-5	2/27/2024	11:30	0.00	0.10	0.0	0	1.4	19.4	0.0	0.0	0.0	0.0	
VMP-9-5	3/20/2024	09:34	0.00	0.00	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-9-5	4/22/2024	12:20	0.00	0.09	0.0	0	1.1	19.4	0.0	0.0	0.0	0.0	
VMP-9-5	5/28/2024	11:23	0.00	0.00	0.0	0	1.3	19.8	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-9-5	6/19/2024	11:05	0.00	0.00	0.0	0	0.7	20.4	0.0	0.0	0.0	0.0	
VMP-9-11.5	7/19/2023	13:06	0.00	0.00	0.0	0	3.3	17.5	0.0	0.0	0.0	0.0	
VMP-9-11.5	8/24/2023	10:58	0.00	0.00	0.0	0	3.2	17.7	0.0	0.0	0.0	0.0	
VMP-9-11.5	9/20/2023	10:26	0.00	0.00	0.0	0	2.9	19.0	0.0	0.0	0.0	0.0	
VMP-9-11.5	10/23/2023	09:36	-0.16	0.00	0.0	0	2.4	18.7	0.0	0.0	0.0	0.0	
VMP-9-11.5	11/20/2023	08:46	0.00	0.00	0.0	0	2.2	19.1	0.0	0.0	0.0	0.0	
VMP-9-11.5	12/20/2023	08:46	0.00	0.00	0.0	0	1.8	19.2	0.0	0.0	0.0	0.0	
VMP-9-11.5	1/18/2024	13:52	0.00	0.00	0.0	0	2.5	17.8	0.0	0.0	0.0	0.0	
VMP-9-11.5	2/27/2024	11:31	0.00	0.15	0.0	0	1.8	18.9	0.0	0.0	0.0	0.0	
VMP-9-11.5	3/20/2024	09:35	-0.16	-0.13	0.0	0	0.9	20.2	0.0	0.0	0.0	0.0	
VMP-9-11.5	3/20/2024	09:35	NM	NM	0.0	0	0.9	20.2	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-9-11.5	4/22/2024	12:21	0.14	0.16	0.0	0	1.4	19.1	0.0	0.0	0.0	0.0	
VMP-9-11.5	5/28/2024	11:24	0.00	0.00	0.0	0	2.2	18.4	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-9-11.5	6/19/2024	11:06	-0.18	-0.26	0.0	0	2.6	19.2	0.0	0.0	0.0	0.0	

**TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA**

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-9-25.5	7/19/2023	13:07	0.00	0.00	0.0	0	3.2	15.9	0.0	0.0	0.0	0.0	
VMP-9-25.5	8/24/2023	10:59	0.00	0.00	0.0	0	3.7	15.3	0.0	0.0	0.0	0.0	
VMP-9-25.5	9/20/2023	10:27	-0.14	-0.16	0.0	0	3.9	16.1	0.0	0.0	0.0	0.0	
VMP-9-25.5	10/23/2023	09:37	-0.13	0.00	0.0	0	4.0	16.2	0.0	0.0	0.0	0.0	
VMP-9-25.5	11/20/2023	08:47	0.00	-0.13	0.0	0	4.0	16.6	0.0	0.0	0.0	0.0	
VMP-9-25.5	12/20/2023	08:47	0.00	0.00	0.0	0	3.9	16.3	0.0	0.0	0.0	0.0	
VMP-9-25.5	1/18/2024	13:53	0.00	0.00	0.0	0	3.9	15.9	0.0	0.0	0.0	0.0	
VMP-9-25.5	2/27/2024	11:32	0.10	0.22	0.0	0	3.8	16.2	0.0	0.0	0.0	0.0	
VMP-9-25.5	2/27/2024	11:32	NM	NM	0.0	0	3.8	16.2	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-9-25.5	3/20/2024	09:36	-0.34	-0.31	0.0	0	2.2	19.5	0.0	0.0	0.0	0.0	
VMP-9-25.5	4/22/2024	12:22	0.20	0.30	0.0	0	2.6	17.7	0.0	0.0	0.0	0.0	
VMP-9-25.5	5/28/2024	11:25	0.00	0.00	0.0	0	2.7	17.1	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-9-25.5	6/19/2024	11:07	-0.42	-0.52	0.0	0	3.0	16.9	0.0	0.0	0.0	0.0	
VMP-9-38.5	7/19/2023	13:08	0.00	0.00	0.0	0	4.1	14.1	0.0	0.0	0.0	0.0	
VMP-9-38.5	8/24/2023	11:00	0.00	0.00	0.0	0	5.2	12.4	0.0	0.0	0.0	0.0	
VMP-9-38.5	9/20/2023	10:28	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-9-38.5	10/23/2023	09:38	-0.11	0.00	0.0	0	6.4	11.8	0.0	0.0	0.0	0.0	
VMP-9-38.5	11/20/2023	08:48	-0.30	0.00	0.0	0	7.1	11.6	0.0	0.0	0.0	0.0	
VMP-9-38.5	12/20/2023	08:48	0.00	0.00	0.0	0	7.2	11.0	0.0	0.0	0.0	0.0	
VMP-9-38.5	1/18/2024	13:54	0.00	0.00	0.0	0	7.2	10.5	0.0	0.0	0.0	0.0	
VMP-9-38.5	2/27/2024	11:33	-0.20	0.20	0.0	0	7.3	10.6	1.1	0.0	0.0	0.0	
VMP-9-38.5	3/20/2024	09:37	-0.37	-0.32	0.0	0	5.9	14.5	0.0	0.0	0.0	0.0	
VMP-9-38.5	4/22/2024	12:23	0.54	0.27	0.0	0	6.4	12.6	0.0	0.0	0.0	0.0	
VMP-9-38.5	4/22/2024	12:23	NM	NM	0.0	0	6.4	12.5	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-9-38.5	5/28/2024	11:26	0.00	0.00	0.0	0	6.3	11.9	1.4	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-9-38.5	6/19/2024	11:08	-0.43	-0.52	0.0	0	5.0	13.9	1.5	0.0	0.0	0.0	
VMP-10-5	7/19/2023	09:15	0.00	0.00	0.0	0	1.3	19.8	0.0	0.0	0.0	0.0	
VMP-10-5	8/24/2023	08:20	0.00	0.00	0.0	0	1.7	19.7	0.0	0.0	0.0	0.0	
VMP-10-5	9/20/2023	09:05	0.00	0.00	0.0	0	0.9	20.2	0.0	0.0	0.0	0.0	
VMP-10-5	10/24/2023	09:05	0.00	0.00	0.0	0	0.9	20.2	0.0	0.0	0.0	0.0	
VMP-10-5	11/20/2023	13:25	0.30	0.00	0.0	0	1.0	20.0	0.0	0.0	0.0	0.0	
VMP-10-5	12/21/2023	08:22	0.00	0.00	0.0	0	0.6	20.2	0.0	0.0	0.0	0.0	
VMP-10-5	1/18/2024	11:31	-0.10	0.00	0.0	0	0.5	20.1	0.0	0.0	0.0	0.0	
VMP-10-5	2/27/2024	09:45	0.00	0.00	0.0	0	0.6	20.0	0.0	0.0	0.0	0.0	
VMP-10-5	3/20/2024	12:47	0.00	0.00	0.0	0	0.6	20.5	0.0	0.0	0.0	0.0	
VMP-10-5	4/22/2024	10:10	0.00	0.00	0.0	0	1.0	20.2	0.0	0.0	0.0	0.0	
VMP-10-5	5/28/2024	09:07	0.00	0.00	0.0	0	2.0	18.8	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-10-5	6/19/2024	09:10	-0.34	-0.37	0.0	0	0.1	20.7	0.0	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-10-10	7/19/2023	09:16	0.00	0.00	0.0	0	1.3	18.6	0.0	0.0	0.0	0.0	
VMP-10-10	8/24/2023	08:21	0.00	0.00	0.0	0	1.7	19.3	0.0	0.0	0.0	0.0	
VMP-10-10	8/24/2023	08:21	NM	NM	0.0	0	1.7	19.3	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-10-10	9/20/2023	09:06	0.00	0.00	0.0	0	1.3	19.8	0.0	0.0	0.0	0.0	
VMP-10-10	10/24/2023	09:06	0.00	0.00	0.0	0	1.2	19.8	0.0	0.0	0.0	0.0	
VMP-10-10	11/20/2023	13:26	0.00	0.00	0.0	0	0.7	20.2	0.0	0.0	0.0	0.0	
VMP-10-10	12/21/2023	08:23	0.00	0.00	0.0	0	0.8	19.9	0.0	0.0	0.0	0.0	
VMP-10-10	1/18/2024	11:32	-0.14	0.00	0.0	0	0.8	19.8	0.0	0.0	0.0	0.0	
VMP-10-10	2/27/2024	09:46	0.00	0.00	0.0	0	0.8	19.9	0.0	0.0	0.0	0.0	
VMP-10-10	3/20/2024	12:48	0.00	0.00	0.0	0	0.6	20.3	0.0	0.0	0.0	0.0	
VMP-10-10	4/22/2024	10:11	0.00	0.00	0.0	0	0.7	20.3	0.0	0.0	0.0	0.0	
VMP-10-10	5/28/2024	09:08	0.00	0.00	0.0	0	1.4	19.0	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-10-10	5/28/2024	09:08	NM	NM	0.0	0	1.4	19.2	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-10-10	6/19/2024	09:11	-0.47	-0.50	0.0	0	0.1	20.7	0.0	0.0	0.0	0.0	
VMP-10-20	7/19/2023	09:17	0.00	0.00	0.0	0	1.6	18.9	0.0	0.0	0.0	0.0	
VMP-10-20	8/24/2023	08:22	0.00	0.00	0.0	0	1.8	18.7	0.0	0.0	0.0	0.0	
VMP-10-20	9/20/2023	09:07	0.00	0.00	0.0	0	1.9	18.9	0.0	0.0	0.0	0.0	
VMP-10-20	10/24/2023	09:07	0.00	0.00	0.0	0	1.9	18.9	0.0	0.0	0.0	0.0	
VMP-10-20	11/20/2023	13:27	0.00	0.00	0.0	0	1.8	19.0	0.0	0.0	0.0	0.0	
VMP-10-20	11/20/2023	13:27	NM	NM	0.0	0	1.7	19.1	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-10-20	12/21/2023	08:24	0.00	0.00	0.0	0	1.5	19.1	0.0	0.0	0.0	0.0	
VMP-10-20	1/18/2024	11:33	-0.09	0.00	0.0	0	1.5	19.0	0.0	0.0	0.0	0.0	
VMP-10-20	2/27/2024	09:47	0.00	0.00	0.0	0	1.5	19.0	0.0	0.0	0.0	0.0	
VMP-10-20	3/20/2024	12:49	0.00	0.00	0.0	0	1.2	19.5	0.0	0.0	0.0	0.0	
VMP-10-20	4/22/2024	10:12	0.00	0.00	0.0	0	1.2	19.7	0.0	0.0	0.0	0.0	
VMP-10-20	5/28/2024	09:09	0.00	0.00	0.0	0	1.3	18.8	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-10-20	6/19/2024	09:12	-0.76	-0.82	0.0	0	0.2	20.8	0.0	13.1	11.8	1.3	
VMP-10-30	7/19/2023	09:18	0.00	0.00	0.0	0	1.8	18.3	0.0	0.0	0.0	0.0	
VMP-10-30	8/24/2023	08:23	0.00	0.00	0.0	0	2.1	18.1	0.0	0.0	0.0	0.0	
VMP-10-30	9/20/2023	09:08	0.00	0.00	0.0	0	2.1	18.3	0.0	0.0	0.0	0.0	
VMP-10-30	10/24/2023	09:08	0.00	0.00	0.0	0	2.4	18.1	0.0	0.0	0.0	0.0	
VMP-10-30	10/24/2023	09:08	NM	NM	0.0	0	2.4	18.1	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-10-30	11/20/2023	13:28	0.00	0.00	0.0	0	2.4	18.1	0.0	0.0	0.0	0.0	
VMP-10-30	12/21/2023	08:25	0.00	0.00	0.0	0	2.4	18.1	0.0	0.0	0.0	0.0	
VMP-10-30	1/18/2024	13:00	0.00	0.00	0.0	0	2.3	17.9	0.0	0.0	0.0	0.0	
VMP-10-30	2/27/2024	09:48	0.00	0.00	0.0	0	2.3	18.0	0.0	3.6	3.6	0.0	
VMP-10-30	3/20/2024	12:50	0.00	0.00	0.0	0	2.1	19.1	0.0	0.0	0.0	0.0	
VMP-10-30	4/22/2024	10:13	0.00	0.00	0.0	0	2.1	18.5	0.0	0.0	0.0	0.0	
VMP-10-30	5/28/2024	09:10	0.00	0.00	0.0	0	2.0	18.3	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-10-30	6/19/2024	09:13	-0.93	-1.02	0.0	0	1.9	19.0	0.0	2.7	2.4	0.3	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-11-5	7/19/2023	12:40	0.00	0.00	0.0	0	2.3	19.2	0.0	0.0	0.0	0.0	
VMP-11-5	8/24/2023	08:30	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Inaccessible due to construction activities.
VMP-11-5	9/20/2023	09:55	0.00	0.00	0.0	0	1.1	20.2	0.0	0.0	0.0	0.0	
VMP-11-5	10/24/2023	09:30	0.00	0.02	0.0	0	1.3	20.0	0.0	0.0	0.0	0.0	
VMP-11-5	11/21/2023	09:40	0.00	0.00	0.0	0	0.8	20.3	0.0	0.0	0.0	0.0	
VMP-11-5	12/21/2023	10:05	0.00	0.00	0.0	0	0.6	20.2	0.0	0.0	0.0	0.0	
VMP-11-5	1/18/2024	13:35	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP encased in ice.
VMP-11-5	2/27/2024	10:20	0.00	0.00	0.0	0	0.4	20.3	0.0	0.0	0.0	0.0	
VMP-11-5	3/21/2024	09:11	0.00	0.00	0.0	0	0.7	20.5	0.0	0.0	0.0	0.0	
VMP-11-5	4/22/2024	10:50	0.00	0.00	0.0	0	1.8	19.4	0.0	0.0	0.0	0.0	
VMP-11-5	5/28/2024	10:05	0.00	0.00	0.0	0	3.5	16.5	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-11-5	6/19/2024	09:30	0.00	0.00	0.0	0	0.3	20.6	0.0	0.0	0.0	0.0	
VMP-11-8	7/19/2023	12:41	0.00	0.00	0.0	0	3.5	18.9	0.0	0.0	0.0	0.0	
VMP-11-8	8/24/2023	08:31	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Inaccessible due to construction activities.
VMP-11-8	9/20/2023	09:56	0.00	0.00	0.0	0	1.5	19.9	0.0	0.0	0.0	0.0	
VMP-11-8	10/24/2023	09:31	0.00	0.00	0.0	0	1.5	19.9	0.0	0.0	0.0	0.0	
VMP-11-8	11/21/2023	09:41	0.00	0.00	0.0	0	1.1	20.2	0.0	0.0	0.0	0.0	
VMP-11-8	12/21/2023	10:06	0.00	0.00	0.0	0	2.5	18.2	0.0	0.0	0.0	0.0	
VMP-11-8	1/18/2024	13:35	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP encased in ice.
VMP-11-8	2/27/2024	10:21	0.00	0.00	0.0	0	0.9	19.8	0.0	0.0	0.0	0.0	
VMP-11-8	3/21/2024	09:12	-0.23	0.00	0.0	0	0.8	20.4	0.0	0.0	0.0	0.0	
VMP-11-8	4/22/2024	10:51	0.00	0.00	0.0	0	1.9	19.3	0.0	0.0	0.0	0.0	
VMP-11-8	5/28/2024	10:06	0.00	0.00	0.0	0	3.6	16.3	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-11-8	6/19/2024	09:31	0.00	0.00	0.0	0	0.5	20.5	0.0	0.0	0.0	0.0	
VMP-11-29	7/19/2023	12:42	0.00	0.00	0.0	0	2.2	18.2	0.0	0.0	0.0	0.0	
VMP-11-29	8/24/2023	08:32	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Inaccessible due to construction activities.
VMP-11-29	9/20/2023	09:57	0.00	0.00	0.0	0	2.0	18.9	0.0	0.0	0.0	0.0	
VMP-11-29	10/24/2023	09:32	-0.72	0.00	0.0	0	2.6	17.9	0.0	0.0	0.0	0.0	
VMP-11-29	11/21/2023	09:42	0.00	0.00	0.0	0	2.5	18.3	0.0	0.0	0.0	0.0	
VMP-11-29	12/21/2023	10:07	-0.88	0.00	0.0	0	0.7	20.0	0.0	0.0	0.0	0.0	
VMP-11-29	1/18/2024	13:35	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP encased in ice.
VMP-11-29	2/27/2024	11:22	-0.24	0.00	0.0	0	2.5	17.7	0.0	0.0	0.0	0.0	
VMP-11-29	3/21/2024	09:13	-0.38	0.00	0.0	0	2.0	18.9	0.0	0.0	0.0	0.0	
VMP-11-29	4/22/2024	10:52	0.00	0.00	0.0	0	2.4	18.2	0.0	0.0	0.0	0.0	
VMP-11-29	5/28/2024	10:07	0.00	0.00	0.0	0	2.9	17.0	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-11-29	6/19/2024	09:32	-0.11	-2.63	0.0	0	1.4	20.1	0.0	0.0	0.0	0.0	

**TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA**

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-11-38	7/19/2023	12:43	0.00	0.00	0.0	0	2.1	19.2	0.0	0.0	0.0	0.0	
VMP-11-38	7/19/2023	12:43	NM	NM	0.0	0	2.1	19.3	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-11-38	8/24/2023	08:33	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Inaccessible due to construction activities.
VMP-11-38	9/20/2023	09:58	0.00	0.00	0.0	0	1.7	19.5	0.0	0.0	0.0	0.0	
VMP-11-38	9/20/2023	09:58	NM	NM	0.0	0	1.6	19.6	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-11-38	10/24/2023	09:33	-9.75	0.00	0.0	0	1.3	20.0	0.0	0.8	0.5	0.3	
VMP-11-38	11/21/2023	09:43	-1.56	0.00	0.0	0	0.9	20.3	0.0	0.0	0.0	0.0	
VMP-11-38	12/21/2023	10:08	-0.67	0.00	0.0	0	0.4	20.5	0.0	0.0	0.0	0.0	
VMP-11-38	1/18/2024	13:35	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP encased in ice.
VMP-11-38	2/27/2024	10:23	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-11-38	3/21/2024	09:14	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-11-38	4/22/2024	10:53	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-11-38	5/28/2024	10:08	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-11-38	6/19/2024	09:33	0.97	0.59	0.0	0	0.2	20.6	0.0	3.6	3.0	0.6	
VMP-12-5	7/19/2023	11:55	-0.04	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-12-5	8/23/2023	09:16	-0.14	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-12-5	9/21/2023	08:25	-0.21	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-12-5	10/23/2023	10:25	-0.43	-0.31	0.0	0	0.0	20.8	0.0	0.0	0.0	0.0	
VMP-12-5	11/20/2023	13:11	-0.10	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-12-5	12/20/2023	12:01	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-12-5	1/23/2024	09:29	-0.26	-0.36	0.0	0	1.4	17.8	0.0	0.0	0.0	0.0	
VMP-12-5	2/27/2024	11:42	-0.03	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-12-5	3/20/2024	08:45	-0.21	-0.53	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-12-5	4/23/2024	08:45	-0.30	-0.27	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-12-5	5/29/2024	10:46	-0.36	-0.35	0.0	0	0.0	20.9	0.3	0.4	0.0	0.4	
VMP-12-5	6/19/2024	12:40	-0.96	-0.85	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-12-11.5	7/19/2023	11:56	-0.05	-0.02	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-12-11.5	8/23/2023	09:16	-0.24	0.00	0.0	0	0.0	20.8	0.0	0.0	0.0	0.0	
VMP-12-11.5	9/21/2023	08:26	-0.23	0.00	0.0	0	0.1	20.9	0.0	0.0	0.0	0.0	
VMP-12-11.5	10/23/2023	10:26	-0.57	-0.40	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-12-11.5	11/20/2023	13:12	-0.12	0.00	0.0	0	0.1	20.5	0.0	0.0	0.0	0.0	
VMP-12-11.5	12/20/2023	12:02	0.00	0.00	0.0	0	0.2	20.4	0.0	0.0	0.0	0.0	
VMP-12-11.5	1/23/2024	09:25	-0.28	-0.14	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-12-11.5	2/27/2024	11:48	-0.04	-0.06	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-12-11.5	3/20/2024	08:46	-0.86	-0.75	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-12-11.5	4/23/2024	08:46	-0.37	-0.35	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-12-11.5	5/29/2024	10:41	-0.22	0.00	0.0	0	0.5	20.5	1.6	61.3	53.0	8.3	
VMP-12-11.5	6/19/2024	12:41	-1.39	-1.26	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-12-25	7/19/2023	11:57	-0.09	-0.04	26.3	OVR	13.0	1.6	201	109000	97120	11880	
VMP-12-25	8/23/2023	09:17	-0.65	0.00	36.5	OVR	14.6	1.1	152	133000	132000	1000	
VMP-12-25	8/23/2023	09:17	NM	NM	37.2	OVR	14.9	0.5	168	136000	134000	2000	Duplicate sample.
VMP-12-25	9/21/2023	08:27	NM	NM	0.0	0	8.3	10.0	10.1	70.0	30.0	40.0	Duplicate sample.
VMP-12-25	9/21/2023	08:27	-0.58	-0.10	0.0	0	8.3	10.0	10.2	70.0	31.0	39.0	
VMP-12-25	10/23/2023	10:27	-0.88	-0.68	0.0	0	4.1	16.2	1.2	0.0	0.0	0.0	
VMP-12-25	11/20/2023	13:13	-0.19	-0.10	0.0	0	7.4	10.4	0.0	0.0	0.0	0.0	
VMP-12-25	12/20/2023	12:03	-0.16	-0.15	0.0	1	13.3	1.6	1.7	225	202	23.0	
VMP-12-25	1/23/2024	09:26	-0.35	0.27	6.3	OVR	13.7	0.6	136	43590	39480	4110	
VMP-12-25	2/27/2024	11:49	-0.30	-0.08	0.0	0	9.9	6.6	1.2	64.0	55.0	9.0	
VMP-12-25	3/20/2024	08:47	-1.05	-1.01	0.0	0	4.7	14.4	0.9	13.7	12.6	1.1	
VMP-12-25	3/20/2024	08:47	NM	NM	0.0	0	4.7	14.5	1.0	14.1	12.9	1.2	Duplicate sample.
VMP-12-25	4/23/2024	08:47	-0.52	-0.49	0.0	0	7.7	9.2	0.5	0.0	0.0	0.0	
VMP-12-25	5/29/2024	10:42	-0.56	-0.67	0.5	10	11.9	2.2	83.6	3470	2720	750	
VMP-12-25	6/19/2024	12:42	-1.76	-1.66	0.1	6	6.7	11.8	0.0	0.0	0.0	0.0	
VMP-12-39	7/19/2023	11:58	0.00	-0.05	OVR	OVR	13.8	0.9	208	794000	633000	161000	
VMP-12-39	8/23/2023	09:18	-0.48	-0.17	OVR	OVR	14.3	0.8	90.7	786000	733000	53000	
VMP-12-39	9/21/2023	08:28	-0.28	-0.09	OVR	OVR	13.7	0.4	331	364000	242000	122000	
VMP-12-39	10/23/2023	10:28	-0.96	-0.75	OVR	OVR	14.4	0.4	327	214000	162000	52000	
VMP-12-39	11/20/2023	13:14	-0.22	-0.14	OVR	OVR	14.2	1.3	541	327000	249000	78000	
VMP-12-39	12/20/2023	12:04	-2.27	0.45	OVR	OVR	14.5	0.2	394	366000	265000	101000	
VMP-12-39	1/23/2024	09:27	-0.36	-0.21	OVR	OVR	13.8	1.2	341	298000	267000	31000	
VMP-12-39	2/27/2024	11:50	-0.09	-0.09	OVR	OVR	12.5	3.0	186	475000	335000	140000	
VMP-12-39	3/20/2024	08:48	-0.69	-0.97	OVR	OVR	13.7	1.4	546	339000	216000	123000	
VMP-12-39	4/23/2024	08:48	-0.56	-0.52	OVR	OVR	12.3	3.9	506	322000	253000	69000	
VMP-12-39	5/29/2024	10:43	-8.23	-0.78	OVR	OVR	14.6	0.2	64.2	510000	302000	208000	
VMP-12-39	6/19/2024	12:43	-1.83	-1.74	OVR	OVR	13.2	1.4	169	334280	254710	79570	
VMP-13-5	7/19/2023	09:40	0.00	0.00	0.0	0	1.2	19.2	0.0	0.0	0.0	0.0	
VMP-13-5	8/24/2023	09:05	0.00	0.00	0.0	0	1.6	19.2	0.0	0.0	0.0	0.0	
VMP-13-5	9/20/2023	08:30	0.00	0.00	0.0	0	1.4	19.6	0.0	0.0	0.0	0.0	
VMP-13-5	10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Inaccessible due to construction activities.
VMP-13-5	11/21/2023	08:20	-0.15	0.00	0.0	0	0.9	20.4	0.0	0.0	0.0	0.0	
VMP-13-5	12/21/2023	09:19	0.34	0.00	0.0	0	0.6	20.4	0.0	0.0	0.0	0.0	
VMP-13-5	1/18/2024	10:55	0.00	0.00	0.0	0	0.4	20.4	0.0	0.0	0.0	0.0	
VMP-13-5	2/27/2024	09:10	0.00	0.00	0.0	0	0.2	20.6	0.0	0.0	0.0	0.0	
VMP-13-5	3/20/2024	12:30	0.00	0.00	0.0	0	0.2	20.8	0.0	0.0	0.0	0.0	
VMP-13-5	4/22/2024	10:00	0.00	0.00	0.0	0	0.3	20.5	0.0	0.0	0.0	0.0	
VMP-13-5	5/28/2024	08:25	0.00	0.00	0.0	0	0.3	19.6	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-13-5	6/19/2024	08:40	-0.10	-0.85	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-13-10.5	7/19/2023	09:41	0.00	-0.15	0.0	0	0.9	19.4	0.0	0.0	0.0	0.0	
VMP-13-10.5	8/24/2023	09:06	-0.02	-0.02	0.0	0	1.3	19.5	0.0	0.0	0.0	0.0	
VMP-13-10.5	9/20/2023	08:31	-0.10	0.00	0.0	0	0.7	19.7	0.0	0.0	0.0	0.0	
VMP-13-10.5	10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Inaccessible due to construction activities.
VMP-13-10.5	11/21/2023	08:21	-0.14	-0.15	0.0	0	1.1	20.3	0.0	0.0	0.0	0.0	
VMP-13-10.5	12/21/2023	09:20	0.00	0.00	0.0	0	0.9	20.4	0.0	0.0	0.0	0.0	
VMP-13-10.5	1/18/2024	10:56	-0.12	0.00	0.0	0	0.7	20.2	0.0	0.0	0.0	0.0	
VMP-13-10.5	2/27/2024	09:11	0.00	0.00	0.0	0	0.5	20.4	0.0	0.0	0.0	0.0	
VMP-13-10.5	3/20/2024	12:31	0.00	0.00	0.0	0	0.3	20.8	0.0	0.0	0.0	0.0	
VMP-13-10.5	4/22/2024	10:01	-0.09	-0.10	0.0	0	0.3	20.7	0.0	0.0	0.0	0.0	
VMP-13-10.5	5/28/2024	08:26	0.00	0.00	0.0	0	0.2	20.0	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-13-10.5	6/19/2024	08:41	-0.72	-4.55	0.0	0	0.2	20.7	0.0	2.6	2.3	0.3	
VMP-13-21.5	7/19/2023	09:42	0.00	-0.21	0.0	0	0.3	19.8	0.0	0.0	0.0	0.0	
VMP-13-21.5	7/19/2023	09:42	NM	NM	0.0	0	0.6	19.9	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-13-21.5	8/24/2023	09:07	-0.03	-0.03	0.0	0	0.5	19.9	0.0	0.0	0.0	0.0	
VMP-13-21.5	9/20/2023	08:32	-0.12	-0.02	0.0	0	1.5	19.4	0.0	0.0	0.0	0.0	
VMP-13-21.5	10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Inaccessible due to construction activities.
VMP-13-21.5	11/21/2023	08:22	-0.25	-0.17	0.0	0	1.0	20.3	0.0	0.0	0.0	0.0	
VMP-13-21.5	12/21/2023	09:21	0.00	0.00	0.0	0	1.1	20.1	0.0	0.0	0.0	0.0	
VMP-13-21.5	1/18/2024	10:57	-0.13	0.00	0.0	0	1.1	19.8	0.0	0.0	0.0	0.0	
VMP-13-21.5	2/27/2024	09:12	0.00	0.00	0.0	0	1.0	20.0	0.0	0.0	0.0	0.0	
VMP-13-21.5	3/20/2024	12:32	0.00	-0.12	0.0	0	0.8	20.5	0.0	0.0	0.0	0.0	
VMP-13-21.5	4/22/2024	10:02	-0.11	-0.12	0.0	0	0.6	20.6	0.0	0.0	0.0	0.0	
VMP-13-21.5	4/22/2024	10:02	NM	NM	0.0	0	0.6	20.6	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-13-21.5	5/28/2024	08:27	0.00	0.00	0.0	0	0.4	20.1	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-13-21.5	6/19/2024	08:42	-1.34	-5.84	0.0	0	0.2	20.7	0.0	4.0	3.4	0.6	
VMP-13-29.5	7/19/2023	09:43	0.00	0.10	0.0	0	0.5	19.4	0.0	0.0	0.0	0.0	
VMP-13-29.5	8/24/2023	09:08	-0.04	0.00	0.0	0	1.2	19.4	0.0	0.0	0.0	0.0	
VMP-13-29.5	9/20/2023	08:33	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-13-29.5	10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Inaccessible due to construction activities.
VMP-13-29.5	11/21/2023	08:23	0.00	0.00	0.0	0	1.1	20.3	0.0	0.0	0.0	0.0	
VMP-13-29.5	12/21/2023	09:22	0.00	0.00	0.0	0	0.8	20.4	0.0	0.0	0.0	0.0	
VMP-13-29.5	1/18/2024	10:58	0.00	0.00	0.0	0	0.6	20.2	0.0	0.0	0.0	0.0	
VMP-13-29.5	2/27/2024	09:13	0.00	0.00	0.0	0	0.4	20.5	0.0	0.0	0.0	0.0	
VMP-13-29.5	3/20/2024	12:33	0.00	0.00	0.0	0	0.3	20.7	0.0	0.0	0.0	0.0	
VMP-13-29.5	4/22/2024	10:03	0.00	0.00	0.0	0	0.3	20.6	0.0	0.0	0.0	0.0	
VMP-13-29.5	5/28/2024	08:28	0.00	0.00	0.0	0	0.2	19.9	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-13-29.5	6/19/2024	08:43	-0.26	-1.33	0.0	0	0.3	20.8	0.0	4.5	4.0	0.5	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-14-5	7/19/2023	10:15	0.00	0.00	0.0	0	0.7	20.1	0.0	0.0	0.0	0.0	
VMP-14-5	8/24/2023	08:40	0.00	0.00	0.0	0	0.7	20.2	0.0	0.0	0.0	0.0	
VMP-14-5	9/20/2023	08:15	0.00	0.00	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-14-5	10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Inaccessible due to construction activities.
VMP-14-5	11/21/2023	08:40	0.17	0.00	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-14-5	12/21/2023	08:50	0.11	0.00	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-14-5	1/18/2024	10:41	0.00	0.00	0.0	0	0.1	20.5	0.0	0.0	0.0	0.0	
VMP-14-5	2/27/2024	08:55	0.00	0.00	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-14-5	3/20/2024	12:15	0.10	0.00	0.0	0	0.3	20.8	0.0	0.0	0.0	0.0	
VMP-14-5	4/22/2024	09:50	0.00	0.00	0.0	0	0.7	20.7	0.0	0.0	0.0	0.0	
VMP-14-5	5/28/2024	08:08	0.00	0.00	0.0	0	3.3	16.8	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-14-5	6/19/2024	08:30	0.00	0.00	0.0	0	0.2	20.5	0.0	0.0	0.0	0.0	
VMP-14-11.5	7/19/2023	10:16	0.00	0.00	0.0	0	0.6	20.2	0.0	0.0	0.0	0.0	
VMP-14-11.5	8/24/2023	08:41	0.00	0.00	0.0	0	0.9	20.2	0.0	0.0	0.0	0.0	
VMP-14-11.5	9/20/2023	08:16	0.00	0.00	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-14-11.5	10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Inaccessible due to construction activities.
VMP-14-11.5	11/21/2023	08:41	0.12	0.00	0.0	0	0.1	20.9	0.0	0.0	0.0	0.0	
VMP-14-11.5	12/21/2023	08:51	0.00	0.00	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-14-11.5	1/18/2024	10:42	0.00	0.00	0.0	0	0.3	20.5	0.0	0.0	0.0	0.0	
VMP-14-11.5	2/27/2024	08:56	0.00	0.00	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-14-11.5	3/20/2024	12:16	0.00	0.00	0.0	0	0.3	20.8	0.0	0.0	0.0	0.0	
VMP-14-11.5	4/22/2024	09:51	0.00	0.00	0.0	0	0.7	20.7	0.0	0.0	0.0	0.0	
VMP-14-11.5	5/28/2024	08:09	-0.10	0.00	0.0	0	3.4	16.9	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-14-11.5	6/19/2024	08:31	0.00	0.00	0.0	0	0.2	20.5	0.0	0.0	0.0	0.0	
VMP-14-20	7/19/2023	10:17	-0.24	-0.27	0.0	0	7.5	10.5	0.0	0.0	0.0	0.0	
VMP-14-20	8/24/2023	08:42	-0.05	-0.05	0.0	0	9.3	9.7	0.0	0.0	0.0	0.0	
VMP-14-20	9/20/2023	08:17	-0.27	-0.25	0.0	0	8.6	11.0	0.0	0.0	0.0	0.0	
VMP-14-20	10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Inaccessible due to construction activities.
VMP-14-20	11/21/2023	08:42	-0.17	0.00	0.0	0	8.1	12.4	0.0	0.0	0.0	0.0	
VMP-14-20	12/21/2023	08:52	-0.15	0.00	0.0	0	6.4	13.8	0.0	0.0	0.0	0.0	
VMP-14-20	1/18/2024	10:44	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP encased in ice.
VMP-14-20	2/27/2024	08:57	-0.18	0.00	0.0	0	5.2	14.8	0.0	0.0	0.0	0.0	
VMP-14-20	3/20/2024	12:17	-0.29	-0.25	0.0	0	4.3	16.2	0.0	0.0	0.0	0.0	
VMP-14-20	4/22/2024	09:52	-0.19	-0.17	0.0	0	4.6	15.5	0.0	0.0	0.0	0.0	
VMP-14-20	5/28/2024	08:10	-0.09	0.00	0.0	0	6.0	12.0	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-14-20	6/19/2024	08:32	0.14	-3.60	0.0	0	3.8	17.5	0.0	26.2	25.3	0.9	

**TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA**

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-14-29	7/19/2023	10:18	-0.24	-0.27	0.0	0	5.1	13.5	0.0	0.0	0.0	0.0	
VMP-14-29	8/24/2023	08:43	-0.05	-0.04	0.0	0	5.0	13.8	0.0	0.0	0.0	0.0	
VMP-14-29	9/20/2023	08:18	-0.26	-0.25	0.0	0	4.2	15.4	0.0	0.0	0.0	0.0	
VMP-14-29	10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Inaccessible due to construction activities.
VMP-14-29	11/21/2023	08:43	-0.36	-0.32	0.0	0	0.2	20.8	0.0	0.0	0.0	0.0	
VMP-14-29	12/21/2023	08:53	-0.14	0.00	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-14-29	1/18/2024	10:43	0.20	0.35	0.0	0	0.9	19.8	0.0	0.0	0.0	0.0	
VMP-14-29	1/18/2024	10:43	NM	NM	0.0	0	0.9	19.8	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-14-29	2/27/2024	08:58	-0.13	0.00	0.0	0	0.5	19.8	0.0	0.0	0.0	0.0	
VMP-14-29	3/20/2024	12:18	-0.29	-0.25	0.0	0	4.4	15.9	0.0	0.0	0.0	0.0	
VMP-14-29	4/22/2024	09:53	-0.18	-0.15	0.0	0	2.8	17.8	0.0	0.0	0.0	0.0	
VMP-14-29	5/28/2024	08:11	-0.10	0.00	0.0	0	4.0	14.9	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-14-29	6/19/2024	08:33	-0.11	-3.79	0.0	0	5.5	16.1	0.0	0.0	0.0	0.0	
VMP-16-5	7/19/2023	13:05	0.00	0.00	0.0	0	9.8	9.9	0.0	0.0	0.0	0.0	
VMP-16-5	8/23/2023	08:20	0.00	0.00	0.0	0	11.0	9.1	0.0	0.0	0.0	0.0	
VMP-16-5	9/21/2023	08:40	-0.02	-0.02	0.0	0	6.1	14.8	0.0	0.0	0.0	0.0	
VMP-16-5	10/23/2023	09:33	0.00	0.00	0.0	0	5.6	14.2	0.0	0.0	0.0	0.0	
VMP-16-5	11/20/2023	09:12	-0.41	-0.25	0.0	0	6.9	12.0	0.0	0.0	0.0	0.0	
VMP-16-5	12/20/2023	12:43	0.00	0.00	0.0	0	7.8	8.7	0.2	0.0	0.0	0.0	
VMP-16-5	1/23/2024	14:20	0.00	0.00	0.0	0	8.8	5.2	2.1	0.0	0.0	0.0	
VMP-16-5	2/27/2024	12:50	0.04	0.00	0.4	8	13.5	1.0	116	2190	1630	560	
VMP-16-13.5	7/19/2023	13:06	0.00	0.00	19.4	OVR	16.7	0.7	272	135000	121000	14000	
VMP-16-13.5	8/23/2023	08:21	0.00	0.00	12.1	OVR	17.6	1.2	274	91620	78950	12670	
VMP-16-13.5	9/21/2023	08:41	-0.05	-0.04	5.5	OVR	18.3	0.6	361	33600	26500	7100	
VMP-16-13.5	10/23/2023	09:34	-0.15	-0.13	6.5	OVR	17.2	0.6	345	38920	31790	7130	
VMP-16-13.5	11/20/2023	09:15	-0.24	-0.23	5.3	OVR	16.9	0.7	338	34350	31430	2920	
VMP-16-13.5	12/20/2023	12:44	0.00	0.00	26.3	OVR	16.8	0.2	226	149000	135000	14000	
VMP-16-13.5	1/23/2024	14:21	0.02	0.00	31.0	OVR	16.4	0.5	193	175000	149000	26000	
VMP-16-13.5	2/27/2024	12:51	0.00	0.05	43.3	OVR	16.5	0.2	245	229000	204000	25000	
VMP-16-19	7/19/2023	13:07	0.00	0.00	67.4	OVR	16.0	0.5	297	303000	255000	48000	
VMP-16-19	8/23/2023	08:22	0.00	0.00	66.7	OVR	16.9	0.5	172	347000	282000	65000	
VMP-16-19	9/21/2023	08:42	-0.05	-0.04	46.8	OVR	21.0	0.6	278	188000	155000	33000	
VMP-16-19	10/23/2023	09:35	-0.16	-0.14	47.2	OVR	16.9	0.6	268	156000	140000	16000	
VMP-16-19	11/20/2023	09:14	-0.25	-0.25	41.2	OVR	17.3	0.5	257	179000	159000	20000	
VMP-16-19	12/20/2023	12:45	0.00	0.00	42.8	OVR	17.0	0.1	291	185000	162000	23000	
VMP-16-19	1/23/2024	14:22	0.04	0.00	40.4	OVR	16.6	0.5	244	204000	175000	29000	
VMP-16-19	2/27/2024	12:52	0.05	0.05	46.7	OVR	16.6	0.4	229	246000	208000	38000	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-16-31	7/19/2023	13:08	0.00	0.00	OVR	OVR	15.0	2.0	505	374000	259000	115000	
VMP-16-31	8/23/2023	08:23	0.00	0.00	OVR	OVR	16.8	0.4	323	435000	271000	164000	
VMP-16-31	9/21/2023	08:43	-0.05	-0.05	OVR	OVR	17.0	0.6	381	243000	173000	70000	
VMP-16-31	10/23/2023	09:36	-0.16	-0.13	OVR	OVR	16.2	0.7	457	181000	145000	36000	
VMP-16-31	11/20/2023	09:15	-0.27	-0.25	82.0	OVR	17.1	0.7	425	193000	157000	36000	
VMP-16-31	12/20/2023	12:46	0.00	0.00	OVR	OVR	17.6	0.1	511	243000	197000	46000	
VMP-16-31	1/23/2024	14:23	0.03	0.00	81.9	OVR	17.3	0.6	492	256000	211000	45000	
VMP-16-31	2/27/2024	12:53	0.05	0.06	OVR	OVR	17.1	0.3	488	324000	249000	75000	
VMP-17-5	7/19/2023	12:30	0.00	0.00	0.0	0	2.1	18.8	0.0	0.0	0.0	0.0	
VMP-17-5	8/24/2023	08:35	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Inaccessible due to construction activities.
VMP-17-5	9/20/2023	09:50	-0.86	0.00	0.0	0	1.4	19.7	0.0	0.0	0.0	0.0	
VMP-17-5	10/24/2023	09:40	0.00	-0.45	0.0	0	0.7	20.3	0.0	0.0	0.0	0.0	
VMP-17-5	11/21/2023	09:35	0.00	-0.23	0.0	0	0.4	20.7	0.0	0.0	0.0	0.0	
VMP-17-5	12/21/2023	10:26	0.18	0.00	0.0	0	0.3	20.6	0.0	0.0	0.0	0.0	
VMP-17-5	1/18/2024	13:22	-0.13	0.00	0.0	0	0.3	20.7	0.0	0.0	0.0	0.0	
VMP-17-5	1/18/2024	13:22	NM	NM	0.0	0	0.3	20.7	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-17-5	2/27/2024	10:35	0.00	0.00	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-17-5	3/21/2024	09:20	0.00	0.00	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-17-5	3/21/2024	09:20	NM	NM	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-17-5	4/22/2024	10:40	0.00	0.00	0.0	0	0.6	20.5	0.0	0.0	0.0	0.0	
VMP-17-5	5/28/2024	09:58	0.00	0.00	0.0	0	1.4	19.4	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-17-5	6/19/2024	09:45	-0.26	-0.25	0.0	0	0.6	20.3	0.0	0.0	0.0	0.0	
VMP-18-8.5	7/19/2023	12:10	0.00	0.00	0.0	0	3.8	17.0	0.0	0.0	0.0	0.0	
VMP-18-8.5	8/24/2023	10:10	0.00	0.00	0.0	0	4.1	16.7	0.0	0.0	0.0	0.0	
VMP-18-8.5	9/20/2023	10:15	0.00	0.00	0.0	0	4.2	17.5	0.0	0.0	0.0	0.0	
VMP-18-8.5	10/23/2023	09:10	-0.10	0.00	0.0	0	3.9	17.6	0.0	0.0	0.0	0.0	
VMP-18-8.5	11/20/2023	08:25	0.00	0.00	0.0	0	3.5	18.3	0.0	0.0	0.0	0.0	
VMP-18-8.5	12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-18-8.5	1/18/2024	13:08	0.00	0.00	0.0	0	3.0	18.5	0.0	0.0	0.0	0.0	
VMP-18-8.5	2/27/2024	11:20	0.10	0.12	0.0	0	2.4	19.2	0.0	0.0	0.0	0.0	
VMP-18-8.5	3/20/2024	09:53	0.00	0.00	0.0	0	1.7	19.7	0.0	0.0	0.0	0.0	
VMP-18-8.5	4/22/2024	12:05	0.00	0.10	0.0	0	2.3	18.7	0.0	0.0	0.0	0.0	
VMP-18-8.5	5/28/2024	09:45	0.00	0.00	0.0	0	2.9	17.1	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-18-8.5	6/19/2024	10:50	-0.32	0.00	0.0	0	1.5	20.2	0.0	0.0	0.0	0.0	
VMP-18-8.5	6/19/2024	10:50	NM	NM	0.0	0	1.5	20.2	0.0	0.0	0.0	0.0	Duplicate sample.

**TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA**

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-19-5	7/19/2023	12:20	0.00	0.00	0.0	0	1.9	19.3	0.0	0.0	0.0	0.0	
VMP-19-5	8/24/2023	10:05	0.00	0.00	0.0	0	1.7	19.6	0.0	0.0	0.0	0.0	
VMP-19-5	9/20/2023	10:20	0.00	0.00	0.0	0	0.9	20.4	0.0	0.0	0.0	0.0	
VMP-19-5	10/23/2023	09:20	0.00	0.00	0.0	0	0.5	20.4	0.0	0.0	0.0	0.0	
VMP-19-5	10/23/2023	09:20	NM	NM	0.0	0	0.5	20.4	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-19-5	11/20/2023	08:30	0.00	0.00	0.0	0	0.4	20.6	0.0	0.0	0.0	0.0	
VMP-19-5	11/20/2023	08:30	NM	NM	0.0	0	0.3	20.6	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-19-5	12/20/2023	08:35	0.00	0.00	0.0	0	0.2	20.6	0.0	0.0	0.0	0.0	
VMP-19-5	1/18/2024	13:12	0.00	0.00	0.0	0	0.2	20.7	0.0	17.9	17.4	0.5	
VMP-19-5	1/23/2024	11:50	0.00	NM	0.0	0	0.2	20.6	0.0	3.6	3.6	0.0	Re-sampled to confirm initial sample.
VMP-19-5	2/27/2024	11:25	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-19-5	3/20/2024	09:59	-0.32	0.00	0.0	0	0.3	20.6	0.0	0.0	0.0	0.0	
VMP-19-5	3/20/2024	09:59	NM	NM	0.0	0	0.3	20.6	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-19-5	4/22/2024	12:10	0.00	0.09	0.0	0	0.6	20.2	0.0	0.0	0.0	0.0	
VMP-19-5	5/28/2024	09:51	0.00	0.00	0.0	0	1.4	19.7	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-19-5	6/19/2024	10:55	-0.16	-0.13	0.0	0	0.3	20.8	0.0	0.0	0.0	0.0	
VMP-32-5	7/20/2023	13:45	0.00	0.00	0.0	0	3.6	16.7	0.0	0.0	0.0	0.0	
VMP-32-5	8/25/2023	10:09	0.00	0.00	0.0	0	4.6	16.5	0.0	0.0	0.0	0.0	
VMP-32-5	9/21/2023	10:55	0.00	0.00	0.0	0	4.7	16.3	0.0	0.0	0.0	0.0	
VMP-32-5	10/24/2023	08:15	0.00	0.00	0.0	0	3.5	18.2	0.0	0.0	0.0	0.0	
VMP-32-5	11/21/2023	10:10	0.00	0.00	0.0	0	2.8	18.5	0.0	0.0	0.0	0.0	
VMP-32-5	12/21/2023	12:32	0.18	0.15	0.0	0	2.5	18.6	0.0	0.0	0.0	0.0	
VMP-32-5	1/18/2024	11:32	0.00	0.00	0.0	0	2.1	19.0	0.0	0.0	0.0	0.0	
VMP-32-5	2/28/2024	13:28	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-32-5	3/21/2024	14:30	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-32-5	4/24/2024	12:32	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-32-5	5/29/2024	10:30	0.00	0.00	0.0	0	2.3	17.8	0.0	0.0	0.0	0.0	
VMP-32-5	6/20/2024	10:25	0.00	0.00	0.0	0	2.5	18.4	0.0	0.0	0.0	0.0	
VMP-32-10	7/20/2023	13:46	0.00	0.00	0.0	0	3.3	17.2	0.0	0.0	0.0	0.0	
VMP-32-10	8/25/2023	10:10	0.00	0.00	0.0	0	4.5	17.0	0.0	0.0	0.0	0.0	
VMP-32-10	9/21/2023	10:56	0.00	0.00	0.0	0	4.9	16.1	0.0	0.0	0.0	0.0	
VMP-32-10	10/24/2023	08:16	-0.10	0.00	0.0	0	4.8	16.7	0.0	0.0	0.0	0.0	
VMP-32-10	11/21/2023	10:11	0.00	0.00	0.0	0	4.2	17.3	0.0	0.0	0.0	0.0	
VMP-32-10	12/21/2023	12:33	0.17	0.15	0.0	0	3.5	17.9	0.0	0.0	0.0	0.0	
VMP-32-10	1/18/2024	11:33	0.00	0.00	0.0	0	3.2	18.1	0.0	0.0	0.0	0.0	
VMP-32-10	2/28/2024	13:28	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-32-10	3/21/2024	14:30	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-32-10	4/24/2024	12:33	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-32-10	5/29/2024	10:31	0.00	0.00	0.0	0	2.7	17.8	0.0	0.0	0.0	0.0	
VMP-32-10	6/20/2024	10:26	0.00	0.00	0.0	0	3.2	17.5	0.0	0.0	0.0	0.0	

**TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA**

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-32-20	7/20/2023	13:47	0.00	0.00	0.0	0	1.1	19.3	0.0	0.0	0.0	0.0	
VMP-32-20	8/25/2023	10:11	0.00	0.00	0.0	0	1.3	20.1	0.0	0.0	0.0	0.0	
VMP-32-20	9/21/2023	10:57	0.00	0.00	0.0	0	1.6	19.4	0.0	0.0	0.0	0.0	
VMP-32-20	10/24/2023	08:17	0.00	0.00	0.0	0	0.8	20.5	0.2	0.7	0.0	0.7	
VMP-32-20	11/21/2023	10:12	0.00	0.00	0.0	0	0.5	20.6	0.0	0.0	0.0	0.0	
VMP-32-20	12/21/2023	12:34	0.17	0.16	0.0	0	0.4	20.6	0.0	0.0	0.0	0.0	
VMP-32-20	1/18/2024	11:34	0.00	0.00	0.0	0	0.5	20.3	0.0	0.0	0.0	0.0	
VMP-32-20	2/28/2024	13:28	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-32-20	3/21/2024	14:30	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-32-20	4/24/2024	12:34	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-32-20	5/29/2024	10:32	0.00	0.00	0.0	0	0.6	20.2	0.0	0.0	0.0	0.0	
VMP-32-20	6/20/2024	10:27	0.00	0.00	0.0	0	1.1	19.9	0.0	0.0	0.0	0.0	
VMP-32-30	7/20/2023	13:48	0.00	0.00	0.0	0	0.6	19.5	0.0	0.0	0.0	0.0	
VMP-32-30	8/25/2023	10:12	0.00	0.00	0.0	0	0.7	20.3	0.0	0.0	0.0	0.0	
VMP-32-30	9/21/2023	10:58	0.00	0.00	0.0	0	1.1	19.6	0.0	0.0	0.0	0.0	
VMP-32-30	10/24/2023	08:18	0.00	0.00	0.0	0	0.8	20.4	0.0	0.0	0.0	0.0	
VMP-32-30	11/21/2023	10:13	0.00	0.00	0.0	0	0.3	20.7	0.0	0.0	0.0	0.0	
VMP-32-30	11/21/2023	10:13	NM	NM	0.0	0	0.3	20.8	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-32-30	12/21/2023	12:35	0.17	0.16	0.0	0	0.3	20.6	0.0	0.0	0.0	0.0	
VMP-32-30	1/18/2024	11:35	0.00	0.00	0.0	0	0.4	20.4	0.0	0.0	0.0	0.0	
VMP-32-30	2/28/2024	13:28	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-32-30	3/21/2024	14:30	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-32-30	4/24/2024	12:35	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-32-30	5/29/2024	10:33	0.00	0.00	0.0	0	0.1	20.7	0.0	0.0	0.0	0.0	
VMP-32-30	6/20/2024	10:28	0.00	0.00	0.0	0	0.5	20.5	0.0	0.0	0.0	0.0	
VMP-33-10	7/19/2023	09:15	-0.40	-0.23	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-33-10	8/23/2023	08:40	-0.11	-0.11	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-33-10	9/21/2023	09:48	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-33-10	10/24/2023	14:36	-0.39	-0.38	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-33-10	11/20/2023	10:08	-0.44	-0.41	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-33-10	12/20/2023	09:33	NM	NM	0.0	0	0.0	20.9	1.1	10.1	2.5	7.6	Duplicate sample.
VMP-33-10	12/20/2023	09:33	0.00	0.00	0.0	0	0.0	20.9	1.1	9.9	2.3	7.6	
VMP-33-10	1/23/2024	13:45	-0.46	-0.04	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-33-10	2/27/2024	09:24	-0.11	-0.07	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-33-10	3/20/2024	11:05	-0.46	-0.36	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-33-10	4/22/2024	11:50	-0.22	-0.29	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-33-10	5/29/2024	08:28	-0.38	-0.30	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-33-10	6/19/2024	09:55	-0.10	0.00	0.0	0	0.0	20.6	0.0	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-33-20	7/19/2023	09:16	-2.94	-2.83	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-33-20	8/23/2023	08:40	-0.79	-0.67	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-33-20	9/21/2023	09:49	0.00	0.00	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-33-20	10/24/2023	14:37	-2.86	-2.66	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-33-20	11/20/2023	10:09	-2.64	-2.61	0.0	0	0.0	20.8	0.0	0.0	0.0	0.0	
VMP-33-20	12/20/2023	09:34	0.00	0.00	0.0	0	0.0	20.9	1.3	12.4	2.3	10.1	
VMP-33-20	1/23/2024	13:46	-2.76	-2.65	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-33-20	2/27/2024	09:25	-0.77	-0.59	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-33-20	3/20/2024	11:06	-3.05	-2.66	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-33-20	3/20/2024	11:06	NM	NM	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-33-20	4/22/2024	11:51	-2.10	-1.96	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-33-20	5/29/2024	08:29	-2.32	-2.05	0.0	0	0.0	20.8	0.0	0.0	0.0	0.0	
VMP-33-20	6/19/2024	09:56	-0.47	-0.38	0.0	0	0.1	20.5	0.0	0.0	0.0	0.0	
VMP-33-30	7/19/2023	09:17	-0.32	-0.28	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-33-30	8/23/2023	08:41	-0.09	-0.06	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-33-30	9/21/2023	09:50	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-33-30	10/24/2023	14:38	-0.22	-0.20	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-33-30	11/20/2023	10:10	-0.28	-0.24	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-33-30	12/20/2023	09:35	0.00	0.00	0.0	0	0.0	20.9	1.2	17.8	4.9	12.9	
VMP-33-30	1/23/2024	13:47	-0.39	-0.53	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-33-30	2/27/2024	09:26	-0.08	-0.06	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-33-30	3/20/2024	11:07	-0.32	-0.25	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-33-30	4/22/2024	11:52	0.00	-0.14	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-33-30	5/29/2024	08:30	-0.17	-0.18	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-33-30	5/29/2024	08:30	NM	NM	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-33-30	6/19/2024	09:57	0.00	0.00	0.0	0	0.0	20.8	0.0	0.0	0.0	0.0	
VMP-34-10	7/19/2023	09:40	-0.10	-0.22	0.0	0	0.4	20.3	0.0	0.6	0.6	0.0	
VMP-34-10	8/23/2023	09:55	-0.06	-0.04	0.0	0	0.4	20.3	0.0	0.0	0.0	0.0	
VMP-34-10	9/21/2023	10:18	0.00	0.00	0.0	0	0.6	20.2	0.0	0.0	0.0	0.0	
VMP-34-10	10/23/2023	14:15	0.00	0.00	0.0	0	0.4	20.3	0.0	0.0	0.0	0.0	
VMP-34-10	10/23/2023	14:15	NM	NM	0.0	0	0.4	20.4	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-34-10	11/20/2023	10:34	-0.15	-0.12	0.0	0	0.3	20.5	0.0	0.0	0.0	0.0	
VMP-34-10	12/20/2023	10:01	-0.18	0.00	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-34-10	1/23/2024	12:56	-0.26	-0.10	0.0	0	0.2	20.6	0.0	0.0	0.0	0.0	
VMP-34-10	2/27/2024	09:44	-0.03	0.00	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-34-10	3/20/2024	11:35	-0.43	-0.32	0.0	0	0.1	20.5	0.0	0.0	0.0	0.0	
VMP-34-10	4/22/2024	12:10	0.15	0.00	0.0	0	0.2	20.5	0.0	0.0	0.0	0.0	
VMP-34-10	5/29/2024	08:57	0.00	-0.28	0.0	0	0.3	20.5	0.0	0.0	0.0	0.0	
VMP-34-10	6/19/2024	10:15	0.00	0.00	0.0	0	0.4	20.1	0.0	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-34-20	7/19/2023	09:41	-0.51	-0.62	0.0	0	0.7	20.0	0.0	0.9	0.9	0.0	
VMP-34-20	8/23/2023	09:56	-0.17	-0.13	0.0	0	2.2	16.9	0.0	0.0	0.0	0.0	
VMP-34-20	9/21/2023	10:19	-0.02	0.00	0.0	0	1.1	19.8	0.0	0.0	0.0	0.0	
VMP-34-20	10/24/2023	14:02	-0.33	-0.34	0.0	0	1.2	20.0	0.0	0.0	0.0	0.0	
VMP-34-20	11/20/2023	10:35	-0.46	-0.28	0.0	0	1.1	20.0	0.0	0.0	0.0	0.0	
VMP-34-20	12/20/2023	10:02	-0.38	-0.18	0.0	0	1.0	20.2	0.0	0.0	0.0	0.0	
VMP-34-20	1/23/2024	12:57	-0.55	-0.64	0.0	0	0.8	20.3	0.0	0.0	0.0	0.0	
VMP-34-20	2/27/2024	09:45	0.07	0.10	0.0	0	0.6	20.5	0.0	0.0	0.0	0.0	
VMP-34-20	3/20/2024	11:36	-0.50	-0.92	0.0	0	0.5	20.3	0.0	0.0	0.0	0.0	
VMP-34-20	4/22/2024	12:11	0.00	0.00	0.0	0	0.4	20.4	0.0	0.0	0.0	0.0	
VMP-34-20	4/22/2024	12:11	NM	NM	0.0	0	0.4	20.4	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-34-20	5/29/2024	08:58	-0.76	-0.86	0.0	0	0.5	20.3	0.0	0.0	0.0	0.0	
VMP-34-20	6/19/2024	10:16	-0.39	-0.26	0.0	0	0.6	20.0	NM	NM	NM	NM	
VMP-34-30	7/19/2023	09:42	-0.51	-0.73	0.0	0	1.7	17.7	0.0	0.0	0.0	0.0	
VMP-34-30	8/23/2023	09:57	-0.21	-0.16	0.0	0	0.9	19.8	0.0	0.3	0.0	0.3	
VMP-34-30	9/21/2023	10:20	-0.03	0.00	0.0	0	2.4	17.2	0.0	0.0	0.0	0.0	
VMP-34-30	10/23/2023	14:17	0.00	0.00	0.0	0	2.5	17.2	0.0	0.0	0.0	0.0	
VMP-34-30	11/20/2023	10:36	-0.36	-0.33	0.0	0	3.1	16.3	0.0	0.0	0.0	0.0	
VMP-34-30	12/20/2023	10:03	-0.35	-0.19	0.0	0	2.9	17.1	0.0	0.0	0.0	0.0	
VMP-34-30	1/23/2024	12:58	-0.61	-0.46	0.0	0	3.8	15.9	0.0	0.0	0.0	0.0	
VMP-34-30	2/27/2024	09:46	-0.07	-0.05	0.0	0	3.8	16.2	0.0	0.0	0.0	0.0	
VMP-34-30	3/20/2024	11:37	-1.13	-1.11	0.0	0	3.1	17.2	0.0	0.0	0.0	0.0	
VMP-34-30	4/22/2024	12:12	0.00	0.00	0.0	0	3.1	17.3	0.0	0.0	0.0	0.0	
VMP-34-30	5/29/2024	08:59	-0.23	-0.90	0.0	0	2.5	17.7	0.0	0.0	0.0	0.0	
VMP-34-30	6/19/2024	10:17	-0.43	-0.34	0.0	0	2.9	16.5	0.0	0.0	0.0	0.0	
VMP-34-30	6/19/2024	10:17	NM	NM	0.0	0	2.8	16.6	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-35-10	7/19/2023	10:40	-0.39	-0.17	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-35-10	7/19/2023	10:40	NM	NM	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-35-10	8/23/2023	10:10	-0.17	-0.14	0.0	0	0.0	20.8	0.0	0.0	0.0	0.0	
VMP-35-10	9/21/2023	10:33	0.00	0.00	0.0	0	0.0	20.2	0.0	0.0	0.0	0.0	
VMP-35-10	10/23/2023	13:48	-0.29	-0.30	0.0	0	0.0	20.8	0.0	0.0	0.0	0.0	
VMP-35-10	11/20/2023	11:11	-0.69	-0.52	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-35-10	12/20/2023	10:10	-0.63	-0.46	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-35-10	1/23/2024	12:33	-0.92	-0.78	0.0	0	0.1	20.3	2.1	4.1	0.0	4.1	
VMP-35-10	2/27/2024	09:57	-0.13	-0.10	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-35-10	3/20/2024	11:45	-3.57	-0.88	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-35-10	4/22/2024	12:35	-0.31	-0.39	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-35-10	5/29/2024	09:16	-1.14	-0.78	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-35-10	6/19/2024	10:41	-0.25	-0.23	0.0	0	0.0	20.8	0.0	0.0	0.0	0.0	

**TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA**

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-35-20	7/19/2023	10:41	-0.42	-0.39	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-35-20	8/23/2023	10:11	-0.11	-0.08	0.0	0	0.0	20.6	0.0	0.0	0.0	0.0	
VMP-35-20	9/21/2023	10:34	0.00	0.00	0.0	0	0.0	20.2	0.0	0.0	0.0	0.0	
VMP-35-20	10/23/2023	13:49	-0.17	-0.16	0.0	0	0.0	20.8	0.0	0.0	0.0	0.0	
VMP-35-20	10/23/2023	13:49	NM	NM	0.0	0	0.0	20.8	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-35-20	11/20/2023	11:12	-0.60	-0.43	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-35-20	12/20/2023	10:11	-0.44	-0.31	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-35-20	1/23/2024	12:34	-0.96	-0.81	0.0	0	0.5	20.5	0.0	0.0	0.0	0.0	
VMP-35-20	2/27/2024	09:58	-0.09	-0.05	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-35-20	3/20/2024	11:46	-0.68	-0.58	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-35-20	4/22/2024	12:36	-0.15	-0.27	0.0	0	0.0	20.8	0.0	0.0	0.0	0.0	
VMP-35-20	5/29/2024	09:17	-0.82	-0.69	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-35-20	6/19/2024	10:42	-0.14	-0.12	0.0	0	0.0	20.7	0.0	0.0	0.0	0.0	
VMP-35-30	7/19/2023	10:42	-0.34	-0.08	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-35-30	8/23/2023	10:12	-0.09	-0.06	0.0	0	0.0	20.7	0.0	0.0	0.0	0.0	
VMP-35-30	9/21/2023	10:35	0.00	0.00	0.0	0	0.0	20.3	0.0	0.0	0.0	0.0	
VMP-35-30	10/23/2023	13:50	-0.15	-0.11	0.0	0	0.0	20.8	0.0	0.0	0.0	0.0	
VMP-35-30	11/20/2023	11:13	-0.63	-0.44	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-35-30	12/20/2023	10:12	-0.39	-0.29	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-35-30	1/23/2024	12:35	-0.88	-0.86	0.0	0	0.0	19.6	0.0	4.9	4.9	0.0	
VMP-35-30	2/27/2024	09:59	-0.06	-0.05	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-35-30	2/27/2024	09:59	NM	NM	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-35-30	3/20/2024	11:47	-0.55	-0.53	0.0	0	0.0	20.5	0.0	0.0	0.0	0.0	
VMP-35-30	4/22/2024	12:37	0.00	-0.19	0.0	0	0.0	20.7	0.0	0.0	0.0	0.0	
VMP-35-30	4/22/2024	12:37	NM	NM	0.0	0	0.0	20.7	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-35-30	5/29/2024	09:18	-0.97	-0.68	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-35-30	6/19/2024	10:43	-0.10	-0.09	0.0	0	0.0	20.7	0.0	0.0	0.0	0.0	
VMP-36-10	7/19/2023	10:57	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-36-10	8/23/2023	10:25	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-36-10	9/21/2023	09:35	0.00	0.00	0.0	0	0.0	20.8	0.0	0.0	0.0	0.0	
VMP-36-10	10/23/2023	11:58	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-36-10	11/20/2023	11:37	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-36-10	12/20/2023	10:23	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-36-10	1/23/2024	11:25	-0.23	-0.12	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-36-10	2/27/2024	10:15	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-36-10	3/20/2024	10:20	-0.10	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-36-10	4/22/2024	12:55	0.00	0.00	0.0	0	0.0	20.7	0.0	0.0	0.0	0.0	
VMP-36-10	5/29/2024	09:27	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-36-10	6/19/2024	14:00	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-36-20	7/19/2023	10:58	0.00	-0.03	0.0	0	0.0	20.8	0.0	0.0	0.0	0.0	
VMP-36-20	8/23/2023	10:26	0.00	0.00	0.0	0	0.0	20.6	0.0	0.0	0.0	0.0	
VMP-36-20	8/23/2023	10:26	NM	NM	0.0	0	0.0	20.6	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-36-20	9/21/2023	09:37	0.00	0.00	0.0	0	0.0	20.7	0.0	0.0	0.0	0.0	
VMP-36-20	10/23/2023	11:59	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-36-20	11/20/2023	11:38	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-36-20	12/20/2023	10:24	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-36-20	12/20/2023	10:24	NM	NM	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-36-20	1/23/2024	11:26	-0.25	-0.17	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-36-20	1/23/2024	11:26	NM	NM	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-36-20	2/27/2024	10:16	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-36-20	3/20/2024	10:21	-0.19	-0.16	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-36-20	4/22/2024	12:56	0.12	0.00	0.0	0	0.0	20.7	0.0	0.0	0.0	0.0	
VMP-36-20	4/22/2024	12:56	NM	NM	0.0	0	0.0	20.8	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-36-20	5/29/2024	09:28	0.00	-0.11	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-36-20	6/19/2024	14:01	0.00	0.00	0.0	0	0.0	20.7	0.0	0.0	0.0	0.0	
VMP-36-30	7/19/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-36-30	8/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-36-30	9/21/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-36-30	10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-36-30	11/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-36-30	12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-36-30	1/23/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-36-30	2/27/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-36-30	3/20/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-36-30	4/22/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-36-30	5/29/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-36-30	6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-37-10	7/19/2023	11:05	0.00	0.00	0.0	0	7.5	10.7	0.0	0.0	0.0	0.0	
VMP-37-10	8/23/2023	10:50	0.00	0.00	0.0	0	9.3	9.3	0.0	0.0	0.0	0.0	
VMP-37-10	8/23/2023	10:50	NM	NM	0.0	0	9.3	9.2	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-37-10	9/21/2023	09:25	-0.10	0.00	0.0	0	8.3	9.8	0.0	0.0	0.0	0.0	
VMP-37-10	10/23/2023	11:38	0.00	0.00	0.0	0	7.5	10.3	0.0	0.0	0.0	0.0	
VMP-37-10	11/20/2023	11:40	0.00	0.00	0.0	0	10.7	6.9	0.0	0.0	0.0	0.0	
VMP-37-10	12/20/2023	11:17	0.00	0.00	0.0	0	5.2	12.8	0.0	0.0	0.0	0.0	
VMP-37-10	1/23/2024	11:03	-0.45	0.00	0.0	0	8.7	5.8	0.0	0.0	0.0	0.0	
VMP-37-10	2/27/2024	10:25	0.10	0.00	0.0	0	9.4	5.7	0.0	0.0	0.0	0.0	
VMP-37-10	3/20/2024	09:45	-0.40	-0.33	0.0	0	1.1	19.6	0.0	0.0	0.0	0.0	
VMP-37-10	4/23/2024	10:00	-0.13	0.00	0.0	0	6.8	10.8	0.0	0.0	0.0	0.0	
VMP-37-10	5/29/2024	09:34	-0.12	0.00	0.0	0	1.7	18.7	0.0	0.0	0.0	0.0	
VMP-37-10	6/19/2024	13:50	0.00	0.00	0.0	0	5.7	11.2	0.0	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-37-20	7/19/2023	11:06	0.00	0.00	0.0	0	7.7	9.9	0.0	0.0	0.0	0.0	
VMP-37-20	8/23/2023	10:57	0.00	0.00	0.0	0	9.7	8.5	0.0	1.0	1.0	0.0	
VMP-37-20	9/21/2023	09:26	-0.12	0.00	0.0	0	11.3	7.0	0.0	0.0	0.0	0.0	
VMP-37-20	10/23/2023	11:39	0.00	0.00	0.0	0	8.3	10.6	0.0	0.0	0.0	0.0	
VMP-37-20	11/20/2023	11:41	0.00	0.00	0.0	0	9.5	9.6	0.0	0.0	0.0	0.0	
VMP-37-20	12/20/2023	11:18	0.00	0.00	0.0	0	8.7	10.0	0.0	0.0	0.0	0.0	
VMP-37-20	1/23/2024	11:04	-0.52	-0.28	0.0	0	7.9	10.1	0.0	0.0	0.0	0.0	
VMP-37-20	2/27/2024	10:24	0.00	0.00	0.0	0	6.5	11.8	0.0	0.0	0.0	0.0	
VMP-37-20	3/20/2024	09:46	-0.45	-0.37	0.0	0	4.0	16.0	0.0	0.0	0.0	0.0	
VMP-37-20	4/23/2024	10:01	-0.17	-0.10	0.0	0	5.9	14.2	0.0	0.0	0.0	0.0	
VMP-37-20	4/23/2024	10:01	NM	NM	0.0	0	5.8	14.0	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-37-20	5/29/2024	09:35	0.00	-0.21	0.0	0	4.9	14.6	1.0	3.7	0.0	3.7	
VMP-37-20	6/19/2024	13:51	0.00	0.00	0.0	0	7.1	11.0	0.0	0.0	0.0	0.0	
VMP-37-30	7/19/2023	11:07	-0.62	-0.12	0.0	0	6.0	11.4	0.0	0.0	0.0	0.0	
VMP-37-30	8/23/2023	10:52	0.00	0.00	0.0	0	6.5	10.7	0.0	0.0	0.0	0.0	
VMP-37-30	9/21/2023	09:27	-0.09	-0.09	0.0	0	7.3	9.3	0.0	0.0	0.0	0.0	
VMP-37-30	10/23/2023	11:40	0.00	0.00	0.0	0	7.6	9.2	0.0	0.0	0.0	0.0	
VMP-37-30	11/20/2023	11:42	0.00	0.00	0.0	0	8.5	8.4	0.0	0.0	0.0	0.0	
VMP-37-30	12/20/2023	11:19	-0.30	-0.23	0.0	0	8.7	8.4	0.0	0.0	0.0	0.0	
VMP-37-30	1/23/2024	11:05	-0.94	-0.86	0.0	0	8.7	8.2	0.0	0.0	0.0	0.0	
VMP-37-30	2/27/2024	10:25	-0.04	0.00	0.0	0	8.8	8.9	0.0	0.0	0.0	0.0	
VMP-37-30	3/20/2024	09:47	-1.28	-1.21	0.0	0	6.6	13.4	0.0	0.0	0.0	0.0	
VMP-37-30	4/23/2024	10:02	-0.41	-0.30	0.0	0	5.9	14.3	0.0	0.0	0.0	0.0	
VMP-37-30	5/29/2024	09:36	0.00	0.00	0.0	0	6.0	12.3	0.0	0.0	0.0	0.0	
VMP-37-30	6/19/2024	13:52	0.00	0.00	0.0	0	6.7	11.1	0.0	0.0	0.0	0.0	
VMP-38-10	7/19/2023	11:20	0.00	0.00	0.0	0	3.6	16.1	0.0	0.0	0.0	0.0	
VMP-38-10	8/23/2023	11:25	0.00	0.00	0.0	0	6.4	12.7	0.0	0.0	0.0	0.0	
VMP-38-10	9/21/2023	09:15	0.00	0.00	0.0	0	5.2	14.5	0.0	0.0	0.0	0.0	
VMP-38-10	10/23/2023	11:21	0.00	0.00	0.0	0	3.9	16.3	0.0	0.0	0.0	0.0	
VMP-38-10	11/20/2023	12:29	0.00	0.00	0.0	0	5.1	14.5	0.0	0.0	0.0	0.0	
VMP-38-10	11/20/2023	12:29	NM	NM	0.0	0	5.2	14.4	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-38-10	12/20/2023	11:28	0.00	0.00	0.0	0	3.0	17.5	0.0	0.0	0.0	0.0	
VMP-38-10	1/23/2024	10:44	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-38-10	2/27/2024	11:11	-3.04	0.00	0.0	0	4.2	16.0	0.0	0.0	0.0	0.0	
VMP-38-10	3/20/2024	09:30	-0.95	-0.59	0.0	0	0.3	20.7	3.6	1.0	0.0	1.0	
VMP-38-10	4/23/2024	09:45	0.00	0.00	0.0	0	1.1	18.5	0.0	0.0	0.0	0.0	
VMP-38-10	5/29/2024	10:06	0.00	0.00	0.0	0	2.4	16.1	0.0	0.0	0.0	0.0	
VMP-38-10	5/29/2024	10:06	NM	NM	0.0	0	2.4	16.0	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-38-10	6/19/2024	13:40	0.00	0.00	0.0	0	3.6	15.2	0.0	0.0	0.0	0.0	

**TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA**

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-38-20	7/19/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-38-20	8/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-38-20	9/21/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-38-20	10/23/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-38-20	11/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-38-20	12/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-38-20	1/23/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-38-20	2/27/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-38-20	3/20/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-38-20	4/23/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-38-20	5/29/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-38-20	6/19/2024	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-38-27	7/19/2023	11:21	0.00	0.00	0.0	0	3.6	15.4	0.0	0.0	0.0	0.0	
VMP-38-27	8/23/2023	11:27	0.00	0.12	0.0	0	4.5	13.8	0.0	0.0	0.0	0.0	
VMP-38-27	9/21/2023	09:17	-0.14	0.00	0.0	0	5.4	13.0	0.0	0.0	0.0	0.0	
VMP-38-27	10/23/2023	11:23	0.00	0.13	0.0	0	5.7	13.1	0.0	0.0	0.0	0.0	
VMP-38-27	11/20/2023	12:30	0.12	0.07	0.0	0	6.1	13.3	0.0	0.0	0.0	0.0	
VMP-38-27	12/20/2023	11:29	0.12	0.00	0.0	0	6.3	13.0	0.0	0.0	0.0	0.0	
VMP-38-27	1/23/2024	10:45	-0.62	0.00	0.0	0	5.4	14.1	0.0	0.0	0.0	0.0	
VMP-38-27	2/27/2024	11:13	0.09	0.00	0.0	0	5.1	15.4	0.0	0.0	0.0	0.0	
VMP-38-27	3/20/2024	09:31	-3.69	-3.48	0.0	0	0.9	20.6	0.0	0.0	0.0	0.0	
VMP-38-27	3/20/2024	09:31	NM	NM	0.0	0	1.0	20.6	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-38-27	4/23/2024	09:47	-0.09	0.00	0.0	0	0.9	20.0	0.0	0.0	0.0	0.0	
VMP-38-27	5/29/2024	10:07	0.00	0.00	0.0	0	1.1	18.3	0.0	0.0	0.0	0.0	
VMP-38-27	6/19/2024	13:42	0.00	0.00	0.0	0	1.3	17.6	0.0	0.0	0.0	0.0	
VMP-39-10	7/19/2023	11:30	0.00	0.00	0.0	0	3.2	16.6	0.0	0.0	0.0	0.0	
VMP-39-10	8/23/2023	10:25	0.00	0.00	0.0	0	4.9	14.5	0.0	0.0	0.0	0.0	
VMP-39-10	9/21/2023	09:05	0.00	0.00	0.0	0	1.7	19.2	0.0	0.0	0.0	0.0	
VMP-39-10	10/23/2023	11:00	0.00	0.00	0.0	0	1.7	18.6	0.0	0.0	0.0	0.0	
VMP-39-10	11/20/2023	12:39	0.00	0.00	0.0	0	4.9	14.7	0.0	0.0	0.0	0.0	
VMP-39-10	12/20/2023	11:36	0.00	0.00	0.0	0	2.3	18.1	0.0	0.0	0.0	0.0	
VMP-39-10	1/23/2024	10:22	0.00	0.00	0.0	0	1.9	17.8	0.0	0.0	0.0	0.0	
VMP-39-10	2/27/2024	11:21	0.00	0.00	0.0	0	3.5	16.5	0.0	0.0	0.0	0.0	
VMP-39-10	3/20/2024	09:15	-0.34	-0.31	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-39-10	4/23/2024	09:30	0.00	0.00	0.0	0	1.3	19.2	0.0	0.0	0.0	0.0	
VMP-39-10	5/29/2024	10:17	0.00	0.00	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-39-10	6/19/2024	13:30	0.09	0.00	0.0	0	0.6	20.2	0.0	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-39-20	7/19/2023	11:31	0.00	0.00	0.0	0	0.8	20.0	0.0	0.0	0.0	0.0	
VMP-39-20	8/23/2023	10:26	-0.40	0.00	0.0	0	0.7	19.9	0.0	0.0	0.0	0.0	
VMP-39-20	9/21/2023	09:06	0.00	0.00	0.0	0	0.3	20.6	0.0	0.0	0.0	0.0	
VMP-39-20	10/23/2023	11:01	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-39-20	11/20/2023	12:40	0.00	0.00	0.0	0	3.5	15.8	0.0	0.0	0.0	0.0	
VMP-39-20	12/20/2023	11:37	-2.12	0.00	0.0	0	0.8	19.5	0.0	0.0	0.0	0.0	
VMP-39-20	1/23/2024	10:23	0.00	0.00	0.0	0	2.1	17.6	0.0	0.0	0.0	0.0	
VMP-39-20	2/27/2024	11:22	0.00	0.00	0.0	0	3.2	16.6	0.0	0.0	0.0	0.0	
VMP-39-20	2/27/2024	11:22	NM	NM	0.0	0	3.1	16.8	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-39-20	3/20/2024	09:16	-0.17	-0.12	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-39-20	4/23/2024	09:31	0.00	0.00	0.0	0	1.2	19.5	0.0	0.0	0.0	0.0	
VMP-39-20	5/29/2024	10:18	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-39-20	6/19/2024	13:31	0.10	0.00	0.0	0	0.2	20.6	0.0	0.0	0.0	0.0	
VMP-39-30	7/19/2023	11:32	0.00	0.00	0.0	0	0.4	20.5	0.0	0.0	0.0	0.0	
VMP-39-30	8/23/2023	10:27	0.00	0.00	0.0	0	2.1	18.3	0.0	0.0	0.0	0.0	
VMP-39-30	9/21/2023	09:07	0.00	0.00	0.0	0	0.0	20.6	0.0	0.0	0.0	0.0	
VMP-39-30	10/23/2023	11:02	0.00	0.00	0.0	0	0.1	20.4	0.0	0.0	0.0	0.0	
VMP-39-30	11/20/2023	12:41	0.00	0.00	0.0	0	3.2	16.3	0.0	0.0	0.0	0.0	
VMP-39-30	12/20/2023	11:38	0.00	0.00	0.0	0	0.5	19.8	0.0	0.0	0.0	0.0	
VMP-39-30	1/23/2024	10:24	0.00	0.00	0.0	0	3.2	16.4	0.0	0.0	0.0	0.0	
VMP-39-30	2/27/2024	11:23	0.00	0.00	0.0	0	3.1	16.7	0.0	0.0	0.0	0.0	
VMP-39-30	3/20/2024	09:17	-0.16	-0.13	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-39-30	4/23/2024	09:32	0.00	0.00	0.0	0	1.0	19.7	0.0	0.0	0.0	0.0	
VMP-39-30	5/29/2024	10:19	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-39-30	6/19/2024	13:32	0.11	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-41-10	7/19/2023	08:40	0.00	0.00	0.0	0	1.7	19.2	0.0	0.0	0.0	0.0	
VMP-41-10	8/24/2023	08:08	0.00	0.00	0.0	0	1.9	19.0	0.0	0.0	0.0	0.0	
VMP-41-10	9/20/2023	08:50	0.00	0.00	0.0	0	1.7	19.3	0.0	0.0	0.0	0.0	
VMP-41-10	10/24/2023	08:50	0.00	0.00	0.0	0	1.6	19.2	0.0	0.0	0.0	0.0	
VMP-41-10	11/20/2023	13:40	0.00	-0.09	0.0	0	1.3	19.4	0.0	0.0	0.0	0.0	
VMP-41-10	12/21/2023	08:06	0.00	0.00	0.0	0	1.0	19.6	0.0	0.0	0.0	0.0	
VMP-41-10	1/18/2024	11:15	0.00	0.00	0.0	0	1.0	19.4	0.0	0.0	0.0	0.0	
VMP-41-10	2/27/2024	09:30	0.00	0.00	0.0	0	1.0	19.7	0.0	0.0	0.0	0.0	
VMP-41-10	3/20/2024	13:02	0.00	0.00	0.0	0	1.0	20.0	0.0	0.0	0.0	0.0	
VMP-41-10	4/22/2024	10:20	0.00	-0.12	0.0	0	0.9	20.0	0.0	0.0	0.0	0.0	
VMP-41-10	5/28/2024	09:25	0.00	0.00	0.0	0	1.5	19.2	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-41-10	6/19/2024	09:00	-0.32	-0.33	0.0	0	0.3	20.8	0.0	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-41-20	7/19/2023	08:41	0.00	0.00	0.0	0	1.9	18.6	0.0	0.0	0.0	0.0	
VMP-41-20	8/24/2023	08:09	0.00	0.00	0.0	0	2.0	18.5	0.0	0.0	0.0	0.0	
VMP-41-20	9/20/2023	08:51	0.00	0.00	0.0	0	2.0	18.8	0.0	0.0	0.0	0.0	
VMP-41-20	9/20/2023	08:51	NM	NM	0.0	0	2.0	18.7	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-41-20	10/24/2023	08:51	0.00	0.00	0.0	0	2.1	18.6	0.0	0.0	0.0	0.0	
VMP-41-20	11/20/2023	13:41	0.00	-0.11	0.0	0	1.9	18.6	0.0	0.0	0.0	0.0	
VMP-41-20	12/21/2023	08:07	0.00	0.00	0.0	0	1.7	18.8	0.0	0.0	0.0	0.0	
VMP-41-20	1/18/2024	11:16	0.00	0.00	0.0	0	1.6	18.7	0.0	0.0	0.0	0.0	
VMP-41-20	2/27/2024	09:31	0.00	0.00	0.0	0	1.4	19.2	0.0	0.0	0.0	0.0	
VMP-41-20	3/20/2024	13:03	0.00	0.00	0.0	0	1.3	19.6	0.0	0.0	0.0	0.0	
VMP-41-20	4/22/2024	10:21	0.00	0.00	0.0	0	1.2	19.7	0.0	0.0	0.0	0.0	
VMP-41-20	5/28/2024	09:26	-0.09	-0.17	0.0	0	1.4	19.1	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-41-20	6/19/2024	09:01	-0.44	-0.57	0.0	0	0.4	20.9	0.0	0.0	0.0	0.0	
VMP-41-26	7/19/2023	08:42	0.00	0.00	0.0	0	2.0	18.2	0.0	0.0	0.0	0.0	
VMP-41-26	8/24/2023	08:10	-0.02	0.00	0.0	0	2.3	18.3	0.0	0.0	0.0	0.0	
VMP-41-26	9/20/2023	08:52	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-41-26	10/24/2023	08:52	0.00	0.00	0.0	0	2.6	17.8	0.0	0.0	0.0	0.0	
VMP-41-26	11/20/2023	13:42	0.00	-0.10	0.0	0	2.6	17.4	0.0	0.0	0.0	0.0	
VMP-41-26	12/21/2023	08:08	0.00	0.00	0.0	0	2.4	17.5	0.0	0.0	0.0	0.0	
VMP-41-26	12/21/2023	08:08	NM	NM	0.0	0	2.4	17.6	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-41-26	1/18/2024	11:17	0.00	0.00	0.0	0	2.4	17.6	0.0	0.0	0.0	0.0	
VMP-41-26	2/27/2024	09:32	0.00	0.00	0.0	0	2.1	18.4	0.0	0.0	0.0	0.0	
VMP-41-26	3/20/2024	13:04	0.00	0.00	0.0	0	1.9	19.1	0.0	0.0	0.0	0.0	
VMP-41-26	4/22/2024	10:22	0.00	0.00	0.0	0	1.7	19.2	0.0	0.0	0.0	0.0	
VMP-41-26	5/28/2024	09:27	0.00	0.00	0.0	0	1.6	18.7	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-41-26	6/19/2024	09:02	-0.50	-0.65	0.0	0	1.0	20.6	0.0	0.0	0.0	0.0	
VMP-42-10	7/21/2023	09:00	0.00	0.00	0.0	0	0.6	20.3	0.0	0.0	0.0	0.0	
VMP-42-10	8/25/2023	08:35	0.00	0.00	0.0	0	0.5	20.6	0.0	0.0	0.0	0.0	
VMP-42-10	8/25/2023	08:35	NM	NM	0.0	0	0.4	20.6	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-42-10	9/20/2023	14:05	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-42-10	10/24/2023	12:13	0.00	0.00	0.0	0	0.0	20.8	0.0	0.0	0.0	0.0	
VMP-42-10	11/21/2023	13:10	0.00	0.00	0.0	0	0.1	20.9	0.0	0.0	0.0	0.0	
VMP-42-10	12/21/2023	10:45	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-42-10	1/17/2024	13:23	-0.17	-0.52	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-42-10	2/28/2024	13:35	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-42-10	3/21/2024	13:00	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-42-10	4/24/2024	09:13	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-42-10	5/29/2024	13:30	0.00	0.00	0.0	0	0.0	20.8	0.0	0.0	0.0	0.0	
VMP-42-10	6/20/2024	11:30	0.00	0.00	0.0	0	0.9	20.0	6.5	4.1	0.0	4.1	

**TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA**

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-42-20	7/21/2023	09:01	0.00	0.00	0.0	0	0.6	20.3	0.0	0.0	0.0	0.0	
VMP-42-20	8/25/2023	08:36	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-42-20	9/20/2023	14:06	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-42-20	10/24/2023	12:14	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-42-20	11/21/2023	13:11	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-42-20	12/21/2023	10:46	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-42-20	1/17/2024	13:54	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-42-20	2/28/2024	13:36	-0.13	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-42-20	3/21/2024	13:01	0.00	0.00	0.0	0	0.2	20.8	0.0	0.0	0.0	0.0	
VMP-42-20	4/24/2024	09:14	0.00	0.00	0.0	0	0.4	20.6	0.0	0.0	0.0	0.0	
VMP-42-20	5/29/2024	13:31	0.00	0.00	0.0	0	0.2	20.8	0.0	0.0	0.0	0.0	
VMP-42-20	6/20/2024	11:31	-0.30	0.00	0.0	0	1.0	19.9	0.0	0.0	0.0	0.0	
VMP-42-30	7/21/2023	09:02	0.00	0.00	0.0	0	0.4	20.5	0.0	0.0	0.0	0.0	
VMP-42-30	8/25/2023	08:37	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-42-30	9/20/2023	14:07	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-42-30	10/24/2023	12:15	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-42-30	11/21/2023	13:12	0.00	0.00	0.0	0	0.8	20.3	0.0	0.0	0.0	0.0	
VMP-42-30	12/21/2023	10:47	0.00	0.00	0.0	0	0.5	20.5	0.0	0.0	0.0	0.0	
VMP-42-30	1/17/2024	13:25	0.00	0.00	0.0	0	0.5	20.4	0.0	0.0	0.0	0.0	
VMP-42-30	2/28/2024	13:32	0.00	0.00	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-42-30	3/21/2024	13:02	0.00	0.00	0.0	0	0.3	20.7	0.0	0.0	0.0	0.0	
VMP-42-30	4/24/2024	09:15	0.00	0.00	0.0	0	0.4	20.5	0.0	0.0	0.0	0.0	
VMP-42-30	5/29/2024	13:32	-0.39	0.00	0.0	0	0.8	20.2	0.0	0.0	0.0	0.0	
VMP-42-30	6/20/2024	11:32	-0.29	-0.27	0.0	0	1.6	18.9	0.0	0.0	0.0	0.0	
VMP-43-10	7/20/2023	13:20	-1.01	-0.24	0.0	0	0.7	20.1	0.0	0.0	0.0	0.0	
VMP-43-10	8/25/2023	10:25	-1.11	-1.10	0.0	0	0.9	20.2	0.0	0.0	0.0	0.0	
VMP-43-10	9/21/2023	11:30	0.00	0.00	0.0	0	0.7	20.4	0.0	0.0	0.0	0.0	
VMP-43-10	10/24/2023	07:50	-1.17	-1.17	0.0	0	0.2	20.6	0.0	0.0	0.0	0.0	
VMP-43-10	11/21/2023	10:20	-0.96	-0.91	0.0	0	0.2	20.8	0.0	0.0	0.0	0.0	
VMP-43-10	12/21/2023	13:00	-0.68	-0.77	0.0	0	0.1	20.9	0.0	0.0	0.0	0.0	
VMP-43-10	1/18/2024	11:36	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-43-10	2/28/2024	13:00	-0.92	-1.29	0.0	0	0.1	20.7	0.0	0.0	0.0	0.0	
VMP-43-10	3/21/2024	11:23	-1.17	-1.00	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-43-10	4/23/2024	11:25	-1.11	-1.06	0.0	0	0.2	20.4	0.0	0.0	0.0	0.0	
VMP-43-10	5/29/2024	11:05	-1.31	-1.23	0.0	0	0.7	20.1	0.0	0.0	0.0	0.0	
VMP-43-10	6/20/2024	11:05	-0.99	-1.06	0.0	0	0.9	20.0	0.0	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-43-20	7/20/2023	13:21	-1.77	-0.43	0.0	0	1.2	19.8	0.0	0.0	0.0	0.0	
VMP-43-20	8/25/2023	10:26	-1.31	-1.97	0.0	0	1.1	19.9	0.2	0.0	0.0	0.0	
VMP-43-20	9/21/2023	11:31	-0.16	-0.24	0.0	0	1.0	20.0	0.0	0.0	0.0	0.0	
VMP-43-20	10/24/2023	07:51	-2.07	-1.95	0.0	0	0.5	20.5	0.0	0.0	0.0	0.0	
VMP-43-20	11/21/2023	10:21	-1.73	-1.62	0.0	0	0.3	20.8	0.0	0.0	0.0	0.0	
VMP-43-20	12/21/2023	13:01	-1.23	-1.04	0.0	0	0.2	20.8	0.0	0.0	0.0	0.0	
VMP-43-20	1/18/2024	11:36	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-43-20	2/28/2024	13:01	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-43-20	3/21/2024	11:24	-5.27	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-43-20	4/23/2024	11:26	-2.69	-0.16	0.0	0	0.1	20.6	0.0	0.0	0.0	0.0	
VMP-43-20	5/29/2024	11:06	-0.32	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-43-20	6/20/2024	10:06	-0.49	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-43-30	7/20/2023	13:22	-3.08	-0.77	0.0	0	0.6	20.3	0.0	0.0	0.0	0.0	
VMP-43-30	8/25/2023	10:27	-3.29	-3.31	0.0	0	0.6	20.4	0.0	0.0	0.0	0.0	
VMP-43-30	9/21/2023	11:32	0.00	0.00	0.0	0	0.5	20.4	0.1	39.6	39.6	0.0	
VMP-43-30	10/24/2023	07:52	-3.39	-3.04	0.0	0	0.4	20.5	0.0	0.0	0.0	0.0	
VMP-43-30	11/21/2023	10:22	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to standing water on well vault.
VMP-43-30	12/21/2023	13:02	-2.68	-2.70	0.0	0	0.3	20.7	0.0	0.0	0.0	0.0	
VMP-43-30	1/18/2024	11:36	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-43-30	2/28/2024	13:02	-3.03	-3.57	0.0	0	0.1	20.7	0.0	0.0	0.0	0.0	
VMP-43-30	3/21/2024	11:25	-3.25	-3.01	0.0	0	0.2	20.8	0.0	0.0	0.0	0.0	
VMP-43-30	4/23/2024	11:27	-3.01	-2.84	0.0	0	0.2	20.6	0.0	0.0	0.0	0.0	
VMP-43-30	5/29/2024	11:07	-3.14	-3.03	0.0	0	0.4	20.3	0.0	0.0	0.0	0.0	
VMP-43-30	6/20/2024	10:07	-2.97	-3.09	0.0	0	0.6	20.4	0.0	0.0	0.0	0.0	
VMP-45-10	7/20/2023	08:45	0.00	0.00	0.0	0	0.6	20.0	0.0	0.0	0.0	0.0	
VMP-45-10	8/25/2023	08:46	0.00	0.00	0.0	0	0.4	20.7	0.0	0.0	0.0	0.0	
VMP-45-10	9/20/2023	13:05	0.00	0.00	0.0	0	0.5	20.6	0.0	0.0	0.0	0.0	
VMP-45-10	10/23/2023	12:35	0.00	0.00	0.0	0	0.8	20.2	0.0	0.0	0.0	0.0	
VMP-45-10	11/20/2023	10:55	0.00	0.00	0.0	0	0.6	20.3	0.0	0.0	0.0	0.0	
VMP-45-10	12/20/2023	13:25	0.00	0.00	0.0	0	0.4	20.6	0.0	0.0	0.0	0.0	
VMP-45-10	1/18/2024	13:55	0.00	0.00	0.0	0	0.5	20.3	0.0	0.0	0.0	0.0	
VMP-45-10	2/27/2024	13:55	0.13	0.11	0.0	0	0.9	20.3	0.0	0.0	0.0	0.0	
VMP-45-10	3/21/2024	08:55	0.00	0.00	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-45-10	4/23/2024	08:53	-0.21	0.00	0.0	0	0.5	20.3	0.0	0.0	0.0	0.0	
VMP-45-10	5/28/2024	13:56	0.00	0.00	0.0	0	0.8	19.7	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-45-10	6/19/2024	13:30	0.00	0.00	0.0	0	1.2	19.4	4.7	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-45-20	7/20/2023	08:46	0.00	0.00	0.0	0	2.0	18.5	0.0	0.0	0.0	0.0	
VMP-45-20	8/25/2023	08:47	0.00	0.00	0.0	0	1.9	19.2	0.0	0.0	0.0	0.0	
VMP-45-20	9/20/2023	13:06	0.00	0.00	0.0	0	1.5	19.8	0.0	0.0	0.0	0.0	
VMP-45-20	10/23/2023	12:36	0.00	0.00	0.0	0	1.6	19.5	0.0	0.0	0.0	0.0	
VMP-45-20	11/20/2023	10:56	0.00	0.00	0.0	0	1.1	19.9	0.0	0.0	0.0	0.0	
VMP-45-20	12/20/2023	13:26	0.00	0.00	0.0	0	0.7	20.2	0.0	0.0	0.0	0.0	
VMP-45-20	1/18/2024	13:56	0.00	0.00	0.0	0	0.6	20.2	0.0	0.0	0.0	0.0	
VMP-45-20	2/27/2024	13:56	0.10	0.13	0.0	0	1.3	19.9	0.0	0.0	0.0	0.0	
VMP-45-20	3/21/2024	08:56	0.00	0.00	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-45-20	4/23/2024	08:54	0.00	0.00	0.0	0	0.5	20.2	0.0	0.0	0.0	0.0	
VMP-45-20	5/28/2024	13:57	0.00	0.00	0.0	0	0.7	19.7	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-45-20	6/19/2024	13:31	0.00	0.00	0.0	0	1.2	19.2	4.5	0.0	0.0	0.0	
VMP-45-30	7/20/2023	08:47	0.00	0.00	0.0	0	1.4	19.1	0.0	0.0	0.0	0.0	
VMP-45-30	8/25/2023	08:48	0.00	0.00	0.0	0	1.2	19.1	0.0	0.0	0.0	0.0	
VMP-45-30	9/20/2023	13:07	0.00	0.00	0.0	0	0.6	20.6	0.0	0.0	0.0	0.0	
VMP-45-30	10/23/2023	12:37	0.00	0.00	0.0	0	0.8	20.1	0.0	0.0	0.0	0.0	
VMP-45-30	11/20/2023	10:57	0.00	0.00	0.0	0	0.7	20.2	0.0	0.0	0.0	0.0	
VMP-45-30	12/20/2023	13:27	0.00	0.00	0.0	0	0.5	20.4	0.0	0.0	0.0	0.0	
VMP-45-30	1/18/2024	13:57	0.00	0.00	0.0	0	0.5	20.5	0.0	0.0	0.0	0.0	
VMP-45-30	1/18/2024	13:57	NM	NM	0.0	0	0.5	20.4	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-45-30	2/27/2024	13:57	0.11	0.10	0.0	0	1.0	20.1	0.0	0.0	0.0	0.0	
VMP-45-30	3/21/2024	08:57	0.00	0.00	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-45-30	4/23/2024	08:55	0.00	0.00	0.0	0	0.4	20.2	0.0	0.0	0.0	0.0	
VMP-45-30	5/28/2024	13:58	0.00	-0.09	0.0	0	0.8	19.6	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-45-30	6/19/2024	13:32	0.00	0.00	0.0	0	1.2	19.5	0.0	0.0	0.0	0.0	
VMP-46-10	7/19/2023	09:25	0.00	0.00	0.0	0	0.1	20.6	0.0	0.0	0.0	0.0	
VMP-46-10	8/23/2023	09:00	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-46-10	9/21/2023	10:00	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-46-10	10/24/2023	14:14	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-46-10	11/20/2023	10:50	-0.09	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-46-10	12/20/2023	09:48	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-46-10	1/23/2024	13:23	-0.33	-0.20	0.0	0	0.0	20.2	0.5	5.7	0.0	5.7	
VMP-46-10	2/27/2024	09:33	-0.03	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-46-10	3/20/2024	11:20	-0.14	-0.09	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-46-10	4/22/2024	12:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Inaccessible due to construction activities.
VMP-46-10	5/29/2024	08:45	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-46-10	6/19/2024	09:34	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	

**TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA**

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-46-20	7/19/2023	09:26	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-46-20	8/23/2023	09:01	0.00	-0.02	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-46-20	9/21/2023	10:01	0.00	0.00	0.0	0	0.0	20.7	0.0	0.0	0.0	0.0	
VMP-46-20	9/21/2023	10:01	NM	NM	0.0	0	0.0	20.7	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-46-20	10/24/2023	14:15	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-46-20	11/20/2023	10:51	-0.15	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-46-20	12/20/2023	09:49	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-46-20	1/23/2024	13:23	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-46-20	2/27/2024	09:34	0.04	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-46-20	3/20/2024	11:21	-0.26	-0.18	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-46-20	4/22/2024	12:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Inaccessible due to construction activities.
VMP-46-20	5/29/2024	08:46	-0.13	0.00	0.0	0	0.1	20.9	0.0	0.0	0.0	0.0	
VMP-46-20	6/19/2024	09:35	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-46-20	6/19/2024	09:35	NM	NM	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-46-30	7/19/2023	09:27	0.00	0.00	0.0	0	0.0	20.5	0.0	0.0	0.0	0.0	
VMP-46-30	8/23/2023	09:02	-0.03	-0.04	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-46-30	9/21/2023	10:02	0.00	0.00	0.0	0	0.0	20.7	0.0	0.0	0.0	0.0	
VMP-46-30	10/24/2023	14:16	0.00	-0.09	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-46-30	11/20/2023	10:52	-0.16	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-46-30	12/20/2023	09:50	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-46-30	1/23/2024	13:24	-0.32	-0.18	0.0	0	0.0	20.2	0.3	3.5	0.0	3.5	
VMP-46-30	1/23/2024	13:24	NM	NM	0.0	0	0.0	20.2	0.4	3.7	0.0	3.7	Duplicate sample.
VMP-46-30	2/27/2024	09:35	-0.05	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-46-30	2/27/2024	09:35	NM	NM	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-46-30	3/20/2024	11:22	-0.27	-0.19	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-46-30	4/22/2024	12:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Inaccessible due to construction activities.
VMP-46-30	5/29/2024	08:47	0.00	-0.13	0.0	0	0.1	20.9	0.0	0.0	0.0	0.0	
VMP-46-30	6/19/2024	09:36	0.00	0.00	0.0	0	0.0	20.8	0.0	0.0	0.0	0.0	
VMP-47-5	7/21/2023	08:40	0.00	0.00	0.0	0	1.8	19.3	0.0	0.0	0.0	0.0	
VMP-47-5	8/24/2023	10:45	0.00	0.00	0.0	0	2.3	19.1	0.0	0.0	0.0	0.0	
VMP-47-5	9/20/2023	11:40	0.00	0.00	0.0	0	1.1	20.1	0.0	0.0	0.0	0.0	
VMP-47-5	10/24/2023	09:42	0.00	0.00	0.0	0	0.8	20.1	0.0	0.0	0.0	0.0	
VMP-47-5	11/21/2023	10:20	0.00	0.00	0.0	0	0.5	20.5	0.0	0.0	0.0	0.0	
VMP-47-5	12/21/2023	09:05	0.00	0.00	0.0	0	0.7	20.2	0.0	0.0	0.0	0.0	
VMP-47-5	1/17/2024	12:39	0.00	0.00	0.0	0	0.6	20.2	0.0	0.0	0.0	0.0	
VMP-47-5	2/28/2024	10:22	0.00	0.00	0.0	0	0.3	20.7	0.0	0.0	0.0	0.0	
VMP-47-5	3/21/2024	10:10	0.00	0.00	0.0	0	0.7	20.3	0.0	0.0	0.0	0.0	
VMP-47-5	4/24/2024	08:45	-0.12	0.00	0.0	0	1.8	18.9	0.0	0.0	0.0	0.0	
VMP-47-5	5/29/2024	14:15	0.00	0.00	0.0	0	2.9	18.0	0.0	0.0	0.0	0.0	
VMP-47-5	6/20/2024	11:40	0.00	0.00	0.0	0	3.2	18.3	0.0	0.0	0.0	0.0	

**TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA**

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-47-10	7/21/2023	08:41	-0.02	0.00	0.0	0	2.5	18.6	0.0	0.0	0.0	0.0	
VMP-47-10	8/24/2023	10:46	0.00	0.00	0.0	0	2.1	19.3	0.0	0.0	0.0	0.0	
VMP-47-10	9/20/2023	11:41	-0.02	-0.02	0.0	0	2.2	19.5	0.0	0.0	0.0	0.0	
VMP-47-10	10/24/2023	09:43	0.00	0.00	0.0	0	1.7	19.3	0.0	0.0	0.0	0.0	
VMP-47-10	10/24/2023	09:43	NM	NM	0.0	0	1.8	19.5	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-47-10	11/21/2023	10:21	0.00	0.00	0.0	0	1.4	19.9	0.0	0.0	0.0	0.0	
VMP-47-10	12/21/2023	09:06	0.00	0.00	0.0	0	1.1	20.1	0.0	0.0	0.0	0.0	
VMP-47-10	1/17/2024	12:40	-0.18	-0.09	0.0	0	1.1	20.0	0.0	0.0	0.0	0.0	
VMP-47-10	2/28/2024	10:23	-0.13	-0.12	0.0	0	0.9	20.1	0.0	0.0	0.0	0.0	
VMP-47-10	3/21/2024	10:11	0.00	0.00	0.0	0	1.3	19.6	0.0	0.0	0.0	0.0	
VMP-47-10	4/24/2024	08:46	-0.16	0.00	0.0	0	1.9	18.8	0.0	0.0	0.0	0.0	
VMP-47-10	5/29/2024	14:16	0.00	0.00	0.0	0	3.0	17.5	0.0	0.0	0.0	0.0	
VMP-47-10	6/20/2024	11:41	0.00	0.00	0.0	0	3.4	17.6	0.0	0.0	0.0	0.0	
VMP-47-20	7/21/2023	08:42	-0.23	-0.20	0.0	0	2.6	18.6	0.0	0.0	0.0	0.0	
VMP-47-20	8/25/2023	08:50	-0.83	-0.20	0.0	0	2.5	18.9	0.0	0.0	0.0	0.0	
VMP-47-20	9/20/2023	11:42	-0.22	-0.25	0.0	0	2.5	19.2	0.0	0.0	0.0	0.0	
VMP-47-20	10/24/2023	09:44	-0.84	-0.84	0.0	0	1.9	19.4	0.0	0.0	0.0	0.0	
VMP-47-20	11/21/2023	10:22	-0.94	-0.82	0.0	0	1.6	19.8	0.0	0.0	0.0	0.0	
VMP-47-20	12/21/2023	09:07	0.00	0.00	0.0	0	1.5	19.9	0.0	0.0	0.0	0.0	
VMP-47-20	1/17/2024	12:41	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP encased in ice.
VMP-47-20	2/28/2024	10:24	-1.52	-0.97	0.0	0	0.8	20.2	0.0	0.0	0.0	0.0	
VMP-47-20	3/21/2024	10:12	-0.58	-0.43	0.0	0	1.1	19.8	0.0	0.0	0.0	0.0	
VMP-47-20	4/24/2024	08:47	-0.51	-0.61	0.0	0	1.7	19.0	0.0	0.0	0.0	0.0	
VMP-47-20	5/29/2024	14:17	0.00	0.00	0.0	0	2.7	17.7	0.0	0.0	0.0	0.0	
VMP-47-20	6/20/2024	11:42	-0.63	-0.59	0.0	0	2.1	18.9	0.0	0.0	0.0	0.0	
VMP-47-30	7/21/2023	08:43	-0.23	-0.20	0.0	0	1.4	19.1	0.0	0.0	0.0	0.0	
VMP-47-30	8/24/2023	10:48	-0.65	-0.51	0.0	0	1.6	19.0	0.0	0.0	0.0	0.0	
VMP-47-30	9/20/2023	11:43	-0.22	-0.26	0.0	0	1.9	18.8	0.0	0.0	0.0	0.0	
VMP-47-30	10/24/2023	09:45	-0.88	-0.87	0.0	0	2.2	18.6	0.0	0.0	0.0	0.0	
VMP-47-30	11/21/2023	10:23	-1.06	-0.86	0.0	0	2.5	19.0	0.0	0.0	0.0	0.0	
VMP-47-30	12/21/2023	09:08	-1.10	0.00	0.0	0	2.3	19.2	0.0	0.0	0.0	0.0	
VMP-47-30	1/17/2024	12:42	-0.40	-0.42	0.0	0	2.2	19.2	0.0	0.0	0.0	0.0	
VMP-47-30	2/28/2024	10:25	-1.89	-1.55	0.0	0	1.9	19.6	0.0	0.0	0.0	0.0	
VMP-47-30	3/21/2024	10:13	-0.61	-0.45	0.0	0	2.0	19.5	0.0	0.0	0.0	0.0	
VMP-47-30	4/24/2024	08:48	-0.65	-0.73	0.0	0	2.0	19.3	0.0	0.0	0.0	0.0	
VMP-47-30	4/24/2024	08:48	NM	NM	0.0	0	2.0	19.3	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-47-30	5/29/2024	14:18	0.00	-0.20	0.0	0	2.0	19.0	0.0	0.0	0.0	0.0	
VMP-47-30	6/20/2024	11:43	-0.58	-0.52	0.0	0	3.3	17.6	0.0	0.0	0.0	0.0	

**TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA**

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-48-5	7/21/2023	08:45	0.00	0.00	0.0	0	3.5	17.2	0.0	0.0	0.0	0.0	
VMP-48-5	8/25/2023	08:10	0.00	0.00	0.0	0	4.1	17.4	0.0	0.0	0.0	0.0	
VMP-48-5	9/20/2023	13:27	0.00	0.00	0.0	0	2.6	19.4	0.0	0.0	0.0	0.0	
VMP-48-5	10/24/2023	11:42	0.00	0.00	0.0	0	1.9	19.7	0.0	0.0	0.0	0.0	
VMP-48-5	11/21/2023	12:47	0.00	0.00	0.0	0	1.8	19.1	0.0	0.0	0.0	0.0	
VMP-48-5	12/21/2023	10:30	0.44	0.00	0.0	0	3.2	18.0	0.0	0.0	0.0	0.0	
VMP-48-5	1/17/2024	11:25	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP encased in ice.
VMP-48-5	2/28/2024	13:20	0.00	0.00	0.0	0	0.8	20.0	0.0	0.0	0.0	0.0	
VMP-48-5	3/21/2024	12:02	0.00	0.00	0.0	0	1.1	19.7	0.0	0.0	0.0	0.0	
VMP-48-5	4/24/2024	09:37	0.00	0.00	0.0	0	2.1	18.1	0.0	0.0	0.0	0.0	
VMP-48-5	5/29/2024	14:15	0.00	0.00	0.0	0	4.8	13.4	0.0	0.0	0.0	0.0	
VMP-48-5	6/20/2024	12:45	0.00	0.00	0.0	0	5.3	16.6	0.0	0.0	0.0	0.0	
VMP-48-10	7/21/2023	09:46	-0.12	-0.12	0.0	0	2.7	18.3	0.0	0.0	0.0	0.0	
VMP-48-10	8/25/2023	08:11	-0.14	0.00	0.0	0	3.5	18.2	0.0	0.0	0.0	0.0	
VMP-48-10	9/20/2023	13:28	-0.02	-0.02	0.0	0	2.6	19.3	0.0	0.0	0.0	0.0	
VMP-48-10	10/24/2023	11:43	-0.13	-0.03	0.0	0	2.0	19.7	0.0	0.0	0.0	0.0	
VMP-48-10	11/21/2023	12:48	0.00	0.00	0.0	0	1.5	19.8	0.0	0.0	0.0	0.0	
VMP-48-10	12/21/2023	10:31	0.00	0.00	0.0	0	3.9	17.7	0.0	0.0	0.0	0.0	
VMP-48-10	1/17/2024	11:25	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP encased in ice.
VMP-48-10	2/28/2024	13:21	0.00	0.00	0.0	0	0.8	20.0	0.0	0.0	0.0	0.0	
VMP-48-10	3/21/2024	12:03	0.00	0.00	0.0	0	1.0	19.8	0.0	0.0	0.0	0.0	
VMP-48-10	4/24/2024	09:38	0.00	-0.09	0.0	0	1.6	19.1	0.0	0.0	0.0	0.0	
VMP-48-10	5/29/2024	14:16	0.00	-0.12	0.0	0	3.7	15.0	0.0	0.0	0.0	0.0	
VMP-48-10	6/20/2024	12:46	-0.14	-0.12	0.0	0	4.0	17.3	0.0	0.0	0.0	0.0	
VMP-48-20	7/21/2023	09:47	-0.13	-0.15	0.0	0	2.3	18.7	0.0	0.0	0.0	0.0	
VMP-48-20	8/25/2023	08:12	-0.10	0.00	0.0	0	2.7	19.1	0.0	0.0	0.0	0.0	
VMP-48-20	9/20/2023	13:29	-0.03	-0.02	0.0	0	3.0	18.4	0.0	0.0	0.0	0.0	
VMP-48-20	10/24/2023	11:44	-0.16	-0.03	0.0	0	3.1	18.6	0.0	0.0	0.0	0.0	
VMP-48-20	11/21/2023	12:49	-0.09	-0.11	0.0	0	2.7	19.2	0.0	0.0	0.0	0.0	
VMP-48-20	12/21/2023	10:32	0.37	0.13	0.0	0	3.2	18.4	0.0	0.0	0.0	0.0	
VMP-48-20	1/17/2024	11:25	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP encased in ice.
VMP-48-20	2/28/2024	13:27	0.00	-0.14	0.0	0	1.3	19.9	0.0	0.0	0.0	0.0	
VMP-48-20	3/21/2024	12:04	0.00	0.00	0.0	0	1.3	19.8	0.0	0.0	0.0	0.0	
VMP-48-20	4/24/2024	09:39	-0.09	-0.47	0.0	0	1.2	19.6	0.0	0.0	0.0	0.0	
VMP-48-20	5/29/2024	14:17	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-48-20	6/20/2024	12:47	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.

**TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA**

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-48-30	7/21/2023	09:48	-1.49	-1.54	0.0	0	2.7	18.2	0.0	0.0	0.0	0.0	
VMP-48-30	8/25/2023	08:13	-1.53	-1.49	0.0	0	2.6	18.8	0.0	0.0	0.0	0.0	
VMP-48-30	9/20/2023	13:30	-0.32	-0.30	0.0	0	2.2	19.2	0.0	0.0	0.0	0.0	
VMP-48-30	10/24/2023	11:45	-1.30	-0.34	0.0	0	3.4	17.5	0.0	0.0	0.0	0.0	
VMP-48-30	11/21/2023	12:50	-0.78	-1.41	0.0	0	2.9	18.7	0.0	0.0	0.0	0.0	
VMP-48-30	12/21/2023	10:33	0.00	0.00	0.0	0	3.7	16.3	0.0	0.0	0.0	0.0	
VMP-48-30	1/24/2024	11:25	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP encased in ice.
VMP-48-30	2/28/2024	13:23	-0.79	-1.23	0.0	0	3.0	18.8	0.0	0.0	0.0	0.0	
VMP-48-30	3/21/2024	12:05	-1.23	-0.92	0.0	0	2.7	19.2	0.0	0.0	0.0	0.0	
VMP-48-30	3/21/2024	12:05	NM	NM	0.0	0	2.8	19.1	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-48-30	4/24/2024	09:40	-0.74	-1.21	0.0	0	2.6	19.2	0.0	0.0	0.0	0.0	
VMP-48-30	5/29/2024	14:18	-0.99	-1.02	0.0	0	2.4	18.8	0.0	0.0	0.0	0.0	
VMP-48-30	6/20/2024	12:48	-1.07	-1.06	0.0	0	2.3	18.3	0.0	0.0	0.0	0.0	
VMP-49-5	7/21/2023	08:45	-0.23	-0.43	0.0	0	1.8	19.6	0.0	0.0	0.0	0.0	
VMP-49-5	8/25/2023	09:50	0.04	-0.03	0.0	0	1.7	19.6	0.0	0.0	0.0	0.0	
VMP-49-5	9/21/2023	12:35	-0.21	0.12	0.0	0	1.7	19.5	0.0	0.0	0.0	0.0	
VMP-49-5	10/24/2023	11:55	-0.22	-0.09	0.0	0	1.4	19.8	0.0	0.0	0.0	0.0	
VMP-49-5	11/21/2023	10:50	-0.24	-0.12	0.0	0	1.1	20.1	0.0	0.0	0.0	0.0	
VMP-49-5	12/21/2023	12:45	0.00	-0.11	0.0	0	0.8	20.2	0.0	0.0	0.0	0.0	
VMP-49-5	1/18/2024	10:10	0.00	-0.10	0.0	0	0.7	20.4	0.0	0.0	0.0	0.0	
VMP-49-5	2/28/2024	14:05	-0.17	-0.18	0.0	0	0.6	20.4	0.0	0.0	0.0	0.0	
VMP-49-5	3/21/2024	13:37	0.00	0.00	0.0	0	0.8	20.1	0.0	0.0	0.0	0.0	
VMP-49-5	4/24/2024	08:57	-0.41	0.12	0.0	0	1.1	20.1	0.0	0.0	0.0	0.0	
VMP-49-5	5/29/2024	12:55	-0.24	-0.14	0.0	0	1.8	19.2	0.0	0.0	0.0	0.0	
VMP-49-5	6/20/2024	11:10	0.00	-0.12	0.0	0	2.1	19.0	0.0	0.0	0.0	0.0	
VMP-49-10	7/21/2023	08:46	-0.19	0.00	0.0	0	3.0	18.4	0.0	0.0	0.0	0.0	
VMP-49-10	8/25/2023	09:51	-0.03	-0.02	0.0	0	3.1	18.3	0.0	0.0	0.0	0.0	
VMP-49-10	9/21/2023	12:36	0.00	0.00	0.0	0	2.9	18.7	0.0	0.0	0.0	0.0	
VMP-49-10	10/24/2023	11:56	0.00	0.00	0.0	0	2.2	19.2	0.0	0.0	0.0	0.0	
VMP-49-10	11/21/2023	10:51	-0.32	-0.10	0.0	0	1.6	19.6	0.0	0.0	0.0	0.0	
VMP-49-10	12/21/2023	12:46	-0.23	0.00	0.0	0	1.0	20.0	0.0	0.0	0.0	0.0	
VMP-49-10	1/18/2024	10:11	0.00	0.00	0.0	0	0.7	20.4	0.0	0.0	0.0	0.0	
VMP-49-10	2/28/2024	14:06	-0.13	-0.16	0.0	0	0.6	20.4	0.0	0.0	0.0	0.0	
VMP-49-10	3/21/2024	13:38	0.00	0.00	0.0	0	0.8	19.9	0.0	0.0	0.0	0.0	
VMP-49-10	4/24/2024	08:58	0.00	-0.16	0.0	0	1.6	19.3	0.0	0.0	0.0	0.0	
VMP-49-10	5/29/2024	12:56	-0.19	-0.12	0.0	0	3.3	17.3	0.0	0.0	0.0	0.0	
VMP-49-10	6/20/2024	11:11	-0.09	0.00	0.0	0	4.0	17.0	0.0	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-49-20	7/21/2023	08:47	0.00	0.00	0.0	0	2.3	18.9	0.0	0.0	0.0	0.0	
VMP-49-20	8/25/2023	09:52	0.00	0.00	0.0	0	3.1	17.7	0.0	0.0	0.0	0.0	
VMP-49-20	9/21/2023	12:37	0.00	0.00	0.0	0	3.2	18.2	0.0	0.0	0.0	0.0	
VMP-49-20	10/24/2023	11:57	0.00	0.00	0.0	0	1.3	19.9	0.0	0.0	0.0	0.0	
VMP-49-20	11/21/2023	10:52	0.15	-0.27	0.0	0	0.9	20.2	0.0	0.0	0.0	0.0	
VMP-49-20	12/21/2023	12:47	0.00	0.00	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-49-20	1/18/2024	10:12	0.00	0.00	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-49-20	2/28/2024	14:07	0.00	0.00	0.0	0	0.5	20.6	0.0	0.0	0.0	0.0	
VMP-49-20	3/21/2024	13:39	0.00	0.00	0.0	0	0.5	20.4	0.0	0.0	0.0	0.0	
VMP-49-20	4/24/2024	08:59	0.00	0.00	0.0	0	1.2	18.9	0.0	0.0	0.0	0.0	
VMP-49-20	5/29/2024	12:57	0.00	0.00	0.0	0	3.4	16.9	0.0	0.0	0.0	0.0	
VMP-49-20	6/20/2024	11:12	0.00	0.00	0.0	0	4.6	16.4	0.0	0.0	0.0	0.0	
VMP-49-30	7/21/2023	08:48	-0.16	-0.55	0.0	0	1.1	20.0	0.0	0.0	0.0	0.0	
VMP-49-30	8/25/2023	09:53	-0.12	-0.11	0.0	0	0.9	20.4	0.0	0.0	0.0	0.0	
VMP-49-30	9/21/2023	12:38	0.00	0.00	0.0	0	0.6	20.2	0.0	0.0	0.0	0.0	
VMP-49-30	10/24/2023	11:58	-0.34	-0.10	0.0	0	0.8	20.2	0.0	0.0	0.0	0.0	
VMP-49-30	11/21/2023	10:53	-0.51	-0.43	0.0	0	0.8	20.1	0.0	0.0	0.0	0.0	
VMP-49-30	12/21/2023	12:48	0.00	-0.12	0.0	0	0.6	20.1	0.0	0.0	0.0	0.0	
VMP-49-30	1/18/2024	10:13	-0.29	-0.29	0.0	0	0.5	20.3	0.0	0.0	0.0	0.0	
VMP-49-30	2/28/2024	14:08	-0.58	-0.62	0.0	0	0.3	20.7	0.0	0.0	0.0	0.0	
VMP-49-30	3/21/2024	13:40	-0.12	0.00	0.0	0	0.5	20.5	0.0	0.0	0.0	0.0	
VMP-49-30	4/24/2024	09:00	-0.22	-0.47	0.0	0	0.5	20.7	0.0	0.0	0.0	0.0	
VMP-49-30	5/29/2024	12:58	-0.44	-0.32	0.0	0	0.8	20.2	0.0	0.0	0.0	0.0	
VMP-49-30	6/20/2024	11:13	-0.40	-0.37	0.0	0	0.8	20.2	0.0	0.0	0.0	0.0	
VMP-50-5	7/20/2023	12:55	0.00	0.00	0.0	0	7.0	12.2	0.0	0.0	0.0	0.0	
VMP-50-5	8/25/2023	09:58	0.00	0.00	0.0	0	8.2	11.4	0.0	0.0	0.0	0.0	
VMP-50-5	9/20/2023	14:30	0.00	0.00	0.0	0	8.2	12.0	0.0	0.0	0.0	0.0	
VMP-50-5	10/23/2023	13:25	0.00	0.00	0.0	0	5.6	15.0	0.0	0.0	0.0	0.0	
VMP-50-5	11/20/2023	14:10	0.00	0.00	0.0	0	3.9	17.4	0.0	0.0	0.0	0.0	
VMP-50-5	12/21/2023	12:07	0.00	0.00	0.0	0	2.1	19.2	0.0	0.0	0.0	0.0	
VMP-50-5	1/18/2024	12:56	0.00	0.00	0.0	0	1.9	19.0	0.0	0.0	0.0	0.0	
VMP-50-5	2/28/2024	12:05	0.00	0.00	0.0	0	0.3	20.8	0.0	0.0	0.0	0.0	
VMP-50-5	3/21/2024	10:57	0.00	0.00	0.0	0	0.8	20.1	0.0	0.0	0.0	0.0	
VMP-50-5	4/23/2024	10:56	0.00	0.00	0.0	0	0.2	20.5	0.0	0.0	0.0	0.0	
VMP-50-5	5/29/2024	10:15	0.00	0.00	0.0	0	0.4	20.5	0.0	0.0	0.0	0.0	
VMP-50-5	6/20/2024	09:25	0.00	0.00	0.0	0	0.9	20.0	0.0	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-50-10	7/20/2023	12:56	0.00	0.00	0.0	0	4.6	15.0	0.0	0.0	0.0	0.0	
VMP-50-10	8/25/2023	09:59	0.00	0.00	0.0	0	5.6	14.2	0.0	0.0	0.0	0.0	
VMP-50-10	9/20/2023	14:31	0.00	0.00	0.0	0	6.1	13.6	0.0	0.0	0.0	0.0	
VMP-50-10	10/23/2023	13:26	0.00	0.00	0.0	0	5.7	14.4	0.0	0.0	0.0	0.0	
VMP-50-10	11/20/2023	14:11	0.00	0.00	0.0	0	5.6	15.2	0.0	0.0	0.0	0.0	
VMP-50-10	12/21/2023	12:08	0.00	0.15	0.0	0	4.8	16.3	0.0	0.0	0.0	0.0	
VMP-50-10	12/21/2023	12:08	NM	NM	0.0	0	4.8	16.0	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-50-10	1/18/2024	12:57	0.00	0.00	0.0	0	4.2	16.7	0.0	0.0	0.0	0.0	
VMP-50-10	2/28/2024	12:06	0.00	0.00	0.0	0	1.2	20.4	0.0	0.0	0.0	0.0	
VMP-50-10	3/21/2024	10:59	0.00	0.00	0.0	0	1.6	19.7	0.0	0.0	0.0	0.0	
VMP-50-10	4/23/2024	10:57	-0.25	0.00	0.0	0	0.4	20.4	0.0	0.0	0.0	0.0	
VMP-50-10	5/29/2024	10:16	-0.22	-0.18	0.0	0	0.7	20.1	0.0	0.0	0.0	0.0	
VMP-50-10	6/20/2024	09:26	0.00	-0.17	0.0	0	1.5	19.1	0.0	0.0	0.0	0.0	
VMP-50-20	7/20/2023	12:57	0.00	0.00	0.0	0	4.2	16.4	0.0	0.0	0.0	0.0	
VMP-50-20	8/25/2023	10:00	0.00	0.00	0.0	0	4.2	16.4	3.5	33.7	0.0	33.7	
VMP-50-20	9/20/2023	14:32	0.00	0.00	0.0	0	4.7	16.6	0.0	0.0	0.0	0.0	
VMP-50-20	10/23/2023	13:27	0.00	0.00	0.0	0	4.9	15.3	0.0	0.0	0.0	0.0	
VMP-50-20	11/20/2023	14:12	0.14	0.00	0.0	0	5.3	15.1	0.0	0.0	0.0	0.0	
VMP-50-20	12/21/2023	12:09	0.00	0.24	0.0	0	5.4	15.0	0.0	0.0	0.0	0.0	
VMP-50-20	1/18/2024	12:58	0.00	0.00	0.0	0	5.2	14.8	0.0	0.0	0.0	0.0	
VMP-50-20	2/28/2024	12:07	0.00	0.00	0.0	0	3.3	18.7	0.0	0.0	0.0	0.0	
VMP-50-20	3/21/2024	10:59	0.00	0.00	0.0	0	3.4	17.6	0.0	0.0	0.0	0.0	
VMP-50-20	4/23/2024	10:58	-2.22	-2.27	0.0	0	0.6	20.2	0.0	0.0	0.0	0.0	
VMP-50-20	5/29/2024	10:17	-2.17	-2.10	0.0	0	0.9	20.0	0.0	0.0	0.0	0.0	
VMP-50-20	6/20/2024	09:27	-0.65	-1.60	0.0	0	1.7	18.9	0.0	0.0	0.0	0.0	
VMP-50-30	7/20/2023	12:58	-0.87	-0.86	0.0	0	2.3	17.8	1.1	12.7	11.6	1.1	
VMP-50-30	8/25/2023	10:01	-1.14	-0.93	0.0	0	2.3	18.1	2.1	11.6	7.8	3.8	
VMP-50-30	9/20/2023	14:33	-0.54	-0.50	0.0	0	1.6	19.3	0.0	2.0	2.0	0.0	
VMP-50-30	10/23/2023	13:28	-0.27	-0.27	0.0	0	1.8	19.0	0.0	4.5	3.8	0.7	
VMP-50-30	11/20/2023	14:13	-0.47	-0.92	0.0	0	3.2	17.8	0.2	5.3	4.8	0.5	
VMP-50-30	12/21/2023	12:10	-0.57	-0.44	0.0	0	3.3	17.7	0.0	6.8	6.5	0.3	
VMP-50-30	1/18/2024	12:59	-0.95	-1.03	0.0	0	3.6	16.7	0.0	4.5	3.2	1.3	
VMP-50-30	2/28/2024	12:08	-1.59	-1.36	0.0	0	2.6	18.8	0.0	4.9	4.5	0.4	
VMP-50-30	3/21/2024	11:00	-1.40	-1.04	0.0	0	2.5	19.1	0.0	4.1	4.1	0.0	
VMP-50-30	4/23/2024	10:59	-0.82	-1.01	0.0	0	2.4	18.9	0.0	2.5	1.4	1.1	
VMP-50-30	5/29/2024	10:18	NM	NM	0.0	0	2.2	18.3	0.1	5.3	4.8	0.5	Duplicate sample.
VMP-50-30	5/29/2024	10:18	-1.42	-1.48	0.0	0	2.3	18.3	0.1	5.3	4.6	0.7	
VMP-50-30	6/20/2024	09:28	-0.51	-0.74	0.0	0	2.5	17.6	0.0	4.2	4.2	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-51-5	7/20/2023	09:15	0.00	0.00	0.0	0	3.1	18.0	0.0	0.0	0.0	0.0	
VMP-51-5	8/25/2023	08:59	0.00	0.00	0.0	0	3.6	18.1	0.0	0.0	0.0	0.0	
VMP-51-5	9/20/2023	14:00	0.00	0.00	0.0	0	1.9	19.8	0.0	0.0	0.0	0.0	
VMP-51-5	10/23/2023	12:45	0.00	0.00	0.0	0	1.6	19.7	0.0	0.0	0.0	0.0	
VMP-51-5	11/21/2023	10:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to standing water on well vault.
VMP-51-5	12/20/2023	14:05	0.00	0.00	0.0	0	0.7	20.3	0.0	0.0	0.0	0.0	
VMP-51-5	1/23/2024	09:40	0.22	0.00	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-51-5	2/28/2024	11:20	0.00	0.00	0.0	0	0.3	20.8	0.0	0.0	0.0	0.0	
VMP-51-5	3/21/2024	10:33	0.00	0.00	0.0	0	0.3	20.6	0.0	0.0	0.0	0.0	
VMP-51-5	4/23/2024	09:23	0.00	0.00	0.0	0	1.0	19.5	0.0	0.0	0.0	0.0	
VMP-51-5	5/28/2024	14:21	0.00	-0.11	0.0	0	2.4	17.8	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-51-5	6/20/2024	13:45	0.00	0.00	0.0	0	2.4	19.1	0.0	0.0	0.0	0.0	
VMP-51-10	7/20/2023	09:16	0.00	0.00	0.0	0	3.1	18.1	0.0	0.0	0.0	0.0	
VMP-51-10	8/25/2023	09:00	0.00	0.00	0.0	0	3.2	18.3	0.0	0.0	0.0	0.0	
VMP-51-10	9/20/2023	14:01	0.00	0.00	0.0	0	3.2	18.8	0.0	0.0	0.0	0.0	
VMP-51-10	10/23/2023	12:46	0.00	0.00	0.0	0	2.4	19.2	0.0	0.0	0.0	0.0	
VMP-51-10	11/20/2023	10:02	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to standing water on well vault.
VMP-51-10	12/20/2023	14:06	0.00	0.00	0.0	0	1.2	20.0	0.0	0.0	0.0	0.0	
VMP-51-10	1/23/2024	09:41	12.52	0.00	0.0	0	0.8	20.6	0.0	0.0	0.0	0.0	
VMP-51-10	2/28/2024	11:21	0.00	0.00	0.0	0	0.5	20.6	0.0	0.0	0.0	0.0	
VMP-51-10	3/21/2024	10:34	0.00	0.00	0.0	0	0.7	20.2	0.0	0.0	0.0	0.0	
VMP-51-10	4/23/2024	09:24	0.00	0.00	0.0	0	1.1	19.4	0.0	0.0	0.0	0.0	
VMP-51-10	5/28/2024	14:22	-0.12	-0.12	0.0	0	2.3	17.8	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-51-10	6/20/2024	13:46	0.00	0.00	0.0	0	2.7	18.5	0.0	0.0	0.0	0.0	
VMP-51-20	7/20/2023	09:17	0.00	0.00	0.0	0	2.2	18.7	0.0	0.0	0.0	0.0	
VMP-51-20	8/25/2023	09:01	0.00	0.00	0.0	0	1.9	19.6	0.0	0.0	0.0	0.0	
VMP-51-20	9/20/2023	14:02	0.00	0.00	0.0	0	2.7	18.7	0.0	0.0	0.0	0.0	
VMP-51-20	10/23/2023	12:47	0.00	0.00	0.0	0	2.6	18.6	0.0	0.0	0.0	0.0	
VMP-51-20	11/20/2023	10:02	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to standing water on well vault.
VMP-51-20	12/20/2023	14:07	0.00	-0.09	0.0	0	2.3	18.9	0.0	0.0	0.0	0.0	
VMP-51-20	1/23/2024	09:42	-0.15	-0.13	0.0	0	1.9	19.5	0.0	0.0	0.0	0.0	
VMP-51-20	2/28/2024	11:22	-0.25	-0.12	0.0	0	1.6	19.8	0.0	0.0	0.0	0.0	
VMP-51-20	3/21/2024	10:35	-0.15	0.00	0.0	0	1.5	19.6	0.0	0.0	0.0	0.0	
VMP-51-20	4/23/2024	09:25	-0.11	-0.17	0.0	0	1.5	19.4	0.0	0.0	0.0	0.0	
VMP-51-20	5/28/2024	14:23	0.00	0.00	0.0	0	1.8	18.6	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-51-20	6/20/2024	13:47	-0.09	-0.09	0.0	0	2.1	18.5	0.0	0.0	0.0	0.0	

**TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA**

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-51-30	7/20/2023	09:18	0.00	0.00	0.0	0	1.8	19.1	0.0	0.0	0.0	0.0	
VMP-51-30	8/25/2023	09:02	0.00	0.00	0.0	0	1.4	19.8	0.0	0.0	0.0	0.0	
VMP-51-30	9/20/2023	14:03	0.00	0.00	0.0	0	1.3	19.8	0.0	0.0	0.0	0.0	
VMP-51-30	10/23/2023	12:48	0.00	0.33	0.0	0	2.9	18.0	0.0	0.0	0.0	0.0	
VMP-51-30	11/20/2023	10:03	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to standing water on well vault.
VMP-51-30	12/20/2023	14:08	0.00	0.00	0.0	0	2.9	18.2	0.0	0.0	0.0	0.0	
VMP-51-30	1/23/2024	09:43	-0.19	-0.14	0.0	0	2.7	18.7	0.0	0.0	0.0	0.0	
VMP-51-30	2/28/2024	11:23	-0.25	-0.18	0.0	0	2.4	19.0	0.0	0.0	0.0	0.0	
VMP-51-30	3/21/2024	10:36	0.00	0.00	0.0	0	2.4	18.9	0.0	0.0	0.0	0.0	
VMP-51-30	4/23/2024	09:26	0.00	0.00	0.0	0	2.3	18.8	0.0	0.0	0.0	0.0	
VMP-51-30	5/28/2024	14:24	-0.13	-0.17	0.0	0	2.3	18.3	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-51-30	6/20/2024	13:48	-0.10	0.00	0.0	0	2.5	18.2	0.0	0.0	0.0	0.0	
VMP-52-5	7/20/2023	08:30	0.00	0.00	0.0	0	4.3	16.6	0.0	0.0	0.0	0.0	
VMP-52-5	8/25/2023	08:27	0.00	0.00	0.0	0	5.4	15.7	0.0	0.0	0.0	0.0	
VMP-52-5	9/20/2023	12:55	0.00	0.00	0.0	0	4.8	17.8	0.0	0.0	0.0	0.0	
VMP-52-5	10/23/2023	12:10	0.00	0.00	0.0	0	3.3	18.9	0.0	0.0	0.0	0.0	
VMP-52-5	11/20/2023	10:25	0.00	0.00	0.0	0	2.5	19.4	0.0	0.0	0.0	0.0	
VMP-52-5	12/20/2023	11:25	0.00	0.00	0.0	0	1.0	19.9	0.0	0.0	0.0	0.0	
VMP-52-5	1/23/2024	10:35	0.00	0.00	0.0	0	0.3	20.2	0.0	0.0	0.0	0.0	
VMP-52-5	2/27/2024	13:40	0.00	0.00	0.0	0	0.9	20.1	0.0	0.0	0.0	0.0	
VMP-52-5	3/21/2024	08:35	0.00	0.00	0.0	0	1.1	20.0	0.0	0.0	0.0	0.0	
VMP-52-5	4/23/2024	08:35	0.00	0.00	0.0	0	1.9	18.0	0.0	0.0	0.0	0.0	
VMP-52-5	5/28/2024	13:40	0.00	0.00	0.0	0	4.1	13.9	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-52-5	6/20/2024	08:20	0.00	0.00	0.0	0	5.1	16.8	0.0	0.0	0.0	0.0	
VMP-52-10	7/20/2023	08:31	0.00	0.00	0.0	0	4.2	16.5	0.0	0.0	0.0	0.0	
VMP-52-10	8/25/2023	08:28	0.00	0.00	0.0	0	4.6	16.5	0.0	0.0	0.0	0.0	
VMP-52-10	9/20/2023	12:56	0.00	0.00	0.0	0	4.9	16.3	0.0	0.0	0.0	0.0	
VMP-52-10	10/23/2023	12:11	0.00	0.00	0.0	0	5.0	16.5	0.0	0.0	0.0	0.0	
VMP-52-10	11/20/2023	10:26	-0.10	-0.15	0.0	0	5.0	16.8	0.0	0.0	0.0	0.0	
VMP-52-10	11/20/2023	10:26	NM	NM	0.0	0	4.9	17.0	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-52-10	12/20/2023	11:26	0.00	0.00	0.0	0	4.1	17.7	0.0	0.0	0.0	0.0	
VMP-52-10	1/23/2024	10:36	0.00	0.00	0.0	0	2.4	17.9	0.0	0.0	0.0	0.0	
VMP-52-10	2/27/2024	13:41	0.10	0.09	0.0	0	3.8	16.7	0.0	0.0	0.0	0.0	
VMP-52-10	3/21/2024	08:36	0.00	0.00	0.0	0	2.4	19.6	0.0	0.0	0.0	0.0	
VMP-52-10	4/23/2024	08:36	0.00	0.00	0.0	0	2.5	18.5	0.0	0.0	0.0	0.0	
VMP-52-10	4/23/2024	08:36	NM	NM	0.0	0	2.4	18.5	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-52-10	5/28/2024	13:41	0.00	0.00	0.0	0	3.6	15.9	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-52-10	6/20/2024	08:21	0.00	0.00	0.0	0	3.8	16.3	0.0	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-52-20	7/20/2023	08:32	0.00	-0.11	0.0	0	5.3	14.3	0.0	0.0	0.0	0.0	
VMP-52-20	8/25/2023	08:29	0.00	0.00	0.0	0	5.3	14.5	0.0	0.0	0.0	0.0	
VMP-52-20	9/20/2023	12:57	0.00	0.00	0.0	0	5.5	14.2	0.0	0.0	0.0	0.0	
VMP-52-20	10/23/2023	12:12	0.00	0.17	0.0	0	5.5	14.1	0.0	0.0	0.0	0.0	
VMP-52-20	11/20/2023	10:27	0.00	0.27	0.0	0	5.9	13.8	0.0	0.0	0.0	0.0	
VMP-52-20	12/20/2023	11:27	-0.10	0.00	0.0	0	5.9	13.5	0.0	0.0	0.0	0.0	
VMP-52-20	1/23/2024	10:37	0.32	0.00	0.0	0	6.1	12.9	0.0	0.0	0.0	0.0	
VMP-52-20	2/27/2024	13:42	0.23	0.16	0.0	0	6.3	12.4	0.0	0.0	0.0	0.0	
VMP-52-20	3/21/2024	08:37	0.00	-0.11	0.0	0	3.2	19.0	0.0	0.0	0.0	0.0	
VMP-52-20	4/23/2024	08:37	0.00	0.00	0.0	0	4.1	16.8	0.0	0.0	0.0	0.0	
VMP-52-20	5/28/2024	13:42	0.00	0.00	0.0	0	4.6	15.4	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-52-20	6/20/2024	08:22	0.00	0.00	0.0	0	4.8	14.8	0.0	0.0	0.0	0.0	
VMP-52-30	7/20/2023	08:33	0.00	-0.23	0.0	0	5.4	14.2	0.0	0.0	0.0	0.0	
VMP-52-30	8/25/2023	08:30	0.17	0.00	0.0	0	5.3	15.0	0.0	0.0	0.0	0.0	
VMP-52-30	9/20/2023	12:58	0.00	0.00	0.0	0	5.1	15.1	0.0	0.0	0.0	0.0	
VMP-52-30	10/23/2023	12:13	0.00	0.17	0.0	0	5.6	13.9	0.0	0.0	0.0	0.0	
VMP-52-30	11/20/2023	10:28	0.00	0.27	0.0	0	6.0	13.5	0.0	0.0	0.0	0.0	
VMP-52-30	12/20/2023	11:28	0.10	0.00	0.0	0	6.1	13.0	0.0	0.0	0.0	0.0	
VMP-52-30	1/23/2024	10:38	0.15	0.00	0.0	0	6.4	12.3	0.0	0.0	0.0	0.0	
VMP-52-30	2/27/2024	13:43	0.51	0.00	0.0	0	6.6	11.8	0.0	0.0	0.0	0.0	
VMP-52-30	3/21/2024	08:38	-0.38	-0.11	0.0	0	4.5	17.3	0.0	0.0	0.0	0.0	
VMP-52-30	4/23/2024	08:38	-0.11	0.00	0.0	0	4.8	16.3	0.0	0.0	0.0	0.0	
VMP-52-30	5/28/2024	13:43	0.00	-0.11	0.0	0	5.0	14.8	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-52-30	6/20/2024	08:23	0.00	0.00	0.0	0	5.2	14.2	0.0	0.0	0.0	0.0	
VMP-52-30	6/20/2024	08:23	NM	NM	0.0	0	5.1	14.3	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-53-5	7/19/2023	14:15	0.00	0.00	0.0	0	3.6	17.4	0.0	0.0	0.0	0.0	
VMP-53-5	8/24/2023	10:37	0.00	0.00	0.0	0	3.9	17.2	0.0	0.0	0.0	0.0	
VMP-53-5	9/20/2023	10:35	0.00	0.00	0.0	0	3.2	18.7	0.0	0.0	0.0	0.0	
VMP-53-5	10/23/2023	09:57	0.00	0.00	0.0	0	2.5	18.9	0.0	0.0	0.0	0.0	
VMP-53-5	11/20/2023	09:05	-0.09	0.00	0.0	0	2.0	19.3	0.0	0.0	0.0	0.0	
VMP-53-5	12/20/2023	09:10	0.00	0.00	0.0	0	1.6	19.5	0.0	0.0	0.0	0.0	
VMP-53-5	1/18/2024	14:02	0.00	0.00	0.0	0	1.2	19.9	0.0	0.0	0.0	0.0	
VMP-53-5	2/27/2024	11:45	0.00	0.00	0.0	0	1.2	20.2	0.0	0.0	0.0	0.0	
VMP-53-5	3/20/2024	09:18	0.00	0.00	0.0	0	1.2	20.0	0.0	0.0	0.0	0.0	
VMP-53-5	4/22/2024	12:35	0.00	0.00	0.0	0	1.8	19.2	0.0	0.0	0.0	0.0	
VMP-53-5	5/28/2024	11:06	0.00	0.00	0.0	0	2.8	17.9	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-53-5	6/19/2024	11:25	0.00	0.00	0.0	0	2.8	19.1	0.0	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-53-10	7/19/2023	14:16	0.00	0.00	0.0	0	3.3	17.6	0.0	0.0	0.0	0.0	
VMP-53-10	8/24/2023	10:38	0.00	0.00	0.0	0	3.6	17.3	0.0	0.0	0.0	0.0	
VMP-53-10	9/20/2023	10:36	0.00	0.00	0.0	0	3.2	18.6	0.0	0.0	0.0	0.0	
VMP-53-10	10/23/2023	09:58	0.00	0.00	0.0	0	2.9	18.4	0.0	0.0	0.0	0.0	
VMP-53-10	11/20/2023	09:08	0.00	0.00	0.0	0	2.6	18.8	0.0	0.0	0.0	0.0	
VMP-53-10	12/20/2023	09:11	0.00	0.00	0.0	0	2.1	19.0	0.0	0.0	0.0	0.0	
VMP-53-10	1/18/2024	14:03	0.00	0.00	0.0	0	1.9	19.2	0.0	0.0	0.0	0.0	
VMP-53-10	1/18/2024	14:03	NM	NM	0.0	0	1.9	19.2	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-53-10	2/27/2024	11:46	0.00	0.00	0.0	0	1.6	19.7	0.0	0.0	0.0	0.0	
VMP-53-10	3/20/2024	09:19	0.00	0.00	0.0	0	1.0	20.1	0.0	0.0	0.0	0.0	
VMP-53-10	4/22/2024	12:36	0.00	0.00	0.0	0	1.6	19.3	0.0	0.0	0.0	0.0	
VMP-53-10	5/28/2024	11:07	0.00	0.00	0.0	0	2.3	18.3	0.0	0.0	0.0	0.0	
VMP-53-10	6/19/2024	11:26	0.00	-0.10	0.0	0	1.9	19.7	0.0	0.0	0.0	0.0	
VMP-53-20	7/19/2023	14:17	0.00	0.00	0.0	0	3.1	16.7	0.0	0.0	0.0	0.0	
VMP-53-20	8/24/2023	10:39	0.00	0.00	0.0	0	3.7	16.3	0.0	0.0	0.0	0.0	
VMP-53-20	9/20/2023	10:37	0.00	0.00	0.0	0	3.6	17.1	0.0	0.0	0.0	0.0	
VMP-53-20	10/23/2023	09:59	-0.09	0.00	0.0	0	3.7	16.9	0.0	0.0	0.0	0.0	
VMP-53-20	11/20/2023	09:07	-0.11	0.00	0.0	0	3.6	17.3	0.0	0.0	0.0	0.0	
VMP-53-20	12/20/2023	09:12	0.00	0.00	0.0	0	3.3	17.4	0.0	0.0	0.0	0.0	
VMP-53-20	12/20/2023	09:12	NM	NM	0.0	0	3.4	17.3	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-53-20	1/18/2024	14:09	0.00	0.47	0.0	0	3.2	17.3	0.0	0.0	0.0	0.0	
VMP-53-20	2/27/2024	11:47	0.12	0.19	0.0	0	3.1	17.6	0.0	0.0	0.0	0.0	
VMP-53-20	3/20/2024	09:20	-0.13	-0.11	0.0	0	2.3	19.0	0.0	0.0	0.0	0.0	
VMP-53-20	4/22/2024	12:37	0.35	0.15	0.0	0	2.6	18.3	0.0	0.0	0.0	0.0	
VMP-53-20	5/28/2024	11:08	0.00	0.00	0.0	0	2.7	17.8	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-53-20	6/19/2024	11:27	-0.25	-0.36	0.0	0	2.6	19.1	0.0	0.0	0.0	0.0	
VMP-53-30	7/19/2023	14:18	0.00	0.00	0.0	0	3.2	16.2	0.0	0.0	0.0	0.0	
VMP-53-30	8/24/2023	10:40	0.00	0.00	0.0	0	3.7	15.8	0.0	0.0	0.0	0.0	
VMP-53-30	9/20/2023	10:38	0.00	0.00	0.0	0	3.7	16.5	0.0	0.0	0.0	0.0	
VMP-53-30	10/23/2023	10:00	0.00	0.00	0.0	0	3.9	16.3	0.0	0.0	0.0	0.0	
VMP-53-30	11/20/2023	09:08	-0.13	0.00	0.0	0	4.1	16.4	0.0	0.0	0.0	0.0	
VMP-53-30	12/20/2023	09:13	0.00	0.00	0.0	0	4.0	16.5	0.0	0.0	0.0	0.0	
VMP-53-30	1/18/2024	14:05	0.00	0.00	0.0	0	3.9	16.4	0.0	0.0	0.0	0.0	
VMP-53-30	2/27/2024	11:48	0.12	0.20	0.0	0	3.8	16.8	0.0	0.0	0.0	0.0	
VMP-53-30	3/20/2024	09:21	-0.14	-0.13	0.0	0	3.6	17.7	0.0	0.0	0.0	0.0	
VMP-53-30	4/22/2024	12:38	0.00	0.00	0.0	0	3.3	17.6	0.0	0.0	0.0	0.0	
VMP-53-30	5/28/2024	11:09	0.00	-0.23	0.0	0	3.4	17.3	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-53-30	6/19/2024	11:28	-0.30	-0.39	0.0	0	3.3	17.7	0.0	0.0	0.0	0.0	

**TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA**

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-54-5	7/19/2023	14:40	0.00	0.00	0.0	0	0.4	20.3	0.0	0.0	0.0	0.0	
VMP-54-5	8/24/2023	10:20	0.00	0.00	0.0	0	1.1	19.7	0.0	0.0	0.0	0.0	
VMP-54-5	9/20/2023	10:45	0.00	0.00	0.0	0	0.8	20.3	0.0	0.0	0.0	0.0	
VMP-54-5	10/23/2023	10:10	0.00	0.00	0.0	0	0.8	19.9	0.0	0.0	0.0	0.0	
VMP-54-5	11/20/2023	10:00	0.00	0.00	0.0	0	1.1	19.8	0.0	0.0	0.0	0.0	
VMP-54-5	12/20/2023	09:30	-0.31	0.00	0.0	0	0.6	20.2	0.0	0.0	0.0	0.0	
VMP-54-5	1/18/2024	14:17	-0.15	-0.30	0.0	0	0.6	20.3	0.0	0.0	0.0	0.0	
VMP-54-5	2/27/2024	12:00	0.00	0.00	0.0	0	0.4	20.4	0.0	0.0	0.0	0.0	
VMP-54-5	3/20/2024	10:15	0.00	0.00	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-54-5	4/22/2024	12:50	0.00	0.00	0.0	0	0.3	20.5	0.0	0.0	0.0	0.0	
VMP-54-5	5/28/2024	10:50	0.00	0.00	0.0	0	3.6	16.2	2.6	3.3	0.0	3.3	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-54-5	5/28/2024	10:50	NM	NM	0.0	0	3.6	16.2	2.6	3.3	0.0	3.3	Duplicate sample.
VMP-54-5	5/29/2024	08:25	0.00	NM	0.0	0	4.0	15.8	0.0	0.0	0.0	0.0	Re-sampled to confirm initial sample.
VMP-54-5	6/19/2024	11:40	0.00	0.00	0.0	0	5.0	15.8	0.0	0.0	0.0	0.0	
VMP-54-10	7/19/2023	14:41	0.00	0.00	0.0	0	3.8	15.5	0.0	0.0	0.0	0.0	
VMP-54-10	8/24/2023	10:21	0.00	0.00	0.0	0	4.2	13.4	0.0	0.0	0.0	0.0	
VMP-54-10	9/20/2023	10:46	0.00	0.00	0.0	0	4.2	15.7	0.0	0.0	0.0	0.0	
VMP-54-10	10/23/2023	10:11	0.00	0.00	0.0	0	4.1	15.5	0.0	0.0	0.0	0.0	
VMP-54-10	10/23/2023	10:11	NM	NM	0.0	0	4.2	15.5	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-54-10	11/20/2023	10:01	0.00	0.00	0.0	0	4.0	16.1	0.0	0.0	0.0	0.0	
VMP-54-10	12/20/2023	09:31	0.00	0.00	0.0	0	3.4	16.8	0.0	0.0	0.0	0.0	
VMP-54-10	1/18/2024	14:18	0.00	0.00	0.0	0	3.1	17.0	0.0	0.0	0.0	0.0	
VMP-54-10	2/27/2024	12:01	0.10	0.15	0.0	0	3.1	17.1	0.0	0.0	0.0	0.0	
VMP-54-10	3/20/2024	10:16	0.00	0.00	0.0	0	3.1	17.2	0.0	0.0	0.0	0.0	
VMP-54-10	4/22/2024	12:51	0.00	0.00	0.0	0	3.3	16.6	0.0	0.0	0.0	0.0	
VMP-54-10	5/28/2024	10:51	0.00	0.00	0.0	0	3.6	16.0	0.0	0.0	0.0	0.0	
VMP-54-10	6/19/2024	11:41	0.00	0.00	0.0	0	1.2	19.4	0.0	0.0	0.0	0.0	
VMP-54-20	7/19/2023	14:42	0.00	0.00	0.0	0	4.1	14.2	0.0	0.0	0.0	0.0	
VMP-54-20	8/24/2023	10:22	0.00	0.00	0.0	0	4.5	13.8	0.0	0.0	0.0	0.0	
VMP-54-20	8/24/2023	10:22	NM	NM	0.0	0	4.6	13.7	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-54-20	9/20/2023	10:47	0.00	0.00	0.0	0	4.7	13.8	0.0	0.0	0.0	0.0	
VMP-54-20	10/23/2023	10:12	0.00	0.00	0.0	0	5.0	13.5	0.0	0.0	0.0	0.0	
VMP-54-20	11/20/2023	10:02	0.00	0.09	0.0	0	5.2	13.7	0.0	0.0	0.0	0.0	
VMP-54-20	12/20/2023	09:32	0.00	0.00	0.0	0	4.9	14.1	0.0	0.0	0.0	0.0	
VMP-54-20	1/18/2024	14:19	0.00	0.00	0.0	0	4.5	14.6	0.0	0.0	0.0	0.0	
VMP-54-20	2/27/2024	12:02	0.14	0.15	0.0	0	4.3	15.0	0.0	0.0	0.0	0.0	
VMP-54-20	3/20/2024	10:17	0.00	0.00	0.0	0	4.3	15.0	0.0	0.0	0.0	0.0	
VMP-54-20	4/22/2024	12:52	0.00	0.00	0.0	0	4.3	14.6	0.0	0.0	0.0	0.0	
VMP-54-20	5/28/2024	10:52	0.00	0.00	0.0	0	4.1	14.6	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-54-20	6/19/2024	11:42	0.00	0.00	0.0	0	4.2	14.4	0.0	0.0	0.0	0.0	
VMP-54-20	6/19/2024	11:42	NM	NM	0.0	0	4.2	14.4	0.0	0.0	0.0	0.0	Duplicate sample.

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-54-30	7/19/2023	14:43	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled because screen was within the capillary fringe.
VMP-54-30	8/24/2023	10:23	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled because screen was within the capillary fringe.
VMP-54-30	9/20/2023	10:48	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled because screen was within the capillary fringe.
VMP-54-30	10/23/2023	10:13	0.00	0.00	0.0	0	3.0	17.7	0.0	0.0	0.0	0.0	
VMP-54-30	11/20/2023	10:03	0.00	0.00	0.0	0	2.6	18.4	0.0	0.0	0.0	0.0	
VMP-54-30	12/20/2023	09:33	0.00	0.00	0.0	0	1.6	19.1	0.0	0.0	0.0	0.0	
VMP-54-30	1/18/2024	14:20	0.00	0.00	0.0	0	1.0	19.3	0.0	0.0	0.0	0.0	
VMP-54-30	2/27/2024	12:03	0.00	0.12	0.0	0	2.2	18.3	0.0	0.0	0.0	0.0	
VMP-54-30	3/20/2024	10:18	0.00	0.00	0.0	0	1.5	19.7	0.0	0.0	0.0	0.0	
VMP-54-30	4/22/2024	12:53	0.00	0.00	0.0	0	2.9	17.3	0.0	0.0	0.0	0.0	
VMP-54-30	5/28/2024	10:53	0.00	0.00	0.0	0	1.8	18.5	0.0	0.0	0.0	0.0	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-54-30	6/19/2024	11:43	0.00	0.00	0.0	0	4.3	16.8	0.0	0.0	0.0	0.0	
VMP-55-5	7/19/2023	10:45	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-5	8/24/2023	11:08	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-5	9/20/2023	09:40	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-5	10/23/2023	10:38	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-5	11/20/2023	11:28	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-5	12/21/2023	09:42	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-5	1/18/2024	12:52	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-5	2/27/2024	11:10	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-5	3/21/2024	11:33	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-5	4/23/2024	10:28	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-5	5/28/2024	08:54	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-5	6/19/2024	10:40	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-10	7/19/2023	10:46	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-10	8/24/2023	11:09	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-10	9/20/2023	09:41	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-10	10/23/2023	10:39	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-10	11/20/2023	11:29	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-10	12/21/2023	09:43	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-10	1/18/2024	12:53	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-10	2/27/2024	11:11	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-10	3/21/2024	11:34	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-10	4/23/2024	10:29	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-10	5/28/2024	08:55	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-10	6/19/2024	10:41	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.

**TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA**

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-55-20	7/19/2023	10:47	-0.12	-0.26	2.3	47	16.3	2.3	60.6	21290	19970	1320	
VMP-55-20	8/24/2023	11:10	0.00	0.00	1.2	24	17.9	0.4	38.4	12250	10990	1260	
VMP-55-20	9/21/2023	13:40	0.00	0.00	8.9	OVR	18.1	0.3	137	43880	41440	2440	
VMP-55-20	10/23/2023	10:40	-0.12	0.00	6.4	OVR	19.0	0.6	108	55000	50000	5000	
VMP-55-20	11/20/2023	11:30	0.00	0.29	1.8	36	17.8	2.0	51.8	16140	15170	970	
VMP-55-20	12/21/2023	09:41	-0.21	0.43	3.4	69	18.4	0.0	102	28370	25850	2520	
VMP-55-20	1/18/2024	12:54	0.00	0.00	9.6	OVR	18.5	0.5	139	64560	57670	6890	
VMP-55-20	2/27/2024	11:12	0.00	0.64	20.5	OVR	18.9	0.9	262	116000	106000	10000	
VMP-55-20	3/21/2024	11:35	-0.16	-0.14	9.9	OVR	18.3	0.2	149	70730	62830	7900	
VMP-55-20	4/23/2024	10:30	-0.24	0.55	21.1	OVR	18.3	0.6	171	124000	121000	3000	
VMP-55-20	5/28/2024	08:56	0.00	-0.27	23.1	OVR	17.9	0.2	113	149000	141000	8000	SVE system offline 5/26/24 and restarted 10:25 am 5/28/24.
VMP-55-20	6/19/2024	10:42	-1.46	-1.36	22.1	OVR	15.0	3.9	207	123570	114050	9520	
VMP-55-30	7/19/2023	10:48	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-30	8/24/2023	11:11	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-30	9/20/2023	09:42	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-30	10/23/2023	10:41	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-30	11/20/2023	11:31	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-30	12/21/2023	09:44	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-30	1/18/2024	12:55	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-30	2/27/2024	11:13	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-30	3/21/2024	11:36	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-30	4/23/2024	10:31	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-30	5/28/2024	08:57	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-55-30	6/19/2024	10:43	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-56-10	7/20/2023	13:35	-0.66	-0.73	0.0	0	1.2	19.9	0.0	0.0	0.0	0.0	
VMP-56-10	8/25/2023	10:19	-0.69	0.00	0.0	0	0.9	20.1	0.0	0.0	0.0	0.0	
VMP-56-10	9/21/2023	11:05	0.00	0.00	0.0	0	0.8	20.3	0.0	0.0	0.0	0.0	
VMP-56-10	10/24/2023	08:00	-0.75	-0.72	0.0	0	0.3	20.8	0.0	0.0	0.0	0.0	
VMP-56-10	11/21/2023	11:05	-0.45	-0.54	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-56-10	12/21/2023	12:52	-0.28	-0.32	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-56-10	1/18/2024	11:05	-0.22	-0.22	0.0	0	0.1	20.7	0.0	0.0	0.0	0.0	
VMP-56-10	2/28/2024	13:25	-0.48	-0.81	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-56-10	3/21/2024	11:10	-0.87	-0.70	0.0	0	0.3	20.6	0.0	0.0	0.0	0.0	
VMP-56-10	4/23/2024	11:11	-0.69	-0.77	0.0	0	0.7	20.2	0.0	0.0	0.0	0.0	
VMP-56-10	5/29/2024	10:47	-0.84	-0.78	0.0	0	1.3	19.6	0.0	0.0	0.0	0.0	
VMP-56-10	6/20/2024	10:15	-0.60	-0.62	0.0	0	1.5	19.9	0.0	0.0	0.0	0.0	

**TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA**

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-56-25	7/20/2023	13:36	-1.57	-1.31	0.0	0	1.1	19.9	0.0	0.0	0.0	0.0	
VMP-56-25	8/25/2023	10:20	-1.72	-1.73	0.0	0	1.3	19.9	3.4	6.5	0.0	6.5	
VMP-56-25	9/21/2023	11:06	0.00	0.00	0.0	0	1.5	19.8	0.0	0.0	0.0	0.0	
VMP-56-25	10/24/2023	08:01	-1.79	1.83	0.0	0	1.3	20.1	0.0	0.0	0.0	0.0	
VMP-56-25	10/24/2023	08:01	NM	NM	0.0	0	1.3	20.1	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-56-25	11/21/2023	11:06	-1.36	-1.41	0.0	0	1.0	20.1	0.0	0.0	0.0	0.0	
VMP-56-25	12/21/2023	12:53	-0.99	-1.09	0.0	0	0.7	20.4	0.0	0.0	0.0	0.0	
VMP-56-25	1/18/2024	11:06	-0.74	-0.72	0.0	0	0.5	20.5	0.0	0.0	0.0	0.0	
VMP-56-25	2/28/2024	13:26	-1.21	-1.87	0.0	0	0.5	20.5	0.0	0.0	0.0	0.0	
VMP-56-25	3/21/2024	11:11	-1.71	-1.51	0.0	0	0.6	20.4	0.0	0.0	0.0	0.0	
VMP-56-25	4/23/2024	11:12	-1.43	-1.50	0.0	0	0.8	20.1	0.0	0.0	0.0	0.0	
VMP-56-25	5/29/2024	10:48	-1.70	-1.62	0.0	0	1.0	19.9	0.0	0.0	0.0	0.0	
VMP-56-25	5/29/2024	10:48	NM	NM	0.0	0	1.0	19.9	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-56-25	6/20/2024	10:16	-1.49	-1.56	0.0	0	1.1	20.1	0.0	0.0	0.0	0.0	
VMP-56-38.5	7/20/2023	13:37	-2.39	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled because screen was within the capillary fringe.
VMP-56-38.5	8/25/2023	10:21	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled because screen was within the capillary fringe.
VMP-56-38.5	9/21/2023	11:07	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled because screen was within the capillary fringe.
VMP-56-38.5	10/24/2023	08:02	-2.65	-2.69	OVR	OVR	1.5	19.5	2786	55270	206	55064	
VMP-56-38.5	11/21/2023	11:07	-2.08	-2.16	78.7	OVR	1.3	19.7	2172	60400	217	60183	
VMP-56-38.5	12/21/2023	12:54	-1.84	-1.73	44.4	OVR	1.2	19.8	2565	24240	152	24088	
VMP-56-38.5	1/18/2024	11:07	-0.74	-0.72	49.3	OVR	2.2	18.8	1869	22190	157	22033	
VMP-56-38.5	2/28/2024	13:27	-2.11	-2.76	9.5	OVR	0.7	20.2	1754	13400	86.1	13314	
VMP-56-38.5	3/21/2024	11:12	-2.55	-2.35	10.3	OVR	0.7	20.3	1439	9480	135	9345	
VMP-56-38.5	4/23/2024	11:13	-2.23	-2.51	6.7	OVR	0.9	20.0	1725	12900	152	12748	
VMP-56-38.5	5/29/2024	10:49	-2.60	-2.57	0.5	10	0.6	20.3	158	678	14.7	663	
VMP-56-38.5	6/20/2024	10:17	-2.46	-2.54	0.3	6	0.7	20.1	339	993	27.3	966	
VMP-57-5A	7/20/2023	08:55	0.00	-0.02	0.0	0	2.6	18.0	0.0	0.0	0.0	0.0	
VMP-57-5A	8/24/2023	08:15	-0.10	0.00	0.0	0	3.1	17.6	0.0	0.0	0.0	0.0	
VMP-57-5A	9/20/2023	08:43	-0.03	0.00	0.0	0	2.6	18.3	0.0	0.0	0.0	0.0	
VMP-57-5A	10/24/2023	08:13	-0.11	-0.15	0.0	0	2.2	19.2	0.0	0.0	0.0	0.0	
VMP-57-5A	11/21/2023	08:54	0.00	0.00	0.0	0	1.6	19.8	0.0	0.0	0.0	0.0	
VMP-57-5A	12/20/2023	14:23	0.37	0.00	0.0	0	1.7	19.7	0.0	0.0	0.0	0.0	
VMP-57-5A	1/23/2024	12:50	-0.34	-0.80	0.0	0	0.7	20.0	0.0	0.0	0.0	0.0	
VMP-57-5A	2/28/2024	08:35	-0.09	-0.24	0.0	0	0.9	20.0	0.0	0.0	0.0	0.0	
VMP-57-5A	2/28/2024	08:35	NM	NM	0.0	0	0.9	20.0	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-57-5A	3/20/2024	14:10	0.00	0.00	0.0	0	1.3	19.9	0.0	0.0	0.0	0.0	
VMP-57-5A	4/23/2024	12:20	0.00	0.00	0.0	0	2.1	18.6	0.0	0.0	0.0	0.0	
VMP-57-5A	5/29/2024	12:49	0.00	0.00	0.0	0	2.9	17.0	0.0	0.0	0.0	0.0	
VMP-57-5A	6/20/2024	09:00	0.00	0.00	0.0	0	3.7	15.6	0.0	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-57-10	7/20/2023	08:56	-0.02	-0.07	0.0	0	2.3	18.5	0.0	0.0	0.0	0.0	
VMP-57-10	8/24/2023	08:16	-0.27	-0.16	0.0	0	2.6	18.5	0.0	0.0	0.0	0.0	
VMP-57-10	9/20/2023	08:44	-0.07	0.00	0.0	0	2.5	19.2	0.0	0.0	0.0	0.0	
VMP-57-10	10/24/2023	08:14	-0.26	-0.36	0.0	0	1.9	19.5	0.0	0.0	0.0	0.0	
VMP-57-10	11/21/2023	08:55	-0.27	-0.22	0.0	0	1.4	19.9	0.0	0.0	0.0	0.0	
VMP-57-10	12/20/2023	14:24	0.00	0.00	0.0	0	1.8	19.6	0.0	0.0	0.0	0.0	
VMP-57-10	1/23/2024	12:51	-0.24	-1.70	0.0	0	0.8	19.6	0.0	39.7	39.7	0.0	
VMP-57-10	2/28/2024	08:36	-1.10	-1.03	0.0	0	1.0	20.1	0.0	0.0	0.0	0.0	
VMP-57-10	3/20/2024	14:11	-0.12	0.00	0.0	0	1.1	20.3	0.0	0.0	0.0	0.0	
VMP-57-10	4/23/2024	12:21	0.00	0.00	0.0	0	1.9	18.4	0.0	0.0	0.0	0.0	
VMP-57-10	5/29/2024	12:50	0.00	0.00	0.0	0	2.6	17.4	0.0	0.0	0.0	0.0	
VMP-57-10	6/20/2024	09:01	-0.16	0.00	0.0	0	3.5	16.1	0.0	0.0	0.0	0.0	
VMP-57-20	7/20/2023	08:57	0.00	-0.03	0.0	0	3.1	17.4	0.0	0.0	0.0	0.0	
VMP-57-20	8/24/2023	08:17	-0.12	0.00	0.0	0	3.5	17.1	0.0	0.0	0.0	0.0	
VMP-57-20	8/24/2023	08:17	NM	NM	0.0	0	3.4	17.2	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-57-20	9/20/2023	08:45	-0.26	0.00	0.0	0	3.2	18.0	0.0	0.0	0.0	0.0	
VMP-57-20	10/24/2023	08:15	-0.48	-0.09	0.0	0	2.4	18.9	0.0	0.0	0.0	0.0	
VMP-57-20	11/21/2023	08:56	-0.09	-0.10	0.0	0	1.9	19.3	0.0	0.0	0.0	0.0	
VMP-57-20	12/20/2023	14:25	0.66	0.95	0.0	0	1.5	19.8	0.0	0.0	0.0	0.0	
VMP-57-20	1/23/2024	12:52	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP encased in ice.
VMP-57-20	2/28/2024	08:37	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-57-20	3/20/2024	14:12	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-57-20	4/23/2024	12:22	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-57-20	5/29/2024	12:51	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-57-20	6/20/2024	09:02	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-58-5	7/20/2023	09:05	-0.06	-0.10	0.0	0	0.7	19.9	0.0	0.0	0.0	0.0	
VMP-58-5	8/24/2023	08:45	-0.66	-0.31	0.0	0	0.7	20.0	0.0	0.0	0.0	0.0	
VMP-58-5	9/20/2023	08:58	-0.09	-0.05	0.0	0	0.6	20.5	0.0	0.0	0.0	0.0	
VMP-58-5	10/24/2023	08:25	-0.43	-0.45	0.0	0	0.3	20.6	0.0	0.0	0.0	0.0	
VMP-58-5	11/21/2023	08:38	-0.39	-0.37	0.0	0	0.3	20.7	0.0	0.0	0.0	0.0	
VMP-58-5	12/20/2023	14:34	0.14	0.13	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-58-5	1/23/2024	13:10	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP encased in ice.
VMP-58-5	2/28/2024	08:50	-0.35	-1.09	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-58-5	3/20/2024	13:40	-0.29	-0.11	0.0	0	0.4	20.4	0.2	0.0	0.0	0.0	
VMP-58-5	4/23/2024	12:00	-0.26	-0.20	0.0	0	0.6	19.9	0.0	0.0	0.0	0.0	
VMP-58-5	5/29/2024	12:40	0.00	0.00	0.0	0	1.4	19.0	0.0	0.0	0.0	0.0	
VMP-58-5	6/20/2024	09:15	-0.28	-0.46	0.0	0	1.8	18.1	0.0	0.0	0.0	0.0	

**TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA**

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-58-10	7/20/2023	09:06	-0.07	-0.12	0.0	0	0.5	20.2	0.0	0.0	0.0	0.0	
VMP-58-10	8/24/2023	08:46	-2.81	-0.74	0.0	0	0.5	20.3	0.0	0.0	0.0	0.0	
VMP-58-10	9/20/2023	08:59	-0.11	-0.07	0.0	0	0.4	20.8	0.0	0.0	0.0	0.0	
VMP-58-10	10/24/2023	08:26	-0.69	-0.54	0.0	0	0.3	20.6	0.0	0.0	0.0	0.0	
VMP-58-10	11/21/2023	08:39	-0.46	-0.46	0.0	0	0.2	20.8	0.0	0.0	0.0	0.0	
VMP-58-10	12/20/2023	14:34	0.14	0.13	0.0	0	0.5	20.5	0.0	0.0	0.0	0.0	
VMP-58-10	1/23/2024	13:11	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP encased in ice.
VMP-58-10	2/28/2024	08:51	0.00	-1.26	0.0	0	0.1	20.7	0.0	0.0	0.0	0.0	
VMP-58-10	3/20/2024	13:41	-0.29	-0.11	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-58-10	4/23/2024	12:01	-0.19	-0.13	0.0	0	0.7	19.9	0.0	0.0	0.0	0.0	
VMP-58-10	5/29/2024	12:41	0.00	0.00	0.0	0	1.0	19.5	0.0	0.0	0.0	0.0	
VMP-58-10	6/20/2024	09:16	-0.26	-0.38	0.0	0	1.4	19.1	0.0	0.0	0.0	0.0	
VMP-58-20	7/20/2023	09:07	-0.10	-0.16	0.0	0	1.0	19.5	0.0	0.0	0.0	0.0	
VMP-58-20	8/24/2023	08:47	-0.88	-0.48	0.0	0	1.5	19.2	0.0	0.0	0.0	0.0	
VMP-58-20	9/20/2023	09:00	-0.15	-0.09	0.0	0	1.6	19.5	0.0	0.0	0.0	0.0	
VMP-58-20	10/24/2023	08:27	-0.41	-0.39	0.0	0	1.7	19.6	0.0	0.0	0.0	0.0	
VMP-58-20	10/24/2023	08:27	NM	NM	0.0	0	1.6	19.6	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-58-20	11/21/2023	08:40	-0.62	-0.59	0.0	0	1.5	19.9	0.0	0.0	0.0	0.0	
VMP-58-20	12/20/2023	14:35	0.25	0.16	0.0	0	1.4	20.0	0.0	0.0	0.0	0.0	
VMP-58-20	1/23/2024	13:12	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP encased in ice.
VMP-58-20	2/28/2024	08:52	-1.95	-1.57	0.0	0	0.7	20.3	0.0	0.0	0.0	0.0	
VMP-58-20	3/20/2024	13:42	-0.43	-0.20	0.0	0	0.8	20.4	0.0	0.0	0.0	0.0	
VMP-58-20	4/23/2024	12:02	-0.13	0.00	0.0	0	0.9	19.8	0.0	0.0	0.0	0.0	
VMP-58-20	5/29/2024	12:42	0.00	0.00	0.0	0	1.2	19.3	0.0	0.0	0.0	0.0	
VMP-58-20	6/20/2024	09:17	-0.26	-0.32	0.0	0	1.4	19.0	0.0	0.0	0.0	0.0	
VMP-58-20	6/20/2024	09:17	NM	NM	0.0	0	1.4	19.0	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-58-30	7/20/2023	09:08	-2.14	-0.17	0.0	0	1.3	19.1	0.0	0.0	0.0	0.0	
VMP-58-30	8/24/2023	08:48	-0.69	-0.61	0.0	0	1.7	18.9	0.0	0.0	0.0	0.0	
VMP-58-30	9/20/2023	09:01	-0.19	-0.12	0.0	0	2.1	18.9	0.0	0.0	0.0	0.0	
VMP-58-30	10/24/2023	08:28	-1.67	-0.87	0.0	0	2.4	18.8	0.0	0.0	0.0	0.0	
VMP-58-30	11/21/2023	08:41	-0.76	-0.75	0.0	0	2.1	19.6	0.0	0.0	0.0	0.0	
VMP-58-30	12/20/2023	14:36	0.22	0.17	0.0	0	2.3	19.3	0.0	0.0	0.0	0.0	
VMP-58-30	1/23/2024	13:13	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP encased in ice.
VMP-58-30	2/28/2024	08:53	-1.19	-1.83	0.0	0	1.7	19.6	0.0	0.0	0.0	0.0	
VMP-58-30	3/20/2024	13:43	-0.53	-0.26	0.0	0	1.6	19.8	0.0	0.0	0.0	0.0	
VMP-58-30	4/23/2024	12:03	-0.15	0.00	0.0	0	1.6	19.4	0.0	0.0	0.0	0.0	
VMP-58-30	5/29/2024	12:43	0.00	0.00	0.0	0	1.6	19.1	0.0	0.0	0.0	0.0	
VMP-58-30	6/20/2024	09:18	-0.30	-0.36	0.0	0	1.5	18.9	0.0	0.0	0.0	0.0	

**TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA**

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-59-5	7/21/2023	11:28	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-59-5	8/24/2023	09:10	-0.32	-0.28	0.0	0	0.5	20.4	0.0	0.0	0.0	0.0	
VMP-59-5	9/20/2023	09:20	-0.09	-0.06	0.0	0	0.4	20.8	0.0	3.2	0.0	3.2	
VMP-59-5	10/24/2023	08:37	-0.41	-0.39	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-59-5	11/21/2023	08:18	-0.34	-0.32	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-59-5	12/20/2023	14:45	0.00	0.00	0.0	0	0.1	20.7	0.0	0.0	0.0	0.0	
VMP-59-5	1/23/2024	13:14	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-59-5	2/28/2024	09:05	-0.64	-0.64	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-59-5	3/21/2024	13:20	-0.29	-0.13	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-59-5	4/23/2024	11:45	-0.16	-0.14	0.0	0	0.1	20.6	0.0	0.0	0.0	0.0	
VMP-59-5	5/29/2024	12:27	-0.09	-0.10	0.0	0	0.5	20.4	0.0	0.0	0.0	0.0	
VMP-59-5	6/20/2024	09:35	-0.14	-0.22	0.0	0	0.7	20.0	0.0	0.0	0.0	0.0	
VMP-59-10	7/21/2023	11:29	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-59-10	8/24/2023	09:11	-0.27	-0.26	0.0	0	0.5	20.4	0.0	0.0	0.0	0.0	
VMP-59-10	9/20/2023	09:21	0.00	-0.03	0.0	0	0.2	20.8	0.0	0.0	0.0	0.0	
VMP-59-10	10/24/2023	08:38	-0.29	-0.25	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-59-10	11/21/2023	08:19	-0.74	-0.33	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-59-10	11/21/2023	08:19	NM	NM	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-59-10	12/20/2023	14:46	0.36	0.00	0.0	0	0.4	20.5	0.0	0.0	0.0	0.0	
VMP-59-10	1/23/2024	13:15	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-59-10	2/28/2024	09:06	-0.62	-0.52	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-59-10	3/20/2024	13:21	-0.22	-0.09	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-59-10	4/23/2024	11:46	-0.45	-0.15	0.0	0	0.3	20.4	0.0	0.0	0.0	0.0	
VMP-59-10	5/29/2024	12:28	-0.37	0.00	0.0	0	0.7	20.4	0.0	0.0	0.0	0.0	
VMP-59-10	6/20/2024	09:36	-0.19	-0.24	0.0	0	0.9	20.0	0.0	0.0	0.0	0.0	
VMP-59-20	7/21/2023	11:30	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-59-20	8/24/2023	09:12	-0.58	-0.66	0.0	0	0.5	20.4	0.0	0.0	0.0	0.0	
VMP-59-20	9/20/2023	09:22	-0.14	-0.12	0.0	0	0.5	20.6	0.0	0.0	0.0	0.0	
VMP-59-20	9/20/2023	09:22	NM	NM	0.0	0	0.5	20.6	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-59-20	10/24/2023	08:39	-0.59	-0.61	0.0	0	0.3	20.6	0.0	0.0	0.0	0.0	
VMP-59-20	11/21/2023	08:20	-0.55	-0.56	0.0	0	0.2	20.7	0.0	0.0	0.0	0.0	
VMP-59-20	12/20/2023	14:47	0.00	0.00	0.0	0	0.3	20.6	0.0	0.0	0.0	0.0	
VMP-59-20	1/23/2024	13:16	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-59-20	2/28/2024	09:07	-0.86	-1.04	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-59-20	3/20/2024	13:22	-1.47	-0.66	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-59-20	4/23/2024	11:47	-0.74	-0.53	0.0	0	0.5	20.2	0.0	0.0	0.0	0.0	
VMP-59-20	5/29/2024	12:29	-0.15	-0.61	0.0	0	0.6	20.2	0.0	0.0	0.0	0.0	
VMP-59-20	5/29/2024	12:29	NM	NM	0.0	0	0.6	20.2	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-59-20	6/20/2024	09:37	-0.80	-1.08	0.0	0	0.8	19.9	0.0	0.0	0.0	0.0	

**TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA**

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-59-30	7/21/2023	11:31	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-59-30	8/24/2023	09:13	0.00	0.00	0.0	0	0.1	20.8	0.0	0.0	0.0	0.0	
VMP-59-30	9/20/2023	09:23	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-59-30	10/24/2023	08:40	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-59-30	11/21/2023	08:21	0.00	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-59-30	12/20/2023	14:48	-0.12	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-59-30	1/23/2024	13:17	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-59-30	2/28/2024	09:08	-0.72	0.00	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-59-30	3/20/2024	13:23	-0.28	-0.11	0.0	0	0.0	20.9	0.0	0.0	0.0	0.0	
VMP-59-30	4/23/2024	11:48	-0.18	-0.16	0.0	0	0.3	20.5	0.0	0.0	0.0	0.0	
VMP-59-30	5/29/2024	12:30	0.00	-0.14	0.0	0	0.6	20.5	0.0	0.0	0.0	0.0	
VMP-59-30	6/20/2024	09:30	-0.17	-0.28	0.0	0	0.9	20.0	0.0	0.0	0.0	0.0	
VMP-60-5	7/19/2023	08:59	-0.42	-0.30	0.0	0	0.8	20.1	0.0	0.0	0.0	0.0	
VMP-60-5	8/23/2023	08:20	0.00	-0.03	0.0	0	1.1	20.0	0.0	0.0	0.0	0.0	
VMP-60-5	8/23/2023	08:20	NM	NM	0.0	0	1.0	20.1	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-60-5	9/21/2023	09:30	0.00	0.00	0.0	0	0.9	20.1	0.0	0.0	0.0	0.0	
VMP-60-5	9/21/2023	09:30	NM	NM	0.0	0	0.9	20.1	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-60-5	10/24/2023	14:53	-0.11	0.00	0.0	0	0.6	20.4	0.0	0.0	0.0	0.0	
VMP-60-5	11/20/2023	09:50	-0.16	0.00	0.0	0	0.3	20.7	0.0	0.0	0.0	0.0	
VMP-60-5	12/20/2023	09:19	0.00	0.00	0.5	10	1.6	17.5	137	755	15.7	739	
VMP-60-5	1/23/2024	13:50	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-60-5	2/27/2024	09:25	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-60-5	3/20/2024	10:50	-0.35	-0.25	0.0	0	0.3	20.5	0.0	0.0	0.0	0.0	
VMP-60-5	4/22/2024	13:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-60-5	5/29/2024	08:16	0.00	-0.13	0.0	0	0.8	19.6	0.0	0.0	0.0	0.0	
VMP-60-5	6/19/2024	08:55	-0.12	0.00	0.0	0	1.1	19.0	0.0	0.0	0.0	0.0	
VMP-60-10	7/19/2023	09:00	-0.54	-0.11	0.0	0	0.9	19.9	0.0	0.0	0.0	0.0	
VMP-60-10	8/23/2023	08:21	-0.06	-0.03	0.0	0	1.1	20.0	0.0	0.0	0.0	0.0	
VMP-60-10	9/21/2023	09:31	0.00	0.00	0.0	0	0.8	20.1	0.0	0.0	0.0	0.0	
VMP-60-10	10/24/2023	14:54	-0.14	0.00	0.0	0	0.5	20.5	0.0	0.0	0.0	0.0	
VMP-60-10	11/20/2023	09:51	-0.14	0.00	0.0	0	0.3	20.7	0.0	0.0	0.0	0.0	
VMP-60-10	12/20/2023	09:20	0.00	0.00	0.2	4	1.1	18.5	55.4	338	40.9	297	
VMP-60-10	1/23/2024	13:51	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-60-10	2/27/2024	09:25	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-60-10	3/20/2024	10:51	-0.34	-0.27	0.0	0	0.2	20.4	0.0	0.0	0.0	0.0	
VMP-60-10	4/22/2024	13:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-60-10	5/29/2024	08:17	0.00	-0.09	0.0	0	1.0	19.2	0.0	0.0	0.0	0.0	
VMP-60-10	6/19/2024	08:56	-0.11	0.00	0.0	0	1.1	19.0	0.0	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-60-20	7/19/2023	09:01	1.03	-0.13	0.0	0	1.4	19.2	0.0	0.0	0.0	0.0	
VMP-60-20	7/19/2023	09:01	NM	NM	0.0	0	1.4	19.2	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-60-20	8/23/2023	08:22	-0.35	-0.02	0.0	0	1.9	19.0	0.0	0.5	0.5	0.0	
VMP-60-20	9/21/2023	09:21	-0.03	0.00	0.0	0	1.4	19.8	0.0	0.0	0.0	0.0	
VMP-60-20	10/24/2023	14:55	-0.52	-0.45	0.0	0	1.6	19.6	0.0	0.0	0.0	0.0	
VMP-60-20	11/20/2023	09:52	-0.56	-0.29	0.0	0	1.4	19.8	0.0	0.0	0.0	0.0	
VMP-60-20	12/20/2023	09:21	0.00	0.00	0.0	0	1.0	20.0	11.4	51.6	6.5	45.1	
VMP-60-20	1/23/2024	13:52	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-60-20	2/27/2024	09:25	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-60-20	3/20/2024	10:52	-0.31	-0.19	0.0	0	0.7	20.1	0.0	0.0	0.0	0.0	
VMP-60-20	4/22/2024	13:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-60-20	5/29/2024	08:18	-0.09	-0.09	0.0	0	0.7	19.7	0.0	0.0	0.0	0.0	
VMP-60-20	6/19/2024	08:57	-0.10	0.00	0.0	0	1.3	18.6	0.0	0.0	0.0	0.0	
VMP-60-33.5	7/19/2023	09:02	-0.17	-0.15	0.0	0	1.0	19.6	0.0	0.0	0.0	0.0	
VMP-60-33.5	8/23/2023	08:23	-0.07	-0.03	0.0	0	1.2	20.0	0.0	0.0	0.0	0.0	
VMP-60-33.5	9/21/2023	09:33	-0.20	0.00	0.0	0	0.8	20.1	0.0	0.0	0.0	0.0	
VMP-60-33.5	10/24/2023	14:56	-0.19	-0.11	0.0	0	0.6	20.4	0.0	0.0	0.0	0.0	
VMP-60-33.5	11/20/2023	09:53	-0.18	0.00	0.0	0	0.3	20.7	0.0	0.0	0.0	0.0	
VMP-60-33.5	11/20/2023	09:53	NM	NM	0.0	0	0.3	20.6	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-60-33.5	12/20/2023	09:22	0.00	0.00	1.2	24	1.8	17.5	174	4839	3578	1261	
VMP-60-33.5	1/23/2024	13:53	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-60-33.5	2/28/2024	09:25	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-60-33.5	3/20/2024	10:53	-0.35	-0.25	0.0	0	0.4	20.3	0.0	0.0	0.0	0.0	
VMP-60-33.5	4/22/2024	13:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Vehicle parked on well vault. Could not access.
VMP-60-33.5	5/29/2024	08:19	0.00	-0.13	0.0	0	0.8	19.6	0.0	0.0	0.0	0.0	
VMP-60-33.5	6/19/2024	08:58	-0.12	0.00	0.0	0	1.1	19.1	0.0	0.0	0.0	0.0	
VMP-61-5	7/20/2023	08:40	0.07	0.00	0.0	0	4.5	14.7	0.0	0.0	0.0	0.0	
VMP-61-5	8/24/2023	07:55	0.00	0.00	0.0	0	5.4	14.2	0.0	0.0	0.0	0.0	
VMP-61-5	9/20/2023	08:25	-0.04	0.00	0.0	0	5.9	14.0	0.0	0.0	0.0	0.0	
VMP-61-5	10/24/2023	08:00	-0.11	-0.20	0.0	0	5.4	15.2	0.0	0.0	0.0	0.0	
VMP-61-5	10/24/2023	08:00	NM	NM	0.0	0	5.4	15.2	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-61-5	11/21/2023	09:07	0.00	-0.12	0.0	0	4.5	16.5	0.0	0.0	0.0	0.0	
VMP-61-5	12/20/2023	14:13	0.43	0.00	0.0	0	3.4	17.7	0.0	0.0	0.0	0.0	
VMP-61-5	12/20/2023	14:13	NM	NM	0.0	0	3.4	17.7	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-61-5	1/23/2024	12:35	0.00	-0.04	0.0	0	2.5	18.4	0.0	0.0	0.0	0.0	
VMP-61-5	2/28/2024	08:25	-0.47	-0.50	0.0	0	2.5	18.7	0.0	0.0	0.0	0.0	
VMP-61-5	3/20/2024	14:35	0.00	0.00	0.0	0	3.0	18.2	0.0	0.0	0.0	0.0	
VMP-61-5	4/23/2024	12:35	0.00	0.00	0.0	0	3.1	17.4	0.0	0.0	0.0	0.0	
VMP-61-5	5/29/2024	12:58	0.00	0.00	0.0	0	4.5	15.5	0.0	0.0	0.0	0.0	
VMP-61-5	6/20/2024	08:15	0.00	0.00	0.0	0	5.2	15.0	0.0	0.0	0.0	0.0	

**TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA**

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-61-10	7/20/2023	08:41	0.04	-0.02	0.0	0	2.9	17.4	0.0	0.0	0.0	0.0	
VMP-61-10	8/24/2023	07:56	-0.24	0.00	0.0	0	3.4	16.8	0.0	0.0	0.0	0.0	
VMP-61-10	9/20/2023	08:26	-0.05	0.00	0.0	0	3.7	16.4	0.0	0.0	0.0	0.0	
VMP-61-10	9/20/2023	08:26	NM	NM	0.0	0	3.7	16.4	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-61-10	10/24/2023	08:01	-0.16	-0.28	0.0	0	3.9	16.0	0.0	0.0	0.0	0.0	
VMP-61-10	11/21/2023	09:08	-0.14	-0.14	0.0	0	3.7	16.6	0.0	0.0	0.0	0.0	
VMP-61-10	12/20/2023	14:14	0.12	0.00	0.0	0	3.4	16.8	0.0	0.0	0.0	0.0	
VMP-61-10	1/23/2024	12:36	-0.10	-0.02	0.0	0	3.0	17.2	0.0	0.0	0.0	0.0	
VMP-61-10	2/28/2024	08:26	-0.76	-0.72	0.0	0	2.6	17.7	0.0	0.0	0.0	0.0	
VMP-61-10	3/20/2024	14:36	0.00	0.00	0.0	0	2.4	18.3	0.0	0.0	0.0	0.0	
VMP-61-10	4/23/2024	12:36	0.17	0.00	0.0	0	2.8	17.4	0.0	0.0	0.0	0.0	
VMP-61-10	5/29/2024	12:59	0.00	0.00	0.0	0	3.0	17.1	0.0	0.0	0.0	0.0	
VMP-61-10	6/20/2024	08:16	0.00	0.00	0.0	0	3.2	17.1	0.0	0.0	0.0	0.0	
VMP-61-20	7/20/2023	00:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-61-20	8/24/2023	07:57	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-61-20	9/20/2023	08:28	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-61-20	10/24/2023	08:02	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-61-20	11/21/2023	09:09	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-61-20	12/20/2023	14:16	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-61-20	1/23/2024	12:37	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-61-20	2/28/2024	08:26	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-61-20	3/20/2024	14:37	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-61-20	4/23/2024	12:37	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-61-20	5/29/2024	13:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-61-20	6/20/2024	08:17	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled due to port integrity.
VMP-61-30	7/20/2023	08:42	1.90	-0.15	0.0	0	3.8	15.8	0.0	0.0	0.0	0.0	
VMP-61-30	7/20/2023	08:42	NM	NM	0.0	0	3.8	15.8	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-61-30	8/24/2023	07:58	3.09	0.00	0.0	0	4.6	15.2	0.0	0.0	0.0	0.0	
VMP-61-30	9/20/2023	08:27	1.23	0.02	0.0	0	3.9	16.0	0.0	0.0	0.0	0.0	
VMP-61-30	10/24/2023	08:03	-3.26	-0.25	0.0	0	4.3	15.9	0.0	0.0	0.0	0.0	
VMP-61-30	11/21/2023	09:10	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-61-30	12/20/2023	14:15	8.61	0.22	0.0	0	3.6	16.8	0.0	0.0	0.0	0.0	
VMP-61-30	1/23/2024	12:38	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-61-30	2/28/2024	08:27	-0.51	-0.95	0.0	0	2.4	18.7	0.0	0.0	0.0	0.0	
VMP-61-30	3/20/2024	14:37	-2.80	0.00	0.0	0	1.8	19.6	0.0	0.0	0.0	0.0	
VMP-61-30	4/23/2024	12:38	0.00	0.00	0.0	0	3.7	16.4	0.0	0.0	0.0	0.0	
VMP-61-30	5/29/2024	13:01	0.00	0.00	0.0	0	4.5	15.6	0.0	0.0	0.0	0.0	
VMP-61-30	6/20/2024	08:18	0.76	0.00	0.0	0	4.8	15.4	2.0	0.0	0.0	0.0	

**TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA**

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-62-5	7/21/2023	08:55	0.00	0.00	0.0	0	6.8	15.4	0.0	0.0	0.0	0.0	
VMP-62-5	8/24/2023	11:15	0.00	0.00	0.0	0	7.1	14.6	0.0	0.0	0.0	0.0	
VMP-62-5	9/20/2023	11:20	0.00	0.00	0.0	0	4.9	16.9	0.0	0.0	0.0	0.0	
VMP-62-5	10/24/2023	11:15	0.00	0.00	0.0	0	3.3	18.3	0.0	0.0	0.0	0.0	
VMP-62-5	11/21/2023	10:35	0.00	0.00	0.0	0	2.9	18.5	0.0	0.0	0.0	0.0	
VMP-62-5	12/21/2023	08:50	0.00	0.00	0.0	0	2.7	17.9	0.0	0.0	0.0	0.0	
VMP-62-5	1/17/2024	09:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP encased in ice.
VMP-62-5	2/28/2024	10:37	0.00	0.00	0.0	0	1.5	20.0	0.0	0.0	0.0	0.0	
VMP-62-5	3/21/2024	09:15	0.00	0.00	0.0	0	2.5	18.4	0.0	0.0	0.0	0.0	
VMP-62-5	4/24/2024	09:10	0.00	0.00	0.0	0	4.1	15.8	0.0	0.0	0.0	0.0	
VMP-62-5	5/29/2024	14:02	0.00	0.00	0.0	0	6.5	13.6	0.0	0.0	0.0	0.0	
VMP-62-5	6/20/2024	11:50	0.00	0.00	0.0	0	8.5	13.2	0.0	0.0	0.0	0.0	
VMP-62-10	7/21/2023	08:56	0.00	0.00	0.0	0	4.4	16.6	0.0	0.0	0.0	0.0	
VMP-62-10	7/21/2023	08:56	NM	NM	0.0	0	4.1	17.0	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-62-10	8/24/2023	11:16	0.00	0.00	0.0	0	3.6	17.8	0.0	0.0	0.0	0.0	
VMP-62-10	9/20/2023	11:21	0.00	0.09	0.0	0	5.7	16.1	0.7	2.9	0.0	2.9	
VMP-62-10	9/21/2023	12:45	NM	NM	0.0	0	5.8	15.9	0.0	0.0	0.0	0.0	Re-sampled to confirm initial sample.
VMP-62-10	10/24/2023	11:16	0.00	0.00	0.0	0	4.5	17.2	0.0	0.0	0.0	0.0	
VMP-62-10	11/21/2023	10:36	0.00	0.00	0.0	0	4.0	18.0	0.0	0.0	0.0	0.0	
VMP-62-10	12/21/2023	08:51	0.00	0.00	0.0	0	3.2	18.4	0.0	0.0	0.0	0.0	
VMP-62-10	1/17/2024	09:01	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP encased in ice.
VMP-62-10	2/28/2024	10:38	0.00	0.00	0.0	0	2.6	18.8	0.0	0.0	0.0	0.0	
VMP-62-10	2/28/2024	10:38	NM	NM	0.0	0	2.6	18.8	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-62-10	3/21/2024	09:36	0.00	0.00	0.0	0	2.8	18.4	0.0	0.0	0.0	0.0	
VMP-62-10	4/24/2024	09:11	0.00	0.00	0.0	0	3.4	17.3	0.0	0.0	0.0	0.0	
VMP-62-10	5/29/2024	14:03	0.00	-0.18	0.0	0	4.8	15.1	0.0	0.0	0.0	0.0	
VMP-62-10	6/20/2024	11:51	0.00	0.00	0.0	0	6.0	14.4	0.0	0.0	0.0	0.0	
VMP-62-20	7/21/2023	08:57	-0.10	-0.05	0.0	0	4.9	16.0	0.0	0.0	0.0	0.0	
VMP-62-20	8/24/2023	11:17	-0.24	-0.19	0.0	0	5.1	16.3	0.0	0.0	0.0	0.0	
VMP-62-20	9/20/2023	11:22	-0.16	-0.12	0.0	0	3.3	18.4	0.0	0.0	0.0	0.0	
VMP-62-20	10/24/2023	11:17	-0.33	0.00	0.0	0	3.4	18.3	0.0	0.0	0.0	0.0	
VMP-62-20	11/21/2023	10:37	-0.47	-0.60	0.0	0	2.8	19.0	0.0	0.0	0.0	0.0	
VMP-62-20	12/21/2023	08:52	0.00	0.00	0.0	0	2.5	19.4	0.0	0.0	0.0	0.0	
VMP-62-20	1/17/2024	09:02	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP encased in ice.
VMP-62-20	2/28/2024	10:39	-0.71	-0.83	0.0	0	2.1	19.4	0.0	0.0	0.0	0.0	
VMP-62-20	3/21/2024	09:37	-0.35	-0.20	0.0	0	1.8	19.5	0.0	0.0	0.0	0.0	
VMP-62-20	4/24/2024	09:12	-0.22	-0.37	0.0	0	2.1	18.8	0.0	0.0	0.0	0.0	
VMP-62-20	5/29/2024	14:04	-0.11	-0.12	0.0	0	3.5	16.8	0.0	0.0	0.0	0.0	
VMP-62-20	6/20/2024	11:52	-0.28	-0.26	0.0	0	4.3	15.9	0.0	0.0	0.0	0.0	

**TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA**

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-62-30	7/21/2023	08:58	-0.17	-0.14	0.0	0	2.1	18.5	0.0	0.0	0.0	0.0	
VMP-62-30	8/24/2023	11:18	-1.45	-0.26	0.0	0	2.5	18.5	0.0	0.0	0.0	0.0	
VMP-62-30	8/24/2023	11:18	NM	NM	0.0	0	2.5	18.2	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-62-30	9/20/2023	11:23	-0.16	-0.19	0.0	0	2.8	18.3	0.0	0.0	0.0	0.0	
VMP-62-30	10/24/2023	11:18	-0.53	-0.11	0.0	0	3.0	18.1	0.0	0.0	0.0	0.0	
VMP-62-30	11/21/2023	10:38	-1.81	-0.45	0.0	0	3.0	18.5	0.0	0.0	0.0	0.0	
VMP-62-30	12/21/2023	08:53	0.00	0.00	0.0	0	2.5	18.6	0.0	0.0	0.0	0.0	
VMP-62-30	1/17/2024	09:03	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP encased in ice.
VMP-62-30	2/28/2024	10:40	-1.29	-4.07	0.0	0	2.0	19.6	0.0	0.0	0.0	0.0	
VMP-62-30	3/21/2024	09:38	-0.50	-0.35	0.0	0	2.1	18.7	0.0	0.0	0.0	0.0	
VMP-62-30	4/24/2024	09:13	-0.59	-0.99	0.0	0	1.9	19.0	0.0	0.0	0.0	0.0	
VMP-62-30	5/29/2024	14:05	-0.16	0.00	0.0	0	2.3	18.3	0.0	0.0	0.0	0.0	
VMP-62-30	6/20/2024	11:53	-0.34	-0.33	0.0	0	2.3	17.9	0.0	0.0	0.0	0.0	
VMP-63-5	7/20/2023	11:00	0.00	0.00	0.0	0	1.9	19.1	0.0	0.0	0.0	0.0	
VMP-63-5	8/24/2023	10:25	0.00	0.00	0.0	0	2.0	18.9	0.0	0.0	0.0	0.0	
VMP-63-5	9/20/2023	10:57	0.00	0.00	0.0	0	1.2	20.1	0.0	0.0	0.0	0.0	
VMP-63-5	10/24/2023	09:30	-0.09	0.00	0.0	0	0.7	20.3	0.0	0.0	0.0	0.0	
VMP-63-5	11/21/2023	10:00	0.00	0.00	0.0	0	0.7	20.3	0.0	0.0	0.0	0.0	
VMP-63-5	12/21/2023	08:30	0.00	0.00	0.0	0	0.4	20.7	0.0	0.0	0.0	0.0	
VMP-63-5	1/17/2024	09:10	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP encased in ice.
VMP-63-5	2/28/2024	10:04	-0.20	-0.23	0.0	0	0.3	20.7	0.0	0.0	0.0	0.0	
VMP-63-5	3/21/2024	09:15	0.00	0.00	0.0	0	0.4	20.6	0.0	0.0	0.0	0.0	
VMP-63-5	4/23/2024	13:40	-0.19	-0.25	0.0	0	0.8	19.7	0.0	12.5	11.3	1.2	
VMP-63-5	5/29/2024	13:46	NM	NM	0.0	0	2.1	19.3	0.0	54.2	53.0	1.2	Duplicate sample.
VMP-63-5	5/29/2024	13:46	-0.30	0.00	0.0	0	2.1	19.3	0.0	52.7	52.7	0.0	
VMP-63-5	6/20/2024	10:45	0.00	0.00	0.0	0	3.1	18.1	4.3	3.1	3.1	0.0	
VMP-63-10	7/20/2023	11:01	-0.06	0.00	0.0	0	2.1	19.1	0.0	0.0	0.0	0.0	
VMP-63-10	8/24/2023	10:26	-0.47	0.00	0.0	0	2.1	19.1	0.0	0.0	0.0	0.0	
VMP-63-10	9/20/2023	10:58	-0.67	-0.02	0.0	0	1.7	19.8	0.0	0.0	0.0	0.0	
VMP-63-10	10/24/2023	09:31	-1.18	-0.24	0.0	0	1.2	20.0	0.0	0.0	0.0	0.0	
VMP-63-10	11/21/2023	10:01	-1.59	-0.15	0.0	0	1.1	20.2	0.0	0.0	0.0	0.0	
VMP-63-10	12/21/2023	08:31	-0.29	-0.12	0.0	0	0.6	20.6	0.0	0.0	0.0	0.0	
VMP-63-10	1/17/2024	09:11	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP encased in ice.
VMP-63-10	2/28/2024	10:05	0.00	-0.38	0.0	0	0.3	20.6	0.0	0.0	0.0	0.0	
VMP-63-10	3/21/2024	09:16	-0.27	0.00	0.0	0	0.4	20.5	0.0	0.0	0.0	0.0	
VMP-63-10	4/23/2024	13:41	-1.20	-0.47	0.0	0	0.8	19.8	0.0	13.8	13.8	0.0	
VMP-63-10	5/29/2024	13:47	0.00	0.00	0.0	0	1.7	19.5	0.2	212	202	10.0	
VMP-63-10	6/20/2024	10:46	0.00	0.00	0.0	0	2.4	18.3	4.8	3.0	3.0	0.0	

**TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA**

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-63-20	7/20/2023	11:02	-0.05	-0.06	0.0	0	2.0	18.8	0.0	0.0	0.0	0.0	
VMP-63-20	8/24/2023	10:27	-3.36	0.00	0.0	0	2.3	18.7	0.0	0.0	0.0	0.0	
VMP-63-20	9/20/2023	10:59	-0.06	-0.07	0.0	0	2.3	19.1	0.0	0.0	0.0	0.0	
VMP-63-20	10/24/2023	09:32	-0.70	0.26	0.0	0	2.2	19.2	0.0	0.0	0.0	0.0	
VMP-63-20	11/21/2023	10:02	-0.38	-0.17	0.0	0	1.9	19.7	0.0	0.0	0.0	0.0	
VMP-63-20	12/21/2023	08:32	-0.43	0.00	0.0	0	1.5	20.1	0.0	0.0	0.0	0.0	
VMP-63-20	1/17/2024	09:12	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP encased in ice.
VMP-63-20	2/28/2024	10:06	0.00	0.69	0.0	0	0.5	20.5	0.0	0.0	0.0	0.0	
VMP-63-20	3/21/2024	09:17	-0.73	0.00	0.0	0	0.6	20.4	0.0	0.0	0.0	0.0	
VMP-63-20	4/23/2024	13:42	0.00	-0.65	0.0	0	0.9	19.6	0.0	31.1	31.1	0.0	
VMP-63-20	5/29/2024	13:48	-0.22	0.00	0.0	0	1.6	19.0	0.1	159	159	0.0	
VMP-63-20	6/20/2024	10:47	0.00	0.12	0.0	0	2.5	18.5	4.3	0.0	0.0	0.0	
VMP-63-30	7/20/2023	11:03	0.00	0.00	0.0	0	1.4	19.3	0.0	0.0	0.0	0.0	
VMP-63-30	8/24/2023	10:28	0.00	0.00	0.0	0	1.9	18.9	0.0	0.0	0.0	0.0	
VMP-63-30	9/20/2023	11:00	0.00	-0.02	0.0	0	1.5	19.6	0.0	0.0	0.0	0.0	
VMP-63-30	10/24/2023	09:33	-0.34	-0.09	0.0	0	1.5	19.5	0.0	0.0	0.0	0.0	
VMP-63-30	11/21/2023	10:03	-0.30	-0.41	0.0	0	1.2	20.0	0.0	0.0	0.0	0.0	
VMP-63-30	12/21/2023	08:33	-0.15	0.00	0.0	0	1.2	20.2	0.0	0.0	0.0	0.0	
VMP-63-30	1/17/2024	09:13	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Not sampled. VMP encased in ice.
VMP-63-30	2/28/2024	10:07	0.00	-0.23	0.0	0	0.6	20.5	0.0	0.0	0.0	0.0	
VMP-63-30	3/21/2024	09:18	0.00	0.00	0.0	0	0.8	20.2	0.0	0.0	0.0	0.0	
VMP-63-30	4/23/2024	13:43	-0.15	-0.24	0.0	0	1.0	19.6	0.2	17.9	17.9	0.0	
VMP-63-30	5/29/2024	13:49	-0.31	0.00	0.0	0	1.8	19.4	0.1	111	111	0.0	
VMP-63-30	6/20/2024	10:48	-0.44	-0.22	0.0	0	2.4	18.6	4.5	0.0	0.0	0.0	
VMP-64-5	7/20/2023	09:50	0.00	0.00	0.0	0	3.1	18.1	0.0	0.0	0.0	0.0	
VMP-64-5	8/24/2023	10:00	0.00	0.00	0.0	0	4.0	16.6	0.0	0.0	0.0	0.0	
VMP-64-5	9/20/2023	10:45	0.00	0.00	0.0	0	2.9	19.1	0.0	0.0	0.0	0.0	
VMP-64-5	10/24/2023	09:15	0.00	0.00	0.0	0	1.5	19.8	0.0	0.0	0.0	0.0	
VMP-64-5	11/21/2023	09:44	0.00	0.00	0.0	0	1.7	20.0	0.0	0.0	0.0	0.0	
VMP-64-5	12/21/2023	08:10	0.00	0.00	0.0	0	1.4	20.2	0.0	0.0	0.0	0.0	
VMP-64-5	1/23/2024	12:15	0.00	-0.02	0.0	0	1.5	19.5	0.0	0.0	0.0	0.0	
VMP-64-5	2/28/2024	09:50	0.23	0.00	0.0	0	0.7	20.3	0.0	0.0	0.0	0.0	
VMP-64-5	3/21/2024	08:57	0.00	0.00	0.0	0	0.9	20.5	0.0	0.0	0.0	0.0	
VMP-64-5	4/23/2024	13:20	0.00	0.00	0.0	0	2.2	17.8	0.0	0.0	0.0	0.0	
VMP-64-5	5/29/2024	13:09	0.00	0.00	0.0	0	3.0	17.9	0.0	0.0	0.0	0.0	
VMP-64-5	6/20/2024	10:20	0.00	0.00	0.0	0	3.7	17.5	0.0	0.0	0.0	0.0	

TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-64-10	7/20/2023	09:51	-0.02	0.00	0.0	0	4.2	15.9	0.0	0.0	0.0	0.0	
VMP-64-10	7/20/2023	09:51	NM	NM	0.0	0	4.1	16.0	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-64-10	8/24/2023	10:01	0.00	0.00	0.0	0	5.0	15.3	0.0	0.0	0.0	0.0	
VMP-64-10	9/20/2023	10:46	0.00	0.00	0.0	0	5.4	15.5	0.0	0.0	0.0	0.0	
VMP-64-10	10/24/2023	09:16	-0.11	0.00	0.0	0	5.1	16.2	0.0	0.0	0.0	0.0	
VMP-64-10	11/21/2023	09:45	0.00	0.00	0.0	0	4.9	16.9	0.0	0.0	0.0	0.0	
VMP-64-10	11/21/2023	09:45	NM	NM	0.0	0	4.7	16.9	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-64-10	12/21/2023	08:11	0.00	0.00	0.0	0	4.1	17.5	0.0	0.0	0.0	0.0	
VMP-64-10	1/23/2024	12:16	0.00	-0.50	0.0	0	3.7	17.9	0.0	0.0	0.0	0.0	
VMP-64-10	1/23/2024	12:16	NM	NM	0.0	0	3.7	17.9	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-64-10	2/28/2024	09:51	0.00	-0.22	0.0	0	2.6	19.0	0.0	0.0	0.0	0.0	
VMP-64-10	3/21/2024	08:58	0.00	0.00	0.0	0	2.8	18.9	0.0	0.0	0.0	0.0	
VMP-64-10	4/23/2024	13:21	0.00	0.00	0.0	0	3.2	17.7	0.0	0.0	0.0	0.0	
VMP-64-10	5/29/2024	13:10	0.00	0.00	0.0	0	3.2	16.7	0.0	0.0	0.0	0.0	
VMP-64-10	6/10/2024	10:21	0.00	0.00	0.0	0	3.7	16.2	0.0	0.0	0.0	0.0	
VMP-64-20	7/20/2023	09:52	-0.05	0.00	0.0	0	3.3	17.0	0.0	0.0	0.0	0.0	
VMP-64-20	8/24/2023	10:02	0.00	0.10	0.0	0	3.6	16.6	0.0	0.0	0.0	0.0	
VMP-64-20	9/20/2023	10:47	-0.02	-0.03	0.0	0	3.9	16.4	0.0	0.0	0.0	0.0	
VMP-64-20	10/24/2023	09:17	-0.23	-0.09	0.0	0	4.6	15.8	0.0	0.0	0.0	0.0	
VMP-64-20	11/21/2023	09:46	-0.14	0.00	0.0	0	4.7	16.2	0.0	0.0	0.0	0.0	
VMP-64-20	12/21/2023	08:12	-0.10	0.00	0.0	0	4.3	16.4	0.0	0.0	0.0	0.0	
VMP-64-20	1/23/2024	12:17	0.00	0.00	0.0	0	4.3	16.4	0.0	0.0	0.0	0.0	
VMP-64-20	2/28/2024	09:52	-0.67	-0.49	0.0	0	2.1	19.2	0.0	0.0	0.0	0.0	
VMP-64-20	3/21/2024	08:59	0.00	0.00	0.0	0	3.8	17.2	0.0	0.0	0.0	0.0	
VMP-64-20	3/21/2024	08:59	NM	NM	0.0	0	3.8	17.3	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-64-20	4/23/2024	13:22	0.00	-0.43	0.0	0	3.8	16.7	0.0	0.0	0.0	0.0	
VMP-64-20	5/29/2024	13:11	0.00	-0.24	0.0	0	2.2	18.6	0.0	0.0	0.0	0.0	
VMP-64-20	6/20/2024	10:22	0.26	0.00	0.0	0	3.7	16.6	0.0	0.0	0.0	0.0	
VMP-64-28	7/20/2023	09:53	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-64-28	8/24/2023	10:03	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-64-28	9/20/2023	10:48	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-64-28	10/24/2023	09:18	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-64-28	11/21/2023	09:47	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-64-28	12/21/2023	08:13	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-64-28	1/23/2024	12:18	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-64-28	2/28/2024	09:53	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-64-28	3/21/2024	09:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-64-28	4/23/2024	13:23	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-64-28	5/29/2024	13:12	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-64-28	6/20/2024	10:23	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.

**TABLE 9
SVE SYSTEM MONTHLY MONITORING - VMP SAMPLING DATA**

Sample ID	Date	Initial Reading Time (24-Hour)	Vacuum/Pressure		Fixed Gases				Soil Vapor Concentrations				Comments
			Initial Reading (Inches of H ₂ O)	Stabilized Reading (Inches of H ₂ O)	CH ₄ (%)	LEL (%)	CO ₂ (%)	O ₂ (%)	PID (ppmv)	THC (ppmv)	CH ₄ (ppmv)	PHC (ppmv)	
VMP-65-10	7/19/2023	11:45	-0.03	-0.02	0.0	0	8.6	8.9	0.0	0.0	0.0	0.0	
VMP-65-10	8/23/2023	10:05	0.00	0.00	0.0	0	9.8	8.2	0.0	0.0	0.0	0.0	
VMP-65-10	9/21/2023	08:45	-0.22	-0.17	0.0	0	5.6	15.0	0.0	0.0	0.0	0.0	
VMP-65-10	10/23/2023	13:21	0.00	0.00	0.0	0	5.0	15.0	0.0	0.0	0.0	0.0	
VMP-65-10	11/20/2023	12:55	0.10	-0.10	0.0	0	5.8	13.2	0.0	0.0	0.0	0.0	
VMP-65-10	12/20/2023	11:49	0.00	0.00	0.0	0	6.5	11.4	0.0	0.0	0.0	0.0	
VMP-65-10	1/23/2024	09:58	-0.18	0.00	0.0	0	6.7	11.2	0.0	0.0	0.0	0.0	
VMP-65-10	1/23/2024	09:58	NM	NM	0.0	0	6.5	11.3	0.0	0.0	0.0	0.0	Duplicate sample.
VMP-65-10	2/27/2024	11:34	0.00	0.00	0.0	0	5.5	13.0	0.0	0.0	0.0	0.0	
VMP-65-10	3/20/2024	09:05	-0.69	-0.61	0.0	0	1.9	19.5	0.0	0.0	0.0	0.0	
VMP-65-10	4/23/2024	09:10	0.00	-0.11	0.0	0	4.2	15.4	0.0	0.0	0.0	0.0	
VMP-65-10	5/29/2024	10:26	0.00	-0.16	0.0	0	4.6	13.6	0.0	0.0	0.0	0.0	
VMP-65-10	6/19/2024	13:00	-0.41	-0.36	0.0	0	3.1	17.4	0.0	0.0	0.0	0.0	
VMP-65-20	7/19/2023	11:46	-0.04	-0.02	0.0	0	10.3	6.3	0.0	0.0	0.0	0.0	
VMP-65-20	8/23/2023	10:06	0.00	0.00	0.0	0	6.4	12.5	0.0	0.0	0.0	0.0	
VMP-65-20	9/21/2023	08:46	-0.44	0.00	0.0	0	11.2	8.3	0.0	0.0	0.0	0.0	
VMP-65-20	10/23/2023	13:22	0.00	0.00	0.0	0	9.7	9.1	0.0	0.0	0.0	0.0	
VMP-65-20	11/20/2023	12:56	0.09	-0.11	0.0	0	9.4	9.6	0.0	0.0	0.0	0.0	
VMP-65-20	12/20/2023	11:50	0.00	0.00	0.0	0	9.2	8.9	0.0	0.0	0.0	0.0	
VMP-65-20	1/23/2024	09:59	-0.57	0.00	0.0	0	9.0	8.8	0.0	0.0	0.0	0.0	
VMP-65-20	2/27/2024	11:35	0.00	0.15	0.0	0	9.3	8.6	0.0	0.0	0.0	0.0	
VMP-65-20	3/20/2024	09:06	-0.69	-0.66	0.0	0	4.6	16.3	0.0	0.0	0.0	0.0	
VMP-65-20	4/23/2024	09:11	0.00	-0.10	0.0	0	6.6	12.4	0.0	0.0	0.0	0.0	
VMP-65-20	5/29/2024	10:27	0.00	-0.52	0.0	0	7.0	11.0	0.0	0.0	0.0	0.0	
VMP-65-20	6/19/2024	13:01	-0.45	-0.40	0.0	0	7.1	11.7	0.0	0.0	0.0	0.0	
VMP-65-30	7/19/2023	11:47	0.00	0.00	0.0	0	9.4	6.4	0.0	0.0	0.0	0.0	
VMP-65-30	8/23/2023	10:07	0.00	0.00	0.0	0	8.0	9.2	0.0	0.0	0.0	0.0	
VMP-65-30	9/21/2023	08:47	-0.22	0.00	0.0	0	10.4	5.8	0.0	0.0	0.0	0.0	
VMP-65-30	10/23/2023	13:23	0.00	0.00	0.0	0	10.0	6.3	0.0	0.0	0.0	0.0	
VMP-65-30	11/20/2023	12:57	0.10	0.00	0.0	0	11.7	5.0	0.0	0.0	0.0	0.0	
VMP-65-30	12/20/2023	11:51	0.00	0.00	0.0	0	11.9	4.3	0.0	0.0	0.0	0.0	
VMP-65-30	1/23/2024	10:00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	Screen submerged.
VMP-65-30	2/27/2024	11:36	0.04	0.04	0.0	0	11.7	4.6	0.0	0.0	0.0	0.0	
VMP-65-30	3/20/2024	09:07	-0.82	-0.65	0.0	0	7.2	11.9	0.2	0.0	0.0	0.0	
VMP-65-30	4/23/2024	09:12	0.00	-0.12	0.0	0	9.1	8.2	0.0	0.0	0.0	0.0	
VMP-65-30	5/29/2024	10:28	-0.46	-0.33	0.0	0	8.5	8.2	0.0	0.0	0.0	0.0	
VMP-65-30	6/19/2024	13:32	-0.46	-0.41	0.0	0	9.5	7.5	0.0	0.0	0.0	0.0	
VMP-65-30	6/19/2024	13:32	NM	NM	0.0	0	9.6	7.4	0.0	0.0	0.0	0.0	Duplicate sample.

Notes:

1) NM = Not Measured; NA = Not Applicable; NE = Not Encountered; PID = Photo Ionization Detector; THC = Total Hydrocarbon Concentration; PHC = Petroleum Hydrocarbon Concentration; OVR = Over-range; ppmv = Parts Per Million By Volume; btoc = Below Top of Casing; bgs = Below Ground Surface.

TABLE 10
SVE SYSTEM HEADER AND EXHAUST ANALYTICAL DATA

Location	Sample ID	Sample Date	Benzene			Butane			Chlorobenzene			Dichlorodifluoromethane			1,2-Dichloroethane			Dichloromethane (Methylene Chloride)		
			Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals
SVE Public Works Header	PW-HEADER-SVE-070523	7/5/2023	52			270			< 9	U		< 9.7	U		< 7.9	U		5.7	J	
SVE Public Works Header	PW-HEADER-SVE-080123	8/1/2023	86			540			< 2.3	U		< 2.5	U		< 2	U		< 6.9	U	
SVE Public Works Header	PW-HEADER-SVE-090623	9/6/2023	110			880			< 2.3	U		< 2.5	U		< 2.1	U		< 7.1	U	
SVE Public Works Header	PW-HEADER-SVE-100323	10/3/2023	48			450			< 12	U		< 12	U		< 10	U		< 88	U	
SVE Public Works Header	PW-HEADER-SVE-110223	11/2/2023	56			510			< 2.2	U		< 2.4	U		< 2	U		< 6.7	U	
SVE Public Works Header	PW-HEADER-SVE-120523	12/5/2023	69			310			< 1.1	U		< 1.2	U		< 0.97	U		< 3.3	U	
SVE Public Works Header	PW-HEADER-SVE-010324	1/3/2024	68			310			0.23	J		< 1.2	U		< 1	U		< 3.5	U	
SVE Public Works Header	PW-HEADER-SVE-020524	2/5/2024	62			230			< 3.1	U		< 3.3	U		< 2.7	U		< 9.3	U	
SVE Public Works Header	PW-HEADER-SVE-030524	3/5/2024	57			360			< 23	U		< 25	U		< 20	U		< 69	U	
SVE Public Works Header	PW-Header-SVE-040224	4/2/2024	70			390			< 24	U		< 26	U		< 21	U		< 72	U	
SVE Public Works Header	PW-Header-SVE-050224	5/2/2024	63			420			< 9.2	U		< 9.9	U		< 8.1	U		< 28	U	
SVE Public Works Header	PW-Header-SVE-060524	6/5/2024	54			400			< 12	U		< 13	U		< 10	U		< 35	U	
SVE Refinery Header	WFL-HEADER-SVE-070523	7/5/2023	12			760			< 5.7	U		< 6.2	U		< 5	U		< 43	U	
SVE Refinery Header	WFL-HEADER-SVE-080123	8/1/2023	14			960			< 1.1	U		< 1.2	U		< 0.98	U		< 3.4	U	
SVE Refinery Header	WFL-HEADER-SVE-090623	9/6/2023	17			1300			< 2.3	U		< 2.5	U		< 2.1	U		< 7.1	U	
SVE Refinery Header	WFL-HEADER-SVE-100323	10/3/2023	11			740			< 11	U		< 12	U		< 10	U		< 86	U	
SVE Refinery Header	WFL-HEADER-SVE-110223	11/2/2023	10			850			< 1.1	U		< 1.2	U		< 1	U		< 3.4	U	
SVE Refinery Header	WFL-HEADER-SVE-120523	12/5/2023	14			1100			< 2.1	U		< 2.3	U		< 1.9	U		< 6.5	U	
SVE Refinery Header	WFL-HEADER-SVE-010324	1/3/2024	9.8			770			< 1.2	U		< 1.2	U		< 1	U		< 3.5	U	
SVE Refinery Header	WFL-HEADER-SVE-020524	2/5/2024	14	J		720			< 23	U		< 25	U		< 20	U		< 69	U	
SVE Refinery Header	WFL-HEADER-SVE-030524	3/5/2024	12	J		850			< 23	U		< 25	U		< 21	U		< 71	U	
SVE Refinery Header	WFL-Header-SVE-040224	4/2/2024	13	J		870			< 23	U		< 25	U		< 20	U		< 70	U	
SVE Refinery Header	WFL-Header-SVE-050224	5/2/2024	11	J		860			< 16	U		< 18	U		< 14	U		< 49	U	
SVE Refinery Header	WFL-Header-SVE-060524	6/5/2024	12	J		1000			< 23	U		< 25	U		< 20	U		< 70	U	
SVE RTO Exhaust	EXH-SVE-070523	7/5/2023	0.1			1.1			< 0.011	U		< 0.011	U		0.0035	J		< 0.081	U	
SVE RTO Exhaust	EXH-SVE-080123	8/1/2023	0.068			1.9			< 0.036	U		< 0.039	U		< 0.032	U		< 0.27	U	
SVE RTO Exhaust	EXH-SVE-090623	9/6/2023	0.15			2.1			< 0.036	U		< 0.039	U		< 0.032	U		< 0.28	U	
SVE RTO Exhaust	EXH-SVE-100323	10/3/2023	0.13			1.3			< 0.03	U		< 0.032	U		< 0.026	U		< 0.22	U	
SVE RTO Exhaust	EXH-SVE-110223	11/2/2023	0.077			1.9			< 0.018	U		< 0.019	U		< 0.016	U		< 0.13	U	
SVE RTO Exhaust	EXH-SVE-120523	12/5/2023	0.05			1.3			< 0.011	U		< 0.012	U		< 0.0098	U		< 0.084	U	
SVE RTO Exhaust	EXH-SVE-010324	1/3/2024	0.14			1.4			< 0.01	U		< 0.011	U		< 0.0092	U		< 0.079	U	
SVE RTO Exhaust	EXH-SVE-020524	2/5/2024	0.23			2.8			< 0.03	U		< 0.032	U		< 0.026	U		< 0.23	U	
SVE RTO Exhaust	EXH-SVE-030524	3/5/2024	0.35			2.5			< 0.038	U		< 0.041	U		< 0.033	U		< 0.29	U	
SVE RTO Exhaust	Exh-SVE-040224	4/2/2024	0.14			2.9			< 0.029	U		0.019	J		< 0.025	U		< 0.22	U	
SVE RTO Exhaust	Exh-SVE-050224	5/2/2024	0.066			1.5			< 0.012	U		< 0.013	U		< 0.011	U		< 0.091	U	
SVE RTO Exhaust	Exh-SVE-060524	6/5/2024	0.15			3			< 0.032	U		< 0.035	U		< 0.028	U		< 0.24	U	

TABLE 10
SVE SYSTEM HEADER AND EXHAUST ANALYTICAL DATA

Location	Sample ID	Sample Date	1,2-Dichloropropane			Ethanol			Ethylbenzene			4-Ethyltoluene			Heptane			Hexane		
			Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals
SVE Public Works Header	PW-HEADER-SVE-070523	7/5/2023	6.6	J		53		J	5.8	J		< 9.6	U		110			580		
SVE Public Works Header	PW-HEADER-SVE-080123	8/1/2023	< 2.3	U		< 4.7	U		19			1.5	J		170			720		
SVE Public Works Header	PW-HEADER-SVE-090623	9/6/2023	< 2.4	U		< 4.8	U		8.2			< 2.5	U		120			540		
SVE Public Works Header	PW-HEADER-SVE-100323	10/3/2023	< 12	U		39	J		3	J		< 12	U		60			300		
SVE Public Works Header	PW-HEADER-SVE-110223	11/2/2023	< 2.2	U		< 4.6	U		6.8			< 2.4	U		76			350		
SVE Public Works Header	PW-HEADER-SVE-120523	12/5/2023	< 1.1	U		< 2.3	U		9.4			< 1.2	U		110			500		
SVE Public Works Header	PW-HEADER-SVE-010324	1/3/2024	< 1.2	U		< 2.4	U		9.1			0.88	J		100			410		
SVE Public Works Header	PW-HEADER-SVE-020524	2/5/2024	< 3.1	U		< 6.3	U		5.2			< 3.3	U		100			450		
SVE Public Works Header	PW-HEADER-SVE-030524	3/5/2024	< 23	U		20	J		< 22	U		< 24	U		72			350		
SVE Public Works Header	PW-Header-SVE-040224	4/2/2024	< 24	U		< 49	U		4	J		< 25	U		100			450		
SVE Public Works Header	PW-Header-SVE-050224	5/2/2024	< 9.3	U		5.4	J		1.5	J		< 9.9	U		80			380		
SVE Public Works Header	PW-Header-SVE-060524	6/5/2024	< 12	U		< 24	U		3.3	J		< 12	U		74			340		
SVE Refinery Header	WFL-HEADER-SVE-070523	7/5/2023	2.3	J		15	J	J	< 5.4	U		< 6.1	U		13			88		
SVE Refinery Header	WFL-HEADER-SVE-080123	8/1/2023	< 1.1	U		< 2.3	U		1.6			< 1.2	U		18			110		
SVE Refinery Header	WFL-HEADER-SVE-090623	9/6/2023	< 2.4	U		< 4.8	U		0.86	J		< 2.5	U		21			160		
SVE Refinery Header	WFL-HEADER-SVE-100323	10/3/2023	< 11	U		32	J		< 11	U		< 12	U		10			95		
SVE Refinery Header	WFL-HEADER-SVE-110223	11/2/2023	< 1.1	U		< 2.3	U		0.74	J		< 1.2	U		11			78		
SVE Refinery Header	WFL-HEADER-SVE-120523	12/5/2023	< 2.1	U		< 4.4	U		< 2	U		< 2.3	U		18			100		
SVE Refinery Header	WFL-HEADER-SVE-010324	1/3/2024	< 1.2	U		< 2.4	U		0.7	J		< 1.2	U		12			75		
SVE Refinery Header	WFL-HEADER-SVE-020524	2/5/2024	< 23	U		< 47	U		< 22	U		< 24	U		14	J		100		
SVE Refinery Header	WFL-HEADER-SVE-030524	3/5/2024	< 24	U		< 48	U		< 22	U		< 25	U		13	J		140		
SVE Refinery Header	WFL-Header-SVE-040224	4/2/2024	< 23	U		< 47	U		< 22	U		< 25	U		16	J		150		
SVE Refinery Header	WFL-Header-SVE-050224	5/2/2024	< 16	U		12	J		< 15	U		< 17	U		12	J		130		
SVE Refinery Header	WFL-Header-SVE-060524	6/5/2024	< 23	U		< 48	U		< 22	U		< 25	U		18	J	J	200		
SVE RTO Exhaust	EXH-SVE-070523	7/5/2023	< 0.011	U		0.15		J	0.04			0.012			0.24			0.72		
SVE RTO Exhaust	EXH-SVE-080123	8/1/2023	< 0.036	U		0.11	J		0.014	J		< 0.038	U		0.15			0.54		
SVE RTO Exhaust	EXH-SVE-090623	9/6/2023	< 0.037	U		0.088	J		0.041			< 0.039	U		0.2			0.72		
SVE RTO Exhaust	EXH-SVE-100323	10/3/2023	< 0.03	U		0.066	J		0.052			0.02	J		0.21			0.66		
SVE RTO Exhaust	EXH-SVE-110223	11/2/2023	< 0.018	U		< 0.072	U		0.019			0.013	J		0.12			0.46		
SVE RTO Exhaust	EXH-SVE-120523	12/5/2023	< 0.011	U		0.048			0.015			0.012			0.085			0.3		
SVE RTO Exhaust	EXH-SVE-010324	1/3/2024	< 0.01	U		0.037	J		0.058			0.021			0.25			0.76		
SVE RTO Exhaust	EXH-SVE-020524	2/5/2024	< 0.03	U		< 0.12	U		0.021	J		< 0.032	U		0.28			1.2		
SVE RTO Exhaust	EXH-SVE-030524	3/5/2024	< 0.038	U		< 0.16	U		0.027	J		0.011	J		0.23			0.95		
SVE RTO Exhaust	Exh-SVE-040224	4/2/2024	< 0.029	U		0.14			< 0.027	U		< 0.031	U		0.13			0.71		
SVE RTO Exhaust	Exh-SVE-050224	5/2/2024	< 0.012	U		0.13			0.0082	J		0.0047	J		0.096			0.45		
SVE RTO Exhaust	Exh-SVE-060524	6/5/2024	< 0.032	U		0.086	J		0.019	J		0.015	J		0.28			1.1		

TABLE 10
SVE SYSTEM HEADER AND EXHAUST ANALYTICAL DATA

Location	Sample ID	Sample Date	2-Hexanone (Methyl N-Butyl Ketone)			Isopentane			2-Propanol			Tetrachloroethene			1,2,4-Trimethylbenzene			1,3,5-Trimethylbenzene		
			Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals
SVE Public Works Header	PW-HEADER-SVE-070523	7/5/2023	< 32	U		1600			20			< 13	U		< 9.6	U		< 9.6	U	
SVE Public Works Header	PW-HEADER-SVE-080123	8/1/2023	< 8.2	U		2200			< 6.1	U		< 3.4	U		2.2	J		1.2	J	
SVE Public Works Header	PW-HEADER-SVE-090623	9/6/2023	< 8.4	U		2600			< 6.3	U		1.2	J		0.74	J		< 2.5	U	
SVE Public Works Header	PW-HEADER-SVE-100323	10/3/2023	< 42	U		1300			19	J		< 17	U		< 12	U		< 12	U	
SVE Public Works Header	PW-HEADER-SVE-110223	11/2/2023	< 7.9	U		1600			< 6	U		< 3.3	U		1.2	J		0.58	J	
SVE Public Works Header	PW-HEADER-SVE-120523	12/5/2023	< 3.9	U		1300			< 2.9	U		< 1.6	U		< 1.2	U		< 1.2	U	
SVE Public Works Header	PW-HEADER-SVE-010324	1/3/2024	< 4.1	U		1200			< 3.1	U		< 1.7	U		1.3			0.85	J	
SVE Public Works Header	PW-HEADER-SVE-020524	2/5/2024	< 11	U		1400			< 8.2	U		< 4.5	U		< 3.3	U		< 3.3	U	
SVE Public Works Header	PW-HEADER-SVE-030524	3/5/2024	< 82	U		1300			9	J		< 34	U		< 24	U		< 24	U	
SVE Public Works Header	PW-Header-SVE-040224	4/2/2024	< 85	U		1300			< 64	U		< 35	U		< 25	U		< 25	U	
SVE Public Works Header	PW-Header-SVE-050224	5/2/2024	< 33	U		2000			2	J		< 14	U		< 9.9	U		< 9.9	U	
SVE Public Works Header	PW-Header-SVE-060524	6/5/2024	< 42	U		1300			< 31	U		< 17	U		< 12	U		< 12	U	
SVE Refinery Header	WFL-HEADER-SVE-070523	7/5/2023	< 20	U		1000			6.2	J		< 8.4	U		< 6.1	U		< 6.1	U	
SVE Refinery Header	WFL-HEADER-SVE-080123	8/1/2023	< 4	U		1300			< 3	U		< 1.6	U		0.35	J		< 1.2	U	
SVE Refinery Header	WFL-HEADER-SVE-090623	9/6/2023	< 8.4	U		1700			< 6.3	U		1.2	J		< 2.5	U		< 2.5	U	
SVE Refinery Header	WFL-HEADER-SVE-100323	10/3/2023	< 40	U		920			14	J		< 17	U		< 12	U		< 12	U	
SVE Refinery Header	WFL-HEADER-SVE-110223	11/2/2023	< 4	U		1100			< 3	U		< 1.7	U		0.46	J		< 1.2	U	
SVE Refinery Header	WFL-HEADER-SVE-120523	12/5/2023	< 7.6	U		1400			< 5.7	U		< 3.2	U		< 2.3	U		< 2.3	U	
SVE Refinery Header	WFL-HEADER-SVE-010324	1/3/2024	< 4.2	U		940			< 3.1	U		< 1.7	U		0.21	J		< 1.2	U	
SVE Refinery Header	WFL-HEADER-SVE-020524	2/5/2024	< 82	U		1200			< 61	U		< 34	U		< 24	U		< 24	U	
SVE Refinery Header	WFL-HEADER-SVE-030524	3/5/2024	< 84	U		1200			8.3	J		< 34	U		< 25	U		< 25	U	
SVE Refinery Header	WFL-Header-SVE-040224	4/2/2024	< 82	U		1100			< 62	U		< 34	U		< 25	U		< 25	U	
SVE Refinery Header	WFL-Header-SVE-050224	5/2/2024	< 58	U		1600			4.6	J		< 24	U		< 17	U		< 17	U	
SVE Refinery Header	WFL-Header-SVE-060524	6/5/2024	< 83	U		1400			< 62	U		< 34	U		< 25	U		< 25	U	
SVE RTO Exhaust	EXH-SVE-070523	7/5/2023	0.14			2.2			0.072			0.0078	J		0.017			0.0067	J	
SVE RTO Exhaust	EXH-SVE-080123	8/1/2023	0.11	J		3.2			0.048	J		< 0.053	U		0.014	J		< 0.038	U	
SVE RTO Exhaust	EXH-SVE-090623	9/6/2023	0.11	J		4.7			0.032	J		< 0.054	U		0.023	J		< 0.039	U	
SVE RTO Exhaust	EXH-SVE-100323	10/3/2023	0.092	J		2.7			< 0.064	U		< 0.044	U		0.025	J		0.0092	J	
SVE RTO Exhaust	EXH-SVE-110223	11/2/2023	0.025	J		2.7		J	< 0.038	U	UJ	< 0.026	U		0.018	J		0.0070	J	
SVE RTO Exhaust	EXH-SVE-120523	12/5/2023	0.031	J		2			0.023	J		< 0.016	U		0.016			0.0073	J	
SVE RTO Exhaust	EXH-SVE-010324	1/3/2024	< 0.037	U		2.3			< 0.022	U	UJ	< 0.015	U		0.032			0.014		
SVE RTO Exhaust	EXH-SVE-020524	2/5/2024	< 0.11	U		5.5			< 0.064	U		< 0.044	U		0.012	J		< 0.032	U	
SVE RTO Exhaust	EXH-SVE-030524	3/5/2024	< 0.14	U		4.6			0.037	J		< 0.056	U		0.016	J		< 0.04	U	
SVE RTO Exhaust	Exh-SVE-040224	4/2/2024	0.035	J		4.2			0.05	J		< 0.042	U		0.0092	J		< 0.031	U	
SVE RTO Exhaust	Exh-SVE-050224	5/2/2024	0.092			2.4			0.069			< 0.018	U		0.0066	J		< 0.013	U	
SVE RTO Exhaust	Exh-SVE-060524	6/5/2024	0.093	J		5.6			< 0.069	U		< 0.048	U		0.021	J		0.0094	J	

TABLE 10
SVE SYSTEM HEADER AND EXHAUST ANALYTICAL DATA

Location	Sample ID	Sample Date	2,2,4-Trimethylpentane			Vinyl Chloride			m,p-Xylene			o-Xylene			TPH (C2-C10)			Butane		
			Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (mg/m ³)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
SVE Public Works Header	PW-HEADER-SVE-070523	7/5/2023	590			< 5	U		9.1	J		< 8.5	U		16000		J	0.014		
SVE Public Works Header	PW-HEADER-SVE-080123	8/1/2023	820			< 1.3	U		32			0.97	J		15000			0.020		
SVE Public Works Header	PW-HEADER-SVE-090623	9/6/2023	780			< 1.3	U		15			< 2.2	U		14000			0.030		
SVE Public Works Header	PW-HEADER-SVE-100323	10/3/2023	360			< 6.5	U		5.6	J		< 11	U		13000			0.027		
SVE Public Works Header	PW-HEADER-SVE-110223	11/2/2023	430			< 1.2	U		11			< 2.1	U		12000			0.023		
SVE Public Works Header	PW-HEADER-SVE-120523	12/5/2023	600			< 0.61	U		13			< 1	U		12000			0.012		
SVE Public Works Header	PW-HEADER-SVE-010324	1/3/2024	510			< 0.64	U		14			0.4	J		13000		J	0.015		
SVE Public Works Header	PW-HEADER-SVE-020524	2/5/2024	540			< 1.7	U		7.2			< 2.9	U		12000			0.012		
SVE Public Works Header	PW-HEADER-SVE-030524	3/5/2024	410			< 13	U		4.6	J		< 22	U		13000			0.022		
SVE Public Works Header	PW-Header-SVE-040224	4/2/2024	550			< 13	U		5.7	J		< 22	U		16000			0.024		
SVE Public Works Header	PW-Header-SVE-050224	5/2/2024	460			< 5.1	U		2.7	J		< 8.7	U		16000			0.022		
SVE Public Works Header	PW-Header-SVE-060524	6/5/2024	480			< 6.5	U		3.2	J		< 11	U		16000			0.024		
SVE Refinery Header	WFL-HEADER-SVE-070523	7/5/2023	320			< 3.2	U		< 11	U		< 5.4	U		8000			0.039		
SVE Refinery Header	WFL-HEADER-SVE-080123	8/1/2023	460			< 0.62	U		2.8			0.35	J		7200			0.036		
SVE Refinery Header	WFL-HEADER-SVE-090623	9/6/2023	550			< 1.3	U		1.7	J		< 2.2	U		8500			0.043		
SVE Refinery Header	WFL-HEADER-SVE-100323	10/3/2023	270			< 6.3	U		< 21	U		< 11	U		9200			0.044		
SVE Refinery Header	WFL-HEADER-SVE-110223	11/2/2023	280			< 0.63	U		1.7			0.27	J		7500			0.039		
SVE Refinery Header	WFL-HEADER-SVE-120523	12/5/2023	420			< 1.2	U		2.3			< 2	U		8000			0.041		
SVE Refinery Header	WFL-HEADER-SVE-010324	1/3/2024	260			< 0.65	U		1.4			0.26	J					0.036		
SVE Refinery Header	WFL-HEADER-SVE-020524	2/5/2024	230			< 13	U		< 22	U		< 22	U		8400			0.044		
SVE Refinery Header	WFL-HEADER-SVE-030524	3/5/2024	290			< 13	U		< 22	U		< 22	U		9900			0.051		
SVE Refinery Header	WFL-Header-SVE-040224	4/2/2024	340			< 13	U		< 22	U		< 22	U		10000			0.052		
SVE Refinery Header	WFL-Header-SVE-050224	5/2/2024	240			< 9.1	U		< 15	U		< 15	U		9500			0.043		
SVE Refinery Header	WFL-Header-SVE-060524	6/5/2024	350			< 13	U		< 22	U		< 22	U		14000			0.062		
SVE RTO Exhaust	EXH-SVE-070523	7/5/2023	1.6			0.0030	J		0.072			0.0040	J		44			0.000054	J	
SVE RTO Exhaust	EXH-SVE-080123	8/1/2023	1.4			< 0.02	U		0.029	J		< 0.034	U		45			0.00010	J	
SVE RTO Exhaust	EXH-SVE-090623	9/6/2023	1.9			< 0.02	U		0.083			< 0.034	U		56			0.00011	J	
SVE RTO Exhaust	EXH-SVE-100323	10/3/2023	1.3			< 0.017	U		0.098			< 0.028	U		46			0.000071	J	
SVE RTO Exhaust	EXH-SVE-110223	11/2/2023	1.4			< 0.0098	U		0.042			< 0.017	U		42			0.00011	J	
SVE RTO Exhaust	EXH-SVE-120523	12/5/2023	1.1			< 0.0062	U		0.031			0.0028	J		29			0.000076	J	
SVE RTO Exhaust	EXH-SVE-010324	1/3/2024	1.6			< 0.0058	U		0.11			0.0041	J					0.000082	J	
SVE RTO Exhaust	EXH-SVE-020524	2/5/2024	2.3			< 0.017	U		0.033	J		< 0.028	U		52			0.00013	J	
SVE RTO Exhaust	EXH-SVE-030524	3/5/2024	1.9			< 0.021	U		0.051	J		< 0.036	U		44			0.00010	J	
SVE RTO Exhaust	Exh-SVE-040224	4/2/2024	1.3			< 0.016	U		0.014	J		< 0.027	U		40			0.00012	J	
SVE RTO Exhaust	Exh-SVE-050224	5/2/2024	0.8			< 0.0067	U		0.016	J		< 0.011	U		41			0.000070	J	
SVE RTO Exhaust	Exh-SVE-060524	6/5/2024	2.2			< 0.018	U		0.039	J		< 0.031	U		75			0.00015	J	

TABLE 10
SVE SYSTEM HEADER AND EXHAUST ANALYTICAL DATA

Location	Sample ID	Sample Date	Isopentane			C6+			Carbon Dioxide			Ethane			Isobutane			Methane		
			Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
SVE Public Works Header	PW-HEADER-SVE-070523	7/5/2023	0.063			0.22			5.7			0.00021	J		0.0012	J		3.2		
SVE Public Works Header	PW-HEADER-SVE-080123	8/1/2023	0.064			0.20			6.6			0.00020	J		0.0015	J		3.6		
SVE Public Works Header	PW-HEADER-SVE-090623	9/6/2023	0.070			0.17			6.6			0.00024	J		0.0021			5.5		
SVE Public Works Header	PW-HEADER-SVE-100323	10/3/2023	0.070			0.17			6.4			0.00020	J		0.0019	J		4.7		
SVE Public Works Header	PW-HEADER-SVE-110223	11/2/2023	0.058			0.16			6.0			0.00017	J		0.0017	J		3.7		
SVE Public Works Header	PW-HEADER-SVE-120523	12/5/2023	0.044			0.17			5.9			0.00014	J		0.00098	J		2.4		
SVE Public Works Header	PW-HEADER-SVE-010324	1/3/2024	0.047			0.18			6.0			0.00014	J		0.0012	J		2.9		
SVE Public Works Header	PW-HEADER-SVE-020524	2/5/2024	0.044			0.18			5.4			0.00015	J		0.00098	J		2.8		
SVE Public Works Header	PW-HEADER-SVE-030524	3/5/2024	0.057			0.17			5.9			0.00025	J		0.0017	J		3.9		
SVE Public Works Header	PW-Header-SVE-040224	4/2/2024	0.067			0.20			6.4			0.00026	J		0.0019	J		4.6		
SVE Public Works Header	PW-Header-SVE-050224	5/2/2024	0.058			0.17			6.2			0.00027	J		0.0017	J		4.1		
SVE Public Works Header	PW-Header-SVE-060524	6/5/2024	0.062			0.19			6.3			0.00028	J		0.0019	J		4.7		
SVE Refinery Header	WFL-HEADER-SVE-070523	7/5/2023	0.042			0.096			3.5			0.00020	J		0.0039			1.4		
SVE Refinery Header	WFL-HEADER-SVE-080123	8/1/2023	0.037			0.080			3.6			0.00018	J		0.0036			1.2		
SVE Refinery Header	WFL-HEADER-SVE-090623	9/6/2023	0.046			0.076			4.0			0.00024	J		0.0043			1.7		
SVE Refinery Header	WFL-HEADER-SVE-100323	10/3/2023	0.050			0.082			4.4			0.00026	J		0.0046			1.8		
SVE Refinery Header	WFL-HEADER-SVE-110223	11/2/2023	0.041			0.082			3.9			0.00020	J		0.0039			1.3		
SVE Refinery Header	WFL-HEADER-SVE-120523	12/5/2023	0.043			0.086			4.0			0.00020	J		0.0040			1.4		
SVE Refinery Header	WFL-HEADER-SVE-010324	1/3/2024	0.037			0.068			3.8			0.00019	J		0.0036			1.3		
SVE Refinery Header	WFL-HEADER-SVE-020524	2/5/2024	0.047			0.094			3.5			0.00023	J		0.0043			1.5		
SVE Refinery Header	WFL-HEADER-SVE-030524	3/5/2024	0.055			0.10			3.8			0.00027	J		0.0050			1.8		
SVE Refinery Header	WFL-Header-SVE-040224	4/2/2024	0.055			0.10			3.5			0.00028	J		0.0051			1.8		
SVE Refinery Header	WFL-Header-SVE-050224	5/2/2024	0.046			0.089			2.7			0.00023	J		0.0042			1.5		
SVE Refinery Header	WFL-Header-SVE-060524	6/5/2024	0.068			0.15			3.5			0.00029	J		0.0059			1.9		
SVE RTO Exhaust	EXH-SVE-070523	7/5/2023	0.000065	J		0.00014	J		0.58			< 0.0023	U		< 0.0023	U		0.0020		
SVE RTO Exhaust	EXH-SVE-080123	8/1/2023	0.00013	J		0.00020	J		0.77			< 0.0023	U		< 0.0023	U		0.0047		
SVE RTO Exhaust	EXH-SVE-090623	9/6/2023	< 0.0024	U		< 0.024	U		0.97			< 0.0024	U		< 0.0024	U		0.0055		
SVE RTO Exhaust	EXH-SVE-100323	10/3/2023	0.00013	J		< 0.023	U		1.0			< 0.0023	U		< 0.0023	U		0.0057		
SVE RTO Exhaust	EXH-SVE-110223	11/2/2023	0.00012	J		0.012	J		0.78			< 0.0023	U		< 0.0023	U		0.0051		
SVE RTO Exhaust	EXH-SVE-120523	12/5/2023	< 0.0024	U		0.00013	J		0.66			< 0.0024	U		< 0.0024	U		0.0026		
SVE RTO Exhaust	EXH-SVE-010324	1/3/2024	0.00010	J		< 0.023	U		0.68			< 0.0023	U		< 0.0023	U		0.0047		
SVE RTO Exhaust	EXH-SVE-020524	2/5/2024	0.00017	J		0.00016	J		0.74			< 0.0023	U		< 0.0023	U		0.0056		
SVE RTO Exhaust	EXH-SVE-030524	3/5/2024	0.00014	J		0.00031	J		0.77			< 0.0025	U		< 0.0025	U		0.0065		
SVE RTO Exhaust	Exh-SVE-040224	4/2/2024	0.00013	J		0.00011	J		0.97			< 0.0025	U		< 0.0025	U		0.0068		
SVE RTO Exhaust	Exh-SVE-050224	5/2/2024	0.000095	J		0.00016	J		0.84			< 0.0024	U		< 0.0024	U		0.0030		
SVE RTO Exhaust	Exh-SVE-060524	6/5/2024	0.00020	J		0.00018	J		1.1			< 0.0025	U		< 0.0025	U		0.0083		

TABLE 10
SVE SYSTEM HEADER AND EXHAUST ANALYTICAL DATA

Location	Sample ID	Sample Date	Neopentane			Nitrogen			Oxygen			Pentane			Propane		
			Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals	Result (%)	Lab Quals	AECOM Quals
SVE Public Works Header	PW-HEADER-SVE-070523	7/5/2023	0.00014	J		78			13			0.048			0.00013	J	
SVE Public Works Header	PW-HEADER-SVE-080123	8/1/2023	0.00016	J		78			12			0.045			0.00012	J	
SVE Public Works Header	PW-HEADER-SVE-090623	9/6/2023	0.00018	J		76			12			0.043			0.000084	J	
SVE Public Works Header	PW-HEADER-SVE-100323	10/3/2023	0.00018	J		76			13			0.047			0.000076	J	
SVE Public Works Header	PW-HEADER-SVE-110223	11/2/2023	0.00014	J		76			14			0.040			0.000068	J	
SVE Public Works Header	PW-HEADER-SVE-120523	12/5/2023	0.000093	J		77			14			0.034			0.000062	J	
SVE Public Works Header	PW-HEADER-SVE-010324	1/3/2024	0.000098	J		77			14			0.034			0.000064	J	
SVE Public Works Header	PW-HEADER-SVE-020524	2/5/2024	< 0.0020	U		76			15			0.032			0.000063	J	
SVE Public Works Header	PW-HEADER-SVE-030524	3/5/2024	0.00014	J		76			14			0.037			0.000060	J	
SVE Public Works Header	PW-Header-SVE-040224	4/2/2024	0.00016	J		76			13			0.044			0.000065	J	
SVE Public Works Header	PW-Header-SVE-050224	5/2/2024	< 0.0020	U		75			14			0.038			0.000055	J	
SVE Public Works Header	PW-Header-SVE-060524	6/5/2024	0.00015	J		76			13			0.039			0.000055	J	
SVE Refinery Header	WFL-HEADER-SVE-070523	7/5/2023	0.00019	J		79			16			0.016			0.00021	J	
SVE Refinery Header	WFL-HEADER-SVE-080123	8/1/2023	0.00018	J		79			16			0.013			0.00020	J	
SVE Refinery Header	WFL-HEADER-SVE-090623	9/6/2023	0.00021	J		78			16			0.018			0.00025	J	
SVE Refinery Header	WFL-HEADER-SVE-100323	10/3/2023	0.00022	J		78			16			0.019			0.00027	J	
SVE Refinery Header	WFL-HEADER-SVE-110223	11/2/2023	0.00018	J		78			17			0.015			0.00022	J	
SVE Refinery Header	WFL-HEADER-SVE-120523	12/5/2023	0.00019	J		78			16			0.015			0.00022	J	
SVE Refinery Header	WFL-HEADER-SVE-010324	1/3/2024	0.00018	J		78			17			0.013			0.00019	J	
SVE Refinery Header	WFL-HEADER-SVE-020524	2/5/2024	< 0.0020	U		77			18			0.018			0.00024	J	
SVE Refinery Header	WFL-HEADER-SVE-030524	3/5/2024	0.00022	J		77			17			0.022			0.00029	J	
SVE Refinery Header	WFL-Header-SVE-040224	4/2/2024	0.00024	J		78			17			0.022			0.00031	J	
SVE Refinery Header	WFL-Header-SVE-050224	5/2/2024	< 0.0020	U		78			18			0.018			0.00026	J	
SVE Refinery Header	WFL-Header-SVE-060524	6/5/2024	0.00026	J		77			17			0.027			0.00036	J	
SVE RTO Exhaust	EXH-SVE-070523	7/5/2023	< 0.0023	U		79			20			< 0.0023	U		< 0.0023	U	
SVE RTO Exhaust	EXH-SVE-080123	8/1/2023	< 0.0023	U		79			20			0.000061	J		< 0.0023	U	
SVE RTO Exhaust	EXH-SVE-090623	9/6/2023	< 0.0024	U		79			20			< 0.0024	U		< 0.0024	U	
SVE RTO Exhaust	EXH-SVE-100323	10/3/2023	< 0.0023	U		79			20			0.000075	J		< 0.0023	U	
SVE RTO Exhaust	EXH-SVE-110223	11/2/2023	< 0.0023	U		78			21			< 0.0023	U		< 0.0023	U	
SVE RTO Exhaust	EXH-SVE-120523	12/5/2023	< 0.0024	U		78			21			< 0.0024	U		< 0.0024	U	
SVE RTO Exhaust	EXH-SVE-010324	1/3/2024	< 0.0023	U		78			21			< 0.0023	U		< 0.0023	U	
SVE RTO Exhaust	EXH-SVE-020524	2/5/2024	< 0.0023	U		78			21			0.000099	J		< 0.0023	U	
SVE RTO Exhaust	EXH-SVE-030524	3/5/2024	< 0.0025	U		79			20			0.000064	J		< 0.0025	U	
SVE RTO Exhaust	Exh-SVE-040224	4/2/2024	< 0.0025	U		79			20			< 0.0025	U		< 0.0025	U	
SVE RTO Exhaust	Exh-SVE-050224	5/2/2024	< 0.0024	U		79			20			< 0.0024	U		< 0.0024	U	
SVE RTO Exhaust	Exh-SVE-060524	6/5/2024	< 0.0025	U		79			20			0.000094	J		< 0.0025	U	

Notes:

Analytes shown were detected in at least one sample on Table 10 during the current quarter or previous 3 quarters.

Bold results are detections above the RL, or estimated detections between the MDL and RL.

Lab Qualifiers

J = Estimated value; results between the MDL and RL

U = Compound analyzed for but not detected above the RL

E = Exceeds instrument calibration range

CN = Indicates potential high bias due to use of Tedlar® bag for off-line dilution

AECOM Qualifiers

J = Estimated detection

UJ = Estimated non-detect

U = Non-detect due to blank contamination

Figures

The following MVS descriptions and assumptions apply to **Figures 7** through **10**:



Plan View Model Output – The data input for the plan view model was not limited by depth and was modeled in three dimensions (3D). The bottom surface of the resulting model was limited to the potentiometric groundwater surface elevation. The two-dimensional (2D) appearance of the figures created from the 3D model was achieved by displaying an aerial view of horizontal slices through the model. The horizontal slices were taken parallel to the ground surface that was created from GPS survey data, rather than at single elevation plane. The result of this is a surface that accurately represents soil vapor concentrations at discrete depths measured from ground surface.

Inward Kriging / Boundary Cut-off – This method of Kriging limits the horizontal extent of data modeling to the extent of the data on the x/y plane in a convex hull. The model is bounded by the VMPS.

Vertical Cut-off – The bottom surface of this model is based on the current quarter's groundwater gauging data collected in Roxana. The groundwater gauging data was used to model a 2D surface that represents the interface between the top surface of groundwater and the bottom surface of soil vapor.

Duplicate Samples – In locations and depths where duplication samples were collected, the higher concentration was used.

Detection Limits – In cases where the lab reported a non-detect, half the value of the lab detection limit was used in the model. This conservative method is based on the assumption that the soil is likely not free of benzene, but the quantity contained is lower than detectable at the analyzed dilution. Data are posted where non-detect.



- LEGEND**
- WOOD RIVER REFINERY PROPERTY BOUNDARY
 - INVESTIGATION AREA

CONTOUR INTERVAL = 5 FT



SOURCE:
ELECTRONIC USGS DIGITAL RASTER GRAPHIC 7.5
MINUTE TOPOGRAPHIC MAP OF WOOD RIVER, IL-MO
REVISED 1994.

EQUILON ENTERPRISES LLC dba SHELL OIL PRODUCTS US
SOIL VAPOR MONITORING PROGRAM
ROXANA, ILLINOIS




DRN. BY: gds October 2021
DSGN. BY: djd
CHKD. BY: smf

Investigation Area
Location Map

FIG. NO.
1

LEGEND


- VAPOR MONITORING POINT (VMP) LOCATION
- VMP LOCATION (NOT USED FOR QUARTERLY SAMPLING)




EQUILON ENTERPRISES LLC dba SHELL OIL PRODUCTS US SOIL VAPOR MONITORING PROGRAM ROXANA, ILLINOIS	PROJECT NO. 60697537
--	-------------------------



DRN. BY:gds April 2023 DSGN. BY:djd CHKD. BY:smf	Vapor Monitoring Point Sampling Locations	FIG. NO. 2
--	--	---------------



- NOTES:
1. CONTOUR LINES PRIMARILY GENERATED BY SURFER VERSION 14 MODELING OF GROUNDWATER ELEVATIONS. SOME INTERPRETATION WAS DONE UTILIZING PROFESSIONAL JUDGMENT AND CONTOUR LINES WERE MODIFIED BY HAND.
 2. ELEVATIONS ARE RELATIVE TO NAVD 88.
 3. COMPREHENSIVE GROUNDWATER ELEVATIONS WERE MEASURED APRIL 1-3, 2024.
 4. WELLS P-01 AND P-14 WERE MEASURED ON APRIL 10, 2024 DUE TO INACCESSIBILITY DURING THE COMPREHENSIVE GROUNDWATER GAUGING EVENT DUE TO FLOODING.



LEGEND

- ◆ GROUNDWATER MONITORING WELL LOCATION USED TO GENERATE GROUNDWATER CONTOURS
- ◇ GROUNDWATER MONITORING WELL LOCATION NOT USED TO GENERATE GROUNDWATER CONTOURS
- WRR GROUNDWATER PRODUCTION WELL
- 407— GROUNDWATER SURFACE CONTOUR NAVD 88 (CONTOUR INTERVAL 0.5 FT.)
- GROUNDWATER GRADIENT

EQUILON ENTERPRISES LLC dba SHELL OIL PRODUCTS US SOIL VAPOR MONITORING PROGRAM ROXANA, ILLINOIS	PROJECT NO. 60721927
--	-------------------------



DRN. BY:gds July 2024 DSGN. BY:gds CHKD. BY:mr/bh	Groundwater Contours 2024	FIG. NO. 3
---	------------------------------	---------------

LEGEND


- GROUNDWATER MONITORING WELL LOCATION USED TO GENERATE GROUNDWATER CONTOURS
- GROUNDWATER MONITORING WELL LOCATION NOT USED TO GENERATE GROUNDWATER CONTOURS
- WRR GROUNDWATER PRODUCTION WELL
- VAPOR MONITORING POINT (VMP) LOCATION (ELEVATION OF TOP OF THE DEEPEST VAPOR MONITORING POINT SCREEN)
- VAPOR LOCATION (NOT USED FOR QUARTERLY SAMPLING)
- 400** GROUNDWATER SURFACE CONTOUR (CONTOUR INTERVAL 0.5 FT)
- GROUNDWATER GRADIENT

NOTES:
 1. CONTOUR LINES PRIMARILY GENERATED BY SURFER VERSION 14 MODELING OF GROUNDWATER ELEVATIONS. SOME INTERPRETATION WAS DONE UTILIZING PROFESSIONAL JUDGMENT AND CONTOUR LINES WERE MODIFIED BY HAND.

2. ELEVATIONS ARE RELATIVE TO NAVD 88.
 3. COMPREHENSIVE GROUNDWATER ELEVATIONS WERE MEASURED APRIL 1-3, 2024.

* INDICATES THAT THE LNAPL AND/OR WATER LEVEL IS ABOVE THE TOP OF THE GROUNDWATER MONITORING WELL SCREEN OR THE DEEPEST VAPOR MONITORING POINT SCREEN.

** INDICATED THAT THE DEEPEST VMP SCREEN IS WITHIN CAPILLARY FRINGE.



EQUILON ENTERPRISES LLC dba SHELL OIL PRODUCTS US
 SOIL VAPOR MONITORING PROGRAM
 ROXANA, ILLINOIS

PROJECT NO.
 60721927

DRAFT



AECOM

DRN. BY: gds July 2024 DSGN. BY: gds CHKD. BY: mr/bh	2024 Soil Vapor Port Screen Comparison to Groundwater Elevation	FIG. NO. 4
--	--	---------------

LEGEND


- VAPOR MONITORING POINT (VMP) LOCATION
- VMP LOCATION (NOT USED FOR QUARTERLY SAMPLING)

NOTES:

1. SOIL VAPOR SCREENING CRITERIA

Analyte	Screening Criteria (mg/m ³)	
	Residential	Industrial
Benzene	0.37	2.8
Ethylbenzene	1.3	9.3
m,p-Xylene	130	820
o-Xylene	120	790

- 2. SCREENING CRITERIA FOR ALL TO-15 ANALYTES CAN BE FOUND IN TABLE 4.
- 3. MULTIPLE RESULTS (e.g., 440/410) INDICATE DUPLICATE SAMPLES.
- 4. VMP LOCATIONS IDENTIFIED IN GREEN WITH NO DATA BOX INDICATE THE RESULTS DID NOT EXCEED SCREENING CRITERIA.



Sample Location (residential)	VMP-56-38.5
Sampled 5/2/2024	Result (mg/m ³)
Benzene	42
Ethylbenzene	63
m,p-Xylene	890
o-Xylene	290

Sample Location (industrial)	VMP-12-39
Sampled 5/2/2024	Result (mg/m ³)
Benzene	330

Sample Location (industrial)	VMP-16-13.5	VMP-16-19	VMP-16-31
Sampled 5/2/2024	Result (mg/m ³)	Result (mg/m ³)	Result (mg/m ³)
Benzene	7.9	35	200
Ethylbenzene			92

EQUILON ENTERPRISES LLC dba SHELL OIL PRODUCTS US
 SOIL VAPOR MONITORING PROGRAM
 ROXANA, ILLINOIS

PROJECT NO. 60721927



DRN. BY: gds July 2024
 DSGN. BY: djd
 CHKD. BY: smf

2Q24 Vapor Port Analytical Exceedances

FIG. NO. 5



1986 APPROXIMATE BENZENE RELEASE SITE

RAND AVENUE

BP

VILLAGE OF ROXANA

WOOD RIVER REFINERY

PUBLIC WORKS YARD

PUBLIC WORKS YARD

A-27

F-76 F-77

F-78

A-22

A-30

A-32

A-31

A-34

NORTH PROPERTY

FIRST ST

SECOND ST

THIRD ST

FOURTH ST

FIFTH ST

SIXTH ST

SEVENTH ST

EIGHTH ST

TYDEMAN AVE


CHAFFER AVE

HIGHWAY 111 (S. CENTRAL AVE)

LIBERTY ST



1ST STREET

PROJECT NO. 60721927 - 2024 CROSS-SECTION WITH BENZENE SOIL VAPOR ANALYTICAL RESULTS - FIG. 6 OF 6
 SHEET TITLE: 2024 CROSS-SECTION WITH BENZENE SOIL VAPOR ANALYTICAL RESULTS - FIG. 6 OF 6
 DATE: 07/2024
 DRAWN BY: gds
 CHECKED BY: smf
 PROJECT LOCATION: 1111 CENTRAL AVENUE, ROXANA, ILLINOIS 60171
 CLIENT: EQUILON ENTERPRISES LLC dba SHELL OIL PRODUCTS US



- NOTES:**
- SOIL VAPOR BENZENE CONCENTRATIONS FROM THE 3Q23 SAMPLING EVENT ARE DEPICTED IN GREEN. VALUES DEPICTED IN ORANGE EXCEED BENZENE SCREENING CRITERION (0.37 mg/m^3 FOR VMP 1-9, 32, AND 42-45, 47-50, 52, 53, 56, 63, AND 64 [RESIDENTIAL] AND 2.8 mg/m^3 FOR VMP-11 [COMMERCIAL/INDUSTRIAL]).
 - GROUNDWATER ELEVATIONS SHOWN ON THIS CROSS-SECTION ARE BASED ON GROUNDWATER GAUGING DATA COLLECTED APRIL 1-3, 2024.
 - THIS GEOLOGIC CROSS-SECTION IS PRIMARILY BASED ON THE INTERPRETATION OF CPT DATA AND BORING LOGS DEVELOPED DURING OTHER DRILLING TECHNIQUES (E.G. AUGER AND GEOPROBE) COLLECTED BY AECOM SINCE 2006. LITHOLOGY WAS PROJECTED BETWEEN SUBSURFACE INVESTIGATION POINTS.
 - CROSS-SECTION TRACE LINE SHOWS DISTANCE AND DIRECTION EACH POINT WAS PROJECTED TO CONSTRUCT THIS CROSS-SECTION.
 - VMPs OFFSET FROM CROSS-SECTIONAL LINE (VMP-43, VMP-48, VMP-49, VMP-50, VMP-52, AND VMP-53) ARE INCLUDED TO DISPLAY BENZENE CONCENTRATION DATA ONLY.

- LEGEND**
- STRATUM BOUNDARY ASSUMED
 - [Hatched pattern] FILL PROJECTED BETWEEN POINTS (INCLUDES CINDERS, GRAVEL, CLAY, AND/OR SILTY CLAY)
 - [Diagonal hatched pattern] CLAY PROJECTED BETWEEN POINTS (INCLUDES SILTY CLAY AND SANDY CLAY)
 - [Horizontal hatched pattern] SILT PROJECTED BETWEEN POINTS (INCLUDES SANDY SILT AND CLAYEY SILT)
 - [Dotted pattern] SAND PROJECTED BETWEEN POINTS (INCLUDES SILTY SAND AND CLAYEY SAND)
 - - - POTENTIOMETRIC SURFACE - ESTIMATED




EQUILON ENTERPRISES LLC dba SHELL OIL PRODUCTS US SOIL VAPOR MONITORING PROGRAM ROXANA, ILLINOIS		PROJECT NO. 60721927
AECOM		
DRN. BY: gds July 2024 DSN. BY: djd CHKD. BY: smf	2024 Cross-Section with Benzene Soil Vapor Analytical Results - Chaffer Avenue	FIG. NO. 6

LEGEND

- VAPOR MONITORING POINT (VMP) LOCATION
- VMP LOCATION (NOT USED FOR QUARTERLY SAMPLING)
- EXTENT OF MVS MODEL DATA SET
- MODELED SOIL VAPOR CONCENTRATION BENZENE (mg/m³)

NOTES:

1. IMAGES GENERATED UTILIZING CTECH MINING VISUALIZATION SYSTEM MODELING SOFTWARE. CONCENTRATIONS BETWEEN KNOWN DATA POINTS (E.G. VMP WELLS) ARE INTERPOLATIONS AND EXTRAPOLATIONS OF THE MEASURED DATA.
2. THE LOWEST CONCENTRATION CONTOUR REPRESENTS THE SCREENING CRITERION FOR RESIDENTIAL PROPERTIES (0.37 mg/m³).
3. DATA SHOWN REPRESENT A HORIZONTAL SLICE OF A 3D MODEL.
4. NON-DETECT VALUES ARE MODELED AT 1/2 THE REPORTING LIMIT.
5. NO CONTOURS DEPICTED BECAUSE MODELED RESULTS WERE BELOW THE SCREENING CRITERION FOR RESIDENTIAL PROPERTIES.



EQUILON ENTERPRISES LLC dba SHELL OIL PRODUCTS US SOIL VAPOR MONITORING PROGRAM ROXANA, ILLINOIS	PROJECT NO. 60721927
--	-------------------------




DRN. BY: gds July 2024 DSGN. BY: djd/jd CHKD. BY: smf	2Q24 Benzene Soil Vapor Distribution - 5 ft bgs	FIG. NO. 7
---	--	---------------

LEGEND

- VAPOR MONITORING POINT (VMP) LOCATION
- VMP LOCATION (NOT USED FOR QUARTERLY SAMPLING)
- EXTENT OF MVS MODEL DATA SET
- MODELED SOIL VAPOR CONCENTRATION BENZENE (mg/m³)

NOTES:

1. IMAGES GENERATED UTILIZING CTECH MINING VISUALIZATION SYSTEM MODELING SOFTWARE. CONCENTRATIONS BETWEEN KNOWN DATA POINTS (E.G. VMP WELLS) ARE INTERPOLATIONS AND EXTRAPOLATIONS OF THE MEASURED DATA.
2. THE LOWEST CONCENTRATION CONTOUR REPRESENTS THE SCREENING CRITERION FOR RESIDENTIAL PROPERTIES (0.37 mg/m³).
3. DATA SHOWN REPRESENT A HORIZONTAL SLICE OF A 3D MODEL.
4. NON-DETECT VALUES ARE MODELED AT 1/2 THE REPORTING LIMIT.
5. THE SAMPLE TAKEN FROM VMP-55 AT 20 ft bgs WAS REPORTED AS NON-DETECT WITH RESPECT TO BENZENE, WITH A HIGH REPORTING LIMIT DUE TO DILUTION. OTHER MODELED RESULTS IN THE SOUTH-WEST AREA WERE BELOW THE SCREENING CRITERION FOR RESIDENTIAL PROPERTIES.



EQUILON ENTERPRISES LLC dba SHELL OIL PRODUCTS US SOIL VAPOR MONITORING PROGRAM ROXANA, ILLINOIS	PROJECT NO. 60721927
--	-------------------------




DRN. BY: gds July 2024 DSGN. BY: djd/jd CHKD. BY: smf	2Q24 Benzene Soil Vapor Distribution - 10 ft bgs	FIG. NO. 8
---	---	---------------

LEGEND

- VAPOR MONITORING POINT (VMP) LOCATION
- VMP LOCATION (NOT USED FOR QUARTERLY SAMPLING)
- EXTENT OF MVS MODEL DATA SET
- MODELED SOIL VAPOR CONCENTRATION BENZENE (mg/m³)

NOTES:

1. IMAGES GENERATED UTILIZING CTECH MINING VISUALIZATION SYSTEM MODELING SOFTWARE. CONCENTRATIONS BETWEEN KNOWN DATA POINTS (E.G. VMP WELLS) ARE INTERPOLATIONS AND EXTRAPOLATIONS OF THE MEASURED DATA.
2. THE LOWEST CONCENTRATION CONTOUR REPRESENTS THE SCREENING CRITERION FOR RESIDENTIAL PROPERTIES (0.37 mg/m³).
3. DATA SHOWN REPRESENT A HORIZONTAL SLICE OF A 3D MODEL.
4. NON-DETECT VALUES ARE MODELED AT 1/2 THE REPORTING LIMIT.
5. THE SAMPLE TAKEN FROM VMP-55 AT 20 ft bgs WAS REPORTED AS NON-DETECT WITH RESPECT TO BENZENE, WITH A HIGH REPORTING LIMIT DUE TO DILUTION. OTHER MODELED RESULTS IN THE SOUTH-WEST AREA WERE BELOW THE SCREENING CRITERION FOR RESIDENTIAL PROPERTIES.



EQUILON ENTERPRISES LLC dba SHELL OIL PRODUCTS US SOIL VAPOR MONITORING PROGRAM ROXANA, ILLINOIS	PROJECT NO. 60721927
--	-------------------------



DRN. BY: gds July 2024 DSGN. BY: djd/jd CHKD. BY: smf	2Q24 Benzene Soil Vapor Distribution - 25 ft bgs	FIG. NO. 9
---	---	---------------




LEGEND

- GROUNDWATER MONITORING WELL SAMPLING LOCATION
- GROUNDWATER MONITORING WELL LOCATION NOT SAMPLED
- GROUNDWATER MONITORING WELL, LNAPL THICKNESS IN FEET
- GROUNDWATER PIEZOMETER LOCATION NOT SAMPLED
- GROUNDWATER PIEZOMETER, LNAPL THICKNESS IN FEET
- OIL RECOVERY WELL
- WATER PRODUCTION WELL
- LNAPL THICKNESS (FEET)
- INDICATES THAT THE LNAPL AND/OR WATER LEVEL IS ABOVE THE TOP OF WELL SCREEN
- EXTENT OF MVS MODEL DATA SET
- 50.0 GROUNDWATER CONCENTRATION BENZENE (mg/L)

NOTES:


1. IMAGES GENERATED UTILIZING CTECH MINING VISUALIZATION SYSTEM MODELING SOFTWARE. CONCENTRATIONS BETWEEN KNOWN DATA POINTS (E.G. GROUNDWATER MONITORING WELLS) ARE INTERPOLATIONS AND EXTRAPOLATIONS OF THE MEASURED DATA. SOME INTERPRETATION WAS COMPLETED UTILIZING PROFESSIONAL JUDGEMENT AND CONTOUR LINES WERE MODIFIED BY HAND.
2. ALL RESULTS SHOWN IN mg/L.
3. ANALYTICAL REPORTING LIMITS ARE SHOWN FOR SAMPLES WITH NON-DETECT RESULTS (e.g., <0.001 mg/L).
4. NON-DETECT VALUES ARE MODELED AT HALF THE REPORTING LIMIT.
5. MULTIPLE RESULTS (e.g. 190 / 220) INDICATE DUPLICATE SAMPLES OR CONFIRMATION SAMPLES.
6. CONTOUR LINES IN AREA OF P-55R AND P-66 ADJUSTED BASED ON AVAILABLE 2Q24 AND HISTORICAL ANALYTICAL DATA FROM WELLS IN THE AREA.
7. J = THE RESULT IS ESTIMATED.
8. AT WELL CLUSTER LOCATIONS, THE HIGHEST VALUE WAS USED FOR CONTOURING PURPOSES.



EQUILON ENTERPRISES LLC dba SHELL OIL PRODUCTS US SOIL VAPOR MONITORING PROGRAM ROXANA, ILLINOIS		PROJECT NO. 60721927
AECOM		
DRN. BY:gds July 2024 DSGN. BY:mr CHKD. BY:bh	2Q24 Dissolved Phase Benzene Concentrations in Groundwater	FIG. NO. 10




BP



LEGEND:
 ● SOIL VAPOR EXTRACTION (SVE) WELL LOCATION (SEE TABLE FOR COLOR LEGEND)
 ● VAPOR MONITORING POINT (VMP) LOCATION
 - - - PROPERTY BOUNDARY
 - - - UNDERGROUND PIPING

LEG NO.	SVE WELLS	COLOR	WELL SYMBOL
1	SVE-5 THROUGH SVE-9 SVE-37 THROUGH SVE-41	RED	
2	SVE-3R, SVE-4, SVE-25 & SVE-10 THROUGH SVE-12 SVE-42 THROUGH SVE-47	BLUE	
3	SVE-13 THROUGH SVE-19 & SVE-36	GREEN	
4	SVE-20 THROUGH SVE-24, SVE-26 & SVE-27	TEAL	
5	SVE-28 THROUGH SVE-33	PURPLE	
6	SVE-34 THROUGH SVE-35	BROWN	



EQUILON ENTERPRISES LLC dba SHELL OIL PRODUCTS US
 SOIL VAPOR MONITORING PROGRAM
 ROXANA, ILLINOIS

PROJECT NO.
 60697537



DRN. BY: gds January 2024
 DSGN. BY: djd
 CHKD. BY: smf

SVE System Layout

FIG. NO.
 11

Appendix A

Site Background and Regulatory History

APPENDIX A SITE BACKGROUND AND REGULATORY HISTORY

Soil Vapor Sampling

Shell has been investigating and delineating soil vapor in the Investigation Area through the installation, development, and sampling of vapor monitoring ports (VMPs). Vapor monitoring locations (VMP-1 through VMP-16) were installed based on a work plan submitted to the Illinois Environmental Protection Agency (IEPA) on behalf of Shell on January 21, 2009. IEPA approved the work plan with conditions on May 12, 2009 (IEPA, 2009). The results of the vapor investigation and delineation efforts were presented in the Dissolved Phase Groundwater Investigation and P-60 Free Phase Product Delineation Report, dated February 18, 2010 (URS, 2010a). Based on recommendations contained in that report, an additional four vapor monitoring ports were installed, developed, and sampled at one existing (VMP-3) and three new vapor monitoring locations (VMP-17 through VMP-19) in the Spring/Summer 2010, with results presented in the Addendum to February 2010 Report – Supplemental Investigation Activities, dated September 20, 2010 (URS, 2010b).

IEPA provided comments to the February 18, 2010 report in a letter to Shell dated August 5, 2010 (IEPA, 2010). In particular, Comment Number 3 required quarterly soil vapor sampling and reporting, and Comment Number 2 described the need to further delineate the extent of soil vapors beneath the area. Six VMPs (VMP-20 through VMP-25) were installed and added to the quarterly sampling program beginning with 1st Quarter 2011 (1Q11).

IEPA provided further comments in a March 16, 2011 letter (IEPA, 2011) to Shell approving the Soil Vapor Extraction (SVE) Pilot Test Work Plan. In particular, Comment Number 2 of the March 16, 2011 letter required that quarterly soil vapor sampling continue at the 25 VMP locations, and Comment Number 9 requested an updated report, including a discussion of the geology, extent of groundwater impact, and distribution of impacted soil vapor. These items/comments were included in the 1Q11 Soil Vapor Report (URS, 2011a) and have been updated for this report.

As a result of a meeting between Shell and the IEPA on February 8, 2012, the quarterly soil vapor sampling program was expanded to include six additional soil VMPs (VMP-31, VMP-32, and VMP-42 through VMP-45). VMP-31 and VMP-32 were installed in 2nd Quarter 2011 (2Q11) to monitor soil vapor during operation of the Internal Combustion Engines (ICE) located near 4th Street and Chaffer Avenue. VMP-42 through VMP-45 were installed during the 3rd Quarter 2011 (3Q11) and 4th Quarter 2011 (4Q11) in conjunction with the SVE System installation to monitor soil vapor concentrations. Monitoring of these VMPs commenced with the 2nd Quarter 2012 (2Q12) sampling event.

Based on a September 13, 2012 letter from the IEPA (IEPA, 2012), VMP-29, VMP-30, and VMP-41, located within the Roxana Public Works Yard, were added to the quarterly sampling program during 3rd Quarter 2012 (3Q12). Additional VMPs (VMP-47 through VMP-55) were installed during the 4th Quarter 2012 (4Q12) in the Village. Monitoring of these VMPs commenced in the 1st Quarter 2013 (1Q13) sampling event.

In 2012, the IEPA additionally requested development of a quarterly report documenting the results of monitoring and remedial efforts associated with operating the SVE system. These results have been added to the subject report.

VMP-62 through VMP-64 were installed during the 4th Quarter 2013 (4Q13) in the Village. Monitoring of these VMPs commenced in the 4Q13 sampling event; however, the results were not obtained in time for inclusion in the 4Q13 report, so those data were included in the 1st Quarter 2014 (1Q14) report.

Based on email correspondence with the IEPA (J. Moore, personal communication to B. Billman, August 2, 2013), the subject reports no longer include copies of the laboratory analytical reports (previously included in appendices). The laboratory reports will continue to be retained in the project files.

The IEPA issued a draft letter on December 26, 2013, finalized on April 9, 2014 (IEPA, 2014), approving certain modifications requested by URS to the subject reports, including the modifications below:

- Tabular data included from the previous year (current quarter and the previous three quarters).
- Charts showing the analytical concentrations of benzene and methane over time.
- Reduction of VMP canister sampling duration from approximately 30 minutes to approximately 5 minutes.

These changes were initiated with the 1Q14 sampling event and have been updated in subsequent reports.

APPENDIX A SITE BACKGROUND AND REGULATORY HISTORY

The IEPA issued a letter on May 28, 2015 (IEPA, 2015), approving the corrective action modification requests of two submittals related to the SVE system.

AECOM, on behalf of Shell, submitted "TACO Tier 3 Demonstration Report Part 1: Site Characterization Summary" and "Part 2: Tier 3 Proposal" to the IEPA on April 6, 2017 (AECOM, 2017a; AECOM, 2017b). This submittal was followed by two supplemental documents submitted on July 14, 2017 (AECOM, 2017c), and November 22, 2017 (AECOM, 2017d), respectively. These submittals provided a site characterization summary and a Tier 3 demonstration requesting to shut down the SVE System and initiate a period of rebound monitoring.

During a meeting with IEPA on November 5, 2019, the IEPA requested information regarding the operation of the SVE system, including a description of procedures for opening and closing SVE wells, an overview of SVE system monitoring programs, and a figure depicting operating SVE wells. On November 20, 2019 AECOM provided the requested information via email, including a figure depicting the SVE wells operating as of November 13, 2019.

On October 1, 2020, the IEPA issued a response letter to the 2017 TACO Tier 3 submittals, in which the submittals were neither approved nor denied (IEPA, 2020). Condition 1 of the letter stated that the SVE system must be maintained in areas of concern until groundwater concentrations at monitoring wells within the Village have been reduced to levels consistent with applicable standards. Additional conditions within the letter provided guidance for recalculation of Tier 3 remedial objectives, provided comments on the screening of analytical results, and provided a list of 21 chemicals that may be excluded from further consideration. During a meeting on July 15, 2021, the IEPA provided some clarifications regarding comments in the October 1, 2020 letter.

On January 4, 2022, AECOM, on behalf of Shell, submitted a response to the IEPA's October 1, 2020 letter (AECOM, 2022a). Specific responses to each of the IEPA's comments were included, along with supporting materials.

On March 23, 2022, AECOM, on behalf of Shell, submitted a request to the IEPA asking that the due dates for the quarterly Roxana Soil Vapor Sampling & SVE Monitoring Reports be pushed back two weeks. On July 8, 2022 the IEPA responded with a letter approving the request. Effective beginning with the 2Q22 report, the 1st Quarter report is now due on May 15, the 2nd Quarter report is due August 15, the 3rd Quarter report is due November 15, and the 4th Quarter report is due February 15.

On March 13, 2023, the IEPA issued a letter approving several of AECOM's recent standard operating procedures (SOP) submittals. The letter included conditions that affect some of the SOPs, including the SOP for soil vapor sampling (IEPA, 2023a). On May 26, 2023, AECOM, on behalf of Shell, submitted Standard Operating Procedure (SOP) revisions outlined in the 3/13/2023 IEPA SOP approval letter with comments. The IEPA letter approved several previously submitted SOPs and requested some specific revisions to selected SOPs as well as a new SOP related to Investigative Derived Waste (IDW) management.

SVE System

As presented in the June 2011 Conceptual/Final Design Report (URS, 2011b), the May 2012 SVE System Construction Completion Report (URS, 2012), and the February 2013 SVE System Construction Completion Report Addendum (URS, 2013), URS designed and constructed a SVE system along the WFL and within the Roxana Public Works Yard.

The SVE system consists of 45 SVE wells, 30 of which are located along the WFL, nine are located in the Village along East 4th Street west of Chaffer Avenue, and six are located in the Roxana Public Works Yard. The SVE wells are connected via 4-inch piping to vapor/liquid separators (VLS) and a rotary lobe positive displacement blower housed within a customized intermodal freight container ("conex"). Piping from the SVE wells feeds into the conex, where vapor moves through the VLS, before traveling through the blower and a baffle connected to a Regenerative Thermal Oxidizer (RTO). A system fan located on the RTO side of the baffle pushes the vapor into the RTO and adds fresh air to dilute the vapor stream as necessary.

During 3Q13, URS designed an extension to the northernmost extent of the WFL portion of the SVE system. Five additional SVE wells (SVE wells 37 through 41) and six additional VMPs (VMPs 56 through 61) were installed in August 2013 for extension of the red header line, which was completed in October 2013. All newly installed SVE wells were open and on-

APPENDIX A SITE BACKGROUND AND REGULATORY HISTORY

line by November 2013. Details associated with this system extension were documented in the SVE System Construction Completion Report Addendum No. 2, dated January 2014 (URS, 2014). During 3Q14 and 4Q14, AECOM designed and constructed an extension to the WFL portion of the SVE system on Shell-owned properties adjacent to 4th Street and Chaffer Avenue in Roxana, IL. Six additional SVE wells (SVE wells 42 through 47) were brought on-line in November 2014.

The IEPA issued a letter on May 28, 2015 (IEPA, 2015) approving the corrective action modification requests of August 16, 2013, which included activities to study potential enhancement of the existing SVE system near the corner of 4th Street and Chaffer Avenue. The IEPA 2015 letter also approved the March 4, 2015 SVE System Construction Completion Report Addendum No. 3 (URS, 2015).

SEE System


On January 31, 2022, AECOM, on behalf of Shell, submitted the *Public Works Yard Steam Enhanced Extraction Workplan* for Roxana, Illinois (AECOM, 2022b). This workplan described the proposed steam enhanced extraction system for remediation of residual material in the saturated zone at the Roxana Public Works Yard. The IEPA issued a letter on August 22, 2022 (IEPA, 2022) approving steam enhanced extraction technology for use at the Public Works Yard. AECOM and Shell met with IEPA on September 21, 2022 to discuss the 8/22/2022 response letter and the steam enhanced extraction system.

On December 16, 2022, AECOM, on behalf of Shell, submitted the *Old Public Works Yard Steam Enhanced Extraction Final Design Report & Construction Work Plan* (FDRCWP)(AECOM, 2022c). The FDRCWP contained responses to the IEPA's 8/22/2022 letter, as well as items required in Phase II of the IEPA Corrective Measures Program. A letter was issued by the IEPA on May 5, 2023, approving the FDRCWP with monitoring and reporting conditions (IEPA, 2023b). On August 3, 2023, AECOM, on behalf of Shell, submitted a response to the 5/5/2023 IEPA letter (AECOM, 2023a). On September 22, 2023, AECOM on behalf of Shell, submitted the *Former Public Works Yard Steam Enhanced Extraction – Additional Information to Final Design Report and Construction Work Plan (Area C)*(AECOM, 2023b) as a supplement to the FDRCWP. The 9/22/2023 submittal included information on an additional treatment area added to the steam enhanced extraction system, along with other information requested by IEPA. On November 29, 2023, AECOM on behalf of Shell, submitted the *Former Public Works Yard Steam Enhanced Extraction – Additional Information to Final Design Report and Construction Work Plan (SEE System Startup Plan)*(AECOM, 2023c) as a supplement to the FDRCWP. The 11/29/2023 submittal described the anticipated startup schedule of the SEE System. On January 26, 2024 the IEPA issued a letter that conditionally approved the AECOM FPWY SEE-related submittals dated 8/3/2023, 9/22/2023 and 11/29/2023 (IEPA, 2024a). On February 23, 2024 AECOM, on behalf of Shell, submitted a *Former Public Works Yard Steam Enhanced Extraction - Response to 1/26/2024 IEPA Letter* (AECOM, 2024b). On March 4, 2024 AECOM, on behalf of Shell, submitted a *Former Public Works Yard Steam Enhanced Extraction – Pre-SEE Additional Sampling Results* that included sample results that were required by IEPA to be provided prior to SEE startup (AECOM, 2024c). On April 22, 2024 the IEPA issued a letter that conditionally approved the AECOM FPWY SEE-related submittals dated 2/23/2024 and 3/4/2024 (IEPA, 2024b).

Appendix B Benzene and Methane Charts


VMP-1

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-2

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-3

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-4

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-5

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL). Maximum result from parent/duplicate pair shown. Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-6

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-7

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-8

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-9

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-10

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-11

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-12

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-13

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-14

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-15

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-16

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-17

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-18

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-19

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-20

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-21

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-22

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-23

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-24

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-25

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
 Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.
 Effective 2Q18, samples will no longer be collected at VMP-25-31 due to port integrity.




VMP-32

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-41

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-42

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-43

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-44

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.
Effective 4Q20, samples will no longer be collected at VMP-44 due to port integrity.




VMP-45

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-47

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-48

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-49

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-50

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.
Natural gas utility line leak near VMP-50 was discovered by Ameren Illinois on May 1, 2018 and repaired on May 31, 2018.




VMP-51

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-52

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-53

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-54

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-55

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-56

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-62

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-63

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-64

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-1

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-2

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-3

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-4

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-5

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-6

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-7

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-8

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-9

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-10

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-11

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-12

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-13

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-14

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-15

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-16

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-17

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-18

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-20

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-21

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-22

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-23

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-24

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-25

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
 Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.
 Effective 2Q18, samples will no longer be collected at VMP-25-31 due to port integrity.




VMP-32

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-41

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-43

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-44

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.
Effective 4Q20, samples will no longer be collected at VMP-44 due to port integrity.




VMP-45

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-47

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-48

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.



VMP-49

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-50

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.


Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.

Natural gas utility line leak near VMP-50 was discovered by Ameren Illinois on May 1, 2018 and repaired on May 31, 2018.




VMP-51

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-52

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-53

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-54

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-55

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-56

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-62

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.




VMP-63

Note: Open circles are non-detect results shown at 1/2 the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.



VMP-64

Note: Open circles are non-detect results shown at ½ the reporting limit (PQL). Maximum result from parent/duplicate pair shown.
Gap in plot line indicates sample not able to be collected due to site conditions, or that ports were not sampled on the same day of the quarterly event.



Appendix C

SVE System Operating Efficiency and Maintenance Chronology

**APPENDIX C
SVE SYSTEM OPERATING EFFICIENCY**

April-24		Hours of Operation	May-24		Hours of Operation	June-24		Hours of Operation
Date	Hours		Date	Hours		Date	Hours	
1	24	24	1	24	24	1	24	24
2	24	24	2	24	24	2	24	24
3	24	24	3	24	24	3	24	22.13
4	24	24	4	24	24	4	24	23.13
5	24	24	5	24	24	5	24	24
6	24	24	6	24	24	6	24	24
7	24	24	7	24	24	7	24	24
8	24	23.23	8	24	24	8	24	24
9	24	24	9	24	24	9	24	24
10	24	24	10	24	24	10	24	24
11	24	22.92	11	24	24	11	24	17.73
12	24	24	12	24	24	12	24	24
13	24	24	13	24	24	13	24	24
14	24	24	14	24	24	14	24	24
15	24	24	15	24	21.93	15	24	17.25
16	24	24	16	24	24	16	24	24
17	24	24	17	24	24	17	24	24
18	24	24	18	24	24	18	24	24
19	24	17.55	19	24	24	19	24	24
20	24	24	20	24	24	20	24	24
21	24	24	21	24	24	21	24	24
22	24	24	22	24	24	22	24	24
23	24	15	23	24	24	23	24	5.82
24	24	14.72	24	24	24	24	24	13.33
25	24	24	25	24	24	25	24	20.87
26	24	24	26	24	17.75	26	24	24
27	24	24	27	24	0	27	24	24
28	24	24	28	24	13.58	28	24	24
29	24	24	29	24	24	29	24	24
30	24	24	30	24	24	30	24	24
			31	24	24			
Totals	720	693.45	Totals	744	701.26	Totals	720	672.26
% Up Time		96.31%	% Up Time		94.26%	% Up Time		93.37%

APPENDIX C
SVE SYSTEM MAINTENANCE CHRONOLOGY

- **April 1, 2024**– Drained condensate from both system compressors and performed bubble test on natural gas line.
- **April 3, 2024**– Steam enhanced extraction (SEE) line air stripper vapor begins contributing to RTO. Manual dilution valve adjusted from 25% to 17% open.
- **April 4, 2024**– SEE air stripper turned off. Manual dilution valve adjusted from 17% to 25% open.
- **April 8, 2024**– Drained condensate from both system compressors and performed bubble test on natural gas line.
- **April 11, 2024**– 800 hour maintenance – Replaced WFL VLS pre-filter, replaced PW VLS filter and pre-filter, replaced combustion filter, greased all system fittings, and replaced system data card. Tested AST, VLS and process room floats.
- **April 12, 2024**– Cleaned WFL VLS float systems and housings.
- **April 15, 2024**– Drained condensate from both system compressors and performed bubble test on natural gas line.
- **April 22, 2024**– Drained condensate from both system compressors and performed bubble test on natural gas line.
- **April 29, 2024**– Drained condensate from both system compressors and performed bubble test on natural gas line.
- **May 6, 2024**– Drained condensate from both system compressors and performed bubble test on natural gas line.
- **May 10, 2024**– Red Line header valve closed and blower speed decreased from 30% to 26%. Repaired hairline crack in SVE-39 lateral line within well vault.
- **May 13, 2024**– Drained condensate from both system compressors and performed bubble test on natural gas line. Red Line header valve adjusted from 0% to 100% open, blower speed increased from 26% to 30%, and SVE-28 adjusted from 0% to 25% open.
- **May 15, 2024**– 800 hour maintenance – Replaced WFL VLS filter and pre-filter, replaced blower pre-filter, replaced combustion filter, greased all system fittings, and replaced system data card. Tested AST, VLS and process room floats.
- **May 20, 2024**– Drained condensate from both system compressors and performed bubble test on natural gas line.
- **May 22, 2024**– WFL AST interstitial vacuum adjusted from -10 in/hg to -20.5 in/hg.
- **May 23, 2024**– Cleaned both PW and WFL VLS float systems and housings.
- **May 28, 2024**– Gross Mechanical connected SEE vapor line connected to RTO piping.

APPENDIX C
SVE SYSTEM MAINTENANCE CHRONOLOGY

- **May 29, 2024**– Drained condensate from both system compressors and performed bubble test on natural gas line.
- **June 3, 2024**– Drained condensate from both system compressors and performed bubble test on natural gas line.
- **June 4, 2024**– 800 hour maintenance – Replaced WFL VLS filter and pre-filter, replaced blower filter and pre-filter, replaced combustion filter, greased all system fittings, and replaced system data card. Tested AST, VLS and process room floats.
- **June 6, 2024**– SVE-28 adjusted from 25% to 50% open.
- **June 10, 2024**– Drained condensate from both system compressors and performed bubble test on natural gas line.
- **June 11, 2024**– Replaced WFL VLS pre-filter, and replaced blower pre-filter.
- **June 12, 2024**– Teal Line header valve closed, manual dilution valve adjusted from 25% to 50% open. RTO begins accepting vapor from SEE system.
- **June 14, 2024**– Blower speed increased from 30% to 60%.
- **June 17, 2024**– Drained condensate from both system compressors and performed bubble test on natural gas line.
- **June 20, 2024**– Manual dilution valve adjusted from 50% to 28% open.
- **June 24, 2024**– Drained condensate from both system compressors and performed bubble test on natural gas line.
- **June 25, 2024**– Anguil Environmental System, Inc. replaced the HMI unit.
- **June 28, 2024**– Cleaned WFL VLS float systems and housings.

Appendix D

SVE System Leg Flow Rates

APPENDIX D
SVE SYSTEM LEG FLOW RATES

Date	Red Leg Flow ¹ (SCFM)	Blue Leg Flow ¹ (SCFM)	Green Leg Flow ¹ (SCFM)	Teal Leg Flow ¹ (SCFM)	Purple Leg Flow ¹ (SCFM)	Brown Leg Flow ¹ (SCFM)
7/5/2023	131	59	0	70	96	0
7/12/2023	131	59	0	70	92	0
7/19/2023	132	60	0	78	96	0
7/26/2023	128	59	0	75	96	0
8/1/2023	136	61	0	78	102	0
8/8/2023	125	57	0	72	86	0
8/16/2023	131	35	0	73	82	0
8/23/2023	116	35	0	68	75	0
8/30/2023	123	57	0	88	97	0
9/6/2023	118	57	0	100	104	0
9/12/2023	121	56	0	128	102	0
9/20/2023	125	37	0	132	112	0
9/28/2023	118	56	0	119	123	0
10/3/2023	130	56	0	100	119	0
10/10/2023	126	56	0	89	95	0
10/17/2023	132	61	0	90	83	0
10/23/2023	123	55	0	114	106	0
11/2/2023	125	58	0	97	85	0
11/7/2023	127	56	0	78	88	0
11/15/2023	129	36	0	76	72	0
11/20/2023	127	38	0	78	72	0
11/29/2023	130	41	0	67	61	0
12/5/2023	115	58	0	63	80	0
12/12/2023	118	60	0	74	86	0
12/21/2023	0	61	0	76	87	0
12/26/2023	138	59	0	57	81	0
1/3/2024	119	55	0	63	77	0
1/9/2024	109	59	0	61	66	0
1/17/2024	119	55	0	61	145	0
1/23/2024	108	47	0	62	152	0
2/1/2024	111	81	0	74	120	0
2/5/2024	113	92	0	68	107	0
2/14/2024	114	90	0	109	107	0
2/21/2024	108	53	0	81	97	0
2/26/2024	107	46	0	83	92	0
3/5/2024	118	56	0	89	110	0
3/13/2024	116	53	169	73	97	0
3/20/2024	114	37	180	78	105	0
3/26/2024	97	89	0	90	103	0

APPENDIX D
SVE SYSTEM LEG FLOW RATES

Date	Red Leg Flow ¹ (SCFM)	Blue Leg Flow ¹ (SCFM)	Green Leg Flow ¹ (SCFM)	Teal Leg Flow ¹ (SCFM)	Purple Leg Flow ¹ (SCFM)	Brown Leg Flow ¹ (SCFM)
4/2/2024	122	99	0	88	119	0
4/10/2024	105	84	0	74	90	0
4/16/2024	148	88	0	75	107	0
4/22/2024	155	93	0	78	93	0
5/2/2024	148	87	0	64	103	0
5/7/2024	140	93	0	65	92	0
5/14/2024	149	88	0	61	95	0
5/21/2024	149	89	0	68	116	0
5/29/2024	144	80	0	97	121	0
6/5/2024	147	85	0	95	103	0
6/14/2024	70	50	0	0	49	0
6/19/2024	74	49	0	0	63	0
6/26/2024	173	92	0	0	114	0

¹USEPA Method 2 "Determination of Stack Gas Velocity and Volumetric Flow Rate (Type S Pitot Tube)" specifies that a default pitot tube coefficient of 0.99 shall be used to calculate flow if the coefficient is unknown and the tube is designed according to the criteria of Sections 6.7.1 to 6.7.5 of this method. During the 2nd Quarter 2013, a review of the calculation was performed and it was noted that a 0.67 coefficient should be used for the specific pitot tubes used to collect data at the site. AECOM has corrected the previously calculated mass removal to reflect the 0.67 pitot tube coefficient.

²Brown Leg was shut off on December 20, 2017.

³Green Leg was shut off on July 7, 2020, re-opened March 6, 2024, and closed March 20, 2024.

⁴Red Leg was shut off from December 18 to December 22, 2023 due to SVE vault maintenance.

⁵Teal Leg was shut off on June 12, 2024 due to start of SEE system vapor extraction.

Appendix E

Total Header Hydrocarbon Concentrations

APPENDIX E
TOTAL HEADER HYDROCARBON CONCENTRATIONS

Date	West Fenceline Concentration (ppmv)	Public Works Concentration (ppmv)
7/5/2023	17,120	48,370
7/12/2023	15,700	47,200
7/19/2023	25,100	55,940
7/26/2023	20,200	56,930
8/1/2023	18,200	52,110
8/8/2023	19,300	56,650
8/16/2023	20,200	60,430
8/23/2023	18,600	55,360
8/30/2023	17,800	58,300
9/6/2023	23,600	65,260
9/12/2023	19,700	70,650
9/20/2023	14,700	67,910
9/28/2023	13,400	65,560
10/3/2023	16,900	66,270
10/10/2023	17,300	56,950
10/17/2023	18,400	52,360
10/23/2023	24,850	53,750
11/2/2023	19,030	51,680
11/7/2023	18,200	50,350
11/15/2023	15,600	41,650
11/20/2023	15,900	41,440
11/29/2023	16,900	36,950
12/5/2023	16,700	33,150
12/12/2023	16,300	32,960
12/21/2023	46,850	40,950
12/26/2023	20,500	35,850
1/3/2024	17,800	42,650
1/9/2024	21,500	66,180
1/17/2024	42,240	47,480
1/23/2024	43,790	50,090
2/1/2024	25,130	40,120
2/5/2024	21,000	40,050
2/14/2024	20,900	55,650
2/21/2024	22,600	68,770
2/26/2024	21,900	57,960
3/5/2024	22,100	52,610
3/13/2024	13,600	44,580
3/20/2024	14,300	50,920
3/26/2024	23,800	60,350

SEE LAST PAGE OF TABLE FOR NOTES

**APPENDIX E
TOTAL HEADER HYDROCARBON CONCENTRATIONS**

Date	West Fenceline Concentration (ppmv)	Public Works Concentration (ppmv)
4/2/2024	21,100	64,780
4/10/2024	21,800	51,220
4/16/2024	20,300	57,200
4/22/2024	17,000	56,850
5/2/2024	21,600	60,510
5/7/2024	29,400	66,710
5/14/2024	34,900	58,350
5/21/2024	36,300	55,780
5/29/2024	27,870	63,320
6/5/2024	33,200	65,350
6/14/2024	12,123	Header Closed
6/19/2024	12,729	Header Closed
6/26/2024	24,926	Header Closed

Public Works Header was closed on June 12, 2024 due to start of SEEsytem vapor extraction.

Appendix F SVE System Flow Rates

APPENDIX F
SVE SYSTEM FLOW RATES

Date	West Fenceline Header¹ (SCFM)	Public Works Header¹ (SCFM)
7/5/2023	286	70
7/12/2023	282	70
7/19/2023	288	78
7/26/2023	282	75
8/1/2023	299	78
8/8/2023	268	72
8/16/2023	248	73
8/23/2023	225	68
8/30/2023	277	88
9/6/2023	279	100
9/12/2023	279	128
9/20/2023	273	132
9/28/2023	297	119
10/3/2023	305	100
10/10/2023	277	89
10/17/2023	276	90
10/23/2023	285	114
11/2/2023	268	97
11/7/2023	270	78
11/15/2023	237	76
11/20/2023	237	78
11/29/2023	232	67
12/5/2023	253	63
12/12/2023	264	74
12/21/2023	147	76
12/26/2023	278	57
1/3/2024	252	63
1/9/2024	235	61
1/17/2024	319	61
1/23/2024	307	62
2/1/2024	312	74
2/5/2024	312	68
2/14/2024	312	109
2/21/2024	258	81
2/26/2024	244	83
3/5/2024	283	89
3/13/2024	434	73
3/20/2024	436	78
3/26/2024	288	90

SEE LAST PAGE OF TABLE FOR NOTES **APPENDIX F**
SVE SYSTEM FLOW RATES

Date	West Fenceline Header¹ (SCFM)	Public Works Header¹ (SCFM)
4/2/2024	340	88
4/10/2024	278	74
4/16/2024	343	75
4/22/2024	341	78
5/2/2024	338	64
5/7/2024	326	65
5/14/2024	333	61
5/21/2024	354	68
5/29/2024	346	97
6/5/2024	335	95
6/14/2024	169	0
6/19/2024	186	0
6/26/2024	379	0

¹ USEPA Method 2 "Determination of Stack Gas Velocity and Volumetric Flow Rate (Type S Pitot Tube)" specifies that a default pitot tube coefficient of 0.99 shall be used to calculate flow if the coefficient is unknown and the tube is designed according to the criteria of Sections 6.7.1 to 6.7.5 of this method. During the 2nd Quarter 2013, a review of the calculation was performed and it was noted that a 0.67 coefficient should be used for the specific pitot tubes used to collect data at the site. AECOM has corrected the previously calculated mass removal to reflect the 0.67 pitot tube coefficient.

² Public Works header was closed on June 12, 2024 due to start of SEE system vapor extraction.

