



Illinois Environmental Protection Agency

Bureau of Land • 1021 North Grand Avenue East • P.O. Box 19276 • Springfield • Illinois • 62794-9276

RCRA FACILITY GROUNDWATER, LEACHATE AND GAS REPORTING FORM

This form must be used as a cover sheet for the notices and reports, identified below as required by: (1) a facility's RCRA interim status closure plan; (2) the RCRA interim status regulations; or (3) a facility's RCRA permit. All reports must be submitted to the Illinois EPA's Bureau of Land Permit Section. This form is for use by Hazardous Waste facilities only. Reporting for Solid Waste facilities should be submitted on a separate form. All reports submitted to the Illinois EPA's Bureau of Land Permit Section must contain an original, plus a minimum of two copies.

Note: This form is not to be used with permit or closure plan modification requests. The facility's approved permit or closure plan will state whether the document you are submitting is required as a report or a modification request.

Facility Name: Equilon Enterprises LLC dba Shell Oil Products US

Facility Address: 900 South Central Ave., Roxana, IL 62048

Site ID #: 1191150002 Fed ID #: ILD 080 012 305

Check the appropriate heading. Only one heading may be checked for each corresponding submittal. Check the appropriate sub-heading, where applicable. Attach the original and all copies behind this form.

LPC-160 Forms

<u>Groundwater</u>	<u>Leachate</u>
____ Quarterly - Enter: 1, 2, 3, or 4	____ Quarterly - Enter: 1, 2, 3, or 4
<input type="checkbox"/> Semi-Annual	<input type="checkbox"/> Semi-Annual
<input type="checkbox"/> Annual	<input type="checkbox"/> Annual
<input type="checkbox"/> Biennial	<input type="checkbox"/> Biennial

Groundwater Data (without LPC-160 Forms)

1 Quarterly - Enter: 1, 2, 3, or 4 Annual Semi-Annual Biennial

Well Construction Information

- Well Construction Forms, Boring Logs and/or Abandonment Forms
- Well Survey Data (e.g., Stick-up Elevation Data)

Notice of Statistically Significant Evidence of Groundwater Contamination
(35 Ill. Adm. Code 724.198)

Notice of Exceedence of Groundwater Concentration Limit (35 Ill. Adm. Code 724.199(h))

Notice of Alternate Source or Error in Sampling Analysis or Evaluation of Groundwater
(35 Ill. Adm. Code 724.199(i))

Gas Monitoring Reports

Other (identify)

February 2024 Monthly Report - Roxana Interim Groundwater Monitoring Program.

Original copy submitted to Springfield. Electronic copies submitted separately directly to Collinsville FOS

(Ali Al-Janabi), Amy Butler, and Visal Poornaka.

February 2024 Monthly Report

Roxana Interim Groundwater Monitoring Program

Prepared for:
Equilon Enterprises LLC dba Shell Oil Products US
Roxana, Illinois

Project number: 60721927

March 2024

February 29, 2024

Ms. Jacqueline M. Cooperider, PE
Manager, Permit Section
Illinois Environmental Protection Agency
Division of Land Pollution Control
Bureau of Land
1021 North Grand Avenue East
Springfield, Illinois 62702

February 2024 Monthly Report – Roxana Interim Groundwater Monitoring Program
Roxana, Illinois
1191150002 – Madison County
Equilon Enterprises LLC d/b/a Shell Oil Products US
Log No. PS23-032 (RCRA Permit B-43R)

Dear Ms. Cooperider:

On behalf of Equilon Enterprises LLC d/b/a Shell Oil Products US (Shell), AECOM Technical Services, Inc. (AECOM) is submitting this monthly groundwater report for your review. This report includes information required by Condition 1 of the Illinois Environmental Protection Agency's (IEPA's) letter dated August 1, 2023, which was in response to the July 6, 2023, *Notice of Water Production Well W-85 Damage*.

A virtual meeting was held on August 10, 2023, between IEPA, Shell and AECOM to clarify and discuss the conditions of the IEPA August 1, 2023, letter. A Class 1* Permit Modification Request dated August 11, 2023, was submitted providing a further discussion of the W-85 damage notification timeline, requesting removal of W-85 from the RCRA Post-Closure Permit (B-43R), and providing a proposal for installation of a new water production well (W-92) as a replacement for W-85. Condition 1 of the IEPA August 1, 2023, letter required monthly gauging and sampling of the groundwater monitoring wells in the Interim Groundwater Monitoring Network and submittal of reports due on the first calendar day of each month until a replacement for W-85 is installed and "capable of operating and contributing to the required combined minimum pumping rate of 3,000 gallons per minute."

Drilling and installation for the new water production well W-92 was completed in November 2023, and is expected to be online by the end of 1Q24.

Groundwater Gauging


The monthly groundwater monitoring well gauging for February 2024 was conducted on February 6th through February 7th, 2024. This gauging was conducted in accordance with the Interim Groundwater Monitoring Program and the results can be found in **Table 1**. The potentiometric surface observed during the February 2024 gauging event is depicted on **Figure 1** and indicates an inward gradient with flow toward the WRR groundwater production wells.

Enclosed in **Attachment 1**, for completeness, are copies of the West Fenceline groundwater contour figures (Figures 3b) from the 1st Quarter 2023 (prior to shutdown of W-85), 2nd Quarter 2023 (about 3 weeks after shutdown of W-85), 3rd Quarter 2023 (about 3.5 months after shutdown of W-85), and 4th Quarter 2023 (about 6.5 months after shutdown of W-85) reports. The next round of groundwater monitoring well gauging will be in early March and those results will be included in the next monthly report due on April 1, 2024.

Groundwater Sampling

Groundwater monitoring well sampling was performed on January 5th through January 18th, 2024, for the 1st Quarter 2024 (1Q24) interim monitoring program event. These analytical data are currently undergoing internal reviews for quality and completeness. The preliminary¹ analytical results from the 1Q24 sampling event can be found in **Table 2**. Preliminary² versions of **Figure 6** showing the 1Q24 dissolved phase benzene concentration contours in groundwater, and **Figure 7** showing the cross section of 1Q24 benzene groundwater analytical results along Chaffer Ave are also enclosed. The finalized 1Q24 analytical results and laboratory reports will be included in the 1Q24 Roxana Interim Groundwater Report. For completeness, the table of analytical results from the 1Q23 through 4Q23 quarterly sampling events is enclosed in **Attachment 2**.

The figure below depicts water production well W-85 and the surrounding groundwater monitoring wells.



¹ Data and information collected during the 1Q24 groundwater event are still under review and evaluation. Finalized versions will be included in the 1Q24 Roxana Interim Groundwater Monitoring Report.

² Data and information collected during the 1Q24 groundwater event are still under review and evaluation. Finalized versions will be included in the 1Q24 Roxana Interim Groundwater Monitoring Report

The table below summarizes the preliminary 1Q24 benzene analytical results at the sample locations in the figure above as well as the comparability of these results to previous sampling events.

INTERIM WELL ID	*BENZENE (mg/L)	COMPARABILITY
MW-11	<0.0010	Comparable
MW-12	<0.0010	Comparable
MW-16	<0.0010	Comparable
MW-22	0.13 / 0.12	Increase
MW-27	<0.0010	Comparable
P-54	<0.0010	Comparable
P-56	<0.0010	Comparable
P-59	1.6	Comparable
P-74	Inaccessible – Not sampled	
ROST-3-MW	<0.0010	Comparable
ROST-4-PZ(C)	<0.0010	Comparable
ROST-4-PZ(E)	0.00095 J	Comparable
ROST-4-PZ(G)	<0.0010	Comparable
T-12	1.3	Comparable

* Results are preliminary and have not yet been fully reviewed for quality or completeness.

Groundwater monitoring well analytical sampling is currently being performed in accordance with the Interim Groundwater Monitoring Program. The current round of sampling began on February 29, 2024, and is anticipated to be completed on March 8, 2024. Due to previously scheduled site activities, staff availability, and weather delays, February and March monthly sampling events were combined. The preliminary analytical results from this sampling will be shared in the monthly report that is due April 1, 2024, if available. The finalized analytical results and laboratory reports from this event will be included in the 1Q24 Roxana Interim Groundwater Report, if available.

The next round of groundwater sampling to be performed will be during the 2nd Quarter 2024 (2Q24) groundwater event, which will take place in early to mid-April 2024. The finalized analytical results

and analytical reports from 2Q24 sampling will be included in the 2Q24 Roxana Interim Groundwater Monitoring Report.

Conclusions

The following conclusions are based on the data and information collected as part of the February 2024 monthly event:

- Groundwater level data indicate groundwater flow from the investigation area continues to move toward the groundwater production wells at the WRR.
- Based on the preliminary 1Q24 groundwater analytical data collected in early to mid-January 2024, benzene analytical results are generally comparable to results collected over the last several quarters. One location within the village of Roxana, along 4th Street [MW-22], showed a slight increase in benzene concentration [0.13/0.12 mg/L in 1Q24 from 0.02 mg/L in Nov/Dec 23].

Electronic copies of this submittal are being sent separately directly to Amy Butler, Visal Poornaka, and Ali Al-Janabi with the IEPA.

If you have any questions during your review, please contact Leroy Bealer, Shell Senior Program Manager, at leroy.bealer@shell.com (484-632-7955), or Wendy Pennington at wendy.pennington@aecom.com (314-452-8929).

Sincerely,

Mary Massa, PG
Geologist

Melissa Remiger
Environmental Scientist

Wendy Pennington, PE
Project Manager

- Enclosures:** RCRA Facility Groundwater, Leachate and Gas Reporting Form
Table 1 – Groundwater Monitoring Well Gauging Results
Table 2 – Preliminary Summary of Groundwater Monitoring Well Analytical Detections and Exceedances (1Q24)
Figure 1 – Groundwater Contours February 2024 – West Fenceline
Figure 6 – DRAFT 1Q24 Dissolved Phase Benzene Concentrations in GW
Figure 7 – DRAFT 1Q24 Cross-Section of Benzene GW Results – Chaffer
Attachment 1 – Groundwater Contour Figures at the West Fenceline
Groundwater Contours 1Q23-West Fenceline
Groundwater Contours 2Q23-West Fenceline
Groundwater Contours 3Q23-West Fenceline
Groundwater Contours 4Q23-West Fenceline
Attachment 2 – Summary of Groundwater Monitoring Well Analytical Detections and Exceedances (1Q23-4Q23)



cc: Leroy Bealer, Shell
Thomas Morgan, Phillips 66
Amy Butler, IEPA, Springfield
Visal Poornaka, IEPA, Springfield
Ali Al-Janabi, IEPA, Collinsville
Michelle Knapp, Atlantic Richfield Company
Ryan Mohr, Fox Smith LLC
Repositories – Roxana Public Library, website

TABLE 1
GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID	TOP OF CASING (elev.)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev.)	PRODUCT (elev.)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL (elev.)	SCREENED INTERVAL (elev.) (ft btoc)	WELL HEAD PID (ppm)	COMMENTS		
MW-01													
1Q23	442.83	1/3/2023	NE	40.50	NA	NA	NA	402.33	394.03 - 384.03 (48.80 - 58.80)	0.0	*		
2Q23		4/3/2023	NE	40.76	NA	NA	NA	402.07		0.0	*		
3Q23		7/6/2023	NE	40.51	NA	NA	NA	402.32		0.0	*		
Aug-23		8/3/2023	NE	40.68	NA	NA	NA	402.15		0.0	*		
Sept-23		9/7/2023	NE	40.71	NA	NA	NA	402.12		0.0	*		
4Q23		10/2/2023	NE	41.06	NA	NA	NA	401.77		0.0	*		
Nov-23		11/3/2023	NE	41.47	NA	NA	NA	401.36		0.0	*		
Dec-23		12/6/2023	NE	41.89	NA	NA	NA	400.94		0.0	*		
1Q24		1/3/2024	NE	42.11	NA	NA	NA	400.72		0.0	*		
Feb-24		2/6/2024	NE	42.44	NA	NA	NA	400.39		0.0	*		
MW-02													
1Q23		443.93	1/3/2023	NE	41.74	NA	NA	NA		402.19	394.06 - 384.06 (49.87 - 59.87)	154.2	*
2Q23	4/3/2023		NE	42.03	NA	NA	NA	401.90	0.0	*			
3Q23	7/5/2023		NE	41.71	NA	NA	NA	402.22	0.0	*			
Aug-23	8/3/2023		NE	41.89	NA	NA	NA	402.04	147.7	*			
Sept-23	9/7/2023		NE	41.82	NA	NA	NA	402.11	159.6	*			
4Q23	10/2/2023		NE	42.27	NA	NA	NA	401.66	28.6	*			
Nov-23	11/3/2023		NE	42.75	NA	NA	NA	401.18	96.4	*			
Dec-23	12/5/2023		NE	43.15	NA	NA	NA	400.78	113.9	*			
1Q24	1/2/2024		NE	43.38	NA	NA	NA	400.55	66.0	*			
Feb-24	2/6/2024		NE	43.50	NA	NA	NA	400.43	82.4	*			
MW-03													
1Q23	430.23		1/3/2023	NE	27.80	NA	NA	NA	402.43	395.56 - 385.56 (34.67 - 44.67)		0.0	*
2Q23		4/3/2023	NE	28.03	NA	NA	NA	402.20	0.0		*		
3Q23		7/6/2023	NE	27.75	NA	NA	NA	402.48	0.0		*		
Aug-23		8/3/2023	NE	28.00	NA	NA	NA	402.23	0.0		*		
Sept-23		9/7/2023	NE	28.18	NA	NA	NA	402.05	0.0		*		
4Q23		10/2/2023	NE	28.48	NA	NA	NA	401.75	0.0		*		
Nov-23		11/3/2023	NE	28.83	NA	NA	NA	401.40	0.0		*		
Dec-23		12/6/2023	NE	29.23	NA	NA	NA	401.00	0.0		*		
1Q24		1/3/2024	NE	29.46	NA	NA	NA	400.77	0.0		*		
Feb-24		2/7/2024	NE	30.68	NA	NA	NA	399.55	0.0		*		
MW-04													
1Q23		441.31	1/3/2023	NE	38.95	NA	NA	NA	402.36		396.25 - 386.25 (45.06 - 55.06)	0.0	*
2Q23	4/3/2023		NE	39.21	NA	NA	NA	402.10	0.0	*			
3Q23	7/6/2023		NE	38.96	NA	NA	NA	402.35	0.0	*			
Aug-23	8/3/2023		NE	39.15	NA	NA	NA	402.16	0.0	*			
Sept-23	9/7/2023		NE	39.13	NA	NA	NA	402.18	0.0	*			
4Q23	10/2/2023		NE	39.57	NA	NA	NA	401.74	0.0	*			
Nov-23	11/3/2023		NE	39.92	NA	NA	NA	401.39	0.0	*			
Dec-23	12/6/2023		NE	39.34	NA	NA	NA	401.97	0.0	*			
1Q24	1/3/2024		NE	40.55	NA	NA	NA	400.76	0.0	*			
Feb-24	2/7/2024		NE	41.26	NA	NA	NA	400.05	0.5	*			
MW-05													
1Q23	429.98		1/3/2023	NE	27.48	NA	NA	NA	402.50	396.01 - 386.01 (33.97 - 43.97)		0.0	*
2Q23		4/3/2023	NE	27.68	NA	NA	NA	402.30	0.0		*		
3Q23		7/6/2023	NE	27.53	NA	NA	NA	402.45	0.0		*		
Aug-23		8/3/2023	NE	27.73	NA	NA	NA	402.25	0.0		*		
Sept-23		9/7/2023	NE	27.83	NA	NA	NA	402.15	0.0		*		
4Q23		10/2/2023	NE	28.16	NA	NA	NA	401.82	0.0		*		
Nov-23		11/3/2023	NE	28.43	NA	NA	NA	401.55	0.0		*		
Dec-23		12/5/2023	NE	28.91	NA	NA	NA	401.07	0.0		*		
1Q24		1/3/2024	NE	29.11	NA	NA	NA	400.87	0.0		*		
Feb-24		2/7/2024	NE	30.83	NA	NA	NA	399.15	0.0		*		
MW-06A													
1Q23		432.33	1/3/2023	NE	29.60	NA	NA	NA	402.73		398.48 - 388.48 (33.85 - 43.85)	0.0	*
2Q23	4/3/2023		NE	29.80	NA	NA	NA	402.53	0.0	*			
3Q23	7/6/2023		NE	29.64	NA	NA	NA	402.69	0.0	*			
Aug-23	8/3/2023		NE	29.90	NA	NA	NA	402.43	0.0	*			
Sept-23	9/7/2023		NE	30.02	NA	NA	NA	402.31	0.0	*			
4Q23	10/2/2023		NE	30.39	NA	NA	NA	401.94	0.0	*			
Nov-23	11/3/2023		NE	30.60	NA	NA	NA	401.73	0.0	*			
Dec-23	12/5/2023		NE	31.07	NA	NA	NA	401.26	0.0	*			
1Q24	1/3/2024		NE	31.36	NA	NA	NA	400.97	0.0	*			
Feb-24	2/7/2024		NE	31.83	NA	NA	NA	400.50	0.0	*			

TABLE 1
GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID	TOP OF CASING (elev.)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev.)	PRODUCT (elev.)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL (elev.)	SCREENED INTERVAL (elev.) (ft btoc)	WELL HEAD PID (ppm)	COMMENTS
MW-06B											
1Q23	432.37	1/3/2023	NE	29.65	NA	NA	NA	402.72	368.32 - 363.32 (64.05 - 69.05)	0.0	*
2Q23		4/3/2023	NE	29.85	NA	NA	NA	402.52		0.0	*
3Q23		7/6/2023	NE	29.71	NA	NA	NA	402.66		0.0	*
Aug-23		8/3/2023	NE	29.95	NA	NA	NA	402.42		0.0	*
Sept-23		9/7/2023	NE	30.06	NA	NA	NA	402.31		0.0	*
4Q23		10/2/2023	NE	30.41	NA	NA	NA	401.96		0.0	*
Nov-23		11/3/2023	NE	30.64	NA	NA	NA	401.73		0.0	*
Dec-23		12/5/2023	NE	31.10	NA	NA	NA	401.27		0.0	*
1Q24		1/3/2024	NE	31.30	NA	NA	NA	401.07		0.0	*
Feb-24		2/7/2024	NE	31.95	NA	NA	NA	400.42		0.0	*
MW-06C											
1Q23	432.18	1/3/2023	NE	29.44	NA	NA	NA	402.74	347.23 - 342.23 (84.95 - 89.95)	0.0	*
2Q23		4/3/2023	NE	29.69	NA	NA	NA	402.49		0.0	*
3Q23		7/6/2023	NE	29.52	NA	NA	NA	402.66		0.0	*
Aug-23		8/3/2023	NE	29.74	NA	NA	NA	402.44		0.0	*
Sept-23		9/7/2023	NE	29.86	NA	NA	NA	402.32		0.0	*
4Q23		10/2/2023	NE	30.20	NA	NA	NA	401.98		0.0	*
Nov-23		11/3/2023	NE	30.45	NA	NA	NA	401.73		0.0	*
Dec-23		12/5/2023	NE	30.90	NA	NA	NA	401.28		0.0	*
1Q24		1/3/2024	NE	31.10	NA	NA	NA	401.08		0.0	*
Feb-24		2/7/2024	NE	31.87	NA	NA	NA	400.31		0.0	*
MW-06D											
1Q23	432.06	1/3/2023	NE	29.31	NA	NA	NA	402.75	327.34 - 322.34 (104.72 - 109.72)	0.0	*
2Q23		4/3/2023	NE	29.50	NA	NA	NA	402.56		0.0	*
3Q23		7/6/2023	NE	29.37	NA	NA	NA	402.69		0.0	*
Aug-23		8/3/2023	NE	29.61	NA	NA	NA	402.45		0.0	*
Sept-23		9/7/2023	NE	29.73	NA	NA	NA	402.33		0.0	*
4Q23		10/2/2023	NE	30.07	NA	NA	NA	401.99		0.0	*
Nov-23		11/3/2023	NE	30.30	NA	NA	NA	401.76		0.0	*
Dec-23		12/5/2023	NE	30.27	NA	NA	NA	401.79		0.0	*
1Q24		1/3/2024	NE	30.30	NA	NA	NA	401.76		0.0	*
Feb-24		2/7/2024	NE	31.96	NA	NA	NA	400.10		0.0	*
MW-07											
1Q23	443.31	1/3/2023	NE	40.98	NA	NA	NA	402.33	400.89 - 390.39 (42.92 - 52.92)	0.4	*
2Q23		4/3/2023	NE	41.19	NA	NA	NA	402.12		0.0	*
3Q23		7/5/2023	NE	40.97	NA	NA	NA	402.34		33.8	*
Aug-23		8/3/2023	NE	41.16	NA	NA	NA	402.15		0.7	*
Sept-23		9/7/2023	NE	41.21	NA	NA	NA	402.10		0.0	*
4Q23		10/2/2023	NE	41.63	NA	NA	NA	401.68		0.0	*
Nov-23		11/3/2023	NE	41.87	NA	NA	NA	401.44		0.0	*
Dec-23		12/5/2023	NE	42.35	NA	NA	NA	400.96		1.4	*
1Q24		1/2/2024	NE	42.58	NA	NA	NA	400.73		0.0	*
Feb-24		2/6/2024	NE	42.68	NA	NA	NA	400.63		0.0	*
MW-09											
1Q23	445.28	1/3/2023	NE	42.16	NA	NA	NA	403.12	399.24 - 389.24 (46.04 - 56.04)	0.0	*
2Q23		4/3/2023	NE	42.55	NA	NA	NA	402.73		0.0	*
3Q23		7/5/2023	NE	42.43	NA	NA	NA	402.85		0.0	*
Aug-23		8/3/2023	NE	42.65	NA	NA	NA	402.63		0.0	*
Sept-23		9/7/2023	NE	42.71	NA	NA	NA	402.57		0.0	*
4Q23		10/2/2023	NE	43.11	NA	NA	NA	402.17		0.0	*
Nov-23		11/3/2023	NE	43.41	NA	NA	NA	401.87		0.0	*
Dec-23		12/5/2023	NE	43.78	NA	NA	NA	401.50		0.0	*
1Q24		1/2/2024	NE	44.07	NA	NA	NA	401.21		0.0	*
Feb-24		2/6/2024	NE	44.47	NA	NA	NA	400.81		0.0	*
MW-10											
1Q23	445.06	1/3/2023	NE	41.99	NA	NA	NA	403.07	400.63 - 390.63 (44.43 - 54.43)	0.0	*
2Q23		4/3/2023	NE	42.44	NA	NA	NA	402.62		0.0	*
3Q23		7/5/2023	NE	42.43	NA	NA	NA	402.63		0.0	*
Aug-23		8/3/2023	NE	42.55	NA	NA	NA	402.51		0.0	*
Sept-23		9/7/2023	NE	42.85	NA	NA	NA	402.21		0.0	*
4Q23		10/2/2023	NE	42.98	NA	NA	NA	402.08		0.0	*
Nov-23		11/3/2023	NE	43.27	NA	NA	NA	401.79		0.0	*
Dec-23		12/5/2023	NE	43.65	NA	NA	NA	401.41		0.0	*
1Q24		1/2/2024	NE	43.93	NA	NA	NA	401.13		0.0	*
Feb-24		2/6/2024	NE	44.31	NA	NA	NA	400.75		0.0	*

TABLE 1
GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID	TOP OF CASING (elev.)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev.)	PRODUCT (elev.)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL (elev.)	SCREENED INTERVAL (elev.) (ft btoc)	WELL HEAD PID (ppm)	COMMENTS		
MW-11													
1Q23	442.38	1/3/2023	NE	39.77	NA	NA	NA	402.61	400.72 - 390.72 (41.66 - 51.66)	0.1	-		
2Q23		4/3/2023	NE	40.03	NA	NA	NA	402.35		0.0	-		
3Q23		7/5/2023	NE	39.86	NA	NA	NA	402.52		0.0	-		
Aug-23		8/3/2023	NE	40.05	NA	NA	NA	402.33		0.0	-		
Sept-23		9/7/2023	NE	40.14	NA	NA	NA	402.24		0.0	-		
4Q23		10/2/2023	NE	40.67	NA	NA	NA	401.71		0.0	-		
Nov-23		11/3/2023	NE	41.08	NA	NA	NA	401.30		0.0	-		
Dec-23		12/5/2023	NE	41.49	NA	NA	NA	400.89		0.0	-		
1Q24		1/2/2024	NE	41.73	NA	NA	NA	400.65		0.0	-		
Feb-24		2/6/2024	NE	42.07	NA	NA	NA	400.31		0.0	-		
MW-12													
1Q23		442.64	1/3/2023	NE	40.22	NA	NA	NA		402.42	400.72 - 390.72 (41.92 - 51.92)	0.0	-
2Q23	4/3/2023		NE	40.47	NA	NA	NA	402.17	0.0	-			
3Q23	7/6/2023		NE	40.24	NA	NA	NA	402.40	0.0	-			
Aug-23	8/3/2023		NE	40.42	NA	NA	NA	402.22	0.0	-			
Sept-23	9/7/2023		NE	40.48	NA	NA	NA	402.16	0.0	-			
4Q23	10/2/2023		NE	40.81	NA	NA	NA	401.83	0.0	-			
Nov-23	11/3/2023		NE	41.24	NA	NA	NA	401.40	0.0	-			
Dec-23	12/6/2023		NE	41.63	NA	NA	NA	401.01	0.0	-			
1Q24	1/3/2024		NE	41.88	NA	NA	NA	400.76	0.0	-			
Feb-24	2/6/2024		NE	42.13	NA	NA	NA	400.51	0.6	-			
MW-13													
1Q23	430.30		1/4/2023	NE	27.80	NA	NA	NA	402.50	405.50 - 395.50 (24.80 - 34.80)		0.2	-
2Q23		4/4/2023	NE	27.66	NA	NA	NA	402.64	0.8		-		
3Q23		7/6/2023	NE	27.46	NA	NA	NA	402.84	0.0		-		
Aug-23		8/4/2023	NE	27.83	NA	NA	NA	402.47	0.0		-		
Sept-23		9/7/2023	NE	28.04	NA	NA	NA	402.26	0.0		-		
4Q23		10/3/2023	NE	28.36	NA	NA	NA	401.94	0.0		-		
Nov-23		11/3/2023	NE	28.57	NA	NA	NA	401.73	0.0		-		
Dec-23		NM	NM	NM	NM	NM	NM	NM	NM		NM	Inaccessible due to refinery construction	
1Q24		1/3/2024	NE	29.21	NA	NA	NA	401.09	0.0		-		
Feb-24		NM	NM	NM	NM	NM	NM	NM	NM		NM	Inaccessible due to refinery construction	
MW-14													
1Q23		434.61	1/4/2023	NE	31.95	NA	NA	NA	402.66		401.19 - 391.19 (33.42 - 43.42)	57.6	-
2Q23	4/6/2023		NE	32.32	NA	NA	NA	402.29	43.8	-			
3Q23	7/7/2023		NE	31.86	NA	NA	NA	402.75	52.1	-			
Aug-23	8/4/2023		NE	32.12	NA	NA	NA	402.49	6.3	-			
Sept-23	9/7/2023		NE	32.21	NA	NA	NA	402.40	32.3	-			
4Q23	10/4/2023		NE	32.52	NA	NA	NA	402.09	28.8	-			
Nov-23	11/3/2023		NE	32.70	NA	NA	NA	401.91	69.1	-			
Dec-23	12/5/2023		NE	33.09	NA	NA	NA	401.52	52.0	-			
1Q24	1/4/2024		NE	33.47	NA	NA	NA	401.14	26.9	-			
Feb-24	2/7/2024		NE	33.56	NA	NA	NA	401.05	109.9	-			
MW-16													
1Q23	443.60		1/3/2023	NE	41.27	NA	NA	NA	402.33	406.10 - 396.10 (37.50 - 47.50)		0.0	-
2Q23		4/3/2023	NE	41.52	NA	NA	NA	402.08	0.0		-		
3Q23		7/7/2023	NE	41.33	NA	NA	NA	402.27	0.0		-		
Aug-23		8/3/2023	NE	41.43	NA	NA	NA	402.17	0.0		-		
Sept-23		9/7/2023	NE	41.43	NA	NA	NA	402.17	0.0		-		
4Q23		10/2/2023	NE	41.76	NA	NA	NA	401.84	0.0		-		
Nov-23		11/3/2023	NE	42.26	NA	NA	NA	401.34	0.0		-		
Dec-23		12/6/2023	NE	41.69	NA	NA	NA	401.91	0.0		-		
1Q24		1/3/2024	NE	42.88	NA	NA	NA	400.72	0.0		-		
Feb-24		2/6/2024	NE	43.15	NA	NA	NA	400.45	0.0		-		
MW-17													
1Q23		441.78	1/3/2023	NE	39.44	NA	NA	NA	402.34		407.49 - 392.49 (34.29 - 49.29)	0.0	-
2Q23	4/3/2023		NE	39.69	NA	NA	NA	402.09	0.0	-			
3Q23	7/5/2023		NE	39.52	NA	NA	NA	402.26	0.0	-			
Aug-23	8/3/2023		NE	39.57	NA	NA	NA	402.21	0.0	-			
Sept-23	9/7/2023		NE	39.55	NA	NA	NA	402.23	0.0	-			
4Q23	10/2/2023		NE	39.91	NA	NA	NA	401.87	0.0	-			
Nov-23	11/3/2023		NE	40.39	NA	NA	NA	401.39	0.0	-			
Dec-23	12/5/2023		NE	40.76	NA	NA	NA	401.02	0.0	-			
1Q24	1/2/2024		NE	41.07	NA	NA	NA	400.71	0.0	-			
Feb-24	2/6/2024		NE	41.30	NA	NA	NA	400.48	0.0	-			

TABLE 1
GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID	TOP OF CASING (elev.)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev.)	PRODUCT (elev.)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL (elev.)	SCREENED INTERVAL (elev.) (ft btoc)	WELL HEAD PID (ppm)	COMMENTS		
MW-18													
1Q23	442.24	1/3/2023	NE	40.03	NA	NA	NA	402.21	407.32 - 392.32 (34.92 - 49.92)	0.0			
2Q23		4/3/2023	NE	40.25	NA	NA	NA	401.99		0.0			
3Q23		7/5/2023	NE	40.08	NA	NA	NA	402.16		0.0			
Aug-23		8/3/2023	NE	40.13	NA	NA	NA	402.11		0.0			
Sept-23		9/7/2023	NE	40.05	NA	NA	NA	402.19		0.0			
4Q23		10/2/2023	NE	40.43	NA	NA	NA	401.81		0.0			
Nov-23		11/3/2023	NE	40.95	NA	NA	NA	401.29		0.0			
Dec-23		12/6/2023	NE	41.37	NA	NA	NA	400.87		0.0			
1Q24		1/2/2024	NE	41.63	NA	NA	NA	400.61		0.0			
Feb-24		2/6/2024	NE	41.85	NA	NA	NA	400.39		0.0			
MW-19													
1Q23		442.98	1/3/2023	NE	40.77	NA	NA	NA		402.21	406.64 - 391.64 (36.34 - 51.34)	0.0	
2Q23	4/3/2023		NE	41.06	NA	NA	NA	401.92	0.0				
3Q23	7/5/2023		NE	40.74	NA	NA	NA	402.24	0.0				
Aug-23	8/3/2023		NE	40.92	NA	NA	NA	402.06	0.0				
Sept-23	9/7/2023		NE	40.79	NA	NA	NA	402.19	0.0				
4Q23	10/2/2023		NE	41.20	NA	NA	NA	401.78	0.0				
Nov-23	11/3/2023		NE	41.70	NA	NA	NA	401.28	0.0				
Dec-23	12/5/2023		NE	42.19	NA	NA	NA	400.79	0.0				
1Q24	1/2/2024		NE	42.43	NA	NA	NA	400.55	0.0				
Feb-24	2/6/2024		NE	42.60	NA	NA	NA	400.38	0.0				
MW-20													
1Q23	443.86		1/3/2023	NE	41.70	NA	NA	NA	402.16	407.98 - 392.98 (35.88 - 50.88)		0.0	
2Q23		4/3/2023	NE	42.01	NA	NA	NA	401.85	0.0				
3Q23		7/5/2023	NE	41.72	NA	NA	NA	402.14	0.0				
Aug-23		8/3/2023	NE	41.86	NA	NA	NA	402.00	0.0				
Sept-23		9/7/2023	NE	41.74	NA	NA	NA	402.12	0.0				
4Q23		10/2/2023	NE	42.15	NA	NA	NA	401.71	0.0				
Nov-23		11/3/2023	NE	42.65	NA	NA	NA	401.21	0.0				
Dec-23		12/5/2023	NE	43.10	NA	NA	NA	400.76	0.0				
1Q24		1/2/2024	NE	43.34	NA	NA	NA	400.52	0.0				
Feb-24		2/6/2024	NE	43.50	NA	NA	NA	400.36	0.0				
MW-21													
1Q23		444.01	1/3/2023	NE	41.80	NA	NA	NA	402.21		409.00 - 394.00 (35.01 - 50.01)	0.0	
2Q23	4/3/2023		NE	42.02	NA	NA	NA	401.99	0.0				
3Q23	7/5/2023		NE	41.91	NA	NA	NA	402.10	0.0				
Aug-23	8/3/2023		NE	41.97	NA	NA	NA	402.04	0.0				
Sept-23	9/7/2023		NE	41.95	NA	NA	NA	402.06	0.0				
4Q23	10/2/2023		NE	42.37	NA	NA	NA	401.64	0.0				
Nov-23	11/3/2023		NE	42.70	NA	NA	NA	401.31	0.0				
Dec-23	12/5/2023		NE	43.15	NA	NA	NA	400.86	0.0				
1Q24	1/2/2024		NE	43.39	NA	NA	NA	400.62	0.0				
Feb-24	2/6/2024		NE	43.50	NA	NA	NA	400.51	0.0				
MW-22													
1Q23	442.38		1/3/2023	NE	39.93	NA	NA	NA	402.45	403.95 - 393.95 (38.43 - 48.43)		0.0	
2Q23		4/3/2023	NE	40.21	NA	NA	NA	402.17	0.0				
3Q23		7/6/2023	NE	40.04	NA	NA	NA	402.34	0.0				
Aug-23		8/3/2023	NE	40.14	NA	NA	NA	402.24	0.0				
Sept-23		9/7/2023	NE	40.16	NA	NA	NA	402.22	0.0				
4Q23		10/2/2023	NE	40.53	NA	NA	NA	401.85	0.0				
Nov-23		11/3/2023	NE	40.95	NA	NA	NA	401.43	0.0				
Dec-23		12/5/2023	NE	41.30	NA	NA	NA	401.08	0.0				
1Q24		1/11/2024	NE	41.71	NA	NA	NA	400.67	0.0				
Feb-24		2/6/2024	NE	41.87	NA	NA	NA	400.51	0.0				
MW-23													
1Q23		431.57	1/3/2023	NE	29.06	NA	NA	NA	402.51		402.55 - 392.55 (29.02 - 39.02)	0.0	
2Q23	4/3/2023		NE	29.17	NA	NA	NA	402.40	0.0				
3Q23	7/6/2023		NE	29.00	NA	NA	NA	402.57	0.2				
Aug-23	8/3/2023		NE	29.25	NA	NA	NA	402.32	0.0				
Sept-23	9/7/2023		NE	29.36	NA	NA	NA	402.21	0.0				
4Q23	10/3/2023		NE	29.81	NA	NA	NA	401.76	0.0				
Nov-23	11/3/2023		NE	30.00	NA	NA	NA	401.57	0.0				
Dec-23	12/6/2023		NE	30.45	NA	NA	NA	401.12	0.0				
1Q24	1/3/2024		NE	30.71	NA	NA	NA	400.86	0.0				
Feb-24	2/7/2024		NE	30.84	NA	NA	NA	400.73	1.1				

TABLE 1
GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID	TOP OF CASING (elev.)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev.)	PRODUCT (elev.)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL (elev.)	SCREENED INTERVAL (elev.) (ft btoc)	WELL HEAD PID (ppm)	COMMENTS		
MW-24													
1Q23	443.65	1/3/2023	NE	41.07	NA	NA	NA	402.58	404.04 - 394.04 (39.61 - 49.61)	0.0			
2Q23		4/3/2023	NE	41.36	NA	NA	NA	402.29		0.0			
3Q23		7/5/2023	NE	41.12	NA	NA	NA	402.53		0.0			
Aug-23		8/3/2023	NE	41.31	NA	NA	NA	402.34		0.0			
Sept-23		9/7/2023	NE	41.41	NA	NA	NA	402.24		0.0			
4Q23		10/2/2023	NE	41.76	NA	NA	NA	401.89		0.0			
Nov-23		11/3/2023	NE	42.15	NA	NA	NA	401.50		0.0			
Dec-23		12/5/2023	NE	42.50	NA	NA	NA	401.15		0.0			
1Q24		1/2/2024	NE	42.77	NA	NA	NA	400.88		0.0			
Feb-24		2/6/2024	NE	43.08	NA	NA	NA	400.57		0.0			
MW-25													
1Q23		438.53	1/3/2023	NE	36.12	NA	NA	NA		402.41	402.94 - 392.94 (35.59 - 45.59)	98.6	
2Q23	4/3/2023		NE	36.35	NA	NA	NA	402.18	0.0				
3Q23	7/6/2023		NE	36.11	NA	NA	NA	402.42	141.2				
Aug-23	8/3/2023		NE	36.33	NA	NA	NA	402.20	26.4				
Sept-23	9/7/2023		NE	36.50	NA	NA	NA	402.03	120.1				
4Q23	10/2/2023		NE	36.74	NA	NA	NA	401.79	82.3				
Nov-23	11/3/2023		NE	37.07	NA	NA	NA	401.46	113.2				
Dec-23	12/5/2023		NE	37.52	NA	NA	NA	401.01	48.3				
1Q24	1/3/2024		NE	37.71	NA	NA	NA	400.82	88.4				
Feb-24	2/6/2024		NE	37.90	NA	NA	NA	400.63	93.1				
MW-26													
1Q23	441.23		1/3/2023	NE	38.85	NA	NA	NA	402.38	403.08 - 393.08 (38.15 - 48.15)		0.0	
2Q23		4/3/2023	NE	39.14	NA	NA	NA	402.09	0.0				
3Q23		7/6/2023	NE	38.88	NA	NA	NA	402.35	0.0				
Aug-23		8/3/2023	NE	39.06	NA	NA	NA	402.17	0.0				
Sept-23		9/7/2023	NE	39.10	NA	NA	NA	402.13	0.0				
4Q23		10/2/2023	NE	39.45	NA	NA	NA	401.78	0.0				
Nov-23		11/3/2023	NE	39.83	NA	NA	NA	401.40	0.0				
Dec-23		12/6/2023	NE	40.25	NA	NA	NA	400.98	0.0				
1Q24		1/3/2024	NE	40.47	NA	NA	NA	400.76	0.0				
Feb-24		2/6/2024	NE	40.70	NA	NA	NA	400.53	0.0				
MW-27													
1Q23		443.60	1/3/2023	NE	39.86	NA	NA	NA	403.74		403.81 - 393.81 (39.79 - 49.79)	0.0	
2Q23	4/3/2023		NE	40.57	NA	NA	NA	403.03	0.0				
3Q23	7/5/2023		NE	40.32	NA	NA	NA	403.28	0.0				
Aug-23	8/3/2023		NE	40.38	NA	NA	NA	403.22	0.0				
Sept-23	9/7/2023		NE	40.49	NA	NA	NA	403.11	0.0				
4Q23	10/2/2023		NE	40.70	NA	NA	NA	402.90	0.0				
Nov-23	11/3/2023		NE	40.99	NA	NA	NA	402.61	0.0				
Dec-23	12/5/2023		NE	41.40	NA	NA	NA	402.20	0.0				
1Q24	1/2/2024		NE	41.70	NA	NA	NA	401.90	0.0				
Feb-24	2/6/2024		NE	42.18	NA	NA	NA	401.42	0.0				
MW-28													
1Q23	443.55		1/3/2023	NE	39.08	NA	NA	NA	404.47	409.94 - 399.94 (33.61 - 43.61)		0.0	
2Q23		4/3/2023	NE	39.68	NA	NA	NA	403.87	0.0				
3Q23		7/5/2023	NE	39.82	NA	NA	NA	403.73	0.0				
Aug-23		8/3/2023	NE	39.72	NA	NA	NA	403.83	0.0				
Sept-23		9/7/2023	NE	39.83	NA	NA	NA	403.72	0.0				
4Q23		10/2/2023	NE	39.98	NA	NA	NA	403.57	0.0				
Nov-23		11/3/2023	NE	40.20	NA	NA	NA	403.35	0.0				
Dec-23		12/5/2023	NE	40.57	NA	NA	NA	402.98	0.0				
1Q24		1/2/2024	NE	40.72	NA	NA	NA	402.83	0.0				
Feb-24		2/6/2024	NE	41.17	NA	NA	NA	402.38	0.0				
P-52													
1Q23		444.75	1/3/2023	NE	38.43	NA	NA	NA	406.32		407.80 - 382.80 (36.95 - 61.95)	0.0	
2Q23	4/3/2023		NE	39.06	NA	NA	NA	405.69	0.0				
3Q23	7/5/2023		NE	39.66	NA	NA	NA	405.09	0.0				
Aug-23	8/3/2023		NE	39.90	NA	NA	NA	404.85	0.0				
Sept-23	9/7/2023		NE	40.11	NA	NA	NA	404.64	0.0				
4Q23	10/2/2023		NE	40.39	NA	NA	NA	404.36	0.0				
Nov-23	11/3/2023		NE	40.51	NA	NA	NA	404.24	0.0				
Dec-23	12/6/2023		NE	40.96	NA	NA	NA	403.79	0.0				
1Q24	1/2/2024		NE	41.12	NA	NA	NA	403.63	0.0				
Feb-24	2/6/2024		NE	41.55	NA	NA	NA	403.20	0.0				

TABLE 1
GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID	TOP OF CASING (elev.)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev.)	PRODUCT (elev.)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL (elev.)	SCREENED INTERVAL (elev.) (ft btoc)	WELL HEAD PID (ppm)	COMMENTS
P-53											
1Q23	446.57	1/3/2023	NE	41.53	NA	NA	NA	405.04	406.26 - 381.26 (40.31 - 65.31)	0.0	
2Q23		4/3/2023	NE	42.16	NA	NA	NA	404.41		0.0	
3Q23		7/6/2023	NE	42.50	NA	NA	NA	404.07		0.0	
Aug-23		8/3/2023	NE	42.61	NA	NA	NA	403.96		0.0	
Sept-23		9/7/2023	NE	42.80	NA	NA	NA	403.77		0.0	
4Q23		10/3/2023	NE	43.10	NA	NA	NA	403.47		0.0	
Nov-23		11/3/2023	NE	43.28	NA	NA	NA	403.29		0.0	
Dec-23		12/6/2023	NE	43.73	NA	NA	NA	402.84		0.0	
1Q24		1/2/2024	NE	43.97	NA	NA	NA	402.60		0.0	
Feb-24		2/6/2024	NE	44.37	NA	NA	NA	402.20		0.0	
P-54											
1Q23	442.52	1/3/2023	NE	39.87	NA	NA	NA	402.65	404.52 - 379.52 (38.00 - 63.00)	0.0	
2Q23		4/3/2023	NE	40.13	NA	NA	NA	402.39		0.0	
3Q23		7/5/2023	NE	39.90	NA	NA	NA	402.62		0.0	
Aug-23		8/3/2023	NE	40.11	NA	NA	NA	402.41		0.0	
Sept-23		9/7/2023	NE	40.25	NA	NA	NA	402.27		0.0	
4Q23		10/2/2023	NE	40.60	NA	NA	NA	401.92		0.0	
Nov-23		11/3/2023	NE	40.96	NA	NA	NA	401.56		0.0	
Dec-23		12/5/2023	NE	41.30	NA	NA	NA	401.22		0.0	
1Q24		1/5/2024	NE	41.60	NA	NA	NA	400.92		0.0	
Feb-24		2/6/2024	NE	41.93	NA	NA	NA	400.59		0.0	
P-55R											
1Q23	444.01	1/3/2023		39.47	39.55	404.46	404.54	0.08	404.52	112.9	*
2Q23		4/3/2023		40.00	40.11	403.90	404.01	0.11	403.99	104.6	*
3Q23		7/5/2023		39.91	39.92	404.09	404.10	0.01	404.10	74.4	*
Aug-23		8/4/2023		40.07	40.09	403.92	403.94	0.02	403.94	69.2	*
Sept-23		9/7/2023		40.15	40.23	403.78	403.86	0.08	403.84	84.8	*
4Q23		10/2/2023		40.35	40.37	403.64	403.66	0.02	403.66	119.6	*
Nov-23		11/3/2023		40.56	40.61	403.40	403.45	0.05	403.44	112.3	
Dec-23		12/5/2023		40.86	40.89	403.12	403.15	0.03	403.14	127.5	
1Q24		1/2/2024		41.11	41.13	402.88	402.90	0.02	402.90	114.7	
Feb-24		2/7/2024		41.40	41.50	402.51	402.61	0.10	402.59	111.0	
P-56											
1Q23	446.32	1/3/2023	NE	44.19	NA	NA	NA	402.13	405.50 - 380.50 (40.82 - 65.82)	9.0	
2Q23		4/3/2023	NE	44.46	NA	NA	NA	401.86		5.7	
3Q23		7/5/2023	NE	44.20	NA	NA	NA	402.12		0.0	
Aug-23		8/4/2023	NE	44.35	NA	NA	NA	401.97		0.0	
Sept-23		9/7/2023	NE	44.25	NA	NA	NA	402.07		0.0	
4Q23		10/2/2023	NE	44.54	NA	NA	NA	401.78		13.8	
Nov-23		11/3/2023	NE	45.09	NA	NA	NA	401.23		0.0	
Dec-23		12/5/2023	NE	45.44	NA	NA	NA	400.88		174.7	
1Q24		1/2/2024	NE	45.87	NA	NA	NA	400.45		5.2	
Feb-24		2/7/2024	NE	45.99	NA	NA	NA	400.33		1.7	
P-57											
1Q23	447.15	1/3/2023	NE	44.94	NA	NA	NA	402.21	402.96 - 392.96 (44.19 - 54.19)	72.7	
2Q23		4/3/2023	NE	45.22	NA	NA	NA	401.93		22.9	
3Q23		7/5/2023	NE	44.92	NA	NA	NA	402.23		8.1	
Aug-23		8/4/2023	NE	45.16	NA	NA	NA	401.99		0.0	
Sept-23		9/7/2023	NE	45.11	NA	NA	NA	402.04		0.0	
4Q23		10/2/2023	NE	45.43	NA	NA	NA	401.72		0.5	
Nov-23		11/3/2023	NE	45.80	NA	NA	NA	401.35		0.0	
Dec-23		12/5/2023	NE	46.18	NA	NA	NA	400.97		0.7	
1Q24		1/2/2024	NE	46.53	NA	NA	NA	400.62		0.0	
Feb-24		2/7/2024	NE	46.87	NA	NA	NA	400.28		0.3	
P-58											
1Q23	445.16	1/3/2023		42.82	42.83	402.33	402.34	0.01	402.34	0.1	
2Q23		4/3/2023	NE		43.06	NA	NA	NA	402.10	3.0	
3Q23		7/5/2023	NE		42.82	NA	NA	NA	402.34	0.0	
Aug-23		8/4/2023		43.07	43.08	402.08	402.09	0.01	402.09	0.0	
Sept-23		9/7/2023	NE		43.06	NA	NA	NA	402.10	0.0	
4Q23		10/2/2023	NE		43.42	NA	NA	NA	401.74	0.0	
Nov-23		11/3/2023	NE		43.66	NA	NA	NA	401.50	0.0	
Dec-23		12/5/2023	NE		44.14	NA	NA	NA	401.02	0.0	
1Q24		1/2/2024	NE		44.42	NA	NA	NA	400.74	0.0	
Feb-24		2/7/2024	NE		44.49	NA	NA	NA	400.67	0.0	

TABLE 1
GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID	TOP OF CASING (elev.)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev.)	PRODUCT (elev.)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL (elev.)	SCREENED INTERVAL (elev.) (ft btoc)	WELL HEAD PID (ppm)	COMMENTS		
P-59													
1Q23	447.07	1/3/2023	NE	44.96	NA	NA	NA	402.11	399.16 - 374.16 (47.91 - 72.91)	132.6	*		
2Q23		4/3/2023	NE	45.18	NA	NA	NA	401.89		201.2	*		
3Q23		7/5/2023	NE	44.91	NA	NA	NA	402.16		161.8	*		
Aug-23		8/4/2023	NE	45.06	NA	NA	NA	402.01		180.4	*		
Sept-23		9/7/2023	NE	44.97	NA	NA	NA	402.10		223.7	*		
4Q23		10/2/2023	NE	45.22	NA	NA	NA	401.85		205.6	*		
Nov-23		11/3/2023	NE	45.84	NA	NA	NA	401.23		212.8	*		
Dec-23		12/5/2023	NE	46.16	NA	NA	NA	400.91		208.6	*		
1Q24		1/2/2024	NE	46.53	NA	NA	NA	400.54		302.5	*		
Feb-24		2/7/2024	NE	46.78	NA	NA	NA	400.29		179.4	*		
P-60													
1Q23		446.88	1/3/2023	NE	44.46	NA	NA	NA		402.42	402.23 - 382.23 (44.65 - 64.65)	5.1	*
2Q23	4/3/2023		NE	44.72	NA	NA	NA	402.16	0.1	*			
3Q23	7/5/2023		NE	44.60	NA	NA	NA	402.28	0.0	*			
Aug-23	8/4/2023		NE	44.76	NA	NA	NA	402.12	0.0	*			
Sept-23	9/7/2023		NE	44.72	NA	NA	NA	402.16	0.0	*			
4Q23	10/2/2023		NE	44.97	NA	NA	NA	401.91	0.4	*			
Nov-23	11/3/2023		NE	45.56	NA	NA	NA	401.32	0.6	*			
Dec-23	12/5/2023		NE	45.82	NA	NA	NA	401.06	17.9	*			
1Q24	1/2/2024		NE	46.13	NA	NA	NA	400.75	20.8	*			
Feb-24	2/7/2024		NE	46.61	NA	NA	NA	400.27	48.1	*			
P-66													
1Q23	437.00		1/4/2023	34.39	35.91	401.09	402.61	1.52	402.31	402.28 - 377.28 (34.72 - 59.72)		159.8	*
2Q23		4/6/2023	34.79	36.21	400.79	402.21	1.42	401.93	58.9		*		
3Q23		7/7/2023	34.52	35.02	401.98	402.48	0.50	402.38	21.3		*		
Aug-23		8/4/2023	34.61	35.70	401.30	402.39	1.09	402.17	109.2		*		
Sept-23		9/7/2023	34.75	35.86	401.14	402.25	1.11	402.03	0.0		*		
4Q23		10/4/2023	34.91	36.35	400.65	402.09	1.44	401.80	0.0		*		
Nov-23		11/3/2023	35.13	36.49	400.51	401.87	1.36	401.60	1.4		*		
Dec-23		12/5/2023	35.54	36.85	400.15	401.46	1.31	401.20	2.3		*		
1Q24		1/4/2024	35.97	37.00	400.00	401.03	1.03	400.82	197.7		*		
Feb-24		2/7/2024	35.08	36.86	400.14	401.92	1.78	401.56	3.0		*		
P-68													
1Q23		445.38	1/3/2023	42.97	43.03	402.35	402.41	0.06	402.40		401.62 - 376.62 (43.76 - 68.76)	86.2	*
2Q23	4/3/2023		43.25	43.36	402.02	402.13	0.11	402.11	146.2	*			
3Q23	7/5/2023		43.17	43.19	402.19	402.21	0.02	402.21	114.3	*			
Aug-23	8/4/2023		43.25	43.31	402.07	402.13	0.06	402.12	164.6	*			
Sept-23	9/7/2023		44.20	44.28	401.10	401.18	0.08	401.16	253.2	*			
4Q23	10/2/2023		43.41	43.47	401.91	401.97	0.06	401.96	0.0	*			
Nov-23	11/3/2023		43.91	43.98	401.40	401.47	0.07	401.46	93.3	*			
Dec-23	12/5/2023		44.25	44.35	401.03	401.13	0.10	401.11	208.8	*			
1Q24	1/3/2024		44.57	44.64	400.74	400.81	0.07	400.80	202.7	*			
Feb-24	2/7/2024		44.90	45.00	400.38	400.48	0.10	400.46	0.2	*			
P-74													
1Q23	442.93		1/3/2023	NE	40.54	NA	NA	NA	402.39	399.10 - 374.10 (43.83 - 68.83)		0.0	*
2Q23		4/3/2023	NE	41.16	NA	NA	NA	401.77	0.0		*		
3Q23		7/5/2023	NE	40.91	NA	NA	NA	402.02	10.6		*		
Aug-23		8/4/2023	NE	41.02	NA	NA	NA	401.91	8.8		*		
Sept-23		9/7/2023	NM	NM	NM	NM	NM	NM	NM		Inaccessible due to refinery construction		
4Q23		10/2/2023	NE	41.11	NA	NA	NA	401.82	0.0		*		
Nov-23		11/3/2023	NE	41.86	NA	NA	NA	401.07	27.6		*		
Dec-23		12/5/2023	NE	42.18	NA	NA	NA	400.75	26.8		*		
1Q24		1/3/2024	NE	42.44	NA	NA	NA	400.49	0.0		*		
Feb-24		NM	NM	NM	NM	NM	NM	NM	NM		Inaccessible due to refinery construction		
P-93A													
1Q23		445.37	1/3/2023	NE	43.13	NA	NA	NA	402.24		402.30 - 392.30 (43.07 - 53.07)	0.0	*
2Q23	4/3/2023		NE	43.38	NA	NA	NA	401.99	0.0	*			
3Q23	7/5/2023		NE	43.10	NA	NA	NA	402.27	0.0	*			
Aug-23	8/4/2023		NE	43.35	NA	NA	NA	402.02	0.0	*			
Sept-23	9/7/2023		NE	43.35	NA	NA	NA	402.02	0.0	*			
4Q23	10/2/2023		NE	43.64	NA	NA	NA	401.73	0.0	*			
Nov-23	11/3/2023		NE	43.96	NA	NA	NA	401.41	0.0	*			
Dec-23	12/5/2023		NE	44.35	NA	NA	NA	401.02	0.2	*			
1Q24	1/2/2024		NE	44.71	NA	NA	NA	400.66	0.4	*			
Feb-24	2/7/2024		NE	44.83	NA	NA	NA	400.54	0.0	*			

TABLE 1
GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID	TOP OF CASING (elev.)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev.)	PRODUCT (elev.)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL (elev.)	SCREENED INTERVAL (elev.) (ft btoc)	WELL HEAD PID (ppm)	COMMENTS		
P-93B													
1Q23	446.70	1/3/2023	NE	44.47	NA	NA	NA	402.23	371.92 - 369.92 (74.78 - 76.78)	0.0	*		
2Q23		4/3/2023	NE	44.74	NA	NA	NA	401.96		0.0	*		
3Q23		7/5/2023	NE	44.43	NA	NA	NA	402.27		0.0	*		
Aug-23		8/4/2023	NE	44.70	NA	NA	NA	402.00		0.0	*		
Sept-23		9/7/2023	NE	44.65	NA	NA	NA	402.05		0.0	*		
4Q23		10/2/2023	NE	44.98	NA	NA	NA	401.72		0.0	*		
Nov-23		11/3/2023	NE	45.30	NA	NA	NA	401.40		0.0	*		
Dec-23		12/5/2023	NE	45.80	NA	NA	NA	400.90		0.0	*		
1Q24		1/2/2024	NE	46.07	NA	NA	NA	400.63		0.0	*		
Feb-24		2/7/2024	NE	46.18	NA	NA	NA	400.52		0.2	*		
P-93C													
1Q23		446.55	1/3/2023	NE	44.31	NA	NA	NA		402.24	353.67 - 348.67 (92.88 - 97.88)	0.0	*
2Q23	4/3/2023		NE	44.57	NA	NA	NA	401.98	0.0	*			
3Q23	7/5/2023		NE	44.30	NA	NA	NA	402.25	0.0	*			
Aug-23	8/4/2023		NE	44.55	NA	NA	NA	402.00	0.0	*			
Sept-23	9/7/2023		NE	44.52	NA	NA	NA	402.03	0.0	*			
4Q23	10/2/2023		NE	44.83	NA	NA	NA	401.72	0.0	*			
Nov-23	11/3/2023		NE	45.17	NA	NA	NA	401.38	0.0	*			
Dec-23	12/5/2023		NE	45.55	NA	NA	NA	401.00	0.4	*			
1Q24	1/2/2024		NE	45.90	NA	NA	NA	400.65	99.2	*			
Feb-24	2/7/2024		NE	46.02	NA	NA	NA	400.53	11.0	*			
P-93D													
1Q23	446.97		1/3/2023	NE	44.67	NA	NA	NA	402.30	321.31 - 319.31 (125.66 - 127.66)		0.0	*
2Q23		4/3/2023	NE	44.92	NA	NA	NA	402.05	0.0		*		
3Q23		7/5/2023	NE	44.64	NA	NA	NA	402.33	0.0		*		
Aug-23		8/4/2023	NE	44.90	NA	NA	NA	402.07	0.0		*		
Sept-23		9/7/2023	NE	44.85	NA	NA	NA	402.12	0.0		*		
4Q23		10/2/2023	NE	45.21	NA	NA	NA	401.76	0.0		*		
Nov-23		11/3/2023	NE	45.49	NA	NA	NA	401.48	0.0		*		
Dec-23		12/5/2023	NE	45.88	NA	NA	NA	401.09	0.0		*		
1Q24		1/2/2024	NE	46.26	NA	NA	NA	400.71	0.0		*		
Feb-24		2/7/2024	NE	46.38	NA	NA	NA	400.59	0.0		*		
P-114R													
1Q23		429.48	1/4/2023	NE	27.07	NA	NA	NA	402.41		406.47 - 396.47 (23.01 - 33.01)	0.0	
2Q23	4/4/2023		NE	26.72	NA	NA	NA	402.76	21.8				
3Q23	7/6/2023		NE	26.50	NA	NA	NA	402.98	0.0				
Aug-23	8/4/2023		NE	27.00	NA	NA	NA	402.48	0.0				
Sept-23	9/7/2023		NE	27.30	NA	NA	NA	402.18	0.0				
4Q23	10/3/2023		NE	27.65	NA	NA	NA	401.83	0.0				
Nov-23	11/3/2023		NE	27.77	NA	NA	NA	401.71	50.1				
Dec-23	12/5/2023		NE	28.15	NA	NA	NA	401.33	0.0				
1Q24	1/3/2024		NE	28.45	NA	NA	NA	401.03	37.0				
Feb-24	2/7/2024		NE	29.52	NA	NA	NA	399.96	2.4				
ROST-3-MW													
1Q23	442.52		1/3/2023	NE	39.77	NA	NA	NA	402.75	404.71 - 394.71 (37.81 - 47.81)		361.7	
2Q23		4/3/2023	NE	40.11	NA	NA	NA	402.41	0.0				
3Q23		7/5/2023	NE	40.00	NA	NA	NA	402.52	0.0				
Aug-23		8/3/2023	NE	40.10	NA	NA	NA	402.42	0.0				
Sept-23		9/7/2023	NE	40.17	NA	NA	NA	402.35	0.0				
4Q23		10/2/2023	NE	40.44	NA	NA	NA	402.08	0.0				
Nov-23		11/3/2023	NE	40.88	NA	NA	NA	401.64	0.0				
Dec-23		12/5/2023	NE	41.24	NA	NA	NA	401.28	0.0				
1Q24		1/2/2024	NE	41.47	NA	NA	NA	401.05	0.0				
Feb-24		2/6/2024	NE	41.56	NA	NA	NA	400.96	0.0				
ROST-4-PZ													
1Q23		442.15	1/3/2023	NE	38.58	NA	NA	NA	403.57		407.22 - 397.22 (34.93 - 44.93)	0.3	
2Q23	4/3/2023		NE	39.30	NA	NA	NA	402.85	0.0				
3Q23	7/5/2023		NE	39.10	NA	NA	NA	403.05	0.0				
Aug-23	8/3/2023		NE	39.19	NA	NA	NA	402.96	0.0				
Sept-23	9/7/2023		NE	39.25	NA	NA	NA	402.90	0.0				
4Q23	10/2/2023		NE	39.48	NA	NA	NA	402.67	0.0				
Nov-23	11/3/2023		NE	39.62	NA	NA	NA	402.53	0.0				
Dec-23	12/5/2023		NE	39.81	NA	NA	NA	402.34	0.0				
1Q24	1/2/2024		NE	40.10	NA	NA	NA	402.05	0.0				
Feb-24	2/6/2024		NE	40.31	NA	NA	NA	401.24	0.0				

TABLE 1
GROUNDWATER MONITORING WELL GAUGING RESULTS

WELL ID	TOP OF CASING (elev.)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev.)	PRODUCT (elev.)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL (elev.)	SCREENED INTERVAL (elev.) (ft btoc)	WELL HEAD PID (ppm)	COMMENTS		
ROST-4-PZ(A)													
1Q23	442.15	1/3/2023	NE	37.89	NA	NA	NA	404.26	407.38 - 397.38 (34.77 - 44.77)	0.0			
2Q23		4/3/2023	NE	38.75	NA	NA	NA	403.40		0.0			
3Q23		7/5/2023	NE	38.56	NA	NA	NA	403.59		0.0			
Aug-23		8/3/2023	NE	38.63	NA	NA	NA	403.52		0.0			
Sept-23		9/7/2023	NE	38.76	NA	NA	NA	403.39		0.0			
4Q23		10/2/2023	NE	39.06	NA	NA	NA	403.09		0.0			
Nov-23		11/3/2023	NE	39.59	NA	NA	NA	402.56		0.0			
Dec-23		12/5/2023	NE	39.95	NA	NA	NA	402.20		0.0			
1Q24		1/2/2024	NE	40.34	NA	NA	NA	401.81		0.0			
Feb-24		2/6/2024	NE	40.92	NA	NA	NA	401.23		0.0			
ROST-4-PZ(B)													
1Q23		442.40	1/3/2023	NE	38.54	NA	NA	NA		403.86	407.35 - 397.35 (35.05 - 45.05)	0.0	
2Q23	4/3/2023		NE	39.34	NA	NA	NA	403.06	0.0				
3Q23	7/5/2023		NE	39.15	NA	NA	NA	403.25	0.0				
Aug-23	8/3/2023		NE	39.20	NA	NA	NA	403.20	0.0				
Sept-23	9/7/2023		NE	39.24	NA	NA	NA	403.16	0.0				
4Q23	10/2/2023		NE	39.50	NA	NA	NA	402.90	0.0				
Nov-23	11/3/2023		NE	39.67	NA	NA	NA	402.73	0.0				
Dec-23	12/5/2023		NE	39.97	NA	NA	NA	402.43	0.0				
1Q24	1/2/2024		NE	40.35	NA	NA	NA	402.05	0.0				
Feb-24	2/6/2024		NE	40.70	NA	NA	NA	401.70	0.0				
ROST-4-PZ(C)													
1Q23	442.97		1/3/2023	NE	39.65	NA	NA	NA	403.32	408.02 - 398.02 (34.95 - 44.95)		0.0	
2Q23		4/3/2023	NE	40.29	NA	NA	NA	402.68	0.0				
3Q23		7/5/2023	NE	40.10	NA	NA	NA	402.87	0.0				
Aug-23		8/3/2023	NE	40.21	NA	NA	NA	402.76	0.0				
Sept-23		9/7/2023	NE	40.27	NA	NA	NA	402.70	0.0				
4Q23		10/2/2023	NE	39.55	NA	NA	NA	403.42	0.0				
Nov-23		11/3/2023	NE	40.78	NA	NA	NA	402.19	0.0				
Dec-23		12/5/2023	NE	41.15	NA	NA	NA	401.82	0.0				
1Q24		1/2/2024	NE	41.36	NA	NA	NA	401.61	0.0				
Feb-24		2/6/2024	NE	41.80	NA	NA	NA	401.17	0.0				
ROST-4-PZ(D)													
1Q23		442.92	1/3/2023	NE	39.44	NA	NA	NA	403.48		407.95 - 397.95 (34.97 - 44.97)	0.1	
2Q23	4/3/2023		NE	40.07	NA	NA	NA	402.85	0.0				
3Q23	7/5/2023		NE	40.05	NA	NA	NA	402.87	0.0				
Aug-23	8/3/2023		NE	40.01	NA	NA	NA	402.91	0.0				
Sept-23	9/7/2023		NE	40.10	NA	NA	NA	402.82	0.0				
4Q23	10/2/2023		NE	40.30	NA	NA	NA	402.62	0.0				
Nov-23	11/3/2023		NE	40.55	NA	NA	NA	402.37	0.0				
Dec-23	12/5/2023		NE	40.92	NA	NA	NA	402.00	0.0				
1Q24	1/2/2024		NE	41.10	NA	NA	NA	401.82	0.0				
Feb-24	2/6/2024		NE	41.60	NA	NA	NA	401.32	0.0				
ROST-4-PZ(E)													
1Q23	441.98		1/3/2023	NE	38.51	NA	NA	NA	403.47	407.23 - 397.23 (34.75 - 44.75)		0.0	
2Q23		4/3/2023	NE	39.14	NA	NA	NA	402.84	0.0				
3Q23		7/5/2023	NE	38.96	NA	NA	NA	403.02	0.0				
Aug-23		8/3/2023	NE	39.03	NA	NA	NA	402.95	0.0				
Sept-23		9/7/2023	NE	39.15	NA	NA	NA	402.83	0.0				
4Q23		10/2/2023	NE	39.29	NA	NA	NA	402.69	0.0				
Nov-23		11/3/2023	NE	39.38	NA	NA	NA	402.60	0.0				
Dec-23		12/5/2023	NE	39.68	NA	NA	NA	402.30	0.0				
1Q24		1/2/2024	NE	39.80	NA	NA	NA	402.18	0.0				
Feb-24		2/6/2024	NE	39.98	NA	NA	NA	402.00	0.0				
ROST-4-PZ(F)													
1Q23		442.12	1/3/2023	NE	38.73	NA	NA	NA	403.39		407.59 - 397.59 (34.53 - 44.53)	0.0	
2Q23	4/3/2023		NE	39.23	NA	NA	NA	402.89	0.0				
3Q23	7/5/2023		NE	39.07	NA	NA	NA	403.05	0.0				
Aug-23	8/3/2023		NE	39.11	NA	NA	NA	403.01	0.0				
Sept-23	9/7/2023		NE	39.15	NA	NA	NA	402.97	0.0				
4Q23	10/2/2023		NE	39.35	NA	NA	NA	402.77	0.0				
Nov-23	11/3/2023		NE	39.44	NA	NA	NA	402.68	0.0				
Dec-23	12/5/2023		NE	39.61	NA	NA	NA	402.51	0.0				
1Q24	1/2/2024		NE	39.80	NA	NA	NA	402.32	0.0				
Feb-24	2/6/2024		NE	40.00	NA	NA	NA	402.12	0.0				

**TABLE 1
GROUNDWATER MONITORING WELL GAUGING RESULTS**

WELL ID	TOP OF CASING (elev.)	DATE GAUGED	DEPTH TO PRODUCT (ft btoc)	DEPTH TO WATER (ft btoc)	WATER-PRODUCT INTERFACE (elev.)	PRODUCT (elev.)	PRODUCT THICKNESS (ft)	CORRECTED WATER LEVEL (elev.)	SCREENED INTERVAL (elev.) (ft btoc)	WELL HEAD PID (ppm)	COMMENTS
ROST-4-PZ(G)											
1Q23	442.20	1/3/2023	NE	39.74	NA	NA	NA	402.46	407.92 - 397.92 (34.28 - 44.28)	0.2	
2Q23		4/3/2023	NE	40.00	NA	NA	NA	402.20		0.0	
3Q23		7/5/2023	NE	39.82	NA	NA	NA	402.38		0.0	
Aug-23		8/3/2023	NE	39.96	NA	NA	NA	402.24		0.0	
Sept-23		9/7/2023	NE	39.97	NA	NA	NA	402.23		0.0	
4Q23		10/2/2023	NE	40.26	NA	NA	NA	401.94		0.0	
Nov-23		11/3/2023	NE	40.72	NA	NA	NA	401.48		0.0	
Dec-23		12/5/2023	NE	41.14	NA	NA	NA	401.06		0.0	
1Q24		1/2/2024	NE	41.35	NA	NA	NA	400.85		0.0	
Feb-24		2/6/2024	NE	41.71	NA	NA	NA	400.49		0.0	
T-1											
1Q23	445.61	1/3/2023	NE	42.33	NA	NA	NA	403.28	398.61 - 388.61 (47.00 - 57.00)	0.0	*
2Q23		4/3/2023	NE	42.80	NA	NA	NA	402.81		0.0	*
3Q23		7/5/2023	NE	42.90	NA	NA	NA	402.71		0.0	*
Aug-23		8/4/2023	NE	42.99	NA	NA	NA	402.62		0.0	*
Sept-23		9/7/2023	NE	43.10	NA	NA	NA	402.51		0.0	*
4Q23		10/2/2023	NE	43.33	NA	NA	NA	402.28		0.0	*
Nov-23		11/3/2023	NE	43.71	NA	NA	NA	401.90		0.0	*
Dec-23		12/5/2023	NE	44.06	NA	NA	NA	401.55		0.0	*
1Q24		1/2/2024	NE	44.33	NA	NA	NA	401.28		0.0	*
Feb-24		2/7/2024	NE	44.68	NA	NA	NA	400.93		0.0	*
T-6											
1Q23	446.78	1/3/2023	NE	44.59	NA	NA	NA	402.19	394.27 - 380.02 (52.51 - 66.76)	0.1	*
2Q23		4/3/2023	NE	44.90	NA	NA	NA	401.88		0.0	*
3Q23		7/5/2023	NE	44.61	NA	NA	NA	402.17		0.0	*
Aug-23		8/4/2023	NE	44.84	NA	NA	NA	401.94		0.5	*
Sept-23		9/7/2023	NE	44.76	NA	NA	NA	402.02		0.0	*
4Q23		10/2/2023	NE	45.07	NA	NA	NA	401.71		2.4	*
Nov-23		11/3/2023	NE	45.45	NA	NA	NA	401.33		0.3	*
Dec-23		12/5/2023	NE	45.83	NA	NA	NA	400.95		6.9	*
1Q24		1/2/2024	NE	46.19	NA	NA	NA	400.59		0.7	*
Feb-24		2/7/2024	NE	46.38	NA	NA	NA	400.40		5.9	*
T-12											
1Q23	444.99	1/3/2023	NE	42.75	NA	NA	NA	402.24	398.16 - 372.16 (46.83 - 72.83)	3.9	*
2Q23		4/3/2023	NE	42.93	NA	NA	NA	402.06		0.0	*
3Q23		7/5/2023	NE	42.74	NA	NA	NA	402.25		0.0	*
Aug-23		8/4/2023	NE	42.90	NA	NA	NA	402.09		0.0	*
Sept-23		9/7/2023	NE	42.84	NA	NA	NA	402.15		0.0	*
4Q23		10/2/2023	NE	43.09	NA	NA	NA	401.90		0.3	*
Nov-23		11/3/2023	NE	43.63	NA	NA	NA	401.36		0.5	*
Dec-23		12/5/2023	NE	43.99	NA	NA	NA	401.00		2.0	*
1Q24		1/2/2024	NE	44.32	NA	NA	NA	400.67		1.7	*
Feb-24		2/7/2024	NE	44.63	NA	NA	NA	400.36		0.2	*
T-13											
1Q23	443.76	1/3/2023	NE	40.20	NA	NA	NA	403.56	399.95 - 373.95 (43.81 - 69.81)	0.0	*
2Q23		4/3/2023	NE	40.76	NA	NA	NA	403.00		0.0	*
3Q23		7/5/2023	NE	40.81	NA	NA	NA	402.95		0.0	*
Aug-23		8/3/2023	NE	40.93	NA	NA	NA	402.83		0.0	*
Sept-23		9/7/2023	NE	41.05	NA	NA	NA	402.71		0.0	*
4Q23		10/2/2023	NE	41.41	NA	NA	NA	402.35		0.0	*
Nov-23		11/3/2023	NE	41.64	NA	NA	NA	402.12		0.0	*
Dec-23		12/5/2023	NE	42.02	NA	NA	NA	401.74		0.0	*
1Q24		1/2/2024	NE	42.31	NA	NA	NA	401.45		0.0	*
Feb-24		2/7/2024	NE	42.63	NA	NA	NA	401.13		0.0	*

NOTES:

- Elevations presented in this table are relative to the 1988 NAVD datum.
- The corrected water level elevations presented in this table were corrected by a specific gravity of 0.80 for the wells in which LNAPL was identified.
- PID values measured with a 10.6 electron volt (eV) lamp photoionization detector.
- btoc = Below Top of Casing; ppm = parts per million; NA = Not Applicable; NE = Not Encountered; NM = Not Measured
- * Indicates that the LNAPL and/or water level is above the top of the screened zone of the well.
- Table includes comprehensive groundwater monitoring well gauging data for the last 4 quarters from the Village of Roxana Interim Groundwater Monitoring Program and select wells from the WRB Refining LP Wood River Refinery Program.
- The screened interval for certain monitoring wells was adjusted based on an evaluation of the results of annual bottom depth gauging conducted in the first quarter of each year.
- Top of casing and screened interval for

TABLE 2
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

			VOCs																				
Screening Values (mg/L)			6.3 ¹	0.005 ¹	4.2 ¹	0.35 ³	0.7 ³	0.7 ³	0.7 ¹		0.07 ¹	0.7 ¹	0.7 ¹	0.7 ¹	0.07 ¹	0.14 ¹	0.7 ³	0.07 ³	0.07 ³	10 ¹		10 ¹	
Location	Sample ID	Sample Date	Analytical Results (mg/L)																				
MW-01	MW1-ROX-010524	1/5/2024	< 0.025	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01
MW-02	MW2-ROX-011124	1/11/2024	0.026	0.0014	0.0058 J	0.0027	0.0044	0.00064 J	< 0.0010	0.0028	< 0.0010	0.035	0.032	< 0.0010	0.0084	0.052	0.0024	0.0054	0.0085	0.014	0.0017 J	0.016	
MW-03	MW3-ROX-010924	1/9/2024	< 0.025	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	0.00076 J	< 0.0050	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01
	MW3-ROX-010924-DUP		< 0.025	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	0.00057 J	0.00077 J	< 0.0050	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01
MW-04	MW4-ROX-011724	1/17/2024	< 0.025	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01
MW-05	MW5-ROX-010924	1/9/2024	< 0.025	< 0.0010	< 0.025	< 0.0010	< 0.0010	0.0018	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	0.0041	< 0.0050	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01
MW-06A	MW6A-ROX-010924	1/9/2024	< 0.025	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01
MW-06B	MW6B-ROX-010924	1/9/2024	< 0.025	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	0.00046 J	< 0.0050	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01
MW-06C	MW6C-ROX-010924	1/9/2024	< 0.025	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01
MW-06D	MW6D-ROX-010924	1/9/2024	< 0.025	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01
MW-07	MW7-ROX-011724	1/17/2024	< 50	680	< 50	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 10	< 2	< 2	< 2	< 2	< 2	< 10	< 10	< 20
	MW7-ROX-011724-DUP		< 50	1000	< 50	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 10	< 2	< 2	< 2	< 2	< 2	< 10	< 10	< 20
MW-09	MW9-ROX-010524	1/5/2024	< 0.025	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0010	0.00090 J	< 0.0010	< 0.0010	0.00075 J	< 0.0050	< 0.01	
MW-10	MW10-ROX-010524	1/5/2024	< 0.025	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01
MW-11	MW11-ROX-010524	1/5/2024	< 0.025	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01
MW-12	MW12-ROX-011124	1/11/2024	< 0.025	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01
MW-13	MW13-ROX-011024	1/10/2024	< 0.025	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	0.00053 J	< 0.0050	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01
MW-14	MW14-ROX-011724	1/17/2024	< 0.025	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01
MW-16	MW16-ROX-010824	1/8/2024	< 0.025	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01
MW-22	MW22-ROX-011224	1/12/2024	< 0.13	0.13	< 0.13	0.0093	0.0053	0.01	< 0.0050	0.0048 J	< 0.0050	0.34	0.06	0.0013 J	0.14	0.11	0.06	0.16	0.13	0.76	0.039	0.8	
	MW22-ROX-011224-DUP		< 0.13	0.12	< 0.13	0.0078	0.0045 J	0.0087	< 0.0050	0.0039 J	< 0.0050	0.29	0.051	< 0.0050	0.13	0.086	0.052	0.13	0.11	0.65	0.033	0.68	
MW-23	MW23-ROX-011124	1/11/2024	< 0.025	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	0.00032 J	< 0.0010	< 0.0010	0.00095 J	< 0.0050	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01
MW-24	MW24-ROX-010924	1/9/2024	< 0.025	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01
MW-25	MW25-ROX-011824	1/18/2024	< 0.025	0.053	< 0.025	< 0.0010	< 0.0010	0.00064 J	0.00050 J	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	
MW-26	MW26-ROX-010524	1/5/2024	< 0.025	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	
MW-27	MW27-ROX-010824	1/8/2024	< 0.025	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	

TABLE 2
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

			VOCs																				
Screening Values (mg/L)			6.3 ¹	0.005 ¹	4.2 ¹	0.35 ³	0.7 ³	0.7 ³	0.7 ¹		0.07 ¹	0.7 ¹	0.7 ¹	0.7 ¹	0.07 ¹	0.14 ¹	0.7 ³	0.07 ³	0.07 ³	10 ¹		10 ¹	
Location	Sample ID	Sample Date	Analytical Results (mg/L)																				
MW-28	MW28-ROX-010524	1/5/2024	< 0.025	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01
P-54	P54-ROX-010824	1/8/2024	< 0.025	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01
P-56	P56-ROX-011024	1/10/2024	< 0.025	< 0.0010	< 0.025	< 0.0010	0.0024	< 0.0010	< 0.0010	0.00084 J	< 0.0010	0.00094 J	0.015	< 0.0010	< 0.0050	0.017	< 0.0010	< 0.0010	< 0.0010	0.0025 J	< 0.0050	0.0025 J	
P-57	P57-ROX-011124	1/11/2024	< 0.025	0.037	0.0031 J	0.0021	0.0040	0.0051	< 0.0010	< 0.0010	< 0.0010	0.00060 J	0.02	< 0.0010	< 0.0050	0.021	0.0031	< 0.0010	< 0.0010	0.00067 J	< 0.0050	< 0.01	
	P57-ROX-011124-DUP		< 0.025	0.041	< 0.025	0.0031	0.0057	0.0064	< 0.0010	< 0.0010	< 0.0010	0.00079 J	0.025	< 0.0010	< 0.0050	0.029	0.0035	< 0.0010	< 0.0010	0.00082 J	< 0.0050	< 0.01	
P-58	P58-ROX-011224	1/12/2024	< 25	240	< 25	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 5	< 1	< 1	< 1	< 1	< 1	< 5	< 5	< 10
	P58-ROX-011224-DUP		< 25	250	< 25	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 5	< 1	< 1	< 1	< 1	< 1	< 5	< 5	< 10
P-59	P59-ROX-011224	1/12/2024	< 0.25	1.6	< 0.25	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	0.16	0.047	< 0.01	0.044 J	0.066	0.075	0.031	0.032	0.12	< 0.05	0.12	
P-93A	P93A-ROX-011024	1/10/2024	< 0.025	0.055	< 0.025	< 0.0010	< 0.0010	0.0023	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01
P-93B	P93B-ROX-011224	1/12/2024	< 63	690	< 63	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 13	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 13	< 13	< 25
P-93C	P93C-ROX-011124	1/11/2024	< 13	490	< 13	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 2.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 2.5	< 2.5	< 5
P-93D	P93D-ROX-011024	1/10/2024	< 0.025	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	0.00047 J	< 0.0050	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01
P-114R	P114R-ROX-011024	1/10/2024	< 0.025	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	0.0018	< 0.0050	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01
ROST-3-MW	ROST3MW-ROX-010824	1/8/2024	< 0.025	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01
ROST-4-PZ(C)	ROST4PZ(C)-ROX-010824	1/8/2024	< 0.025	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01
ROST-4-PZ(E)	ROST4PZE-ROX-011124	1/11/2024	< 0.025	0.00095 J	0.0086 J	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	0.0087	0.00095 J	< 0.0010	< 0.0050	0.00085 J	0.00090 J	0.01	< 0.0010	0.0054	0.00061 J	0.0060 J	
ROST-4-PZ(G)	ROST4PZ(G)-ROX-010824	1/8/2024	< 0.025	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01
T-12	T12-ROX-011124	1/11/2024	< 0.25	1.3	< 0.25	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	0.0069 J	0.011	< 0.01	< 0.05	0.01	0.024	< 0.01	< 0.01	0.031 J	< 0.05	0.034 J	

TABLE 2
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

			SVOCs																	
Screening Values (mg/L)			0.42 ¹	0.42 ³	2.1 ¹	0.00013 ¹	0.0002 ¹	0.00018 ¹	0.21 ³	0.012 ¹	0.0003 ¹	0.14 ²	0.28 ¹	0.28 ¹	0.00043 ¹	0.49 ³	0.028 ¹	0.21 ³	0.1 ¹	0.21 ¹
Location	Sample ID	Sample Date	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Chrysene (1,2-Benzphenanthracene)	Dibenzo(a,h)anthracene	2,4-Dimethylphenol	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	Phenanthrene	Phenol	Pyrene
MW-01	MW1-ROX-010524	1/5/2024	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.0098	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.0098	< 0.00020
MW-02	MW2-ROX-011124	1/11/2024	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.0098	< 0.00020	< 0.00020	< 0.00020	0.0069	0.0091	< 0.00020	< 0.0098	< 0.00020
MW-03	MW3-ROX-010924	1/9/2024	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.0099	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.0099	< 0.00020
	MW3-ROX-010924-DUP		< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.01	< 0.00020
MW-04	MW4-ROX-011724	1/17/2024	< 0.00023	< 0.00023	< 0.00023	< 0.00023	< 0.00023	< 0.00023	< 0.00023	< 0.00023	< 0.00023	< 0.011	< 0.00023	< 0.00023	< 0.00023	< 0.00023	< 0.00023	< 0.00023	< 0.011	< 0.00023
MW-05	MW5-ROX-010924	1/9/2024	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.0098	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.0098	< 0.00020
MW-06A	MW6A-ROX-010924	1/9/2024	< 0.00021	< 0.00021	< 0.00021	0.000035 JB	< 0.00021	< 0.00021	0.000063 JB	0.000077 JB	< 0.00021	< 0.01	0.000073 J	< 0.00021	0.000043 JB	< 0.00021	< 0.00021	0.00011 J	< 0.01	0.000091 J
MW-06B	MW6B-ROX-010924	1/9/2024	0.00022	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.011	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.011	< 0.00021
MW-06C	MW6C-ROX-010924	1/9/2024	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.01	< 0.00021
MW-06D	MW6D-ROX-010924	1/9/2024	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.01	< 0.00020
MW-07	MW7-ROX-011724	1/17/2024	0.00026	0.00012 J	< 0.00024	< 0.00024	< 0.00024	< 0.00024	< 0.00024	< 0.00024	< 0.012	< 0.00024	0.00014 J	< 0.00024	0.0013	0.0017	0.00024	0.095	< 0.00024	
	MW7-ROX-011724-DUP		0.00030	0.00013 J	< 0.00023	< 0.00023	< 0.00023	< 0.00023	< 0.00023	< 0.00023	< 0.011	< 0.00023	0.00016 J	< 0.00023	0.0012	0.0016	0.00024	0.088	< 0.00023	
MW-09	MW9-ROX-010524	1/5/2024	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.011	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	0.000093 J	< 0.00021	< 0.011	< 0.00021
MW-10	MW10-ROX-010524	1/5/2024	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.011	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.011	< 0.00021
MW-11	MW11-ROX-010524	1/5/2024	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.01	< 0.00021
MW-12	MW12-ROX-011124	1/11/2024	< 0.00019	0.00013 J	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.0097	0.000034 J	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.0097	< 0.00019
MW-13	MW13-ROX-011024	1/10/2024	0.00024	0.00038	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.0098	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.0098	< 0.00020	
MW-14	MW14-ROX-011724	1/17/2024	< 0.00022	0.000070 J	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.011	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.011	< 0.00022
MW-16	MW16-ROX-010824	1/8/2024	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.01	< 0.00021
MW-22	MW22-ROX-011224	1/12/2024	0.00010 J	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	0.01	< 0.00020	< 0.00020	< 0.00020	0.012	0.017	< 0.00020	< 0.0098	< 0.00020
	MW22-ROX-011224-DUP		0.00011 J	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	0.011	< 0.00019	0.000090 J	< 0.00019	0.013	0.018	< 0.00019	< 0.0096	< 0.00019
MW-23	MW23-ROX-011124	1/11/2024	< 0.00020	0.00014 J	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.0095	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.0095	< 0.00020	
MW-24	MW24-ROX-010924	1/9/2024	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.0097	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.0097	< 0.00019	
MW-25	MW25-ROX-011824	1/18/2024	< 0.00023	< 0.00023	< 0.00023	< 0.00023	< 0.00023	< 0.00023	< 0.00023	< 0.00023	< 0.012	< 0.00023	< 0.00023	< 0.00023	< 0.00023	< 0.00023	< 0.00023	< 0.012	< 0.00023	
MW-26	MW26-ROX-010524	1/5/2024	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.0099	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.0099	< 0.00020	
MW-27	MW27-ROX-010824	1/8/2024	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.0095	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.0095	< 0.00019	

**TABLE 2
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES**

			SVOCs																		
			Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Chrysene (1,2-Benzphenanthracene)	Dibenzo(a,h)anthracene	2,4-Dimethylphenol	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	Phenanthrene	Phenol	Pyrene	
Screening Values (mg/L)			0.42 ¹	0.42 ³	2.1 ¹	0.00013 ¹	0.0002 ¹	0.00018 ¹	0.21 ³	0.012 ¹	0.0003 ¹	0.14 ²	0.28 ¹	0.28 ¹	0.00043 ¹	0.49 ³	0.028 ¹	0.21 ³	0.1 ¹	0.21 ¹	
Location	Sample ID	Sample Date																			
MW-28	MW28-ROX-010524	1/5/2024	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.011	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.011	< 0.00022
P-54	P54-ROX-010824	1/8/2024	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.0099	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.0099	< 0.00020
P-56	P56-ROX-011024	1/10/2024	0.00067	< 0.00019	0.00011 J	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.0095	< 0.00019	0.00034	< 0.00019	0.0068	0.0048	0.00052	< 0.0095	< 0.00019	
P-57	P57-ROX-011124	1/11/2024	0.00032	< 0.00021	0.00017 J	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.011	< 0.00021	0.00054	< 0.00021	0.027	0.022	0.00040	< 0.011	< 0.00021	
	P57-ROX-011124-DUP		0.00032	< 0.00021	0.00016 J	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.011	< 0.00021	0.00051	< 0.00021	0.025	0.019	0.00037	< 0.011	< 0.00021	
P-58	P58-ROX-011224	1/12/2024	0.00058	< 0.00021	0.00036	0.00034	0.00029	0.00016 J	0.00013 J	0.00056	0.000071 J	< 0.01	0.00020 J	0.0014	0.000073 J	0.058	0.019	0.0021	0.31	0.00088	
	P58-ROX-011224-DUP		0.00060	< 0.00020	0.00046	0.00033	0.00028	0.00018 J	0.00012 J	0.00061	0.000087 J	< 0.01	0.00019 J	0.0014	0.000070 J	0.058	0.019	0.0021	0.28	0.00094	
P-59	P59-ROX-011224	1/12/2024	0.00045	< 0.00021	0.00023	0.000075 J	< 0.00021	0.000050 J	0.000037 J	0.000084 J	< 0.00021	< 0.011	0.00014 J	0.00025	< 0.00021	0.0082	0.011	0.00071	0.017	0.00036	
P-93A	P93A-ROX-011024	1/10/2024	< 0.00019	0.00013 J	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.0094	< 0.00019	< 0.00019	< 0.00019	0.000075 J	< 0.00019	< 0.00019	< 0.0094	< 0.00019	
P-93B	P93B-ROX-011224	1/12/2024	< 0.00021	0.00010 J	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.011	< 0.00021	< 0.00021	< 0.00021	0.00022	0.00017 J	< 0.00021	0.2	< 0.00021	
P-93C	P93C-ROX-011124	1/11/2024	0.00012 J	0.00033	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.00021	0.000095 J	< 0.00021	0.063	< 0.00021	
P-93D	P93D-ROX-011024	1/10/2024	< 0.00019	0.00016 J	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.0095	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.0095	< 0.00019	
P-114R	P114R-ROX-011024	1/10/2024	0.00076	0.00026	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.0095	0.000065 J	< 0.00020	< 0.00020	0.00022	< 0.00020	< 0.00020	< 0.0095	< 0.00020	
ROST-3-MW	ROST3MW-ROX-010824	1/8/2024	0.00014 J	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.0096	< 0.00019	0.00015 J	< 0.00019	0.00029	< 0.00019	0.000087 J	< 0.0096	< 0.00019	
ROST-4-PZ(C)	ROST4PZ(C)-ROX-010824	1/8/2024	0.00010 J	< 0.00020	0.00014 J	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.01	< 0.00020	0.00017 J	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.01	0.000057 J	
ROST-4-PZ(E)	ROST4PZE-ROX-011124	1/11/2024	0.00082	< 0.00020	0.0015	0.000085 J	< 0.00020	< 0.00020	< 0.00020	0.00011 J	< 0.00020	< 0.01	0.00037	0.00064	< 0.00020	0.0092	0.0026	0.0047	< 0.01	0.00049	
ROST-4-PZ(G)	ROST4PZ(G)-ROX-010824	1/8/2024	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.01	< 0.00021	
T-12	T12-ROX-011124	1/11/2024	0.00037	< 0.00020	0.00015 J	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.01	0.000037 J	0.00028	< 0.00020	0.016	0.024	0.00052	0.03	0.000039 J	

Notes:

1 Denotes screening criteria source from 35 I.A.C. 620, Subpart D.

2 Denotes screening criteria source from 35 I.A.C. 742 (TACO), Appendix B, Table E.

3 Denotes screening criteria source from IL EPA Toxicity Assessment Unit (Chemicals not in TACO, Tier 1 Tables).

Groundwater monitoring wells designated for sampling in the Interim Groundwater Monitoring Program, P-55R, P-66, and P-68, contained LNAPL; therefore, these wells were not sampled.

Well P-74 was inaccessible during the 1Q24 quarterly sampling event due to construction activities in the WRR.

LABORATORY QUALIFIERS

J = The analyte was detected below the reporting limit. Result is estimated.

B = Target analyte was identified in the method blank, indicating possible lab contamination.

<#.# indicates the analyte was not detected above the given reporting limit.

Analytes that were non-detect across all sampling locations during the 1Q24 sampling event are not presented on the Analytical table.

Data subject to in-progress analytical data review; final data will be provided in the 1st Quarter 2024 Roxana Interim Groundwater Monitoring Program report.

 Indicates a current exceedance of screening criteria.

LEGEND


-  GROUNDWATER MONITORING WELL LOCATION USED TO GENERATE GROUNDWATER CONTOURS
-  GROUNDWATER MONITORING WELL LOCATION NOT USED TO GENERATE GROUNDWATER CONTOURS
-  WRR GROUNDWATER PRODUCTION WELL

-401.75- GROUNDWATER SURFACE CONTOUR (CONTOUR INTERVAL 0.5 FT)


 GROUNDWATER GRADIENT

NOTES:

1. CONTOUR LINES PRIMARILY GENERATED BY SURFER VERSION 14 MODELING OF GROUNDWATER ELEVATIONS. SOME INTERPRETATION WAS DONE UTILIZING PROFESSIONAL JUDGMENT AND CONTOUR LINES WERE MODIFIED BY HAND.
2. ELEVATIONS ARE RELATIVE TO NAVD 88.
3. COMPREHENSIVE GROUNDWATER ELEVATIONS WERE MEASURED FEBRUARY 6-7, 2024.
4. WELLS MW-13 AND P-74 WERE INACCESSIBLE DURING THE MONTHLY GAUGING EVENT DUE TO CONSTRUCTION ACTIVITIES.



EQUILON ENTERPRISES LLC dba SHELL OIL PRODUCTS US INTERIM GROUNDWATER MONITORING PROGRAM ROXANA, ILLINOIS		PROJECT NO. 60721927
AECOM		
DRN. BY: gds March 2024 DSGN. BY: gds CHKD. BY: mr/bh	Groundwater Contours February 2024 - West Fenceline	FIG. NO. 1



DRAFT



EQUILON ENTERPRISES LLC dba SHELL OIL PRODUCTS US INTERIM GROUNDWATER MONITORING PROGRAM ROXANA, ILLINOIS		PROJECT NO. 60721927
AECOM		FIG. NO. 6
DRN. BY:gds April 2024 DSGN. BY:mr CHKD. BY:bh	1Q24 Dissolved Phase Benzene Concentrations in Groundwater	

ATTACHMENT 1


File: C:\USERS\MERELTAM\AECOM\GIS SERVICES - GIS CAD PROJECTS\DCS AMERICAS\SHELL\ILLINOIS\USR0666-900_S_CENTRAL_AVE-ROXANA-IL\ROXANA 1Q23 GW RP1\2.WORKSPACE\PART2_20230315\FIGURE 3B GW CONTOURS 1Q23 WF.DWG Last edited: Mar. 17, 23 @ 4:36 PM by: lorente

LEGEND

- GROUNDWATER MONITORING WELL LOCATION USED TO GENERATE GROUNDWATER CONTOURS
- GROUNDWATER MONITORING WELL LOCATION NOT USED TO GENERATE GROUNDWATER CONTOURS
- WRR GROUNDWATER PRODUCTION WELL
- 404** GROUNDWATER SURFACE CONTOUR (CONTOUR INTERVAL 0.5 FT)
- GROUNDWATER GRADIENT

NOTES:

1. CONTOUR LINES PRIMARILY GENERATED BY SURFER VERSION 14 MODELING OF GROUNDWATER ELEVATIONS. SOME INTERPRETATION WAS DONE UTILIZING PROFESSIONAL JUDGMENT AND CONTOUR LINES WERE MODIFIED BY HAND.
2. ELEVATIONS ARE RELATIVE TO NAVD 88.
3. COMPREHENSIVE GROUNDWATER ELEVATIONS WERE MEASURED JANUARY 3-4, 2023.



EQUILON ENTERPRISES LLC dba SHELL OIL PRODUCTS US INTERIM GROUNDWATER MONITORING PROGRAM ROXANA, ILLINOIS		PROJECT NO. 60697537
AECOM		
DRN. BY: gds April 2023 DSGN. BY: gds CHKD. BY: mr/bh	Groundwater Contours 1Q23- West Fenceline	FIG. NO. 3b



ATTACHMENT 1


File: C:\USERS\LORENTE\AECOM\GDS GIS SERVICES - GIS CAD PROJECTS\DCS AMERICAS\SHELL\ILLINOIS\USF00666-900_S_CENTRAL_AVE-ROXANA-IL\ROXANA 2023 GW RPT\PART II\WORKSPACE\FIGURE 3B GW CONTOURS 2023 WF.DWG Last edited: Jul. 05, 23 @ 3:03 PM by: lorente

LEGEND

- GROUNDWATER MONITORING WELL LOCATION USED TO GENERATE GROUNDWATER CONTOURS
- GROUNDWATER MONITORING WELL LOCATION NOT USED TO GENERATE GROUNDWATER CONTOURS
- WRR GROUNDWATER PRODUCTION WELL
- 403** GROUNDWATER SURFACE CONTOUR (CONTOUR INTERVAL 0.5 FT)
- GROUNDWATER GRADIENT

NOTES:

1. CONTOUR LINES PRIMARILY GENERATED BY SURFER VERSION 14 MODELING OF GROUNDWATER ELEVATIONS. SOME INTERPRETATION WAS DONE UTILIZING PROFESSIONAL JUDGMENT AND CONTOUR LINES WERE MODIFIED BY HAND.
2. ELEVATIONS ARE RELATIVE TO NAVD 88.
3. COMPREHENSIVE GROUNDWATER ELEVATIONS WERE MEASURED APRIL 3-5, 2023.
4. WELLS MW-14, P-66, AND P-75 WERE MEASURED ON APRIL 6, 2023 DUE TO INACCESSIBILITY DURING THE COMPREHENSIVE GROUNDWATER GAUGING EVENT.



EQUILON ENTERPRISES LLC dba SHELL OIL PRODUCTS US INTERIM GROUNDWATER MONITORING PROGRAM ROXANA, ILLINOIS	PROJECT NO. 60697537
---	-------------------------

DRAFT



AECOM	
DRN. BY:gds July 2023 DSGN. BY:gds CHKD. BY:mr/bh	Groundwater Contours 2Q23- West Fenceline
FIG. NO. 3b	

ATTACHMENT 1


File: C:\USERS\HOREAA\AECOM\EC GIS SERVICES - GIS CAD PROJECTS\DCS AMERICAS\SHELL\ILLINOIS\USF00686-900_S_CENTRAL_AVE-ROXANA-IL\ROXANA 3Q23 GW RPT\WORKSPACE\FIGURE 3B GW CONTOURS 3Q23 WF.DWG Last edited: Sep. 27, 23 @ 10:21 AM by: horeaa

LEGEND

- GROUNDWATER MONITORING WELL LOCATION USED TO GENERATE GROUNDWATER CONTOURS
- GROUNDWATER MONITORING WELL LOCATION NOT USED TO GENERATE GROUNDWATER CONTOURS
- WRR GROUNDWATER PRODUCTION WELL
- 403** GROUNDWATER SURFACE CONTOUR (CONTOUR INTERVAL 0.5 FT)
- GROUNDWATER GRADIENT

NOTES:

1. CONTOUR LINES PRIMARILY GENERATED BY SURFER VERSION 14 MODELING OF GROUNDWATER ELEVATIONS. SOME INTERPRETATION WAS DONE UTILIZING PROFESSIONAL JUDGMENT AND CONTOUR LINES WERE MODIFIED BY HAND.
2. ELEVATIONS ARE RELATIVE TO NAVD 88.
3. COMPREHENSIVE GROUNDWATER ELEVATIONS WERE MEASURED JULY 5-7, 2023.



DRAFT



EQUILON ENTERPRISES LLC dba SHELL OIL PRODUCTS US INTERIM GROUNDWATER MONITORING PROGRAM ROXANA, ILLINOIS		PROJECT NO. 60697537
AECOM		
DRN. BY: gds October 2023 DSGN. BY: gds CHKD. BY: mr/bh	Groundwater Contours 3Q23- West Fenceline	FIG. NO. 3b

ATTACHMENT 1


File: C:\USERS\LORENTE\AECOM\GDS GIS SERVICES - GIS CAD PROJECTS\DCS AMERICAS\SHELL\ILLINOIS\USF00666-900_S_CENTRAL_AVE-ROXANA-IL\ROXANA 4Q23 GW RPT\WORKSPACE\FIGURE 3B GW CONTOURS 4Q23 WF_025FT.DWG Last edited: Dec. 14, 23 @ 1:52 PM by: lorente

LEGEND

-  GROUNDWATER MONITORING WELL LOCATION USED TO GENERATE GROUNDWATER CONTOURS
-  GROUNDWATER MONITORING WELL LOCATION NOT USED TO GENERATE GROUNDWATER CONTOURS
-  WRR GROUNDWATER PRODUCTION WELL
-  **402.25** GROUNDWATER SURFACE CONTOUR (CONTOUR INTERVAL 0.5 FT)
-  GROUNDWATER GRADIENT

NOTES:

1. CONTOUR LINES PRIMARILY GENERATED BY SURFER VERSION 14 MODELING OF GROUNDWATER ELEVATIONS. SOME INTERPRETATION WAS DONE UTILIZING PROFESSIONAL JUDGMENT AND CONTOUR LINES WERE MODIFIED BY HAND.
2. ELEVATIONS ARE RELATIVE TO NAVD 88.
3. COMPREHENSIVE GROUNDWATER ELEVATIONS WERE MEASURED OCTOBER 2-4, 2023.



EQUILON ENTERPRISES LLC dba SHELL OIL PRODUCTS US INTERIM GROUNDWATER MONITORING PROGRAM ROXANA, ILLINOIS	PROJECT NO. 60697537
---	-------------------------

AECOM

DRN. BY:gds January 2024
DSGN. BY:gds
CHKD. BY:mr/bh

Groundwater Contours 4Q23-
West Fenceline

FIG. NO.
3b



TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

			VOCs																				
Screening Values (mg/L)			Acetone	Benzene	Bromodichloromethane	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Carbon tetrachloride	Chloroform	Chloromethane	Cymene (p-isopropyltoluene)	1,2-Dibromo-3-chloropropane (DBCP)	cis-1,2-Dichloroethene	Ethylbenzene	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Toluene
Location	Sample ID	Sample Date	Analytical Results (mg/L)																				
			6.3 ¹	0.005 ¹	0.0002 ²	4.2 ¹	0.35 ³	0.7 ³	0.7 ³	0.7 ¹	0.005 ¹	0.07 ¹			0.0002 ¹	0.07 ¹	0.7 ¹	0.7 ¹	19000 ³	0.7 ¹	0.07 ¹	0.14 ¹	0.7 ³
MW-06D	MW6D-ROX-011123	1/11/2023	< 0.025	< 0.001	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.001	< 0.000029	< 0.001	< 0.001	< 0.001	< 0.025	< 0.001	< 0.005	< 0.001	< 0.001
	MW6D-ROX-011123-PAH	1/11/2023	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	MW6D-ROX-041123	4/11/2023	< 0.025	0.00080 J	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.001	< 0.000031	< 0.001	< 0.001	< 0.001	< 0.025	< 0.001	< 0.005	< 0.001	< 0.001
	MW6D-ROX-071223	7/12/2023	< 0.025	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.000029	< 0.0010	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0050	< 0.0010	< 0.0010
	MW6D-ROX-100923	10/9/2023	< 0.025	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.000029	< 0.0010	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0050	< 0.0010	< 0.0010
MW-07	MW7-ROX-010923	1/9/2023	< 50	420	< 2	< 50	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	0.000020 J*+ J	< 2	< 2	< 2	< 50	< 2	< 10	< 2	< 2
	MW7-ROX-040723	4/7/2023	< 25	890 J	< 1	< 25	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 0.000030	< 1	< 1	< 1	< 25	< 1	< 5	< 1	0.71 J
	MW7-ROX-040723-DUP	4/7/2023	< 25	620 J	< 1	< 25	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 0.000029	< 1	< 1	< 1	< 25	< 1	< 5	< 1	0.43 J
	MW7-ROX-071323	7/13/2023	< 130	490	< 5	< 130	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 0.000030	< 5	< 5	< 5	< 130	< 5	< 25	< 5	< 5
	MW7-ROX-071323-DUP	7/13/2023	< 130	490	< 5	< 130	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 0.000030	< 5	< 5	< 5	< 130	< 5	< 25	< 5	< 5
	MW7-ROX-102023	10/20/2023	< 130	1400	< 5	< 130	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 0.000030	< 5	< 5	< 5	< 130	< 5	< 25	< 5	< 5
MW8-ROX-010923	1/9/2023	< 25 UJ	390	< 1 UJ	< 25 UJ	< 1 UJ	< 1 UJ	< 1 UJ	< 1 UJ	< 1 UJ	< 1 UJ	< 1 UJ	< 1 UJ	0.000028 J*+ J	< 1 UJ	< 1 UJ	< 1 UJ	< 25	< 1 UJ	< 5 UJ	< 1 UJ	< 1 UJ	
MW8-ROX-010923-DUP	1/9/2023	< 25 UJ	380	< 1 UJ	< 25 UJ	< 1 UJ	< 1 UJ	< 1 UJ	< 1 UJ	< 1 UJ	< 1 UJ	< 1 UJ	< 1 UJ	0.000028 J*+ J	< 1 UJ	< 1 UJ	< 1 UJ	< 25	< 1 UJ	< 5 UJ	< 1 UJ	< 1 UJ	
MW-09	MW9-ROX-010523	1/5/2023	< 0.025	< 0.001	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.000030	< 0.001	< 0.001	< 0.001	< 0.025	< 0.001	< 0.005	< 0.001	< 0.001	
	MW9-ROX-041023	4/10/2023	< 0.025	0.00071 J	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.000031	< 0.001	< 0.001	< 0.001	< 0.025	< 0.001	< 0.005	< 0.001	< 0.001	
	MW9-ROX-071823	7/18/2023	< 0.025	0.0038	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.000030	< 0.0010	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0050	< 0.0010	< 0.0010	
MW-10	MW10-ROX-011223	1/12/2023	< 0.025	< 0.001	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.000029	< 0.001	< 0.001	< 0.001	< 0.025	< 0.001	< 0.005	< 0.001	< 0.001	
	MW10-ROX-040623	4/6/2023	< 0.025	0.00073 J	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.000029	< 0.001	< 0.001	< 0.001	< 0.025	< 0.001	< 0.005	< 0.001	< 0.001	
	MW10-ROX-071823	7/18/2023	< 0.025	0.00063 J	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.000029	< 0.0010	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0050	< 0.0010	< 0.0010	
MW-11	MW10-ROX-101323	10/13/2023	< 0.025	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.000030	< 0.0010	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0050	< 0.0010	< 0.0010	
	MW11-ROX-011223	1/12/2023	< 0.025	< 0.001	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.000030	< 0.001	< 0.001	< 0.001	< 0.025	< 0.001	< 0.005	< 0.001	< 0.001	
	MW11-ROX-040623	4/6/2023	< 0.025	0.00033 J	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.000030	< 0.001	< 0.001	< 0.001	< 0.025	< 0.001	< 0.005	< 0.001	< 0.001	
MW-12	MW11-ROX-071223	7/12/2023	< 0.025	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.000029	< 0.0010	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0050	< 0.0010	< 0.0010	
	MW11-ROX-100623	10/6/2023	< 0.025	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.000029	< 0.0010	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0050	< 0.0010	< 0.0010	
	MW12-ROX-010623	1/6/2023	< 0.025	< 0.001	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.000029	< 0.001	< 0.001	< 0.001	< 0.025	< 0.001	< 0.005	< 0.001	< 0.001	
MW-13	MW12-ROX-040723	4/7/2023	< 0.025	0.0020	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.000029	< 0.001	< 0.001	< 0.001	< 0.025	< 0.001	< 0.005	< 0.001	< 0.001	
	MW12-ROX-071223	7/12/2023	< 0.025	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.000028	< 0.0010	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0050	< 0.0010	< 0.0010	
	MW12-ROX-101023	10/10/2023	< 0.025	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	0.0014	< 0.000030	< 0.0010	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0050	< 0.0010	< 0.0010	
MW-14	MW13-ROX-010923	1/9/2023	< 0.025	< 0.001	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.000029	< 0.001	< 0.001	< 0.001	< 0.025	0.00074 J	< 0.005	< 0.001	< 0.001	
	MW13-ROX-041323	4/13/2023	< 0.025	0.00091 J	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.000031	< 0.001	< 0.001	< 0.001	< 0.025	0.0011	< 0.005	< 0.001	< 0.001	
	MW13-ROX-071423	7/14/2023	< 0.025	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.000029	< 0.0010	< 0.0010	< 0.0010	< 0.025	0.0011	< 0.0050	< 0.0010	< 0.0010	
	MW13-ROX-101823	10/18/2023	0.013 J	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.000031	< 0.0010	< 0.0010	< 0.0010	< 0.025	0.00070 J	< 0.0050	< 0.0010	< 0.0010	
MW-16	MW14-ROX-010923	1/9/2023	< 0.025	< 0.001	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.000029	< 0.001	< 0.001	< 0.001	< 0.025	< 0.001	< 0.005	< 0.001	< 0.001	
	MW14-ROX-010923-DUP	1/9/2023	< 0.025	< 0.001	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.000030	< 0.001	< 0.001	< 0.001	< 0.025	< 0.001	< 0.005	< 0.001	< 0.001	
	MW14-ROX-041223	4/12/2023	0.011 J	0.00052 J	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.000029	< 0.001	< 0.001	< 0.001	< 0.025	< 0.001	< 0.005	< 0.001	< 0.001	
	MW14-ROX-071723	7/17/2023	< 0.025	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.000029	< 0.0010	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0050	< 0.0010	< 0.0010	
	MW14-ROX-100923	10/9/2023																					

**TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES**

			VOCs																				
Screening Values (mg/L)			6.3 ¹	0.005 ¹	0.0002 ²	4.2 ¹	0.35 ³	0.7 ³	0.7 ³	0.7 ¹	0.005 ¹	0.07 ¹											
Location	Sample ID	Sample Date	Analytical Results (mg/L)																				
			Acetone	Benzene	Bromodichloromethane	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Carbon tetrachloride	Chloroform	Chloromethane	Cymene (p-isopropyltoluene)	1,2-Dibromo-3-chloropropane (DBCP)	cis-1,2-Dichloroethene	Ethylbenzene	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Toluene
MW-22	MW22-ROX-011023	1/10/2023	0.029 J	0.0085	< 0.002	0.0086 J	0.0041	0.0022	0.0044	< 0.002	< 0.0020	< 0.002	< 0.002	0.0035	0.000041 *+ J	< 0.002	0.085	0.021	< 0.05	< 0.002	0.041	0.042	0.011
	MW22-ROX-041823	4/18/2023	0.048 J	0.023	< 0.002	0.0052 J	0.0033	0.0018 J	0.0045	< 0.002	< 0.0020	< 0.002	< 0.002	0.0020	< 0.000030	< 0.002	0.082	0.02	< 0.05	< 0.002	0.067	0.036	0.018
	MW22-ROX-071323	7/13/2023	0.023 J	0.0076	< 0.0020	< 0.05	0.0019 J J	< 0.0020	0.0025	< 0.0020	< 0.0020	< 0.0020	< 0.0020	< 0.0020	< 0.000030	< 0.0020	0.031	0.013	< 0.05	< 0.0020	0.043	0.023	0.0093
	MW22-ROX-101623	10/16/2023	< 0.025	0.0061	< 0.0010	< 0.025	0.0029	0.0015	0.0043	< 0.0010	< 0.0010	< 0.0010	< 0.0010	0.0019	< 0.000030	< 0.0010	0.022	0.014	< 0.025	< 0.0010	0.034	0.027	0.0088
MW-23	MW23-ROX-011023	1/10/2023	< 0.025	< 0.001	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.001	< 0.000029	< 0.001	< 0.001	< 0.001	< 0.025	0.00032 J	< 0.005	< 0.001	< 0.001
	MW23-ROX-041223	4/12/2023	< 0.025	0.00032 J	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.001	< 0.000031	< 0.001	< 0.001	< 0.001	< 0.025	0.00066 J	< 0.005	< 0.001	< 0.001
	MW23-ROX-071423	7/14/2023	< 0.025	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.000031	0.00023 J	< 0.0010	< 0.0010	< 0.025	0.00090 J	< 0.0050	< 0.0010	< 0.0010
	MW23-ROX-101023	10/10/2023	0.015 J	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.000030	< 0.0010	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0050	< 0.0010	< 0.0010
MW-24	MW24-ROX-011223	1/12/2023	< 0.025	< 0.001	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.001	< 0.000030	< 0.001	< 0.001	< 0.001	< 0.025	< 0.001	< 0.005	< 0.001	< 0.001
	MW24-ROX-011223-PAH	1/12/2023	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	MW24-ROX-041323	4/13/2023	< 0.025	< 0.001	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.001	< 0.000029	< 0.001	< 0.001	< 0.001	< 0.025	< 0.001	< 0.005	< 0.001	< 0.001
	MW24-ROX-071023	7/10/2023	< 0.025	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.000029	< 0.0010	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0050	< 0.0010	< 0.0010
MW-25	MW24-ROX-101223	10/12/2023	< 0.025	< 0.0010	< 0.0010 UJ	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010 UJ	< 0.0010	< 0.0010	< 0.0010	< 0.000030	< 0.0010	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0050	< 0.0010	< 0.0010
	MW25-ROX-010923	1/9/2023	< 0.025	0.024	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.001	< 0.000030	< 0.001	< 0.001	< 0.001	< 0.025	0.00071 J	< 0.005	< 0.001	< 0.001
	MW25-ROX-040723	4/7/2023	< 0.025	0.04	< 0.001	0.0036 J	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.001	< 0.000030	< 0.001	< 0.001	< 0.001	< 0.025	0.00037 J	< 0.005	< 0.001	< 0.001
	MW25-ROX-071323	7/13/2023	0.062	0.027	< 0.0010	0.0058 J	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010 UJ	< 0.0010	< 0.000029	< 0.0010	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0050	< 0.0010	< 0.0010
MW-26	MW25-ROX-102023	10/20/2023	< 0.025	0.043	< 0.0010	< 0.025	< 0.0010	< 0.0010	0.00091 J	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.000030	< 0.0010	< 0.0010	< 0.0010	< 0.025	0.00035 J	< 0.0050	< 0.0010	< 0.0010	
	MW26-ROX-010623	1/6/2023	< 0.025	< 0.001	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.001	< 0.000029	< 0.001	< 0.001	< 0.001	< 0.025	< 0.001	< 0.005	< 0.001	< 0.001
	MW26-ROX-041023	4/10/2023	< 0.025	0.00027 J	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.001	< 0.000029	< 0.001	< 0.001	< 0.001	< 0.025	< 0.001	< 0.005	< 0.001	< 0.001
	MW26-ROX-071023	7/10/2023	< 0.025	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.000029	< 0.0010	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0050	< 0.0010	< 0.0010
MW-27	MW26-ROX-100523	10/5/2023	< 0.025	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.000030	< 0.0010	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0050	< 0.0010	< 0.0010	
	MW27-ROX-010623	1/6/2023	< 0.025	< 0.001	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.001	< 0.000030	< 0.001	< 0.001	< 0.001	< 0.025	< 0.001	< 0.005	< 0.001	< 0.001
	MW27-ROX-041023	4/10/2023	< 0.025	0.00060 J	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.001	< 0.000030	< 0.001	< 0.001	< 0.001	< 0.025	< 0.001	< 0.005	< 0.001	< 0.001
	MW27-ROX-071823	7/18/2023	< 0.025	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.000029	< 0.0010	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0050	< 0.0010	< 0.0010
MW-28	MW27-ROX-101823	10/18/2023	< 0.025	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.000029	< 0.0010	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0050	< 0.0010	< 0.0010	
	MW28-ROX-010523	1/5/2023	< 0.025	0.00038 J	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.001	< 0.000030	< 0.001	< 0.001	< 0.001	< 0.025	0.0026	< 0.005	< 0.001	< 0.001
	MW28-ROX-041423	4/14/2023	< 0.025	0.00031 J	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.001	< 0.000029	< 0.001	< 0.001	< 0.001	< 0.025	0.0019	< 0.005	< 0.001	< 0.001
	MW28-ROX-071223	7/12/2023	< 0.025	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.000028	< 0.0010	< 0.0010	< 0.0010	< 0.025	0.0011	< 0.0050	< 0.0010	< 0.0010
P-54	MW28-ROX-101223	10/12/2023	0.01 J	< 0.0010	< 0.0010 UJ	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010 UJ	< 0.0010	< 0.0010	< 0.000030	< 0.0010	< 0.0010	< 0.0010	< 0.025	0.00051 J	< 0.0050	< 0.0010	< 0.0010	
	P54-ROX-010623	1/6/2023	< 0.025	< 0.001	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.001	< 0.000029	< 0.001	< 0.001	< 0.001	< 0.025	< 0.001	< 0.005	< 0.001	< 0.001
	P54-ROX-041223	4/12/2023	< 0.025	0.00036 J	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.001	< 0.000030	< 0.001	< 0.001	< 0.001	< 0.025	< 0.001	< 0.005	< 0.001	< 0.001
	P54-ROX-041223-DUP	4/12/2023	< 0.025	0.00037 J	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.001	< 0.000030	< 0.001	< 0.001	< 0.001	< 0.025	< 0.001	< 0.005	< 0.001	< 0.001
	P54-ROX-071223	7/12/2023	< 0.025	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010 UJ	< 0.0010	< 0.000029	< 0.0010	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0050	< 0.0010	< 0.0010
P-56	P54-ROX-100623	10/6/2023	0.011 JF1 J	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.000030	< 0.0010	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0050	< 0.0010	< 0.0010	
	P56-ROX-010923	1/9/2023	< 0.025	< 0.001	< 0.001	< 0.025																	

**TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES**

			VOCs																					
Screening Values (mg/L)			Acetone	Benzene	Bromodichloromethane	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Carbon tetrachloride	Chloroform	Chloromethane	Cymene (p-isopropyltoluene)	1,2-Dibromo-3-chloropropane (DBCP)	cis-1,2-Dichloroethene	Ethylbenzene	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Toluene	
Location	Sample ID	Sample Date	Analytical Results (mg/L)																					
			6.3 ¹	0.005 ¹	0.0002 ²	4.2 ¹	0.35 ³	0.7 ³	0.7 ³	0.7 ¹	0.005 ¹	0.07 ¹			0.0002 ¹	0.07 ¹	0.7 ¹	0.7 ¹	19000 ³	0.7 ¹	0.07 ¹	0.14 ¹	0.7 ³	
P-57	P57-ROX-011023	1/10/2023	0.01 J	0.05	<0.001	0.0028 J	0.0023	0.0046	0.0054	<0.001	<0.0010	<0.001	<0.001	<0.001	<0.000030	<0.001	0.00095 J	0.021	<0.025	<0.001	0.0082	0.023	0.0028	
	P57-ROX-041923	4/19/2023	<0.025	0.27	<0.001	<0.025	0.00088 J	0.0017	0.0021	<0.001	<0.0010	<0.001 UJ	<0.001	<0.001	<0.000029	<0.001	0.0012	0.0093	<0.025	<0.001	0.026	0.01	0.0023	
	P57-ROX-071323	7/13/2023	<0.05	0.21 J	<0.0020	0.0057 J	0.0050	0.0075	0.0085	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.000029	<0.0020	0.0028	0.032	<0.05	<0.0020	0.023	0.042	0.0044	
	P57-ROX-071323-DUP	7/13/2023	<0.05	0.4 J	<0.0020	<0.05	0.0056	0.0090	0.01	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.000029	<0.0020	0.0044	0.038	<0.05	<0.0020	0.041	0.05	0.0057	
	P57-ROX-101723	10/17/2023	0.017 J	0.084	<0.0010	<0.025	0.0031	0.0040	0.0039	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.000030	<0.0010	0.0015	0.022	<0.025	<0.0010	0.013	0.022	0.0031	
P-58	P58-ROX-041923	4/19/2023	<25	150	<1	<25	<1	<1	<1	<1	<1	<1 UJ	<1	<1	<0.000030	<1	<1	<1	<25	<1	<5	<1	<1	
	P58-ROX-071823	7/18/2023	<25	220	<1	<25	<1	<1	<1	<1	<1	<1	<1	<1	<0.000029	<1	<1	<1	<25	<1	<5	<1	<1	
	P58-ROX-071823-DUP	7/18/2023	<25	250	<1	<25	<1	<1	<1	<1	<1	<1	<1	<1	<0.000029	<1	<1	<1	<25	<1	<5	<1	<1	
	P58-ROX-101723	10/17/2023	<25 UJ	570	<1 UJ	<25 UJ	<1 UJ	<1 UJ	<1 UJ	<1 UJ	<1 UJ	<1 UJ	<1 UJ	<1 UJ	<0.000030	<1 UJ	<1 UJ	<1 UJ	<25 UJ	<1 UJ	<5 UJ	<1 UJ	<1 UJ	
P-59	P59-ROX-011123	1/11/2023	<0.5	2.5	<0.02	<0.5	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.000029	<0.02	0.16	0.045	<0.5	<0.02	0.12	0.073	0.1	
	P59-ROX-011123-DUP	1/11/2023	<0.5	2.7	<0.02	<0.5	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.000030	<0.02	0.17	0.049	<0.5	<0.02	0.13	0.076	0.11	
	P59-ROX-011123-DUP-PAH	1/11/2023	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	P59-ROX-042023	4/20/2023	<0.25	1.4	<0.01	<0.25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01 UJ	<0.01	<0.01	<0.000030	<0.01	0.084	0.028	<0.25	<0.01	0.077	0.043	0.062	
	P59-ROX-071823	7/18/2023	0.15	0.97	<0.0050	<0.13	<0.0050	<0.0050	<0.0050	<0.0010	<0.0050	<0.0010	<0.0010	<0.0050	<0.000030	<0.0050	0.038	0.017	<0.13	<0.0050	0.029	0.023	0.043	
	P59-ROX-101823	10/18/2023	<0.25	1.8	<0.01	<0.25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.000031	<0.01	0.12	0.048	<0.25	<0.01	0.043 J	0.075	0.086	
P-74	P74-ROX-011023	1/10/2023	<0.025	0.0013	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.0010	<0.001	<0.001	<0.001	<0.000030	<0.001	<0.001	<0.001	<0.025	<0.001	<0.005	<0.001	<0.001	
	P74-ROX-041723	4/17/2023	0.022 J	0.012	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.0010	<0.001 UJ	<0.001	<0.001	<0.000029	<0.001	<0.001	<0.001	<0.025	<0.001	<0.005	<0.001	<0.001	
	P74-ROX-071223	7/12/2023	0.025	0.42	<0.0010	0.0038 J	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010 UJ	<0.0010	<0.0010	<0.000029	<0.0010	0.0019	<0.0010	<0.025	0.0036	<0.0050	<0.0010	0.0040	
	P74-ROX-101723	10/17/2023	0.065 J	1	<0.0050	<0.13	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.000030	<0.0050	0.0055	<0.0050	0.016 J	0.0065	<0.025	<0.0050	0.0086	
	P74-ROX-101723-DUP	10/17/2023	0.071 J	1	<0.0050	<0.13	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.000030	<0.0050	0.0050	<0.0050	0.015 J	0.0065	<0.025	<0.0050	0.0091	
P-93A	P93A-ROX-010523	1/5/2023	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.0010	<0.001	<0.001	<0.001	<0.000030	<0.001	<0.001	<0.001	<0.025	<0.001	<0.005	<0.001	<0.001	
	P93A-ROX-010523-PAH	1/5/2023	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	P93A-ROX-041923	4/19/2023	<0.025	0.00093 J	<0.001	<0.025	<0.001	<0.001	0.00085 J	<0.001	<0.0010	<0.001 UJ	<0.001	<0.001	<0.000030	<0.001	<0.001	<0.001	<0.025	<0.001	<0.005	<0.001	<0.001	
	P93A-ROX-071123	7/11/2023	<0.025	0.0053	<0.0010	<0.025	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.000028	<0.0010	<0.0010	<0.0010	<0.025	<0.0010	<0.0050	<0.0010	<0.0010	
	P93A-ROX-101823	10/18/2023	<0.025	<0.0010	<0.0010	<0.025	<0.0010	<0.0010	0.00070 J	<0.0010	0.0012	0.0030	<0.0010	<0.0010	<0.000029	<0.0010	<0.0010	<0.0010	<0.025	<0.0010	<0.0050	<0.0010	<0.0010	
P-93B	P93B-ROX-011123	1/11/2023	<25 UJ	1400	<1 UJ	<25 UJ	<1 UJ	<1 UJ	<1 UJ	<1 UJ	<1 UJ	<1 UJ	<1 UJ	<0.000029	<1 UJ	<1 UJ	<1 UJ	<25	<1 UJ	<5 UJ	<1 UJ	<1 UJ		
	P93B-ROX-042023	4/20/2023	<50	400	<2	<50	<2	<2	<2	<2	<2 UJ	<2	<2	<0.000031	<2	<2	<2	<50	<2	<10	<2	<2		
	P93B-ROX-071823	7/18/2023	<25 UJ	1200	<1 UJ	<25 UJ	<1 UJ	<1 UJ	<1 UJ	<1 UJ	<1 UJ	<1 UJ	<1 UJ	<0.000030	<1 UJ	<1 UJ	<1 UJ	<25	<1 UJ	<5 UJ	<1 UJ	<1 UJ		
	P93B-ROX-101923	10/19/2023	<130	610	<5	<130	<5	<5	<5	<5	<5	<5	<5	<0.000030	<5	<5	<5	<130	<5	<25	<5	<5		
P-93C	P93C-ROX-010523	1/5/2023	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.0010	<0.001	<0.001	<0.001	<0.000030	<0.001	<0.001	<0.001	<0.025	0.0019	<0.005	<0.001	<0.001	
	P93C-ROX-041923	4/19/2023	<0.025	0.071	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.0010	<0.001 UJ	<0.001	<0.001	<0.000030	<0.001	<0.001	<0.001	<0.025	0.0028	<0.005	<0.001	<0.001	
	P93C-ROX-071423	7/14/2023	<0.025	<0.0010	<0.0010	<0.025	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.000029	<0.0010	<0.0010	<0.0010	<0.025	0.0028	<0.0050	<0.0010	<0.0010	
	P93C-ROX-101623	10/16/2023	<0.025	0.013	<0.0010	<0.025	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.000030	<0.0010	<0.0010	<0.0010	<0.025	0.0025	<0.0050	<0.0010	<0.0010	
P-93D	P93D-ROX-010523	1/5/2023	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.0010	<0.001	<0.001	<0.001	<0.000032	<0.001	<0.001	<0.001	<0.025	0.00061 J	<0.005	<0.001	<0.001	
	P93D-ROX-010523-PAH	1/5/2023	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	P93D-ROX-042123	4/21/2023	<0.025	<0.001	<0.001	<0.025	<0.001	<0.001	<0.001	<0.001	<0.0010	<0.001	<0.001	<0.001	<0.000030	<0.001	<0.001	<0.001	<0.025	0.00083 J	<0.005	<0.001	0.00056 J	
	P93D-ROX-071123	7/11/2023	<0.025	<0.0010	<0.0010	<0.025	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010 UJ	<0.0010	<0.000028	<0.0010	<0.0010	<0.0010	<0.025	0.00072 J	<0.0050	<0.0010	<0.0010	
P93D-ROX-101623	10/16/2023	<0.025	<0.0010	<0.0010	<0.025	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.000030	<0.0010	<0.0010	<0.0010	<0.025	0.00053 J	<0.0050	<0.0010	<0.0010		

**TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES**

			VOCs																				
Screening Values (mg/L)			Acetone	Benzene	Bromodichloromethane	2-Butanone	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Carbon tetrachloride	Chloroform	Chloromethane	Cymene (p-isopropyltoluene)	1,2-Dibromo-3-chloropropane (DBCP)	cis-1,2-Dichloroethene	Ethylbenzene	Isopropylbenzene (Cumene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone)	Methyl tert-Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Toluene
			6.3 ¹	0.005 ¹	0.0002 ²	4.2 ¹	0.35 ³	0.7 ³	0.7 ³	0.7 ¹	0.005 ¹	0.07 ¹			0.0002 ¹	0.07 ¹	0.7 ¹	0.7 ¹	19000 ³	0.7 ¹	0.07 ¹	0.14 ¹	0.7 ³
Location	Sample ID	Sample Date	Analytical Results (mg/L)																				
P-114R	P114R-ROX-010623	1/6/2023	< 0.025	< 0.001	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.001	< 0.000030	< 0.001	< 0.001	< 0.001	< 0.025	0.0014	< 0.005	< 0.001	< 0.001
	P114R-ROX-010623-PAH	1/6/2023	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	P114R-ROX-041323	4/13/2023	< 0.025	0.00031 J	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.001	< 0.000030	< 0.001	< 0.001	< 0.001	< 0.025	0.0011	< 0.005	< 0.001	< 0.001
	P114R-ROX-071423	7/14/2023	0.013 J	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.000029	< 0.0010	< 0.0010	< 0.0010	< 0.025	0.0018	< 0.0050	< 0.0010	< 0.0010
	P114R-ROX-101823	10/18/2023	0.019 J	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.000032	< 0.0010	< 0.0010	< 0.0010	< 0.025	0.0015	< 0.0050	< 0.0010	< 0.0010
ROST-3-MW	ROST3MW-ROX-010523	1/5/2023	< 0.025	< 0.001	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.001	< 0.000030	< 0.001	< 0.001	< 0.001	< 0.025	< 0.001	< 0.005	< 0.001	< 0.001
	ROST3MW-ROX-041123	4/11/2023	< 0.025	0.00056 J	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	UJ	< 0.001	< 0.000030	< 0.001	< 0.001	< 0.025	< 0.001	< 0.005	< 0.001	< 0.001
	ROST3MW-ROX-071723	7/17/2023	< 0.025	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.000030	< 0.0010	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0050	< 0.0010	< 0.0010
	ROST3MW-ROX-071723-DUP	7/17/2023	< 0.025	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.000030	< 0.0010	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0050	< 0.0010	< 0.0010
	ROST3MW-ROX-100623	10/6/2023	0.038	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.000029	< 0.0010	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0050	< 0.0010	< 0.0010
ROST-4-PZ(C)	ROST4PZ(C)-ROX-011323	1/13/2023	< 0.025	< 0.001	< 0.001	0.0028 J	< 0.001	< 0.001	< 0.001	0.00090 J	< 0.0010	< 0.001	< 0.001	< 0.001	< 0.000029	< 0.001	< 0.001	0.00094 J	< 0.025	< 0.001	< 0.005	0.0020	< 0.001
	ROST4PZ(C)-ROX-041723	4/17/2023	< 0.025	0.0010	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	UJ	< 0.001	< 0.000030	< 0.001	< 0.001	< 0.001	< 0.025	< 0.001	< 0.005	0.00086 J	0.00056 J
	ROST4PZ(C)-ROX-071123	7/11/2023	< 0.025	0.0022	< 0.0010	0.016 J	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	UJ	< 0.0010	< 0.000028	< 0.0010	0.0020	0.0030	< 0.025	< 0.0010	0.035	0.0056	0.0064
	ROST4PZ(C)-ROX-101623	10/16/2023	< 0.025	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.000030	< 0.0010	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0050	< 0.0010	< 0.0010
	ROST4PZ(C)-ROX-101623-DUP	10/16/2023	< 0.025	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.000030	< 0.0010	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0050	< 0.0010	< 0.0010
ROST-4-PZ(E)	ROST4PZ(E)-ROX-011023	1/10/2023	0.085	0.0043	< 0.001	0.038	0.0016	0.00082 J	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	0.00075 J	< 0.000029	< 0.001	0.033	0.0052	< 0.025	< 0.001	0.063	0.0048	0.0037
	ROST4PZ(E)-ROX-041823	4/18/2023	< 0.025	0.0016	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.001	< 0.000029	< 0.001	0.0091	0.0024	< 0.025	< 0.001	0.026	0.0017	0.00090 J
	ROST4PZ(E)-ROX-041823-DUP	4/18/2023	< 0.025	0.0018	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.001	< 0.000029	< 0.001	0.01	0.0026	< 0.025	< 0.001	0.027	0.0019	0.0011
	ROST4PZ(E)-ROX-071223	7/12/2023	< 0.025	0.00074 J	< 0.0010	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	UJ	< 0.0010	< 0.000029	< 0.0010	0.0046	0.00089 J	< 0.025	< 0.0010	0.0058	< 0.0010	< 0.0010
	ROST4PZ(E)-ROX-101323	10/13/2023	0.062	0.00061 J	< 0.0010	0.0082 J	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.000031	< 0.0010	0.0054	0.00076 J	< 0.025	< 0.0010	0.0031 J	0.00075 J	< 0.0010
ROST-4-PZ(G)	ROST4PZ(G)-ROX-010623	1/6/2023	0.55	0.00032 J	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.001	< 0.000030	< 0.001	< 0.001	< 0.001	< 0.025	< 0.001	< 0.005	< 0.001	< 0.001
	ROST4PZ(G)-ROX-041423	4/14/2023	< 0.025	0.00041 J	< 0.001	< 0.025	< 0.001	< 0.001	< 0.001	< 0.001	< 0.0010	< 0.001	< 0.001	< 0.001	< 0.000030	< 0.001	< 0.001	< 0.001	< 0.025	< 0.001	< 0.005	< 0.001	< 0.001
	ROST4PZ(G)-ROX-071023	7/10/2023	0.011 J	< 0.0010	< 0.0010	0.0030 J	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.000030	< 0.0010	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0050	< 0.0010	< 0.0010
	ROST4PZ(G)-ROX-101223	10/12/2023	0.033	< 0.0010	< 0.0010	UJ	< 0.025	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	UJ	< 0.0010	< 0.000030	< 0.0010	< 0.0010	< 0.0010	< 0.025	< 0.0010	< 0.0050	< 0.0010	< 0.0010
T-12	T12-ROX-011123	1/11/2023	< 0.25	2.1	< 0.01	< 0.25	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.000029	< 0.01	0.026	0.0069 J	< 0.25	< 0.01	0.07	0.0090 J	0.053	
	T12-ROX-011123-DUP	1/11/2023	< 0.25	2.1	< 0.01	< 0.25	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.000029	< 0.01	0.025	0.0068 J	< 0.25	< 0.01	0.058	0.0088 J	0.053	
	T12-ROX-042023	4/20/2023	< 0.25	1.2	< 0.01	< 0.25	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	UJ	< 0.01	< 0.000029	< 0.01	0.012	< 0.01	< 0.25	0.0022 J	< 0.05	< 0.01	0.026
	T12-ROX-071423	7/14/2023	< 0.25	1.5	< 0.01	< 0.25	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.000030	< 0.01	0.011	0.0077 J	< 0.25	< 0.01	< 0.05	0.0092 J	0.031
	T12-ROX-101923	10/19/2023	< 0.25	1.5	< 0.01	< 0.25	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.000032	< 0.01	0.013	0.019	< 0.25	< 0.01	< 0.05	0.031	0.037

**TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES**

			VOCs						SVOCs													
Screening Values (mg/L)			1.0 ¹	0.07 ³	0.07 ³	10 ¹	10 ¹	10 ¹	0.42 ¹	0.42 ³	2.1 ¹	0.00013 ¹	0.0002 ¹	0.00018 ¹	0.21 ³	0.00017 ¹	28 ¹	0.006 ¹	1.4 ²	0.012 ¹	0.0003 ¹	
Location	Sample ID	Sample Date	Analytical Results (mg/L)																			
			Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	m,p-Xylenes	o-Xylenes	Xylenes (total)	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	Chrysene (1,2-Benzophenanthracene)	Dibenzo(a,h)anthracene	
MW-01	MW1-ROX-011323	1/13/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00021	< 0.00021	< 0.00021	0.00014 J	0.00016 J	0.00029	0.00026	0.00017 J	< 0.031	< 0.01	< 0.01	0.00023	0.00018 J	
	MW1-ROX-011323-PAH	1/13/2023	--	--	--	--	--	--	--	--	--	< 0.0002 H UJ	< 0.0002 H UJ	< 0.0002 H UJ	< 0.0002 H UJ	< 0.0002 H UJ	--	--	--	< 0.0002 H UJ	< 0.0002 H UJ	
	MW1-ROX-040623	4/6/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.01	< 0.01	< 0.00020	< 0.00020
	MW1-ROX-071023	7/10/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.0099	< 0.0099	< 0.00020	< 0.00020
	MW1-ROX-100523	10/5/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00011	< 0.00011	< 0.00011	< 0.00011	< 0.00011	< 0.00011	< 0.00011	< 0.00011	< 0.00011	< 0.017	< 0.0057	< 0.0057	< 0.00011	< 0.00011
MW-02	MW2-ROX-011323	1/13/2023	< 0.001	0.0057	0.011	0.015	0.0017 J	0.016	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021 UJ	< 0.032	< 0.011	< 0.011	< 0.00021	< 0.00021	
	MW2-ROX-041823	4/18/2023	< 0.002	0.086	0.027	0.23	0.02	0.25	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.029	< 0.0098	< 0.0098	< 0.00020	< 0.00020	
	MW2-ROX-071823	7/18/2023	< 0.0010	0.032	0.026	0.1	0.0088	0.11	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.01	< 0.01	< 0.00020	< 0.00020	
	MW2-ROX-101323	10/13/2023	< 0.0010	0.012	0.015	0.028	0.0029 J	0.031	< 0.00099 UJ	< 0.00099 UJ	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.0099	< 0.0099	< 0.00020 UJ	< 0.00020
MW-03	MW3-ROX-011123	1/11/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	0.000066 J	< 0.00020	< 0.00020	< 0.03	< 0.01	< 0.01	< 0.00020	< 0.00020
	MW3-ROX-011123-PAH	1/11/2023	--	--	--	--	--	--	--	--	--	--	--	< 0.00020 H UJ	--	--	--	--	--	--	--	--
	MW3-ROX-041723	4/17/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.029	< 0.0097	< 0.0097	< 0.00019	< 0.00019
	MW3-ROX-041723-DUP	4/17/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.029	< 0.0096	< 0.0096	< 0.00019	< 0.00019
	MW3-ROX-071023	7/10/2023	< 0.01	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.01	< 0.01	< 0.00020	< 0.00020
	MW3-ROX-101223	10/12/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020 U	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.029	< 0.0098	< 0.0098	< 0.00020 UJ	< 0.00020
MW3-ROX-101223-DUP	10/12/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020 U	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.0098	< 0.0098	< 0.00020 UJ	< 0.00020	
MW-04	MW4-ROX-010923	1/9/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.031	< 0.01	< 0.01	< 0.00020	< 0.00020
	MW4-ROX-040723	4/7/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00039 UJ	< 0.00039 UJ	< 0.00039 UJ	< 0.00039 UJ	< 0.00039 UJ	< 0.00039 UJ	< 0.00039 UJ	< 0.00039 UJ	< 0.059	< 0.02	< 0.02	< 0.00039 UJ	< 0.00039 UJ	
	MW4-ROX-071323	7/13/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.031	< 0.01	< 0.01	< 0.00021	< 0.00021
	MW4-ROX-102023	10/20/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.034	< 0.011	< 0.011	< 0.00022	< 0.00022
MW-05	MW5-ROX-011023	1/10/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	0.034	< 0.01	< 0.01	< 0.00020	< 0.00020
	MW5-ROX-041423	4/14/2023	0.00024 J	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.029	< 0.0097	< 0.0097	< 0.00019	< 0.00019
	MW5-ROX-071723	7/17/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.031	< 0.01	< 0.01	< 0.00021	< 0.00021
	MW5-ROX-101623	10/16/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.01	< 0.01	< 0.00020 UJ	< 0.00020
MW-06A	MW6A-ROX-011123	1/11/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.031	< 0.01	< 0.01	< 0.00021	< 0.00021
	MW6A-ROX-041123	4/11/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	0.018 J	< 0.0098	< 0.0098	< 0.00020	< 0.00020
	MW6A-ROX-041123-DUP	4/11/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.0099	< 0.0099	< 0.00020	< 0.00020
	MW6A-ROX-071123	7/11/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020 H UJ	< 0.00020	< 0.00020	< 0.03	< 0.01	< 0.01	< 0.00020	< 0.00020 H UJ
MW6A-ROX-101023	10/10/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	0.00026	0.00022	< 0.00019	0.000045 J	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.029	< 0.0095	< 0.0095	< 0.00019	< 0.00019	
MW-06B	MW6B-ROX-011123	1/11/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00021	0.000062 J J	< 0.00021	0.00017 J	< 0.00021	0.00028	< 0.00021	0.00025	< 0.032	< 0.011	< 0.011	0.00016 J	0.00011 J	
	MW6B-ROX-011123-PAH	1/11/2023	--	--	--	--	--	--	--	< 0.00021 H UJ	--	0.00015 J H J	--	0.000096 J H J	--	< 0.00021 H UJ	--	--	--	0.00011 J H J	0.000092 J H J	
	MW6B-ROX-011123-DUP	1/11/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.031	< 0.01	< 0.01	< 0.00021	< 0.00021
	MW6B-ROX-011123-DUP-PAH	1/11/2023	--	--	--	--	--	--	--	--	--	--	--	< 0.00021 H UJ	--	--	--	--	--	--	--	--
	MW6B-ROX-041123	4/11/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00020	0.00013 J	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	0.018 J	< 0.0099	< 0.0099	< 0.00020	< 0.00020
	MW6B-ROX-071123	7/11/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.00021 H UJ	< 0.00021	< 0.00021	< 0.00021 H UJ	< 0.00021	< 0.00021	< 0.031	< 0.01	< 0.01	< 0.00021	< 0.00021
	MW6B-ROX-071123-DUP	7/11/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050</																

**TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES**

			VOCs						SVOCs												
Screening Values (mg/L)			1.0 ¹	0.07 ³	0.07 ³	10 ¹	10 ¹	10 ¹	0.42 ¹	0.42 ³	2.1 ¹	0.00013 ¹	0.0002 ¹	0.00018 ¹	0.21 ³	0.00017 ¹	28 ¹	0.006 ¹	1.4 ²	0.012 ¹	0.0003 ¹
Location	Sample ID	Sample Date	Analytical Results (mg/L)																		
			Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	m,p-Xylenes	o-Xylenes	Xylenes (total)	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	Chrysene (1,2-Benzophenanthracene)	Dibenzo(a,h)anthracene
MW-06D	MW6D-ROX-011123	1/11/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00021	0.000054 J J	< 0.00021	< 0.00021	< 0.00021	0.000050 J	< 0.00021	< 0.00021	< 0.031	< 0.01	< 0.01	< 0.00021	< 0.00021
	MW6D-ROX-011123-PAH	1/11/2023	—	—	—	—	—	—	—	< 0.00021 H UJ	—	—	—	< 0.00021 H UJ	—	—	—	—	—	—	—
	MW6D-ROX-041123	4/11/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.029	< 0.0097	< 0.0097	< 0.00019	< 0.00019
	MW6D-ROX-071223	7/12/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.0098	< 0.0098	< 0.00020	< 0.00020
	MW6D-ROX-100923	10/9/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.029	< 0.0098	< 0.0098	< 0.00020	< 0.00020
MW-07	MW7-ROX-010923	1/9/2023	< 2	< 2	< 2	< 10	< 10	< 20	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.01	< 0.01	< 0.00020	< 0.00020
	MW7-ROX-040723	4/7/2023	< 1	< 1	< 1	< 5	< 5	< 10	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	0.02 J	< 0.01	< 0.01	< 0.00020	< 0.00020
	MW7-ROX-040723-DUP	4/7/2023	< 1	< 1	< 1	< 5	< 5	< 10	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	0.021 J	< 0.01	< 0.01	< 0.00020	< 0.00020
	MW7-ROX-071323	7/13/2023	< 5	< 5	< 5	< 25	< 25	< 50	0.00016 J	< 0.00021	0.000055 J	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.03	< 0.011	< 0.011	< 0.00021	< 0.00021
	MW7-ROX-071323-DUP	7/13/2023	< 5	< 5	< 5	< 25	< 25	< 50	< 0.00020	< 0.00020	0.000049 J	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.0099	< 0.0099	< 0.00020	< 0.00020
	MW7-ROX-102023	10/20/2023	< 5	< 5	< 5	< 25	< 25	< 50	< 0.00022	0.00015 J	0.000087 J	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.033	< 0.011	< 0.011	< 0.00022	< 0.00022
MW-08	MW8-ROX-010923	1/9/2023	< 1 UJ	< 1 UJ	< 1 UJ	< 5 UJ	< 5 UJ	< 10 UJ	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.029	< 0.0097	< 0.0097	< 0.00019	< 0.00019
	MW8-ROX-010923-DUP	1/9/2023	< 1 UJ	< 1 UJ	< 1 UJ	< 5 UJ	< 5 UJ	< 10 UJ	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.01	< 0.01	< 0.00020	< 0.00020
MW-09	MW9-ROX-010523	1/5/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.031	< 0.01	< 0.01	< 0.00021	< 0.00021
	MW9-ROX-041023	4/10/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.029	< 0.0097	0.0022 J	< 0.00019	< 0.00019
	MW9-ROX-071823	7/18/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.01	< 0.01	< 0.00020	< 0.00020
MW-10	MW10-ROX-011223	1/12/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.031	< 0.01	< 0.01	< 0.00021	< 0.00021
	MW10-ROX-040623	4/6/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.031	< 0.01	< 0.01	< 0.00020	< 0.00020
	MW10-ROX-071823	7/18/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.0098	< 0.0098	< 0.00020	< 0.00020
	MW10-ROX-101323	10/13/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.0099	< 0.0099	< 0.00020 UJ	< 0.00020
MW-11	MW11-ROX-011223	1/12/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.031	< 0.01	< 0.01	< 0.00021	< 0.00021
	MW11-ROX-040623	4/6/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.029	< 0.0098	< 0.0098	< 0.00020	< 0.00020
	MW11-ROX-071223	7/12/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.0099	< 0.0099	< 0.00020	< 0.00020
	MW11-ROX-100623	10/6/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00012	< 0.00012	< 0.00012	< 0.00012	< 0.00012	< 0.00012	< 0.00012	< 0.00012	< 0.017	< 0.0058	< 0.0058	< 0.00012	< 0.00012
MW-12	MW12-ROX-010623	1/6/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.029	< 0.0095	< 0.0095	< 0.00019	< 0.00019
	MW12-ROX-040723	4/7/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.029 UJ	< 0.0098	< 0.0098	< 0.00020	< 0.00020
	MW12-ROX-071223	7/12/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.01	< 0.01	< 0.00020	< 0.00020
	MW12-ROX-101023	10/10/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00019	< 0.00019	< 0.00019	0.000052 J	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.028	< 0.0094	< 0.0094	< 0.00019	< 0.00019
MW-13	MW13-ROX-010923	1/9/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.029	< 0.0096	< 0.0096	< 0.00019	< 0.00019
	MW13-ROX-041323	4/13/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.0099	< 0.0099	< 0.00020	< 0.00020
	MW13-ROX-071423	7/14/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00099 UJ	< 0.00099 UJ	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.0099	< 0.0099	< 0.00020	< 0.00020
	MW13-ROX-101823	10/18/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	0.00034	< 0.00020	0.00010 J	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.0099	< 0.0099	< 0.00020	< 0.00020
MW-14	MW14-ROX-010923	1/9/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.028	< 0.0095	< 0.0095	< 0.00019	< 0.00019
	MW14-ROX-010923-DUP	1/9/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.029	< 0.0097	< 0.0097	0.00023	< 0.00019
	MW14-ROX-041223	4/12/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.029	< 0.0097	< 0.0097	< 0.00019	< 0.00019
	MW14-ROX-071723	7/17/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00022 UJ	< 0.00022 UJ	< 0.00022 UJ	< 0.00022 UJ	< 0.0								

**TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES**

			VOCs						SVOCs												
Screening Values (mg/L)			1.0 ¹	0.07 ³	0.07 ³	10 ¹	10 ¹	0.42 ¹	0.42 ³	2.1 ¹	0.00013 ¹	0.0002 ¹	0.00018 ¹	0.21 ³	0.00017 ¹	28 ¹	0.006 ¹	1.4 ²	0.012 ¹	0.0003 ¹	
Location	Sample ID	Sample Date	Analytical Results (mg/L)																		
			Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	m,p-Xylenes	o-Xylenes	Xylenes (total)	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	Chrysene (1,2-Benzophenanthracene)	Dibenzo(a,h)anthracene
MW-22	MW22-ROX-011023	1/10/2023	< 0.002	0.21	0.047	0.24	0.0097 J	0.25	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.029	< 0.0097	< 0.0097	< 0.00019	< 0.00019
	MW22-ROX-041823	4/18/2023	< 0.002	0.18	0.056	0.32	0.011	0.33	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.029	< 0.0098	< 0.0098	< 0.00020	< 0.00020
	MW22-ROX-071323	7/13/2023	< 0.002	0.071	0.029	0.17	0.0065 J	0.17	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.01	< 0.01	< 0.00020	< 0.00020
	MW22-ROX-101623	10/16/2023	< 0.0010	0.049	0.035	0.13	0.0061	0.14	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.029	< 0.0098	< 0.0098	< 0.00020 UJ	< 0.00020
MW-23	MW23-ROX-011023	1/10/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00021	0.00010 J	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.031	< 0.01	< 0.01	< 0.00021	< 0.00021
	MW23-ROX-041223	4/12/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	0.019 J	< 0.01	< 0.01	< 0.00020	< 0.00020
	MW23-ROX-071423	7/14/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.0099	< 0.0099	< 0.00020	< 0.00020
MW-24	MW24-ROX-011223	1/12/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.032	< 0.011	< 0.011	< 0.00021	0.000063 J
	MW24-ROX-011223-PAH	1/12/2023	--	--	--	--	--	--	--	--	--	--	0.000086 J H J	--	--	--	--	--	--	--	--
	MW24-ROX-041323	4/13/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.029	< 0.0095	< 0.0095	< 0.00019	< 0.00019
	MW24-ROX-071023	7/10/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.0098	< 0.0098	< 0.00020	< 0.00020
MW-25	MW25-ROX-010923	1/9/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.031	< 0.01	< 0.01	< 0.00021	< 0.00021
	MW25-ROX-040723	4/7/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.01	< 0.01	< 0.00020	< 0.00020
	MW25-ROX-071323	7/13/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.031	< 0.01	< 0.01	< 0.00021	< 0.00021
MW-26	MW26-ROX-010623	1/6/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.031	< 0.01	< 0.01	< 0.00020	< 0.00020
	MW26-ROX-041023	4/10/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.029	< 0.0097	< 0.0097	< 0.00019	< 0.00019
	MW26-ROX-071023	7/10/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.029	< 0.0097	< 0.0097	< 0.00019	< 0.00019
	MW26-ROX-100523	10/5/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00011	< 0.00011	< 0.00011	< 0.00011	< 0.00011	< 0.00011	< 0.00011	< 0.00011	< 0.017	< 0.0057	< 0.0057	< 0.00011	< 0.00011
MW-27	MW27-ROX-010623	1/6/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.0099	< 0.0099	< 0.00020	< 0.00020
	MW27-ROX-041023	4/10/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.029	< 0.0098	< 0.0098	< 0.00020	< 0.00020
	MW27-ROX-071823	7/18/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.031	< 0.01	0.00026 J	< 0.00021	< 0.00021
MW-28	MW28-ROX-010523	1/5/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.029	< 0.0098	< 0.0098	< 0.00020	< 0.00020
	MW28-ROX-041423	4/14/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.0098	< 0.0098	< 0.00020	< 0.00020
	MW28-ROX-071223	7/12/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.029	< 0.0097	< 0.0097	< 0.00019	< 0.00019
	MW28-ROX-101223	10/12/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.01	< 0.01	< 0.00020 UJ	< 0.00020
P-54	P54-ROX-010623	1/6/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	0.000056 JB	< 0.00020	< 0.00020	< 0.031	< 0.01	< 0.01	< 0.00020	< 0.00020
	P54-ROX-041223	4/12/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.0099	< 0.0099	< 0.00020	< 0.00020
	P54-ROX-041223-DUP	4/12/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.029	< 0.0097	< 0.0097	< 0.00019	< 0.00019
	P54-ROX-071223	7/12/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.01	< 0.01	< 0.00020	< 0.00020
P-56	P56-ROX-010923	1/9/2023	< 0.001	0.0070	0.0028	0.015	< 0.005	0.015	0.00084	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.029	< 0.0097	< 0.0097	< 0.00019	< 0.00019
	P56-ROX-042023	4/20/2023	< 0.001	0.035	0.011	0.07	0.0016 J	0.072	0.00054	< 0.00020	0.00014 J*+ J	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.01	< 0.01	< 0.00020	< 0.00020
	P56-ROX-071023	7/10/2023	< 0.0010	0.021	0.0068	0.039	0.0011 J	0.04	0.00044	< 0.00020	0.000091 J	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.01	< 0.01	< 0.00020	< 0.00020
	P56-ROX-101823	10/18/2023	< 0.0010	< 0.0010	< 0.0010	0.0015 J	< 0.0050	< 0.01	0.00043	< 0.00021	0.000072 J	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.031	< 0.01	< 0.01	< 0.00021	< 0.00021

**TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES**

			VOCs						SVOCs												
Screening Values (mg/L)			1.0 ¹	0.07 ³	0.07 ³	10 ¹	10 ¹	0.42 ¹	0.42 ³	2.1 ¹	0.00013 ¹	0.0002 ¹	0.00018 ¹	0.21 ³	0.00017 ¹	28 ¹	0.006 ¹	1.4 ²	0.012 ¹	0.0003 ¹	
Location	Sample ID	Sample Date	Analytical Results (mg/L)																		
			Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	m,p-Xylenes	o-Xylenes	Xylenes (total)	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	Chrysene (1,2-Benzophenanthracene)	Dibenzo(a,h)anthracene
P-57	P57-ROX-011023	1/10/2023	< 0.001	< 0.001	< 0.001	0.00092 J	< 0.005	< 0.01	0.00047	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.029	< 0.0095	< 0.0095	< 0.00019	< 0.00019
	P57-ROX-041923	4/19/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	0.00019 J	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.0099	< 0.0099	< 0.00020	< 0.00020
	P57-ROX-071323	7/13/2023	< 0.0020 U	< 0.0020	< 0.0020	0.0015 J	< 0.01	< 0.02	0.00021 J	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.033	< 0.011	< 0.011	< 0.00022	< 0.00022
	P57-ROX-071323-DUP	7/13/2023	< 0.0020	< 0.0020	< 0.0020	0.0019 J	< 0.01	< 0.02	0.00022	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.0099	< 0.0099	< 0.00020	< 0.00020
	P57-ROX-101723	10/17/2023	< 0.0010	< 0.0010	< 0.0010	0.00075 J	< 0.0050	< 0.01	0.00022	< 0.00020	0.00014 J	< 0.00020 U	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.0099	< 0.0099	< 0.00020	< 0.00020
P-58	P58-ROX-041923	4/19/2023	< 1	< 1	< 1	< 5	< 5	< 10	< 0.00020	< 0.00020	< 0.00020	0.00040	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.029	< 0.0098	< 0.0098	0.00060	< 0.00020
	P58-ROX-071823	7/18/2023	< 1	< 1	< 1	< 5	< 5	< 10	0.00062	< 0.00020	0.00019 J	0.00014 J	0.000099 J	0.000053 J	< 0.00020	< 0.00020	< 0.03	< 0.01	< 0.01	0.00014 J	< 0.00020
	P58-ROX-071823-DUP	7/18/2023	< 1	< 1	< 1	< 5	< 5	< 10	0.00053	< 0.00020	0.000097 J	0.000065 J	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.029	< 0.0098	< 0.0098	< 0.00020	< 0.00020
	P58-ROX-101723	10/17/2023	< 1 UJ	< 1 UJ	< 1 UJ	< 5 UJ	< 5 UJ	< 10 UJ	0.00046	< 0.00020	0.00018 J	< 0.00020 U	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.0099	< 0.0099	0.000043 J	< 0.00020
P-59	P59-ROX-011123	1/11/2023	< 0.02	0.051	0.039	0.15	< 0.1	0.16 J	0.00044	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.029	< 0.0097	< 0.0097	< 0.00019	< 0.00019
	P59-ROX-011123-DUP	1/11/2023	< 0.02	0.058	0.04	0.17	< 0.1	0.17 J	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	0.000075 J	< 0.00019	< 0.00019	< 0.029 UJ	< 0.0096 UJ	< 0.0096	0.000092 J	< 0.00019
	P59-ROX-011123-DUP-PAH	1/11/2023	--	--	--	--	--	--	--	--	--	--	--	< 0.00038 H UJ	--	--	--	--	--	< 0.00038 H UJ	--
	P59-ROX-042023	4/20/2023	< 0.01	0.032	0.019	0.088	< 0.05	0.091 J	< 0.00099	< 0.00099	< 0.00099	< 0.00099	< 0.00099	< 0.00099	< 0.00099	< 0.00099	< 0.06	< 0.02	< 0.02	< 0.00099	< 0.00099
	P59-ROX-071823	7/18/2023	< 0.0050	0.0090	0.0095	0.052	< 0.025	0.054	0.00039	< 0.00020	< 0.00020	0.000091 J	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.031	< 0.01	< 0.01	0.000082 J	< 0.00020
P59-ROX-101823	10/18/2023	< 0.01	0.037	0.031	0.12	< 0.05	0.12	0.00056	< 0.00021	0.00029	< 0.00021 U	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.031	< 0.01	< 0.01	0.000068 J	< 0.00021	
P-74	P74-ROX-011023	1/10/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.029	< 0.0096	< 0.0096	< 0.00019	< 0.00019
	P74-ROX-041723	4/17/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.029	< 0.0098	< 0.0098	< 0.00020	< 0.00020
	P74-ROX-071223	7/12/2023	< 0.0010	0.0016	< 0.0010	0.0064	0.00068 J	0.0071 J	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.01	< 0.01	< 0.00020	< 0.00020
	P74-ROX-101723	10/17/2023	< 0.0050	< 0.0050	< 0.0050	0.011 J	< 0.025	0.011 J	< 0.00020	0.000075 J	< 0.00020	< 0.00020 U	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.029	< 0.0098	< 0.0098	< 0.00020	< 0.00020
	P74-ROX-101723-DUP	10/17/2023	< 0.0050	< 0.0050	< 0.0050	0.01 J	< 0.025	0.01 J	< 0.00020 H UJ	< 0.00020 H UJ	< 0.00020 H UJ	0.00019 J H J	0.000091 J H J	0.00015 J H J	0.000048 J H J	0.000092 J H J	< 0.03	< 0.0098 H UJ	< 0.0099	0.000096 J H J	0.00011 J H J
P-93A	P93A-ROX-010523	1/5/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.029	< 0.0096	< 0.0096	< 0.00019	< 0.00019
	P93A-ROX-010523-PAH	1/5/2023	--	--	--	--	--	--	--	--	--	--	--	< 0.00019 H UJ	--	--	--	--	--	--	--
	P93A-ROX-041923	4/19/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.0099	< 0.0099	< 0.00020	< 0.00020
	P93A-ROX-071123	7/11/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.031	< 0.01	< 0.01	< 0.00021	< 0.00021
P93A-ROX-101823	10/18/2023	0.00047 J	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020 U	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.031	< 0.01	< 0.01	< 0.00020	< 0.00020	
P-93B	P93B-ROX-011123	1/11/2023	< 1 UJ	< 1 UJ	< 1 UJ	< 5 UJ	< 5 UJ	< 10 UJ	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.029	< 0.0096	< 0.0096	< 0.00019	< 0.00019
	P93B-ROX-042023	4/20/2023	< 2	< 2	< 2	< 10	< 10	< 20	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	0.0054 J	< 0.0099	< 0.00020	< 0.00020
	P93B-ROX-071823	7/18/2023	< 1 UJ	< 1 UJ	< 1 UJ	< 5 UJ	< 5 UJ	< 10 UJ	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.01	< 0.01	< 0.00020	< 0.00020
	P93B-ROX-101923	10/19/2023	< 5	< 5	< 5	< 25	< 25	< 50	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.032	< 0.011	< 0.011	< 0.00021	< 0.00021
P-93C	P93C-ROX-010523	1/5/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.029	< 0.0097	< 0.0097	< 0.00019	< 0.00019
	P93C-ROX-041923	4/19/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.01	< 0.01	< 0.00020	< 0.00020
	P93C-ROX-071423	7/14/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.031	< 0.01	< 0.01	< 0.00021	< 0.00021
	P93C-ROX-101623	10/16/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00021	0.00018 J	< 0.00021	< 0.00020 U	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.031	< 0.01	< 0.01	< 0.00021	< 0.00021
P-93D	P93D-ROX-010523	1/5/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00019	< 0.00019	< 0.00019	0.00022	< 0.00019	0.00033	< 0.00019	0.00026	< 0.028	< 0.0094	< 0.0094	0.00021	< 0.00019
	P93D-ROX-010523-PAH	1/5/2023	--	--	--	--	--	--	--	--	--	< 0.00019 H UJ	--	< 0.00019 H UJ	--	< 0.00019 H UJ	--	--	--	< 0.00019 H UJ	< 0.00019 H UJ
	P93D-ROX-042123	4/21/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.0099	< 0.0099	< 0.00020	< 0.00020
	P93D-ROX-071123	7/11/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.01	< 0.01	< 0.00	

**TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES**

			VOCs						SVOCs												
Screening Values (mg/L)			1.0 ¹	0.07 ³	0.07 ³	10 ¹		10 ¹	0.42 ¹	0.42 ³	2.1 ¹	0.00013 ¹	0.0002 ¹	0.00018 ¹	0.21 ³	0.00017 ¹	28 ¹	0.006 ¹	1.4 ²	0.012 ¹	0.0003 ¹
Location	Sample ID	Sample Date	Analytical Results (mg/L)																		
			Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	m,p-Xylenes	o-Xylenes	Xylenes (total)	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	Chrysene (1,2-Benzophenanthracene)	Dibenzo(a,h)anthracene
P-114R	P114R-ROX-010623	1/6/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	0.00013 JB	< 0.00019	< 0.00019	< 0.029	< 0.0097	< 0.0097	< 0.00019	< 0.00019
	P114R-ROX-010623-PAH	1/6/2023	--	--	--	--	--	--	--	--	--	--	--	< 0.00019 H UJ	--	--	--	--	--	--	--
	P114R-ROX-041323	4/13/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.029	< 0.0098	< 0.0098	< 0.00020	< 0.00020
	P114R-ROX-071423	7/14/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	0.00048	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.031	< 0.0099	< 0.0099	< 0.00020	< 0.00020
	P114R-ROX-101823	10/18/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	0.00099	< 0.00020	0.000085 J	< 0.00020 U	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.029	< 0.0099 H UJ	< 0.0098	< 0.00020	< 0.00020
ROST-3-MW	ROST3MW-ROX-010523	1/5/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.031	< 0.01	< 0.01	< 0.00021	< 0.00021
	ROST3MW-ROX-041123	4/11/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.029	< 0.0098	< 0.0098	< 0.00020	< 0.00020
	ROST3MW-ROX-071723	7/17/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.031	< 0.01	< 0.01	< 0.00021	< 0.00021
	ROST3MW-ROX-071723-DUP	7/17/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.01	< 0.01	< 0.00020	< 0.00020
	ROST3MW-ROX-100623	10/6/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00011	< 0.00011	< 0.00011	< 0.00011	< 0.00011	< 0.00011	0.000024 J	< 0.00011	< 0.00011	< 0.017	< 0.0057	< 0.0057	< 0.00011
ROST-4-PZ(C)	ROST4PZ(C)-ROX-011323	1/13/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	0.00080	< 0.00021	0.00038	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.00021 UJ	< 0.031	< 0.01	< 0.01	< 0.00021	< 0.00021
	ROST4PZ(C)-ROX-041723	4/17/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	0.00059	0.00016 J	0.00043	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	0.019 J	< 0.0096	< 0.0096	< 0.00019	< 0.00019
	ROST4PZC-ROX-071123	7/11/2023	< 0.0010	0.0057	0.00067 J	0.023	0.0017 J	0.024	0.00069	< 0.00021	0.00032	0.000036 J	< 0.00021	< 0.00021	< 0.00021	< 0.00021	< 0.031	< 0.01	< 0.01	< 0.00021	< 0.00021
	ROST4PZ(C)-ROX-101623	10/16/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	0.00057	< 0.00019	0.00025	< 0.00019 U	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.029	< 0.0097	< 0.0097	< 0.00019	< 0.00019
	ROST4PZ(C)-ROX-101623-DUP	10/16/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	0.00060	< 0.00019	0.00024	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.029	< 0.0096	< 0.0096	< 0.00019 UJ	< 0.00019
ROST-4-PZ(E)	ROST4PZ(E)-ROX-011023	1/10/2023	< 0.001	0.12	0.0066	0.097	0.014	0.11	0.0040	0.00064	0.0017	0.00015 J	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.028	< 0.0095	< 0.0095	0.00015 J	< 0.00019
	ROST4PZ(E)-ROX-041823	4/18/2023	< 0.001	0.061	0.0013	0.031	0.0058	0.037	0.0016	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.0098	< 0.0098	0.00016 J	< 0.00020
	ROST4PZ(E)-ROX-041823-DUP	4/18/2023	< 0.001	0.057	0.0014	0.032	0.0062	0.038	0.0013	0.00038	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.029	< 0.0097	< 0.0097	< 0.00019	< 0.00019
	ROST4PZ(E)-ROX-071223	7/12/2023	< 0.0010	0.016	< 0.0010	0.0063	0.0012 J	0.0075 J	0.0013	< 0.00020	0.0010	0.000067 J	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.0099	< 0.0099	0.000042 J	< 0.00020
	ROST4PZ(E)-ROX-101323	10/13/2023	< 0.0010	0.01	< 0.0010	0.0048 J	< 0.0050	0.0053 J	0.00048	< 0.00020	0.00082	< 0.00020 U	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.029	< 0.0098	< 0.0098	< 0.00020 U	< 0.00020
ROST-4-PZ(G)	ROST4PZ(G)-ROX-010623	1/6/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.029	< 0.0097	< 0.0097	< 0.00019	< 0.00019
	ROST4PZ(G)-ROX-041423	4/14/2023	< 0.001	< 0.001	< 0.001	< 0.005	< 0.005	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.029	< 0.0098	< 0.0098	< 0.00020	< 0.00020
	ROST4PZ(G)-ROX-071023	7/10/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.01	< 0.01	< 0.00020	< 0.00020
	ROST4PZ(G)-ROX-101223	10/12/2023	< 0.0010	< 0.0010	< 0.0010	< 0.0050	< 0.0050	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.00020 U	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.0099	< 0.0099	< 0.00020 UJ	< 0.00020
T-12	T12-ROX-011123	1/11/2023	< 0.01	0.019	0.022	0.11	0.0079 J	0.12	0.00032	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.029 UJ	< 0.0095	< 0.0095	< 0.00019	< 0.00019
	T12-ROX-011123-DUP	1/11/2023	< 0.01	0.018	0.022	0.11	0.0076 J	0.12	0.00026	0.00011 J J	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.00019	< 0.029	< 0.0095	< 0.0095	< 0.00019	< 0.00019
	T12-ROX-042023	4/20/2023	< 0.01	< 0.01	0.0094 J	0.04 J	< 0.05	0.044 J	0.00023	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.01	< 0.01	< 0.00020	< 0.00020
	T12-ROX-071423	7/14/2023	< 0.01	< 0.01	< 0.01	0.028 J	< 0.05	0.028 J	0.00024	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.03	< 0.01	< 0.01	< 0.00020	< 0.00020
	T12-ROX-101923	10/19/2023	< 0.01	< 0.01	< 0.01	0.042 J	< 0.05	0.045 J	0.00029	< 0.00020	0.00014 J	< 0.00020 U	< 0.00020	< 0.00020	< 0.00020	< 0.00020	< 0.029	< 0.0098	< 0.0098	< 0.00020	< 0.00020

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

			SVOCs																			
Screening Values (mg/L)			Dibenzofuran	Diethyl phthalate	2,4-Dimethylphenol	Dimethyl phthalate	Di-n-octyl phthalate	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3,4-Methylphenol	N-Nitrosodiphenylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	
Location	Sample ID	Sample Date	Analytical Results (mg/L)																			
			0.007 ³	5.6 ¹	0.14 ²		0.14 ²	0.28 ¹	0.28 ¹	0.00006 ²		0.00043 ¹	0.49 ³	0.028 ¹	0.35 ¹	0.14 ³	0.0032 ²	0.001 ¹	0.21 ³	0.1 ¹	0.21 ¹	
MW-01	MW1-ROX-011323	1/13/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	0.00023	< 0.00021	< 0.01	< 0.01	0.00025	< 0.00021	< 0.00021	< 0.01	< 0.021	< 0.01	< 0.021	0.000080 J	< 0.01	0.00014 J	
	MW1-ROX-011323-PAH	1/13/2023	--	--	--	--	--	< 0.0002 H UJ	--	--	--	< 0.0002 H UJ	--	--	--	--	--	--	< 0.0002 H UJ	--	< 0.0002 H UJ	
	MW1-ROX-040623	4/6/2023	< 0.01	< 0.01 U	< 0.01	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.01	< 0.02	< 0.01	< 0.02	< 0.00020	< 0.01	< 0.00020	
	MW1-ROX-071023	7/10/2023	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.01	< 0.00020	< 0.00020	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.0099	< 0.02	< 0.0099	< 0.02	< 0.00020	< 0.0099	< 0.00020 UJ	
	MW1-ROX-100523	10/5/2023	< 0.0057	< 0.0057	< 0.0057	< 0.0057	< 0.0057	0.000049 J	< 0.00011	< 0.0057	< 0.0057	< 0.00011	< 0.00011	< 0.00011	< 0.0057	< 0.011 UJ	< 0.0057	< 0.011	< 0.00011	< 0.0057 UJ	< 0.00011	
MW-02	MW2-ROX-011323	1/13/2023	< 0.011	0.00060 J	< 0.011	< 0.011	< 0.011	< 0.00021	< 0.00021	< 0.011	< 0.011	< 0.00021	0.0091	0.013	< 0.011	< 0.021	< 0.011	< 0.021	0.000039 J	< 0.011	< 0.00021	
	MW2-ROX-041823	4/18/2023	< 0.0098	< 0.0098 U	< 0.0098	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.0098	< 0.0098	< 0.00020	0.0095	0.026	< 0.0098	< 0.02	< 0.0098	< 0.02	< 0.00020	< 0.0098	< 0.00020	
	MW2-ROX-071823	7/18/2023	< 0.01	0.00062 J	< 0.01	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.01	< 0.01	< 0.00020	0.0090	0.017	< 0.01	< 0.02	< 0.01	< 0.02	< 0.00020	< 0.01	< 0.00020	
	MW2-ROX-101323	10/13/2023	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.0099 UJ	< 0.00020	< 0.00099 UJ	< 0.0099	< 0.0099	< 0.00020	0.0082	0.015	< 0.0099	< 0.02	< 0.0099	< 0.02	< 0.00020	< 0.0099	< 0.00020	
MW-03	MW3-ROX-011123	1/11/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.01	< 0.02	< 0.01	< 0.02	< 0.00020	< 0.01	< 0.00020	
	MW3-ROX-011123-PAH	1/11/2023	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	MW3-ROX-041723	4/17/2023	< 0.0097	< 0.0097	< 0.0097	< 0.0097	< 0.0097	< 0.00019	< 0.00019	< 0.0097	< 0.0097	< 0.00019	< 0.00019	< 0.00019	< 0.0097	< 0.019	< 0.0097	< 0.019	< 0.00019	< 0.0097	< 0.00019	
	MW3-ROX-041723-DUP	4/17/2023	< 0.0096	< 0.0096	< 0.0096	< 0.0096	< 0.0096	< 0.00019	< 0.00019	< 0.0096	< 0.0096	< 0.00019	< 0.00019	< 0.00019	< 0.0096	< 0.019	< 0.0096	< 0.019	< 0.00019	< 0.0096	< 0.00019	
	MW3-ROX-071023	7/10/2023	< 0.01	0.00065 J	< 0.01	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.01	< 0.01	< 0.00020	< 0.00020 UJ	< 0.00020 UJ	< 0.01	< 0.01	< 0.01	< 0.02	< 0.00020	< 0.01	< 0.00020 UJ	
	MW3-ROX-101223	10/12/2023	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.0098 UJ	< 0.00020	< 0.00020	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.00020	< 0.0098	< 0.02	< 0.0098	< 0.02	< 0.00020	< 0.0098	< 0.00020	
MW-04	MW4-ROX-010923	1/9/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.01	< 0.02	< 0.01	< 0.02	< 0.00020	< 0.01	< 0.00020	
	MW4-ROX-040723	4/7/2023	< 0.02	< 0.02 U	< 0.02	< 0.02	< 0.02	< 0.00039 UJ	< 0.00039 UJ	< 0.02	< 0.02	< 0.00039 UJ	< 0.00039 UJ	< 0.00039 UJ	< 0.02	< 0.039	< 0.02	< 0.039	< 0.00039 UJ	< 0.02	< 0.00039 UJ	
	MW4-ROX-071323	7/13/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.010	< 0.00021	< 0.00021	< 0.01	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.01	< 0.02	< 0.01	< 0.021	< 0.00021	< 0.01	< 0.00021 UJ	
	MW4-ROX-102023	10/20/2023	< 0.011	< 0.011	< 0.011	< 0.011	< 0.011	< 0.00022	< 0.00022	< 0.011	< 0.011	< 0.00022	< 0.00022	< 0.00022	< 0.011	< 0.022	< 0.011	< 0.022	< 0.00022	< 0.011	< 0.00022	
MW-05	MW5-ROX-011023	1/10/2023	< 0.01	< 0.01	< 0.01	< 0.01	0.0037 J F1 J	< 0.00020	< 0.00020	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.01	< 0.02	< 0.01	< 0.02	< 0.00020	< 0.01	< 0.00020	
	MW5-ROX-041423	4/14/2023	< 0.0097	< 0.0097	< 0.0097	< 0.0097	< 0.0097	< 0.00019	< 0.00019	< 0.0097	< 0.0097	< 0.00019	< 0.00019	< 0.00019	< 0.0097	< 0.019	< 0.0097	< 0.019	< 0.00019	< 0.0097	< 0.00019	
	MW5-ROX-071723	7/17/2023	< 0.01	0.00027 J	< 0.01	< 0.01	< 0.01	< 0.00021	< 0.00021	< 0.01	< 0.01	< 0.00021	0.00017 J	0.00026	< 0.01	< 0.019	< 0.01	< 0.021	< 0.00021	< 0.01	< 0.00021	
	MW5-ROX-101623	10/16/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01 UJ	< 0.00020	< 0.00020	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.01	< 0.02	< 0.01	< 0.02	< 0.00020	< 0.01	< 0.00020	
MW-06A	MW6A-ROX-011123	1/11/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.00021	< 0.00021	< 0.01	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.01	< 0.021	< 0.01	< 0.021	< 0.00021	< 0.01	< 0.00021	
	MW6A-ROX-041123	4/11/2023	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.00020	< 0.0098	< 0.02	< 0.0098	< 0.02	< 0.00020	< 0.0098	< 0.00020	
	MW6A-ROX-041123-DUP	4/11/2023	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.00020	< 0.00020	< 0.0099	< 0.0099	< 0.00020	< 0.00020	< 0.00020	< 0.0099	< 0.02	< 0.0099	< 0.02	< 0.00020	< 0.0099	< 0.00020	
	MW6A-ROX-071123	7/11/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.01	< 0.01	< 0.00020 H UJ	< 0.00020	< 0.00020	< 0.01	< 0.02	< 0.01	< 0.02	< 0.00020	< 0.01	< 0.00020 UJ	
MW-06B	MW6B-ROX-101023	10/10/2023	< 0.0095	< 0.0095	< 0.0095	< 0.0095	< 0.0095	< 0.00019 U	< 0.00019	< 0.0095	< 0.0095	< 0.00019	< 0.00019	< 0.00019	< 0.0095	< 0.019	< 0.0095	< 0.019	< 0.00019	< 0.0095	< 0.00019	
	MW6B-ROX-011123	1/11/2023	< 0.011	< 0.011	< 0.011	< 0.011	< 0.011	< 0.00021	< 0.00021	< 0.011	< 0.011	< 0.00021	< 0.00021	< 0.00021	< 0.011	< 0.021	< 0.011	< 0.021	< 0.00021	< 0.011	0.00017 J	
	MW6B-ROX-011123-PAH	1/11/2023	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0001 J H J	
	MW6B-ROX-011123-DUP	1/11/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.00021	< 0.00021	< 0.01	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.01	< 0.021	< 0.01	< 0.021	< 0.00021	< 0.01	< 0.00021	
	MW6B-ROX-011123-DUP-PAH	1/11/2023	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	MW6B-ROX-041123	4/11/2023	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.00020	< 0.00020	< 0.0099	< 0.0099	< 0.00020	< 0.00020	< 0.00020	< 0.0099	< 0.02	< 0.0099	< 0.02	< 0.00020	< 0.0099	< 0.00020	
	MW6B-ROX-071123	7/11/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.00021	< 0.00021	< 0.01	< 0.01	< 0.00021 H UJ	< 0.00021	< 0.00021	< 0.01	< 0.02	< 0.01	< 0.021	< 0.00021	< 0.01	< 0.00021 UJ	
MW6B-ROX-071123-DUP	7/11/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.00021	< 0.00021	< 0.01	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.01	< 0.02	< 0.01	< 0.021	< 0.00021	< 0.01	< 0.00021 UJ		
MW-06C	MW6C-ROX-101023	10/10/2023	< 0.0094	< 0.0094	< 0.0094	< 0.0094	< 0.0094	< 0.00019 U	< 0.00019	< 0.0094	< 0.0094	< 0.00019	< 0.00019	< 0.00019	< 0.0094	< 0.019	< 0.0094	< 0.019	< 0.00019	< 0.0094	< 0.00019	
	MW6C-ROX-011123	1/11/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.01	< 0.02	< 0.01	< 0.02	< 0.00020	< 0.01	< 0.00020	
	MW6C-ROX-011123-PAH	1/11/2023	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	MW6C-ROX-041123	4/11/2023	< 0.01	< 0.01 U	<																	

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

			SVOCs																		
Screening Values (mg/L)			Dibenzofuran	Diethyl phthalate	2,4-Dimethylphenol	Dimethyl phthalate	Di-n-octyl phthalate	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3,4-Methylphenol	N-Nitrosodiphenylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene
Location	Sample ID	Sample Date	Analytical Results (mg/L)																		
			0.007 ³	5.6 ¹	0.14 ²		0.14 ²	0.28 ¹	0.28 ¹	0.00006 ²		0.00043 ¹	0.49 ³	0.028 ¹	0.35 ¹	0.14 ³	0.0032 ²	0.001 ¹	0.21 ³	0.1 ¹	0.21 ¹
MW-06D	MW6D-ROX-011123	1/11/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.00021	< 0.00021	< 0.01	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.01	< 0.021	< 0.01	< 0.021	< 0.00021	< 0.01	< 0.00021
	MW6D-ROX-011123-PAH	1/11/2023	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	MW6D-ROX-041123	4/11/2023	< 0.0097	< 0.0097 U	< 0.0097	< 0.0097	< 0.0097	< 0.00019	< 0.00019	< 0.0097	< 0.0097	< 0.00019	< 0.00019	< 0.00019	< 0.0097	< 0.019	< 0.0097	< 0.019	< 0.00019	< 0.0097	< 0.00019
	MW6D-ROX-071223	7/12/2023	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.00020	< 0.0098	< 0.019	< 0.0098	< 0.02	< 0.00020	< 0.0098	< 0.00020 UJ
	MW6D-ROX-100923	10/9/2023	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.00020	< 0.0098	< 0.02	< 0.0098	< 0.02	< 0.00020	< 0.0098	< 0.00020
MW-07	MW7-ROX-010923	1/9/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	0.00018 J	< 0.00020	< 0.01	< 0.01	< 0.00020	0.0011	0.0015	< 0.01	< 0.02	< 0.01	< 0.02	0.00012 J	0.034	< 0.0002 U
	MW7-ROX-040723	4/7/2023	< 0.01	0.00042 J	< 0.01	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.01	< 0.01	< 0.00020	0.00097	0.0013 J	< 0.01	< 0.02	< 0.01	< 0.02	< 0.00020	0.082 J	< 0.00020
	MW7-ROX-040723-DUP	4/7/2023	< 0.01	0.00073 J	< 0.01	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.01	< 0.01	< 0.00020	0.0011	0.0018 J	< 0.01	0.00073 J	< 0.01	< 0.02	< 0.00020	0.13 J	< 0.00020
	MW7-ROX-071323	7/13/2023	< 0.011	0.00044 J	< 0.011	< 0.011	< 0.01	< 0.00021	< 0.00021	< 0.01	< 0.01	< 0.00021	0.00088	0.0013	< 0.011	< 0.02	< 0.011	< 0.021	0.00011 J	0.12 J	< 0.00021 UJ
	MW7-ROX-071323-DUP	7/13/2023	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.01	< 0.00020	0.000095 J	< 0.01	< 0.01	< 0.00020	0.00087	0.0013	< 0.0099	< 0.02	< 0.0099	< 0.02	0.00011 J	0.084 J	< 0.00020 UJ
	MW7-ROX-102023	10/20/2023	< 0.011	< 0.011	< 0.011	< 0.011	< 0.011	< 0.00022 U	< 0.00022	< 0.011	< 0.011	< 0.00022	0.0011	0.0015	< 0.011	0.00055 J	< 0.011	< 0.022	0.00013 J	0.11	< 0.00022
MW7-ROX-102023-DUP	10/20/2023	< 0.011	< 0.011	< 0.011	< 0.011	< 0.011	< 0.00022	< 0.00022	< 0.011	< 0.011	< 0.00022	0.0011	0.0015	< 0.011	0.00045 J	< 0.011	< 0.022	0.00014 J	0.082	< 0.00022	
MW-08	MW8-ROX-010923	1/9/2023	0.00042 J	< 0.0097	< 0.0097	< 0.0097	< 0.0097	< 0.00019	< 0.00019	< 0.0097	< 0.0097	< 0.00019	0.011	0.0042	< 0.0097	< 0.019	< 0.0097	< 0.019	0.00018 J	0.27	< 0.00019
	MW8-ROX-010923-DUP	1/9/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.01	0.0011 J	< 0.00020	0.0096	0.0037	< 0.01	< 0.02	< 0.01	< 0.02	0.00024	0.23	< 0.00020
MW-09	MW9-ROX-010523	1/5/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.00021	< 0.00021	< 0.01	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.01	< 0.021	< 0.01	< 0.021	< 0.00021	< 0.01	< 0.00021
	MW9-ROX-041023	4/10/2023	< 0.0097	< 0.0097	< 0.0097	< 0.0097	< 0.0097	< 0.00019	< 0.00019	< 0.0097	< 0.0097	< 0.00019	< 0.00019	< 0.00019	< 0.0097	< 0.019	< 0.0097	< 0.019	< 0.00019	< 0.0097	< 0.00019
	MW9-ROX-071823	7/18/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.01	< 0.019	< 0.01	< 0.02	< 0.00020	< 0.01	< 0.00020
MW-10	MW10-ROX-101623	10/16/2023	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.0099 UJ	< 0.00020	< 0.00020	< 0.0099	< 0.0099	< 0.00020	< 0.00020	< 0.00020	< 0.0099	< 0.02	< 0.0099	< 0.02	< 0.00020	< 0.0099	< 0.00020
	MW10-ROX-040623	4/6/2023	< 0.01	0.00033 J	< 0.01	< 0.01	0.0034 J	< 0.00020	< 0.00020	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.01	< 0.02	< 0.01	< 0.02	< 0.00020	< 0.01	< 0.00020
	MW10-ROX-071823	7/18/2023	< 0.0098	0.00031 J	< 0.0098	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.00020	< 0.0098	< 0.02	< 0.0098	< 0.02	< 0.00020	< 0.0098	< 0.00020
MW-11	MW10-ROX-101323	10/13/2023	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.0099 UJ	< 0.00020	< 0.00020	< 0.0099	< 0.0099	< 0.00020	< 0.00020	< 0.00020	< 0.0099	< 0.02	< 0.0099	< 0.02	< 0.00020	< 0.0099	< 0.00020
	MW11-ROX-011223	1/12/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.00021	< 0.00021	< 0.01	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.01	< 0.021	< 0.01	< 0.021	< 0.00021	< 0.01	< 0.00021
	MW11-ROX-040623	4/6/2023	< 0.0098	0.00044 J	< 0.0098	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.00020	< 0.0098	< 0.02	< 0.0098	< 0.02	< 0.00020	< 0.0098	< 0.00020
MW-12	MW11-ROX-071223	7/12/2023	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.00020	< 0.00020	< 0.0099	< 0.0099	< 0.00020	< 0.00020	< 0.00020	< 0.0099	< 0.02	< 0.0099	< 0.02	< 0.00020	< 0.0099	< 0.00020 UJ
	MW11-ROX-100623	10/6/2023	< 0.0058	< 0.0058	< 0.0058	< 0.0058	< 0.0058	< 0.00012	< 0.00012	< 0.0058	< 0.0058	< 0.00012	< 0.00012 UJ	< 0.00012 UJ	< 0.0058	< 0.012 UJ	< 0.0058	< 0.012	< 0.00012	< 0.0058 UJ	< 0.00012
	MW12-ROX-010623	1/6/2023	< 0.0095	< 0.0095	< 0.0095	< 0.0095	< 0.0095	< 0.00019	< 0.00019	< 0.0095	< 0.0095	< 0.00019	< 0.00019	< 0.00019	< 0.0095	< 0.019	< 0.0095	< 0.019	< 0.00019	< 0.0095	< 0.00019
MW-13	MW12-ROX-040723	4/7/2023	< 0.0098	0.00064 J	< 0.0098 UJ	< 0.0098	0.0027 J	< 0.00020	< 0.00020	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.00020	< 0.0098	< 0.02 UJ	< 0.0098	< 0.02	< 0.00020	< 0.0098 UJ	< 0.00020
	MW12-ROX-071223	7/12/2023	< 0.01	0.00078 J	< 0.01	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.01	< 0.02	< 0.01	< 0.02	< 0.00020	< 0.01	< 0.00020 UJ
	MW12-ROX-101023	10/10/2023	< 0.0094	0.00028 J	< 0.0094	0.00049 J	< 0.0094	< 0.00019 U	< 0.00019	< 0.0094	< 0.0094	0.000073 J	< 0.00019	< 0.00019	< 0.0094	< 0.019	< 0.0094	< 0.019	< 0.00019	< 0.0094	< 0.00019
MW-14	MW13-ROX-010923	1/9/2023	< 0.0096	< 0.0096	< 0.0096	< 0.0096	< 0.0096	< 0.00019	< 0.00019	< 0.0096	< 0.0096	< 0.00019	< 0.00019	< 0.00019	< 0.0096	< 0.019	< 0.0096	< 0.019	< 0.00019	< 0.0096	< 0.00019
	MW13-ROX-041323	4/13/2023	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.00020	< 0.00020	< 0.0099	< 0.0099	< 0.00020	< 0.00020	< 0.00020	< 0.0099	< 0.02	< 0.0099	< 0.02	< 0.00020	< 0.0099	< 0.00020
	MW13-ROX-071423	7/14/2023	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.00020	< 0.00099 UJ	< 0.0099	< 0.0099	< 0.00020	< 0.00020	< 0.00020	< 0.0099	< 0.02	< 0.0099	< 0.02	< 0.00020	< 0.0099 UJ	< 0.00020
MW-16	MW13-ROX-101823	10/18/2023	< 0.0099	< 0.0099	< 0.0099 UJ	< 0.0099	< 0.0099	< 0.00020	< 0.00020	< 0.0099	< 0.0099	< 0.00020	< 0.00020	< 0.00020	< 0.0099 UJ	< 0.02 UJ	< 0.0099	< 0.02 UJ	< 0.00020	< 0.0099 UJ	< 0.00020
	MW14-ROX-010923	1/9/2023	< 0.0095	< 0.0095	< 0.0095	< 0.0095	< 0.0095	< 0.00019	< 0.00019	< 0.0095	< 0.0095	< 0.00019	< 0.00019	< 0.00019	< 0.0095	< 0.019	< 0.0095	< 0.019	< 0.00019	< 0.0095	< 0.00019
	MW14-ROX-010923-DUP	1/9/2023	< 0.0097	< 0.0097	< 0.0097	< 0.0097	< 0.0097	0.00032	< 0.00019	< 0.0097	< 0.0097	< 0.00019	< 0.00019	< 0.00019	< 0.0097	< 0.019	< 0.0097	< 0.019	< 0.00019	< 0.0097	< 0.00033 U
MW-16	MW14-ROX-041223	4/12/2023	< 0.0097	< 0.0097	< 0.0097	< 0.0097	< 0.0097	< 0.00019	< 0.00019	< 0.0097	< 0.0097	< 0.00019	< 0.00019	< 0.00019	< 0.0097	< 0.019	< 0.0097	< 0.019	< 0.00019	< 0.0097	< 0.00019</

TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES

			SVOCs																		
Screening Values (mg/L)			Dibenzofuran	Diethyl phthalate	2,4-Dimethylphenol	Dimethyl phthalate	Di-n-octyl phthalate	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3,4-Methylphenol	N-Nitrosodiphenylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene
Location	Sample ID	Sample Date	Analytical Results (mg/L)																		
			0.007 ³	5.6 ¹	0.14 ²		0.14 ²	0.28 ¹	0.28 ¹	0.00006 ²		0.00043 ¹	0.49 ³	0.028 ¹	0.35 ¹	0.14 ³	0.0032 ²	0.001 ¹	0.21 ³	0.1 ¹	0.21 ¹
MW-22	MW22-ROX-011023	1/10/2023	< 0.0097	< 0.0097	< 0.0097	< 0.0097	< 0.0097	< 0.00019	< 0.00019	< 0.0097	< 0.0097	< 0.00019	0.0067	0.0063	< 0.0097	< 0.019	< 0.0097	< 0.019	< 0.00019	< 0.0097	< 0.00019
	MW22-ROX-041823	4/18/2023	< 0.0098	0.00069 J	0.0043 J	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.0098	< 0.0098	< 0.00020	0.01	0.011	< 0.0098	< 0.02	< 0.0098	< 0.02	< 0.00020	< 0.0098	< 0.00020
	MW22-ROX-071323	7/13/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.01	< 0.01	< 0.00020	0.0059	0.0073	< 0.01	< 0.02	< 0.01	< 0.02	< 0.00020	< 0.01	< 0.00020
	MW22-ROX-101623	10/16/2023	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.0098 UJ	< 0.00020	0.00014 J	< 0.0098	< 0.0098	< 0.00020	0.0037	0.0039	< 0.0098	< 0.02	< 0.0098	< 0.02	< 0.00020	< 0.0098	< 0.00020
MW-23	MW23-ROX-011023	1/10/2023	< 0.01	0.00093 J	< 0.01	< 0.01	< 0.01	< 0.00021	< 0.00021	< 0.01	< 0.01	< 0.00021	< 0.00021	0.00012 J	< 0.01	< 0.021	< 0.01	< 0.021	< 0.00021	< 0.01	< 0.00021
	MW23-ROX-041223	4/12/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.01	< 0.01	< 0.00020	0.000090 J J	0.000077 J J	< 0.01	< 0.02	< 0.01	< 0.02	< 0.00020	< 0.01	< 0.00020
	MW23-ROX-071423	7/14/2023	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.00020	< 0.00020	< 0.0099	< 0.0099	< 0.00020	< 0.00020	< 0.00020	< 0.0099	< 0.02	< 0.0099	< 0.02	< 0.00020	< 0.0099	< 0.00020
MW-24	MW23-ROX-101023	10/10/2023	< 0.0095	< 0.0095	< 0.0095	< 0.0095	< 0.0095	< 0.00019 U	< 0.00019	< 0.0095	< 0.0095	0.000044 J	< 0.00019	< 0.00019	< 0.0095	< 0.019	< 0.0095	< 0.019	< 0.00019	< 0.0095	< 0.00019
	MW24-ROX-011223	1/12/2023	< 0.011	< 0.011	< 0.011	< 0.011	< 0.011	< 0.00021	< 0.00021	< 0.011	< 0.011	0.000065 J	< 0.00021	< 0.00021	< 0.011	< 0.021	< 0.011	< 0.021	0.000066 J	< 0.011	< 0.00021
	MW24-ROX-011223-PAH	1/12/2023	--	--	--	--	--	--	--	--	--	0.00013 J H J	--	--	--	--	--	--	< 0.00021 H UJ	--	--
	MW24-ROX-041323	4/13/2023	< 0.0095	< 0.0095	< 0.0095	< 0.0095	< 0.0095	< 0.00019	< 0.00019	< 0.0095	< 0.0095	< 0.00019	< 0.00019	< 0.00019	< 0.0095	< 0.019	< 0.0095	< 0.019	< 0.00019	< 0.0095	< 0.00019
MW-25	MW24-ROX-071023	7/10/2023	< 0.0098	< 0.0098 U	< 0.0098	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.00020	< 0.0098	< 0.019	< 0.0098	< 0.02	< 0.00020	< 0.0098	< 0.00020 UJ
	MW24-ROX-101223	10/12/2023	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.00020	< 0.0098	< 0.02	< 0.0098	< 0.02	< 0.00020	< 0.0098	< 0.00020
	MW25-ROX-010923	1/9/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.00021	< 0.00021	< 0.01	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.01	< 0.021	< 0.01	< 0.021	< 0.00021	< 0.01	< 0.00021 U
	MW25-ROX-040723	4/7/2023	< 0.01	0.00062 J	< 0.01	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.01	< 0.02	< 0.01	< 0.02	< 0.00020	< 0.01	< 0.00020
MW-26	MW25-ROX-071323	7/13/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.00021	< 0.00021	< 0.01	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.01	< 0.02	< 0.01	< 0.021	< 0.00021	< 0.01	< 0.00021 UJ
	MW25-ROX-102023	10/20/2023	< 0.011	< 0.011	< 0.011	< 0.011	< 0.011	< 0.00022	< 0.00022	< 0.011	< 0.011	< 0.00022	< 0.00022	< 0.00022	< 0.011	< 0.022	< 0.011	< 0.022	< 0.00022	< 0.011	< 0.00022
	MW26-ROX-010623	1/6/2023	< 0.01	0.00067 J	< 0.01	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.01	< 0.02	< 0.01	< 0.02	< 0.00020	< 0.01	< 0.00020
	MW26-ROX-041023	4/10/2023	< 0.0097	< 0.0097	< 0.0097	< 0.0097	< 0.0097	< 0.00019	< 0.00019	< 0.0097	< 0.0097	< 0.00019	< 0.00019	< 0.00019	< 0.0097	< 0.019	< 0.0097	< 0.019	< 0.00019	< 0.0097	< 0.00019
MW-27	MW26-ROX-071023	7/10/2023	< 0.0097	< 0.0097	< 0.0097	< 0.0097	< 0.0097	< 0.00019	< 0.00019	< 0.0097	< 0.0097	< 0.00019	< 0.00019	< 0.00019	< 0.0097	< 0.019	< 0.0097	< 0.019	< 0.00019	< 0.0097	< 0.00019 UJ
	MW26-ROX-100523	10/5/2023	< 0.0057	< 0.0057	< 0.0057	< 0.0057	< 0.0057	< 0.00011	< 0.00011	< 0.0057	< 0.0057	< 0.00011	< 0.00011	< 0.00011	< 0.0057	< 0.011 UJ	< 0.0057	< 0.011	< 0.00011	< 0.0057 UJ	< 0.00011
	MW27-ROX-010623	1/6/2023	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.00020	< 0.00020	< 0.0099	< 0.0099	< 0.00020	< 0.00020	< 0.00020	< 0.0099	< 0.02	< 0.0099	< 0.02	< 0.00020	< 0.0099	< 0.00020
	MW27-ROX-041023	4/10/2023	< 0.0098	0.00031 J	< 0.0098	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.00020	< 0.0098	< 0.02	< 0.0098	< 0.02	< 0.00020	< 0.0098	< 0.00020
MW-28	MW27-ROX-071823	7/18/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.00021	< 0.00021	< 0.01	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.01	< 0.02	< 0.01	< 0.021	< 0.00021	< 0.01	< 0.00021
	MW27-ROX-101823	10/18/2023	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.00020	< 0.0098	< 0.02	< 0.0098	< 0.02	< 0.00020	< 0.0098	< 0.00020
	MW28-ROX-010523	1/5/2023	< 0.0098	0.0010 J	< 0.0098	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.00020	< 0.0098	< 0.02	< 0.0098	< 0.02	< 0.00020	< 0.0098	< 0.00020
	MW28-ROX-041423	4/14/2023	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.00020	< 0.0098	< 0.02	< 0.0098	< 0.02	< 0.00020	< 0.0098	< 0.00020
P-54	MW28-ROX-071223	7/12/2023	< 0.0097	< 0.0097	< 0.0097	< 0.0097	< 0.0097	< 0.00019	< 0.00019	< 0.0097	< 0.0097	< 0.00019	< 0.00019	< 0.00019	< 0.0097	< 0.02	< 0.0097	< 0.019	< 0.00019	< 0.0097	< 0.00019 UJ
	MW28-ROX-101223	10/12/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01 UJ	< 0.00020	< 0.00020	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.01	< 0.02	< 0.01	< 0.02	< 0.00020	< 0.01	< 0.00020
	P54-ROX-010623	1/6/2023	< 0.01	0.00064 J	< 0.01	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.01	< 0.02	< 0.01	< 0.02	< 0.00020	< 0.01	< 0.00020
	P54-ROX-041223	4/12/2023	< 0.0099	< 0.0099 U	< 0.0099	< 0.0099	< 0.0099	< 0.00020	< 0.00020	< 0.0099	< 0.0099	< 0.00020	< 0.00020	< 0.00020	< 0.0099	< 0.02	< 0.0099	< 0.02	< 0.00020	< 0.0099	< 0.00020
P-56	P54-ROX-041223-DUP	4/12/2023	< 0.0097	< 0.0097 U	< 0.0097	< 0.0097	< 0.0097	< 0.00019	< 0.00019	< 0.0097	< 0.0097	< 0.00019	< 0.00019	< 0.00019	< 0.0097	< 0.019	< 0.0097	< 0.019	< 0.00019	< 0.0097	< 0.00019
	P54-ROX-071223	7/12/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.01	< 0.019	< 0.01	< 0.02	< 0.00020	< 0.01	< 0.00020 UJ
	P54-ROX-100623	10/6/2023	< 0.0057	< 0.0057	< 0.0057	< 0.0057	< 0.0057	< 0.00011	< 0.00011	< 0.0057	< 0.0057	0.000020 J	< 0.00011 UJ	< 0.00011 UJ	< 0.0057	< 0.011 UJ	< 0.0057	< 0.011	< 0.00011	< 0.0057 UJ	< 0.00011
	P56-ROX-010923	1/9/2023	0.00066 J	< 0.0097	< 0.0097	< 0.0097	< 0.0097	< 0.00019	0.00039	< 0.0097	< 0.0097	< 0.00019	0.012	0.012	< 0.0097	< 0.019	< 0.0097	< 0.019	0.0011	< 0.0097	< 0.00019 U
P-56	P56-ROX-042023	4/20/2023	0.00047 J	< 0.01 U	< 0.01	< 0.01	< 0.01	< 0.00020	0.00052	< 0.01	< 0.01	< 0.00020	0.019	0.018	< 0.01	< 0.02	< 0.01	< 0.02	0.0011	< 0.01	< 0.00020

**TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES**

			SVOCs																		
Screening Values (mg/L)			Dibenzofuran	Diethyl phthalate	2,4-Dimethylphenol	Dimethyl phthalate	Di-n-octyl phthalate	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3,4-Methylphenol	N-Nitrosodiphenylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene
Location	Sample ID	Sample Date	Analytical Results (mg/L)																		
			0.007 ³	5.6 ¹	0.14 ²		0.14 ²	0.28 ¹	0.28 ¹	0.00006 ²		0.00043 ¹	0.49 ³	0.028 ¹	0.35 ¹	0.14 ³	0.0032 ²	0.001 ¹	0.21 ³	0.1 ¹	0.21 ¹
P-57	P57-ROX-011023	1/10/2023	0.00077 J	0.00091 J	< 0.0095	< 0.0095	< 0.0095	< 0.00019	0.00069	< 0.0095	< 0.0095	< 0.00019	0.027	0.0079	< 0.0095	< 0.019	< 0.0095	< 0.019	0.00045	0.0071 J J	< 0.00019
	P57-ROX-041923	4/19/2023	0.00048 J	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.00020	0.00071	< 0.0099	< 0.0099	< 0.00020	0.034	0.029	< 0.0099	< 0.02	< 0.0099	< 0.02	0.00045	0.0069 J	< 0.00020
	P57-ROX-071323	7/13/2023	< 0.011	< 0.011	< 0.011	< 0.011	< 0.011	< 0.00022	0.00033	< 0.011	< 0.011	< 0.00022	0.018	0.022	< 0.011	< 0.02	< 0.011	< 0.022	0.00030	0.0079 J	< 0.00022
	P57-ROX-071323-DUP	7/13/2023	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.00020	0.00041	< 0.0099	< 0.0099	< 0.00020	0.022	0.026	< 0.0099	< 0.02	< 0.0099	< 0.02	0.00034	0.0072 J	< 0.00020
	P57-ROX-101723	10/17/2023	0.00051 J	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.00020 U	0.00038	< 0.0099	< 0.0099	< 0.00020 U	0.021	0.014	< 0.0099	< 0.02	< 0.0099	< 0.02	0.00033	0.0061 J	< 0.00020
P-58	P58-ROX-041923	4/19/2023	0.0018 J	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.00020	0.0019	< 0.0098	< 0.0098	< 0.00020	0.093	0.045	< 0.0098	< 0.02	< 0.0098	< 0.02	0.0018	0.72	0.00076
	P58-ROX-071823	7/18/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	0.000069 J	0.0014	< 0.01	< 0.01	< 0.00020	0.065 J	0.034	< 0.01	< 0.02	< 0.01	< 0.02	0.0012	0.51 J	0.00032
	P58-ROX-071823-DUP	7/18/2023	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.00020	0.0011	< 0.0098	< 0.0098	< 0.00020	0.038 J	0.027	< 0.0098	< 0.02	< 0.0098	< 0.02	0.00080	0.25 J	0.000069 J
	P58-ROX-101723	10/17/2023	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.00020 U	0.0010	< 0.0099	< 0.0099	< 0.00020 U	0.035	0.025	< 0.0099	< 0.02	0.00044 J	< 0.02	0.00079	0.22	0.00013 J
P-59	P59-ROX-011123	1/11/2023	< 0.0097	< 0.0097	< 0.0097	< 0.0097	< 0.0097	< 0.00019	0.00036 J	< 0.0097	< 0.0097	< 0.00019	0.012 J	0.015 J	< 0.0097	0.0012 J	< 0.0097	< 0.019	0.00092 J	0.035 J	0.00037 J
	P59-ROX-011123-DUP	1/11/2023	< 0.0096 UJ	< 0.0096 UJ	< 0.0096 UJ	< 0.0096	< 0.0096 UJ	0.000089 J	< 0.00019	0.0036 J J	< 0.0096 UJ	< 0.00019	0.0039 J	0.0053 J	< 0.0096	< 0.019 UJ	< 0.0096	< 0.019	0.00037 J	0.0025 J J	0.00019 J
	P59-ROX-011123-DUP-PAH	1/11/2023	--	--	--	--	--	0.00022 J H J	--	--	--	--	0.012 H J	0.016 H J	--	--	--	--	0.00076 H J	--	0.0004 H J
	P59-ROX-042023	4/20/2023	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02	< 0.00099	< 0.00099	< 0.02	< 0.02	< 0.00099	0.0099	0.014	< 0.02	< 0.04	< 0.02	< 0.04	< 0.00099	0.016 J	< 0.00099
	P59-ROX-071823	7/18/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	0.000086 J	0.00022	< 0.01	< 0.01	< 0.00020	0.0099	0.013	< 0.01	< 0.04	< 0.01	< 0.02	0.00059	< 0.01	0.00029
	P59-ROX-101823	10/18/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.00021 U	0.00040	< 0.01	< 0.01	< 0.00021	0.0098	0.013	< 0.01	< 0.021	< 0.01	0.0088 J*1	0.00065	0.013	0.00043
P-74	P74-ROX-011023	1/10/2023	< 0.0096	0.00031 J	< 0.0096	< 0.0096	< 0.0096	< 0.00019	< 0.00019	< 0.0096	< 0.0096	< 0.00019	< 0.00019	< 0.00019	< 0.0096	< 0.019	< 0.0096	< 0.019	< 0.00019	< 0.0096	0.000044 J
	P74-ROX-041723	4/17/2023	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.00020	< 0.0098	< 0.02	< 0.0098	< 0.02	< 0.00020	< 0.0098	< 0.00020
	P74-ROX-071223	7/12/2023	< 0.01	0.0010 J	< 0.01	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.01	< 0.01	< 0.00020	0.00020	0.00017 J	< 0.01	< 0.02	< 0.01	< 0.02	< 0.00020	< 0.01	< 0.00020 UJ
	P74-ROX-101723	10/17/2023	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.00020 U	< 0.00020	< 0.0098	< 0.0098	< 0.00020 U	0.00043	0.00042	< 0.0098	0.0014 J	< 0.0098	< 0.02	< 0.00020	0.02	< 0.00020
	P74-ROX-101723-DUP	10/17/2023	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.00020 H UJ	< 0.00020 H UJ	< 0.0099	< 0.0099	0.00011 J H J	0.00027 H J	0.00026 H J	< 0.0099	0.0024 J	< 0.0099	< 0.02	< 0.00020 H UJ	0.023	< 0.00020 H UJ
P-93A	P93A-ROX-010523	1/5/2023	< 0.0096	< 0.0096	< 0.0096	< 0.0096	< 0.0096	< 0.00019	< 0.00019	< 0.0096	< 0.0096	< 0.00019	< 0.00019	< 0.00019	< 0.0096	< 0.019	< 0.0096	< 0.019	< 0.00019	< 0.0096	< 0.00019
	P93A-ROX-010523-PAH	1/5/2023	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	P93A-ROX-041923	4/19/2023	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.00020	< 0.00020	< 0.0099	< 0.0099	< 0.00020	< 0.00020	< 0.00020	< 0.0099	< 0.02	< 0.0099	< 0.02	< 0.00020	< 0.0099	< 0.00020
	P93A-ROX-071123	7/11/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.00021	< 0.00021	< 0.01	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.01	< 0.02	< 0.01	< 0.021	< 0.00021	< 0.01	< 0.00021 UJ
	P93A-ROX-101823	10/18/2023	< 0.01	0.00034 J	< 0.01	< 0.01	< 0.01	< 0.00020 U	< 0.00020	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.01	< 0.02	< 0.01	< 0.02	< 0.00020	< 0.01	< 0.00020
P-93B	P93B-ROX-011123	1/11/2023	< 0.0096	< 0.0096	0.0045 J	< 0.0096	< 0.0096	< 0.00019	< 0.00019	< 0.0096	< 0.0096	< 0.00019	< 0.00019	< 0.00019	< 0.0096	0.0014 J	< 0.0096	< 0.019	< 0.00019	0.31	< 0.00019
	P93B-ROX-042023	4/20/2023	< 0.0099	< 0.0099 U	0.0036 J	< 0.0099	< 0.0099	< 0.00020	< 0.00020	< 0.0099	< 0.0099	< 0.00020	< 0.00020	< 0.00020	< 0.0099	0.0010 J	< 0.0099	< 0.02	< 0.00020	0.38	< 0.00020
	P93B-ROX-071823	7/18/2023	< 0.01	< 0.01	0.0036 J	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.01	< 0.01	< 0.00020	0.000085 J	0.000090 J	< 0.01	< 0.02	< 0.01	< 0.02	< 0.00020	0.24	< 0.00020
	P93B-ROX-101923	10/19/2023	< 0.011	< 0.011	< 0.011	< 0.011	< 0.011	< 0.00021 U	< 0.00021	< 0.011	< 0.011	< 0.00021	0.00015 J	0.00014 J	< 0.011	< 0.021	< 0.011	< 0.021	< 0.00021	0.2	< 0.00021
P-93C	P93C-ROX-010523	1/5/2023	< 0.0097	< 0.0097	< 0.0097	< 0.0097	< 0.0097	0.00016 J	< 0.00019	< 0.0097	< 0.0097	< 0.00019	< 0.00019	< 0.00019	< 0.0097	< 0.019	< 0.0097	< 0.019	< 0.00019	< 0.0097	0.000072 J
	P93C-ROX-041923	4/19/2023	< 0.01	< 0.01	< 0.01	< 0.01 U	< 0.01	< 0.00020	< 0.00020	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.01	< 0.02	< 0.01	< 0.02	< 0.00020	< 0.01	< 0.00020
	P93C-ROX-071423	7/14/2023	< 0.01	0.00029 J	< 0.01	< 0.01	< 0.01	< 0.00021	< 0.00021	< 0.01	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.01	< 0.02	< 0.01	< 0.021	< 0.00021	< 0.01 UJ	< 0.00021
	P93C-ROX-101623	10/16/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01 UJ	< 0.00021	< 0.00021	< 0.01	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.01	< 0.021	< 0.01	< 0.021	< 0.00021	< 0.01	< 0.00021
P-93D	P93D-ROX-010523	1/5/2023	< 0.0094	< 0.0094	< 0.0094	< 0.0094	< 0.0094	0.00018 J	< 0.00019	< 0.0094	< 0.0094	< 0.00019	< 0.00019	< 0.00019	< 0.0094	< 0.019	< 0.0094	< 0.019	< 0.00019	< 0.0094	0.00015 J
	P93D-ROX-010523-PAH	1/5/2023	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	< 0.00019 H UJ
	P93D-ROX-042123	4/21/2023	< 0.0099	< 0.0099 U	< 0.0099	< 0.0099	< 0.0099	< 0.00020	< 0.00020	< 0.0099	< 0.0099	< 0.00020	< 0.00020	< 0.00020	< 0.0099	< 0.02	< 0.0099	< 0.02	< 0.00020	< 0.0099	< 0.00020
	P93D-ROX-071123	7/11/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.01	< 0.01	< 0.00020	< 0.00020 UJ	< 0.00020 UJ	< 0.01	< 0.02	< 0.01	< 0.02	< 0.00020	< 0.01	< 0.00020 UJ
	P93D-ROX-101623	10/16/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01 UJ	< 0.00020 U	< 0.00020	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.01	< 0.02	<				

**TABLE 3
SUMMARY OF GROUNDWATER MONITORING WELL ANALYTICAL DETECTIONS AND EXCEEDANCES**

			SVOCs																		
Screening Values (mg/L)			Dibenzofuran	Diethyl phthalate	2,4-Dimethylphenol	Dimethyl phthalate	Di-n-octyl phthalate	Fluoranthene	Fluorene	Hexachlorobenzene	Indene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	2-Methylphenol (o-Cresol)	3,4-Methylphenol	N-Nitrosodiphenylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene
			0.007 ³	5.6 ¹	0.14 ²		0.14 ²	0.28 ¹	0.28 ¹	0.00006 ²		0.00043 ¹	0.49 ³	0.028 ¹	0.35 ¹	0.14 ³	0.0032 ²	0.001 ¹	0.21 ³	0.1 ¹	0.21 ¹
Location	Sample ID	Sample Date	Analytical Results (mg/L)																		
P-114R	P114R-ROX-010623	1/6/2023	< 0.0097	< 0.0097	< 0.0097	< 0.0097	< 0.0097	0.00016 J	< 0.00019	< 0.0097	< 0.0097	< 0.00019	< 0.00019	< 0.00019	< 0.0097	< 0.019	< 0.0097	< 0.019	< 0.00019	< 0.0097	0.00018 J
	P114R-ROX-010623-PAH	1/6/2023	--	--	--	--	--	< 0.00019 H UJ	--	--	--	--	--	--	--	--	--	--	--	--	< 0.00019 H UJ
	P114R-ROX-041323	4/13/2023	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.00020	< 0.0098	< 0.02	< 0.0098	< 0.02	< 0.00020	< 0.0098	< 0.00020
	P114R-ROX-071423	7/14/2023	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.00020	< 0.00020	< 0.0099	< 0.0099	< 0.00020	< 0.00020	< 0.00020	< 0.0099		< 0.0099	< 0.02	< 0.00020	< 0.0099 UJ	< 0.00020
	P114R-ROX-101823	10/18/2023	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.00020 U	< 0.00020	< 0.0098	< 0.0098	< 0.00020	0.00025	< 0.00020	< 0.0098	< 0.02	< 0.0098	< 0.02	< 0.00020	< 0.0098	< 0.00020
ROST-3-MW	ROST3MW-ROX-010523	1/5/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.00021	< 0.00021	< 0.01	< 0.01	< 0.00021	0.00022	< 0.00021	< 0.01	< 0.021	< 0.01	< 0.021	< 0.00021	< 0.01	< 0.00021
	ROST3MW-ROX-041123	4/11/2023	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.00020	< 0.0098	< 0.02	< 0.0098	< 0.02	< 0.00020	< 0.0098	< 0.00020
	ROST3MW-ROX-071723	7/17/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.00021	< 0.00021	< 0.01	< 0.01	< 0.00021	< 0.00021	< 0.00021	< 0.01	< 0.02	< 0.01	< 0.021	< 0.00021	< 0.01	< 0.00021
	ROST3MW-ROX-071723-DUP	7/17/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.01	< 0.02	< 0.01	< 0.02	< 0.00020	< 0.01	< 0.00020
	ROST3MW-ROX-100623	10/6/2023	< 0.0057	< 0.0057	< 0.0057	< 0.0057	< 0.0057	< 0.00011	< 0.00011	< 0.0057	< 0.0057	< 0.00011	0.000072 J	< 0.00011	< 0.0057	< 0.011 UJ	< 0.0057	< 0.011	< 0.00011	< 0.0057 UJ	< 0.00011
ROST-4-PZ(C)	ROST4PZ(C)-ROX-011323	1/13/2023	0.00041 J J	< 0.01	< 0.01	< 0.01	< 0.01	< 0.00021	0.00080	< 0.01	< 0.01	< 0.00021	0.0048	< 0.00021	< 0.01	< 0.021	< 0.01	< 0.021	0.0024	< 0.01	0.000092 J
	ROST4PZ(C)-ROX-041723	4/17/2023	< 0.0096	< 0.0096	< 0.0096	< 0.0096	< 0.0096	< 0.00019	0.00065	< 0.0096	< 0.0096	< 0.00019	0.0017	< 0.00019	< 0.0096	< 0.019	< 0.0096	< 0.019	0.00069	< 0.0096	0.00025
	ROST4PZ(C)-ROX-071123	7/11/2023	0.00060 J	< 0.01	< 0.01	< 0.01	< 0.01	0.00011 J	0.00059	< 0.01	< 0.01	< 0.00021	0.014	0.0016	< 0.01	< 0.019	< 0.01	< 0.021	0.0015	< 0.01	0.000070 J J
	ROST4PZ(C)-ROX-101623	10/16/2023	0.00054 J	< 0.0097	< 0.0097	< 0.0097	< 0.0097 UJ	< 0.00019 U	0.00057	< 0.0097	< 0.0097	< 0.00019	0.0081	0.00018 J	< 0.0097	< 0.019	< 0.0097	< 0.019	0.0010	< 0.0097	< 0.00019
	ROST4PZ(C)-ROX-101623-DUP	10/16/2023	0.00060 J	< 0.0096	< 0.0096	< 0.0096	< 0.0096 UJ	< 0.00019	0.00061	< 0.0096	< 0.0096	< 0.00019	0.0094	0.00028	< 0.0096	< 0.019	< 0.0096	< 0.019	0.0012	< 0.0096	< 0.00019
ROST-4-PZ(E)	ROST4PZ(E)-ROX-011023	1/10/2023	0.0030 J	< 0.0095	< 0.0095	< 0.0095	< 0.0095	0.00032	0.0027	< 0.0095	< 0.0095	< 0.00019	0.065	0.049	< 0.0095	< 0.019	< 0.0095	< 0.019	0.0085	< 0.0095	0.00070
	ROST4PZ(E)-ROX-041823	4/18/2023	0.0014 J	< 0.0098	< 0.0098	< 0.0098	< 0.0098	0.00022	0.0017	< 0.0098	< 0.0098	< 0.00020	0.056	0.021	< 0.0098	< 0.02	< 0.0098	< 0.02	0.0047	< 0.0098	0.00042
	ROST4PZ(E)-ROX-041823-DUP	4/18/2023	< 0.0097	< 0.0097	< 0.0097	< 0.0097	< 0.0097	< 0.00019	0.0014	< 0.0097	< 0.0097	< 0.00019	0.055	0.02	< 0.0097	< 0.019	< 0.0097	< 0.019	0.0039	< 0.0097	0.00029
	ROST4PZ(E)-ROX-071223	7/12/2023	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.0099	0.00026	0.0011	< 0.0099	< 0.0099	< 0.00020	0.02	0.0041	< 0.0099	< 0.019	< 0.0099	< 0.02	0.0051	< 0.0099	0.00048
	ROST4PZ(E)-ROX-101323	10/13/2023	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.0098 UJ	< 0.00020	0.00059 B	< 0.0098	< 0.0098	< 0.00020	0.0079	0.0032	< 0.0098	< 0.02	< 0.0098	< 0.02	0.0042	< 0.0098	0.00013 J
ROST-4-PZ(G)	ROST4PZ(G)-ROX-010623	1/6/2023	< 0.0097	0.00030 J	< 0.0097	< 0.0097	0.0029 J J	< 0.00019	< 0.00019	< 0.0097	< 0.0097	< 0.00019	< 0.00019	< 0.00019	< 0.0097	< 0.019	< 0.0097	< 0.019	0.000037 J	< 0.0097	< 0.00019
	ROST4PZ(G)-ROX-041423	4/14/2023	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.0098	< 0.0098	< 0.00020	< 0.00020	< 0.00020	< 0.0098	< 0.02	< 0.0098	< 0.02	< 0.00020	< 0.0098	< 0.00020
	ROST4PZ(G)-ROX-071023	7/10/2023	< 0.01	0.00029 J	< 0.01	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.00020	< 0.01	< 0.02	< 0.01	< 0.02	< 0.00020	< 0.01	< 0.00020 UJ
	ROST4PZ(G)-ROX-101223	10/12/2023	< 0.0099	< 0.0099	< 0.0099	< 0.0099	< 0.0099 UJ	< 0.00020	< 0.00020	< 0.0099	< 0.0099	< 0.00020	< 0.00020	< 0.00020	< 0.0099	< 0.02	< 0.0099	< 0.02	< 0.00020	< 0.0099	< 0.00020
T-12	T12-ROX-011123	1/11/2023	< 0.0095	< 0.0095	0.0039 J J	< 0.0095	< 0.0095	< 0.00019	0.00037 J	< 0.0095	0.0054 J	< 0.00019	0.022	0.032	< 0.0095	< 0.019 UJ	< 0.0095	< 0.019	0.00045	0.023 J	< 0.00019
	T12-ROX-011123-DUP	1/11/2023	< 0.0095	< 0.0095	0.0042 J	< 0.0095	< 0.0095	< 0.00019	0.00034 J	< 0.0095	< 0.0095	< 0.00019	0.022	0.031	< 0.0095	0.00087 J	< 0.0095	< 0.019	0.00048	0.056 J	0.000051 J J
	T12-ROX-042023	4/20/2023	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.00020	< 0.00020	< 0.01	0.0010 J	< 0.00020	0.022	0.031	< 0.01	< 0.02	< 0.01	< 0.02	0.00048	0.036	< 0.00020
	T12-ROX-071423	7/14/2023	< 0.01	0.0011 J	< 0.01	< 0.01	< 0.01	< 0.00020	0.00023	< 0.01	< 0.01	< 0.00020	0.015	0.023	< 0.01	< 0.02	< 0.01	< 0.02	0.00042	0.05 J	< 0.00020
	T12-ROX-101923	10/19/2023	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.0098	< 0.00020 U	0.00029	< 0.0098	< 0.0098	< 0.00020	0.016	0.022	< 0.0098	0.00065 J	< 0.0098	< 0.02	0.00050	0.049	< 0.00020

Notes:

- 1 Denotes screening criteria source from 35 I.A.C. 620, Subpart D.
- 2 Denotes screening criteria source from 35 I.A.C. 742 (TACO), Appendix B, Table E.
- 3 Denotes screening criteria source from IL EPA Toxicity Assessment Unit (Chemicals not in TACO, Tier 1 Tables).

Groundwater monitoring wells designated for sampling in the Interim Groundwater Monitoring Program, P-55R, P-66, and P-68, contained LNAPL; therefore, these wells were not sampled.

The screened interval for certain monitoring wells was adjusted based on an evaluation of the results of annual bottom depth gauging conducted in the first quarter of each year.

LABORATORY QUALIFIERS

- J = The analyte was detected below the reporting limit. Result is estimated.
- H = Analyzed or extracted out of holding time criteria.
- F2 = Indicates MS/MSD RPD is outside acceptance limit.
- *+ = Indicates LCS and/or LCSD is outside acceptance limit, high biased
- *1 = LCS/LCSD RPD is outside control limit
- <#.## Indicates the analyte was not detected above the given reporting limit.

	Indicates a historical exceedance of screening criteria.
	Indicates a current exceedance of screening criteria.
	Empty shaded cell without a value indicates previous quarter analyte result was rejected or the analyte was not analyzed.
	Empty cell without a value indicates current quarter analyte result was rejected or the analyte was not analyzed.

AECOM QUALIFIERS

- J = The result is estimated.
- UJ = Estimated non-detect.
- U = Result is non-detect.